

Parasites of coral reef fish: how much do we know? With a bibliography of fish parasites in New Caledonia

Jean-Lou Justine

(1) UMR 7138 Systématique, Adaptation, Évolution, Muséum National d'Histoire Naturelle, 57, rue Cuvier, F-75321 Paris Cedex 05, France

(2) Aquarium des lagons, B.P. 8185, 98807 Nouméa, Nouvelle-Calédonie

Corresponding author: Jean-Lou Justine; e-mail: justine@mnhn.fr

ABSTRACT. A compilation of 107 references dealing with fish parasites in New Caledonia permitted the production of a parasite-host list and a host-parasite list. The lists include Turbellaria, Monopisthocotylea, Polyopisthocotylea, Digenea, Cestoda, Nematoda, Copepoda, Isopoda, Acanthocephala and Hirudinea, with 580 host-parasite combinations, corresponding with more than 370 species of parasites. Protozoa are not included. Plathelminthes are the major group, with 239 species, including 98 monopisthocotylean monogeneans and 105 digenleans. Copepods include 61 records, and nematodes include 41 records. The list of fish recorded with parasites includes 195 species, in which most (ca. 170 species) are coral reef associated, the rest being a few deep-sea, pelagic or freshwater fishes. The serranids, lethrinids and lutjanids are the most commonly represented fish families. Although a list of published records does not provide a reliable estimate of biodiversity because of the important bias in publications being mainly in the domain of interest of the authors, it provides a basis to compare parasite biodiversity with other localities, and especially with other coral reefs. The present list is probably the most complete published account of parasite biodiversity of coral reef fishes. However, it is estimated that the present state of knowledge (370 parasite species) represents only 2% of the possible number of metazoan parasites of fish present in a coral reef environment.

KEY WORDS: Check lists, parasite-hostlist, host-parasit list, biodiversity

RÉSUMÉ: Une compilation de 107 références traitant de parasites de poissons en Nouvelle-Calédonie a permis de produire une liste parasites-hôtes et une liste hôtes-parasites. Les listes incluent des Turbellaria, Monopisthocotylea, Polyopisthocotylea, Digenea, Cestoda, Nematoda, Copepoda, Isopoda, Acanthocephala et Hirudinea, avec 580 combinaisons hôtes-parasites, correspondant à plus de 370 espèces de parasites. Les Protozoa ne sont pas inclus. Les Plathelminthes sont le groupe le plus important avec 239 espèces, y compris 98 monogènes Monopisthocotylea et 105 digénées. Les copépodes incluent 61 mentions, et les nématodes 41. La liste des poissons mentionnés avec des parasites inclut 195 espèces, parmi lesquels la plupart (environ 170 espèces) sont associées aux récifs coralliens, le reste étant quelques espèces de mer profonde, pélagiques ou d'eau douce. Les Serranidae, Lethrinidae et Lutjanidae sont les familles les plus représentées. Bien qu'une liste de mentions publiées ne fournit pas une estimation fiable de la biodiversité à cause du biais important des publications, qui sont produites principalement dans les domaines d'intérêt des auteurs, elle forme une base pour comparer la biodiversité parasitaire avec d'autres localités, et surtout avec d'autres récifs coralliens. Cette liste est probablement la plus complète publiée pour la biodiversité parasitaire des poissons des récifs coralliens. Toutefois, on estime que l'état actuel de nos connaissances (370 espèces de parasites) ne représente que 2% du nombre possible de parasites métazoaires de poissons présents dans l'environnement des récifs coralliens.

INTRODUCTION

Coral reefs are areas of great biodiversity (REAKA-KUDLA, 1997). The lagoon around the mainland of New Caledonia is the largest coral lagoon in the World and its fauna is probably one of the best known, with 8,299 metazoan species recorded and identified, including 1,694 in-shore fishes (FRICKE & KULBICKI, 2007). Thus, New Caledonia is a good example of coral reef biodiversity and results obtained at this location provide a basis for comparison with other coral reef environments.

Parasites generally represent a neglected compartment of diversity, because they are small, hidden on or within their hosts, and need more detailed observation and preparation than

vertebrates and large invertebrates to be identified with precision.

In this study, I attempt to evaluate what is currently known about the fauna of fish parasites in New Caledonia, and to estimate the extent of our current knowledge in comparison to a total, exhaustive (and probably impossible to reach) inventory of the parasite fauna.

MATERIALS AND METHODS

The present evaluation is based only on published records. Although every effort has been made to compile a complete list, it is still possible that a few references have been overlooked. Among the studies of fish parasites in

New Caledonia, a major work was the study on digenleans by Manter, who came for three weeks in 1963 and then described more than 40 species (DURIO & MANTER, 1968a, b, 1969; MANTER, 1969). Unfortunately, many fishes from which Manter collected digenleans were not identified to the species level. The vernacular New Caledonian names used by Manter have been ‘translated’ into binomials (JUSTINE, 2007a). A number of papers by various authors on various groups and mainly based on the Australian fauna, include records from New Caledonia. The present author began a detailed study of fish parasites in 2003 and collected specimens from all groups; most recent papers have benefited from these collections. Host names have been updated using FishBase (FROESE & PAULY, 2009). Papers with insufficient levels of taxonomic identification (MORAND et al., 2000; SASAL et al., 2007) are not included within the lists.

Table 1 includes a parasite-host list, in which all parasites recorded are listed in taxonomical order (and alphabetical order within each group) and their fish host is indicated.

Monogeneans have been separated as Monopisthocotylea and Polyopisthocotylea, because these two groups are generally very different in size and are easily distinguished at the time of collection, and also because doubts about the monophyly of monogeneans (JUSTINE, 1998; PARK et al., 2007) suggest that these two groups should be treated independently. Monogenean genera (*Haliotrema*, etc.) sometimes included in the Dactylogyridae are here considered as members of the Ancyrocephalidae. Cestodes have been separated as three subgroups, or orders (Tetraphyllidea, Bothrioccephalidea and Trypanorhyncha) because these classes represent very different forms and are not collected using the same methods (larval trypanorhynchs are generally encysted and require special manipulation); pseudophyllideans are classified as Bothrioccephalidea (KUCHTA et al., 2008).

Species counts generally include unidentified species, but these are counted only once. This certainly minimizes the number of species, since it is likely, for example, that most *Haliotrema* spp. or *Euryhaliotrema* spp. (monogeneans) represent different species.

Table 2 is a host-parasite list, in which each fish has its parasites listed. Elasmobranch and teleost fish are separated, and fish families are listed in alphabetical order, as are species within each family. When a parasite species has been recorded under several different names, it is designated “as other name” in the lists, to avoid its record being counted twice. Absence of known hosts in the case of certain isopods comes from the fact that some of these parasites were collected in dredges.

RESULTS

A total of 109 references include records of fish parasites in New Caledonia. These represent more than 1,500 published pages (excluding books).

Table 1 (the parasite-host list) includes 371 species of parasites (unidentified species have been counted as one species, thus minimizing the count). The total number of host-parasite combinations is 580. Table 3 summarizes the

numerical importance of each parasitic group. Platyhelminthes is the major group with 240 species, representing 65% of the total number of species, followed by copepods (61 records, 16%) and nematodes (41 records, 11%). Monopisthocotylean monogeneans, with 98 species, include only 4 families (Ancyrocephalidae, Capsalidae, Diplectanidae and Monocotylidae) but diplectanids alone include 58 species. Digenleans include 20 families and 105 species; the most speciose families are the Opecoelidae (18 species) and Hemiuroidae (17). Nematodes include 9 families; the most speciose families are the Camallanidae (10 species) and Philometridae (9).

Table 2 (the host-parasite list) includes 195 fish species with parasites recorded. This includes 14 elasmobranch and 181 teleost species. The families with the most species mentioned with parasites are the serranids (30), lethrinids (16), lutjanids (15) and chaetodontids (15). The fish species with the highest numbers of published parasite species are the balistid *Pseudobalistes fuscus* (12 species), the lethrinid *Lethrinus nebulosus* (13), and the serranids *Epinephelus fasciatus* (15), *E. maculatus* (16), and *E. cyanopodus* (31). Exhaustive counts of parasite species have been attempted previously for a few species of serranids (Table 4). Although impressive in the number of species listed, these lists are not complete; it has been suggested that about 100 species of parasites might be present in the large species of groupers (serranids) (JUSTINE & SIGURA, 2007). However, these estimates are of interest in showing that the present list of published records includes only a small proportion of the actual parasite biodiversity.

Most fish recorded here are from inside the lagoon and thus should be considered as coral reef-associated species. A few fish (4) mentioned in the list have been collected in freshwater and are indicated as such. However, most freshwater species on Pacific islands have at least a part of their life-cycle in sea and thus it is not aberrant to include them in the list. A few species (16) are deep-sea fishes and are indicated as such; they harbour less than 40 parasite species. The serranid *Epinephelus chlorostigma* is mentioned as a deep-sea fish because the specimen was actually caught on the outer slope of the barrier reef, but may be encountered in shallow waters (FRICKE & KULBICKI, 2007). In contrast, there is no doubt that the deep-sea sharks, the lutjanids *Etelis* spp. and *Pristipomoides* spp. and the hoplichthyid *Hoplichthys citrinus* are strictly confined to deep-sea environments. A few species (2-4) are pelagic fish, such as the large scombrids (tunas and swordfish). Finally, of the 195 fish species recorded with parasites, more than 170 can be considered as coral-associated lagoon fish; parasite species recorded from coral reef fish are about 350.

DISCUSSION

A faunal list based on published references certainly does not show the actual importance of biodiversity. A main reason is that authors publish on the groups that are of interest to them, for personal or scientific reasons. As an example, the high numbers of diplectanid monogeneans or trichoso-

moidid nematodes recorded are simply an indication of the interest of the present author in these groups, and does not indicate that the parasite fauna of New Caledonia is specially rich in these families. Another reason is that trivial groups, which are known ‘everywhere’ and considered as of little interest, are often simply not mentioned; this is probably the case for anisakid nematode larvae, which are present in nearly all fish examined, but rarely mentioned. Tetraphylidean cestode larvae or gnathiid isopod larvae are also good example of widespread biodiversity, generally neglected in publications. For certain groups, we already know that biodiversity (the actual number of species) is much higher than the one already described (e.g. see Table 2 in KRITSKY et al., 2009) but taxonomical work is still in progress and unpublished.

However, a list based on references shows the extent of knowledge which is actually available to the scientific community, and allows comparisons with other geographical localities, i.e. we can compare parasite biodiversity in New Caledonia with other localities only on the basis of published works. Table 5 summarizes available references on fish parasites in the Indo-Pacific. Most studies listed here do not allow comparison of the relative parasite biodiversity in coral reefs, because they include fishes from freshwater or from noncoral associated environments. The only list which was specifically limited to a coral-reef environment, Heron Island on the Great Barrier Reef (LESTER & SEWELL, 1989), was the result of both a one-week meeting and field work by a group of parasitologists in 1986 and a compilation of the available literature at that period. This list included only 122 fish species (compared to about 170 coral-reef fishes in the present compilation); the number of records (i.e. host-parasite combinations) is the same in both studies (580) but this includes all parasites, including Protozoa, on Heron Island, compared with only Metazoa in New Caledonia. The number of parasite species on Heron Island was not indicated, and many identifications were at the family level only; it can be estimated to be about 300, in comparison to 370 in New Caledonia. Therefore, the present study is likely to be the most complete compilation of metazoan parasites of coral reef fishes in the literature.

An evaluation of global parasite biodiversity in coral reef fishes

orders

Evaluations of numbers of parasites per fish species have been proposed by various authors (Table 5). The early global estimate of Rohde of 20,000 parasite species (including Protozoa) for 1,000 fish species on Heron Island is generally considered reasonable by most authors. A prediction of 100,000–200,000 helminth species for the 20,000 species of fish worldwide has also been made (BOUCHET, 2006).

The number of fish species in New Caledonia is about 2,200. Precise counts include 1,694 “in-shore fishes”, i.e. fishes encountered at less than 100 m depth (FRICKE & KULICKI, 2007), which we may generally consider as “coral reef associated” and 414 bathyal fishes (RICHER DE FORGES & JUSTINE, 2006); and pelagic species should be added to these par-

tial totals. The fish species recorded with at least one parasite represent about 9% (195: 2,200) of the total number of fish.

The author’s present work in New Caledonia (about 1,800 host-parasite combinations, largely unpublished) suggests that an average of 10 species of parasites per fish species is a reasonable estimate (only Metazoa, excluding Protozoa). Large species might harbour as many as 100 species of parasites (JUSTINE & SIGURA, 2007). This allows a prediction of about 17,000 parasites species to be made for the 1,700 reef fishes of New Caledonia. With 350 species recorded, the present bibliographical list highlights the paucity of our knowledge: just 2% of the parasites have been recorded.

Finding 2% of the total number of parasites on 9% of the total number of fish does not suggest that the fish investigated had specially few parasites; this rather shows that most published records were incidental and not the product of an exhaustive survey.

In addition to fish parasite, coral reef include a high number of other parasites or symbionts, such as copepods associated with echinoderms or corals (BOXSHALL & HUYS, 2007), or parasitic molluscs (BOUCHET, 2006; BOUCHET et al., 2002); the present compilation probably represent a small part of parasite biodiversity in coral reefs.

Many comments have been done about the ‘taxonomic impediment’ i.e. the difficulty to describe biodiversity. I will just add yet another estimate: given that these 2% needed 1,500 published pages, the publication of parasite biodiversity of New Caledonia would need about 75,000 pages. Taxonomists, who know what amount of work is sometimes hidden behind a single figure or a sentence in a diagnosis, will understand.

ACKNOWLEDGEMENTS

Many authors cited here provided literature. Geoff Boxshall and Jean-Paul Trilles edited the copepods and isopods, respectively. Although the journal recommends that all authors of taxa should be cited, the Editor agreed that the reference list does not include the authors of fish taxa (which are cited without year as it is usual in the parasitological literature), and that authors of parasite taxa are cited only after 1950; in spite of this, authors of taxa represent more than 80 references. Ian Beveridge edited the English.

This compilation includes all publications known to the author (including in press) in November 2009.

TABLE 1.
Parasite-Host list

TURBELLARIA		<i>Haliotrema</i> spp.	
1 family recorded; 1 species recorded + unidentified species		<i>Cephalopholis sonnerati</i>	JUSTINE, 2007d
GENOSTOMATIDAE		<i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008
<i>Piscinophilinus</i> sp.		<i>Epinephelus maculatus</i>	JUSTINE, 2007c
<i>Naso unicornis</i>	JUSTINE et al., 2009b	<i>Epinephelus morrhua</i>	JUSTINE, 2008c
UNKNOWN FAMILY		<i>Lethrinus harak</i>	JUSTINE, 2007e; RASCALOU & JUSTINE, 2007
<i>Acanthurus xanthopterus</i>	JUSTINE et al., 2009b	<i>Lethrinus lentjan</i>	JUSTINE, 2007e
<i>Chaetodon ephippium</i>	JUSTINE et al., 2009b	<i>Lethrinus nebulosus</i>	JUSTINE, 2007e; RASCALOU & JUSTINE, 2007
<i>Cheilinus chlorourus</i>	JUSTINE et al., 2009b	<i>Lethrinus ravus</i>	JUSTINE, 2007e
<i>Chromis viridis</i>	JUSTINE et al., 2009b	<i>Lethrinus rubrioperculatus</i>	JUSTINE, 2007e
<i>Epinephelus fasciatus</i>	JUSTINE et al., 2009b	<i>Lethrinus xanthochilus</i>	JUSTINE, 2007e
<i>Nemipterus furcosus</i>	JUSTINE et al., 2009b		
<i>Thalassoma lutescens</i>	JUSTINE et al., 2009b		
MONOGENEA MONOPISTHOCOTYLEA		<i>Euryhaliotrema</i> spp.	
alphabetical order of families and species;		<i>Lutjanus argentimaculatus</i>	KRITSKY et al., 2009
4 families recorded; 98 species recorded + unidentified species		<i>Lutjanus fulviflamma</i>	KRITSKY et al., 2009
ANCYROCEPHALIDAE		<i>Lutjanus fulvus</i>	KRITSKY et al., 2009
<i>Aliatremma cribbi</i> Plaisance & Kritsky, 2004		<i>Lutjanus quinquelineatus</i>	KRITSKY et al., 2009
<i>Chaetodon auriga</i>	PLAISANCE & KRITSKY, 2004	<i>Lutjanus russellii</i>	KRITSKY et al., 2009
<i>Chaetodon vagabundus</i>	PLAISANCE & KRITSKY, 2004	<i>Lutjanus vitta</i>	KRITSKY et al., 2009
<i>Euryhaliotrematoides annulicirrus</i>		<i>Haliotrematoides longitubocirrus</i> (Bychowsky & Nagibina, 1971) Kritsky, Yang & Sun, 2009	
(Yamaguti, 1968) Plaisance & Kritsky, 2004		<i>Lutjanus fulvus</i>	KRITSKY et al., 2009
<i>Chaetodon auriga</i>	PLAISANCE & KRITSKY, 2004	<i>Lutjanus quinquelineatus</i>	KRITSKY et al., 2009
<i>Chaetodon vagabundus</i>	PLAISANCE & KRITSKY, 2004	<i>Lutjanus russellii</i>	KRITSKY et al., 2009
<i>Euryhaliotrematoides aspis</i> Plaisance & Kritsky, 2004		<i>Lutjanus vitta</i>	KRITSKY et al., 2009
<i>Chaetodon vagabundus</i>	PLAISANCE & KRITSKY, 2004		
<i>Euryhaliotrematoides grandis</i> (Mizelle & Kritsky, 1969)		<i>Haliotrematoides patellacirrus</i> (Bychowsky & Nagibina, 1971) Kritsky, Yang & Sun, 2009	
Plaisance & Kritsky, 2004		<i>Lutjanus fulviflamma</i>	KRITSKY et al., 2009
<i>Chaetodon auriga</i>	PLAISANCE & KRITSKY, 2004	<i>Lutjanus fulvus</i>	KRITSKY et al., 2009
<i>Chaetodon vagabundus</i>	PLAISANCE & KRITSKY, 2004	<i>Lutjanus quinquelineatus</i>	KRITSKY et al., 2009
<i>Euryhaliotrematoides microphallus</i> (Yamaguti, 1968)		<i>Lutjanus russellii</i>	KRITSKY et al., 2009
Plaisance & Kritsky, 2004		<i>Lutjanus vitta</i>	KRITSKY et al., 2009
<i>Heniochus chrysostomus</i>	PLAISANCE & KRITSKY, 2004		
<i>Euryhaliotrematoides pirulum</i> Plaisance & Kritsky, 2004		<i>Haliotrematoides tainophallus</i> Kritsky & Justine, 2009 in Kritsky, Yang & Sun	
<i>Chaetodon auriga</i>	PLAISANCE & KRITSKY, 2004	<i>Lutjanus fulviflamma</i>	KRITSKY et al., 2009
<i>Haliotrema aurigae</i> (Yamaguti, 1968) Plaisance, Bouamer & Morand, 2004			
<i>Chaetodon auriga</i>	PLAISANCE et al., 2004	<i>Haliotrematoides potens</i> Kritsky & Justine, 2009 in Kritsky, Yang & Sun	
<i>Chaetodon citrinellus</i>	PLAISANCE et al., 2004	<i>Lutjanus argentimaculatus</i>	KRITSKY et al., 2009
<i>Chaetodon vagabundus</i>	PLAISANCE et al., 2004		
<i>Heniochus chrysostomus</i>	PLAISANCE et al., 2004	<i>Haliotrematoides novaecaledoniae</i> Kritsky & Justine, 2009 in Kritsky, Yang & Sun	
<i>Haliotrema banana</i> Lim & Justine, 2007		<i>Lutjanus argentimaculatus</i>	KRITSKY et al., 2009
<i>Bodianus perditio</i>	LIM & JUSTINE, 2007		
<i>Haliotrema epinepheli</i> Young, 1968		<i>Haliotrematoides lanx</i> Kritsky & Justine, 2009 in Kritsky, Yang & Sun	
<i>Epinephelus maculatus</i>	JUSTINE, 2007c	<i>Lutjanus quinquelineatus</i>	KRITSKY et al., 2009
<i>Variola albimarginata</i>	JUSTINE, 2005c		
<i>Variola louti</i>	JUSTINE, 2005c	<i>Pennulituba cymensis</i> Řehulková, Justine & Gelnar, 2009	
		<i>Mulloidichthys vanicolensis</i>	ŘEHULKOVÁ et al., 2009
		<i>Pennulituba piratifalx</i> Řehulková, Justine & Gelnar, 2009	
		<i>Mulloidichthys vanicolensis</i>	ŘEHULKOVÁ et al., 2009

Tetrancistrum sigani Goto & Kikuchi, 1917 as <i>Tetrancistrum nebulosi</i> Young, 1967 (synonymy: Kritsky et al., 2007)		DIPLECTANIDAE
<i>Siganus canaliculatus</i>	YOUNG, 1967a	<i>Calydiscoides australis</i> Young, 1969
<i>Siganus fuscescens</i>	YOUNG, 1967a	<i>Lethrinus miniatus</i> JUSTINE, 2007e
<i>Siganus sp.</i>	YOUNG, 1967a	
Volsellituba elephantina Řehulková, Justine & Gelnar, 2009 <i>Mulloidichthys vanicolensis</i>	ŘEHULKOVÁ et al., 2009	Calydiscoides difficilis (Yamaguti, 1953) Young, 1969
		<i>Lethrinus harak</i> RASCALOU & JUSTINE, 2007
		<i>Lethrinus lentjan</i> RASCALOU & JUSTINE, 2007
		<i>Lethrinus nebulosus</i> RASCALOU & JUSTINE, 2007
		<i>Lethrinus obsoletus</i> RASCALOU & JUSTINE, 2007
		<i>Lethrinus ravus</i> RASCALOU & JUSTINE, 2007
Volsellituba nabla Řehulková, Justine & Gelnar, 2009 <i>Mulloidichthys vanicolensis</i>	ŘEHULKOVÁ et al., 2009	Calydiscoides duplicostatus (Yamaguti, 1953) Young, 1969
		<i>Lethrinus harak</i> RASCALOU & JUSTINE, 2007
		<i>Lethrinus lentjan</i> RASCALOU & JUSTINE, 2007
		<i>Lethrinus nebulosus</i> RASCALOU & JUSTINE, 2007
Unidentified species		Calydiscoides gussevi Oliver, 1984
<i>Lutjanus fulvus</i>	KRITSKY et al., 2009	<i>Lethrinus miniatus</i> JUSTINE, 2007e
<i>Lutjanus kasmira</i>	KRITSKY et al., 2009	
<i>Lutjanus quinquefasciatus</i>	KRITSKY et al., 2009	Calydiscoides euzeti Justine, 2007
<i>Lutjanus vitta</i>	KRITSKY et al., 2009	<i>Lethrinus rubrioperculatus</i> JUSTINE, 2007e
		<i>Lethrinus xanthochilus</i> JUSTINE, 2007e
CAPSALIDAE		Calydiscoides limae Justine & Brena, 2009
Allobenedenia sp. <i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008	<i>Pentapodus aureofasciatus</i> JUSTINE & BENA, 2009
Benedenia cf. <i>epinepheli</i> (Yamaguti, 1937) <i>Epinephelus fasciatus</i>	JUSTINE, 2005b	Calydiscoides rohdei Oliver, 1984
		<i>Lethrinus atkinsoni</i> JUSTINE 2007e
Benedenia sp. <i>Epinephelus merra</i> <i>Nemipterus furcosus</i>	HINSINGER & JUSTINE, 2006a JUSTINE & BRENA, 2009	Calydiscoides terpsichore Rascalou & Justine, 2007
		<i>Lethrinus harak</i> RASCALOU & JUSTINE, 2007
		<i>Lethrinus nebulosus</i> RASCALOU & JUSTINE, 2007
Encotyllabe sp. <i>Lethrinus harak</i> <i>Lethrinus nebulosus</i> <i>Lethrinus rubrioperculatus</i> <i>Lethrinus xanthochilus</i>	RASCALOU & JUSTINE, 2007 RASCALOU & JUSTINE, 2007 JUSTINE, 2007e JUSTINE, 2007e	Diplectanum uitoe Justine, 2007
		<i>Epinephelus maculatus</i> JUSTINE, 2007c
Dioncopseudobenedenia kala Yamaguti, 1965 <i>Naso unicornis</i>	PERKINS et al., 2009	Diplectanum maa Justine & Sigura, 2007
		<i>Epinephelus malabaricus</i> JUSTINE & SIGURA, 2007
Pseudonitzschia uku Yamaguti, 1965 <i>Aprion virescens</i>	PERKINS et al., 2009	Diplectanum nanus Justine, 2007
		<i>Cephalopholis sonnerati</i> JUSTINE, 2007d
Trochopodinae Gen. sp. 1 <i>Pseudobalistes fuscus</i>	PERKINS et al., 2009	Diplectanum parvus Justine, 2008
		<i>Cephalopholis urodetta</i> JUSTINE, 2008a
Trochopodinae Gen. sp. <i>Plectropomus leopardus</i> as Trochopodinae Gen. sp. 2 <i>Plectropomus leopardus</i>	JUSTINE & EUZET, 2006 PERKINS et al., 2009	Echinoplectanum chauvetorum Justine & Euzet, 2006
		<i>Plectropomus laevis</i> JUSTINE & EUZET, 2006
Trochopodinae Gen. sp. 4 <i>Epinephelus fuscoguttatus</i>	PERKINS et al., 2009	Echinoplectanum laeve Justine & Euzet, 2006
		<i>Plectropomus laevis</i> JUSTINE & EUZET, 2006
Capsalidae, unidentified immature <i>Sphyraena</i> sp. (recruiting larva)	CRIBB et al., 2000	Echinoplectanum leopardi Justine & Euzet, 2006
		<i>Plectropomus leopardus</i> JUSTINE & EUZET, 2006
Capsalidae sp. 1 <i>Plectorhinchus chaetodonoides</i>	PERKINS et al., 2009	Echinoplectanum pudicum Justine & Euzet, 2006
		<i>Plectropomus leopardus</i> JUSTINE & EUZET, 2006
		Echinoplectanum rarum Justine & Euzet, 2006
		<i>Plectropomus leopardus</i> JUSTINE & EUZET, 2006
		Lamellodiscus sp. <i>Gnathodentex aureolineatus</i> JUSTINE, 2007e; JUSTINE & BRIAND, 2009

Lamellodiscus magnicornis Justine & Briand, 2009		Pseudorhabdosynochus duitoe Justine, 2007
<i>Gymnocranius euanus</i>	JUSTINE & BRIAND, 2009	<i>Epinephelus maculatus</i> JUSTINE, 2007c
<i>Gymnocranius grandoculis</i>	JUSTINE & BRIAND, 2009	<i>Epinephelus cyanopodus</i> SIGURA & JUSTINE, 2008
<i>Gymnocranius</i> sp. A	JUSTINE & BRIAND, 2009	
<i>Gymnocranius</i> sp. B	JUSTINE & BRIAND, 2009	
as <i>Lamellodiscus</i> sp.		
<i>Gymnocranius euanus</i>	JUSTINE, 2007e	<i>Epinephelus chlorostigma</i> JUSTINE, 2009b
<i>Gymnocranius grandoculis</i>	JUSTINE, 2007e	
Lamellodiscus parvicornis Justine & Briand, 2009		Pseudorhabdosynochus euitoe Justine, 2006
<i>Gymnocranius euanus</i>	JUSTINE & BRIAND, 2009	<i>Epinephelus maculatus</i> JUSTINE, 2007c
<i>Gymnocranius grandoculis</i>	JUSTINE & BRIAND, 2009	
<i>Gymnocranius</i> sp. B	JUSTINE & BRIAND, 2009	
as <i>Lamellodiscus</i> sp.		
<i>Gymnocranius euanus</i>	JUSTINE, 2007e	Pseudorhabdosynochus exoticus Sigura & Justine, 2008
<i>Gymnocranius grandoculis</i>	JUSTINE, 2007e	<i>Epinephelus cyanopodus</i> SIGURA & JUSTINE, 2008
Lamellodiscus tubulicornis Justine & Briand, 2009		Pseudorhabdosynochus fuitoe Justine, 2007
<i>Gymnocranius grandoculis</i>	JUSTINE & BRIAND, 2009	<i>Epinephelus maculatus</i> JUSTINE, 2007c
<i>Gymnocranius</i> sp. B	JUSTINE & BRIAND, 2009	
as <i>Lamellodiscus</i> sp.		
<i>Gymnocranius grandoculis</i>	JUSTINE, 2007e	Pseudorhabdosynochus guitoe Justine, 2007
Laticola cyanus Sigura & Justine, 2008		<i>Epinephelus maculatus</i> JUSTINE, 2007c
<i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008	
Laticola dae Journo & Justine, 2006		Pseudorhabdosynochus hirundineus Justine, 2005
<i>Epinephelus maculatus</i>	JOURNO & JUSTINE, 2006	<i>Variola louti</i> JUSTINE, 2005c
Pseudorhabdosynochus auitoe Justine, 2007		Pseudorhabdosynochus inversus Justine, 2008
<i>Epinephelus maculatus</i>	JUSTINE, 2007c	<i>Epinephelus rivulatus</i> JUSTINE, 2008b
Pseudorhabdosynochus argus Justine, 2007		Pseudorhabdosynochus huitoe Justine, 2007
<i>Cephalopholis argus</i>	JUSTINE, 2007d	<i>Epinephelus maculatus</i> JUSTINE, 2007c
<i>Epinephelus cyanopodus</i>	SIGURA et al., 2007	<i>Epinephelus cyanopodus</i> SIGURA & JUSTINE, 2008
Pseudorhabdosynochus bacchus Sigura, Chauvet & Justine, 2007		Pseudorhabdosynochus manifestus Justine & Sigura, 2007
<i>Epinephelus coeruleopunctatus</i>		<i>Epinephelus malabaricus</i> JUSTINE & SIGURA, 2007
Pseudorhabdosynochus buitoe Justine, 2007		Pseudorhabdosynochus malabaricus Justine & Sigura, 2007
<i>Epinephelus maculatus</i>	JUSTINE, 2007c	<i>Epinephelus malabaricus</i> JUSTINE & SIGURA, 2007
Pseudorhabdosynochus calathus Hinsinger & Justine, 2006		Pseudorhabdosynochus maternus Justine & Sigura, 2007
<i>Epinephelus rivulatus</i>	HINSINGER & JUSTINE, 2006a	<i>Epinephelus malabaricus</i> JUSTINE & SIGURA, 2007
Pseudorhabdosynochus caledonicus Justine, 2005		Pseudorhabdosynochus manipulus Justine & Sigura, 2007
<i>Epinephelus fasciatus</i>	HINSINGER & JUSTINE, 2006a; JUSTINE, 2005b	<i>Epinephelus malabaricus</i> JUSTINE & SIGURA, 2007
Pseudorhabdosynochus chauveti Sigura & Justine, 2008		Pseudorhabdosynochus marcellus Justine & Sigura, 2007
<i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008	<i>Epinephelus malabaricus</i> JUSTINE & SIGURA, 2007
Pseudorhabdosynochus cuitoe Justine, 2007		Pseudorhabdosynochus maaensis Justine & Sigura, 2007
<i>Epinephelus maculatus</i>	JUSTINE, 2007c	<i>Epinephelus malabaricus</i> JUSTINE & SIGURA, 2007
Pseudorhabdosynochus cyanopodus Sigura & Justine, 2008		Pseudorhabdosynochus melanesiensis (Laird, 1958) Kristsky & Beverley-Burton, 1986
<i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008	<i>Epinephelus merra</i> HINSINGER & JUSTINE, 2006a; JUSTINE, 2005b
Pseudorhabdosynochus cyathus Hinsinger & Justine, 2006		Pseudorhabdosynochus minutus Justine, 2007
<i>Epinephelus howlandi</i>	HINSINGER & JUSTINE, 2006a	<i>Cephalopholis sonnerati</i> JUSTINE, 2007d
Pseudorhabdosynochus cyathus Hinsinger & Justine, 2006		Pseudorhabdosynochus morrhua Justine, 2008
<i>Epinephelus howlandi</i>	HINSINGER & JUSTINE, 2006a	<i>Epinephelus morrhua</i> JUSTINE, 2008c
Pseudorhabdosynochus podocyanus Sigura & Justine, 2008		Pseudorhabdosynochus podocyanus Sigura & Justine, 2008
<i>Epinephelus cyanopodus</i>		<i>Epinephelus cyanopodus</i> SIGURA & JUSTINE, 2008

Pseudorhabdosynochus cf. shenzhenensis Yang, Zeng & Gibson, 2005		HEXABOTHRIIDAE	
<i>Epinephelus malabaricus</i>	JUSTINE & SIGURA, 2007	Hexabothriidae, unidentified	
		<i>Squalus melanurus</i>	JUSTINE, 2009a
Pseudorhabdosynochus variabilis Justine, 2008		MICROCOTYLIDAE	
<i>Epinephelus morrhua</i>	JUSTINE, 2008c	Polylabris sillaginiae (Woolcock, 1936) Dillon, Hargis & Harrises, 1983	
		<i>Sillago sihama</i>	HAYWARD, 1996
Pseudorhabdosynochus venus Hinsinger & Justine, 2006		Microcotylidae, unidentified species	
<i>Epinephelus howlandi</i>	HINSINGER & JUSTINE, 2006b	<i>Gymnocranius euanus</i>	JUSTINE, 2007e
Pseudorhabdosynochus youngi Justine, Dupoux & Cribb, 2009		<i>Gymnocranius grandoculis</i>	JUSTINE, 2007e
<i>Epinephelus fasciatus</i>	JUSTINE et al., 2009a	<i>Lethrinus nebulosus</i>	JUSTINE, 2007e
as <i>Ps. cupatus</i> (Young, 1969) Kritsky & Beverley-Burton, 1986		<i>Nemipterus furcosus</i>	JUSTINE & BRENA, 2009
<i>Epinephelus fasciatus</i>	HINSINGER & JUSTINE, 2006a; JUSTINE, 2005b	<i>Pentapodus aureofasciatus</i>	JUSTINE & BRENA, 2009
Pseudorhabdosynochus cf. coioides Bu, Leong, Wong , Woo & Foo, 1999		DIGENEA	
<i>Epinephelus merra</i>	HINSINGER & JUSTINE, 2006a	(alphabetical order of families and species; 20 families recorded; 105 species recorded + unidentified species)	
Pseudorhabdosynochus spp.		UNIDENTIFIED FAMILY, DIGENEA	
<i>Epinephelus coeruleopunctatus</i>	SIGURA et al., 2007	<i>Diagramma pictum</i>	BAILLON, 1991
		<i>Epinephelus morrhua</i>	JUSTINE, 2008c
MONOCOTYLIDAE		ACANTHOCOLPIDAE	
Decacotyle octona (Young, 1967) Chisholm & Whittington, 1998		Stephanostomum japonocasum Durio & Manter, 1969	
<i>Aetobatus cf. narinari</i>	MARIE & JUSTINE, 2005	<i>Epinephelus</i> sp. "Red Cod"	DURIO & MANTER, 1969
Decacotyle elpora Marie & Justine, 2005		Serranidae "unidentified serranid"	DURIO & MANTER, 1969
<i>Aetobatus cf. narinari</i>	MARIE & JUSTINE, 2005	Stephanostomum casum (Linton, 1910) McFarlane, 1934	
Clemacotyle australis Young, 1967		<i>Lutjanus argentimaculatus</i>	DURIO & MANTER, 1969
<i>Aetobatus cf. narinari</i>	MARIE & JUSTINE, 2005	Stephanostomum sp.	
Thaumatocotyle pseudodasybatis Hargis, 1955		<i>Pseudobalistes fuscus</i>	BRAY & JUSTINE, 2007b
<i>Aetobatus cf. narinari</i>	MARIE & JUSTINE, 2005, 2006	Acanthocolpidae, unidentified	
Triloculotrema chisholmae Justine, 2009		<i>Pseudobalistes fuscus</i>	BRAY & JUSTINE, 2007b
<i>Squalus melanurus</i>	JUSTINE, 2009a	APOCREADIIDAE	
MONOGENEA POLYOPISTHOCOTYLEA		Sphincteristomum acollum Oshmarin, Mamaev & Parukhin, 1961	
(alphabetical order of families and species; 5 families recorded; 8 species recorded + unidentified species)		<i>Pseudobalistes fuscus</i>	BRAY & JUSTINE, 2007b
AXINIDAE		Homalometron moraveci Bray, Justine & Cribb, 2007	
Allopseudaxine sp.		<i>Mulloidichthys vanicolensis</i>	BRAY et al., 2007
<i>Katsuwonus pelamis</i>	ROHDE et al., 1980	BIVESICULIDAE	
Allopseudaxinoides vagans (Ishii, 1936) Yamaguti, 1968		Bivesiculoides posterotestis Durio & Manter, 1968	
<i>Katsuwonus pelamis</i>	ROHDE et al., 1980	Myctophidae "pretre" (? <i>Atherinomorus lacunosus</i> ?)	
GASTROCOTYLIDAE		DURIO & MANTER, 1968a	
Neothoracocotyle acanthocybii (Meserve, 1938) Hargis, 1956		BUCEPHALIDAE	
<i>Acanthocybium solandri</i>	ROHDE et al., 1980	Myorhynchus pritchardae Durio & Manter, 1968	
HETEROMICROTYLIDAE		Serranidae ("leche"/ loche)	DURIO & MANTER, 1968a
Heteromicrocotyla australiensis Rohde, 1977		Neidhartia coronata Durio & Manter, 1968	
<i>Carangoides fulvoguttatus</i>	BARTON et al., 2009	<i>Epinephelus</i> sp.	DURIO & MANTER, 1968a
Heteromicrocotyloides megaspinosus Barton, Beaufrère, Justine & Whittington, 2009		Prosorhynchus freitasi Nagaty, 1937	
<i>Carangoides fulvoguttatus</i>	BARTON et al., 2009	<i>Epinephelus</i> sp.	DURIO & MANTER, 1968a

Prostorhynchus longisaccatus Durio & Manter, 1968		<i>Pseudogramma</i> sp. (recruiting larvae)	CRIBB et al., 2000
<i>Epinephelus cyanopodus</i>	BRAY & JUSTINE, 2006b	<i>Scorpaenidae</i> Gen. sp. (recruiting larvae)	CRIBB et al., 2000
Serranidae ("leche"/ loche)	DURIO & MANTER, 1968a	<i>Synodontidae</i> Gen. sp. (recruiting larvae)	CRIBB et al., 2000
Prostorhynchus maternus Bray & Justine, 2006		Didymozoidae Larva sp. B	
<i>Epinephelus malabaricus</i>	BRAY & JUSTINE, 2006b	<i>Apogon coccineus</i> (recruiting larvae)	CRIBB et al., 2000
Prostorhynchus serrani Durio & Manter, 1968		<i>Bothus pantherinus</i> (recruiting larvae)	CRIBB et al., 2000
<i>Variola louti</i>	DURIO & MANTER, 1968a	Didymozoidae Larva sp. C	
Prostorhynchoides lamprelli Bott & Cribb, 2005		<i>Synodontidae</i> Gen. sp. 1 (recruiting larvae)	CRIBB et al., 2000
<i>Caranx papuensis</i>	BRAY & JUSTINE, 2006b	Didymozoidae Larva sp. D	
Rhipidocotyle sp.		<i>Labridae</i> Gen. sp. (recruiting larvae)	CRIBB et al., 2000
<i>Labroides dimidiatus</i>	JONES et al., 2003, 2004	<i>Thalassoma</i> sp. (recruiting larvae)	CRIBB et al., 2000
CRYPTOGONIMIDAE		Didymozoidae Larva sp. E	
Adlardia novaecaledoniae Miller, Bray, Goiran, Justine & Cribb, 2009		<i>Apogon coccineus</i> (recruiting larvae)	CRIBB et al., 2000
<i>Nemipterus furcosus</i>	MILLER et al., 2009	Didymozoidae Larva sp. F	
as <i>Siphoderina elongata</i> (Gu & Shen, 1979)		<i>Apogon coccineus</i> (recruiting larvae)	CRIBB et al., 2000
<i>Nemipterus furcosus</i>	QUILICHINI et al., 2009a	Didymozoidae Larva sp. G	
Lobosorchis tibaldiae Miller & Cribb, 2005		<i>Labridae</i> Gen. sp. (recruiting larvae)	CRIBB et al., 2000
<i>Lutjanus fulviflamma</i>	MILLER & CRIBB, 2005	<i>Thalassoma</i> sp. (recruiting larvae)	CRIBB et al., 2000
Paracryptogonimus saccatus Manter, 1963		FELLODISTOMATIDAE	
<i>Siganus</i> sp.	DURIO & MANTER, 1969	Tergestia clonacantha Manter, 1963	
Retrovarium (species not indicated)		<i>Hemiramphus</i> sp.	DURIO & MANTER, 1968a
<i>Lutjanus fulviflamma</i>	MILLER & CRIBB, 2007	GORGODERIDAE	
Siphoderina catalae (Durio & Manter, 1969) Miller & Cribb, 2008		Phyllodistomum sp.	
<i>Lutjanus bohar</i> ? ("anglais")	DURIO & MANTER, 1969	<i>Parupeneus multifasciatus</i>	BRAY & JUSTINE, 2008b
Siphoderina longitestis (Durio & Manter, 1969) Miller & Cribb, 2008		GYLIAUCHENIDAE	
<i>Lutjanus bohar</i> ? ("anglais")	DURIO & MANTER, 1969	Affecauda salacia Hall & Cribb, 2004	
Siphoderina paracatalae Durio & Manter, 1969		<i>Zebrasoma veliferum</i>	HALL & CRIBB, 2004b
<i>Lutjanus bohar</i> ? ("anglais")	DURIO & MANTER, 1969	Gyliauchen papillatus (Goto & Matsudaira, 1918) Goto, 1919	
Siphoderina provitellosus (Durio & Manter, 1969) Miller & Cribb, 2008		<i>Siganus</i> sp.	DURIO & MANTER, 1969
<i>Lutjanus fulvus</i>	DURIO & MANTER, 1969	Ptychoglyiauchen thistilbardi Hall & Cribb, 2004	
Siphoderina testitactus (Durio & Manter, 1969) Miller & Cribb, 2008		<i>Siganus argenteus</i>	HALL & CRIBB, 2004a
<i>Lutjanus bohar</i> ? ("anglais")	DURIO & MANTER, 1969	<i>Siganus canaliculatus</i>	HALL & CRIBB, 2004a
DIDYMOZOIDAE		<i>Siganus corallinus</i>	HALL & CRIBB, 2004a
Didymozoidae unidentified spp. (adults)		<i>Siganus doliatus</i>	HALL & CRIBB, 2004a
<i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008	<i>Siganus spinus</i>	HALL & CRIBB, 2004a
<i>Epinephelus maculatus</i>	JUSTINE, 2007c	HAPLOPORIDAE	
<i>Lethrinus harak</i>	RASCALOU & JUSTINE, 2007	Atractotrema sigani Durio & Manter, 1969	
<i>Lethrinus rubrioperculatus</i>	JUSTINE, 2007e	<i>Siganus</i> sp.	DURIO & MANTER, 1969
Didymozoidae unidentified spp. (juveniles)		Hapladena tanyorchis Manter & Pritchard, 1961	
<i>Parupeneus multifasciatus</i>	BRAY & JUSTINE, 2008b	<i>Naso</i> sp. "unicorn fish"	DURIO & MANTER, 1969
Didymozoidae Larva sp. A		Isorchis parvus Durio & Manter, 1969	
<i>Apogon coccineus</i> (recruiting larvae)	CRIBB et al., 2000	<i>Chanos chanos</i>	DURIO & MANTER, 1969
Bleniidae sp (recruiting larvae)	CRIBB et al., 2000	HAPLOPLANCHNIDAE	
		Hymenocotta nulli Manter, 1961	
		"Mullet" Mugilidae	DURIO & MANTER, 1968a

HEMIURIDAE			
<i>Dichadena obesa</i> (Manter, 1961) Manter, 1969			
<i>Strongylura leiura</i> ?	MANTER, 1969		
<i>Eriolepturus hamati</i> (Yamaguti, 1934)			
[as <i>H. tiegsi</i> Woolcock, 1935 in Manter]			
<i>Epinephelus cyanopodus</i>	MANTER, 1969;		
	SIGURA & JUSTINE, 2008		
<i>Epinephelus</i> sp.	MANTER, 1969		
Serranidae "mottled grouper"	MANTER, 1969		
Hemiuroidae (immature unidentifiable)			
Bleniidae sp. (recruiting larvae)	CRIBB et al., 2000		
<i>Ectenurus</i> sp.			
<i>Pseudogramma</i> sp. (recruiting larvae)	CRIBB et al., 2000		
Synodontidae Gen. sp. 2 (recruiting larvae)	CRIBB et al., 2000		
<i>Eriolepturus</i> sp. immature			
Synodontidae Gen. sp. 1 (recruiting larvae)	CRIBB et al., 2000		
<i>Hysterolecitha sigani</i> Manter, 1969			
<i>Siganus</i> sp.	MANTER, 1969		
<i>Hysterolecithoides frontilatus</i> (Manter, 1969) Yamaguti, 1971			
<i>Siganus doliatus</i>	BRAY & CRIBB, 2000b		
<i>Lecithaster testilobatus</i> Manter, 1969			
<i>Scarus</i> (= <i>Callyodon</i>) sp.	MANTER, 1969		
<i>Lecithochirium cirrhitum</i> (Manter & Pritchard, 1960) Yamaguti, 1970			
<i>Neoniphon sammarus</i>	MORAVEC & JUSTINE, 2009b		
<i>Sargocentron ensifer</i>	MORAVEC & JUSTINE, 2009b		
<i>Sargocentron spiniferum</i>	MORAVEC & JUSTINE, 2009b		
<i>Lecithochirium magnaporum</i> Manter, 1940			
<i>Lethrinus miniatus</i>	MANTER, 1969		
<i>Epinephelus</i> sp.	MANTER, 1969		
<i>Lecithochirium polynemi</i> Chauhan, 1945			
<i>Lutjanus fulvus</i>	MANTER, 1969		
<i>Lecithochirium</i> sp.			
<i>Parupeneus multifasciatus</i>	BRAY & JUSTINE, 2008b		
<i>Lecithocladium aegyptensis</i> Fischthal & Kuntz, 1963			
Scombridae "mackerel"	MANTER, 1969		
<i>Parahemiuirus merus</i> (Linton, 1910) Woolcock, 1935			
<i>Priacanthus hamrur</i>	BRAY & CRIBB, 2005		
<i>Quadrifoliovarium pritchardae</i> Yamaguti, 1965			
<i>Naso</i> sp. "unicorn fish"	MANTER, 1969		
<i>Theletrum frontilatum</i> Manter, 1969			
<i>Siganus</i> sp.	MANTER, 1969		
LECITHASTERIDAE			
<i>Aponurus chelebesoi</i>	BRAY & CRIBB, 2000a		
<i>Chaetodon auriga</i>	BRAY & CRIBB, 2000a		
<i>Chaetodon citrinellus</i>	BRAY & CRIBB, 2000a		
<i>Chaetodon ephippium</i>	BRAY & CRIBB, 2000a		
<i>Chaetodon flavirostris</i>	BRAY & CRIBB, 2000a		
<i>Chaetodon lineolatus</i>	BRAY & CRIBB, 2000a		
<i>Chaetodon melanotus</i>	BRAY & CRIBB, 2000a		
<i>Chaetodon mertensi</i>	BRAY & CRIBB, 2000a		
<i>Chaetodon pelewensis</i>	BRAY & CRIBB, 2000a		
<i>Coradion altivelis</i>	BRAY & CRIBB, 2000a		
<i>Forcipiger flavissimus</i>	BRAY & CRIBB, 2000a		
<i>Heniochus acuminatus</i>	BRAY & CRIBB, 2000a		
<i>Heniochus acuminatus</i>	BRAY & CRIBB, 2000a		
<i>Heniochus chrysostomus</i>	BRAY & CRIBB, 2000a		
<i>Heniochus monoceros</i>	BRAY & CRIBB, 2000a		
<i>Siganus doliatus</i>	BRAY & CRIBB, 2000a		
<i>Aponurus laguncula</i> Loos, 1907			
<i>Aluterus monoceros</i>	QUILICHINI et al., 2009b		
LEPOCREADIIDAE			
<i>Holorchis castex</i> Bray & Justine, 2007			
<i>Diagramma pictum</i>	BRAY & JUSTINE, 2007a		
<i>Holorchis pectorhynchii</i> Durio & Manter, 1968			
<i>Lethrinus miniatus</i>	DURIO & MANTER, 1968b		
<i>Plectorhinchus goldmani</i>	DURIO & MANTER, 1968b		
<i>Hypocrearium toombo</i> Bray & Justine, 2006			
<i>Pseudobalistes fuscus</i>	BRAY & JUSTINE, 2006a		
<i>Hypocrearium patellare</i> Yamaguti, 1938			
<i>Sufflamen fraenatum</i>	BRAY et al., 2009a		
<i>Intusatrium robustum</i> Durio & Manter, 1968			
<i>Bodianus loxozonus</i>	BRAY & JUSTINE, 2006a		
<i>Bodianus perditio</i>	BRAY & JUSTINE, 2006a		
	DURIO & MANTER, 1968a		
<i>Postlepidapedon secundum</i> (Durio & Manter, 1968)			
Scaridae? "Brown-blotted parrot fish" [erroneous]			
	DURIO & MANTER, 1968b		
<i>Choerodon graphicus</i>	BRAY & JUSTINE, 2006a		
<i>Lepidapedoides dollfusi</i> (Durio & Manter, 1968) Bray, Cribb & Barker, 1996			
<i>as Neolepidapedon dollfusi</i> Durio & Manter, 1968			
<i>Epinephelus</i> sp. "Red Cod"	DURIO & MANTER, 1968b		
<i>Epinephelus</i> sp. "Spotted Grouper"	DURIO & MANTER, 1968b		
<i>Lepidapedoides angustus</i> Bray, Cribb & Barker, 1996			
<i>Epinephelus fasciatus</i>	BRAY & JUSTINE, 2006a		
<i>as L. "kerapu"; see Justine, 2007a</i>			
<i>Epinephelus merra</i>	RIGBY et al., 1997		
<i>Lobatocreadium exiguum</i> (Manter, 1963) Madhavi, 1972			
<i>Pseudobalistes fuscus</i>	BRAY & JUSTINE, 2006a		
<i>Stegodexamene anguillae</i> Macfarlane, 1951			
<i>Anguilla obscura</i>	MORAVEC & JUSTINE, 2007c		
<i>Anguilla reinhardtii</i>	MORAVEC & JUSTINE, 2007c		
<i>Lepocreediidae, unidentified</i>			
<i>Pseudobalistes fuscus</i>	BRAY & JUSTINE, 2007b		

MICROSCAPHIDIIDAE		
<i>Hexangium sigani</i> Goto & Ozaki, 1929		
<i>Lutjanus fulvus</i>	DURIO & MANTER, 1968a	
<i>Siganus</i> sp.	DURIO & MANTER, 1968a	
MONORCHIIDAE		
<i>Cableia balistidicola</i> Bray, Justine & Cribb, 2009		
<i>Abalistes stellatus</i>	BRAY et al., 2009b	
<i>Pseudobalistes fuscus</i>	BRAY et al., 2009b	
<i>as Cableia</i> sp.		
<i>Pseudobalistes fuscus</i>	BRAY & JUSTINE, 2007b	
<i>Hysterorchis vitellosus</i> Durio & Manter, 1968		
<i>Plectorrhinchus</i> sp.	DURIO & MANTER, 1968a	
<i>Lasiotocus longitestis</i> Durio & Manter, 1968		
<i>Plectorrhinchus</i> sp. ("loche castex")	DURIO & MANTER, 1968a	
<i>Lasiotocus pectorhynchi</i> (Yamaguti, 1934)		
<i>Diagramma pictum</i>	BRAY & JUSTINE, 2007a	
OPECOELIDAE		
<i>Allopodocotyle epinepheli</i> (Yamaguti, 1942)		
<i>Epinephelus cyanopodus</i>	BRAY & JUSTINE, 2007b	
<i>Epinephelus fasciatus</i>	BRAY & JUSTINE, 2007b	
<i>Epinephelus merra</i>	BRAY & JUSTINE, 2007b	
<i>Allopodocotyle serrani</i> (Yamaguti, 1952) Pritchard, 1966		
Serranidae ("leche"/ loche)	DURIO & MANTER, 1968b	
<i>Cainocreadium epinepheli</i> (Yamaguti, 1934)		
<i>Epinephelus coeruleopunctatus</i>	BRAY & JUSTINE, 2007b	
<i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008	
<i>Epinephelus fasciatus</i>	BRAY & JUSTINE, 2007b	
<i>Variola louti</i>	BRAY & JUSTINE, 2007b	
<i>Cainocreadium</i> sp.		
<i>Epinephelus malabaricus</i>	JUSTINE & SIGURA, 2007	
<i>Hamacreadium diacopae</i> Nagaty & Abdel Aal, 1962		
<i>Lethrinus nebulosus</i> ? ("bec de cane")	DURIO & MANTER, 1968b	
<i>Hamacreadium mutabile</i> (Linton, 1910)		
<i>Lethrinus miniatus</i>	DURIO & MANTER, 1968b	
<i>Lutjanus amabilis</i>	DURIO & MANTER, 1968b	
<i>Lutjanus bohar</i> ? ("anglais")	DURIO & MANTER, 1968b	
<i>Lutjanus fulviflamma</i>	BRAY & JUSTINE, 2007b	
<i>Lutjanus kasmira</i>	BRAY & JUSTINE, 2007b	
<i>Choanostoma secundum</i> Durio & Manter, 1968		
<i>Lutjanus vitta</i>	DURIO & MANTER, 1968b	
<i>Plectorrhinchus</i> sp.	DURIO & MANTER, 1968b	
<i>Helicometra epinepheli</i> Yamaguti, 1934		
<i>Epinephelus fasciatus</i>	BRAY & JUSTINE, 2007b	
<i>Epinephelus merra</i>	BRAY & JUSTINE, 2007b	
<i>Helicometra fasciata</i> (Rudolphi, 1819) Odhner, 1902		
<i>Epinephelus merra</i>	RIGBY et al., 1997	
<i>Epinephelus</i> sp. "Red Cod"	DURIO & MANTER, 1968b	
<i>Macvicaria jagannathi</i> (Gupta & Singh, 1985) Bijukumar, 1997		
<i>Nemipterus furcosus</i>	BRAY & JUSTINE, 2009b	
<i>Neolebouria blatta</i> Bray & Justine, 2009		
<i>Etelis carbunculus</i>	BRAY & JUSTINE, 2009a	
<i>Pristipomoides argyrogrammicus</i>	BRAY & JUSTINE, 2009a	
<i>Neolebouria lineatus</i> Aken'Ova & Cribb, 2001		
<i>Nemipterus furcosus</i>	BRAY & JUSTINE, 2009b	
<i>Orthodena tropica</i> Durio & Manter, 1968		
<i>Lethrinus lentjan</i>	BRAY & JUSTINE, 2007b	
<i>Lethrinus nebulosus</i> ? ("bec de cane")	DURIO & MANTER, 1968b	
<i>Pacificreadium serrani</i> Durio & Manter, 1968		
<i>Epinephelus</i> sp.	DURIO & MANTER, 1968b	
<i>Plectropomus leopardus</i>	BRAY & JUSTINE, 2007b	
<i>Pseudoplagioporus interruptus</i> Durio & Manter, 1968		
<i>Lethrinus nebulosus</i> ? ("bec de cane")	DURIO & MANTER, 1968b	
<i>Lethrinus rubrioperculatus</i>	BRAY & JUSTINE, 2007b;	
	JUSTINE, 2007e	
<i>Pseudoplagioporus lethrini</i> Yamaguti, 1938		
<i>Lethrinus nebulosus</i> ? ("bec de cane")	DURIO & MANTER, 1968b	
<i>Pseudopycnadena tendu</i> Bray & Justine, 2007		
<i>Pseudobalistes fuscus</i>	BRAY & JUSTINE, 2007b	
Unidentified Opecoelidae		
<i>Lethrinus harak</i>	RASCALOU & JUSTINE, 2007	
<i>Lethrinus nebulosus</i>	RASCALOU & JUSTINE, 2007	
SANGUINICOLIDAE		
<i>Cardicola chaetodontis</i> Yamaguti, 1970		
<i>Chaetodon lineolatus</i>	NOLAN & CRIBB, 2006	
SYNCOELIIDAE		
<i>Syncoelium filiferum</i> (Sars, 1885) Odhner, 1911		
<i>Katsuwonus pelamis</i>	ROHDE et al., 1980	
ZOOGONIDAE		
<i>Deretrema combesae</i> Bray & Justine, 2008		
<i>Parupeneus multifasciatus</i>	BRAY & JUSTINE, 2008b	
<i>Deretrema combesorum</i> Bray & Justine, 2008		
<i>Parupeneus multifasciatus</i>	BRAY & JUSTINE, 2008b	
<i>Diphtherostomum tropicum</i> Durio & Manter, 1968		
<i>Lethrinus nebulosus</i> ?	DURIO & MANTER, 1968a	
<i>Dupliciporia lanterna</i> Bray & Justine, 2008		
<i>Priacanthus hamrur</i>	BRAY & JUSTINE, 2008a	
<i>Lecithostaphylus nitens</i> (Linton, 1898)		
<i>Tylosurus crocodilus</i>	BRAY & JUSTINE, 2008a	

Parvipyrum acanthuri Pritchard, 1963		Gilquinia minor Beveridge & Justine, 2006 [adult]
<i>Acanthurus blochii</i>	BRAY & JUSTINE, 2008a	<i>Centrophorus</i> sp. BEVERIDGE & JUSTINE, 2006
Zoogonus pagrosomi Yamaguti, 1939		Gilquinia sp. [adult] BEVERIDGE & JUSTINE, 2006
<i>Lethrinus atkinsoni</i>	BRAY & JUSTINE, 2008a	<i>Squalus melanurus</i> BEVERIDGE & JUSTINE, 2006
<i>Lethrinus genivittatus</i>	BRAY & JUSTINE, 2008a	
CESTODA BOTHRIOCEPHALIDEA		Sagittirhynchus aculeatus Beveridge & Justine, 2006 [adult]
1 family recorded; 2 species recorded		<i>Centrophorus</i> sp. BEVERIDGE & JUSTINE, 2006
BOTHRIOCEPHALIDAE		Vittirhynchus squali Beveridge & Justine, 2006 [adult]
Bothrioccephalus celineae Kuchta, Scholz & Justine, 2009 [adult]		<i>Squalus melanurus</i> BEVERIDGE & JUSTINE, 2006
<i>Cephalopholis aurantia</i> × <i>C. spiloparaea</i>	KUCHTA et al., 2009a	
as 'adult pseudophyllidean cestode'		GYMNORHYNCHIDAE
<i>Cephalopholis aurantia</i> × <i>C. spiloparaea</i>	RANDALL & JUSTINE, 2008a	Chimaerarhynchus rougetae Beveridge & Campbell, 1989 [adult]
		<i>Squalus cf. megalops</i> OLSON et al., 2009; PALM et al., 2009
Oncodiscus sauridae Yamaguti, 1934 [adult]		
<i>Saurida nebulosa</i>	KUCHTA et al., 2009b	LACISTORHYNCHIDAE
<i>Saurida undosquamis</i>	KUCHTA et al., 2009b	Floriceps minacanthus Campbell & Beveridge, 1987 [larva]
CESTODA TETRAPHYLLIDEA		<i>Cephalopholis urodetata</i> JUSTINE, 2008a
At least 1 family recorded; 6 species recorded + unidentified species		<i>Epinephelus cyanopodus</i> SIGURA & JUSTINE, 2008
ONCHOBOTHRIIDAE		
Acanthobothrium aetiobatis (Shipley, 1900)		Hornelliella annandalei Hornell, 1912 [adult]
<i>Aetobatus narinari</i>	BAER & EUZET, 1962	<i>Stegostoma fasciatum</i> BEVERIDGE & JUSTINE, 2007b
UNIDENTIFIED FAMILY		
Scolex polymorphus (= tetraphyllidean metacestodes)		Paragrillotia apecteta Beveridge & Justine, 2007 [adult]
<i>Epinephelus merra</i>	RIGBY et al., 1997	<i>Hexanchus nakamurai</i> BEVERIDGE & JUSTINE, 2007a
Tetraphyllidea larvae		
<i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008	Paragrillotia spratti (Campbell & Beveridge, 1993) Beveridge & Justine, 2007 [adult]
<i>Epinephelus morrhua</i>	JUSTINE, 2008c	<i>Negaprion acutidens</i> BEVERIDGE & JUSTINE, 2007a
Metacestode		
Synodontidae Gen. sp. 3 (recruiting larvae)	CRIBB et al., 2000	Pseudogilquinia pillersi (Southwell, 1929) Palm, 2004 [larva]
		<i>Epinephelus coioides</i> BEVERIDGE et al., 2007
Tetraphyllidea Metacestode		
<i>Thalassoma</i> sp. (recruiting larvae)	CRIBB et al., 2000	Pseudolacistorhynchus heroniensis (Sakanari, 1989) Palm, 1995
Unidentified Tetraphyllidea, adults		<i>Epinephelus cyanopodus</i> [larva] SIGURA & JUSTINE, 2008
<i>Centrophorus</i> sp.	BEVERIDGE & JUSTINE, 2006	<i>Stegostoma fasciatum</i> [adult] BEVERIDGE & JUSTINE, 2007b
<i>Squalus megalops</i>	BEVERIDGE & JUSTINE, 2006	
<i>Squalus melanurus</i>	BEVERIDGE & JUSTINE, 2006	
CESTODA TRYPANORHYNCHA		Pseudolacistorhynchus nanus Beveridge & Justine, 2007 [adult]
5 families recorded; 20 species recorded + unidentified species		<i>Stegostoma fasciatum</i> BEVERIDGE & JUSTINE, 2007b
FAMILY UNIDENTIFIED		
Trypanorhyncha, unidentified [larva]		OTOBOTHRIIDAE
<i>Epinephelus merra</i>	RIGBY et al., 1997	Otobothrium curtum (Linton, 1909) Dollfus, 1942 [adult]
<i>Epinephelus morrhua</i>	JUSTINE, 2008c	<i>Galeocerdo cuvier</i> BEVERIDGE & JUSTINE, 2007c
GILQUINIIDAE		
Gilquinia robertsoni Beveridge, 1990 [adult]		Otobothrium parvum Beveridge & Justine, 2007 [adult]
<i>Squalus megalops</i>	BEVERIDGE & JUSTINE, 2006	<i>Carcharhinus amblyrhynchos</i> BEVERIDGE & JUSTINE, 2007c
		<i>Triaenodon obesus</i> BEVERIDGE & JUSTINE, 2007c
PSEUDOTOBOTHRIIDAE		
Pseudotobothrium dipsacum (Linton, 1897) [larva]		Otobothrium sp. [larva] JUSTINE, 2007e
<i>Epinephelus malabaricus</i>	BEVERIDGE & JUSTINE, 2007	<i>Lethrinus rubrioperculatus</i> JUSTINE, 2007e

TENTACULARIIDAE		
<i>Mixonybelinia southwelli</i> (Palm & Walter, 1999) Palm, 1999 [adult]		
<i>Stegostoma fasciatum</i>	BEVERIDGE & JUSTINE, 2007b	
<i>Nybelinia syngenes</i> (Pintner, 1928) Palm, 2004 [larva]		
<i>Dendrochirus zebra</i>	PALM, 2004	
as <i>Nybelinia aequidentata</i> [larva]		
<i>Dendrochirus zebra</i>	PALM & BEVERIDGE, 2002	
<i>Nybelinia</i> sp. [larva]		
<i>Lethrinus rubrioperculatus</i>	JUSTINE, 2007e	
NEMATODA		
(alphabetical order of families and species; 10 families recorded; 43 species recorded + unidentified species)		
Unidentified Nematoda		
<i>Epinephelus morrhua</i>	JUSTINE, 2008c	
ANISAKIDAE		
<i>Raphidascaris (Ichtyiascaris) nemipteri</i> Moravec & Justine, 2005 [adult]		
<i>Nemipterus furcosus</i>	MORAVEC & JUSTINE, 2005a	
<i>Hysterothylacium cenaticum</i> (Bruce & Cannon, 1989)		
Moravec & Justine, 2005 [adult]		
<i>Tetrapurus audax</i>	MORAVEC & JUSTINE, 2005a	
<i>Terranova scoliodontis</i> (Baylis, 1931) Johnston & Mawson, 1945 [adult]		
<i>Galeocerdo cuvier</i>	MORAVEC & JUSTINE, 2006b	
<i>Terranova</i> sp. [larva]		
<i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008	
CAMALLANIDAE		
Unidentified Camallanidae		
<i>Diagramma pictum</i>	BAILLON, 1991	
<i>Camallanus carangis</i> Olsen, 1954		
<i>Nemipterus furcosus</i>	MORAVEC et al., 2006a	
<i>Parupeneus ciliatus</i>	MORAVEC et al., 2006a	
<i>Upeneus vittatus</i>	MORAVEC et al., 2006a	
<i>Camallanus cotti</i> Fujita, 1927		
<i>Awaous guamensis</i>	MORAVEC & JUSTINE, 2006a	
<i>Kuhlia marginata</i> [larva]	MORAVEC & JUSTINE, 2006a	
<i>Procamallanus (Spirocammallanus) longus</i> Moravec, Justine & Rigby, 2006		
<i>Zebrasoma scopas</i>	MORAVEC ET AL., 2006a	
<i>Procamallanus (Spirocammallanus) variolae</i> Moravec, Justine & Rigby, 2006		
<i>Epinephelus fasciatus</i>	MORAVEC ET AL., 2006a	
<i>Variola albimarginata</i>	MORAVEC ET AL., 2006a	
<i>Procamallanus (Procamallanus) pacificus</i> Moravec, Justine, Würtz, Taraschewski & Sasal, 2006		
<i>Anguilla obscura</i>	MORAVEC ET AL., 2006b	
<i>Anguilla reinhardtii</i>	MORAVEC ET AL., 2006b	
<i>Procamallanus (Spirocammallanus) sp. 1</i>		
<i>Parapercis hexophtalma</i>	MORAVEC ET AL., 2006a	
<i>Procamallanus (Spirocammallanus) sp. 2</i>		
<i>Lethrinus ravus</i>	MORAVEC ET AL., 2006a	
<i>Procamallanus (Spirocammallanus) sp. 3</i>		
<i>Scolopsis bilineata</i>	MORAVEC et al., 2006a	
<i>Procamallanus</i> sp.		
<i>Epinephelus cyanopodus</i>	SIGURA & JUSTINE, 2008	
CAPILLARIIDAE		
Capillariidae Gen. sp. 7 of Moravec, 2001		
<i>Siganus doliatus</i>	MORAVEC, 2001	
Capillariidae Gen. sp. 8 of Moravec, 2001		
<i>Naso unicornis</i>	MORAVEC, 2001	
CUCULLANIDAE		
<i>Cucullanus bourdini</i> Petter & Le Bel, 1992		
<i>Aprion virescens</i>	PETTER & LE BEL, 1992	
<i>Pristipomoides filamentosus</i>	PETTER & LE BEL, 1992	
<i>Pristipomoides flavipinnis</i>	PETTER & LE BEL, 1992	
Cucullanidae, unidentified		
<i>Bodianus perditio</i>	LIM & JUSTINE, 2007	
CYSTIDICOLIDAE		
<i>Ascarophis (Dentiascarophis) adioryx</i> Machida, 1981		
<i>Neoniphon sammara</i>	MORAVEC & JUSTINE, 2009b	
<i>Sargocentron spiniferum</i>	MORAVEC & JUSTINE, 2009b	
<i>Ascarophis (Similarascarophis) richeri</i> Moravec & Justine, 2007		
<i>Hoplichthys citrinus</i>	MORAVEC & JUSTINE, 2007a	
<i>Ctenascarophis lesteri</i> Crites, Overstreet & Maung, 1993		
<i>Katsuwonus pelamis</i>	CRITES et al., 1993	
<i>Metabronema magnum</i> (Taylor, 1925) Yorke & Maplestone, 1926		
<i>Gnathanodon speciosus</i>	MORAVEC & JUSTINE, 2007b	
<i>Spinitectus (Paraspinitectus) sp.</i>		
<i>Albula glossodontia</i>	MORAVEC & JUSTINE, 2009b	
GNATHOSTOMATIDAE		
<i>Echinocephalus sinensis</i> Ko, 1975		
<i>Aetobatus narinari</i>	MORAVEC & JUSTINE, 2006b	
<i>Echinocephalus overstreeti</i> Deardoff & Ko, 1983		
<i>Urogymnus asperimus</i> [not <i>Taeniuira meyenii</i> , erroneous]	MORAVEC & JUSTINE, 2006b	
GUYANEMIDAE		
<i>Ichthyofilaria novaecaledoniensis</i> Moravec & Justine, 2009		
<i>Hoplichthys citrinus</i>	MORAVEC & JUSTINE, 2009a	

PHILOMETRIDAE***Philometra cyanopodi* Moravec & Justine, 2008**

- Epinephelus cyanopodus* MORAVEC & JUSTINE, 2008
as *Ph. lateolabracis* (Yamaguti, 1935)
Epinephelus cyanopodus MORAVEC & JUSTINE, 2005b

***Philometra dentigubernaculata* Moravec & Justine, 2009**

- Tylosurus crocodilus* MORAVEC & JUSTINE, 2009a

***Philometra fasciati* Moravec & Justine, 2008**

- Epinephelus fasciatus* MORAVEC & JUSTINE, 2008
as *Ph. lateolabracis* (Yamaguti, 1935)
Epinephelus fasciatus MORAVEC & JUSTINE, 2005b

***Philometra lagocephali* Moravec & Justine, 2008**

- Lagocephalus sceleratus* MORAVEC & JUSTINE, 2008

***Philometra lethrini* Moravec & Justine, 2008**

- Lethrinus genivittatus* MORAVEC & JUSTINE, 2008, 2009a
Lethrinus miniatus MORAVEC & JUSTINE, 2009a
Lethrinus variegatus MORAVEC & JUSTINE, 2009a

***Philometra ocularis* Moravec, Ogawa, Suzuki, Miyazaki & Donai, 2002**

- Epinephelus areolatus* MORAVEC & JUSTINE, 2008, 2009a
Epinephelus coioides MORAVEC & JUSTINE, 2005b
Epinephelus cyanopodus MORAVEC & JUSTINE, 2005b
Epinephelus rivulatus MORAVEC & JUSTINE, 2005b
Variola louti MORAVEC & JUSTINE, 2005b

***Philometra priacanthi* Moravec & Justine, 2009**

- Priacanthus hamrur* MORAVEC & JUSTINE, 2009a

***Philometra tenuicauda* Moravec & Justine, 2009**

- Lagocephalus sceleratus* MORAVEC & JUSTINE, 2009a

***Philometra* sp. Moravec & Justine, 2008**

- Lutjanus vitta* MORAVEC & JUSTINE, 2008

RHABDOCHONIDAE**Unidentified Rhabdochonidae**

- as *Huffmanela balista*, female [erroneous]
Abalistes stellatus JUSTINE, 2007b

TRICHOSOMOIDIDAE***Huffmanela balista* Justine, 2007**

- Abalistes stellatus* JUSTINE, 2007b

***Huffmanela branchialis* Justine, 2004**

- Nemipterus furcosus* JUSTINE, 2004

***Huffmanela filamentosa* Justine, 2004**

- Gymnocranius grandoculis* JUSTINE, 2004

***Huffmanela lata* Justine, 2005**

- Carcharhinus amblyrhynchos* JUSTINE, 2005a

***Huffmanela longa* Justine, 2007**

- Gymnocranius grandoculis* JUSTINE, 2007b

***Huffmanela ossicola* Justine, 2004**

- Bodianus busellatus* JUSTINE, 2007b
Bodianus loxozonus JUSTINE, 2004, 2007b
Bodianus perditio JUSTINE, 2007b;
LIM & JUSTINE, 2007

***Huffmanela* sp.**

- Pentapodus aureofasciatus* JUSTINE, 2004, 2007b

COPEPODA

(alphabetical order of families and species)

The compilation by Boxshall & Huys (2007) does not indicate hosts. This paper was based in part on collection by the present author, so additional host information was indicated here as “present paper”.

13 families recorded; 61 species recorded + unidentified species

UNIDENTIFIED FAMILY**Copepoda, unidentified larvae**

- Abalistes filamentosus* RANDALL & JUSTINE, 2008b
Cephalopholis aurantia x
C. spiloparaea (hybrid) RANDALL & JUSTINE, 2008a
Cephalopholis sonneratii JUSTINE, 2007d
Lethrinus xanthochilus JUSTINE, 2007e

Copepoda, unidentified adults

- Cephalopholis urodetta* JUSTINE, 2008a

BOMOLOCHIDAE***Pumilioipes capitulatus* Cressey & Boyle, 1973**

- No host indicated; present paper: *Rastrelliger kanagurta*
BOXSHALL & HUYS, 2007

CALIGIDAE***Alanlewisia fallotunulus* (Lewis, 1967) Boxshall, 2008**

- Naso unicornis* BOXSHALL, 2008

***Alebion carchariae* Krøyer, 1863**

- No host indicated; present paper: *Galeocerdo cuvier*
BOXSHALL & HUYS, 2007

***Alebion gracilis* Wilson, 1905**

- No host indicated; present paper: *Stegostoma fasciatum*
BOXSHALL & HUYS, 2007

***Anuretes justinei* Venmathi Maran, Ohtsuka & Boxshall, 2008**

- Plectorhinchus lineatus* VENMATHI MARAN et al., 2008

***Avitocaligus assurgericola* Boxshall & Justine, 2005**

- Assurger anzac* BOXSHALL & JUSTINE, 2005

***Caligus bonito* Wilson, 1905**

- Katsuwonus pelamis* ROHDE et al., 1980

***Caligus confusus* Pillai, 1961**

- No host indicated; present paper: *Caranx papuensis*
BOXSHALL & HUYS, 2007

***Caligus cordyla* Pillai, 1963**

- No host indicated; present paper:
Carangoides fulvoguttatus BOXSHALL & HUYS, 2007

<i>Caligus coryphaenae</i> Steenstrup & Lütken, 1861	<i>Dissonus heronensis</i> Kabata, 1966		
No host indicated; present paper: <i>Coryphaena hippurus</i>	<i>Pseudobalistes fuscus</i>		BOXSHALL et al., 2008
<i>Caligus infestans</i> Heller, 1868	<i>Dissonus manteri</i> Kabata, 1966		
No host indicated; present paper: <i>Scomberomorus commerson</i>	<i>Epinephelus cyanopodus</i>		BOXSHALL et al., 2008
	<i>Epinephelus maculatus</i>		BOXSHALL et al., 2008;
			JOURNE & JUSTINE, 2006
<i>Caligus isonyx</i> Steenstrup & Lütken, 1861	<i>Plectropomus laevis</i>		BOXSHALL et al., 2008
No host indicated; present paper: <i>Sphyraena flavicauda</i>	<i>Plectropomus leopardus</i>		BOXSHALL et al., 2008;
			JUSTINE & EUZET, 2006
<i>Caligus lobodes</i> (Wilson, 1911) Pillai, 1985			
No host indicated; present paper: <i>Sphyraena barracuda</i>			
			BOXSHALL & HUYS, 2007
<i>Caligus lethrinicola</i> Boxshall & El-Rashidy, 2009			
<i>Lethrinus rubrioperculatus</i>	No host indicated; present paper:		
as <i>Caligus cf. mauritanicus</i> Brian, 1924	<i>Abalistes stellatus</i>		BOXSHALL & HUYS, 2007
<i>Lethrinus rubrioperculatus</i>	No host indicated; present paper:		
	<i>Balistoides conspicillum</i>		BOXSHALL & HUYS, 2007
	No host indicated; present paper:		
	<i>Pseudobalistes fuscus</i>		BOXSHALL & HUYS, 2007
<i>Caligus novocaledonicus</i> Kabata, 1968			
No host indicated			
			BOXSHALL & HUYS, 2007
<i>Caligus productus</i> Dana, 1852	<i>Hatschekia balistae</i> Nunes-Ruivo, 1954		
<i>Acanthocybium solandri</i>	No host indicated; present paper:		
<i>Katsuwonus pelamis</i>	<i>Epinephelus cyanopodus</i>		
			BOXSHALL & HUYS, 2007
<i>Gloiopotes hygomianus</i> Steenstrup & Lütken, 1861	<i>Hatschekia cernae</i> Goggio, 1905		
No host indicated; present paper: <i>Acanthocybium solandri</i>	No host indicated		
	<i>Epinephelus cyanopodus</i>		SIGURA & JUSTINE, 2008
<i>Gloiopotes watsoni</i> Kirtisinghe, 1934	<i>Hatschekia cf. plectropomi</i> Ho & Dojiri, 1978		
No host indicated; present paper: <i>Tetrapurus audax</i>	No host indicated; present paper:		
	<i>Plectropomus laevis</i>		BOXSHALL & HUYS, 2007
	No host indicated; present paper:		
	<i>Plectropomus leopardus</i>		BOXSHALL & HUYS, 2007;
			JUSTINE & EUZET, 2006
<i>Lepeophtheirus</i> sp.	<i>Hatschekia sphyraeni</i> Pillai, 1964		
<i>Bodianus perditio</i>	No host indicated; present paper:		
<i>Epinephelus malabaricus</i>	<i>Sphyraena forsteri</i>		
			BOXSHALL & HUYS, 2007
<i>Paralebion elongatus</i> Wilson, 1911	<i>Hatschekia</i> sp.		
No host indicated; present paper: <i>Triaenodon obesus</i>	<i>Bodianus perditio</i>		LIM & JUSTINE, 2007
	<i>Epinephelus cyanopodus</i> (2 species)		SIGURA & JUSTINE, 2008
	<i>Epinephelus fasciatus</i>		JUSTINE, 2005b
	<i>Epinephelus maculatus</i> (2 species)		JOURNO & JUSTINE, 2006
	<i>Epinephelus malabaricus</i>		JUSTINE & SIGURA, 2007
	<i>Lethrinus harak</i>		RASCALOU & JUSTINE, 2007
	<i>Lethrinus nebulosus</i>		RASCALOU & JUSTINE, 2007
<i>Pseudanuretes fortipes</i> Kabata, 1965	<i>Laminohatschekia synaphobranchi</i> Boxshall, 1989		
No host indicated; present paper: <i>Pomacanthus semicirculatus</i>	<i>Synaphobranchus cf. brevidorsalis</i>		BOXSHALL, 1989
DISSONIDAE	KROYERIIDAE		
<i>Dissonus excavatus</i> Boxshall, Lin, Ho, Ohtsuka, Venmathi Maran & Justine, 2008	<i>Kroyeria dispar</i> Wilson, 1935		
<i>Bodianus perditio</i>	No host indicated; present paper:		
as <i>Dissonus</i> sp.	<i>Galeocerdo cuvier</i>		BOXSHALL & HUYS, 2007
<i>Bodianus perditio</i>			
<i>Macolor niger</i>			
LERNANTHROPIDAE	<i>Lernanthropus cadenati</i> Delamare-Deboutteville & Nunes-Ruivo, 1954		
	No host indicated; present paper:		
	<i>Elops hawaiensis</i>		BOXSHALL & HUYS, 2007

<i>Lernanthropus corniger</i> Yamaguti, 1954		<i>Dinemoura latifolia</i> (Steenstrup & Lütken, 1861) Yamaguti, 1963
No host indicated; present paper:		No host indicated; present paper:
<i>Megalaspis cordyla</i>	BOXSHALL & HUYS 2007	<i>Isurus oxyrinchus</i>
		BOXSHALL & HUYS, 2007
<i>Lernanthropus tylosuri</i> Richiardi, 1880		<i>Echthrogaleus coleoptratus</i> (Guérin-Méneville, 1837)
No host indicated; present paper:		<i>Steenstrup & Lütken, 1861</i>
<i>Tylosurus crocodilus</i>	BOXSHALL & HUYS, 2007	No host indicated; present paper:
		<i>Prionace glauca</i>
		BOXSHALL & HUYS, 2007
<i>Lernanthropus</i> sp.		<i>Nesippus crypturus</i> Heller, 1868
<i>Bodianus perditio</i>	LIM & JUSTINE, 2007	No host indicated; present paper:
		<i>Galeocerdo cuvier</i>
		BOXSHALL & HUYS, 2007
<i>Norion priacanthi</i> (Kirtisinghe, 1956) Ho & Kim, 2004		<i>Nesippus tigris</i> Cressey, 1967
No host indicated; present paper:		No host indicated; present paper:
<i>Priacanthus hamrur</i>	BOXSHALL & HUYS, 2007	<i>Galeocerdo cuvier</i>
		BOXSHALL & HUYS, 2007
<i>Sagum epinepheli</i> (Yamaguti & Yamasu, 1960) Pillai & Sebastian, 1967		<i>Pandarus satyrus</i> Dana, 1852
No host indicated; present paper:		No host indicated; present paper:
<i>Epinephelus chlorostigma</i>	BOXSHALL & HUYS, 2007	<i>Prionace glauca</i>
No host indicated; present paper:		BOXSHALL & HUYS, 2007
<i>Epi. coeruleopunctatus</i>	BOXSHALL & HUYS, 2007	<i>Pandarus smithii</i> Rathbun, 1886
No host indicated; present paper:		No host indicated; present paper:
<i>Epinephelus cyanopodus</i>	BOXSHALL & HUYS, 2007; SIGURA & JUSTINE, 2008	<i>Pristipomoides filamentosus</i>
No host indicated; present paper:		BOXSHALL & HUYS, 2007
<i>Epinephelus merra</i>	BOXSHALL & HUYS, 2007	<i>Pseudopandarus gracilis</i> Kirtisinghe, 1950
No host indicated; present paper:		No host indicated; present paper:
<i>Epinephelusmorrhua</i>	BOXSHALL & HUYS, 2007	<i>Squalus megalops</i>
No host indicated; present paper:		No host indicated; present paper:
<i>Plectropomus leopardus</i>	BOXSHALL & HUYS, 2007	<i>Squalus melanurus</i>
as <i>unidentified Copepoda</i> <i>Epinephelus coeruleopunctatus</i>	SIGURA et al., 2007	
as <i>Sagum</i> sp. <i>Plectropomus leopardus</i>	JUSTINE & EUZET, 2006	<i>PENNELLIDAE</i>
as <i>Aethon</i> sp. <i>Epinephelus merra</i>	JUSTINE, 2005b	<i>Lernaeolophus striatus</i> Wilson, 1913
LERNAEOPODIDAE		No host indicated; present paper:
<i>Brachiella thynni</i> Cuvier, 1830		<i>Pristipomoides filamentosus</i>
<i>Acanthocybium solandri</i>	ROHDE et al., 1980	BOXSHALL & HUYS, 2007
<i>Margolisius cf. abditus</i> Benz, Kabata & Bullard, 2000		<i>Sarcotretes scopeli</i> Jungersen, 1911
No host indicated; present paper:		<i>Hymenocephalus gracilis</i>
<i>Echeneis naucrates</i>	BOXSHALL & HUYS, 2007	BOXSHALL, 1989
<i>Naobranchia cf. spinosa</i> Pearse, 1952		Unidentified larvae
No host indicated; present paper:		<i>Epinephelus cyanopodus</i>
<i>Selar crumenopthalmus</i>	BOXSHALL & HUYS, 2007	SIGURA & JUSTINE, 2008
<i>Parabrachiella appendiculata</i> (Heegaard, 1947) Boxshall & Halsey, 2004		PSEUDOCYCNIDAE
No host indicated; present paper:		<i>Pseudocycnus appendiculatus</i> Heller, 1868
<i>Chirocentrus dorab</i>	BOXSHALL & HUYS, 2007	No host indicated; present paper:
		<i>Thunnus albacares</i>
		BOXSHALL & HUYS, 2007
PANDARIDAE		SPHYRIDAE
<i>Demoleus latus</i> Shiino, 1954		<i>Lophoura cornuta</i> (Wilson, 1919) Yamaguti, 1963
No host indicated; present paper:		<i>Synaphobranchus cf. brevidorsalis</i>
<i>Squalus megalops</i>	BOXSHALL & HUYS, 2007	BOXSHALL, 1989
TAENIACANTHIDAE		TAENIACANTHIDAE
<i>Irodes sauridi</i> (Pillai, 1963)		<i>Irodes sauridi</i> (Pillai, 1963)
No host indicated; present paper:		No host indicated; present paper:
<i>Upeneus vittatus</i>		<i>Upeneus vittatus</i>
		BOXSHALL & HUYS, 2007
<i>Metataeniacanthus vulgaris</i> Cressey & Cressey, 1979		<i>Metataeniacanthus vulgaris</i> Cressey & Cressey, 1979
No host indicated; present paper:		No host indicated; present paper:
<i>Synodus similis</i>		<i>Synodus variegatus</i>
		BOXSHALL & HUYS, 2007

<i>Taeniacanthus aluteri</i> (Avdeev, 1977) Dojiri & Cressey, 1987	CORALLANIDAE
No host indicated; present paper: <i>Abalistes stellatus</i>	<i>Argathona macronema</i> (Bleeker, 1857) Monod, 1975 <i>Plectropomus laevis</i>
BOXSHALL & HUYS, 2007	JUSTINE & EUZET, 2006
<i>Taeniacanthus kitamakura</i> Yamaguti & Yamasu, 1959	<i>Argathona rhinoceros</i> (Bleeker, 1857) Monod, 1975
No host indicated; present paper: <i>Lagocephalus sceleratus</i>	<i>Epinephelus cyanopodus</i> <i>Plectropomus leopardus</i>
BOXSHALL & HUYS, 2007	SIGURA & JUSTINE, 2008 JUSTINE & EUZET, 2006
ISOPODA (alphabetical order of families and species; 4 families recorded; 27 species recorded + unidentified species)	CYMOPODIAE
UNIDENTIFIED ADULT ISOPOD <i>Diagramma pictum</i>	<i>Anilocra australis</i> Schioedte & Meinert, 1881 No host indicated
BAILLON, 1991	BRUCE, 2007
AEGIDAE	<i>Anilocra gigantea</i> (Herklotz, 1870) Schioedte & Meinert, 1881 <i>Etelis carbunculus</i>
<i>Aega alazon</i> Bruce, 2004 Host unknown [Deep-sea]	TRILLES, 1972
<i>Aega angustata</i> Whitelegge, 1901 <i>Hexanchus nakamurai</i> <i>Squalus megalops</i> <i>Squalus melanurus</i> as <i>Aega</i> sp.	<i>Anilocra longicauda</i> Schioedte & Meinert, 1881 No host indicated
TRILLES & JUSTINE, 2004 TRILLES & JUSTINE, 2004 TRILLES & JUSTINE, 2004 BRUCE, 2007	BRUCE, 2007
<i>Aega coroo</i> Bruce, 2004 No host indicated	<i>Ceratothoa carinata</i> (Bianconi, 1869) Schioedte & Meinert, 1883 <i>Lutjanus amabilis</i> [unknown in FishBase]
BRUCE, 2007	TRILLES, 1972
<i>Aega cf. deshayesiana</i> (Milne Edwards, 1840) Schioedte & Meinert, 1879 <i>Squalus megalops</i>	<i>Ceratothoa impressa</i> (Say, 1818) Richardson, 1905 "Espadon (Swordfish)"
TRILLES & JUSTINE, 2004	TRILLES 1972
<i>Aega hamiora</i> Bruce, 2004 Host unknown [Deep-sea]	<i>Elthusa arnoglossi</i> Trilles & Justine, 2006 <i>Arnoglossus</i> sp.
BRUCE, 2004	TRILLES & JUSTINE, 2006
<i>Aega kixalles</i> Bruce, 2004 Host unknown [Deep-sea]	<i>Elthusa parabothi</i> Trilles & Justine, 2004 <i>Parabothus kiensis</i>
BRUCE, 2004	TRILLES & JUSTINE, 2004
<i>Aega monophthalma</i> Johnston, 1834 No host indicated	<i>Nerocila excisa</i> (Richardson, 1901) Richardson Searle, 1914 <i>Grammistes</i> sp.
BRUCE, 2007	TRILLES, 1972
<i>Aega musorstrom</i> Bruce, 2004 <i>Synagrops</i> sp. [Deep-sea]	GNATHIIDAE
BRUCE, 2004	Gnathiidae Gen. sp. larva
<i>Aega plebeia</i> Hansen, 1897 No host indicated	<i>Abalistes filamentosus</i> RANDALL & JUSTINE, 2008b
BRUCE, 2007	<i>Bodianus perditio</i> LIM & JUSTINE, 2007
<i>Aega rickbruscai</i> Bruce, 2004 Host unknown [Deep-sea]	<i>Cephalopholis argus</i> JUSTINE, 2007d
BRUCE, 2004	<i>Cephalopholis boenak</i> JUSTINE, 2007d
<i>Aega vigilans</i> Haswell, 1881 No host indicated	<i>Cephalopholis sonnerati</i> JUSTINE, 2007d
BRUCE, 2007	<i>Cephalopholis urodetta</i> JUSTINE, 2008a
<i>Aega webbi</i> (Guérin-Méneville, 1836) Schioedte & Meinert, 1879 <i>Squalus megalops</i> as <i>Aega urotoma</i> Barnard, 1914	<i>Epinephelus cyanopodus</i> SIGURA & JUSTINE, 2008
TRILLES & JUSTINE, 2004 BRUCE, 2007	<i>Epinephelus maculatus</i> JOURNO & JUSTINE, 2006
<i>Aega sp. of Bruce, 2004</i> Host unknown	<i>Epinephelus morrhua</i> JUSTINE, 2008c
BRUCE, 2004	<i>Epinephelus rivulatus</i> HINSINGER & JUSTINE, 2006a
<i>Syscenus latus</i> Richardson, 1909 No host indicated	<i>Hemigymnus melapterus</i> GRUTTER, 1999
BRUCE, 2007	<i>Lethrinus harak</i> RASCALOU & JUSTINE, 2007
<i>Syscenus moana</i> Bruce, 2005 No host indicated	<i>Lethrinus rubrioperculatus</i> JUSTINE, 2007e
BRUCE, 2007	<i>Pentapodus aureofasciatus</i> JUSTINE & BRENA, 2009
	<i>Scolopsis bilineatus</i> GRUTTER, 1999
	ACANTHOCEPHALA
	only unidentified species
	Unidentified Acanthocephala
	<i>Epinephelus morrhua</i>
	JUSTINE, 2008c
	HIRUDINEA
	only unidentified species
	Unidentified Hirudinea
	<i>Diagramma pictum</i>
	BAILLON, 1991
	<i>Lethrinus harak</i>
	RASCALOU & JUSTINE, 2007

TABLE 2.
Host-Parasite list

57 families recorded with parasites; 177 species recorded with parasites

HOST UNKNOWN (OR NOT INDICATED)

Copepoda <i>Caligus novocaledonicus</i>	BOXSHALL & HUYS, 2007
Isopoda <i>Aega alazon</i>	BRUCE, 2004
Isopoda <i>Aega coroo</i>	BRUCE, 2007
Isopoda <i>Aega hamiota</i>	BRUCE, 2004
Isopoda <i>Aega kixalles</i>	BRUCE, 2004
Isopoda <i>Aega monophthalma</i>	BRUCE, 2007
Isopoda <i>Aega plebeia</i>	BRUCE, 2007
Isopoda <i>Aega rickbruscai</i>	BRUCE, 2004
Isopoda <i>Aega</i> sp.	BRUCE, 2004
Isopoda <i>Aega vigilans</i>	BRUCE, 2007
Isopoda <i>Anilocra australis</i>	BRUCE, 2007
Isopoda <i>Anilocra gigantea</i>	TRILLES, 1972
Isopoda <i>Anilocra longicauda</i>	BRUCE, 2007
Isopoda <i>Syescenus latus</i>	BRUCE, 2007
Isopoda <i>Syescenus moana</i>	BRUCE, 2007

ELASMOBRANCHII

(alphabetical order of families and species;
9 families recorded with parasites; 14 species recorded with parasites)

CARCHARHINIDAE

***Carcharhinus amblyrhynchos* (Bleeker)**

C. Trypanorhyncha <i>Otobothrium parvum</i>	BEVERIDGE & JUSTINE, 2007c
Nematoda <i>Huffmanela lata</i>	JUSTINE, 2005a
Copepoda <i>Nemesis robusta</i>	BOXSHALL & HUYS, 2007

***Carcharhinus plumbeus* (Nardo)**

Copepoda <i>Pandarus smithii</i>	BOXSHALL & HUYS, 2007
----------------------------------	-----------------------

***Galeocerdo cuvier* (Péron & Lesueur)**

C. Trypanorhyncha <i>Otobothrium curtum</i>	BEVERIDGE & JUSTINE, 2007c
Nematoda <i>Terranova scoliodontis</i>	MORAVEC & JUSTINE, 2006b
Copepoda <i>Alebion carchariae</i>	BOXSHALL & HUYS, 2007
Copepoda <i>Kroyeria dispar</i>	BOXSHALL & HUYS, 2007
Copepoda <i>Nesippus crypturus</i>	BOXSHALL & HUYS, 2007
Copepoda <i>Nesippus tigris</i>	BOXSHALL & HUYS, 2007

***Negaprion acutidens* (Rüppell)**

C. Trypanorhyncha <i>Paragrillotia spratti</i>	BEVERIDGE & JUSTINE, 2007a
--	----------------------------

***Prionace glauca* (Linnaeus)**

Copepoda <i>Echthrogaleus coleopratus</i>	BOXSHALL & HUYS, 2007
Copepoda <i>Pandarus satyrus</i>	BOXSHALL & HUYS, 2007

CENTROPHORIDAE

***Centrophorus* sp. [Deep-sea]**

C. Tetraphyllidea, unidentified adults	BEVERIDGE & JUSTINE, 2006
C. Trypanorhyncha <i>Gilquinia minor</i>	BEVERIDGE & JUSTINE, 2006
C. Trypanorhyncha <i>Sagittirhynchus aculeatus</i>	BEVERIDGE & JUSTINE, 2006

DASYATIDAE

<i>Urogymnus asperimimus</i> (Bloch & Schneider) [not <i>Taeniura meyenii</i> Müller & Henle, erroneous]	
Nematoda <i>Echinocephalus overstreeti</i>	MORAVEC & JUSTINE, 2006b

HEMIGALEIDAE

<i>Triaenodon obesus</i> (Rüppell)	
C. Trypanorhyncha <i>Otobothrium parvum</i>	BEVERIDGE & JUSTINE, 2006
Copepoda <i>Paralebion elongatus</i>	BOXSHALL & HUYS, 2007

HEXANCHIDAE

<i>Hexanchus nakamurai</i> Teng [Deep-sea]	
C. Trypanorhyncha <i>Paragrillotia apecteta</i>	BEVERIDGE & JUSTINE, 2007a
Isopoda <i>Aega angustata</i>	TRILLES & JUSTINE, 2004

LAMNIDAE

<i>Isurus oxyrinchus</i> Rafinesque	
Copepoda <i>Dinemoura latifolia</i>	BOXSHALL & HUYS, 2007

MYLIOBATIDAE

<i>Aetobatus narinari</i> (Euphrasen)	
Monopisthocotylea <i>Clemacotyle australis</i>	MARIE & JUSTINE, 2005
Monopisthocotylea <i>Decacotyle elpora</i>	MARIE & JUSTINE, 2005
Monopisthocotylea <i>Decacotyle octona</i>	MARIE & JUSTINE, 2005
Monopisthocotylea <i>Thaumatocotyle pseudodasybatis</i>	MARIE & JUSTINE, 2005, 2006
C. Tetraphyllidea <i>Acanthobothrium aetiobatis</i>	BAER & EUZET, 1962
Nematoda <i>Echinocephalus sinensis</i>	MORAVEC & JUSTINE, 2006b

SQUALIDAE

<i>Squalus megalops</i> Macleay [Deep-sea]	
C. Tetraphyllidea, unidentified adults	BEVERIDGE & JUSTINE, 2006
C. Trypanorhyncha <i>Gilquinia robertsoni</i>	BEVERIDGE & JUSTINE, 2006
Copepoda <i>Demoleus latus</i>	BOXSHALL & HUYS, 2007
Copepoda <i>Pseudopandarus gracilis</i>	BOXSHALL & HUYS, 2007
Isopoda <i>Aega angustata</i>	TRILLES & JUSTINE, 2004
Isopoda <i>Aega webbi</i>	TRILLES & JUSTINE, 2004
as <i>Aega urotoma</i> Bruce, 2007	TRILLES & JUSTINE, 2004
Isopoda <i>Aega cf. deshayiana</i>	TRILLES & JUSTINE, 2004

<i>Squalus cf. megalops</i> [Deep-sea]	
C. Trypanorhyncha <i>Chimaera rhynchus rougetae</i>	OLSON et al., 2010; PALM et al., 2009

<i>Squalus melanurus</i> Fourmanoir & Rivaton [Deep-sea]	Nematoda <i>Procamallanus (Procamallanus) pacificus</i> MORAVEC et al., 2006b
Monopisthocotylea <i>Triloculotrema chisholmiae</i> JUSTINE, 2009a	
Polyopisthocotylea Hexabothriidae, unidentified	
C. Tetraphyllidea, unidentified adults	JUSTINE, 2009a
C. Trypanorhyncha <i>Gilquinia</i> sp.	BEVERIDGE & JUSTINE, 2006
C. Trypanorhyncha <i>Vittirhynchus squali</i>	BEVERIDGE & JUSTINE, 2006
Copepoda <i>Pseudopandarus gracilis</i> BOXSHALL & HUYS, 2007	
Isopoda <i>Aega angustata</i>	TRILLES & JUSTINE, 2004
STEGOSTOMATIDAE	
<i>Stegostoma fasciatum</i> (Hermann)	
C. Trypanorhyncha <i>Hornelliella annandalei</i>	BEVERIDGE & JUSTINE, 2007b
C. Trypanorhyncha <i>Mixonybelinia southwelli</i>	BEVERIDGE & JUSTINE, 2007b
C. Trypanorhyncha <i>Pseudolacistorhynchus heroniensis</i>	BEVERIDGE & JUSTINE, 2007b
C. Trypanorhyncha <i>Pseudolacistorhynchus nanus</i>	BEVERIDGE & JUSTINE, 2007b
Copepoda <i>Alebion gracilis</i>	BOXSHALL & HUYS, 2007
ACTINOPTERYGI	
(alphabetical order of families and species; 48 families recorded with parasites; 163 species recorded with parasites)	
ACANTHURIDAE	
<i>Acanthurus blochii</i> Valenciennes	
Digenea <i>Parvipyrum acanthuri</i>	BRAY & JUSTINE, 2008a
<i>Acanthurus xanthopterus</i> Valenciennes	
Turbellaria, unidentified	JUSTINE et al., 2009b
<i>Naso</i> sp. "unicorn fish"	
Digenea <i>Hapladena tanyorchis</i>	DURIO & MANTER, 1969
Digenea <i>Quadrifoliovarium pritchardae</i>	MANTER, 1969
<i>Naso unicornis</i> (Forsskål)	
Turbellaria <i>Pisciniquilinus</i> sp.	JUSTINE et al., 2009b
Monopisthocotylea <i>Dioncopseudobenedenia kala</i>	PERKINS et al., 2009
Nematoda Capillariidae Gen. sp.	MORAVEC, 2001
Copepoda <i>Alanlewisia fallolunulus</i>	BOXSHALL, 2008
<i>Zebrasoma veliferum</i> (Bloch)	
Digenea <i>Affecauda salacia</i>	HALL & CRIBB, 2004b
<i>Zebrasoma scopas</i> (Cuvier)	
Nematoda <i>Procamallanus (Spirocammallanus) longus</i>	MORAVEC et al., 2006a
ACROPOMATIDAE	
<i>Synagrops</i> sp. [Deep-sea]	
Isopoda <i>Aega musorstrom</i>	BRUCE, 2004
ALBULIDAE	
<i>Albula glossodonta</i> (Forsskål)	
Nematoda <i>Spininctetus (Paraspinitectus)</i> sp.	MORAVEC & JUSTINE, 2009b
ANGUILLIDAE	
<i>Anguilla obscura</i> Günther [freshwater]	
Digenea <i>Stegodexamene anguillae</i>	MORAVEC & JUSTINE, 2007c
ANTENNARIIDAE	
<i>Antennariidae</i> sp. (recruiting larvae)	
Digenea Hemiuridae (immature unidentifiable)	CRIBB et al., 2000
APOGONIDAE	
<i>Apogon angustatus</i> (Smith & Radcliffe)? (recruiting larvae)	
Digenea Didymozoidae larva B	CRIBB et al., 2000
<i>Apogon coccineus</i> Rüppell (recruiting larvae)	
Digenea Didymozoidae larva A	CRIBB et al., 2000
Digenea Didymozoidae larva B	CRIBB et al., 2000
Digenea Didymozoidae larva E	CRIBB et al., 2000
Digenea Didymozoidae larva F	CRIBB et al., 2000
ATHERINIDAE	
<i>Myctophidae</i> "pretre" (? <i>Atherinomorus lacunosus</i> (Forster)	
Digenea <i>Bivesiculoides posterotestis</i>	DURIO & MANTER, 1968a
BALISTIDAE	
<i>Abalistes filamentosus</i> Matsuura & Yoshino	
Copepoda, unidentified	RANDALL & JUSTINE, 2008b
Isopoda Gnathiidae, unidentified larva	RANDALL & JUSTINE, 2008b
<i>Abalistes stellatus</i> Anonymous (ex Commerson)	
Digenea <i>Cableia balistidicola</i>	BRAY et al., 2009b
Nematoda Rhabdochonidae [as female <i>H. balista</i> , erroneous]	JUSTINE, 2007b, This paper
Nematoda <i>Huffmanela balista</i> , male	JUSTINE, 2007b
Copepoda <i>Hatschekia balistae</i>	BOXSHALL & HUYS, 2007
Copepoda <i>Metataeniacanthus vulgaris</i>	BOXSHALL & HUYS, 2007
Copepoda <i>Taeniacanthus aluteri</i>	BOXSHALL & HUYS, 2007
<i>Balistoides conspicillum</i> (Bloch & Schneider)	
Copepoda <i>Hatschekia balistae</i>	BOXSHALL & HUYS, 2007
<i>Pseudobalistes fuscus</i> (Bloch & Schneider)	
Monopisthocotylea Trochopodinae Gen. sp. 1	PERKINS et al., 2009
Digenea Acanthocolpidae, unidentified	BRAY & JUSTINE, 2007b
Digenea <i>Cableia balistidicola</i> [as <i>Cableia</i> sp.]	BRAY & JUSTINE, 2007b
Digenea <i>Cableia balistidicola</i>	BRAY et al., 2009b
Digenea <i>Hypocreadium toombo</i>	BRAY & JUSTINE, 2006a
Digenea Lepocreadiidae, unidentified	BRAY & JUSTINE, 2007b
Digenea <i>Lobatocreadium exiguum</i>	BRAY & JUSTINE, 2006a
Digenea <i>Pseudopycnadema tendu</i>	BRAY & JUSTINE, 2007b
Digenea <i>Sphincteristomum acollum</i>	BRAY & JUSTINE, 2007b
Digenea <i>Stephanostomum</i> sp.	BRAY & JUSTINE, 2007b
Copepoda <i>Dissonus heronensi</i>	BOXSHALL et al., 2008
Copepoda <i>Hatschekia balistae</i>	BOXSHALL & HUYS, 2007

<i>Sufflamen fraenatum</i> (Latreille)	Monopisthocotylea <i>Haliotrema aurigae</i>
Digenea <i>Hypocreadium patellare</i>	PLAISANCE et al., 2004
BRAY et al., 2009a	BRAY & CRIBB, 2000a
BELONIDAE	
<i>Strongylura leiura</i> (Bleeker) syn. of <i>Tylosurus leiurus</i> (Bleeker) ?	<i>Chaetodon citrinellus</i> Cuvier
Digenea <i>Dichadena obesa</i>	Monopisthocotylea <i>Euryhaliotrematoides grandis</i>
MANTER, 1969	PLAISANCE & KRITSKY, 2004
<i>Tylosurus crocodilus</i> (Péron & Lesueur)	Monopisthocotylea <i>Haliotrema aurigae</i>
Digenea <i>Lecithostaphylus nitens</i>	PLAISANCE et al., 2004
Nematoda <i>Philometra dentigubernaculata</i>	BRAY & CRIBB, 2000a
MORAVEC & JUSTINE, 2008a	
Copepoda <i>Lernanthropus tylosuri</i>	<i>Chaetodon ephippium</i> Cuvier
BOXSHALL & HUYS, 2007	Digenea <i>Aponurus chelebesoi</i>
	Turbellaria, unidentified
BRAY & CRIBB, 2000a	JUSTINE et al., 2009b
BLENIIDAE	
Bleniidae Gen. sp. (recruiting larvae)	<i>Chaetodon flavirostris</i> Günther
Digenea Didymozoidae larva A	Digenea <i>Aponurus chelebesoi</i>
CRIBB et al., 2000	BRAY & CRIBB, 2000a
Digenea Hemiuroidae (immature unidentifiable)	Digenea <i>Cardicola chaetodontis</i>
CRIBB et al., 2000	NOLAN & CRIBB, 2006
BOTHIDAE	
<i>Bothus pantherinus</i> (Rüppell) (recruiting larvae)	<i>Chaetodon melanotus</i> Bloch & Schneider
Digenea Didymozoidae larva B	Digenea <i>Aponurus chelebesoi</i>
CRIBB et al., 2000	BRAY & CRIBB, 2000a
Arnoglossus sp. [Deep-sea]	
Isopoda <i>Elthusa arnoglossi</i>	<i>Chaetodon mertensi</i> Cuvier
TRILLES & JUSTINE, 2006	Digenea <i>Aponurus chelebesoi</i>
	BRAY & CRIBB, 2000a
Parabothus kiensis [Deep-sea]	
Isopoda <i>Elthusa parabothi</i>	<i>Chaetodon pelewensis</i> Kner
TRILLES & JUSTINE, 2004	Digenea <i>Aponurus chelebesoi</i>
	BRAY & CRIBB, 2000a
CARANGIDAE	
<i>Carangooides fulvoguttatus</i> (Forsskål)	<i>Chaetodon vagabundus</i> Linnaeus
Polyopisthocotylea <i>Heteromicrocotyla australiensis</i>	Monopisthocotylea <i>Aliatrema cribbi</i>
BARTON et al., 2009	PLAISANCE & KRITSKY, 2004
Polyopisthocotylea <i>Heteromicrocotyloides megaspinosus</i>	Monopisthocotylea <i>Euryhaliotrematoides annulicirrus</i>
BARTON et al., 2009	PLAISANCE & KRITSKY, 2004
Copepoda <i>Caligus cordyla</i>	Monopisthocotylea <i>Euryhaliotrematoides aspis</i>
BOXSHALL & HUYS, 2007	PLAISANCE & KRITSKY, 2004
	Monopisthocotylea <i>Euryhaliotrematoides grandis</i>
	PLAISANCE & KRITSKY, 2004
<i>Caranx papuensis</i> Alleyne & Macleay	Monopisthocotylea <i>Haliotrema aurigae</i>
Digenea <i>Prosorhynchoides lamprelli</i>	PLAISANCE et al., 2004
BRAY & JUSTINE, 2006b	
Gnathanodon speciosus (Forsskål)	<i>Coradion altivelis</i> McCulloch
Nematoda <i>Metabronema magnum</i>	Digenea <i>Aponurus chelebesoi</i>
MORAVEC & JUSTINE, 2007b	BRAY & CRIBB, 2000a
<i>Megalaspis cordyla</i> (Linnaeus)	<i>Forcipiger flavissimus</i> Jordan & McGregor
Copepoda <i>Lernanthropus corniger</i>	Digenea <i>Aponurus chelebesoi</i>
BOXSHALL & HUYS, 2007	BRAY & CRIBB, 2000a
<i>Selar crumenophtalmus</i> (Bloch)	<i>Heniochus acuminatus</i> (Linnaeus)
Copepoda <i>Naobranchia cf. spinosa</i>	Digenea <i>Aponurus chelebesoi</i>
BOXSHALL & HUYS, 2007	BRAY & CRIBB, 2000a
CHAETODONTIDAE	<i>Heniochus chrysostomus</i> Cuvier
<i>Heniochus acuminatus</i> (Linnaeus) "Chaetodon acuminatus"	Monopisthocotylea <i>Aliatrema cribbi</i>
Digenea <i>Aponurus chelebesoi</i>	PLAISANCE & KRITSKY, 2004
BRAY & CRIBB, 2000a	Monopisthocotylea <i>Euryhaliotrematoides microphallus</i>
	PLAISANCE & KRITSKY, 2004
<i>Chaetodon auriga</i> Forsskål	Monopisthocotylea <i>Haliotrema aurigae</i>
Monopisthocotylea <i>Aliatrema cribbi</i>	PLAISANCE ET AL., 2004
PLAISANCE & KRITSKY, 2004	Digenea <i>Aponurus chelebesoi</i>
Monopisthocotylea <i>Euryhaliotrematoides annulicirrus</i>	BRAY & CRIBB, 2000a
PLAISANCE & KRITSKY, 2004	
Monopisthocotylea <i>Euryhaliotrematoides grandis</i>	<i>Heniochus monoceros</i> Cuvier
PLAISANCE & KRITSKY, 2004	Digenea <i>Aponurus chelebesoi</i>
Monopisthocotylea <i>Euryhaliotrematoides pirulum</i>	BRAY & CRIBB, 2000a
PLAISANCE & KRITSKY, 2004	

CHANIDAE			
<i>Chanos chanos</i> (Forsskål)			
Digenea <i>Isorchis parvus</i>	DURIO & MANTER, 1969		
CHIROCENTRIDAE			
<i>Chirocentrus dorab</i> (Forsskål)			
Copepoda <i>Parabrachiella appendiculata</i>	BOXSHALL & HUYS, 2007		
CORYPHAENIDAE			
<i>Coryphaena hippurus</i> Linnaeus			
Copepoda <i>Caligus coryphaenae</i>	BOXSHALL & HUYS, 2007		
ECHENEIDAE			
<i>Echeneis naucrates</i> Linnaeus			
Copepoda <i>Margolisius</i> cf. <i>abditus</i>	BOXSHALL & HUYS, 2007		
ELOPIDAE			
<i>Elops hawaiensis</i> Regan			
Copepoda <i>Gloiopotes watsoni</i>	BOXSHALL & HUYS, 2007		
GOBIIDAE			
<i>Awaous guamensis</i> (Valenciennes) [freshwater]			
Nematoda <i>Camallanus cottii</i>	MORAVEC & JUSTINE, 2006a		
HAEMULIDAE			
<i>Diagramma pictum</i> (Thunberg)			
Digenea <i>Holorchis castex</i>	BRAY & JUSTINE, 2007a		
Digenea <i>Lasiotocus plectorhynchi</i>	BRAY & JUSTINE, 2007a		
Digenea, unidentified	BAILLON, 1991		
Nematoda Camallanidae, unidentified	BAILLON, 1991		
Isopoda, unidentified adults	BAILLON, 1991		
Hirudinea, unidentified	BAILLON, 1991		
<i>Plecterhinchus chaetodonoides</i> Lacépède			
Monopisthocotylea Capsalidae sp. 1	PERKINS et al., 2009		
<i>Plecterhinchus goldmani</i> (Bleeker)			
Copepoda <i>Holorchis plectorhynchi</i>	DURIO & MANTER, 1968b		
<i>Plecterhinchus lineatus</i>			
Digenea <i>Anuretes justinei</i>	VENMATHI MARAN et al., 2008		
<i>Plecterhinchus</i> sp. ("loche castex")			
Digenea <i>Lasiotocus longitestis</i>	DURIO & MANTER, 1968a		
Digenea <i>Hysterorhchis vitellinus</i>	DURIO & MANTER, 1968a		
Digenea <i>Choanostoma secundum</i>	DURIO & MANTER, 1968b		
HEMIRAMPHIDAE			
<i>Hemiramphus</i> sp.			
Digenea <i>Tergestia clonacantha</i>	DURIO & MANTER, 1968a		
HOLOCENTRIDAE			
<i>Sarcocentron ensifer</i> (Jordan & Evermann)			
Digenea <i>Lecithochirium cirrhitii</i>	MORAVEC & JUSTINE, 2009b		
<i>Sarcocentron spiniferum</i> (Forsskål)			
Digenea <i>Lecithochirium cirrhitii</i>	MORAVEC & JUSTINE, 2009b		
Nematoda <i>Ascarophis (Dentiascarophis) adioryx</i>	MORAVEC & JUSTINE, 2009b		
<i>Neoniphon sammara</i> (Forsskål)			
Digenea <i>Lecithochirium cirrhitii</i>	MORAVEC & JUSTINE, 2009b		
Nematoda <i>Ascarophis (Dentiascarophis) adioryx</i>	MORAVEC & JUSTINE, 2009b		
HOPLICHTHYIDAE			
<i>Hoplichthys citrinus</i> Gilbert [Deep-sea]			
Nematoda <i>Ascarophis (Similarascarophis) richieri</i>	MORAVEC & JUSTINE, 2007a		
Nematoda <i>Ichthyofilaria novaecaledoniensis</i>	MORAVEC & JUSTINE, 2009a		
ISTIOPHORIDAE			
<i>Tetrapturus audax</i> (Philippi)			
Nematoda <i>Hysterothylacium cenaticum</i>	MORAVEC & JUSTINE, 2005a		
Copepoda <i>Gloioptes watsoni</i>	BOXSHALL & HUYS, 2007		
'Espadon' (Swordfish)			
Isopoda <i>Ceratothoa impressa</i>	TRILLES, 1972		
KUHLIIDAE			
<i>Kuhlia marginata</i> (Cuvier) [freshwater]			
Nematoda <i>Camallanus cottii</i> (larvae)	MORAVEC & JUSTINE, 2006a		
LABRIDAE			
<i>Bodianus perditio</i> (Quoy & Gaimard) [in Manter as "Lepidaplois perditio"]			
Monopisthocotylea <i>Haliotrema banana</i>	LIM & JUSTINE, 2007		
Digenea <i>Intusatrium robustum</i>	BRAY & JUSTINE, 2006a;		
	DURIO & MANTER, 1968b		
Nematoda Cucullanidae, unidentified	LIM & JUSTINE, 2007		
Nematoda <i>Huffmanela ossicola</i>	JUSTINE, 2007b;		
	LIM & JUSTINE, 2007		
Copepoda <i>Dissonus excavatus</i>	BOXSHALL ET AL., 2008;		
	LIM & JUSTINE, 2007		
Copepoda <i>Hatschekia</i> sp.	LIM & JUSTINE, 2007		
Copepoda <i>Lepeophtheirus</i> sp.	LIM & JUSTINE, 2007		
Copepoda <i>Lernanthropus</i> sp.	LIM & JUSTINE, 2007		
Isopoda Gnathiidae, unidentified larva	LIM & JUSTINE, 2007		
<i>Bodianus loxozonus</i> (Snyder)			
Digenea <i>Intusatrium robustum</i>	BRAY & JUSTINE, 2006a		
Nematoda <i>Huffmanela ossicola</i>	JUSTINE, 2004		
<i>Cheilinus chlorourus</i> (Bloch)			
Turbellaria, unidentified	JUSTINE ET AL., 2009b		
<i>Choerodon graphicus</i> (De Vis)			
Digenea <i>Postlepidapedon secundum</i>	BRAY & JUSTINE, 2006a		
<i>Hemigymnus melapterus</i> (Bloch)			
Isopoda Gnathiidae, unidentified larva	GRUTTER, 1999		
Labridae sp. (recruiting larvae)			
Digenea Didymozoidae larva D	CRIBB ET AL., 2000		
Digenea Didymozoidae larva G	CRIBB ET AL., 2000		
<i>Labroides dimidiatus</i> (Valenciennes)			
Digenea <i>Rhipidocotyle</i> sp.	JONES ET AL., 2003, 2004		
<i>Thalassoma lutescens</i> (Lay & Bennett)			
Turbellaria, unidentified	JUSTINE ET AL., 2009b		
<i>Thalassoma</i> sp. (recruiting larvae)			
Digenea Didymozoidae larva D	CRIBB ET AL., 2000		
Digenea Didymozoidae larva G	CRIBB ET AL., 2000		
C. Tetraphyllidea Metacestode	CRIBB ET AL., 2000		

LETHRINIDAE***Gnathodentex aureolineatus* (Lacépède)**

Monopisthocotylea *Lamellodiscus* sp. JUSTINE, 2007e;
JUSTINE & BRIAND, 2009

***Gymnocranius euanus* (Günther)**

Monopisthocotylea *Lamellodiscus parvicornis* JUSTINE & BRIAND, 2009
Monopisthocotylea *Lamellodiscus magnicornis* JUSTINE & BRIAND, 2009
2 species above as Monopisthocotylea *Lamellodiscus* sp. JUSTINE, 2007e
Polyopisthocotylea Microcotylidae, unidentified JUSTINE, 2007e

***Gymnocranius grandoculus* (Valenciennes)**

Monopisthocotylea *Lamellodiscus magnicornis* JUSTINE & BRIAND, 2009
Monopisthocotylea *Lamellodiscus parvicornis* JUSTINE & BRIAND, 2009
Monopisthocotylea *Lamellodiscus tubulicornis* JUSTINE & BRIAND, 2009
3 species above as Monopisthocotylea *Lamellodiscus* sp. JUSTINE, 2007e
Polyopisthocotylea Microcotylidae, unidentified JUSTINE, 2007e
Nematoda *Huffmanela filamentosa* JUSTINE, 2004
Nematoda *Huffmanela longa* JUSTINE, 2007b

***Gymnocranius* sp. A of Justine & Briand, 2009**

Monopisthocotylea *Lamellodiscus magnicornis* JUSTINE & BRIAND, 2009

***Gymnocranius* sp. B of Justine & Briand, 2009**

Monopisthocotylea *Lamellodiscus magnicornis* JUSTINE & BRIAND, 2009
Monopisthocotylea *Lamellodiscus parvicornis* JUSTINE & BRIAND, 2009
Monopisthocotylea *Lamellodiscus tubulicornis* JUSTINE & BRIAND, 2009

***Lethrinus atkinsoni* Seale**

Monopisthocotylea *Calydiscoides rohdei* JUSTINE, 2007e
Digenea *Zoogonus pagrosomi* BRAY & JUSTINE, 2008a

***Lethrinus genivittatus* Valenciennes**

Digenea *Zoogonus pagrosomi* BRAY & JUSTINE, 2008a
Nematoda *Philometra lethrini* MORAVEC & JUSTINE, 2008,
2009a

***Lethrinus harak* Forsskål**

Monopisthocotylea *Calydiscoides difficilis* RASCALOU & JUSTINE, 2007
Monopisthocotylea *Calydiscoides duplicostatus* RASCALOU & JUSTINE, 2007
Monopisthocotylea *Calydiscoides terpsichore* RASCALOU & JUSTINE, 2007
Monopisthocotylea *Encotyllabe* sp. RASCALOU & JUSTINE, 2007
Monopisthocotylea *Haliotrema* spp. (3 species) JUSTINE, 2007e;
RASCALOU & JUSTINE, 2007
Digenea Didymozoidae, unidentified adult RASCALOU & JUSTINE, 2007
RASCALOU & JUSTINE, 2007

Digenea Opecoelidae, unidentified

RASCALOU & JUSTINE, 2007

Copepoda *Hatschekia* sp. RASCALOU & JUSTINE, 2007

Isopoda Gnathiidae, unidentified larva RASCALOU & JUSTINE, 2007

Hirudinea, unidentified RASCALOU & JUSTINE, 2007

***Lethrinus lentjan* Lacépède**

Monopisthocotylea *Calydiscoides difficilis* RASCALOU & JUSTINE 2007
Monopisthocotylea *Calydiscoides duplicostatus* RASCALOU & JUSTINE, 2007
Monopisthocotylea *Haliotrema* sp. JUSTINE, 2007e
Digenea *Orthodena tropica* BRAY & JUSTINE, 2007b

***Lethrinus miniatus* (Forster)**

Monopisthocotylea *Calydiscoides australis* JUSTINE, 2007e
Monopisthocotylea *Calydiscoides gussevi* JUSTINE, 2007e
Digenea *Hamacreadium mutabile* DURIO & MANTER, 1968b
Digenea *Holorchis pectoryhynchi* DURIO & MANTER, 1968b
Digenea *Lecithochirium magnaporum* MANTER, 1969
Nematoda *Philometra lethrini* MORAVEC & JUSTINE, 2009a

***Lethrinus nebulosus* (Forsskål) ? ("bec de cane" in Manter)**

Monopisthocotylea *Calydiscoides difficilis* RASCALOU & JUSTINE, 2007
Monopisthocotylea *Calydiscoides duplicostatus* RASCALOU & JUSTINE, 2007
Monopisthocotylea *Calydiscoides terpsichore* RASCALOU & JUSTINE, 2007
Monopisthocotylea *Encotyllabe* sp. RASCALOU & JUSTINE, 2007
Monopisthocotylea *Haliotrema* sp. JUSTINE, 2007e;
RASCALOU & JUSTINE, 2007
Polyopisthocotylea Microcotylidae, unidentified RASCALOU & JUSTINE, 2007
Digenea *Diphtherostomum tropicum* DURIO & MANTER, 1968a
Digenea *Hamacreadium diacopae* DURIO & MANTER, 1968b
Digenea Opecoelidae, unidentified RASCALOU & JUSTINE, 2007
Digenea *Orthodena tropica* DURIO & MANTER, 1968b
Digenea *Pseudoplagioporus interruptus* DURIO & MANTER, 1968b
Digenea *Pseudoplagioporus lethrini* DURIO & MANTER, 1968b
Copepoda *Hatschekia* sp. RASCALOU & JUSTINE, 2007

***Lethrinus obsoletus* (Forsskål)**

Monopisthocotylea *Calydiscoides difficilis* RASCALOU & JUSTINE, 2007

***Lethrinus ravus* Carpenter & Randall**
Monopisthocotylea *Calydiscoides difficilis* RASCALOU & JUSTINE, 2007
Monopisthocotylea *Haliotrema* sp. JUSTINE, 2007e
Nematoda *Procamallanus (Spirocammallanus)* sp. 2 MORAVEC ET AL., 2006A

***Lethrinus rubrioperculatus* Sato**

Monopisthocotylea *Calydiscoides euzeti* JUSTINE, 2007e
Monopisthocotylea *Encotyllabe* sp. JUSTINE, 2007e
Monopisthocotylea *Haliotrema* sp. JUSTINE, 2007e
Digenea Didymozoidae, unidentified JUSTINE, 2007e
Digenea *Pseudoplagioporus interruptus* BRAY & JUSTINE, 2007b;
JUSTINE, 2007e

C. Trypanorhyncha <i>Nybelinia</i> sp.	JUSTINE, 2007e	Digenea <i>Lecithochirium polynemi</i>	MANTER, 1969
C. Trypanorhyncha <i>Otobothrium</i> sp.	JUSTINE, 2007e	Digenea <i>Siphoderina provitellosus</i>	DURIO & MANTER, 1968b
Copepoda <i>Caligus lethrinicola</i>	BOXSHALL & EL-RASHIDY, 2009		
as Copepoda <i>Caligus cf. mauritanicus</i>			
	BOXSHALL & HUYS, 2007;		
Isopoda Gnathiidae, unidentified larva	JUSTINE, 2007e		
	JUSTINE, 2007e		
<i>Lethrinus variegatus</i> Valenciennes			
Nematoda <i>Philometra lethrini</i>	MORAVEC & JUSTINE, 2009a		
<i>Lethrinus xanthochilus</i> Klunzinger			
Monopisthocotylea <i>Calydiscoides euzeti</i>	JUSTINE, 2007e		
Monopisthocotylea <i>Encotylabe</i> sp.	JUSTINE, 2007e		
Monopisthocotylea <i>Haliotrema</i> sp.	JUSTINE, 2007e		
Copepoda, unidentified larvae	JUSTINE, 2007e		
LUTJANIDAE			
<i>Apriion virescens</i> Valenciennes			
Monopisthocotylea <i>Pseudonitzschia uku</i>	PERKINS et al., 2009		
Nematoda <i>Cucullanus bourdini</i>	PETTER & LE BEL, 1992		
<i>Etelis carbunculus</i> Cuvier [Deep-sea]			
Digenea <i>Neolebouria blatta</i>	BRAY & JUSTINE, 2009a		
Isopoda <i>Anilocra gigantea</i>	TRILLES, 1972		
<i>Lutjanus amabilis</i>' (?? not in FishBase)			
Digenea <i>Hamacreadium mutable</i>	DURIO & MANTER, 1968b		
Isopoda <i>Ceratothoa carinata</i>	TRILLES, 1972		
<i>Lutjanus argentimaculatus</i> (Forsskål)			
Monopisthocotylea <i>Euryhaliotrema</i> sp.	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides novaecaledoniae</i>	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides potens</i>	KRITSKY et al., 2009		
Digenea <i>Stephanostomum casum</i>	DURIO & MANTER, 1969		
<i>Lutjanus bohar</i> (Forsskål) ? ("anglais" in Manter)			
Digenea <i>Hamacreadium mutable</i>	DURIO & MANTER, 1968b		
Digenea <i>Siphoderina catalae</i>	DURIO & MANTER, 1969		
Digenea <i>Siphoderina longitestis</i>	DURIO & MANTER, 1969		
Digenea <i>Siphoderina paracatalae</i>	DURIO & MANTER, 1969		
Digenea <i>Siphoderina testitactus</i>	DURIO & MANTER, 1969		
<i>Lutjanus fulviflamma</i> (Forsskål)			
Monopisthocotylea <i>Euryhaliotrema</i> sp.	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides patellacirrus</i>	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides tainophallus</i>	KRITSKY et al., 2009		
Digenea <i>Hamacreadium mutable</i>	BRAY & JUSTINE, 2007b		
Digenea <i>Lobosorchis tibaldiae</i>	MILLER & CRIBB, 2005		
Digenea <i>Retrovarium</i> sp.	MILLER & CRIBB, 2007		
<i>Lutjanus fulvus</i> (Forster) (as <i>Lutjanus vaigiensis</i> in Manter, junior synonym)			
Monopisthocotylea Ancyrocephalidae, unidentified	KRITSKY et al., 2009		
Monopisthocotylea <i>Euryhaliotrema</i> sp.	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides longitubocirrus</i>	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides patellacirrus</i>	KRITSKY et al., 2009		
Digenea <i>Hexangium sigani</i>	DURIO & MANTER, 1968a		
DIGENEA			
<i>Lutjanus kasmira</i> (Forsskål)			
Monopisthocotylea Ancyrocephalidae, unidentified	KRITSKY et al., 2009		
Digenea <i>Hamacreadium mutable</i>	BRAY & JUSTINE, 2007b		
<i>Lutjanus quinquelineatus</i> (Bloch)			
Monopisthocotylea Ancyrocephalidae, unidentified	KRITSKY et al., 2009		
Monopisthocotylea <i>Euryhaliotrema</i> sp.	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides lanx</i>	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides longitubocirrus</i>	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides patellacirrus</i>	KRITSKY et al., 2009		
<i>Lutjanus russellii</i> (Bleeker)			
Monopisthocotylea <i>Euryhaliotrema</i> sp.	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides longitubocirrus</i>	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides patellacirrus</i>	KRITSKY et al., 2009		
<i>Lutjanus vitta</i> (Quoy & Gaimard)			
Monopisthocotylea Ancyrocephalidae, unidentified	KRITSKY et al., 2009		
Monopisthocotylea <i>Euryhaliotrema</i> sp.	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides longitubocirrus</i>	KRITSKY et al., 2009		
Monopisthocotylea <i>Haliotrematoides patellacirrus</i>	KRITSKY et al., 2009		
MACROURIDAE			
<i>Macolor niger</i> (Forsskål)			
Copepoda <i>Dissonus excavatus</i>	BOXSHALL et al., 2008		
<i>Pristipomoides argyrogrammicus</i> (Valenciennes) [Deep-sea]			
Digenea <i>Neolebouria blatta</i>	BRAY & JUSTINE, 2009a		
Copepoda <i>Lernaeolophus striatus</i>	BOXSHALL & HUYS, 2007		
<i>Pristipomoides filamentosus</i> (Valenciennes) [Deep-sea]			
Nematoda <i>Cucullanus bourdini</i>	PETTER & LE BEL, 1992		
MUGILIDAE			
<i>Hymenocephalus gracilis</i> Gilbert & Hubbs [Deep-sea]			
Copepoda <i>Sarcotretes scopeli</i>	BOXSHALL, 1989		
MONACANTHIDAE			
<i>Aluterus monoceros</i> (Linnaeus)			
Digenea <i>Aponurus laguncula</i>	QUILICHINI et al., 2009b		
MULLIDAE			
<i>Mugilidae</i>			
Digenea <i>Hymenocotta mullei</i>	DURIO & MANTER, 1968a		
MULLIDAE			
<i>Mulloidichthys vanicolensis</i> (Valenciennes)			
Monopisthocotylea <i>Pennulituba cymansis</i>	ŘEHULKOVÁ et al., 2009		

Monopisthocotylea <i>Pennulituba piratifalx</i>	ŘEHULKOVÁ et al., 2009		
Monopisthocotylea <i>Volsellituba elephantina</i>	ŘEHULKOVÁ et al., 2009		
Monopisthocotylea <i>Volsellituba nabla</i>	ŘEHULKOVÁ et al., 2009		
Monopisthocotylea <i>Volsellituba orchidea</i>	ŘEHULKOVÁ et al., 2009		
Digenea <i>Homalometron moraveci</i>	BRAY et al., 2007		
Parupeneus multifasciatus (Quoy & Gaimard)			
Digenea <i>Deretrema combesae</i>	BRAY & JUSTINE, 2008b		
Digenea <i>Deretrema combesorum</i>	BRAY & JUSTINE, 2008b		
Digenea Didymozoidae, unidentified juveniles	BRAY & JUSTINE, 2008b		
Digenea <i>Lecithochirium</i> sp.	BRAY & JUSTINE, 2008b		
Digenea <i>Phyllodistomum</i> sp.	BRAY & JUSTINE, 2008b		
Parupeneus ciliatus (Lacépède)	MORAVEC et al., 2006a		
Nematoda <i>Camallanus carangis</i>	MORAVEC et al., 2006a		
Upeneus vittatus (Forsskål)			
Nematoda <i>Camallanus carangis</i>	MORAVEC et al., 2006a		
Copepoda <i>Irodes sauridi</i>	BOXSHALL & HUYS, 2007		
NEMIPTERIDAE			
Nemipterus furcosus (Valenciennes)			
Turbellaria, unidentified	JUSTINE et al., 2009b		
Monopisthocotylea <i>Benedenia</i> sp.	JUSTINE & BRENA, 2009		
Polyopisthocotylea Microcotylidae, unidentified	JUSTINE & BRENA, 2009		
Digenea <i>Macvicaria jagannathi</i>	BRAY & JUSTINE, 2009b		
Digenea <i>Neolebouria lineatus</i>	BRAY & JUSTINE, 2009b		
Nematoda <i>Camallanus carangis</i>	MORAVEC et al., 2006a		
Nematoda <i>Huffmanela branchialis</i>	JUSTINE, 2004		
Nematoda <i>Raphidascaris (Ichtyiascaris) nemipteri</i>	MORAVEC & JUSTINE, 2005a		
Pentapodus aureofasciatus Russell			
[<i>Pentapodus</i> sp. in Justine, 2004]			
Monopisthocotylea <i>Calydiscoides limae</i>	JUSTINE & BRENA, 2009		
Polyopisthocotylea Microcotylidae, unidentified	JUSTINE & BRENA, 2009		
Nematoda <i>Huffmanela</i> sp.	JUSTINE, 2004, 2007b		
Isopoda Gnathiidae, unidentified larva	JUSTINE & BRENA, 2009		
Scolopsis bilineata (Bloch)			
Nematoda <i>Procamallanus (Spirocammallanus)</i> sp. 2	MORAVEC et al., 2006a		
Isopoda Gnathiidae, unidentified larva	GRUTTER, 1999		
PINGUIPEDIDAE			
Parapercis hexophtalma (Cuvier)			
Nematoda <i>Procamallanus (Spirocammallanus)</i> sp. 1	MORAVEC et al., 2006a		
POMACANTHIDAE			
Pomacanthus semicirculatus (Cuvier)			
Copepoda <i>Pseudanuretes fortipes</i>	BOXSHALL & HUYS, 2007		
POMACENTRIDAE			
Chromis viridis (Cuvier)			
Turbellaria, unidentified	JUSTINE et al., 2009b		
PRIACANTHIDAE			
Priacanthus hamrur (Forsskål)			
Digenea <i>Dupliciporia lanterna</i>	BRAY & JUSTINE, 2008a		
Digenea <i>Parahemiurus merus</i>	BRAY & CRIBB, 2005		
Nematoda <i>Philometra priacanthi</i>	MORAVEC & JUSTINE, 2009a		
Copepoda <i>Norion priacanthi</i>	BOXSHALL & HUYS, 2007		
SCARIDAE			
Scaridae? "Brown-blotted parrot fish" [Probably erroneous for Labridae]			
Digenea <i>Intusatrium secundum</i>	DURIO & MANTER, 1968b		
Scaridae (= <i>Callyodon</i>) sp.			
Digenea <i>Lecithaster testilobatus</i>	MANTER, 1969		
SCOMBRIDAE			
Acanthocybium solandri (Cuvier)			
Polyopisthocotylea <i>Neothoracocotyle acanthocybii</i>	ROHDE et al., 1980		
Copepoda <i>Brachiella thynni</i>	ROHDE et al., 1980		
Copepoda <i>Caligus productus</i>	ROHDE et al., 1980		
Copepoda <i>Gloioptotes hygomanus</i>	BOXSHALL & HUYS, 2007		
Katsuwonus pelamis (Linnaeus)			
Polyopisthocotylea <i>Allopseududaxine</i> sp.	ROHDE et al., 1980		
Polyopisthocotylea <i>Allopseududaxinoides vagans</i>	ROHDE et al., 1980		
Digenea <i>Syncoelium filiferum</i>	ROHDE et al., 1980		
Nematoda <i>Ctenascarophis lesteri</i>	CRITES et al., 1993		
Copepoda <i>Caligus bonito</i>	ROHDE et al., 1980		
Copepoda <i>Caligus productus</i>	ROHDE et al., 1980		
Rastrelliger kanagurta (Cuvier)			
Copepoda <i>Pumiliopes capitulatus</i>	BOXSHALL & HUYS, 2007		
Scomberomorus commerson (Lacépède)			
Copepoda <i>Caligus infestans</i>	BOXSHALL & HUYS, 2007		
Thunnus albacares (Bonnaterre)			
Copepoda <i>Caligus bonito</i>	BOXSHALL & HUYS, 2007		
Copepoda <i>Pseudocycnus appendiculatus</i>	BOXSHALL & HUYS, 2007		
Scorpaenidae "mackerel"			
Digenea <i>Lecithocladium aegyptensis</i>	MANTER, 1969		
SCORPAENIDAE			
Dendrochirus zebra (Cuvier)			
C. Trypanorhyncha <i>Nybelinia syngenes</i>	PALM, 2004;		
	PALM & BEVERIDGE, 2002		
Scorpaenidae Gen. sp. (recruiting larvae)			
Digenea Didymozoidae larva A	CRIBB et al., 2000		
SERRANIDAE			
Cephalopholis argus Bloch & Schneider			
Monopisthocotylea <i>Pseudorhabdosynochus argus</i>	JUSTINE, 2007d		
Isopoda Gnathiidae, unidentified larva	JUSTINE, 2007d		
Cephalopholis aurantia × C. spiloparaea (Hybrid, cf. Randall & Justine, 2008a)			
C. Bothriocephalidae <i>Bothriocephalus celineae</i>	KUCHTA et al., 2009a		

C. Bothrioccephalidea <i>B. celineae</i> [as pseudophyll. cestode]	Digenea <i>Cainocreadium epinepheli</i>	SIGURA & JUSTINE, 2008
Copepoda, unidentified larvae	Digenea Didymozoidae unidentified sp.1	SIGURA & JUSTINE, 2008
	Digenea Didymozoidae unidentified sp.2	SIGURA & JUSTINE, 2008
<i>Cephalopholis boenak</i> Bloch	Digenea <i>Eriilepturus hamati</i>	MANTER, 1969;
Isopoda Gnathiidae, unidentified larva		SIGURA & JUSTINE, 2008
<i>Cephalopholis sonneratii</i> (Valenciennes)	C. Tetraphyllidea, unidentified larvae	SIGURA & JUSTINE, 2008
Monopisthocotylea <i>Pseudorhabdosynochus minutus</i>	C. Trypanorhynchia <i>Floriceps minacanthus</i>	SIGURA & JUSTINE, 2008
		SIGURA & JUSTINE, 2008
Monopisthocotylea <i>Diplectanum nanus</i>	C. Trypanorhynchia <i>Pseudolacistorhynchus heroniensis</i>	SIGURA & JUSTINE, 2008
Monopisthocotylea <i>Haliotrema</i> sp.	Nematoda <i>Philometra cyanopodi</i> [as <i>Ph. lateolabracis</i>]	MORAVEC & JUSTINE, 2005b
Copepoda, unidentified larva	Nematoda <i>Philometra cyanopodi</i>	MORAVEC & JUSTINE, 2008
Isopoda Gnathiidae, unidentified larva	Nematoda <i>Philometra ocularis</i>	MORAVEC & JUSTINE, 2005b
<i>Cephalopholis urodetata</i> (Forster)	Nematoda <i>Procamallanus</i> sp.	SIGURA & JUSTINE, 2008
Monopisthocotylea <i>Diplectanum parvus</i>	Nematoda <i>Terranova</i> sp., larvae	SIGURA & JUSTINE, 2008
Digenea, unidentified	Copepoda <i>Dissonus manteri</i>	BOXSHALL et al., 2008)
C. Tetraphyllidea larvae, unidentified	Copepoda <i>Hatschekia cernae</i>	SIGURA & JUSTINE, 2008
C. Trypanorhynchia <i>Floriceps minacanthus</i>	Copepoda <i>Hatschekia</i> sp. (2 species)	SIGURA & JUSTINE, 2008
Nematoda Anisakidae larvae, unidentified	Copepoda Pennellidae, unidentified larvae	SIGURA & JUSTINE, 2008
Copepoda, unidentified	Copepoda <i>Sagum epinepheli</i>	BOXSHALL & HUYS, 2007;
Isopoda Gnathiidae, unidentified larva		SIGURA & JUSTINE, 2008
<i>Epinephelus areolatus</i> (Forsskål)	Isopoda Gnathiidae, unidentified larva	SIGURA & JUSTINE, 2008
Nematoda <i>Philometra ocularis</i>	Isopoda <i>Argathona rhinoceros</i>	SIGURA & JUSTINE, 2008
<i>Epinephelus chlorostigma</i> (Valenciennes) [Deep-sea]	<i>Epinephelus fasciatus</i> (Forsskål)	
Monopisthocotylea <i>Pseudorhabdosynochus epinepheli</i>	Turbellaria, unidentified	JUSTINE et al., 2009b
	Monopisthocotylea <i>Benedenia</i> cf. <i>epinepheli</i>	JUSTINE, 2005b
Copepoda <i>Sagum epinepheli</i>	Monopisthocotylea <i>Pseudorhabdosynochus caledonicus</i>	HINSINGER & JUSTINE, 2006a;
		JUSTINE, 2005b
<i>Epinephelus coioides</i> (Hamilton)	Monopisthocotylea <i>Pseudorhabdosynochus youngi</i>	JUSTINE et al., 2009a
C. Trypanorhynchia <i>Pseudogilquinia pillersi</i>	Monopisthocotylea <i>Ps. youngi</i> [as <i>Ps. cupatus</i>]	HINSINGER & JUSTINE, 2006a;
		JUSTINE, 2005b
Nematoda <i>Philometra ocularis</i>	Digenea <i>A. novaecaledoniae</i> [as <i>Siphoderina elongata</i>]	QUILICHINI et al., 2009a
	Digenea <i>Adlardia novaecaledoniae</i>	MILLER et al., 2009
<i>Epinephelus coeruleopunctatus</i> (Bloch)	Digenea <i>Allopodocotyle epinepheli</i>	BRAY & JUSTINE, 2007b
Monopisthocotylea <i>Haliotrema</i> sp.	Digenea <i>Cainocreadium epinepheli</i>	BRAY & JUSTINE, 2007b
Monopisthocotylea <i>Pseudorhabdosynochus bacchus</i>	Digenea <i>Helicometra epinepheli</i>	BRAY & JUSTINE, 2007b
	Digenea <i>Lepidapedoides angustus</i>	BRAY & JUSTINE, 2006a
Monopisthocotylea <i>Pseudorhabdosynochus</i> spp.	Nematoda <i>Philometra fasciati</i> [as <i>Ph. lateolabracis</i>]	MORAVEC & JUSTINE, 2005b
Digenea <i>Cainocreadium epinepheli</i>	Nematoda <i>Philometra fasciati</i>	MORAVEC & JUSTINE, 2008
Copepoda <i>Sagum epinepheli</i>	Nematoda <i>Procamallanus (Spirocammallanus) variolae</i>	MORAVEC et al., 2006a
as Copepoda, unidentified		
<i>Epinephelus cyanopodus</i> (Richardson)	Copepoda <i>Hatschekia</i> sp.	JUSTINE, 2005b
Monopisthocotylea <i>Allobenedenia</i> sp.		
Monopisthocotylea <i>Haliotrema</i> sp.	<i>Epinephelus fuscoguttatus</i> (Forsskål)	
	Monopisthocotylea Capsalidae Trochopodinae Gen. sp. 4	
Monopisthocotylea <i>Laticola cyanus</i>		PERKINS et al., 2009
Monopisthocotylea <i>Pseudorhabdosynochus chauveti</i>		
Monopisthocotylea <i>Pseudorhabdosynochus cyanopodus</i>	<i>Epinephelus howlandi</i> (Günther)	
	Monopisthocotylea <i>Pseudorhabdosynochus venus</i>	
Monopisthocotylea <i>Pseudorhabdosynochus duitoe</i>		
	Monopisthocotylea <i>Pseudorhabdosynochus exoticus</i>	
Monopisthocotylea <i>Pseudorhabdosynochus exoticus</i>		
Monopisthocotylea <i>Pseudorhabdosynochus huitoe</i>		
Monopisthocotylea <i>Pseudorhabdosynochus podocyanus</i>		
Digenea <i>Allopodocotyle epinepheli</i>		

<i>Epinephelus maculatus</i> (Bloch)			
Monopisthocotylea <i>Diplectanum uitoe</i>	JUSTINE, 2007c	C. Trypanorhyncha larvae	RIGBY et al., 1997
Monopisthocotylea <i>Haliotrema epinepheli</i>	JUSTINE, 2007c	Copepoda <i>Aethon</i> sp.	BOXSHALL & HUYS, 2007
Monopisthocotylea <i>Haliotrema</i> sp.	JUSTINE, 2007c	Copepoda <i>Sagum epinepheli</i>	BOXSHALL & HUYS, 2007
Monopisthocotylea <i>Laticola dae</i>	JOURNO & JUSTINE, 2006		
Monopisthocotylea <i>Pseudorhabdosynochus auitoe</i>	JUSTINE, 2007c		
Monopisthocotylea <i>Pseudorhabdosynochus buitoe</i>	JUSTINE, 2007c		
Monopisthocotylea <i>Pseudorhabdosynochus cuitoe</i>	JUSTINE, 2007c		
Monopisthocotylea <i>Pseudorhabdosynochus duitoe</i>	JUSTINE, 2007c		
Monopisthocotylea <i>Pseudorhabdosynochus euitoe</i>	JUSTINE, 2007c		
Monopisthocotylea <i>Pseudorhabdosynochus fuitoe</i>	JUSTINE, 2007c		
Monopisthocotylea <i>Pseudorhabdosynochus guitoe</i>	JUSTINE, 2007c		
Monopisthocotylea <i>Pseudorhabdosynochus huitoe</i>	JUSTINE, 2007c		
Digenea Didymozoidae, unidentified adult	JOURNO & JUSTINE, 2006		
Copepoda <i>Dissonus manteri</i>	BOXSHALL et al., 2008;		
Copepoda <i>Hatschekia</i> sp. (2 species)	JOURNO & JUSTINE, 2006		
Isopoda Gnathiidae, unidentified larva	Journo & Justine, 2006		
<i>Epinephelus malabaricus</i> (Bloch & Schneider)			
Monopisthocotylea <i>Diplectanum maa</i>	JUSTINE & SIGURA, 2007		
Monopisthocotylea <i>Pseudorhabdosynochus cf. shenzhenensis</i>	JUSTINE & SIGURA, 2007		
Monopisthocotylea <i>Pseudorhabdosynochus maaensis</i>	JUSTINE & SIGURA, 2007		
Monopisthocotylea <i>Pseudorhabdosynochus malabaricus</i>	JUSTINE & SIGURA, 2007		
Monopisthocotylea <i>Pseudorhabdosynochus manifestus</i>	JUSTINE & SIGURA, 2007		
Monopisthocotylea <i>Pseudorhabdosynochus manipulus</i>	JUSTINE & SIGURA, 2007		
Monopisthocotylea <i>Pseudorhabdosynochus marcellus</i>	JUSTINE & SIGURA, 2007		
Monopisthocotylea <i>Pseudorhabdosynochus maternus</i>	JUSTINE & SIGURA, 2007		
Digenea <i>Cainocreadium</i> sp.	JUSTINE & SIGURA, 2007		
Digenea <i>Prosorhynchus maternus</i>	BRAY & JUSTINE, 2006b		
C. Trypanorhyncha <i>Pseudogilquinia pillersi</i>	BEVERIDGE et al., 2007		
C. Trypanorhyncha <i>Pseudotobothrium dipsacum</i>	JUSTINE & SIGURA, 2007		
Copepoda <i>Hatschekia</i> sp.	JUSTINE & SIGURA, 2007		
<i>Epinephelus merra</i> (Bloch)			
Monopisthocotylea <i>Benedenia</i> sp.	HINSINGER & JUSTINE, 2006a		
Monopisthocotylea <i>Pseudorhabdosynochus cf. coioides</i>	HINSINGER & JUSTINE, 2006a		
Monopisthocotylea <i>Pseudorhabdosynochus melanesiensis</i>	HINSINGER & JUSTINE, 2006a; JUSTINE, 2005b		
Digenea <i>Allopodocotyle epinepheli</i>	BRAY & JUSTINE, 2007b		
Digenea <i>Helicometra epinepheli</i>	BRAY & JUSTINE, 2007b		
Digenea <i>Helicometra fasciata</i>	RIGBY et al., 1997		
Digenea <i>Lepidapedoides angustus</i>	RIGBY et al., 1997		
C. Tetraphyllidea 'Scolex polymorphus'	RIGBY et al., 1997		
<i>Epinephelus morrhua</i> (Valenciennes) [Deep-sea]			
Isopoda Gnathiidae, unidentified larva	JUSTINE, 2008c		
Monopisthocotylea <i>Haliotrema</i> sp.	JUSTINE, 2008c		
Monopisthocotylea <i>Pseudorhabdosynochus morrhua</i>	JUSTINE, 2008c		
Monopisthocotylea <i>Pseudorhabdosynochus variabilis</i>	JUSTINE, 2008c		
C. Trypanorhyncha, unidentified larva	JUSTINE, 2008c		
Copepoda <i>Sagum epinepheli</i>	BOXSHALL & HUYS, 2007		
<i>Epinephelus rivulatus</i> (Valenciennes)			
Monopisthocotylea <i>Pseudorhabdosynochus calathus</i>	HINSINGER & JUSTINE, 2006a		
Monopisthocotylea <i>Pseudorhabdosynochus inversus</i>	JUSTINE, 2008b		
Nematoda <i>Philometra ocularis</i>	MORAVEC & JUSTINE, 2005b		
Isopoda Gnathiidae, unidentified larva	HINSINGER & JUSTINE, 2006a		
<i>Epinephelus sp.</i>			
Digenea <i>Neidhartia coronata</i>	DURIO & MANTER, 1968a		
Digenea <i>Prostorhynchus freitasi</i>	DURIO & MANTER, 1968a		
Digenea <i>Pacificredium serrani</i>	DURIO & MANTER 1968b		
Digenea <i>Lecithochirium magnaporum</i>	MANTER, 1969		
Digenea <i>Erilepturus tiegsi</i>	MANTER, 1969		
<i>Epinephelus sp. "Red Cod"</i>			
Digenea <i>Helicometra fasciata</i>	DURIO & MANTER, 1968b		
Digenea <i>Lepidapedoides dollfusi</i> (as <i>Neolepidapedon dollfusi</i>)	DURIO & MANTER, 1968b		
Digenea <i>Stephanostomum japonicasum</i>	DURIO & MANTER 1969		
<i>Epinephelus sp. "Spotted Grouper"</i>			
Digenea <i>Lepidapedoides dollfusi</i> (as <i>Neolepidapedon dollfusi</i>)	DURIO & MANTER 1968b		
<i>Grammistes</i> sp.			
Isopoda <i>Nerocila excisa</i>	TRILLES, 1972		
<i>Plectropomus laevis</i> (Lacépède)			
Monopisthocotylea <i>Echinoplectanum chauvetorum</i>	JUSTINE & EUZET, 2006		
Monopisthocotylea <i>Echinoplectanum laeve</i>	JUSTINE & EUZET, 2006		
C. Trypanorhyncha <i>Pseudogilquinia pillersi</i>	BEVERIDGE et al., 2007		
Copepoda <i>Dissonus manteri</i>	BOXSHALL et al., 2008		
Copepoda <i>Hatschekia</i> cf. <i>plectropomi</i>	BOXSHALL & HUYS, 2007		
Isopoda <i>Argathona macronema</i>	JUSTINE & EUZET, 2006		
<i>Plectropomus leopardus</i> (Lacépède)			
Monopisthocotylea Capsalidae Trochopodinae Gen. sp.	JUSTINE & EUZET, 2006; PERKINS et al., 2009		
Monopisthocotylea <i>Echinoplectanum leopardi</i>	JUSTINE & EUZET, 2006		
Monopisthocotylea <i>Echinoplectanum pudicum</i>	JUSTINE & EUZET, 2006		
Monopisthocotylea <i>Echinoplectanum rarum</i>	JUSTINE & EUZET, 2006		

Digenea <i>Pacificreadium serrani</i>	BRAY & JUSTINE, 2007b	Digenea <i>Atractotrema sigani</i>	DURIO & MANTER, 1969
Copepoda <i>Dissonus manteri</i>	BOXSHALL et al., 2008	Digenea <i>Gyliauchen papillatus</i>	DURIO & MANTER, 1969
Copepoda <i>Hatschekia</i> cf. <i>plectropomi</i>	BOXSHALL & HUYS, 2007	Digenea <i>Hexangium sigani</i>	DURIO & MANTER, 1968a
Copepoda <i>Sagum epinepheli</i>	BOXSHALL & HUYS, 2007	Digenea <i>Hysterolecitha sigani</i>	MANTER, 1969
Isopoda <i>Argathona rhinoceros</i>	JUSTINE & EUZET, 2006	Digenea <i>Paracryptogonimus saccatus</i>	DURIO & MANTER, 1969
Digenea <i>Pseudogramma</i> sp. (recruiting larvae)		Digenea <i>Theletrum frontilatum</i>	MANTER, 1969
Digenea Didymozoidae larva A	CRIBB et al., 2000		
Digenea Hemiuridae <i>Ectenurus</i> sp. adult	CRIBB et al., 2000		
Serranidae ("leche"/ loche) several species?			
Digenea <i>Allopodocotyle serrani</i>	DURIO & MANTER, 1968b		
Digenea <i>Myorhynchus pritchardae</i>	DURIO & MANTER, 1968a		
Digenea <i>Prosorhynchus longisaccatus</i>	DURIO & MANTER, 1968a		
Serranidae "unidentified serranid"			
Digenea <i>Stephanostomum japonocasum</i>	DURIO & MANTER, 1969		
Serranidae "mottled grouper"			
Digenea <i>Eriolepturus tiegsi</i>	MANTER, 1969		
Variola albimarginata Baissac			
Monopisthocotylea <i>Haliotrema epinepheli</i>	JUSTINE, 2005c		
Nematoda <i>Procamallanus (Spirocammallanus) variolae</i>	MORAVEC et al., 2006a		
Variola louti (Forsskål)			
Monopisthocotylea <i>Haliotrema epinepheli</i>	JUSTINE, 2005c		
Monopisthocotylea <i>Pseudorhabdosynochus hirundineus</i>	JUSTINE, 2005c		
Digenea <i>Cainocreadium epinepheli</i>	BRAY & JUSTINE, 2007b		
Digenea <i>Prosorhynchus serrani</i>	DURIO & MANTER, 1968a		
Nematoda <i>Philometra ocularis</i>	MORAVEC & JUSTINE, 2005b		
SIGANIDAE			
<i>Siganus argenteus</i> (Quoy & Gaimard)			
Digenea <i>Ptychoglyiauchen thistilbardi</i>	HALL & CRIBB, 2004a		
<i>Siganus canaliculatus</i> (Park)			
as <i>Siganus oramin</i>			
Monopisthocotylea <i>Tetrancistrum sigani</i>			
(as <i>T. nebulosi</i>)	YOUNG, 1967a		
Digenea <i>Ptychoglyiauchen thistilbardi</i>	HALL & CRIBB, 2004a		
<i>Siganus corallinus</i> (Valenciennes)			
Digenea <i>Ptychoglyiauchen thistilbardi</i>	HALL & CRIBB, 2004a		
<i>Siganus doliatus</i> Guérin-Méneville			
Digenea <i>Hysterolecithoides frontilatus</i>			
	BRAY & CRIBB, 2000b		
Digenea <i>Ptychoglyiauchen thistilbardi</i>	HALL & CRIBB, 2004a		
Nematoda Capillariidae Gen. sp.	MORAVEC, 2001		
<i>Siganus fuscescens</i> (Houttuyn) as <i>Siganus nebulosus</i>			
Monopisthocotylea <i>Tetrancistrum sigani</i>			
(as <i>T. nebulosi</i>)	YOUNG, 1967a		
<i>Siganus spinus</i> (Linnaeus)			
Digenea <i>Ptychoglyiauchen thistilbardi</i>	HALL & CRIBB, 2004a		
<i>Siganus</i> sp.			
Monopisthocotylea <i>Tetrancistrum sigani</i>			
(as <i>T. nebulosi</i>)	YOUNG, 1967a		
SILLAGINIDAE			
<i>Sillago sihama</i> (Forsskål)			
Polyopisthocotylea <i>Polylabris sillaginea</i>	HAYWARD, 1996		
SPHYRAENIDAE			
<i>Sphyraena barracuda</i> (Edwards)			
Copepoda <i>Caligus lobodes</i>	BOXSHALL & HUYS, 2007		
<i>Sphyraena forsteri</i> Cuvier			
Copepoda <i>Hatschekia sphyraeni</i>	BOXSHALL & HUYS, 2007		
<i>Sphyraena</i> sp. (recruiting larvae)			
Monopisthocotylea Capsalidae larva	CRIBB et al., 2000		
SYNAPHOBRANCHIDAE			
<i>Synaphobranchus</i> cf. <i>brevidorsalis</i> Günther [Deep-sea]			
Copepoda <i>Laminohatschekia synaphobranchi</i>	BOXSHALL, 1989		
Copepoda <i>Lophoura cornuta</i>	BOXSHALL, 1989		
SYNODONTIDAE			
<i>Saurida nebulosa</i> Valenciennes			
C. Bothriocelidae <i>Oncodiscus sauridae</i>	KUCHTA et al., 2009b		
<i>Saurida undosquamis</i> (Richardson)			
C. Bothriocelidae <i>Oncodiscus sauridae</i>	KUCHTA et al., 2009b		
<i>Synodus similis</i> McCulloch			
Copepoda <i>Metataeniacanthus vulgaris</i>	BOXSHALL & HUYS, 2007		
<i>Synodus variegatus</i> (Lacépède)			
Copepoda <i>Metataeniacanthus vulgaris</i>	BOXSHALL & HUYS, 2007		
Synodontidae Gen. sp. (recruiting larvae)			
Digenea Didymozoidae larva A	CRIBB et al., 2000		
Synodontidae Gen. sp. 1 (recruiting larvae)			
Digenea Didymozoidae larva C	CRIBB et al., 2000		
Digenea <i>Eriolepturus</i> sp. immature	CRIBB et al., 2000		
Synodontidae Gen. sp. 2 (recruiting larvae)			
Digenea <i>Ectenurus</i> sp. immature	CRIBB et al., 2000		
Synodontidae Gen. sp. 3 (recruiting larvae)			
Cestoda metacestode	CRIBB et al., 2000		
TETRAODONTIDAE			
<i>Lagocephalus sceleratus</i> (Gmelin)			
Nematoda <i>Philometra lagocephali</i>	MORAVEC & JUSTINE, 2008		
Nematoda <i>Philometra tenuicauda</i>	MORAVEC & JUSTINE, 2009a		
Copepoda <i>Taeniacanthus kitamakura</i>	BOXSHALL & HUYS, 2007		
TRICHIURIDAE			
<i>Assurer anzac</i> (Alexander)			
Copepoda <i>Avitocaligus assurericola</i>	BOXSHALL & JUSTINE, 2005		

TABLE 3

Species of fish parasites recorded from New Caledonia. From the parasite-host list in Table 1. The total of Platyhelminthes species is 240 (65% of the total).

Group	Families	Species
Turbellaria	1	1
Monopisthocotylea	4	98 (27%)
Polyopisthocotylea	5	8
Digenea	20	105 (29%)
Cestoda Bothriocephalidea	1	2
Cestoda Tetraphyllidea	1	6
Cestoda Trypanorhyncha	5	20
Nematoda	10	41 (11%)
Copepoda	13	61 (16%)
Isopoda	4	27 (7%)
Acanthocephala	1	1
Hirudinea	1	1
Total		371

TABLE 4

Biodiversity of parasites in three species of groupers (Family Serranidae). First number is the number of species recorded in New Caledonia; second number in parenthesis is the total number of species recorded in all locations. From JUSTINE & SIGURA (2007). 'Others' include Hirudinea and Acanthocephala.

	Monogenea	Digenea	Cestoda	Nematoda	Copepoda	Isopoda	Others	Total
<i>Epinephelus maculatus</i>	12 (12)	7 (7)	1 (2)	1 (1)	3 (3)	1 (1)	0 (0)	25 (26)
<i>Epinephelus cyanopodus</i>	6 (7)	4 (10)	2 (2)	4 (8)	5 (5)	2 (2)	0 (0)	23 (34)
<i>Epinephelus malabaricus</i>	11 (15)	2 (11)	2 (3)	1 (4)	2 (8)	0 (1)	0 (2)	18 (44)

TABLE 5

Available references on fish parasites in the Indo-Pacific Region. Some studies may include freshwater fish and their parasites. Protozoa are included in all studies except the present one.

Reference	Parasite groups	Locality	Number of fish species with parasites	Number of fish species present	Number of parasites
Arthur & Te, 2006	all	Viet Nam	130	1300 *	453
Arthur & Lumanlan Mayo, 1997	all	Philippines	172	2030 *	201
Arthur & Ahmed, 2002	all	Bangladesh	85	528 *	147
Beumer et al., 1983	all	Australia (including Antarctic territories)	448	? *	496
Lester & Sewell, 1989	all	Heron Island, Australia	122	ca 2,000	ca 300 species ** 580 records
This study	Metazoa	New Caledonia	195	ca 2,000	371 species 580 records

* include freshwater fishes ** difficult to evaluate since many identifications are at the family level only.

Includes ca 140 species of monogeneans.

TABLE 6
Numerical evaluations of fish parasite biodiversity in the literature.

Parasite groups	Number of parasite per fish species	Total number of parasites	Comment	Reference
Monogeneans	3	882	Marine fish, Peninsular Malaysia	Lim, 1998
Monogeneans	5		Estimate, freshwater fishes, neotropics	Kritsky in Whittington, 1998
Monogeneans	1	25,000 species in the World	considered an underestimate by author	Whittington, 1998
Digeneans	2.73	3,800 in 2,000 fish species	Great Barrier Reef, Australia	Cribb & Bray, 1998
All Metazoa	3.1		Marine fish, German coastal waters	Palm & Klimpel, 2006
All Metazoa	5.4		Marine fish, Canada	Poulin, 2004
All Metazoa	3.0		Marine fish, New Zealand	Poulin, 2004
All, including Protozoa	20 *	20,000 for 1,000 fish species	Marine fish, Heron Island, Queensland, Australia	Rohde, 1976

* not expressly indicated in the text; calculated.

REFERENCES

- Aken'ova, T. O. L., & Cribb, T. H. (2001). Two new species of *Neolebouria* Gibson, 1976 (Digenea: Opecoelidae) from temperate marine fishes of Australia. Systematic Parasitology, 49, 65-71.
- Arthur, J. R., & Ahmed, A. T. A. (2002). Checklist of the parasites of fishes of Bangladesh. Rome: FAO.
- Arthur, J. R., & Lumanlan-Mayo, S. (1997). Checklist of the parasites of fishes of the Philippines. Rome: FAO.
- Arthur, J. R., & Te, B. Q. (2006). Checklist of the parasites of fishes of Viet Nam. Rome: FAO.
- Avdeev, G. V. (1977). [Two new and one known species of parasitic copepods of the *Anchistrotos* Brian, 1906 genus (Cyclopoida, Taeniacanthidae) from fishes of the Indian Ocean]. Izvestiya Tikhookeanskogo Nauchno-issledovatel'skogo Instituta Rybnogo Khozyaistva i Okeanografii (TINRO), 101, 132-138.
- Baer, J. G., & Euzet, L. (1962). Révision critique des cestodes téraphyllides décrits par T. Southwell. Bulletin de la Société neuchâteloise des Sciences naturelles, 71, 63-122.
- Baillon, N. (1991). Otolithométrie en milieu tropical: application à trois espèces du lagon de Nouvelle-Calédonie (Vol. Travaux et Documents Microédités, TDM113). Bondy, France: Éditions de l'ORSTOM.
- Barton, D. P., Beaufrère, C., Justine, J.-L., & Whittington, I. D. (2009). Polyopisthocotylean monogeneans from carangid fishes off Queensland, Australia and New Caledonia, with a description of *Heteromicrocotyloides megaspinosus* sp. nov. Acta Parasitologica, 54, 205-217.
- Benz, G. W., Kabata, Z., & Bullard, S. A. (2000). *Margolisius abditus* n. gen., n. sp. (Copepoda: Lernaeopodidae) from gill lamellae of a remora (*Remora remora*) collected in the Gulf of California. Journal of Parasitology, 86, 241-244.
- Beumer, J. P., Ashburner, L. D., Burbury, M. E., Jetté, E., & Latham, D. J. (1983). A checklist of the parasites of fishes from Australia and its adjacent antarctic territories. Farnham Royal: CAB.
- Beveridge, I. (1990). Revision of the family Gilquinidae Dollfus (Cestoda: Trypanorhyncha) from elasmobranch fishes. Australian Journal of Zoology, 37, 481-520.
- Beveridge, I., Chauvet, C., & Justine, J.-L. (2007). Redescription of *Pseudogilquinia pillersi* (Southwell, 1929) (Cestoda, Trypanorhyncha) from serranid and lethrinid fishes from New Caledonia and Australia. Acta Parasitologica, 52, 213-218.
- Beveridge, I., & Justine, J.-L. (2006). Gilquinid cestodes (Trypanorhyncha) from elasmobranch fishes off New Caledonia with descriptions of two new genera and a new species. Systematic Parasitology, 65, 235-249.
- Beveridge, I., & Justine, J.-L. (2007a). *Paragrillotia apecteta* n. sp. and redescription of *P. spratti* (Campbell & Beveridge, 1993) n. comb. (Cestoda, Trypanorhyncha) from hexanchid and carcharhinid sharks off New Caledonia. Zoosystema, 29, 381-391.
- Beveridge, I., & Justine, J.-L. (2007b). *Pseudolacistorhynchus nanus* n. sp. (Cestoda: Trypanorhyncha) parasitic in the spiral valve of the Zebra Shark, *Stegostoma fasciatum* (Hermann, 1783). Transactions of the Royal Society of South Australia, 132, 175-181.

- Beveridge, I., & Justine, J.-L. (2007c). Redescriptions of four species of *Otobothrium* Linton, 1890 (Cestoda: Trypanorhyncha), including new records from Australia, New Caledonia and Malaysia, with the description of *O. parvum* n. sp. Zootaxa, 1587, 1-25.
- Bijukumar, A. (1997). Digenetic trematode parasites of the flatfishes (Pleuronectiformes) of the Kerala coast, India. Acta Parasitologica, 42, 149-157.
- Bott, N. J., & Cribb, T. H. (2005). *Prosorhynchoides lamprelli* n. sp (Digenea : Bucephalidae) from the brassy trevally, *Caranx papuensis* (Teleostei: Carangidae), from off Lizard Island on the Great Barrier Reef, Australia. Zootaxa, 1059, 33-38.
- Bouchet, P. (2006). The magnitude of marine biodiversity. In C. M. Duarte (Ed.), The Exploration of Marine Biodiversity. Scientific and Technological Challenges (pp. 31-64): Fundacion BBVA.
- Bouchet, P., Lozouet, P., Maestrati, P., & Héros, V. (2002). Assessing the magnitude of species richness in tropical marine environments: exceptionall high numbers of molluscs at a New Caledonia site. Biological Journal of the Linnean Society, 75, 421-436.
- Boxshall, G. A. (1989). Parasitic copepods of fishes: a new genus of the Hatschekiidae from New Caledonia, and new records of the Pennellidae, Sphyriidae and Lernanthropidae from the South Atlantic and South Pacific. Systematic Parasitology, 13, 201-222.
- Boxshall, G. A. (2008). A new species of sea louse (Copepoda: Siphonostomatoidea: Caligidae) parasitic on the bluespine unicornfish (*Naso unicornis*). Folia Parasitologica, 55, 231-240.
- Boxshall, G. A., & El-Rashidy, H. H. (2009). A review of the *Caligus productus* species group, with the description of a new species, new synonymies and supplementary descriptions. Zootaxa, 2271, 1-26.
- Boxshall, G. A., & Halsey, S. H. (2004). *An introduction to copepod diversity*. London: Ray Society.
- Boxshall, G. A., & Huys, R. (2007). Copepoda of New Caledonia. In C. E. Payri & B. Richer de Forges (Eds.), Compendium of Marine Species from New Caledonia. (Vol. Documents Scientifiques et Techniques II7, Deuxième Edition, pp. 259-265). Nouméa, New Caledonia: Institut de Recherche pour le Développement, 435pp + Color Plates.
- Boxshall, G. A., & Justine, J.-L. (2005). A new genus of parasitic copepod (Siphonostomatoidea : Caligidae) from the razorback scabbardfish, *Assurger anzac* (Trichiuridae) off New Caledonia. Folia Parasitologica, 52, 349-358.
- Boxshall, G. A., Lin, C.-L., Ho, J.-S., Ohtsuka, S., Venmathi Maran, B. A., & Justine, J.-L. (2008). A revision of the family Dissonidae (Copepoda: Siphonostomatoidea). Systematic Parasitology, 70, 81-106.
- Bray, R. A., & Cribb, T. H. (2000a). A new species of *Aponurus* Looss, 1907 (Digenea: Lecithasteridae) in butterflyfishes (Perciformes: Chaetodontidae) from New Caledonia. Systematic Parasitology, 46, 181-189.
- Bray, R. A., & Cribb, T. H. (2000b). The status of the genera *Hysterolecithoides* Yamaguti, 1934, *Neotleletrum* Gibson & Bray, 1979 and *Machidatrema* Leon-Regagnon, 1998 (Digenea: Hemiuroidae), including a description of *M. leonae* n. sp. from Australian waters. Systematic Parasitology, 46, 1-22.
- Bray, R. A., & Cribb, T. H. (2005). Two new hemiurine species (Digenea: Hemiuridae) from *Spratelloides robustus* Ogilby (Clupeiformes: Clupeidae) off south-western Australia and records of *Parahemiurus merus* (Linton, 1910) from Australian and New Caledonian waters. Systematic Parasitology, 60, 197-203.
- Bray, R. A., Cribb, T. H., & Barker, S. C. (1996). Four species of *Lepidapedoides* Yamaguti, 1970 (Digenea: Lepocreadiidae) from fishes of the southern Great Barrier Reef, with a tabulation of host-parasite data on the group. Systematic Parasitology, 34, 179-195.
- Bray, R. A., Cribb, T. H., & Justine, J.-L. (2009a). New observations on the genus *Hypocreadium* Ozaki, 1936 (Digenea: Lepocreadiidae) in the Indo-West Pacific region, including the description of one new species. Zootaxa, 2110, 22-40.
- Bray, R. A., & Justine, J.-L. (2006a). *Hypocreadium toombo* n. sp. (Digenea: Lepocreadiidae) in the yellowspotted triggerfish *Pseudobalistes fuscus* (Perciformes: Balistidae) and additional lepocreadiids parasitizing fishes from the waters off New Caledonia. Zootaxa, 1326, 37-44.
- Bray, R. A., & Justine, J.-L. (2006b). *Prosorhynchus maternus* sp. n. (Digenea: Bucephalidae) from the Malabar grouper *Epinephelus malabaricus* (Perciformes: Serranidae) off New Caledonia. Folia Parasitologica, 53, 181-188.
- Bray, R. A., & Justine, J.-L. (2007a). *Holorchis castex* n. sp. (Digenea: Lepocreadiidae) from the painted sweet-lips *Diagramma pictum* (Thunberg, 1792) (Perciformes: Haemulidae) from New Caledonia. Zootaxa, 1426, 51-56.
- Bray, R. A., & Justine, J.-L. (2007b). *Pseudopycnadena tendu* sp. nov. (Digenea, Opecoelidae) in the yellowspotted triggerfish *Pseudobalistes fuscus* (Perciformes, Balistidae) and additional opecoelids parasitizing fishes from the waters off New Caledonia. Acta Parasitologica, 52, 13-17.
- Bray, R. A., & Justine, J.-L. (2008a). *Dupliciporia lanterna* n.sp. (Digenea: Zoogonidae) from *Priacanthus hamrur* (Perciformes: Priacanthidae) and additional zoogonids parasitizing fishes from the waters off New Caledonia. Zootaxa, 1707, 60-68.
- Bray, R. A., & Justine, J.-L. (2008b). Sympatric species of *Deretrema* Linton, 1910: *D. combesae* n. sp. and *D. combesorum* n. sp. (Digenea: Zoogonidae) from the manybar goatfish *Parupeneus multifasciatus* (Quoy & Gaimard, 1824) (Perciformes: Mullidae) from New Caledonia. Parasitology International, 57, 18-24.
- Bray, R. A., & Justine, J.-L. (2009a). *Neolebouria blatta* n. sp. (Digenea: Opecoelidae) from *Pristipomoides argyrogrammatus* (Valenciennes) and *Etelis carbunculus* Cuvier (Perciformes: Lutjanidae) off New Caledonia. Systematic Parasitology, 74, 161-167.

- Bray, R. A., & Justine, J.-L. (2009b). Opecoelids (Platyhelminthes: Digenea) from the fork-tailed threadfin bream *Nemipterus furcosus* (Valenciennes, 1830) (Perciformes: Nemipteridae), with preliminary keys to the problematic genera *Macvicaria* Gibson & Bray, 1982 and *Neolebouria* Gibson, 1976. *Acta Parasitologica*, 54, 218-229.
- Bray, R. A., Justine, J.-L., & Cribb, T. H. (2007). *Homalometron moraveci* n. sp (Digenea: Apocreadiidae) in the yellowfin goatfish, *Mulloidichthys vanicolensis* (Valenciennes, 1831) (Perciformes: Mullidae), from New Caledonia and the Great Barrier Reef, with a checklist of digeneans of *Mulloidichthys* species. *Zootaxa*, 1525, 41-49.
- Bray, R. A., Justine, J.-L., & Cribb, T. H. (2009b). *Cableia balistidicola* n. sp. (Digenea, Monorchiidae) from Pacific Ocean balistids (Tetraodontiformes) and new reports of *Cableia pudica* Bray, Cribb & Barker, 1996 in temperate Australian monacanthids. *Parasitology International*, 58, 341-345.
- Bruce, N. L. (2004). Reassessment of the isopod crustacean *Aega deshayiana* (Milne Edwards, 1840) (Cymothoida: Aegidae): a world-wide complex of 21 species. *Zoological Journal of the Linnean Society*, 142, 135-222.
- Bruce, N. L. (2005). Two new species of the mesopelagic isopod genus *Syscenus* Harger, 1880 (Crustacea: Isopoda: Aegidae) from the southwestern Pacific. *Zootaxa*, 1070, 31-42.
- Bruce, N. L. (2007). Provisional list of the marine and freshwater isopods (Crustacea) of New Caledonia. In C. E. Payri & B. Richer de Forges (Eds.), Compendium of Marine Species from New Caledonia. (Vol. Documents Scientifiques et Techniques II7, Deuxième Edition, pp. 275-279). Nouméa, New Caledonia: Institut de Recherche pour le Développement, 435pp + Color Plates.
- Bruce, N. L., & Cannon, L. R. G. (1989). *Hysterothylacium*, *Iheringascaris* and *Maricostula* new genus, nematodes (Ascaridoidea) from Australian pelagic marine fishes. *Journal of Natural History*, 23, 1397-1441.
- Bychowsky, B. E., & Nagibina, L. F. (1971). [New and little known species of the genus *Haliotrema* Johnston et Tiegs, 1922 (Monogenoidea). 2]. *Zoologicheskii Zhurnal*, 50, 25-40.
- Campbell, R. A., & Beveridge, I. (1987). *Floriceps minacanthus* sp. nov. (Cestoda: Trypanorhyncha) from Australian fishes. *Transactions of the Royal Society of South Australia*, 111, 189-194.
- Campbell, R. A., & Beveridge, I. (1993). New species of *Grillotia* and *Pseudogrillotia* (Cestoda: Trypanorhyncha) from Australian sharks, and definition of the family Grillotidae Dollfus, 1969. *Transactions of the Royal Society of South Australia*, 117, 37-46.
- Chisholm, L. A., & Whittington, I. D. (1998). Revision of Decacotylinae Chisholm, Wheeler & Beverley Burton, 1995 (Monogenea: Monocotylidae), including the synonymy of *Papillicotyle* Young, 1967 with *Decacotyle* Young, 1967 and a description of a new species from Australia. *Systematic Parasitology*, 41, 9-20.
- Cressey, R. F. (1967). Revision of the family Pandaridae (Copepoda: Caligoida). *Proceedings of the United States National Museum*, 121, 1-356.
- Cressey, R. F., & Boyle, H. (1973). Five new bomolochid copepods parasitic on Indo-Pacific clupeid fishes. *Smithsonian Contributions to Zoology*, 161, 1-25.
- Cressey, R. F., & Cressey, H. B. (1979). The parasitic copepods of Indo-West Pacific lizardfishes (Synodontidae). *Smithsonian Contributions to Zoology*, 296, 1-71.
- Cribb, T. H., & Bray, R. A. (1998). Trematodes of fishes: a test case for predictions of parasite biodiversity on the Great Barrier Reef. In J. G. Greenwood & N. J. Hall (Eds.), Australian Coral Reef Society 75th Anniversary Conference (pp. 43-56). Heron Island October 1997: School of Marine Science, The University of Queensland, Brisbane.
- Cribb, T. H., Pichelin, S., Dufour, V., Bray, R. A., Chauvet, C., Fallex, E., Galzin, R., Lo, C. M., Lo-Yat, A., Morand, S., Rigby, M. C., & Sasal, P. (2000). Parasites of recruiting coral reef fish larvae in New Caledonia. *International Journal for Parasitology*, 30, 1445-1451.
- Crites, J. L., Overstreet, R. M., & Maung, M. (1993). *Ctenascarophis lesteri* n. sp. and *Prospinctectus exiguis* n. sp. (Nematoda: Cystidicolidae) from the skipjack tuna, *Katsuwonus pelamis*. *Journal of Parasitology*, 79, 847-859.
- Deardorff, T. L., & Ko, R. C. (1983). *Echinocephalus overstreeti* sp. n. (Nematoda: Gnathostomatidae) in the stingray, *Taeniuira melanopilos* Bleeker, from the Marquesas Islands, with comments on *E. sinensis* Ko, 1975. *Proceedings of the Helminthological Society of Washington*, 50, 285-293.
- Delamare-Deboutteville, C., & Nunes-Ruivo, L. P. (1954). Parasites de poissons de mer ouest-Africains récoltés par M. J. Cadenat. II. Copépodes (1ère note). Genres *Lernanthropus*, *Sagum*, *Paeon*, *Pennella*. *Bulletin de l'Institut Français d'Afrique Noire, Série A, Sciences Naturelles*, 16, 1-139.
- Dillon, W. A., Hargis, W. J., & Harrises, A. E. (1983). [Monogenetic trematodes from South Pacific. Polyopisthocotyleids from Australian fishes. Subfamilies Polylabrinae and Microcotylinae]. *Zoologicheskii Zhurnal*, 62, 821-828.
- Dojiri, M., & Cressey, R. F. (1987). Revision of the Taeniacanthidae (Copepoda: Poecilostomatoidea) parasitic on fishes and sea urchins. *Smithsonian Contribution to Zoology*, 447, 1-250.
- Durio, W. O., & Manter, H. W. (1968a). Some digenetic trematodes of marine fishes of New Caledonia. Part I. Bucephalidae, Monorchidae, and some smaller families. *Proceedings of the Helminthological Society of Washington*, 35, 143-153.
- Durio, W. O., & Manter, H. W. (1968b). Some digenetic trematodes of marine fishes of New Caledonia. Part II. Opecoelidae and Lepocreadiidae. *Journal of Parasitology*, 54, 747-756.
- Durio, W. O., & Manter, H. W. (1969). Some digenetic trematodes of marine fishes of New Caledonia. Part III. Acanthocolpidae, Haploporidae, Glyliauchenidae, and Cryptogonimidae. *Journal of Parasitology*, 55, 293-300.

- Fischthal, J. H., & Kuntz, R. E. (1963). Trematode parasites of fishes from Egypt. Part III. Six new Hemiuridae. Proceedings of the Helminthological Society of Washington, 30, 78-91.
- Fricke, R., & Kulwicki, M. (2007). Checklist of the shore fishes of New Caledonia. In C. E. Payri & B. Richer de Forges (Eds.), Compendium of Marine Species from New Caledonia. (Vol. Documents Scientifiques et Techniques II7, Deuxième Edition, pp. 357-401). Nouméa, New Caledonia: Institut de Recherche pour le Développement, 435pp + Color Plates.
- Froese, R., & Pauly, D. (Eds.). (2009). FishBase. World Wide Web electronic publication. www.fishbase.org.
- Grutter, A. S. (1999). Fish cleaning behaviour in Noumea, New Caledonia. Marine and Freshwater Research, 50, 209-212.
- Gu, C., & Shen, J. (1979). Ten new species of digenetic trematodes of marine fishes. *Acta Zoologica Sinica*, 4, 342-355.
- Gupta, P. C., & Singh, R. B. (1985). Four new digenetic trematodes from marine fishes off Puri coast, Bay of Bengal. *Indian Journal of Parasitology*, 9, 25-34.
- Hall, K. A., & Cribb, T. H. (2004a). *Ptychogyliauchen*, a new genus of Gyliauchenidae (Platyhelminthes: Digenea) from siganid fishes of the Indo-West Pacific. *Invertebrate Systematics*, 18, 607-625.
- Hall, K. A., & Cribb, T. H. (2004b). Revision of *Affecauda* Hall & Chambers, 1999 (Digenea: Gyliauchenidae Fukui, 1929), including the description of two new species from fishes of the Indo-West Pacific. *Zootaxa*, 778, 1-12.
- Hargis, W. J. (1955). Monogenetic trematodes of Gulf of Mexico fishes. Part V. The superfamily Capsaloidea. *Transactions of the American Microscopical Society*, 74, 203-225.
- Hargis, W. J. (1956). Monogenetic trematodes of Gulf of Mexico fishes. Part XII. The family Gastrocotylidae Price, 1943. *Bulletin of Marine Science of the Gulf & Caribbean*, 6, 28-43.
- Hayward, C. J. (1996). Revision of the monogenean genus *Polylabris* (Microcotylidae). *Invertebrate Taxonomy*, 10, 995-1039.
- Hinsinger, D. D., & Justine, J.-L. (2006a). The '*Pseudorhabdosynochus cupatus* group' (Monogenea: Diplectanidae) on *Epinephelus fasciatus*, *E. howlandi*, *E. rivulatus* and *E. merra* (Perciformes: Serranidae) off New Caledonia, with descriptions of *Pseudorhabdosynochus cyathus* n. sp. and *P. calathus* n. sp. *Systematic Parasitology*, 64, 69-90.
- Hinsinger, D. D., & Justine, J.-L. (2006b). *Pseudorhabdosynochus venus* n. sp. (Monogenea: Diplectanidae) from *Epinephelus howlandi* (Perciformes: Serranidae) off New Caledonia. *Systematic Parasitology*, 63, 155-160.
- Ho, J., & Dojiri, M. (1978). A new species of *Hatschekia* (Copepoda: Dicheelesthiidae) parasitic on leopard coral trout in the Great Barrier Reef, Australia. *Journal of Parasitology*, 64, 727-730.
- Ho, J. S., & Kim, I. H. (2004). Lernanthropid copepods (Siphonostomatoida) parasitic on fishes of the Gulf of Thailand. *Systematic Parasitology*, 58, 17-21.
- Jones, C. M., Grutter, A. S., & Cribb, T. H. (2003). *Rhipidocotyle labroidei* n. sp. (Digenea: Bucephalidae) from *Labroides dimidiatus* (Valenciennes) (Labridae). *Zootaxa*, 327, 1-5.
- Jones, C. M., Grutter, A. S., & Cribb, T. H. (2004). Cleaner fish become hosts: a novel form of parasite transmission. *Coral Reefs*, 23, 521-529.
- Journo, C., & Justine, J.-L. (2006). *Laticola dae* n. sp (Monogenea: Diplectanidae) from *Epinephelus maculatus* (Perciformes: Serranidae) off New Caledonia. *Systematic Parasitology*, 64, 173-180.
- Justine, J.-L. (1998). Non-monophyly of the monogeneans? *International Journal for Parasitology*, 28, 1653-1657.
- Justine, J.-L. (2004). Three new species of *Huffmanela* Moravec, 1987 (Nematoda : Trichosomoididae) from the gills of marine fish off New Caledonia. *Systematic Parasitology*, 59, 29-37.
- Justine, J.-L. (2005a). *Huffmanela lata* n. sp. (Nematoda: Trichosomoididae:Huffmanelinae) from the shark *Carcharhinus amblyrhynchos* (Elasmobranchii: Carcharhinidae) off New Caledonia. *Systematic Parasitology*, 61, 181-184.
- Justine, J.-L. (2005b). Species of *Pseudorhabdosynochus Yamaguti, 1958* (Monogenea: Diplectanidae) from *Epinephelus fasciatus* and *E. merra* (Perciformes: Serranidae) off New Caledonia and other parts of the Indo-Pacific Ocean, with a comparison of measurements of specimens prepared using different methods, and a description of *P. caledonicus* n. sp. *Systematic Parasitology*, 62, 1-37.
- Justine, J.-L. (2005c). *Pseudorhabdosynochus hirundineus* n. sp. (Monogenea : Diplectanidae) from *Variola louti* (Perciformes: Serranidae) off New Caledonia. *Systematic Parasitology*, 62, 39-45.
- Justine, J.-L. (2007a). Fish parasites: Platyhelminthes (Monogenea, Digenea, Cestoda) and Nematodes, reported from off New Caledonia. In C. E. Payri & B. Richer de Forges (Eds.), Compendium of Marine Species from New Caledonia. (Vol. Documents Scientifiques et Techniques II7, Deuxième Edition, pp. 183-198). Nouméa, New Caledonia: Institut de Recherche pour le Développement, 435pp + Color Plates.
- Justine, J.-L. (2007b). *Huffmanela* spp. (Nematoda, Trichosomoididae) parasites in coral reef fishes off New Caledonia, with descriptions of *H. balista* n. sp. and *H. longa* n. sp. *Zootaxa*, 1628, 23-41.
- Justine, J.-L. (2007c). Parasite biodiversity in a coral reef fish: twelve species of monogeneans on the gills of the grouper *Epinephelus maculatus* (Perciformes: Serranidae) off New Caledonia, with a description of eight new species of *Pseudorhabdosynochus* (Monogenea: Diplectanidae). *Systematic Parasitology*, 66, 81-129.
- Justine, J.-L. (2007d). *Pseudorhabdosynochus argus* n. sp. (Monogenea: Diplectanidae) from *Cephalopholis argus*, *P. minutus* n. sp. and *Diplectanum nanus* n. sp. from *C. sonneratii* and other monogeneans from *Cephalopholis* spp. (Perciformes: Serranidae) off Australia and New Caledonia. *Systematic Parasitology*, 68, 195-215.

- Justine, J.-L. (2007e). Species of *Calydiscoides* Young, 1969 (Monogenea: Diplectanidae) from lethrinid fishes, with the redescription of all of the type-specimens and the description of *C. euzeti* n. sp. from *Lethrinus rubrioperculatus* and *L. xanthochilus* off New Caledonia. Systematic Parasitology, 67, 187-209.
- Justine, J.-L. (2008a). *Diplectanum parvus* sp. nov. (Monogenea, Diplectanidae) from *Cephalopholis urodetata* (Perciformes, Serranidae) off New Caledonia. Acta Parasitologica, 53, 127-132.
- Justine, J.-L. (2008b). *Pseudorhabdosynochus inversus* sp. nov. (Monogenea, Diplectanidae) from the halfmoon grouper *Epinephelus rivulatus* (Perciformes, Serranidae) off New Caledonia. Acta Parasitologica, 53, 339-343.
- Justine, J.-L. (2008c). Two new species of *Pseudorhabdosynochus* Yamaguti, 1958 (Monogenea: Diplectanidae) from the deep-sea grouper *Epinephelus morrhua* (Val.) (Perciformes: Serranidae) off New Caledonia. Systematic Parasitology, 71, 145-158.
- Justine, J.-L. (2009a). A new species of *Triloculotrema* Kearn, 1993 (Monogenea: Monocotylidae) from a deepsea shark, the blacktailed spurdog *Squalus melanurus* (Squaliformes: Squalidae), off New Caledonia. Systematic Parasitology, 74, 59-63.
- Justine, J.-L. (2009b). A redescription of *Pseudorhabdosynochus epinepheli* (Yamaguti, 1938), the type-species of *Pseudorhabdosynochus* Yamaguti, 1958 (Monogenea, Diplectanidae), and the description of *P. satyui* n. sp. from *Epinephelus akaara* off Japan. Systematic Parasitology, 72, 27-55.
- Justine, J.-L., & Brena, P. F. (2009). *Calydiscoides limae* sp. nov. (Monogenea, Diplectanidae) from *Pentapodus aureofasciatus* (Perciformes, Nemipteridae) off New Caledonia. Acta Parasitologica, 54, 22-27.
- Justine, J.-L., & Briand, M. J. (2009). Three new species, *Lamellodiscus tubulicornis* n. sp., *L. magnicornis* n. sp. and *L. parvicornis* n. sp. (Monogenea: Diplectanidae) from *Gymnocranius* spp. (Lethrinidae: Monotaxinae) off New Caledonia, with proposal of the the new morphological group 'tubulicornis' within *Lamellodiscus* Johnston & Tiegs, 1922. Systematic Parasitology, 75, 159-179.
- Justine, J.-L., Dupoux, C., & Cribb, T. H. (2009a). Resolution of the discrepant host-specificity of *Pseudorhabdosynochus* species (Monogenea, Diplectanidae) from serranid fishes in the tropical Indo-Pacific. Acta Parasitologica, 54, 119-130.
- Justine, J.-L., & Euzet, L. (2006). Diplectanids (Monogenea) parasitic on the gills of the coralgroupers *Plectropomus laevis* and *P. leopardus* (Perciformes, Serranidae) off New Caledonia, with the description of five new species and the erection of *Echinoplectanum* n. g. Systematic Parasitology, 64, 147-172.
- Justine, J.-L., Leblanc, P., Keller, F., & Lester, R. J. G. (2009b). Turbellarian black spot disease in bluespine unicornfish, *Naso unicornis* in New Caledonia, caused by the parasitic turbellarian *Pisciniquilinus* sp. Diseases of Aquatic Organisms, 85, 245-249.
- Justine, J.-L., & Sigura, A. (2007). Monogeneans of the malabar grouper *Epinephelus malabaricus* (Perciformes, Serranidae) off New Caledonia, with a description of six new species of *Pseudorhabdosynochus* (Monogenea: Diplectanidae). Zootaxa, 1543, 1-44.
- Kabata, Z. (1965). Copepoda parasitic on Australian fishes. III. Genera *Dentigryps*, *Heniochophilus* and *Pseudannuretes* (Caligidae). Annals and Magazine of Natural History, 13, 19-31.
- Kabata, Z. (1966). Copepoda parasitic on Australian fishes. V. The genus *Dissonus* (Dissonidae). Annals and Magazine of Natural History, 9, 211-226.
- Kabata, Z. (1968). Two species of *Caligus* (Caligidae) from New Caledonia. Crustaceana, Supplement, 1, 1-10.
- Kirtisinghe, P. (1950). Parasitic copepods of fish from Ceylon. III. Parasitology, 40, 77-86.
- Kirtisinghe, P. (1956). Parasitic copepods of fish from Ceylon. IV. Parasitology, 46, 14-21.
- Ko, R. C. (1975). *Echinocephalus sinensis* n. sp. (Nematoda: Gnathostomatidae) from the ray (*Aetabatus flagellum*) in Hong Kong, Southern China. Canadian Journal of Zoology, 53, 490-500.
- Kritsky, D. C., & Beverley-Burton, M. (1986). The status of *Pseudorhabdosynochus* Yamaguti, 1958, and *Cycloplectanum* Oliver, 1968 (Monogenea: Diplectanidae). Proceedings of the Biological Society of Washington, 99, 17-20.
- Kritsky, D. C., Galli, P., & Yang, T. (2007). Dactylogyrids (Monogenoidea) parasitizing the gills of spinefoots (Teleostei, Siganidae): revision of *Tetrancistrum* Goto & Kikuchi, 1917, with descriptions of two new species from *Siganus* spp. of the Red Sea and Celebes. Journal of Natural History, 41, 1513-1551.
- Kritsky, D. C., Yang, T., & Sun, Y. (2009). Dactylogyrids (Monogenoidea, Polyonchoinea) parasitizing the gills of snappers (Perciformes, Lutjanidae): Proposal of *Haliotrematoides* n. gen. and descriptions of new and previously described species from marine fishes of the Red Sea, the eastern and Indo-west Pacific Ocean, Gulf of Mexico and Caribbean Sea. Zootaxa, 1970, 1-51.
- Kuchta, R., Scholz, T., Brabec, J., & Bray, R. A. (2008). Suppression of the tapeworm order *Pseudophyllidea* (Platyhelminthes: Eucestoda) and the proposal of two new orders, *Bothriocephalidea* and *Diphyllobothriidea*. International Journal for Parasitology, 38, 49-55.
- Kuchta, R., Scholz, T., & Justine, J.-L. (2009a). Two new species of *Bothriocephalus* (Cestoda: Bothriocephalidae) from marine fish from Australia and New Caledonia. Systematic Parasitology, 73, 229-238.
- Kuchta, R., Scholz, T., Vlckova, R., Riha, M., Walter, T., Yuniar, A. T., & Palm, H. W. (2009b). Revision of tapeworms (Cestoda: Bothriocephalidae) from lizardfish (Saurida: Synodontidae) from the Indo-Pacific region. Zootaxa, 1977, 55-67.

- Laird, M. (1958). Parasites of South Pacific fishes II. *Diplectanum melanesiensis* n. sp., a monogenetic trematode from Fiji and the New Hebrides. Canadian Journal of Zoology, 36, 167-173.
- Lester, R. J. G., & Sewell, K. B. (1989). Checklist of parasites from Heron Island, Great Barrier Reef. Australian Journal of Zoology, 37, 101-128.
- Lim, L. H. S. (1998). Diversity of monogeneans in Southeast Asia. International Journal for Parasitology, 28, 1495-1515.
- Lim, L. H. S., & Justine, J.-L. (2007). *Haliotrema banana* sp. n. (Monogenea: Ancyrocephalidae) from *Bodianus perditio* (Perciformes: Labridae) off New Caledonia. Folia Parasitologica, 54, 203-207.
- Macfarlane, W. V. (1951). The life cycle of *Stegodexamene anguillae* n. g., n. sp., an allocreadiid trematode from New Zealand. Parasitology, 41, 1-10.
- Machida, M. (1981). Two new species of *Ascarophis* (Nematoda, Spirurida) from marine fishes of Japan and Palau. Bulletin of the National Science Museum, Tokyo, ser. A (Zoology), 7, 1-5.
- Madhavi, R. (1972). Digenetic trematodes from marine fishes of Waltair Coast, Bay of Bengal. I. Family Lepocreadiidae. Journal of Parasitology, 58, 217-225.
- Manter, H. W. (1961). Studies in the digenetic trematodes of fishes of Fiji. I. Families Haplosplanchnidae, Bivesiculidae, and Hemiuridae. Proceedings of the Helminthological Society of Washington, 28, 67-74.
- Manter, H. W. (1963a). Studies in the digenetic trematodes of fishes of Fiji. II. Families Lepocreadiidae, Opistholebetidae, and Opecoelidae. Journal of Parasitology, 49, 99-113.
- Manter, H. W. (1963b). Studies in the digenetic trematodes of fishes of Fiji. III. Families Acanthocolpidae, Fellodistomatidae, and Cryptogonimidae. Journal of Parasitology, 49, 443-450.
- Manter, H. W. (1969). Some digenetic trematodes of marine fishes of New Caledonia. Part IV. Hemiuridae and summary. Proceedings of the Helminthological Society of Washington, 36, 194-204.
- Manter, H. W., & Pritchard, M. H. (1960). Additional hemiurid trematodes from Hawaiian fishes. Proceedings of the Helminthological Society of Washington, 27, 165-180.
- Manter, H. W., & Pritchard, M. H. (1961). Studies on digenetic trematodes of Hawaiian fishes: Families Monorchidae and Haplporidae. Journal of Parasitology, 47, 483-490.
- Marie, A. D., & Justine, J.-L. (2005). Monocotylids (Monogenea: Monopisthocotylea) from *Aetobatus* cf. *narinari* off New Caledonia, with a description of *Decacotyle elpora* n. sp. Systematic Parasitology, 60, 175-185.
- Marie, A. D., & Justine, J.-L. (2006). *Thaumatocotyle pseudodasybatis* Hargis, 1955 (Monogenea: Monocotylidae) from *Aetobatus* cf. *narinari*, with a comparison of specimens from Australia, French Polynesia and New Caledonia. Systematic Parasitology, 64, 47-55.
- Miller, T. L., Bray, R. A., Goiran, C., Justine, J.-L., & Cribb, T. H. (2009). *Adlardia novacaledoniae* n.g., n. sp. (Digenea: Cryptogonimidae) from the fork-tailed threadfin bream *Nemipterus furcosus* (Val.) (Perciformes: Nemipteridae) off New Caledonia. Systematic Parasitology, 73, 151-160.
- Miller, T. L., & Cribb, B. (2007). Coevolution of *Retrovarium* n. gen. (Digenea: Cryptogonimidae) in Lutjanidae and Haemulidae (Perciformes) in the Indo-West Pacific. International Journal for Parasitology, 37, 1023-1045.
- Miller, T. L., & Cribb, T. H. (2005). A new genus and species of cryptogonimid from *Lutjanus* spp. (Pisces: Lutjanidae) on the Great Barrier Reef and New Caledonia. Journal of Parasitology, 91, 922-924.
- Miller, T. L., & Cribb, T. H. (2008). Family Cryptogonimidae Ward, 1917. In R. A. Bray, D. I. Gibson & A. Jones (Eds.), *Keys to the Trematoda, Vol. 3* (pp. 51-112). Wallingford: CAB International.
- Mizelle, J. D., & Krinsky, D. C. (1969). Studies on monogenetic trematodes. XL. New species from marine and freshwater fishes. American Midland Naturalist, 82, 417-428.
- Monod, T. (1975). Sur un *Argathona* (Crustacea, Isopoda) du Kenya. Bulletin du Muséum National d'Histoire Naturelle, Paris, 3ème série, Zoologie, 226, 999-1004.
- Morand, S., Cribb, T. H., Kulbicki, M., Rigby, M. C., Chauvet, C., Dufour, V., Faliex, E., Galzin, R., Lo, C. M., Lo-Yat, A., Pichelin, S., & Sasal, P. (2000). Endoparasite species richness of new caledonian butterfly fishes: host density and diet matter. Parasitology, 121, 65-73.
- Moravec, F. (2001). *Trichinelloid Nematodes parasitic in cold-blooded vertebrates*. Praha: Academia.
- Moravec, F., & Justine, J.-L. (2005a). Two anisakid nematodes from marine fishes off New Caledonia, including *Raphidascaris (Ichthyascaris) nemipteri* n. sp. from *Nemipterus furcosus*. Systematic Parasitology, 62, 101-110.
- Moravec, F., & Justine, J.-L. (2005b). Two species of *Philometra* (Nematoda, Philometridae) from serranid fishes off New Caledonia. Acta Parasitologica, 50, 323-331.
- Moravec, F., & Justine, J.-L. (2006a). *Camallanus cotti* (Nematoda: Camallanidae), an introduced parasite of fishes in New Caledonia. Folia Parasitologica, 53, 287-296.
- Moravec, F., & Justine, J.-L. (2006b). Three nematode species from elasmobranchs off New Caledonia. Systematic Parasitology, 64, 131-145.
- Moravec, F., & Justine, J.-L. (2007a). A new species of *Ascarophis* (Nematoda, Cystidicolidae) from the stomach of the marine scorpaeniform fish *Hoplichthys citrinus* from a seamount off the Chesterfield Islands, New Caledonia. Acta Parasitologica, 52, 238-246.
- Moravec, F., & Justine, J.-L. (2007b). Redescription of *Metabronema magnum* (Nematoda: Cystidicolidae), a swimbladder parasite of the carangid fish *Gnathanodon speciosus* off New Caledonia. Folia Parasitologica, 54, 293-300.

- Moravec, F., & Justine, J.-L. (2007c). *Stegodexamene anguillae* (Digenea: Lepocreadiidae), an intestinal parasite of eels (*Anguilla* spp.) in New Caledonia. *Parasitology Research*, 100, 1047-1051.
- Moravec, F., & Justine, J.-L. (2008). Some philometrid nematodes (Philometridae), including four new species of *Philometra*, from marine fishes off New Caledonia. *Acta Parasitologica*, 53, 369-381.
- Moravec, F., & Justine, J.-L. (2009a). New data on dracunculoid nematodes from fishes off New Caledonia, including four new species of *Philometra* (Philometridae) and *Ichthyofilaria* (Guyanemidae). *Folia Parasitologica*, 56, 129-142.
- Moravec, F., & Justine, J.-L. (2009b). Two cystidicolids (Nematoda, Cystidicolidae) from marine fishes off New Caledonia. *Acta Parasitologica*, 54, 341-349.
- Moravec, F., Justine, J.-L., & Rigby, M. C. (2006a). Some camallanid nematodes from marine perciform fishes off New Caledonia. *Folia Parasitologica*, 53, 223-239.
- Moravec, F., Justine, J.-L., Wurtz, J., Taraschewski, H., & Sasal, P. (2006b). A new species of *Procamallanus* (Nematoda : Camallanidae) from Pacific eels (*Anguilla* spp.). *Journal of Parasitology*, 92, 130-137.
- Moravec, F., Ogawa, K., Suzuki, M., Miyazaki, K., & Donai, H. (2002). On two species of *Philometra* (Nematoda, Philometridae) from the serranid fish *Epinephelus septemfasciatus* in Japan. *Acta Parasitologica*, 47, 34-40.
- Nagaty, H. F., & Abdel Aal, T. (1962). Trematodes of fishes from the Red Sea. Part 15. Four new species of *Hamacreadium*, Family Allocreadiidae. *Journal of Parasitology*, 48, 384-386.
- Nolan, M. J., & Cribb, T. H. (2006). *Cardicola* Short, 1953 and *Braya* n. gen. (Digenea: Sanguinicolidae) from five families of tropical Indo-Pacific fishes. *Zootaxa*, 1265, 1-80.
- Nunes-Ruivo, L. P. (1954). Copépodes parasites de poissons. Résultats Camp. Pr. Lacaze-Duthiers. I. Algérie 1952. Vie et Milieu, suppl. 3, 115-138.
- Oliver, G. (1984). Quelques espèces du Genre *Calydiscoides* Young (Monogenea, Monopisthocotylea, Diplectanidae), parasites de Perciformes du Récif de la Grande Barrière (Australie). *Zoologica Scripta*, 13, 189-193.
- Olsen, L. S. (1954). A new species of *Camallanus* (Nematoda) from a Fijian marine fish. *Transactions of the American Microscopical Society*, 73, 258-260.
- Olson, P. D., Caira, J. N., Jensen, K., Overstreet, R. M., Palm, H. W., & Beveridge, I. (2010). Evolution of the trypanorhynch tapeworms: parasite phylogeny supports independent lineages of sharks and rays. *International Journal for Parasitology*, 40, 223-242.
- Oshmarin, P. G., Mamaev, Y. L., & Parukhin, A. M. (1961). New species of the trematode family Diplopactidae Ozaki, 1928. *Helminthologia*, 3, 254-260.
- Palm, H. W. (1995). Untersuchungen zur Systematik von Rüsselbandwürmen (Cestoda: Trypanorhyncha) aus atlantischen Fischen. Berichte aus dem Institut für Meereskunde an der Christian-Albrechts-Universität Kiel, 275, 283pp.
- Palm, H. W. (1999). *Nybelinia* Poche, 1926, *Heteronybelinia* gen. nov. and *Mixonybelinia* gen. nov. (Cestoda: Trypanorhyncha) in the collections of the Natural History Museum, London. *Bulletin of the Natural History Museum (Zoology)*, 65, 133-153.
- Palm, H. W. (2004). *The Trypanorhyncha Diesing, 1863*. Bogor: PKSPL-IPB Press.
- Palm, H. W., & Beveridge, I. (2002). Tentaculariid cestodes of the order Trypanorhyncha (Platyhelminthes) from the Australian Region. *Records of the South Australian Museum Monograph Series*, 35, 49-78.
- Palm, H. W., & Klimpel, S. (2006). Evolution of parasitic life in the ocean. *Trends in Parasitology*, 23, 10-12.
- Palm, H. W., Waeschenbach, A., Olson, P. D., & Littlewood, D. T. J. (2009). Molecular phylogeny and evolution of the Trypanorhyncha Diesing, 1863 (Platyhelminthes: Cestoda). *Molecular Phylogenetics and Evolution*, 52, 351-367.
- Palm, H. W., & Walter, T. (1999). *Nybelinia southwelli* sp. nov. (Cestoda: Trypanorhyncha) with re-description of *N. perideraeus* (Shipley & Hornell, 1906) and the synonymy of *N. herdmani* (Shipley & Hornell, 1906) with *Kotorella pronosoma* (Stossich, 1901). *Bulletin of the Natural History Museum (Zoology)*, 65, 123-131.
- Park, J. K., Kim, K. H., Kang, S., Kim, W., Eom, K. S., & Littlewood, D. T. J. (2007). A common origin of complex life cycles in parasitic flatworms: evidence from the complete mitochondrial genome of *Microcotyle sebastis* (Monogenea: Platyhelminthes). *BMC Evolutionary Biology*, 7, 11.
- Pearse, A. S. (1952). Parasitic crustaceans from Alligator Harbor, Florida. *Quarterly Journal of the Florida Academy of Sciences*, 15, 187-243.
- Perkins, E. M., Donnellan, S. C., Bertozzi, T., Chisholm, L. A., & Whittington, I. D. (2009). Looks can deceive: Molecular phylogeny of a family of flatworm ectoparasites (Monogenea: Capsalidae) does not reflect current morphological classification [with list of species in Appendix 1 in Additional Material]. *Molecular Phylogenetics and Evolution*, 52, 705-714.
- Petter, A. J., & Le Bel, J. (1992). Two new species in the genus *Cucullanus* (Nematoda - Cucullanidae) from the Australian Region. *Mémorias do Instituto Oswaldo Cruz, Rio de Janeiro*, 87 suppl. I, 201-206.
- Pillai, N. K. (1961). Copepods parasitic on south Indian fishes. Part I. Caligidae. *Bulletin of the Research Institute, University of Kerala, Ser. C*, 8, 87-130.
- Pillai, N. K. (1963). Copepods parasitic on South Indian fishes: family Caligidae. *Journal of the Marine Biological Association of India*, 5, 68-96.
- Pillai, N. K. (1964). A miscellaneous collection of copepods parasitic on South Indian fishes. *Journal of the Marine Biological Association of India*, 6, 61-83.
- Pillai, N. K. (1985). Copepod Parasites of Marine Fishes. In: *The Fauna of India*. Zoological Society of India, Calcutta.

- Pillai, N. K., & Sebastian, M. J. (1967). Redescription of *Sagum epinepheli* (Yamaguti & Yamasu) with comments on the validity of *Pseudolernanthropus* (Copepoda, Anthosomatidae). *Crustaceana* 13, 73-80.
- Plaisance, L., Bouamer, S., & Morand, S. (2004). Description and redescription of *Haliotrema* species (Monogenoidea: Polyonchoinea [sic]: Dactylogyridae) parasitizing butterfly fishes (Teleostei: Chaetodontidae) in the Indo-West Pacific ocean. *Parasitology Research*, 93, 598-604.
- Plaisance, L., & Kritsky, D. C. (2004). Dactylogyrids (Platyhelminthes: Monogenoidea) parasitizing butterfly fishes (Teleostei: Chaetodontidae) from the coral reefs of Palau, Moorea, Wallis, New Caledonia, and Australia: species of *Euryhaliotrematoides* n. gen. and *Aliatrema* n. gen. *Journal of Parasitology*, 90, 328-341.
- Poulin, R. (2004). Parasite species richness in New Zealand fishes: a grossly underestimated component of biodiversity? *Diversity and Distributions*, 10, 31-37.
- Pritchard, M. H. (1963). Studies on digenetic trematodes of Hawaiian fishes, primarily families Lepocreadiidae and Zoogonidae. *Journal of Parasitology*, 49, 578-587.
- Pritchard, M. H. (1966). A revision of the genus *Podocotyle* (Trematoda: Opecoelidae). *Zoologische Jahrbücher Abteilung für Systematik, Ökologie und Geographie der Tiere*, 93, 158-172.
- Quilichini, Y., Foata, J., Justine, J.-L., Bray, R. A., & Marchand, B. (2009a). Sperm ultrastructure of the digenetic *Siphoderina elongata* (Platyhelminthes, Cryptogonimidae) intestinal parasite of *Nemipterus furcosus* (Pisces, Teleostei). *Parasitology Research*, 105, 87-95.
- Quilichini, Y., Foata, J., Justine, J.-L., Bray, R. A., & Marchand, B. (2009b). Spermatozoon ultrastructure of *Aponurus laguncula* (Digenea: Leucithasteridae), a parasite of *Aluterus monoceros* (Pisces: Teleostei). *Parasitology International*, 59, 22-28.
- Randall, J. E., & Justine, J.-L. (2008a). *Cephalopholis aurantia* × *C. spiloparaea*, a hybrid serranid fish from New Caledonia. *Raffles Bulletin of Zoology*, 56, 149-151.
- Randall, J. E., & Justine, J.-L. (2008b). The triggerfish *Abalistes filamentosus* from New Caledonia, a first record for the South Pacific. *Cybium*, 32, 183-184.
- Rascalou, G., & Justine, J.-L. (2007). Three species of *Calydiscoides* (Monogenea: Diplectanidae) from five *Lethrinus* spp. (Lethrinidae: Perciformes) off New Caledonia, with a description of *Calydiscoides terpsichore* sp. n. *Folia Parasitologica*, 54, 191-202.
- Reaka-Kudla, M. L. (1997). The global biodiversity of coral reefs: a comparison with rain forests. In M. L. Reaka-Kudla, D. E. Wilson & W. E.O. (Eds.), *Biodiversity II: Understanding and protecting our biological resources* (pp. 83-108). Washington: Joseph Henry Press.
- Řehulková, E., Justine, J.-L., & Gelnar, M. (2009). Five new monogenean species from the gills of *Mulloidichthys vanicolensis* (Perciformes: Mullidae) off New Caledonia, with the proposal of *Volsellituba* n. gen. and *Pennulituba* n. gen. (Monogenea: Dactylogyridae). *Systematic Parasitology*, 75, 125-145.
- Richer de Forges, B., & Justine, J.-L. (2006). Introduction. pp. 9-13 in *Tropical Deep-Sea Benthos Volume 24*. (Richer de Forges B. & Justine J.-L., eds). Mémoires du Muséum national d'Histoire naturelle, 193, 1-417 + CDROM.
- Rigby, M. C., Holmes, J. C., Cribb, T. H., & Morand, S. (1997). Patterns of species diversity in the gastrointestinal helminths of a coral reef fish, *Epinephelus merra* (Serranidae), from French Polynesia and the South Pacific Ocean. *Canadian Journal of Zoology*, 75, 1818-1827.
- Rohde, K. (1976). Marine parasitology in Australia. *Search* (Sydney), 7, 477-482.
- Rohde, K. (1977). Habitat partitioning in Monogenea of marine fishes. *Heteromicrocotyla australiensis*, sp. nov. and *Heteromicrocotyloides mirabilis*, gen. and sp. nov. (Heteromicrocotylidae) on the gills of *Carangoides emburyi* (Carangidae) on the Great Barrier Reef, Australia. *Zeitschrift für Parasitenkunde*, 53, 171-182.
- Rohde, K., Roubal, F., & Hewitt, G. C. (1980). Ectoparasitic Monogenea, Digenea, and Copepoda from the gills of some marine fishes of New Caledonia and New Zealand. *New Zealand Journal of Marine & Freshwater Research*, 14, 1-13.
- Sakanari, J. (1989). *Grillotia heroniensis*, sp. nov., and *G. overstreeti*, sp. nov., (Cestoda: Trypanorhyncha) from Great Barrier Reef fishes. *Australian Journal of Zoology*, 37, 81-87.
- Sasal, P., Mouillet, D., Fichez, R., Chifflet, S., & Kulwicki, M. (2007). The use of fish parasites as biological indicators of anthropogenic influences in coral-reef lagoons: A case study of Apogonidae parasites in New Caledonia. *Marine Pollution Bulletin*, 54, 1697-1706.
- Shiino, S. M. (1954). Copepods parasitic on Japanese fishes. 5. Five species of the family Pandaridae. Report of the Faculty of Fisheries, Prefectural University of Mie, 1, 291-332.
- Sigura, A., Chauvet, C., & Justine, J.-L. (2007). *Pseudorhabdosynochus bacchus* sp. nov. (Monogenea, Diplectanidae) from *Epinephelus coeruleopunctatus* (Perciformes, Serranidae) off New Caledonia. *Acta Parasitologica*, 52, 196-200.
- Sigura, A., & Justine, J.-L. (2008). Monogeneans of the speckled blue grouper, *Epinephelus cyanopodus* (Perciformes, Serranidae), from off New Caledonia, with a description of four new species of *Pseudorhabdosynochus* and one new species of *Laticola* (Monogenea: Diplectanidae), and evidence of monogenean faunal changes according to the size of fish. *Zootaxa*, 1695, 1-44.
- Trilles, J. P. (1972). Sur quatre Isopodes Cymothoïdés du Pacifique (Nouvelle Calédonie). *Cahiers de l'ORSTOM, série Océanographie*, 10, 3-17.
- Trilles, J. P., & Justine, J.-L. (2004). Une nouvelle espèce de Cymothoidae et trois Aegidae (Crustacea, Isopoda) récoltés sur des poissons de mer profonde au large de la Nouvelle Calédonie. *Zoosystema*, 26, 211-233.
- Trilles, J. P., & Justine, J.-L. (2006). *Elthusa arnoglossi* sp. nov. (Crustacea: Isopoda: Cymothoidae), a branchial parasite of flatfishes (Bothidae) from the Chesterfield Islands, New Caledonia. *Zootaxa*, 1338, 57-68.

- Venmathi Maran, B. A., Ohtsuka, S., & Boxshall, G. A. (2008). A new species of *Anuretes* Heller, 1865 (Copepoda: Caligidae) from the yellowbanded sweetlips *Plectorhinchus lineatus* (Haemulidae) off New Caledonia. *Systematic Parasitology*, 70, 35-40.
- Whittington, I. D. (1998). Diversity "down under": monogeneans in the Antipodes (Australia) with a prediction of monogenean biodiversity worldwide. *International Journal for Parasitology*, 28, 1481-1493.
- Yamaguti, S. (1952). Parasitic worms mainly from Celebes. Part 1. New digenetic trematodes of fishes. *Acta Medicinae Okayama*, 8, 146-198.
- Yamaguti, S. (1953). Parasitic worms mainly from Celebes. *Acta Medicinae Okayama*, 8, 203-256 + 209 Pl.
- Yamaguti, S. (1954). Parasitic copepods from fishes of Celebes and Borneo. *Publications of the Seto Marine Biological Laboratory*, 3, 375-398.
- Yamaguti, S. (1963). *Parasitic Copepoda and Branchiura of Fishes*. New York: Wiley Interscience.
- Yamaguti, S. (1965a). New digenetic trematodes from Hawaiian fishes, I. *Pacific Science*, 19, 458-481.
- Yamaguti, S. (1965b). New monogenetic trematodes from Hawaiian fishes, I. *Pacific Science*, 19, 55-95.
- Yamaguti, S. (1968). *Monogenetic Trematodes of Hawaiian Fishes*. Honolulu: University of Hawaii Press.
- Yamaguti, S. (1970). *Digenetic trematodes of Hawaiian fishes*. Tokyo: Keigaku.
- Yamaguti, S. (1971). Synopsis of the digenetic trematodes of vertebrates. Vol. I, 1074 pp, Vol. II, 349 plates Tokyo: Keigaku.
- Yamaguti, S., & Yamasu, T. (1959). Parasitic copepods from fishes of Japan with description of 26 new species and remarks on two known species. *Biological Journal of Okayama University*, 5, 89-165.
- Yamaguti, S., & Yamasu, T. (1960). New parasitic copepods from Japanese fishes. *Publications of the Seto Marine Biological Laboratory*, 8, 141-152.
- Yang, T. B., Zeng, B. J., & Gilbson, D. I. (2005). Description of *Pseudorhabdosynochus shenzhenensis* n. sp. (Monogenea: Diplectanidae) and redescription of *P. serrani* Yamaguti, 1953 from *Epinephelus coioides* off Dapeng Bay, Shenzhen, China. *Journal of Parasitology*, 91, 808-813.
- Young, P. C. (1967a). Some species of the genus *Tetrancistrum* Goto and Kikuchi, 1917 (Monogenoidea: Dactylogyridae). *Journal of Parasitology*, 53, 1016-1022.
- Young, P. C. (1967b). A taxonomic revision of the subfamilies Monocotylinae Gamble, 1896 and Dendromonocotylinae Hargis, 1955 (Monogenoidea: Monocotylidae). *Journal of Zoology (London)*, 153, 381-422.
- Young, P. C. (1968). Ten new species of *Haliotrema* Johnston and Tiegs, 1922 (Monogenoidea: Dactylogyridae) from Australian fishes and a revision of the genus. *Journal of Zoology, London*, 154, 41-75.
- Young, P. C. (1969). Some monogenoideans of the family Diplectanidae Bychowsky, 1957 from Australian teleost fish. *Journal of Helminthology*, 43, 223-254.