

BULLETIN

DU

Musée royal d'Histoire
naturelle de Belgique

Tome IX, n° 34.
Bruxelles, octobre 1933.

MEDEDEELINGEN

VAN HET

Koninklijk Natuurhistorisch
Museum van België

Deel IX, n° 34.
Brussel, October 1933.

ON SOME ORIENTAL LEPIDOPTERA COLLECTED
BY H. R. H. PRINCE LEOPOLD OF BELGIUM IN 1932.

by E. MEYRICK (Thornhanger).

Fam. Pyraustidae.

Diasemia ramburialis Dup.

Celebes, Lampo-Battang, 1,100 m.

Diasenia accalis Walk.

Celebes, Lampo-Battang, 1,100 m.

Fam. Tortricidae.

Zacorisca phæoxesta Meyr.

Celebes, Lampo-Battang, 1,100 m.

Fam. Gelechiidae.

Crocanthes sphecotypa n. sp.

♀. 15 mm. Head, antennae whitish-ochreous, scape black. (Palpi missing). Thorax blackish-grey, margins irregularly whitish-ochreous. Forewings elongate, rather narrow, costa slightly arched, apex pointed, termen faintly sinuate, oblique; 2 and 3 stalked, 4 absent, 7 absent, 8 and 9 stalked; pale ochreous-yellowish, markings blackish; two narrow irregular-edged transverse fasciae near base; a narrow nearly direct transverse fascia at 1/4, attenuated towards costa and thickened dor-

sally; a straight transverse median line, terminating in a semi-oval dorsal blotch, and an irregular spot on end of cell confluent with same blotch; a small costal spot at 2/3; a streak of grey suffusion at 4/5 parallel to termen confluent dorsally with same blotch; cilia light ochreous-yellow. Hindwings light ochreous-yellowish, markings blackish; a suffused basal spot; a moderate irregular transverse fascia at 1/3, nearly followed by an oblique bar on end of cell; a rather thick bisinuate postmedian fascia, with an inward prominence in disc terminated above by an annular mark; some grey suffusion towards proflexus; cilia pale ochreous-yellowish.

Celebes, Lampo-Battang, 1,100 m., 19/4/32; 1 ex.

Fam. **Tineidae.**

Coryptilum Klugi Zell.

Philippines, Mano-Samar.



GOEMAERE, imprimeur du Roi, Bruxelles.