# First records of the hoverfly *Sphaerophoria shirchan* for Belgium (Diptera Syrphidae)

Menno REEMER<sup>1</sup> & Etienne BRANQUART<sup>2</sup>

1 National Museum of Natural History, P.O. box 9517, NL-2300 RA Leiden (e-mail: reemer@naturalis.nnm.nl).
2 Ministère de la Région wallone, Centre de Recherche de la Nature, des Forêts et du Bois, Avenue Maréchal Juin 23, B-5030 Gembloux (e-mail: e.branquart@mrw.wallonie.be).

## **Summary**

The hoverfly Sphaerophoria shirchan Violovitsh, 1957 is recorded for Belgium for the first time, based on two male specimens collected in the Ardenne region. One male was found in Carlsbourg in 1997, the other was found in Robertville in 2001.

#### Introduction

Species of the genus Sphaerophoria Lepeletier & Serville, 1828 are fairly small (5-12 mm), slenderly built hoverflies with black and yellow abdominal patterns and characteristic yellow markings along the lateral margins of the mesoscutum. Many species can only be identified reliably by examining the male genitalia. In S. shirchan Violovitsh, 1957 the male genitalia are very different from other western palaearctic species, allowing a relatively easy identification. For details see the extensive description by Schmid (1992).

Since its description from eastern Siberia, Sphaerophoria shirchan Violovitsh, 1957 has been found in European Russia, several countries in Eastern and Central Europe, France, and southwestern Germany (Bradescu 1997, Jessat 1998, Schmid 1992, Toth 1992). The European records all date from after 1980, indicating a recent range expansion. In 1997 and 2001, two males of S. shirchan were found in Belgium.

## Records

The first male was captured on 25.V.1997 in Carlsbourg, Bois du Defoi, UTM: 31UFR5028 (col. E. Branquart). It flew in a flower-rich




Fig. 1. Indication of the localities where Sphaerophoria shirchan was found in Belgium. 1: Carlsbourg (1997); 2: Robertville (2001).

clearing in a beech-spruce forest, the preferred habitat according to Speight (2003). The second male was captured on 29.V.2001 in Robertville, UTM: 31UKA9492 (col. M. Reemer), in a vegetation mainly consisting of young pine trees and *Cytisus*-bushes. Both localities are situated in the Ardenne region (Fig. 1).

These are the first records of S. shirchan for Belgium. The species has already been reported from the Belgian Ardennes by Speight (2003), without mentioning any details on locality, date or collector. However, this was based on the same specimen from Carlsbourg as the one reported in this paper (Speight, pers. comm.).

Syrphidologists in Belgium (and possibly the Netherlands) should be aware of the occurrence of this species, which still seems to be spreading west- and northward.

### Acknowledgements

We would like to thank Lucien Verlinden for the identifation of the specimen from Carlsbourg.

#### Bibliographie

Bradescu V., 1997. - Données nouvelles concernant la faune des syrphides (Diptera: Syrphidae) de Roumanie. Travaux du Museum National d'Histoire Naturelle 'Grigore Antipa' 39: 183-186.

Jessat M., 1998. - Neue und seltene Schwebfliegen (Diptera, Syrphidae) für die Fauna Rumaniens. *Mauritania* 16: 549-564.

Schmid U., 1992. - Zur Taxonomie und Verbreitung von Sphaerophoria shirchan (Diptera: Syrphidae) in Südwestdeutschland. Stuttgarter Beiträge zur Naturkunde Serie A: 1-6.

Speight M.C.D., 2003. - Species accounts of European Syrphidae (Diptera): special commemorative issue, Second International Workshop on the Syrphidae, Alicante, June 2003. In: Speight, M.C.D., E. Castella, P. Obrdlik & S. Ball (red.), Syrph the Net, the database of European Syrphidae, 38: 1-231. Syrph the Net publications, Dublin.

Toth S., 1994. - Some rare species of the family hoverflies in the fauna of Bakony Mountains (Diptera: Syrphidae) 3. Folia Musei Historico Naturalis Bakonyiensis 13: 107-115.