Katalog der Araneae

von 1758 bis 1940, bzw. 1954

bearbeitet von

Prof. Dr. C. Fr. Roewer

Bremen

2. Band, Abt. a

(Lycosaeformia, Dionycha [excl. Salticiformia])

Tous droits réservés

Ouvrage édité par le Patrimoine
de l'Institut royal des Sciences naturelles de Belgique
RUE VAUTIER, 31
BRUXELLES
1954

INSTITUT ROYAL DES SCIENCES NATURELLES DE BELGIQUE

Katalog der Araneae

von 1758 bis 1940, bzw. 1954

bearbeitet von

Prof. Dr. C. Fr. Roewer

Bremen

2. Band, Abt. a

(Lycosaeformia, Dionycha [excl. Salticiformia])

Tous droits réservés

Ouvrage édité par le Patrimoine
de l'Institut royal des Sciences naturelles de Belgique
RUE VAUTIER, 31
BRUXELLES
1954

Imprimé en Allemagne
Carl Schünemann Bremen

Seinem hochverehrten Freunde, dem Herrn

Prof. Dr. V. VAN STRAELEN

Président du Patrimoine de l'Institut royal
des Sciences naturelles de Belgique
in Dankbarkeit gewidmet vom
Verfasser.

Vorwort

Als im Mai des Jahres 1942, dem Zeitpunkt der Herausgabe des 1. Bandes dieses Kataloges, der Weiterdruck des 2. Bandes der Zeitverhältnisse wegen und von höchster Stelle befohlen eingestellt werden mußte, sollten zwölf Jahre vergehen, bis die Vollendung und der Abschluß dieses Werkes mit der Herausgabe dieses 2. Bandes verwirklicht werden konnte. Die in all den seit 1942 vergangenen Jahren von vielen Interessenten immer wieder erneuten und drängenderen Nachfragen nach dem ihnen erwünschten und notwendigen 2. Bande des Kataloges sind nunmehr in Erfüllung gegangen.

Durch die höchst dankenswerten Bemühungen seitens Herrn Prof. Dr. V. VAN STRAELEN in Brüssel ist es durch die Hilfe der

Commission administrative de l'Institut royal des Sciences naturelles de Belgique

möglich geworden, jetzt auch den 2. Band als Abschluß dieses Kataloges im Druck erscheinen zu lassen und herauszugeben.

Anschließend an den 1. Band, der bereits 1942 durch den Autor herausgegeben worden ist, enthält der 2. Band (Schlußband) sämtliche *Lycosaeformia (Trionycha),* ferner die *Dionycha* und *Cribellata,* und zwar mit Einschluß der seit 1940 bis 1953 (möglichst auch 1954) zusätzlich bekanntgewordenen Genera und Species, deren Schrifttum dem Artenverzeichnis vorangestellt ist. Die letzten Jahre dieses Schrifttums konnten nur insoweit berücksichtigt werden, als es seitens seiner Autoren dem Verfasser mitgeteilt worden ist, was wohl in den meisten und wichtigsten Fällen geschehen sein dürfte.

Die Zahl der Genera und der Species ist in dem Zeitraum 1942—1954 derart angewachsen (besonders durch die zahlreichen Arbeiten von BRYANT, CAPORIACCO, CHAMBERLIN [und IVIE], CHICKERING, GERTSCH, LAWRENCE, MELLO-LEITAO und anderen mehr), daß der Umfang des 2. Bandes, der 1942 noch auf den gleichen des 1. Bandes angenommen werden konnte, erheblich über diesen hinausgeht. Um die Unhandlichkeit beim Benutzen eines zu voluminösen Buches zu vermeiden, wurde der Entschluß gefaßt, den 2. Band zu teilen in Abt. a und Abt. b. Die Abt. a enthält nunmehr die *Lycosaeformia, Gnaphosaeformia, Ammoxeniformia, Homalonychiformia, Clubionaeformia* und *Thomisiformia,* während die *Salticiformia* und *Cribellata* in die Abt. b gelangen, ihnen sich anschließend das Verzeichnis der Synonyma und der Gesamtindex der Genera für den 1. und 2. Band. — Das Verzeichnis der Genera und Arten ist auch in diesem 2. Band in den gleichen Formen und nach den gleichen Grundsätzen angeordnet wie im 1. Band, auf dessen Vorwort und Einleitung hier verwiesen werden mag. Hin-

zugekommen für den 2. Band ist nur noch die Bezeichnung des Genotypus mit dem Zeichen – * für diejenigen Genera, die mehr als eine Species enthalten, da ja laut Vorschrift der Internat. Nomenclatur-Commission neuerdings eine Genusdiagnose einzig und allein auf nur eine Species, und zwar auf nur ein Individuum dieser Species bezogen werden soll und darf. Da weiterhin die Internat. Nomenclatur-Commission durch die Bemühungen seitens BONNET-Toulouse jetzt endlich die Priorität der Arbeit von CLERCK 1757 gegenüber LINNÉ 1758 entschieden hat, werden in diesem 2. Bande die Namen CLERCK's an die erste Stelle gerückt, was 1942 im 1. Bande noch nicht zu rechtfertigen war und daher dort unterblieben ist, obgleich sie auch dort schon zitiert worden sind (vergl. auch das Verzeichnis der Synonyma). Ferner ist zu vermerken, daß im 1. Bande zu setzen ist: *Araneus* Clerck 1757 für *Aranea* Linné 1758, *Conopistha* Karsch 1881 für *Argyrodina* Strand 1926 (= *Argyrodes* Simon 1864), *Ctenium* Menge 1870 für *Robertus* Cambridge 1887, *Micrargus* Dahl 1886 für *Blaniargus* Simon 1913 und im 2. Band p. 286 *Piratosa* gen. nov. für *Piratessa* (Praeoccupation durch Templ. 1835 erst nachträglich festgestellt). — Für die Namen der Genera wurde absichtlich die erste (ursprüngliche) Schreibweise gewählt, also von späteren philologischen Änderungen, die wir für ganz überflüssig halten, abgesehen.

Die im nachfolgenden Verzeichnis in alphabetischer Reihenfolge als Synonyma aufgeführten Species-Namen finden sich im Katalog unter dem heute geltenden Species-Namen, der im Synonyma-Verzeichnis hinter dem Zeichen = steht. Soweit der 1. Band dafür in Frage kommt, können diese Synonyma nur dort gefunden werden, wo sie eben in diesem 1. Bande eingesetzt sind, also abgesehen davon, ob sie in den Jahren 1942—1954 eine andere Stellung im System gefunden haben. Die CLERCK'schen Namen finden sich im Synonyma-Verzeichnis hinter dem Wörtchen „jetzt:", das auf den im 1. Band noch gesetzten, späteren Namen folgt. — Die bisher „nicht zu deutenden" Arten konnten im eigentlichen Katalog keinen Platz finden. Sie sind jedoch im Synonyma-Verzeichnis aufgeführt worden, um sonst mögliche Praeoccupation bei Benennung weiterer Arten vermeiden zu können.

Ich spreche, wie 1942 für den 1. Band, auch für den 2. Band von 1954 die Hoffnung aus, durch die Zusammenstellung dieses Kataloges, der eine Arbeit von mehreren Jahrzehnten umfaßt, den determinierenden Araneologen, Museen und Instituten eine nützliche Handhabe geben zu können.

Bremen, den 15. Dezember 1954.

Prof. Dr. C. Fr. ROEWER
Direktor (i. R.) des Übersee-Museums
in Bremen

Nachträge und Berichtigungen zum Verzeichnis der Schriften im 1. Bande (1758—1940) und Verzeichnis der Schriften 1941—1954.

1778.

De Geer, Ch., Mém. p. servir à l'Hist. des Insects. — Stockholm. — 7 (3-4) p. 176-324 T. 11-19 u. 38-39.

1793—1809.

Panzer, G. W. F., Faunae Insectorum Germaniae Initia. — Regensburg — Heft 1-110.

1817.

Latreille, P. A., Articles sur les Araignées. — N. Dict. Hist. Nat. (N. Ed.) — Paris — Art. 7-11, 13, 17, 18.

1821.

Dufour, L., Lettres à M. Palassou. — in: Bory de Saint-Vincent, Voy. souterr. — Paris — Araignées, p. 315.

1833.

Griffith, E., in: Cuvier, Animal Kingdom. — London — 13 (Arachn.) p. 387-432, 438-487.

Sundevall, C. J., Conspectus Arachnidum. — Londini — Gothorum, p. 1-39.

1833—1836.

Koch, C. L., in: Herrich-Schäffer, G. A. W., Deutschlands Insekten. — Heft 119-121 (1833), 122-127 (1834), 128-133 (1835), 134-139 (1836), 140-141 (1836).

1837.

Guérin-Méneville, F. E., Iconogr. du Règne animal de Cuvier (Arachn.).

1849.

White, A., Descr. of apparently new spec. of Aptera fr. New Zealand. — Proc. Zool. Soc. London p. 3-6.

1852.

Girard, Ch., Arachnid. in: Nat. Hist. of the Red River of Louisiana. — Append. F, Zoology, p. 262-271 T. 16.

1858.

Blackwall, J., Descr. of six newly discov. spec. and characters of a new gen. of Arachnoidae. — Ann. Mag. Nat. Hist. (3) 1 p. 426-434.

1869.

Lucas, H., Quelqu. rem. sur les Artic. addit. obs. dans les palpes des Actinopus etc. — Revue Mag. Zool. (2) 21 p. 160-170 T. 11 F. 1-7. Note sur une Aran. nouv. — Revue Mag. Zool. (2) 2 p. 208-212 T. 11 F. 8-12.

1870.

Simon, E., Sur les Aran. de la fam. Enydes qui hab. l'Espagne et le Maroc. — Revue Mag. Zool. (2) 21 p. 51-54, 97-103, 142-148 (sep.: 1-16).

1872.

Burmeister, H., Reise durch die La Plata-Staaten. — Halle — 2, Spinnen p. 173.

1875.

Fickert, C., Myriapoden und Arachniden v. Kamme des Riesengebirges. — Zeitschr. f. Entom., Breslau 2 p. 1-48 TF. 1-6.

1880.

Simon, E., Descr. d'une nouv. esp. d'Arachn. — Ann. Soc. Ent. France (5) 10 Bull. p. 104.

1885.

Mc Cook, H. C., A Spider that makes a spheric., mud-daub cocoon. — Proc. Ac. Nat. Sci. Philad. p. 151-153.

1887.

Holmberg, E. L., Viaje a Missiones I. — Bol. Ac. Nac. Ci. Cordoba 10 p. 5-391.

1892.

Hasselt, A. W. M. van, L'Epigyne des Araign. femell. — Tijdschr. Ent. 35 p. 87-132 T. 7-9 F. 1-28.

Simon, E., Arachn. in: Höhnel, Zum Rudolph-See und Stephanie-See (Wien) — p. 851-852.

1903.

Strand, E., Theridiidae, Argiopidae u. Mimetidae a. d. Collet'schen Spinnensammlung. — Norsk. Vid. Selsk. Skrift. (1904) 7 p. 1-9.

1919.

Dalmas, M. de, Catalogue des Araign. d. gen. Leptodrassus. — Bull. Mus. Nat. Paris (4) p. 243-250 f. 1-10 (nec.: Kat. I p. 88: Ann. Soc. Ent. France 88, Bull.).

1920.

Mello-Leitao, C. de, Um nov. Chave para os Grupos sul-americ. de Aranhas. — Rev. Soc. Bras. Sci. 4 p. 156-158.

Um Genero e quarto Espec. nov. de Aranhas do Brasil. — Rev. Soc. Bras. Sci. 4 p. 174-179.

1933.

Millot, J., Position system. des Araign. du gen. Liphistius d'après leur anatomie intérieure. — C. R. Ac. Sci. Paris 196 p. 129-131.

1935.

Bhattacharya, G. C., A new spec. of gregarious spider mimicking Camponotus compressus. — Sci. a. Culture, Calcutta 1 (35) p. 159-160 f. 1-2.

Bonnet, P., Nouv. recherches s. l. griffes d. pattes des Araign. — Bull. Soc. Hist. Nat. Toulouse 67 (3) p. 346-352 f. 1-4.

Exline, H., A new spec. of Cybaeus. — Ent. News. 46 p. 285-286. f.

Franganillo, B. S. L., Una nuova esp. de Aranea peluda. — Mem. Soc. Cubanna Hist. Nat. 9 p. 259-262 T. 23.

Kratochvil, J., Liste générale des Araignées cavernic. en Yougoslavie. — Act. Soc. Sci. Nat. Morav. 9 (12) p. 1-25 T. 1-2.

1936.

Chamberlin, R. V., A new burrowing spider of the gen. Lycosa from the Utah Mts. — Proc. Biol. Soc. Wash. 49 p. 15-16 f. 1.
Hadjissarandos, H., A l'étude de la faune des Arachnides de la Grèce. — Praktika de l'Acad. d'Athènes 11 p. 438-441. (Text griech., Résumé französ.).
Kratochvil, J., Nouv. gen. d'Araign. cavernic. en Yougoslavie. — Vest. Cesko. Zool. Spolec. 3 p. 69-79 f. 1-3.

1937.

Berland, L., Comment les Araign. ont peuplé le Pacifique. — Bull. Soc. Ocean. Paris 1 (2) p. 77-80.
Denis, J., Araign. rec. d. l. Departem. du Var. — Ann. Soc. Hist. Nat. Toulouse 21 p. 166-168.
Eléments d'une Faune arachn. de l'île de Port-Cros (Var). — Ann. Soc. Hist. Nat. Toulouse 21 p. 169-174 T.
Kaston, B. J., The distribution of Black Widow Spiders. — Science (N. York) (N. S.) 85 p. 74.
Kolosvary, G. v., Studi ecolog.-faunist. n. Pannonia merid. — Riv. Biol. Firenze 23 p. 1-13.
Kratochvil, J., Contrib. à la connaissance des Araign. myrmécophil. en Tchechoslav. — Folia Ent. Brno 1 (1) p. 5-13 f. A-C.
Kurata, T. B., The Spiders of Mer Bleue near Ottawa. — Canad. Field Nat. 51 (8) p. 114-115.
Marples, M. J. & B. J., Notes on the Spiders Hyptiotes paradoxus and Cyclosa conica. — Proc. Zool. Soc. London 107 (A) p. 213-221 f. 1-2 T. 1-2.
Mello-Leitao, C. de, La distribution des Arachn. et son importance p. l. Zoogeogr. sudameric. — Intern. Congr. Zool. 12 (Lisboa) p. 1209-1216.

1938.

Bacelar, A., Aranhas Migalomorfas das Prov. mediterr. da Espagnha e Eresidas espagnholas e Norte-Africanas. — Arqu. Mus. Bocage, Lisboa 9 p. 47-51.
Balogh, J., Nova date arachnolog. e montibus Borzsonyiensis. — Fragm. Faun. Hung. 1 (1) p. 16-17.
Neue spinnenfaunistische Angaben aus Ungarn. — Fragm. Faun. Hung. 1 (4) p. 63-64.
Baum, J., On the habits of the Austral. Spider Dinopis subrufus L. Koch. — Vest. ceskoslav. Zool. Spolec. 5 p. 28-33 T. 1-4.
Berland, L., Les Araignées. — Paris (Stock) p. I-XII, 1-174.
Affinités geogr. des Nouv. Hébrides d'aprés l'étude des Araign. — C. R. Soc. Biogeogr. Paris 15 (127) p. 33-36.
Braendegaard, J., Aeronautic Spiders in the Arctic. — Medd. Grönland 119 (5) p. 1-9 f. 1-3.
Caporiacco, L. di, Il Sistema degli Araneidi. — Arch. Zool. Torino 25 (Suppl.) p. 35-155 f. 1.
Coleman, E., Further notes on the tailed spider Arachnura higginsii L. Koch. — Victor. Nat. Melbourne 54 (9) p. 134-138 f. 1-2.
Denis, J., A contribut. to the knowledge of the spiderfauna of the Andorra valleys. — Proc. Zool. Soc. London (B) 4 p. 565-595 f. 1 T. 1.
Sur la synonymie de quelques Araignées. — Bull. Soc. Hist. Nat Toulouse 62 (4) p. 379-389 (sep. p. 1-11).

Exline, H., The Arachnida of Washington: Agelenidae and Hahniidae. — Univ. Wash. Publ. Biol. 9 (1) p. 1-35 T. 1-5 F. 1-15.
Kolosvary, G. v., Über d. Ergebnisse meiner spinnenökolog. Forschg. in Rovigno. — Fragm. Faun. Hungar. 4 p. 39-46 T. 1-2.
Mathis, M., Biol. d'une Araign. domest. du Sénégal Plexippus paykulli (Aud.). — Bull. Soc. Path. Exot. 31 p. 301-305 f. 1-2.
Mello-Leitao, C. de, Um gen. e sete espec. nov. de Aranhas. — Mem. Inst. Butantan. — 11 p. 311-317 T. 1.
Remane, A., Neue Spinnen für die Nordmark I. — Schrift. Naturw. Ver. Schlesw.-Holst. 22 (3) p. 511-514.

1939.

Baum, J., Notes on some spiders coll. in Australia fr. the Nation. Mus. — Vest. Ceskosl. Zool. Spolnec. (Praze) 6-7 p. 39-51 T. 1-6.
Berland, L. & Millot, J., Remarques s. l. affin. biogeogr. des Araignées. — C. R. Soc. Biogeogr. Paris 16 (133) p. 18-20.
Berland, L., Nouv. Araignées marquisiennes. — Bull. Bishop Mus. Honolulu 142 p. 35-63 f. 1-56.
Biraben, M., Sobre nidos de Aran. del gen. Thomisoides. — Notas Mus. La Plata, Zool. 4 (25) p. 361-365 f. 1-3, T.
Bristowe, W. S., The Comity of Spiders I. — Ray Soc. London 126 p. 1-228 f. 1-15 T. 1-19.
Butler, L. S. G., The Australian Labyrinth Spider. — Victor. Natural. Melbourne. — 55 (11) p. 186-189 f. 1.
Caporiacco, L. di, Alcuni Aracnidi di Somalia. — Boll. Lab. Zool. Portici 31 p. 295-305 f. 1-4.
Chamberlin, R. V. & Ivie, W., New Tarantulae from the Southwest. States. — Bull. Univ. Utah, Biol. Ser. 5 (1) p. 1-9 T. 1-4.
Chickering, A. M., Anyphaenidae and Clubionidae of Michigan. — Pap. Michig. Ac. Arts Sci 24 (2) p. 49-84 f. 1-90.
Denis, J., Araignées de l'île de Sein. — Bull. Soc. Sci. Bretagne 16 (12) p. 101-107.
Fage, L., Sur quelqu. Araign. du Haut-Atlas maroc. à propos d'une esp. nouv., Agelena atlantica n. sp. — Bull. Soc. Sci. Nat. Maroc. 18 (2) p. 120-122 f. 1-3.
Gertsch, W. J., Report on a coll. of Arachn. fr. the Chisos Mts. — Contrib. Baylor Univ. Mus. Waco, Texas 24 p. 17-26.
Hesse, E., Die Arachnoidenfauna d. Naturschutzgebietes Bellinchen. — Märkische Tierwelt 4 p. 105-118.
" Untersuchungen an einer Koll. Wipfelspinnen. — S. B. Ges. Naturf. Freunde, Berlin, Nr. 8-10 p. 350-363.
Hickman, V. V., the Toxopidae, a new family of Spiders. — Pap. Roy. Soc. Tasman. p. 125-130 T. 1-3.
Holm, A., Beiträge zur Biologie der Theridiiden. — Festschr. Strand 5 p. 56-67 f. 1 T. 1-2.
Kolosvary, G. v., Über die Phylogenie der Spinnentiere. — Festschr. Strand 5 p. 450-462.
" Neue Spinnen aus Croatien. — Fragm. Faun. Hung. 2 (1) p. 9.
" Neue Spinnenfunde aus Ungarn. — Zool. Anz. 128 p. 255.
" Neue Spinnenangaben aus Ungarn. — Fragm. Faun. Hung. 2 (2) p. 32.
Kurata, T. B., A list of the Spiders of York Country, Ontario. — Canad. Field Natural. 53 (6) p. 80-83.
" Observations on the burrowing wolf spider Lycosa missouriensis Banks. — Canad. Field Natural. 53 (6) p. 84-85 f. 1.
Machado, A. de B., Trois nouv. Araign. cavernic. de l'Espagne. — Bull. Soc. Zool. France 64 p. 60-70 f. 1-4.
Mello-Leitao, C. de, Une Araign. argentine type d'une sousfam. nouv. — Physis 17 p. 137-142 f. 1.

Mello-Leitao, C. de Aracnidos Anex I ao Relat. Excurs. cient. Inst. O. Quiz . . . — Bol. Biol. S. Paulo (N S.) 4 (2) p. 281-294 f. 1-18.
" Algunos Aracnidos de Sudamericana. — Rev. Chil. Hist. Nat. 43 p. 169-176.
" Les Arachnides et la Zoogeographie de l'Argentine. — Physis 17 p. 601-630.
Petrusewicz, K., Ökolog. Untersuchungen d. Argiopidae u. Physiogr. der Wilnaer Gegend. — Trav. Soc. Sci. Wilno 12 p. 1-83 T. 1-2.
Piza, T. de, Novas Aranhas do Brasil. — Rev. Agricult. S. Paulo 14 (7-8) p. 1-8 TF. 1-9.
" um novo genero de Aranha do Brasil. — Journ. Agronom. S. Paulo 2 (6) p. 385-386 T. 1.
Schenkel, E., Artropodes da Madeira. IV. Araneae, Opiliones . . . — Broteria, Lisboa Ci. Nat. 8 (2) p. 82-89.
Sherriffs, W. R., Hong Kong Spiders V. — Hong Kong Naturalist 9 (3) p. 133-140 f. 1-4 T. 19 F. 1-3.
" Hong Kong Spiders VI. — Hong Kong Naturalist 9 (4) p. 193-198 f. 1-4 T. 24 F. 1-4.
Smithers, R. H. N., The distribution of the „Knopiespinnekop" (Latrodectus indistinctus). — S. Afr. Med. Journ. 13 p. 33-34 T.

1940.

Archer, A. F., The Argiopidae or orb-wawing Spiders of Alabama. — Geol. Surv. Alabama (Mus. Pap. 14) p. 1-77 T. 1-5.
" Some Cave Spiders of Alabama. — Journ. Alabama Ac. Sci. 12 (2) p. 28.
Bacelar, A., Aracnidos portugueses VI. — Bull. Soc. Portug. Soc. Nat. 13 (20) p. 99-110.
Balogh, J., Zur Kenntnis d. Spinnenfauna d. Nordostkarpaten. — Fragm. Faun. Hung. 3 (3) p. 71-74.
Barrows, W. M., New and rare spiders fr. Great Smoky Mt. Nat. Park Region. — Journ. Ohio Sci. 40 (3) p. 130-138 f. 1-12.
Berland, L., Remarques s. l. répartition géogr. d'une Araignée: Ostearius melanopygus Cbr. — Bull. Soc. Ent. France 45 p. 90-92.
" Les Araignées marines. — Mém. Soc. Biogr. Paris 7 p. 347-353.
Berland, L. & Millot, J., Les Araign. de l'Afrique occident. franç. II, Cribellata. — Ann. Soc. Ent. France 108 p. 149-160 f. 1-12.
Bonnet, P., Erreurs et omissions bibliogr. et Arachnologie. — Bull. Soc. Hist. Nat. Toulouse 75 p. 283-295.
Bristowe, W. S., The Arachnida of Suffolk. — Ord. Araneae. — Trans. Suffolk Nat. Soc. 4 (3) p. 156-164.
Bryant, E. B., Cuban Spiders in the Mus. Comp. Zool. — Bull. Mus. Comp. Zool. Harvard 86 (7) p. 247-554 T. 1-22 F. 1-297.
Bryant, E. B., & Archer, A. F., Notes on Epeira pentagona Hentz. — Psyche 47 (2-3) p. 60-65 f. 1.
Chamberlin, R. V., New American Tarantulas of the fam. Aviculariidae. — Bull. Univ. Utah, Biol Ser. 5 (8) p. 3-39.
" A new trap-door Spider from Texas. — Proc. Biol. Soc. Wash. 53 p. 5-6.
Chamberlin, R. V., & Ivie, W., Agelenid Spiders of the Gen. Cicurina. — Bull. Univ. Utah 30 (18), Biol. 5 (8) p. 1-108 T. 1-12 F. 1-97.
Chickering, A. M., The Thomisidae of Michigan. — Pap. Michig. Ac. Sci. 25 p. 189-237 f. 1-86.
" New Anyphaenidae fr. Panama with notes on known spiders. — Trans. Amer. Microsc. Soc. 59 (1) p. 78-122 f. 1-68.
Coleman, E., New spider notes. — Victor. Natural. Melbourne 57 (4) p. 76-78 T. 1-2.
Comstock, J. H., The Spider Book. — New York — p. I-XI, 1-729 f. 1-770.

Daniel, H., Notas sobre algunas Aranas de Antioquia. — Rev. Fac. Nac. Agron. Colombia 3 (7) p. 670-679 f. 1.

Denis, J., Notes s. l. Araign. habit. les Anfractuosités des Côtes rocheuses. — Rev. Franc. Ent. 7 (3) p. 114-118.

" Araignées de l'île d'Ouessant. — Bull. Soc. Sci. Bretagne 17 (3-4) p. 115-120.

Ehlers, M., Kleine Beiträge z. Spinnenfauna der Mark. — Märk. Tierwelt, Berlin 4 (2-3) p. 212-217.

Emaus, E. V., About Spiders; Introducing Arachne. — New York p. -1177. — Ent. News Philad. 51 (10) p. 229.

Fage, L., Le peuplement en Aradin. des hauts massives montagn. de l'Afr. orient. — VI. Congr. Intern. Ent. p. 487-491.

Fox, I., Notes on nearctic spiders chiefly of the fam. Theridiidae. — Proc. Biol. Soc. Wash. 53 p. 39-45 f. 1-3.

Gerschman, B. S., & Schiapelli, R. D., Una esp. Paraguaya d. gen. Parathalerothele Canals 1931. — Rev. Chil. Hist. Nat. 44 p. 105-108 f. 1-5.

Gertsch, W. J., Five new Wolf-Spiders from Florida. — Florida Entomolog. 23 (2) p. 17-23 TF. 1-9.

" The Houdini of the Spider World. — Nat. Hist., N. York 43 (3) p. 154-156 f. 1-2.

Gertsch, W. J., & Mulaik, S., The Spiders of Texas. I. — Bull. Amer. Mus. Nat. Hist. 77 (6) p. 307-340 TF. 1-32.

Hadjissarandos, C., Les Arachnides de l'Attique. — p. 1-132 f. 1-36 (Text griechisch, Résumé französ.).

Jones, S. A., An annot. list of the spiders of an East Centr. Illinois. Forest. — Trans. Illinois Stat. Ac. Sci. p. 216-220.

Kolosvary, G. v., Über Nestbau der Nemesia pannonica-Spinne. — Zool. Anz. 129 p. 301-303 f. 1-2.

Kratochvil, J., & Miller, F., Lepthyphantes spelaeomoravicus n. sp. — Sbornik Kl. Priv. Brno 22 p. 60-66 f. 1-2.

" Eine neue Spinnengattung d. Fam. Eresidae aus Europa. — Vestnik 8 p. 91-96 f. 1-4.

Lawrence, R. F., The gen. Selenops (Aran.) in S. Afr. — Ann. S. Afr. Mus. 32 (6) p. 555-608 f. 1-47.

Machado, A. de B., Una nuev. esp. cavernic. d. gen. Leptyphantes. — VI. Congr. Intern. Entom. Madrid 1935 p. 515-517 f. 1-6.

" La colec. de Aranhas cavernic. d. Mus. Nac . . . de Madrid. — Rev. Ci. Madrid 7 (4) p. 1-15.

Malkin, B., Two new spiders on Staten Island. — Bull. Brooklyn Ent. Soc. 35 (3) p. 89.

Meer-Mohr, J. C. v. d., Korte zool. aanteek. (V). Over Argiope undulata Thorell. — Trop. Natuurv. Weltevreden 29 (9) p. 148-150 f. 1-4.

Mello-Leitao, C. de, Tres curiosos Argiopidae do Brasil. — Rev. Chil. Hist. Nat. 43 p. 57-62 f. 1-3.

" Aranhas d. l. Prov. d. Buen. Aires y d. l. Gobern. d. l. Pampa, Neuquen, Rio Negro y Chubut. — Rev. Mus. La Plata (N. S.) 2 Zool. p. 3-62 f. 1-64, T. 1 F. 1-5.

" Spiders of the Guiana Forest coll. by O. W. Richards. — Rev. Mus. Paulista 25 p. 175-197 TF. 1-31.

" Aranhas do Espirito Santo col. M. Rosa 1936-37. — Rev. Mus. Paulista 25 p. 199-214.

" Tres gen. extranos de Aranas Argentinas. — Notes Mus. La Plata 5 (Zool. 43) p. 251-258.

" Notes s. l. fam. Ctenidae Keys. et sa distrib. géogr. — VI. Congr. Intern. Entom. 1935, Madrid 1 p. 103-109.

" Aracnidos de Copinpo (Atacama) y de Casablanca. — Rev. Chil. Hist. Nat. 44 p. 231-235 f. 1-2.

Mello-Leitao, C. de Aranas d. l. Islas Juan Fernandez rec. Sen. R. Wagenknecht. — Rev. Chil. Hist. Nat. 44 p. 236-239 f. 1-2.
Miller, F. & Kratochvil, J., Einige weitere neue Spinnen aus Mitteleuropa. — Vestnik Ceskosl. Zool. Spolnec. 8 p. 59-72 f. 1-6.
Preston, J., A remarkable Spider. — Victor. Natural. Melbourne 57 (2) p. 39-40.
Roberts, N. L., Some notes on Australian Spiders. — Proc. R. Zool. Soc. N. S. Wales p. 36-41 f. 1-3.
Sherriffs, W. R., Hong Kong Spiders VII. — Hong Kong Naturalist 10 (1) p. 24-27 T. 6.
Shulow, A., On the biology of two Latrodectus-Spiders in Palestina. — Proc. Zool. Soc. London 152 (3) p. 309-328.
Spassky, S., Araneae palaearcticae novae V. — Folia Zool. Hydrobiol. (Riga) 10 p. 353-364 T. 7 F. 1-15.
Tamps-Lyche, H., Die norweg. Spinnen d. Gattg. Pardosa Koch. — Avh. Norsk. Vit. Akad. Oslo 6 p. 1-59 f. 1-5, T. 1-2.
Vogelsanger, T., Verzeichnis d. Spinnen v. Schaffhausen u. Umgebg. — Mitt. Naturf. Ges. Schaffhausen 15 p. 1-35.

1941.

Archer, A. F., Alabama spiders of the fam. Mimetidae. — Pap. Michig. Ac. Sci. 27 p. 183-193 f. 1-3.
" Suppl. to the Argiopidae of Alabama. — Geol. Surv. Alabama (Mus. Pap. 18) p. 1-47 T. 1-4.
" The Biol-Lime Spiders of the South-Western Unit. States. — Journ. Alalabama Ac. Sci. 13 p. 37.
Berland, L. & Millot, J., Les Araign. d. l'Afr. Occid. Franç. I: Salticidae. — Mém. Mus. Hist. Nat. Paris 12 (2) p. 297-424 f. 1-108.
Bochmann, G. v., Die Spinnenfauna der Strandhaferdünen a. d. deutschen Küsten. — Kiel, Meeresforschung 4 (1) p. 38-69.
Bristowe, W. S., The Comity of Spiders II. — Ray Soc. London p. I-XIV, 229-260 T. 1-3, f. 1-81.
Bryant, E. B., Notes on the Spider Fauna of New England. — Psyche 48 (4) p. 129-146 f. 1-2.
Caporiacco, L. di, Aracnidi cavernic. bresciani. — Le Grotte d'Italia (2) 4 p. 80-81 f. 1.
" Arachnida in: Miss. Biol. Sagan-Omo. 12 Zool. 6 p. 1-159 f. 1-71.
Chamberlin, R. V. & Ivie, W., North American Agelenidae of the gen. Agelenopsis, Calilena, Ritalena and Tortalena. — Ann. Ent. Soc. Columbus 34 p. 585-616 T. 1-12.
" Spiders coll. by L. M. Saylor and others, mostly in California. — Bull. Univ. Utah 31 (8), Biol. 6 (3) p. 1-49 T. 1-5 F. 1-61.
Charitonow, D. E., On the Cave Fauna of Caucasus. — Bull. Inst. Rech. Biol. Molotov 12 (2) p. 67-71 f. 1-3.
Chickering, A. M., The Seneculidae of Panama. — Pap. Michig. Ac. Sci. 26 p. 195-218 f. 1-12.
" Twenty-one new spec. of Dipoena (Theridiidae) from Panama. — Anat. Rec. Philad. 81 (4) Suppl. p. 118.
Coleman, E., Notes on the huntsman Spider (Isopeda). — Victor. Natural. Melbourne 57 (9) p. 160-161 f. 1.
" Further Notes on a Nephila. — Victor. Natural. Melbourne 58 (5) p. 79.
" Further notes on the huntsman Spider (Isopeda immanis). — Victor. Natural. Melbourne 58 (6) p. 88-90 T. 1.
Collart, A., Notes compl. sur Myrmarachne foenisex Sim. — Bull. Mus. Hist. Nat. Belg. 17 (58) p. 1-11 f.

Denis, J., Les Araign. des îles Canares. — Ann. Soc. Ent. France 110 p. 105-130 f. 1-16.
" Araign. de l'île d'Yeu. — Bull. Soc. Zool. France 66 p. 154-164.
Dixon, F., Some spider notes. — North Western Nat. Arbroath 16 (4) p. 327-328.
Gertsch, W. J., Report on some Arachnida fr. Barro-Colorado-Island. — Amer. Mus. Novit. 1146 p. 1-14 f. 1-33.
" New American Spiders of the Fam. Clubionidae I. u. II. — Amer. Mus. Novit. 1147 p. 1-20 TF. 1-53 und 1148 p. 1-18 TF. 1-54.
Kaston, B. J., Miscell. Insect Notes (Mastophora cornigera and M. bisaccata). — Connecticut State Ent. 40. Report — Bull. 445 p. 379-380 f. 1.
Kolosvary, G. de, Beitrag z. Kenntnis d. Spinnenfauna der Adria-Inseln Colonne, Pisluglio u. Brioni. — Fol. Ent. Hungar. 6 (1-2) p. 28-31.
Kurata, F. B., A list of the spiders of Prince Edward County, Ontario. — Univ. Toronto Stud. Biol. 48 p. 107-115.
Machado, A. de B., Araign. nouv. p. l. faune portug. II. — Mem. Estud. Mus. Zool. Univ. Coimbra (1) 117 p. I-XIV, 1-60 f. 1-29.
Malkin, B., New spider records for N. York State. — Bull. Brooklyn Ent. Soc. 36 p. 122.
Mello-Leitao, C. de, Notas s. a sistemat. d. Aranhas, con descr. d. algum. nov. espec. sud-americanos. — Ann. Ac. Bras. Sci. 13 (2) p. 103-127 f. 1-7.
" Catalogo d. Aranhas da Colombia. — Ann. Ac. Bras. Sci. 13 (4) p. 233-300 f. 1-19.
" Aranhas do Parana. — Arqu. Inst. Biol. S. Paulo 11 p. 235-257 f. 1-3.
" Aranas d. l. Prov. d. Santa Fé, coll. p. Prof. Biraben. — Rev. Mus. La Plata (N. S.) 2. Zool. p. 199-225 f. 1-35.
" Las Aranas de Cordoba, La Rioja, Calamarca, Tucuman, Salta y Jujuy. — Rev. Mus. La Plata (N. S.) 2. Zool. p. 99-198 f. 1-91 T. 1-12 F. 1-59.
Millot, J., Les Araign. de l'Afr. Occid. Franç. — Sicariidae et Pholcidae. — Mém. Ac. Sci. Inst. France 64 p. 1-53 f. 1-19.
Norgaard, E., On the biology of Eresus niger Pet. — Ent. Meddel 22 (2-3) p. 150-179 f. 1-10 T. 1-5.
Reimoser, E., Spinnen in: Zool. Erg. . . . Prof. J. Versluys gel. Forschg. Reise nach Zant. — Verh. Zool. Bot. Ges. Wien 88-89 p. 115-117.
Rosca, A., Araignées de Bessarabic. — An. Ac. Romana (Bukarest) (3) 15 p. 397-406.
Schiapelli, R. & Gerschaman, B. S., Dos nuev. Aranas Argentinas d. l. fam. Thomisidae. — Physis 19 (51) p. 74-75.
Seyler, P. J., The generic and specific status of four Ohio spiders of the gen. Agelenopsis. — Ohio Journ. Sci. 41 (2) p. 51-66 T. 1-3.
Silhavy, V., Thanatus dvoraki n. sp. — Casopis C. Spol. Ent. (Acta Soc. Ent. Cech.) 38 (2) p. 77-78 f.
Soares, B. M., Algumas Aranhas novas do Brasil. — Pap. Avuls. S. Paulo 1 p. 255-270 f. 1-12.
Spassky, S., Araneae palaearcticae novae. VI. — Fol. Zool. Hydrobiol. (Riga) 11 (1) p. 12-26 T. 1 F. 1-14.
Stiles, K. A. & Stevens, V. G., Studies of Eastern Jowa Spiders. — Proc. Jowa Ac. Sci. 47 p. 333-342.
Strand, E., Uber H. Tambs-Lyche's sog. Revision von V. Storms Spinnensammlung a. d. Umgebg. von Trondheim. — Fol. Zool. Hydrobiol. 11 (1) p. 82-95.
" Kritik d. Arbeiten d. Herrn H. Tambs-Lyche üb. d. norweg. Pardosa (recte Lycosa-) Arten. — Fol. Zool. Hydrobiol. 11 (1) p. 95-109.
Tambs-Lyche, H., Revision von Storm's Spinnensammlg. a. d. Umgebg. v. Trondheim. — K. Norske Vid. Selsk. Forh. 13 p. 191-194.

Weigel, G., Färbung u. Farbenwechsel der Krabbenspinne Misumena vatia (L.). — Zeitschr. Vergl. Physiologie, Berlin 29 p. 195-248 f. 1-12, T. 1-36.

1942.

Bacelar, A., Aranhas migalomorfas e seus abrigos. — Bull. Soc. Portug. Ci. Nat. 13 (Suppl. 3) p. 566-571 f.

Barrows, W. M. & Ivie, W., Some new spiders from Ohio. — Ohio Journ. Sci. 42 (1) p. 20-22 T. 1 F. 1-14.

Berland, L., Polynesian Spiders. — Occ. Pap. Bishop Mus. Honolulu 17 (1) p. 1-24 f. 1-9.

Bryant, E. B., Descr. of certain N. Amer. Phidippus. — Amer. Midland Natural. 28 (3) p. 693-707 TF. 1-18.

" Notes on the spiders of the Virgin Islands. — Bull. Mus. Comp. Zool. Harvard 89 (7) p. 317-366 T. 1-3 F. 1-40.

" Additions to the Spider-Fauna of Puerto Rico. — Journ. Agr. Univ. Puerto Rico 26 (1) p. 1-16 T. 1 F. 1-11.

Caspers, H., Die Landfauna d. Insel Helgoland (Araneae: p. 176-178). — Zoogeographica 4 (2) p. 127-186 f. 1-3.

Chamberlin, R. V. & Ivie, W., Agelenidae of the gen. Hololena, Novalena, Rualena and Melpomene. — Ann. Ent. Soc. Amer. 35 (2) p. 203-241 T. 1-9 F. 1-80.

Chamberlin, R. V., A hundert new species of American spiders. — Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 1-117 T. 1-17 F. 1-231.

Chickering, A. M., The Palpimanidae of Panama. — Pap. Michig. Ac. Sci. 27 p. 235-239.

Deering, V., Concerning spiders. — North Western Nat. Arbroath 17 (1-2) p. 38-41.

Denis, J., Notes sur les Erigonides. III. — Bull. Soc. Ent. France 47 (5-6) p. 91-94 f. 1-6.

" Notes sur les Erigonides. II. — A propos d. l. fem. de Diplocephalus protuberans (Cbr.). — Rev. Franç. Ent. Paris 9 p. 82-84 f. 1-2.

Denis, J. & Guibé, J., Sur deux araign. rec. d. l. départ. du Calvados. — Bull. Soc. Ent. France 47 (5-6) p. 94-96 f. 1.

Drenski, P., Die Spinnenfauna Bulgariens. V. — Mitt. kgl. Naturw. Inst. Sofia 15 p. 33-60 f. 1-21.

Dyal, S., A new spider from Dal Lake, Kaschmir. — Proc. Indian Sci. Congr. 28 (3) p. 178.

Gertsch, W. J., New American spiders of the fam. Clubionidae. III. — Amer. Mus. Novit. 1195 p. 1-18 TF. 1-37.

Gertsch, W. J. & Archer, A. F., Descr of new American Theridiidae. — Amer. Mus. Novit. 1171 p. 1-15 TF. 1-26.

Gertsch, W. J. & Davis, L. I., Report on a collect. of spiders from Mexico. IV. — Amer. Mus. Novit. 1158 p. 1-19 TF. 1-46.

Hickman, V. V., On some new Hadrotarsidae with notes on their internal anatomy. — Pap. R. Soc. Tasman. p. 147-160 T. 1-5.

Hull, J. E., Irish spider in Suffolk. — Trans. Suffolk Nat. Soc. 5 (1) p. 31.

Kolosvary, G. de, IV. Beitrag zur Spinnenfauna Siebenbürgens. — Fragm. Faun. Hung. 5 (1) p. 5-8.

" V. Beitrag zur Spinnenfauna Siebenbürgens. — Fragm. Faun. Hung. 5 (3-4) p. 95-96 f. a-c.

" Verzeichnis d. a. d. III. Ungar. wiss. Adria-Excursion ges. Landtiere in Istrien 1939. — Teil IV. — Riv. Biol. Firenze 33 p. 174-179 f. 1-2.

Kratochvil, J., Meta milleri n. sp. (Aran.) des grottes d. l. Dalmatie centrale. — Casopis 39 (2) p. 111-116 f. 1-2.

Lawrence, R. F., A contrib. to the Araneid fauna of Natal a. Zululand. — Ann. Natal Mus. 10 (2) p. 141-190 f. 1-32.

Lessert, R. de, Araign. myrmecomorph. du Congo Belge. — Rev. Suisse Zool. 49 (2) p. 7-13 f. 1-10.
Lohmander, H., Südschwed. Spinnen. I.: Gnaphosidae. — Medd. Göteborg Mus. Zool. Avdel. 98 (B; 2; 4) p. 1-164 f. 1-26.
Mello-Leitao, C. de, Cinco aranhas novas do Peru. — Rev. Bras. Biol. 2 (4) p. 429-434 f. 1-7.
" Aranhas del Chaco y Santiago del Estero. — Rev. Mus. La Plata (N. S.) 2. Zool. 16 p. 381-426 f. 1-56.
Millot, J., Les araign. d. l'Afr. Occid. Franç. — Thomisidae. — Mém. Ac. Sci. Paris (2) 65 p. 1-82 f. 1-34.
Millot, J. & Bourgin, P., Sur la biologie des Stegodyphus solitaires. — Bull. Biol. France-Belg. 76 (3) p. 299-314 f. 1-6.
Mühlmann, M., Die rezente Metazoenfauna der Harzer Höhlen und Bergwerke. — Zoogeographica 4 (2) p. 187-251.
Murrill, W. A., Spiders of Alachua County, Florida. — Florida Ent. 25 p. 7-9.
Robins, E. A., On the occurrence in Hampshire of a spider of the fam. Argiopidae probably of foreign origin. — Proc. Linn. Soc. London 154 (1) p. 46-47.
Roewer, C. F., Katalog der Araneae 1758-1940. I. p. 1-1040.
" Opiliones, Pedipalpi u. Araneae von Fernando Poo. — Veröff. Dt. Kolon.- u. Übersee-Mus. Bremen 3 (3) p. 244-258 T. 19 F. 1-11.
" Einige neue Arachniden. I. — Veröff. Dt. Kolon.- u. Übersee-Mus. Bremen 3 (3) p. 274-280 T. 20.
Sargent, H. J., On the occurrence of Atypus affinis Eichw. in East Sussex. — Hastings Nat. 6 (8) p. 83-86.
Schiapelli, R. D. E. & Gerschman, B. S., Aranas Argentinas I. — An. Mus. Argent. 40 p. 317-332 f. 1-22, T. 1-7.
Soares, B. M., Alguns Tomisidas e um Salticida novos do Brasil. — Pap. Avuls. S. Paulo 2 (19) p. 255-265 f. 1-8.
Strand, E., Über europäische Lycosiden. — Fol. Zool. Hydrobiol. 11 (2) p. 232-322.
" Einige Nachträge zu Mello-Leitao's Conspect. Thomisidae. — Fol. Zool. Hydrobiol. 11 (2) p. 352-355.
" Eine Ergänzung d. v. Mello-Leitao zus.gest. Liste d. Theraphosidae der ganzen Welt. — Fol. Zool. Hydrobiol. 11 (2) p. 355-356.
" Ergänzung u. andere Verbesserg. d. Verzeichnisses der Arbeiten in d. von E. Reimoser zus.gest. Katalog d. palaearct. Spinnen. — Fol. Zool. Hydrobiol. 11 (2) p. 369-369-380.
" Miscellanea nomencl. zool. et palaeontolog. X. — Fol. Zool. Hydrobiol. 11 (2) p. 386-402.
Tambs-Lyche, H., Notes on Norwegian Spiders. — Norsk. Ent. Tiskr. 6 (2-3) p. 107-114.
Truman, L. C., A taxonom. a. ecolog. study of the spider fauna of Presque Isle. — Bull. Pittsburgh Univ. 38 (2) p. 404-411.
" A list of species coll. in Western Pennsylvania. — Proc. Penn. Ac. Sci. 16 p. 25-28.
Tullgren, A., Bidr. t. känned. o. d. Svenska Spindelfauna. I. — Ent. Tidskr. 63 (3-4) p. 217-234 T. 1 F. 1-6.
Wallace, H. K., A revision of the burrowing spiders of the gen. Geolycosa. — Amer. Midland Natural. 27 (1) p. 1-62 TF. 1-116.
" A study of the Lenta-Group of the gen. Lycosa with descr. of n. sp. — Amer. Mus. Novit. 1185 p. 1-21 TF. 1-25.

1943.

Barrows, W. N., A new prairie spider (Suessa nasuta n. sp.). — Ohio Journ. Sci. 43 (5) p. 209 f. 1.

Bristowe, W. S., Habits of our house spiders. — The Field, London 182 (4739) p. 426 f. 1-3.
„ Some garden spiders. — The Field, London 182 (4742) p. 509 f. 1.
Bryant, E. B., Notes on Dictyolathys maculata Banks. — Psyche 50 (3-4) p. 83-86 f. 1.
„ The Salticid Spiders of Hispaniola. — Bull. Mus. Comp. Zool. Harvard 92 (9) p. 445-529 T. 1-8 F. 1-80.
Chamberlin, R. V. & Ivie, W., New genera a. species of N. Amer. Linyphiid Spiders. — Bull. Univ. Utah 33 (10) Biol. 7 (6) p. 1-38 TF. 1-56.
Chickering, A. M., Female allotype of Landana spinosa Petrunk. — Pap. Michig. Ac. Sci. 28 p. 317-321 f. 1-8.
„ Twenty-one new spec. of Dipoena from Panama. — Trans. Amer. Microsc. Soc. 62 (4) p. 329-378 f. 1-68.
Crane, J., Spiders of the fam. Lyssomanidae a. Salticidae from Brit. Guiana a. Venezuela. — Zoologica (N. York) 28 (3; 16) p. 125-138 f. 1-4.
Denis, J., Notes s. l. faune des Hautes-Fagnes en Belgique. — Bull. Mus. Hist. Nat. Belge 19 (2) p. 1-28 f. 1-7.
„ Araign. du Nord de la France (3. Note). — Bull. Soc. Ent. France 48 (7-8) p. 105-108 f. 1-3.
„ Araign. du Sancerrois. — Bull. Soc. Hist. Nat. Toulouse 78 p. 65-70.
„ Chasses arachnolog. dans les Pyrénées orient. — Bull. Soc. Hist. Nat. Toulouse 78 p. 117-127.
Drenski, P., Die Spinnenfauna Bulgariens. VI. — Mitt. Naturw. Inst. Sofia 16 p. 219-254 f. 1-35.
Fage, L., Descr. d'une Leptonète de Corse, suiv. d. remarques s. l. Araign. cavernic. du gen. Stalita. — Bull. Mus. Hist. Nat. Paris (2) 15 (4) p. 171-174 f. 1-2.
Franz, H., Die Landtierwelt d. mittl. Hohen Tauern. — Denkschr. Ac. Wiss. Wien 107 p. 3-552 T. 1-14, f. 1-6.
Gerschman, B. S. & Schiapelli, R. D. E., Revision d. gen. Latrodectus Walck. 1805. — Sanpayo, R. Latrodectus mactans y Latrodectismo II. (Syst.) p. 1-23 f. 1-8.
Guibé, J., Contrib. à la faune arachnolog. de Normandie (1. Note). — Bull. Soc. Ent. France 48 (5) p. 76-78.
Hanks, E. S., Notes on the large garden spider (Epeira productus). — Victor. Natural. Melbourne 59 (12) p. 211.
Hickman, V. V., On some new Australien Apneumonnomorphae with notes on their respiratory system. — Pap. Soc. Tasman. p. 179-195 T. 1-4.
Holm, A., Zur Kenntnis d. Taxonomie, Ökologie u. Verbreitung d. schwed. Arten der Spinnengattungen Rhaebothorax, Typhochraestus u. Latithorax. — Ark. Zool. 34 (A, 19) p. 1-32 T. 1-3 F. 1-25; f. 1-9.
Johanssen, R., Spindlar fran vastra Blekinga. III. — Ent. Tidskr. 64 (1-2) p. 118-120.
Kagan, M., The Araneida found on cotton in Central Texas. — Ann. Ent. Soc. Amer. 36 p. 257-258.
Kaston, B. J., Suppl. notes on fam. names in the order Araneae. — Amer. Midland Natural. 30 (3) p. 765-768.
Kayashima, I., Descr. of a new spec. of spider fr. Formosa. — Trans. Nat. Hist. Soc. Formosa 33 (234) p. 65-66 f. 1.
Kolosvary, G. v., Spinnenfaunist. Beiträge aus Ungarn. — Fragm. Faun. Hung. 6 (2) p. 63-65 f. 1-3.
„ VII. Beitrag z. Spinnenfauna Siebenbürgens. — Fragm. Faun. Hung. 6 (4) p. 133-137 f.
Kurata, T. B., The spiders of the Lake Nipissing a. Lake Temagami. regions, Ontario. — Canad. Field Nat. 57 (1) p. 9-13.

Kurata, T. B., A list of spiders coll. in the Sault St. Marie region, Ontario. — Contr. Ontario Mus. Zool. Toronto 21 p. 164-165.
Laurent, R., Notes arachnolog. afric. I. — Sur les genres Scodra Becker et Heteroscodra. — Bull. Mus. Hist. Nat. Belg. 19 (25) p. 1-8.
Lessert, R. de, Araign. du Congo Belg. (III). — Rev. Suisse Zool. 50 (19) p. 305-338 f. 1-41.
Malkin, B., New spider records from New York. II. — Journ. N. York Ent. Soc. 51 (9) p. 238.
Mello-Leitao, C. de, Aracnidos recog. en el Ecuador y el Peru por Senora H. E. Frizzell Don. — Com. Zool. Mus. Hist. Nat. Montevideo 1 (5) p. 1-8 f. 1-5.
Catalogo das aranhas do Rio Grande do Sul. — Arqu. Mus. Nac. Rio 37 p. 147-245 TF. 1-67.
Araneologica varia Brasiliana. — Ann. Ac. Bras. Ci. 15 (3) p. 255-265.
Aranas nuev. de Mendoza, La Rioja y Cordoba col. por Prof. M. Biraben. — Rev. Mus. La Plata (N. S.) 3. Zool. 20 p. 101-121 f. 1-22.
Aranhas do Chile colig. p. Dr. J. C. Carvalho. — Rev. Bras. Biol. Rio 3 (4) p. 403-409 f. 1-5.
Aracnidos de Maullin. — Rev. Chil. Hist. Nat. 45 p. 136-143 f. 1-7.
Alguns Pisauridae e Thomisidae do Brasil. — Rev. Chil. Hist. Nat. 45 p. 164-172.
Miller, F., Neue Spinnen a. d. Serpentinsteppe bei Mohelno in Mähren. — Ent. Listy, Brno 6 p. 11-29 T. 1-3.
Muma, M. N., Common spiders of Maryland. — Nat. Hist. Soc. Maryland 8 p. 1-179 T. 1-16.
Sexual dimorphism in spiders. — Bull. Nat. Hist. Soc. Maryland 13 (3) p. 36-41 f. 1-25.
Musgrave, A., Some Arachnids a. Millipedes from New Guinea. — Austr. Mus. Mag. Sidney 8 (4) p. 132-135 f. 1.
Osorio, J. M. & Moreno, A., Contrib. de Zool. Econom. I. .... Nephila clavipes (L.). — Mem. Soc. Cuban. Hist. Nat. 17 (1) p. 53-67 T. 1.
Palmgren, P., Die Spinnenfauna Finnlands. II. — Act. Zool. Fennic. 36 p. 1-115 T. 1-2.
Savory, T. H., On a collect. of Arachnida from Christmas Island. — Ann. Mag. Nat. Hist. 10 (11) p. 355-360.
Soares, B. M., Novos Thomisidas Brasileiros. — Pap. Avuls. S. Paulo 3 (1) p. 1-18 f. 1-13.
Aracnideos do Goiaz colig. p. Dr. Fr. Lane. — I. Opiliones, II. Afantoquilidas e Thomisidas. — Pap. Avuls. S. Paulo 3 (13) p. 205-218 f. 1-6.
Strand, E., Miscell. nomencl. zool. et palaeontol. XII. — Fol. Zool. Hydrobiol. 12 (1) p. 211-216.
Womersley, H., A revision of the spiders of the gen. Missulena Walck. — Rec. S. Austral. Mus. Adelaide 7 (3) p. 249-269 f. 1-6.

1944.

Bonnet, P., Histoire de l'Aranéologie. — Bull. Soc. Hist. Nat. Toulouse 78 p. 251-328 T. 1-28.
Règles de Nomencl. en Aranéologie. — Bull. Soc. Hist. Nat. Toulouse 79 p. 81-159.
Browning, E. & Tams, W. H. T., On the occurrence in Suffolk of a Western mediterr. cavernic. spider Meta bourneti Simon. — Proc. Linn. Soc. London 156 (2) p. 94-96 f. 1 T. 1.
Bryant, E. B., Three spec. of Coleosoma from Florida. — Psyche 51 (1-2) p. 51-57 T. 1 F. 1-10.
Chamberlain, G., Revision of the Araneae of New-Zealand. I. — Rec. Auckland Inst. Mus. 3 (1) p. 69-78.

Chamberlin, R. V. & Ivie, W., Spiders of the Georgia Region of N.America. — Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 1-267 T. 1-14 F. 1-217.
Chickering, A. M., The Salticidae of Michigan. — Pap. Michig. Ac. Sci. 29 p. 139-222 f. 1-16.
Clark, C. M., Cyclosa conica Pall. — North Western Nat. Arbroath 19 (3) p. 176.
Denis, J., Notes sur les Erigonides. IV. — Rev. Franc. Ent. Paris 11 (1) p. 21-29 f. 1-13.
" Notes sur les Erigonides. V. — Bull. Soc. Ent. France 48 (12) p. 178-180 f. 1-3.
" Sur quelqu. Theridion apparten. à la faune de France. — Bull. Soc. Ent. France 49 (9) p. 111-117 f. 1-16.
" Descr. d'Araign. Nord-Afric. — Bull. Soc. Hist. Nat. France 49 (1) p. 41-57 f. 1-2 T. 1-2.
" Notes sur les Erigonides. VI. — Bull. Soc. Zool. France 68 p. 123 bis 126 f. a-c.
" Araignèes du Nord de la France. IV. — Bull. Soc. Zool. France 68 p. 129-131.
" Un curieux cas d'anomalie ocul. chez une araign. — Bull. Soc. Zool. France 69 (4-5) p. 153-154 f.
Guibé, J., Présence d'un appareil stridulat. chez le mâle de deux esp. d'araign. — Bull. Soc. Zool. France 68 p. 65 f. 1-2.
Hickman, V. V., Scorpions a. Spiders (1. Biolog. — The Simpson Desert Exped. 1939). — Trans. R. Soc. S. Austral. 68 (1) p. 18-48 T. 1-3 F. 1-40.
Holm, A., Revision einiger norweg. Spinnenarten u. Bemerkg. über deren Vorkommen in Schweden. — Ent. Tidskr. 65 (3-4) p. 122-134 f. 1-6.
Kolosvary, G. v., VIII. Beitrag z. Spinnenfauna Siebenbürgens. — Ann. Hist. Nat. Mus. Hungar. 1 p. 11-28 f. 1-4.
Krauss, N. L. H., Notes on Insects a. other Arthropods from the Island of Molokai and Mauri, Hawaii. — Proc. Hawai Ent. Soc. 12 (1) p. 81-94.
Kurata, T. B., Two new spec. of Ontario Spiders. — Occ. Pap. Ontario Mus. Zool., Toronto 8 p. 1-6 f. 1-2.
Machado, A. de B., Observ. inèdit. s. l. colulus et les filières de quelqu. Aranéides. — Arqu. Mus. Bocage, Lisboa 15 p. 13-52 f. 1-15.
Mello-Leitao, C. de, Algumas Aranhas da regiao Amazonoca. — Bol. Mus. Nac. Rio (N. S.) Zool. 25 p. 1-12.
" Descr. de Barbiellinia hirsuta n. g. n. sp. y not. d. nomencl. — Com. Zool. Mus. Hist. Nat. Montevideo 1 (21) p. 1-4 f. 1-2.
" Aranas d. l. provinc. d. Buenos Aires. — Rev. Mus. La Plata (N. S.) Zool. 3 (24) p. 311-393 f. 1-87.
Miller, F., Abacoproeces ascitus Kulcz. — Ent. Listy, Brno 7 p. 13-15 f. 1-6.
Muma, M. H., A report on Maryland spiders. — Amer. Mus. Novit. 1257 p. 1-14 f. 1-12.
" The Black Widow spider in Maryland. — Bull. Univ. Maryland Ext. Serv. 103 p. 1-7 f. 1-3.
Piza, T. de, Seis Aranhas e um Opiliao nov. do Brasil. — Rev. Agric. S. Paulo 19 (6-7) p. 263-276 f. 1-6 TF. 1-2.
Robins, E. A., Spiders. Country Side. — Kingston-on-Thames (N. S.) 12 (11) p. 259-261.
Roewer, C. F., Einige Araneen von Prof. S. Bocks Pacific Exp. 1917-1918. — Medd. Göteborg Mus. Zool. 104 p. 1-10 f. 1-4.
„ Katalog der Araneae 1758-1940. — Bremen — 2 (1) p. 1-160.
Schenkel, E., Arachnoidea aus Timor u. China a. d. Sammlg. d. Baseler Mus. — Rev. Suisse Zool. 51 (9) p. 173-206 f. 1-15.
Silhavy, V., De Aranees fam. Thomisidae in Balcans Occid. viventibus. — Sbornik. Kl. Prir., Brno, 25 p. 90-95 f. 1-7.

Smithers, R. H. N., Contrib. to our knowledge of the gen. Latrodectus in S.Africa. — Ann. S. Afr. Mus. 36 (3) p. 263-312 f. 1-20, T. 1.
Soares, B. M., Quarto nov. Tomisidas neotrop. — Bol. Industr. Anim. S. Paulo (N. S.) 7 (3-4) p. 73-80 f. 1-5.
„ Aracnideos de Monte Allegro. — Pap. Avuls. S. Paulo 4 (10) p. 151-168 f. 1-11.
„ Notas sobre Aranhas. — Pap. Avuls. S. Paulo 4 (23) p. 319-320.
Strand, E., Miscell. nomencl. zool. et palaeontol. XII. — Fol. Zool. Hydrobiol. 12 (1) p. 211-216.
Taylor, F. H., Arachnid notes. — Proc. Linn. Soc. N. S. Wales 69 (3-4) p. 185-187 f. 1-9.
Tullgren, A., Svensk Spindelfauna. 3. Araneae (Salticid., Thomisid., Philodromid. och Eusparassid.). — Stockholm (Ent. Tören) p. 1-108 f. 1-48, T. 1-18 F. 1-247.
Vogelsanger, T., Beitrag z. Kenntnis d. Schweizer. Spinnenfauna. — Mitt. Naturf. Ges. Schaffhausen 19 p. 158-190 f. 1-9.

1945.

Baerg, W. J., The Black Widow and the Tarantula. — Trans. Connect. Ac. Sci. 36 p. 99-113 f. 1-2.
Barrows, W. M., New spiders from the Great Smoky Mts. Nat. Park. — Ann. Ent. Soc. America 38 (1) p. 70-76 T. 1-2.
Bonnet, P., Bibliographia Aranearum. — Toulouse — 1 p. 1-832.
Bristowe, W. S., A foreign spider, Argiope brünnichi Scop. establ. in England. — Ann. Mag. Nat. Hist. (11) 11 p. 829-834 f. 1-3.
„ Spiders Miscellany. — Journ. Quekett. Microsc. Club (4) 2 (2) p. 63-67 f. 1-2, T.
Bryant, E. B., The Argiopidae of Hispaniola. — Bull. Mus. Comp. Zool. Harvard 95 (4) p. 357-422 T. 1-4 F. 1-47.
„ Some new or little known Southern Spiders. — Psyche 52 (3-4) p. 178-191 T. 15 F. 1-11.
„ Notes on some Florida Spiders. — Trans. Connect. Ac. Sci. 36 p. 199-213 T. 1 F. 1-13.
Chamberlin, R. V. & Ivie, W., On some nearctic Mygalomorph Spiders. — Ann. Ent. Soc. Amer. 38 (4) p. 549-558 T. 1-3 F. 1-21.
„ Some Erigonid Spiders of the gen. Eulaira a. Diplocentria. — Bull. Univ. Utah 36 (2) Biol. 9 (4) p. 1-19 T. 1-3. F. 1-28.
„ Erigonid Spiders of the gen. Spirembolus, Disembolus a. Bactroceps. — Trans. Connect. Ac. Sci. 36 p. 215-235 TF. 1-55.
Chickering, A. M., Hypotypes of Accola spinosa Petrunk. from Panama. — Trans. Connect. Ac. Sci. 36 p. 159-167 f. 1-8.
Crane, J., Spiders of the fam. Salticidae from Brit. Guiana a. Venezuela. — Zoologica (N. York) 30 (1; 3) p. 33-42 f. 1-5.
Denis, J., Notes sur les Erigonides. VIII. — Bull. Soc. Ent. France 50 (3) p. 35-37 f. A, B.
„ Notes sur les Erigonides. X. — Bull. Soc. Hist. Nat. Toulouse 80 (3-4) p. 203-215 f. 1-3.
„ Sur les exigénées de quelqu. Araign. hygrophiles. — C. R. Biogeogr. (Paris) 22 (191-193) p. 45-48 f.
Exline, H., Spiders of the gen. Conopistha fr. Northwestern Peru a. Ecuador. — Ann. Ent. Soc. Amer. 38 (4) p. 505-528 T. 1-4.
„ A new group of the gen. Conopistha Karsch 1881 a. three nov. spec. from Ecuador a. Peru. — Trans. Connect. Ac. Sci. 36 p. 177-189 T. 1 F. 1-13.
Fage, L., A propos de quelqu. Araign. cavernic. de Crête. — Bull. Mus. Hist. Nat. Paris 17 (2) p. 109-117 f. 1-3.
„ Arachnides cavernic. nouv. de Madagascar. — Bull. Mus. Hist. Nat. Paris 17 (4) p. 301—307 f. 1-4.

Gertsch, W. J., Two interesting spec. of Thallumetus. — Trans. Connect. Ac. Sci. 36 p. 191-197 T. 1.
Gibson, W. W., An ecolog. study of the spiders of a rim-terrase forest in West-Tennessee. — Dis. Ohio State Univ. 46 p. 47-55.
Hickman, V. V., A new group of Apneumone Spiders. — Trans. Connect. Ac. Sci. 36 p. 135-157 T. 1-4 F. 1-19.
Holm, A., Ein Beitrag z. Salticiden-Fauna Schwedens. — Ark. Zool. 35 (B, 4) p. 1-4 f. 1-7.
" Zur Kenntnis d. Spinnenfauna d. Torneträsk-Gebietes. — Ark. Zool. (A, 15) p. 11-80 f. 1-26.
Jones, S. E., A new Southern Spider. — Field Laborat. Dallas 13 (1) p. 39-41 f. 1.
Kaston, B. J., New spiders in the group Dionycha with notes on other spec. — Amer. Mus. Novit. 1220 p. 1-25 f. 1-85.
" New Micryphantidae a. Dictynidae with notes on other spec. — Amer. Mus. Novit. 1292 p. 1-14 f. 1-44.
Lohmander, H., Vorläufige Spinnen-Notizen. — Ark. Zool. 35 (A, 16) p. 1-21.
Marson, J. E., Two Burmese spiders which mimic scorpions. — Journ. Bombay Nat. Hist. Soc. 45 (4) p. 616-617 T. 1-2.
Mello-Leitao, C. de, Tres nov. esp. de Gasteracanthinae e not. s. a. Subfam. — Ann. Ac. Bras. Ci. 17 (4) p. 261-267 f. 1-9.
" Aranas de Misiones, Corrientes y Entre Rios. — Rev. Mus. La Plata (N. S.) 4 Zool. 29 p. 213-302 f. 1-93.
" Some interesting new Brazilian Spiders. — Trans. Connect. Ac. Sci. 36 p. 169-175 f. 1-2.
Muma, M. H., New a. interesting spiders from Maryland. — Proc. Biol. Soc. Wash. 58 p. 91-104 f. 1-19.
" Annot. list of spiders of Maryland. — Bull. Maryland Agr. Sta. A. 38 p. 1-65.
Smithers, R. H. N., The Hersiliidae of South Africa. — Trans. R. Soc. S.Afr. 31 (1) p. 1-18 f. 1-12.
Spassky, S. & Luppova, E., Spiders of Tadzhikistan. — Rev. Ent. URSS. 28 (1-2) p. 43-55.
Todd, V., System. a. biol. account of the New Zealand Mygalomorphae. — Trans. R. Soc. N. Zealand 74 (4) p. 375-407 T. 55-58.
Vellard, J., Schiapelli, R. D. & Gerschman, B. S., Aranas Sudamer. col. p. Dr. J. Vellard. — I. Theraphosidae nuev. o poco conosc. — Acta Zool. Lillo. Tucuman 3 (1) p. 165-213 T. 1-25.

1946.

Archer, A. F., The Theridiidae or comb-footed spiders of Alabama. — Pap. Alabama Mus. Nat. Hist. 22 p. 1-67 T. 1-2.
Balogh, J. & Loksa, E., Symbola ad fauna Aranearum Hungar. cognosc. — Fragm. Faun. Hung. 9 (1-2) p. 11-16.
Berland, L. & Denis, J., Les Araign. des Iles de l'Atlantique. — Mém. Soc. Biogeogr. — Paris — 8 p. 219-237.
Biraben, M., Nueva Mastophora de Tucuman. — Act. Zool. Lilloana-Tucuman 3 p. 327-330 f. 1-3.
Bishop, S. & Roderman, C., Four new spec. of Dictyna. — Proc. Biol. Soc. Wash. 59 p. 1-8 T. 1-2 F. 1-11.
Braendegaard, J., The Zoology of East-Greeland. Araneina. — Medd. Grönland 121 p. 1-128 f. 1-49.
Bristowe, W. S., Some notes about the Amer. Black Widow-Spider. — Ent. Monthly Mag. 82 (928) p. 54 f. 1-2.
" The spiders of Lundy. M. G. Palmer. Ed. Fauna a. Flora Ilfracombe Distr. — Exeter p. 63-66.

Bryant, E. B., The genotype of Mimetus Hentz. — Psyche (3-4) p. 48.
Chamberlain, G., Revision of the Araneae of New-Zealand. II. — Rec. Auckland Inst. Mus. 3 (2) p. 85-97 TF. 1-10.
Chamberlin, R. V. & Ivie, W., On several new Amer. Spiders. — Bull. Univ. Utah 36 (13) Biol. 9 (5) p. 1-15 TF. 1-9.
Charitonow, D. E., Arachnida of the caverne of Sataple (Kutais). — Ac. Sci. Gruzia, UdSSR. 3 p. 145-147.
Chickering, A. M., The Salticidae of Panama. — Bull. Mus. Comp. Zool. Harvard 97 p. 1-474 f. 1-432.
Colman, F. J., The spiders of Tunbridge Wells a. Distr. S. Eastern Union of Sci. Soc. J. C. Given ..... p. 175-183.
Denis, J., Notes sur les Erigonides. IX. — Bull. Soc. Ent. France 51 (1) p. 11-12 f. A-C.
" A propos de la présence d'un Atypus d. l. règion parisienne. — Entomologiste-Paris 2 (2) 72-73.
" Sur quelqu. Araign. capt. récemment en France. — Rev. Franç. Ent. Paris 13 (1) p. 36-44 f. 1-5.
Denis, J. & Dresco, E., Une araign. nouv. p. l. faune de France. — Bull. Soc. Ent. France 51 (7) p. 103-106 f. 1-5.
Dresco, E., Sur quelqu. captures d'Atypus. — Entomologiste, Paris 2 (2) p. 70-72.
Dunn, A. P. & R. A., Observations on Australian Spiders. — Victor. Natural. Melbourne 62 (12) p. 220-229 T. 1.
" Studies in Australian Spiders. — Victor. Natural. Melbourne 63 (4) p. 87-90 f. 1-7.
Dupouy, W., Un nuev. gen. de Arana minera de Venezuela. — Mem. Soc. Ci. Nat. La Salle 6 (15) p. 83-86 f. 1-2.
Fage, L., Complètement à la faune des Arachnides de Madagascar. — Bull. Mus. Hist. Nat. Paris (2) 18 (3) p. 256-267 f. 1-6.
" Araign. cavernic. de l'Inde. — Bull. Mus. Hist. Nat. Paris (2) 18 (5) p. 382-388 f. 1-4.
Franganillo, P. B., Aranhas nuevas. — Mem. Soc. Cubana Hist. Nat. 18 (1) p. 97-102 T. 9.
Gertsch, W. J., Notes on Amer. spiders of the fam. Dictynidae. — Amer. Mus. Novit. 1319 p. 1-21 TF. 1-30.
" Five new spiders of the gen. Neoantistea. — Journ. N. York Ent. Soc. 54 p. 31-36 T. 1 F. 1-8.
Gertsch, W. J. & Davis, L. I., Report on a collect. of spiders from Mexico. V. — Amer. Mus. Novit. 1313 p. 1-11 TF. 1-18.
Jacot, A. P., On the validity of the genotype design. by Koch (C. L.) 1837-1842, Übersicht d. Arachnidensystems. — Bull. Zool. Nomencl. London 1 (8) p. 161.
Jones, S. E., Descr. of Habrocestum parvulum (Banks). — Psyche 53 (1-2) p. 27-29 f. 1-4.
Kaston, B. J., North American spiders of the gen. Ctenium. — Amer. Mus. Novit. 1306 p. 1-19 TF. 1-58.
La Touche, A. A. D., Hampshire spiders, includ. descr. of a new spec. — Proc. Zool. Soc. London 115 (3-4) p. 281-295 f. 1-2.
Laurent, R., Notes arachnolog. afric. II. — Sur quelqu. Theraphosidae du Congo Belge. — Rev. Zool. Bot. Afr. 39 (4) p. 293-326 f. 1-2.
Lessert, R. de, Araignées du Congo Belge. — Rev. Suisse Zool. 58 (6) p. 204-225 f. 1-32.
Marson, J. E., Notes on the giant wood spiders (Nephila maculata) in Burma. — Journ. Bombay Nat. Hist. Soc. 46 (1) p. 195-197 T. 1-2.
Marson, J. E. & Carpenter, G. D. H., Observ. on the antmimicking spider Myrmarachne plataleoides Cambr. in India. — Ent. Monthl. Mag. London 82 p. 52-53.

Mello-Leitao, C. de, Notas sobre os Filistatidae e Pholcidae. — An. Ac, Bras. Ci. 18 (1) p. 39-83.
" Comentarios sobre los Arancismos. — An. Fac. Med. Montevideo 30 (12) p. 947-964.
" Aranas del Paraguay. — Not. Mus. La Plata Zool. 11 (91) p. 17-50 f. 1-10.
" Nuevos Aracnidos sudamer. d. l. colecc. d. Mus. Hist. Nat. de Montevideo. — Commun. Zool. Mus. Hist. Nat. Montevideo 2 (35) p. 1-10 T. 1 F. 1-12.
Millot, J., Les Pholcides de Madagascar. — Mém. Mus. Hist. Nat. Paris (N. S.) 22 (3) p. 127-158 f. 1-31.
" Les Scytodes d'Afrique Noire Franç. — Rev. Franç. Ent. Paris 13 (4) p. 156-168 f. 1-7.
Muma, M. H., North Americ. Agelenidae of the gen. Coras Simon. — Amer. Mus. Novit. 1329 p. 1-20 TF. 1-52.
Parrot, A. W., A systematic catalogue of New Zealand Spiders. — Rec. Canterbury Mus. 5 (2) p. 51-93.
" The eyes as taxonomic character in spiders with special reference to Uliodon piscator (Hogg.). — Rec. Canterbury Mus. 5 (2) p. 95-103.
" The occurrence of an Australian spider, Dysdera australiensis Rainbow in New Zealand. — Rec. Canterbury Mus. 5 (27) p. 105-109.
Soares, B. A. M. & H. E. M., Contrib. ao Estudo d'Aranas do Estado Espirito Santo. — Pap. Avuls. S. Paulo 7 (3) p. 51-72 f. 1-20.
" Um novo Tomisida brasileiros. — Pap. Avuls. S. Paulo 7 (24) p. 267-270 f. 1-2.
Tullgren, A., Svensk Spindelfauna 3. (Clubionidae, Zoridae, Gnaphosidae). — Stockholm — p. 1-147 T. 1-21 F. 1-275.
Wilton, C. L., A new spider of the fam. Archaeidae from New Zealand. — Domin. Mus. Rec. Ent. 1 (3) p. 20-26 TF. 1-5.

1947.

Balogh, J. & Loska, I., Faunist. Angaben über Spinnen d. Karpathenbeckens. I. — Fragm. Faun. Hung. 10 (1) p. 26-28.
" Faunist. Angaben über Spinnen des Karpathenbeckens II. — Fragm. Faun. Hung. 10 (2) p. 61-68 f. 1-16.
Berland, L., Araignées XVI. — in: Croisière du Bougainville aux Iles Australe Franç. — Mém. Mus. Hist. Nat. Paris 20 p. 53-64 f. 1-13.
Bonnet, P., Considérat. s. l. "Aranei Suecici" et valeur d. gen. Araneus. — Bull. Soc. Hist. Nat. Toulouse 81 p. 119-130.
" Pétition adr. à la Commission de Nomencl. zool. en faveur d. l. Priorité des noms d'Araignées de Clerck. — Toulouse — p. 1-30.
Bristowe, W. S., A book of Spiders. — King Penguin Books, London p. 1-34 T. 1-24.
Bryant, E. B., A list of spiders from Mona Island, with descr. of new or little known species. — Psyche 54 (2) p. 86-99 T. 4 F. 1-6.
" Notes on spiders from Puerto Rico. — Psyche 54 (3) p. 183-193 T. 16 F. 1-9.
Bücherl, W., Estudo compar. d. esp. brasil. d. gen. Pamphobeteus Poc. 1901. — Mem. Inst. Butantan 20 p. 233-282 T. 1-8.
" Duas nov. esp. d. gen. Eupalaestrus Poc. 1901. — Mem. Inst. Butantan 20 p. 297-314 T. 1-4.
Caporiacco, L. di, Diagn. prelimin. d. spec. d. Aracnidi d. Guiana Brit. racc. Beccari e Romini. — Monit. Zool. Ital. 56 (1-6) p. 20-34.
" Alcuni Aracnidi cavernic. di Toscana. — Act. Pontif. Ac. Sci. 11 (22) p. 251-254 f. 1-2.
" Raccolte faunist. comp. nel Gargano d. A. Ghigi e F. P. Romini. — Act. Pontif. Ac. Sci. 12 (20) p. 229-239 f. 1-3.

Caporiacco, L. di, Arachnida Africae orient. a. dom. Kittenberger ..... — Ann. Hist. Nat. Mus. Hungar. 40 (3) p. 97-257 T. 1-2 F. 1-77.

" Seconda nota su. Aracnidi cavernic. Veronesi. — Mem. Mus. Civ. Verona 1. p. 131-140.

Chamberlain, G., Arachnodism as applied to New-Zealand Spiders. — Rec. Auckl. Inst. Mus. 3 (3) p. 157-159.

Chamberlin, R. V., A summary of the known N. American Amaurobiidae. — Bull. Univ. Utah 38 (8) Biol. 10 (5) p. 1-31 T. 1-4 F. 1-36.

Chamberlin, R. V. & Ivie, W., North American Dictynid Spiders. — Ann. Ent. Soc. Amer. 40 (1) p. 29-35 T. 1-5 F. 1-37.

" The Spiders of Alaska. — Bull. Univ. Utah 37 (10) Biol. 10 (3) p. 1-103 T. 1-11.

Chickering, A. M., The male allotype a female hypotype of Storena barroana (Chamb.) — Pap. Michig. Ac. Sci. 31 p. 133-140 TF. 1-7.

" The Mimetidae of Panama. — Trans. Amer. Microsc. Soc. 66 (3) p. 221-248 f. 1-22.

Denis, J., Un curieuse anomalie sexuelle chez une araign. — Bull. Soc. Ent. France 52 (3) p. 41-43 f. 1-8.

" Spiders (Araneae) in: Résult. of the Armstrong coll. exped. to Siwa Oasis 1935. — Bull. Soc. Fuad I. Ent. 31 p. 17-103 T. 1-6.

" Deux rectifications synon. concern. les araign. — Bull. Soc. Hist. Nat. Toulouse 82 (1-2) p. 103-104.

" Notes sur les Erigonides XIII. — Bull. Soc. Zool. France 72 p. 79-82 f. 1-4.

" Notes sur les Erigonides XI. — Bull. Soc. Hist. Nat. Toulouse 82 (1-2) p. 131-158 f. 1-12.

" Araignées rares. — Entomologiste, Paris 3 (1) p. 1-9 f. 1.

" Arachnides de France I. — Araign. de Vendée avec descr. d'une esp. nouv. d. Pyrén. orient. — Rev. Franç. Ent., Paris 14 (2) p. 145-156.

" Sur Gongylidiellum kulczynskii de Lessert. — Rev. Suisse Zool. 54 (3) p. 55-59 f. 1-4.

Dunn, R. A., A new Salticid spider from Victoria. — Mem. Nat. Mus. Victoria 15 p. 82-85 f. 1. A, B.

Dupouy, W., Catalogo de las Aranas de Venezuela. — Mem. Soc. Ci. Nat. Caracas 7 (20) p. 237-253 f. 1-3.

Gertsch, W. J., Spiders that lasso their prey. — Nat. Hist. N. York 56 (4) p. 152-158 f.

Gibson, W. W., An ecolog. study of the spiders of a river-terrace found in West-Tennessee. — Ohio Journ. Sci. 46 (1) p. 38-44.

Hammen, L. v. d., Notes on the spider family Hahniidae. — Zool. Meded., Leiden 28 p. 287-290 f. 1-3.

Hickman, V. V., Tasmanian Araneae of the fam. Hahniidae with notes on their respiratory systems. — Pap. R. Soc. Tasman. p. 21-35 f. 1-28.

Holm, A., Svensk Spindelfauna III. — Oxyopidae, Lycosidae, Pisauridae. — p. 1-48 f. 1-19, T. 1-10 F. 1-48.

Ivie, W., Some new spiders of the gen. Dictyna. — Authors Publication, Salt Lake City, Utah p. 1-4.

Jones, W., Descr. of some spec. of the spider-gen. Dictyna. — Field & Laboratory 15 (1) p. 1-35 TF. 1-87.

Jong, B., Aranea displicata Hentz nieuw voor d. Nederl. Fauna. — Tijdschr. Ent. Amsterdam, 88 p. 511-514 f. 1-3.

Kauri, H., Beitrag z. Kenntn. d. Spinnenfauna v. Berggegenden Nord-Jämtlands. — K. Fiscogr. Sallsk. Lund Förh. 17. p. 59-72 f. 1-3.

Kratochvil, J. & Miller, F., Not. à la connaiss. d. araign. d. l. tourbière près de Rejvir. — Ent. Listy, Brno 10 (4) p. 112-116.

Lawrence, R. F., A collect. of Arachnida ..... in Natal and Zululand. — Göteborgs Vet. Vittesh. Samh. Handl. (B) 5 (9) p. 1-41 f. 1-33.

Mello-Leitao, C. de, Some new Pholcids of the Brit. Mus. — An. Ac. Bras. Ci. 19 (2) p. 159-164 f. 1-11.
" Aranhas do Parana e S. Catarina, d. Col. d. Mus. Parana. — Arqu. Mus. Paranaense 6 (6) p. 231-304 T. 33-42 F. 1-52.
" Aranhas d. Carmo do Rio Claro (Min. Gerais) ..... col. p. I. C. M. Carvalho. — Bol. Mus. Nac. Rio (N. S.) 80 (Zool.) p. 1-34 T. 1-6 F. 1-53.
" Algumas Aranhas nov. de Pedra Açu e Parana. — Pap. Avuls. S. Paulo 8 (11) p. 127-135 f. 1-8.
Millidge, A. F. & Locket, G. H., On new and rare British spiders. — Proc. Linn. Soc. London 158 (2) p. 110-118 f. 1-6.
Millot, J., Une araign. malgache énigmatique, Gallieniella mygaloides n. g. n. sp. — Bull. Mus. Hist. Nat. Paris (2) 19 (2) p. 158-160 f. 1, T. A-G.
" Le palpe ♂ de Thomosops sulcatus Simon. — Bull. Mus. Hist. Nat. Paris (2) 19 (4) p. 314-317 f. 1-4.
Muma, H. K., North Americ. Agelenidae of the gen. Wadotes Chamb. — Amer. Mus Novit 1334 p. 1-12 TF. 1-44.
Nielsen, E., The biology of spiders. — Copenhagen — 1 p. 1-248 T. 1-32 F. 1-87 und 2 p. 1-723 f. 1-459, T. 1-5.
Petrunkevitch, A., Spiders — in: Encyclop. Britan. 4 pp. f. 1-2.
Schenkel, E., Einige Mitteilg. über Spinnentiere. — Rev. Suisse Zool. 54 (1) p. 1-16 f. 1-4.
Schouteden, H., Les Araign. Nephila du Congo Belge. — Rev. Zool. Bot. Afr. 40 (2-3) p. 185-192.
Silhavy, V., Ad cognition. variabilit. epigyn. spec. Philodromus aureolus (Cl.). — Act. Soc. Ent. Cech. 44 (1) p. 50-52 f. 1-22.
Tullgren, A., Bidrag till Kännedomen om den Svensk. Spindelfauna, II. — Ent. Tidskr. 68 (1—4) p. 129-154 f. 1-67.
Wallace, H. K., A new wolf spider from Florida, with notes on other species. — Florida Entomolog. 30 (3) p. 33-42 f. 1-2.
Wiehle, H., Größen-Unterschiede der Geschlechter bei Spinnen. — Natur u. Volk, Frankfurt a. M. 77 (7-9) p. 106-109 f. 1-4.

1948.

Archer, A. F., Spiders of Bridge Habitats in Alabama, Mississippi and Florida. — Journ. Alabama Ac. Sci. 20 (1) p. 66.
" A modified classification of spiders based in part on the evolution of male palpus. — Journ. Alabama Ac. Sci. 20 p. 3-9.
Bristowe, W. S., Spiders from the Arctic Islands of Jan Mayen. — Proc. Zool. Soc. London 118 (1) p. 223-225.
" Note on the structure and system. position of Oonopid spiders, based on examination of brit. species. — Proc. Zool. Soc. London 118 (3) p. 873-891 f. 1-26.
Bryant, E. B., Some spiders from Acapulco, Mexico. — Psyche 55 (2) p. 55-77 T. 9-10 F. 1-17.
" The spiders of Hispaniola. — Bull. Mus. Comp. Zool. Harvard 100 (4) p. 331-459 T. 1-12 F. 1-123.
Caporiacco, L. di, Arachnida of Brit. Guiana coll ..... Prof. Beccari a. Romini. — Proc. Zool. Soc. London 118 (3) p. 607-747 TF. 1-169.
" Troglohyphantes zorzii n. sp. cavernic. veronese e not. altri ragni cavernic. verones. — Mem. Mus. Civ. Verona 1 p. 237-239 f. 1-5.
„ L'aracnofauna di Rodi. — Redia 33 p. 27-75 f. 1-11.
Chamberlin, R. V., On some Americ. spiders of the fam. Erigonidae. — Ann. Ent. Soc. Amer. 41 (4) p. 483-562 T. 1-15 F. 1-162.
" The genera of North Americ. Dictynidae. — Bull. Univ. Utah 38 (15) Biol. 10 (6) p. 1-31 T. 1-6 F. 1-69.

Chickering, A., M., Four new spec. of Dipoena from Panama. — Trans. Amer. Microsc. Soc. 67 (4) p. 331-340 f. 1-12.

Coleman, E., An interesting spider. — Victoria Natural. Melbourne 64 (10) p. 206.

Crane, J., Comparat. biology of Salticid spiders at Rancho Grande, Venezuela. I., II. — Zoologica (N. York) 33 (1) p. 1-38 f. 1-15, T. 1. and 33 (9) p. 139-145.

Denis, J., Notes sur les Erigonides VII. — Bull. Soc. Ent. France 53 (2) p. 17-32.

" Notes sur les Erigonides XIV. — Bull. Soc. Zool. France 72 (4-5) p. 143-145 f. 1-6.

" Araignées de France II. — Rev. Franç. Ent., Paris 15 (4) p. 236-249 f. 1-13.

" A new fact about Erigone vagans Aud. — Proc. Zool. Soc. London 118 (3) p. 588-590 f. 1-5.

" L'étude des araignées. — Bull. Soc. Ent. Nord-France, Suppl. 39 p. 1-24.

" Araign. du Hoggar réc. p. M. de Peyerimhoff. — Bull. Soc. Hist. Nat. Algérie. — 39 p. 148-149 f. 1.

Dresco, E., Note sur Dolomedes fimbriatus Cl. en fôret de Fontaineblau. — Entomologiste, Paris 4 (3-4) p. 148-153.

Exline, H., Morphology, habits and systemat. position of Allepeira lemniscata (Walck.). — Ann. Ent. Soc. Amer. 41 (3) p. 309-325 T. 1-3 F. 1-14.

Forster, R. R., A key to the common spiders of the Wellington District. — Tuatara, Wellington N. Zealand 1 (2) p. 22-30 f. 1-10.

Gerschman, de Pikelin, B. S. & Schiapelli, R. D. E., Aranas Argentinas II. — Comun. Mus. Argent. Ci. Nat., B. Aires, Zool. 4 p. 1-20 f. 1-29, T. 1.

Jones, S. E., The species of Dictyna in the Exline Collection. — Field & Labor. Dallas 16 (1) p. 29-44 f. 1-36.

Kaston, B. J., Spiders of Connecticut. (Hartford, Conn.). — in: State Connecticut Surv. Bull. 70 p. 1-874 T. 1-144 F. 1-2144.

Kolosvary, G. v., Über d. östl. Verbreitungsgrenze zweier Spinnenarten im Karpatenbecken. — Fragm. Faun. Hung. 11 (2) p. 64.

" Die Verbreitg. v. Trochosa (Hogna) singoriensis Laxm. im Karpatenbecken. — Fragm. Faun. Hung. 11 (3-4) p. 83-84 (Karte).

Kratochvil, J., Etude s. l. araign. cavernic. d. gen. Stygohyphantes. — Vestnik Ceskosl. Zool. Spoln. 12 p. 3-24 f. 1-9.

Machado, A. de B., Latrodectus mactans, sua ocorrencia no Brasil. — Bol. Inst. Vital Brazil 5 (4) p. 153-160. T. 1-2.

Mello-Leitao, C. de, Contrib. Conhacimento d. faun. araneolog. da Guianas. — An. Ac. Bras. Ci. 20 (2) p. 151-196 f. 1-34.

Miller, F. & Kratochvil, J., Notes s. trois esp. d. gen. Lepthyphantes Menge. — Ent. Listy, Brno 11 (3-4) p. 137-140 f. 1-2.

Millot, J., Faits nouv. concern. les Archaea. — Mém. Inst. Sci. Madagascar 1 A (1) p. 3-14 f. 1-3.

" Revue génér. des Arachnides de Madagascar. — Mém. Inst. Sci. Madagascar 1 A (2) p. 137-155 T. 1-2, f. 1-3.

Musgrave, A., A catalogue of the spiders of Tasmania. — Rec. Queen Victoria Mus., Launceton 2 (2) p. 75-91.

Parrott, A. W., The Katipo spider of New-Zealand. — Rec. Canterbury Mus. 5 (3) p. 161-165 T. 32-33.

Soares, B. A. & Camargo, H. F. d., Alguns nov. Salticidas do Brasil. — Rev. Bras. Biol. (Rio) 8 (4) p. 421-443 f. 1-40.

" Aranhas collig. p. Fundaçao Brasil-Centr. — Bol. Mus. Paraense E. Göldi 10 p. 355-409 T. 1-4 F. 1-88.

Tullgren, A., Zwei bemerkenswerte Vertreter d. Fam. Dictynidae. — Ent. Tidskr. 69 (3) p. 155-161 f. 1-2.
Vogelsanger, T., Beitrag z. Kenntn. d. Spinnenfauna d. Kanton Graubünden. — Mitt. Naturf. Ges. Schaffhausen 22 p. 33-72 f. 1-10.

1949.

Berland, L., Les Araignées du gen. Nemoscolus. — Nature (Paris) Nr. 3167 p. 90 f.
Bianchi, C. & Caporiacco, L. di, Raccolte faun. d. Grotta della Spipola (Bologna). — Comment. Pontif. Ac. Sci. 13 (7) p. 493-527 f. 1-3.
Biraben, M., Sobre ecologia d. l. arana social Eriophora bistriata ..... C. R. XIII. Congr. Intern. Zool. Paris 21 p. 458.
Bishop, S. C., Spiders of the Nueltin Lake Exped. — Canad. Ent. 81 (4) p. 101-104 f. 1-12.
Bonnet, P., Un point compliqué de nomencl. dans le nom specif. d'une araign, cicurea, cicur? — Bull. Soc. Hist. Nat. Toulouse 84 p. 65-72 T. 1.
Bryant, E. B., The Male of Prodidomus rufus Hentz. — Psyche 56 (1) p. 22-25 f. 1.
„ A new gen. and spec. of Theridiidae from Eastern Texas. — Psyche 56 (2) p. 66-69 f. 1.
„ Acanthepeira venusta (Banks). — Psyche 56 (4) p. 175-179 f. 1-5.
Bücherl, W., Em torno das tres esp. insular. e praianas d. gen. Pamphobeteus. — Mem. Inst. Butantan 21 p. 117-135 T. 1-6.
„ Estudo s. o. gen. Magulla Simon 1892. — Mem. Inst. Butantan 21 p. 261-273 T. 1-2, f. 1-3.
Caporiacco, L. di, Aracnidi d. Colon. d. Kenya racc. d. Toschi e Meneghetti 1944-46. — Comment. Pontif. Ac. Sci. 13 (6) p. 309-492 f. 1-98.
„ Un manipolo di Araneidi della Cirenaica. — Ann. Mus. Civ. Trieste (3) 17 (6) p. 3-9 f. 1-5.
„ Aracnidi della Venezia Guilia. — Ann. Mus. Civ. Trieste (3) 17 (11) p. 29-43.
„ Alcuni Aracnidi Albanesi. — Ann. Mus. Civ. Trieste (3) 17 (8) p. 13-16.
„ Tre Aracnidi nuovi delle Madonie. — Ann. Mus. Civ. Trieste (3) 17 (9) p. 17-22 f. 1-2.
„ Una piccola racc. aracnolog. d. monti d. Calabria. — Ann. Mus. Civ. Trieste (3) 17 (10) p. 23-27 f. 1.
„ L'Aracnofauna della Romagna ..... — Redia 34 p. 237-288 f. 1-4.
Chickering, A. M., The Gnaphosidae of Panama. — Trans. Amer. Microsc. Soc. 68 (4) p. 315-331 f. 1-19.
Crane, J., Comparat. Biology of Salticid spiders at Rancho Grande, Venezuela III. — Zoologica (N. York) 34 (2) p. 31-52 f. 1-8.
„ Comparat. Biology of Salticid spiders at Rancho Grande, Venezuela IV. — Zoologica (N. York) 34 (4) p. 159-214 f. 1-8, T. 1 F. 1.
Denis, J., Notes sur les Erigonides XVI. — Bull. Soc. Hist. Nat. Toulouse 83 (3-4) p. 129-158 f. 1-5, T. 1-2.
„ Sur quelqu. araign. de Provence. — Bull. Soc. Zool. France 74 (1) p. 16-18 f. 1-4.
„ Remarques biogeogr. s. l. araign. des oasis de Libye. — C. R. XIII. Congr. Intern. Zool. Paris 21 p. 556-559.
„ Notes sur les Erigonides XVII. — Bull. Soc. Hist. Nat. Toulouse 84 p. 245-257 f. 1-13.
Dresco, E., Recherches souterr. dans des Pyrénées centrales. — Bull. Soc. Hist. Nat. Toulouse 84 p. 182-196.
„ Note s. l. araign. d. quelqu. grottes d. l'Italie méridion. et descr. d'une esp. nouv. — Bull. Soc. Natural. (Neapel) 58 (11) p. 1-6 f. 1-4.

Forster, R. R., New Zealand spiders of the fam. Archaeidae. — Rec. Canterbury Mus. 5 (4) p. 193-203 f. 1-17, T. 40-42.
Gertsch, W. J., American Spiders. N. York, Toronto, London — p. 1-285 T. 1-32.
Hickman, V. V., Tasmanian littoral spiders with notes ..... — Pap. Proc. R. Soc. Tasman. 1948 p. 31-43 f. 1-15.
Kolosvary, G. v., The biogeogr. of the spiders of Transylvanien. — C. R. XIII. Congr. Intern. Zool. Paris 21 p. 461.
Kurata, T. B., Spiders from the district of Mackenzie. — Canad. Ent. 81 (5) p. 127-131.
Machado, A. de B., Araign. nouv. p. l. faune portugaise. — Publ. Inst. Zool. Porto 38 p. 1-60 f. 1-24.
Mann, F. G., Nueva arana venenosa para Chile. — Bol. Inform. Parasit. Chilen. 4 (4) p. 53.
Mello-Leitao, C. de, Aranhas da Foz do Koluene. — Bol. Mus. Nac. Zool. (Rio) (N. S.) 92 p. 1-19 TF. 1-21.
Miller, F., The new spiders from the serpentine rocky heath near Mohalno (Moravia). — Ent. Listy, Brno 12 (1-4) p. 88-98 f. 1-30.
Palmgren, P., Für d. Fauna neue oder seltene Spinnen. — Memorando Soc. Faun. Flora Fenn. 24 p. 24-25.
Prosen, A. F., Nops fashati n. sp. (Caponiidae). — An. Inst. Med. Requ. Tucuman 2 (3) p. 321-323 f. A-C.
Schenkel, E., Mitteilg. über Spinnentiere. — Verh. Naturf. Ges. Basel 60 p. 186-204 f. 1-6.
Tullgren, A., Bidrag till känned. o. d. Svenska Spindelfauna III. Theridiidae. — Ent. Tidskr. 70 (1-2) p. 33-64 f. 1-18.
Wiehle, H., Krabbenspinnen. — Natur u. Volk (Frankfurt a. M.) 79 (11-12) p. 313-318 f. 1-4.

1950.

Archer, A. F., A study of Theridiid a. Mimetid spiders with descr. of new gen. a. spec. — Geol. Surv. Alabama, Mus. Pap. 30 p. 1-40 T. 1-4.
Bishop, S. C., A new cave spider from North Carolina. — Proc. Biol. Soc. Wash. 63 p. 9-12 f. 1-8.
Bonnet, P., Arachnid names publ. in Clerck 1757. — Bull. Zool. Nomencl. 4 (10-12) p. 274-277.
Bryant, E. B., The Salticid spiders of Jamaica. — Bull. Mus. Comp. Zool. Harvard 103 (3) p. 163-209 T. 1-3 F. 1-34.
Bücherl, W., Descr. do Macho de Magulla symmetrica Bücherl. — Mem. Inst. Butantan 22 p. 1-10 TF. 1-3.
" Revisio d'esp. d. gen. Enoploctenus Simon 1897. — Mem. Inst. Butantan 23 p. 1-44 f. 1-22, Photo 1-5, T. 1-3.
Camargo, H. F. de A., Descr. de dos alotipos e algun. anotac. morfolog. sobre aranhas Brasil. — Arqu. Zool. S. Paulo 7 p. 445-464 T. 1-5.
" Contrib. ao stud. das aranhas Brasil. — Tres esp. nov. ..... — Pap. Avuls. S. Paulo 9 (15) p. 233-248 T. 1-4.
Caporiacco, L. di, Aracnidi dell' Isola d'Elba e della Capracia. — Monit. Zool. Ital. 58 (1-6) p. 8-15 f. 1.
" Una raccolta di Aracnidi Umbri. — Ann. Mus. Civ. Genova 64 p. 62-84 f. 1-2.
" Aracnidi cavernic. Liguri. — Ann. Mus. Civ. Genova 64 p. 101 bis 110 f. 1-2.
" Alcuni Aracnidi di Grotte del Lazio. — Ann. Mus. Civ. Genova 64 p. 285-287 f. 1.
" Seconda nota su Aracnidi cavernic. pugliesi. — Mem. Mus. Stor. Nat. Verona 2 p. 1-6 f. 1-6.
Casemir, H., Über einige seltene Vertreter d. deutsch. Spinnenfauna. — Deutsch. Zool. Zeitschr. 1 p. 61-72.

Chickering, A. M., Three new Dictynids (Araneae) from Panama. — Pap. Michig. Ac. Sci. 34 p. 85-96 f. 1-12.
" The spider gen. Tmarus (Thomisidae) in Panama. — Bull. Mus. Comp. Zool. Harvard 103 (4) p. 213-255 T. 1-4 F. 1-31.
Crane, J., Comparat. Biology of Salticid spiders at Rancho Grande, Venezuela II. — Zoologica (N. York) 35 (4) p. 253-261.
Denis, J., Araignées d'Alsace. — Bull. Soc. Ent. France 55 (9) p. 137 bis 141 f. 1-7.
" Araignées de la région d'Orédon (Haut. Pyrén.). — Bull. Soc. Hist. Nat. Toulouse 85 (1-2) p. 77-113 f. 1-46.
" Spiders from East a. Centr. Afric. mountains coll. by Dr. Salt. — Proc. Zool. Soc. London 120 (3) p. 497-502 T. 1.
" Araignées de France III. — Araignées de Camargue. — Rev. Franç. Ent. 17 (1) p. 62-78 f. 1-19.
" Zodariides rec. au Maroc et en Mauritanie p. M. L. Berland. — Bull. Soc. Hist. Nat. Afr. Nord 41 p. 58-63 f. 1-12.
Dresco, E., Note sur Sitticus longipes (Canestrini). — Bull. Soc. Ent. France 55 (3) p. 40-42 f. 1.
Exline, H., Conopisthine spiders from Peru a. Ecuador. — Stud. Honor. Trevor Kincaid, Univ. Wash. p. 108-124 T. 1-2 F. 1-15.
" Spiders of the Rhoicininae (Pisauridae) from Western Peru a. Ecuador. — Amer. Mus. Novit. 1470 p. 1-13 TF. 1-14.
Hackman, W., The male of Argenna prominula Tullgr. — Ent. Tidskr. 71 (3-4) p. 165-167 f. 1a-g.
Hassan, A. I., The Theraphosidae in Egypt with descr. of Chaetopelma shabati n. spec. — Bull. Soc. Fuad I., Entom. 34 p. 159-171 f. 1-10
Hickman, V. V., Araneae from Reevesby Island, S. Australia. — Proc. R. Soc. Victoria 60 (N. S.) p. 1-16 TF. 1-17.
Hull, J. E., Concerning Brit. Spiders, mostly taken in 1949. — Ann. Mag. Nat. Hist. (12) 3 p. 420-427 T. 3 F. 1-15.
" Two Arachnida new to Suffolk. — Trans. Suffolk Nat. Soc. 7 p. 80.
Kauri, H., On some South Africa spiders and harvest-spiders. — Fysiogr. Sällsk. i Lund Förh. 20 (6) p. 1-16 f. 1-11.
Mello-Leitao, C. de, & Feio, J. de A., Notas sobre pequen. col. de Aracnidos do Peru. — Bol. Mus. Paraense E. Göldi 10 p. 313-324.
Palmgren, P., Die Spinnenfauna Finnlands u. Ostfennoskandiens III. — Acta Zool. Fenn. 62 p. 1-43 f. 1-21.
Schenkel, E., Neue Arachnoidea aus Südtirol. — Rev. Suisse Zool. 57 (35) p. 757-767 f. 1-6.
" Spinnentiere a. d. westl. Nordamerika. — Verh. Naturf. Ges. Basel 61 p. 28-92 f. 1-34.
Wallace, H. K., On Tullgren's Florida Spiders. — Florida Entomolog. 33 (2) p. 71-83 T. 1-2 F. 1-13.

1951.

Archer, A. F., Remarks on certain European genera of Argiopid spiders. — Nat. Hist. Miscell. (Chicago) 84 p. 1-4 f. 1-5.
" Studies in the orbweaving spiders (Argiopidae). I. — Amer. Mus. Novit. 1487 p. 1-52 TF. 1-82.
" Studies in the orbweaving spiders (Argiopidae) II. — Amer. Mus. Novit. 1502 p. 1-34 TF. 1-78.
Biraben, M., Dos esp. nuev. d. gen. Bruchnops Mell. Leit. — Rev. Soc. Ent. Argent. 15 p. 59-64 f. 1-6.
" Fernandezina, nuevo Genero de Palpimanidae. — Act. Zool. Lilloana 12 p. 545-549 f. 1-2.
Bonnet, P., Heteropoda venatoria ou regia? — Bull. Soc. Hist. Nat. Toulouse 86 p. 113-115.

Bonnet, P., La question Lycosa-Tarentula-Pardosa. — Bull. Soc. Hist. Nat. Toulouse 86 (3-4) p. 295-307.
Bryant, E. B., Redescr. of Cheiracanthium mildei L. Koch. — Psyche 58 p. 120-123 f. 1-3.
Bücherl, W., Estud. s. a. biolog. ea systemat. d. gen. Grammostola Simon. Monogr. Inst. Butantan 1 p. 1-203 f. 1-32, TF. 1-11, T. 1-5.
Burton, M., British Spiders. — Illustr. London News 219, 5861 p. 258 T. 1-6.
Chickering, A. M., Two new spec. of Dictynidae from Panama. — Psyche 58 (4) p. 149-157 f. 1-5.
" The Oonopidae of Panama. — Bull. Mus. Comp. Zool. Harvard 106 (5) p. 207-245 f. 1-31.
Chrysanthus, P., Clubiona germanica Thorell 1870. — Ent. Ber. Amsterdam 13 p. 272.
Crome, W., Die Wasserspinne. — Die neue Brehm-Bücherei (Leipzig) p. 1-47 f. 1-21.
" Die grobe Morpholog. d. männl. Genitalapparates einiger Araneen. — Deutsche Zool. Zeitschr. 1 (3) p. 169-186 f. 1-7.
Denis, J., Sur quelqu. araign. de la Preste (Pyrén. orient.). — Arch. Zool. Expér. Génér. (Notes et Revue) 88 p. 103-105 f. 1-2.
" Sur le mâle d'Ariadna insidiatrix Aud. — Bull. Soc. Hist. Nat. Toulouse 86 p. 153-155 f. 1-7.
" Captures d'Araign. halophil. et hygrophil. — Bull. Soc. Ent. France 1951, p. 147-152 m. 1-16.
" Essai biogéogr. s. l. Araign. du gen. Zodarium Walck. — Bull. Soc. Hist. Nat. Toulouse 86 p. 156-158.
" Araign. d. l. Région d'Orédon (Note compl.). — Bull. Soc. Hist. Nat. Toulouse 86 (3-4) p. 308-312 f. 1-4.
" Quelqu. Araign. de Basse-Egypte rec. p. M. B. Condé. — Bull. Soc. Ent. France 76 (5-6) p. 313-315 f. 1.
Dresco, E., Araign. capt. à Saint Florentin (Yonne). — L'Entomologiste 6 p. 162-164.
" Sur quelqu. Lepthyphantes cavernic. et descr. d'une nouv. esp. — Bull. Mus. Hist. Nat. Paris (2) 23 (4) p. 363-367 f. 1-11.
Dunn, R. A., Spiders of the Russell Grimwade Exped. — Mem. Nat. Mus. Melbourne 17 p. 9-18 f. 1-9.
Exline, H., Tegenaria agrestis (Walck.), a European spider introduced into Wash. State. — Ann. Ent. Soc. Amer. 44 (3) p. 308-310.
Fage, L. & Machado, A. de B., Quelqu. particularités remarquables de l'anatomie des Ochyroceratidae. — Arch. Zool. Expér. Génér. (Notes et Revue) 87 p. 9. 95-103 f. 1-7.
Forster, R. R., New-Zealand spiders of the fam. Symphytognathidae. — Rec. Canterbury Mus. 5 (5) p. 321-344 T. 51-54 F. 1-23.
Gertsch, W. J., New American Linyphiid Spiders. — Amer. Mus. Novit. 1514 p. 1-11 TF. 1-16.
Hackman, W., Bidrag t. känned. om spindelfauna i. prov. Tavastia boreal. — Mem. Soc. Faun. Flor. Fenn. 26 p. 82—93.
" Contrib. to the knowledge of Finnish spiders. — Mem. Soc. Faun. Flor. Fenn. 27 p. 69-79 f. 1-23.
Harington, J. S., A new Leptonetid spider, Cangoderces lewise n. g. n. sp. — Ann. Nat. Mus. 12 p. 81-90 f. 1-7.
Hickman, V. V., New Phoroncidiinae a. the affinities of New-Zealand spider Atkinsonia nana Cambr. — Pap. Proc. R. Soc. Tasmania 1950-51 p. 1-24 f. 1-34.
" The identity of spiders belong. to the gen. Amaurobioides Cambr. — Pap. Proc. R. Soc. Tasmania 1950-51 p. 1-2.
Holm, A., The mountain fauna of the Virihaune Area in Swed. Lappland. — Acta Univ. Lund (N. S.) 48 p. 138-149 f. 7-8.

Hull, J. E., British spiders, new and rare. — Ann. Mag. Nat. Hist. (12) 4 p. 93-96 T. 1-2.
Lawrence, R. F., The cave-living spiders of the South Africa gen. Phanotea Simon. — Rev. Zool. Bot. Afr. 45 (1-2) p. 49-54 f. a-f.
Levi, H. W. & L. R., Report of a collect. of spiders a. harvestmen from Wyoming a. neighb. states. — Zoologica (N. York) 36 (4) p. 219-237 f. 1-50.
Levi, H. W., New a. rare spiders from Wisconsin a. adjoin. states. — Amer. Mus. Novit. 1501 p. 1-11 TF. 1-47.
Locket, G. N. & Millidge, A. F., British Spiders I. — Ray Soc. London, p. 1-294 f. 1-142.
Machado, A. de B., Ochyroceratidae de l'Angola. — Publ. Cult. Comp. Diamant. Angola, Nr. 8 p. 1-88 f. 1-156.
Marples, B. J., Mygalomorph spider in Samoa. — Nature (London) 168 p. 300-301.
" Pacific Symphytognathid Spiders. — Pacif. Sci. Honolulu 5 p. 47-51, f. 1-2.
Millidge, A. F., Key to the Brit. genera of subfam. Erigoninae. — Ann. Mag. Nat. Hist. (12) 4 p. 545-562 f. 1-2.
Prosen, A. F., El alotipo de Xenoctenus marmoratus Mell.-Leitao. — Mision Est. Patolog. Rey Argent. 22 (80) p. 57-59 f. 1-3.
Roewer, C. F., Neue Namen einiger Araneen-Arten. — Abh. Nat. Ver. Bremen 32 (2) p. 437-456.
Schenkel, E., Spinnentiere a. d. westl. Nordamerika II. — Verh. Naturf. Ges. Basel 62 p. 24-62 f. 1-17.
Sherriffs, W. R., Some oriental spiders of the gen. Oxyopes. — Proc. Zool. Soc. London 120 p. 651-677 f. 1-54.
Sinha, T. B., On the collect. of Lycosid spiders in the Zool. Survey of India. — Rec. Indian Mus. 48 (2) p. 9-52 f. 1-3.

1952.

Balazuc, J. & Dresco, E., Araign. et Opilion. des grottes d'Ardèche. — Notes Biospeologiques (Paris) 7 p. 83-94 (Karte).
Chickering, A. M., A revision of families of the spiders in Michigan. — Pap. Michig. Ac. Sci. 36 p. 119-139 f. 1-4.
Denis, J., Notes d'Aranéologie marocaine. I. Les Zelotes du Maroc. — Rev. Franç. Ent. 19 (2) p. 113-126 f. 1-26.
" Araign. du Massif du Carlit (Pyrén. Orient.). — Bull. Soc. Hist. Nat. Toulouse 87 (1-2) p. 51-73 f. 1-9.
" Araign. rec. en Roumanie p. R. Leruth, avec un Append. s. quelqu. Araign. cavernic. de Belge. — Bull. Inst. Sci. Nat. Belg. 28 (12) p. 1-50 f. 1-47.
" Quelqu. Araign. de l'ile de Cabrera et Remarqu. s. l. Faune des Baléares. — Bull. Inst. Sci. Nat. Belg. 28 (25) p. 1-4.
" Note d'Arachnologie marocaine II. — Un Oonopide nouv. du Maroc. — C. R. Soc. Sci. Nat. Maroc 1952 (6) p. 105-106 f. 1-2.
" Quelqu. Araign. d'Ibiza (Baléares). — Vie et Milieu 3 (3) p. 301-303 f. 1-4.
Dresco, E., Remarqu. s. l. Centromerus du groupe paradoxus et descr. de deux esp. nouv. — Notes Biospeologiques (Paris) 7 p. 95-100 f. 1-7.
Homann, H., Die Nebenaugen der Araneen. — Zool. Jahrb. Anat. 72 (3-4) p. 345-364 f. 1-15.
Lawrence, R. F., New spiders from the Eastern Half of South Africa. — Ann. Natal. Mus. 12 (2) p. 183-226 f. 1-78.
" A collect. of cavernicol. a. termitophil. Arachnida from the Belg. Congo. — Rev. Zool. Bot. Afr. 46 (1-2) p. 1-47 f. 1-9.
Roth, V. D., The genus Cybaeus in Oregon. — Ann. Ent. Soc. Amer. 45 (2) p. 205-219 T. 1-2 F. 1-33.

Roth, V. D., A revision of the gen. Tegenaria in North America. — Journ. Wash. Ac. Sci. 42 (9) p. 280-288 f. 1-5.
" Notes and a new spec. in Cybaeina. — Pan Pacif. Entomologist 28 (4) p. 195-201 f. 1-6.
Wiehle, H., Eine übersehene deutsche Theridion-Art. — Zool. Anz. 149 (9-10) p. 226-235 f. 1-11.

1953.

Barnes, R. D., The ecolog. distrib. of spiders in Non-Forest Maritime Communities of Beaufort (N. Carolina). — Ecolog. Monograph. 23 p. 315-337.
" Report on a collect. of spiders from the coast of North-Carolina. — Amer. Mus. Novit. 1632 p. 1-21 f. 1-19.
Biraben, M., Selenopidos Argentinos. — Mis. Estud. Patolog. Reg. Argentin. 24 (83-84) p. 103-113 f. 1-11.
Camargo, H. A., Sobre algumas aranhas que ocorrem no Brasil, ... — Pap. Avuls. S. Paulo 11 (19) p. 301-340 f. 1-54.
Chickering, A. M., Two new Species of Senoculus from Panama. — Trans. Amer. Microsc. Soc. 72 (3) p. 281-287 f. 1-3.
" A new Species of Hypognatha from Panama. — Breviora Mus. Comp. Zool. 23 p. 1-8 f. 1-15.
Chrysanthus, F., Is Meta mengei Blackw. a variety of Meta segmentata (Cl.)? — Zool. Mededel. 32 (15) p. 155-163 f. 1-3.
Denis, J., Araign. d. Environs du Marcadau et du Vignemale (Haut-Pyrén.). — Bull. Soc. Hist. Nat. Toulouse 88 (1-2) p. 83-112 f. 1-29.
" Quelqu. Captures d'Araign. Pyrénéennes. — Bull. Soc. Hist. Nat. Toulouse 88 (3-4) p. 259-266 f. 1-8.
" Araign. rec. à Ténérife (Iles Canares). — Bull. Inst. Sci. Nat. Belg. 29 (39) p. 1-8 f. 1-5.
Gertsch, W. J., The Spider Genera Xysticus, Coriarachne and Oxyptila (Thomisidae, Misumeninae) in North America. — Bull. Mus. Nat. Hist. 102 (4) p. 415-482 TF. 1-93.
Kaestner, A., Die Mundwerkzeuge der Spinnen, ihr Bau, ihre Funktion und ihre Bedeutung für d. Systematik. — Mitt. Zool. Mus. Berlin 29 (1) p. 1-54 f. 1-74.
Knülle, W., Zur Oekologie der Spinnen an Ufern und Küsten. — Zeitschr. Morph. Oekolog. d. Tiere 42 p. 117-158.
Levi, H. W., New a. rare Dipoena from Mexico a. Centr. America. — Amer. Mus. Novit. 1639 p. 1-11 f. 1-30.
" Spiders of the gen. Dipoena from America North Mexico. — Amer. Mus. Novit. 1647 p. 1-39 f. 1-121.
Locket, G. N. & Millidge, A. F., British Spiders II. — Ray Soc., London 137 p. 1-449 f. 1-254.
Muma, M. H., A study of the spider fam. Selenopidae in N. Centr. America and the West Indies. — Amer. Mus. Novit. 1619 p. 1-55 TF. 1-77.
Peters, H. M., Weitere Untersuchg. üb. d. strukturell. Aufbau d. Radnetzes der Spinnen. — Zeitschr. f. Naturforschg. 8b (7) p. 355-370 f. 1-25.
" Beiträge z. vergl. Ethologie u. Oekologie trop. Webespinnen. — Zeitschr. Morph. Oekolog. d. Tiere 42 p. 278-306 f. 1-24.
Roewer, C. F., Cavernicole Arachniden aus Sardinien. — Notes Biospeologiques (Paris) 8 p. 39-49 f. 1-6.
" Araneae Orthognatha. — Explor. Nation. Parc Upemba 22 p. 1-88 f. 1-31.
Steinbach, G., Vergleich. Untersuchg. zur Chelicerenmuskulatur einiger Araneen. — Wiss. Zeitschr. Humboldt-Univ. (Berlin) 2 (1-2) p. 25-33 f. 1-15.

Wiehle, H., IX. Orthognatha, Cribellatae, Haplogynae, Entelegynae. — Dahl, Tierwelt Deutschlands 42 p. 1-150 f. 1-305.

1954.

Biraben, M., Nuevo Genero d. l. rara Fam. Prodidomidae. — Neotropica, Not. Zool. Sudamerc. 1 (1) p. 13-16 f. 1-7.

Chickering, A. M., The Spider Genus Mangora in Panama. — Bull. Mus. Comp. Zool. Harvard 111 (5) p. 195-215 f. 1-28.

Dresco, E., Descr. d'une Araign. cavernic. nouv. du gen. Paraleptoneta. — Notes Biospéologiques 9 (Paris) p. 15-18 f. 1-6.

Hackman, W., The Spiders of Newfoundland. — Acta Zool. Fennica 79 p. 1-99 f. l. 121.

Levi, H. W. & Field, H. M., The Spiders of Wisconsin. — Amer. Midland Naturalist 51 (2) p. 440-467 f. 1-113.

Levi, H. W., Spiders of the new Genus Theridiotis. — Trans. Amer. Micr. Soc. 73 (2) p. 177-189 T. 1-3 F. 1-37.

Spiders of the Genus Euryopis from North and Central America. — Amer. Mus. Novit. 1666 p. 1-48 f. 1-138.

Roewer, C. F., Araneae Lycosaeformia I. — Explor. Nation. Parc Upemba 30 (im Druck).

5. Superfam. LYCOSAEFORMIA

32. Fam. AGELENIDAE

§ 19 Genera: Mello-Leitao 1940, Rev. Mus. La Plata (N.S.) 2 Zool. p. 21—23.

1. Subfam. Agelenidae

§ 6 Genera: Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 8.

Gen. **Agelena** Walckenaer 1805.

Palaearktische Arten:

§ 3 ♂, 4 ♀: Simon 1875, Arachn. de France 2 p. 110.
§ 3 ♂, 3 ♀: M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 13—15.
§ 3 ♂, 3 ♀: Simon 1937, Arachn. de France 6 (5) p. 1010—1012.

♀ **affinis** Kulczynski 1911. Syrien

A. a. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 45 T. 2 F. 53 (D ♀).

♂♀ **agelenoides** (Walckenaer) 1841. westl. Mediterranea

Dolomedes a. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 454 (D).
Dolomedes a. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 131 T. 4 F. 9.
A. angustifrons Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 288 (20) T. 1 F. 23 (D ♂♀).
A. a. Simon 1875, Arachn. de France 2 p. 115 T. 6 F. 8, 9 (D ♂♀).
A. a. Simon 1883, Ann. Soc. Ent. France (6) 3 p. 290 T. 8 F. 15 (D ♀).
A. a. Simon 1937, Arachn. de France 6 (5) p. 1012, 1042 f. 1564, 1565 (D ♂♀).

♀ **atlantea** Fage 1938. Gross. Atlas

A. a. Fage 1938, Bull. Soc. Sci. Nat. Maroc 18 (2) p. 121 f. 1—3 (D ♀).

♀ **bistriata** Grube 1861. Amurgebiet

A. b. Grube 1861, Bull. Ac. Sci. Petersburg 4 p, 169 (D ♀).

♀ **canariensis** Lucas 1838. Canaren, Marokko, Algier

A. c. Lucas 1838, Arachn. in: Barker, Webb, Berthelot, Hist. Nat. Canar. (Ent.) p. 37 T. 6 F. 10 (D ♀).
Nyssa c. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 212 (C).
A. c. Simon 1883, Ann. Soc. Ent. France 6 (3) p. 290 T. 8 F. 14 (N ♀).
A. c. Denis 1941, Ann. Soc. Ent. France 110 p. 122 f. 9 (N ♀).

♂ **difficilis** Fox 1936. China

A. d. Fox 1936, Journ. Wash. Ac. Sci. 26 (2) p. 121 f. 5 (D ♂).

♂♀ **gracilens** C. L. Koch 1841. Mittel- und Süd-Europa

A. g. C. L. Koch 1841, Die Arachniden 8 p. 59 TF. 635 (D ♂♀).
A. similis Keyserling 1863, Verh. Zool. Bot. Ges. Wien 13 p. 374 T. 10 F. 2, 3 (D ♂♀).
A. gracilis Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 212 (C).
A. similis Menge 1870, Schrift. Nat. Ges. Danzig (N.F.) 2 p. 282 T. 51 F. 164 (D ♂♀).

A. similis Simon 1875, Arachn. de France 2 p. 113 T. 6 F. 11 (D ♂♀).
A. similis Dahl 1883, Schrift. Nat. Ver. Schlesw.-Holst. 5 (2) p. 61 (D ♂♀).
A. similis Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 207 T. 13 F. 13 (D ♂♀).
A. similis Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 174 T. 7 F. 7 (D ♂♀).
A. similis Bösenberg 1902, Zoologica 14 (2—4) p. 226 T. 20 F. 319 (D ♂♀).
A. similis Lessert 1910, Catal. Invert. Suisse, Araign. p. 448 (D ♂♀).
A. similis M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 15 f. 21—23 (D ♂♀).
A. g. Simon 1937, Arachn. de France 6 (5) p. 1012, 1042 F. 1568, 1569 (D ♂♀).
A. similis Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 53 f. 14c, d (N ♂♀).

♂♀ **gracilens taurica** Thorell 1875. Krim

A. taurica Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 75 (D ♂♀).
A. g. t. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 81 (D ♂♀).
A. similis t. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 53, 60 (N).

♀ **ignota** Bösenberg & Strand 1906. Japan

A. i. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 299 T. 16 F. 466 (D ♀).

♂ **injuria** Fox 1936. China

A. i. Fox 1936, Journ. Wash. Ac. Sci. 26 (2) p. 122 f. 2 (D ♂).

♂♀ **japonica** (Karsch) 1879. Japan

Agalena j. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 98 T. 1 F. 17 (D ♂♀).
A. j. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 297 f. 6 (D ♂).
A. j. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 343 T. 15 F. 74 (D ♀).
A. e. Locket & Millidge 1953, Brit. Spiders 2 p. 7 f. 2 C, 4 C, D (D ♂♀).

♂♀ **labyrinthica** (Clerck) 1757. – * Palaearktis

Araneus l. Clerck 1757, Aran. Svec. p. 79 T. 2 F. 8 (D ♂).
Aranea l. Linné 1758, Syst. Nat. (10. Ed.) p. 620 (D).
Aranea riparia Linné 1758, Syst. Nat. (10. Ed.) p. 620 (D).
Aranea roeselii Scopoli 1763, Ent. Carniol. p. 395 (D).
Aranea l. Fabricius 1775, Syst. Ent. p. 435 (D).
Aranea l. Fabricius 1781, Spec. Ins. 1 p. 541 (D).
Aranea l. Olivier 1789, Encycl. Méthod. 4 p. 212 (D ♀).
Aranea liliigera Rossi 1790, Faun. Etrusc. 2 p. 130 (D).
A. l. Sundevall 1831, Vet. Ak. Handl. p. 129 (D ♂♀).
Theridium maxillare Brullé 1832, Expéd. Morée Artic. 3 p. 52 T. 28 F. 9 (D ♀).
A. l. Hahn 1834, Die Arachniden 2 p. 61 TF. 150, 151 (D ♂♀).
A. l. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 20 (D ♂♀).
A. l. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 152 T. 10 F. 97 (D ♂♀).
A. l. Westring 1862, Aran. Svec. p. 309 (D ♂♀).
A. l. Ohlert 1867, Aran. Prov. Preussen p. 85 (D ♂♀).
A. l. Menge 1870, Schrift. Nat. Ges. Danzig (N. F.) 2 p. 279 T. 51 F. 163 (D ♂♀).
A. l. Simon 1875, Arachn. de France 2 p. 111 T. 6 F. 12 (D ♂♀).
A. l. Cambridge 1879, Proc. Dorset F. Cl. 1 p. 67 T. 1 F. 1—8 (D ♂♀).
A. l. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 62 (D ♂♀).
Agalena l. Hansen 1885, in: Schiödte, Zool. Danica p. 125 T. 3 F. 6 (D ♂♀).
A. l. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 205 T. 13 F. 12 (D ♂♀).
A. l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 174 T. 7 F. 6 (D ♂♀).
A. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 258, f. 243, 244, 251 (N ♂♀).
Agalena l. Bösenberg 1902, Zoologica 14 (2—4) p. 225 T. 20 F. 318 (D ♂♀).
A. l. Lessert 1910, Catal. Invert. Suisse, Araign. p. 447 (D ♂♀).
A. l. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 13 f. 18—20 (D ♂♀).
A. l. Reimoser 1931, Die Natur (Wien) 7 (6) p. 128 f. 1 (N ♂♀).
A. l. Saito 1936, Rep. I. Sci. Exped. Manchoukuo (5) 1 (3; 11) p. 53, 80 f. 17, T. 27 (N ♀).

A. l. Simon 1937, Arachn. de France 6 (5) p. 1012, 1041 f. 1566, 1567 (D ♂♀).
A. l. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 52 f. 14a, b (N ♂♀).

♂ **labyrinthica orientalis** (C. L. Koch) 1837. Griechenland, Italien, Bulgarien

A. orientalis C. L. Koch 1837, Übers. Arachn. Syst. 1 p. 14 (D).
A. orientalis C. L. Koch 1841, Die Arachniden 8 p. 58 TF. 634 (D ♂).
A. orientalis Thorell 1871, Rem. Syn. Europ. Spid. p. 160 (N).
A. l. o. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 52 (N).

♂♀ **lepida** Cambridge 1876. Tripolis

A. l. Cambridge 1876, Proc. Zool. Soc. London p. 558 (D ♂♀).
Agalena pupia Karsch 1881, Arch. Naturg. 47 (1) p. 6, 10 T. 1 F. 6 (D ♂♀).

♂♀ **lepida deserta** Caporiacco 1933. Kufra, Libysche Wüste

A. l. d. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 337 (D ♂).
A. l. d. Caporiacco 1936, Mem. Soc. Ent. Ital. 15 p. 110 (N ♂♀).
A. l. d. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 31 T. 1 F. 2; T. 4 F. 1 (N ♂♀).

♂♀ **livida** Simon 1875. Mediterranea

A. l. Simon 1875, Arachn. de France 2 p. 112 T. 6 F. 10 (D ♂♀).
A. l. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 44 T. 2 F. 54, 56 (D ♂♀).

♀ **longipes** Carpenter 1900. England

A. l. Carpenter 1900, Ann. Mag. Nat. Hist. (7) 6 p. 199 f. 1-5 (D ♀).

♂♀ **mengeella** Strand 1942. Ost-Preussen

Agalena brunea Menge 1871, Schrift. Nat. Ges. Danzig (N. F.) 2 p. 285 T. 52 F. 165 (D ♂♀).
A. brunea M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 17 (N ♂♀).
A. m. Strand 1942, Folia Zool. Hydrobiol. 11 (2) p. 394 (nom. nov.).

♀ **mengii** Lebert 1877. Schweiz

A. m. Lebert 1877, Neu. Denkschr. Schweiz. Ges. Nat. 26 p. 211 T. 6 F. 42 (D ♀).

♀ **opulenta** (L. Loch) 1878. Japan, Manschoukuo

Agalena o. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 757 T. 15 F. 20 (D ♀).
A. o. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1-2) p. 298 T. 16 F. 467 (D o).
Agalena o. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 344 T. 15 F. 75 (D ♀).
A. o. Saito 1936, Rep. I. Sci. Exped. Manschoukuo (5) 1 (3; 11) p. 51, 80 f. 16, T. 26 (N ♀).

♂♀ **prompta** Blackwall 1841. England

A. p. Blackwall 1841, Trans. Linn. Soc. Lond. (Zool.) 18 p. 621 (D ♂♀).
A. p. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 156 (D ♂♀).

♀ **secsuensis** (Lendl) 1898. China

Agalena s. Lendl 1898, Myriop. Arachn. in: Wiss. Erg. Reise Szechenyi Ostasien 2 p. 562 (D ♀).

♀ **syriaca** C. L. Koch 1845. Syrien

A. s. C. L. Koch 1845, Die Arachniden 10 p. 110 TF. 827 (D ♀).

♂♀ **timida** (Audouin) 1827. Aegypten

Arachne t. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 316 T. 1 F. 7 (D ♂♀).

A. t. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 24 (D O).
Nyssa t. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 212 (C).

♀ **tubicola** Bösenberg & Strand 1906. Japan

A. t. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1-2) p. 297 T. 16 F. 472 (D ♀).

Transgredierende Arten:

♂♀ **limbata** (Thorell) 1897. Burma, Japan

Agalena l. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 255 (D ♂♀).
A l. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1-2) p. 296 T. 8 F. 104; T. 16 F. 461 (D ♂♀).
A. l. Strand 1918, Arch. Naturg. 82 (A; 11) p. 83 T. 1 F. 20 (D ♀).
A. l. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 63 f. 8 (3) (N ♂♀).

Aethiopische Arten:

♀ **annulipedella** Strand 1913. Centr.-Afrika

A. a. Strand 1913, Arachn. I in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 406 (D ♀).
A. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 9 a, b (D ♀).

♀ **australis** Simon 1896. Süd-Afrika

A. a. Simon 1896, Bull. Soc. Zool. France 21 p. 222 (D ♀).
A. rhodesiae Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 337 (D ♀).
A. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

♀ **borbonica** Vinson 1863. Réunion

A. b. Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 146, 308 T. 14 F. 5 (D ♀).
A. b. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . (D ♀).

♂♀ **bornemiszai** Caporiacco 1947. Ost-Afrika

A. b. Caporiacco 1947, Ann. Mus. Hist. Hungar. 40 (3) p. 107 (D ♀).
A. b. Roewer 1954, Explor. Parc Nation. Upemba . . . p . . . f. 15 a-c (D ♂♀).

♂♀ **deserticola** Simon 1910. Kalahari, Südwest-Afrika

A. d. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 205 (D ♂♀).
A. d. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♂♀).

♀ **dubiosa** Strand 1908. Abessinien bis Kenia

A. d. Strand 1908, Arch. Naturg. 74 (I, 1) p. 101 (D ♀).
A. agelenoides Strand 1908, Arch. Naturg. 74 (I, 1) p. 45 (C).
A. d. Caporiacco 1909, Comment. Pontif. Ac. Sci. 13 (6) p. 331 (N).
A. d. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 4 a—d (D ♀).

♀ **fagei** Caporiacco 1949. Kenia

A. f. Caporiacco 1949, Comment. Pontif. Ac. Sci. 13 (6) p. 330 f. 8 (D ♀).
A. f. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 7 (D ♀).

♀ **funerea** Simon 1909. Ost-Afrika

A. f. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 42 (D ♀).
A. f. Berland 1922, Voy. Rothschild, Ethiop.; Res. Sci. Anim. Artic. 1 p. 75 (D ♀).
A. f. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 8a, b (D ♀).

♀ **gaerdesi** Roewer 1954. Südwest-Afrika

A. g. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 25a, b (D ♀).

♂ **hirsutissima** Caporiacco 1940. Abessinien
A. h. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 783 f. 6 (D ♂).
A. h. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 3 (D ♂).

O o **incertissima** Caporiacco 1939. Abessinien
A. i. Caporiacco 1939, Real Acc. Ital. (Afr. Orient.) p. 315 (D o).
A. i. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 781 (D O).
A. i. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D O o).

♂ **jaundea** Roewer 1954. Camerun
A. j. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 26a-c (D ♂).

♂♀ **jumbo** Strand 1913. Centr.-Afrika, Belg. Congo
A. j. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 407 (D ♂♀).
A. j. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 11a-c (D ♂♀).

♀ **jumbo kiwuensis** Strand 1913. am Kiwu-See
A. j. k. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 407 (D ♀).

♀ **keniana** Roewer 1954. Kenia
A. k. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 6 (D ♀).

♂♀ **kiboschensis** (Lessert) 1915. Ost-Afrika
A. leucopyga k. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 487 f. 54-56 (D ♂♀).
A. k. Roewer 1954, Explor. Parc Nation. Upemba . . . p. 14 f. 14a, b (D ♂♀).

♀ **lawrencei** Roewer 1954. Rhodesia
A. l. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 23a, b (D ♀).

♂♀ **leucopyga** (Pavesi) 1884. Abessinien bis Ost-Afrika, Congo
Agalena l. Pavesi 1884, Ann. Mus. Civ. Genova 20 p. 41 (D ♀).
A. l. Strand 1908, Arch. Naturg. 74 (I, 1) p. 102 (D o).
A. l. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 41 (D ♂).
A. l. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 50 T. 2 F. 54 (N ♀).
A. l. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 5a-c, (D ♂♀).

♀ **leucopyga niangarensis** Lessert 1927. Ost-Afrika
A. l. n. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 405 (D ♀).

♀ **lingua** Strand 1913. Centr.-Afrika
A. l. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 412 (D ♀).
A. l. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 18 (D ♀).

♀ **littoricola** Strand 1913. Centr.-Afrika
A. l. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 410 (D ♀).
A. l. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 17 (D ♀).

♀ **longimamillata** Roewer 1954. Mozambique
A. l. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 21a, b (D ♀).

♂ **maculinotum** Strand 1906. Abessinien
A. m. Strand 1906, Zool. Anz. 30 (19-20) p. 656 (D ♂).
A. m. Strand 1908, Arch. Naturg. 74 (I, 1) p. 99 (D ♂).
A. m. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (N).

♀ **moschiensis** Roewer 1954. Tanganjika
A. m. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 10a, b (D ♀).

♀ **mossambica** Roewer 1954. Mozambique
A. m. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

♂♀ **nairobii** (Caporiacco) 1949. Kenia, Ost-Afrika
A. leucopyga n. Caporiacco 1949, Comment. Pontif. Ac. Sci. 13 (6) p. 329 f. 7 (D ♂♀).
A. n. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 16a-c (D ♂♀).

♀ **nigra** Caporiacco 1940. Abessinien
A. n. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 782 (D ♀).
A. n. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

♀ **nyassana** Roewer 1954. Nyassaland
A. n. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 19a, b (D ♀).

♂♀ **ocellata** Pocock 1900. Capland
A. o. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 326 (D ♂♀).
A. o. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 205 f. 55 (D ♀).
A. o. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♂♀).

♀ **pusilla** Pocock 1903. Sokotra
A. p. Pocock 1903, in: Forbes, Nat. Hist. Sokotra a. Abd-el-Kuri p. 193 (D ♀).

♀ **raymondeae** Lessert 1915. Ost-Afrika
A. r. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 491 f. 57 (D ♀).
A. r. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

♀ **suboculata** Simon 1910. Südwest-Afrika
A. s. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 205 (D ♀).
A. s. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

♀ **tenuella** Roewer 1954. Camerun
A. t. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 27 (D ♀).

♂ **teteana** Roewer 1954. Mozambique
A. t. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 22a-c (D ♂).

♂♀ **upembana** Roewer 1954. Belg. Congo (Parc Upemba)
A. u. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 2, 20a-d (D ♂♀).

♀ **zorica** Strand 1913. Centr.-Afrika, Kenia
A. z. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 411 (D ♀).
A. z. Caporiacco 1949, Comment. Pontif. Ac. Sci. 13 (6) p. 330 (N).
A. z. Denis 1950, Proc. Zool. Soc. London 120 (3) p. 499 (N ♀).
A. z. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 13 (D ♀).

♀ **zuluana** Roewer 1954. Zululand
A. z. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 24a, b (D ♀).

Orientalische Arten:

♂ **doris** Hogg 1922. Annam
A. d. Hogg 1922, Proc. Zool. Soc. Lond. p. 301 f. 8a (D ♂).

♂♀ **inda** Simon 1897. Indien

A. i. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 16 (D ♂♀).

♂♀ **tenuis** Hogg 1922. Annam

A. t. Hogg 1922, Proc. Zool. Soc. Lond. p. 302 f. 8b (D ♂♀).

Gen. **Agelenopsis** Giebel 1869.

§ 5 ♂, 9 ♀: F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 334.

Neotropische Arten:

♂♀ **barrowsi** (Gertsch) 1934. Florida, Georgia

Agelena b. Gertsch 1934, Amer. Mus. Novit. 726 p. 23 TF. 8, 9 (D ♂♀).
A. (Barronopsis) b. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 601 TF. 43-45 (D ♂♀).

♀ **penetralis** F. Cambridge 1902. Costa Rica

A. p. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 337 T. 32 F. 8 (D ♀).
Agelena p. Banks 1909, Proc. Ac. Sci. Philad. 61 p. 202 (N).

Nearktische Arten:

§ 10 Arten: Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 106 (part.)
§ 7 Arten: Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 26-27 (part.)

♂♀ **actuosa** (Gertsch & Ivie) 1936. Oregon, Ontario, Vancouver

Agelena a. Gertsch & Ivie 1936, Amer. Mus. Novit. 858 p. 22 TF. 46, 47 (D ♂).
Agelena harrisoni Exline 1937, Publ. Univ. Wash. Biol. 2 p. 717 (nom. nud.).
Agelena arctuosa Exline 1938, Publ. Univ. Wash. Biol. 9 (1) 31 T. 4 F. 38; T. 5 F. 43, 44 (D ♂♀).
A. a. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 593 TF. 4, 29, 34 (D ♂♀).

♂ **alcenae** Chamberlin & Ivie 1935. Neu-Mexico

A. a. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 33 T. 14 F. 111 (D ♂).
A. a. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 596 TF. 27, 41 (D ♂).

♂♀ **aperta** (Gertsch) 1934. Californien, Utah, Texas, Colorado

Agelena a. Gertsch 1934, Amer. Mus. Novit. 726 p. 25 TF. 10 (D ♂♀).
A. a. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 594 TF. 8, 13 (D ♂♀).

♂♀ **aperta guttata** Chamberlin & Ivie 1941. Texas

A. a. g. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 595 TF. 22 (D ♂♀).

♀ **balboae** Schenkel 1950. Californien

A. b. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 82 f. 30a, b (D ♀).

♂♀ **emertoni** Chamberlin & Ivie 1935. Östl. U. St. Amerika, Texas

A. e. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4), Biol. 2 (8) p. 33 T. 14 F. 110 (D ♂).
A. e. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 593 TF. 5, 28, 30 (D ♂♀).
A. e. Seyler 1941, Journ. Ohio Sci. 41 (2) p. 51 (N).
A. e. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 128 (C ♀).

A. e. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 290 T. 47 F. 945, 946 (D ♂♀).

♀ **gertschi** Schenkel 1950. Californien

A. g. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 79 f. 28 (D ♀).

♂♀ **jeffersi** Muma 1945. Maryland

A. j. Muma 1945, Proc. Biol. Soc. Wash. 58 p. 94 T. 9 F. 7—9 (D ♂♀).

♂♀ **kastoni** Chamberlin & Ivie 1941. Connecticut, Georgia

A. k. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 591 T. 2 F. 18, 35 (D ♂♀).
A. k. Chamberlin & Ivie, 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 128 (N ♂♀).
A. k. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 290 T. 47 F. 956, 957 (♂♀).

♂♀ **longistylus** (Banks) 1901. Neu-Mexico, Texas

Agelena l. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 576 (D ♂).
A. l. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 592 TF. 10, 20, 33 (D ♂♀).

♂♀ **naevia** (Walckenaer) 1805. U. St. Amerika, Canada

Agelena n. Walckenaer 1805, Tabl. Aran. p. 51 T. 1 F. 2 (D).
Agalena n. Emerton 1902, Common Spiders p. 92 f. 221—227 (D ♂♀).
Agelena n. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 465 T. 30 F. 1 (D ♀).
Nyssa n. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 212 (C).
A. n. Thorell 1877, Bull. U. Stat. Geol. Surv. 3 (2) p. 489 (N).
Agelena hentzii Becker 1879, Ann. Soc. Ent. Belg. 22 p. 81 T. 2 F. 1—4 (D ♂♀).
Agelena n. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 197 T. 8 F. 1 (D ♂♀.)
Agalena n. Emerton 1902, Common Spiders p. 92 f. 221-227 (D ♂♀).
Agelena hentzii Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 182 T. 13 F. 42 (C ♀).
Agelena n. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 256 T. 19 F. 7 (N ♀).
A. n. Chamberlin & Ivie 1941, Ann. Ent. Soc. Columbus 34 p. 597 TF. (D).
A. n. Seyler 1941, Journ. Ohio Sci. 41 (2) p. 51 (N).
A. americana Seyler 1941, Journ. Ohio Sci. 41 (2) p. 51 (N).
A. n. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 288 T. 47 F. 947, 948; T. 128 F. 2057 (D ♂♀).

♂♀ **oklahoma** (Gertsch) 1936. Westl. U. St. Amerika, Oklahoma

Agelena o. Gertsch 1936, Amer. Mus. Novit. 852 p. 12 TF. 4, 5 (D ♂♀).
A. o. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 591 TF. 7, 19, 37 (D ♂♀).

♂♀ **oregonensis** Chamberlin & Ivie 1935. Oregon

A. o. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 32 T. 14 F. 108 (D ♂).
Agelena o. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 29 T. 1 F. 2; T. 5 F. 40, 41 (D ♂♀).
A. o. Chamberlin & Ivie 1944, Ann. Ent. Soc. Amer. 34 (3) p. 599 TF. 11, 24, 39 (D ♂♀).

♂♀ **pennsylvanica** (C. L. Koch) 1843. U. St. Amerika

Agelena p. C. L. Koch 1843, Die Arachniden 10 p. 111 TF. 828 (D ♀).
Agelena americana Keyserling 1877, Verh. Zool. Bot. Ges. Wien 27 p. 599 T. 14 F. 20, 21 (D ♂♀).
Agelena naevia (var.) Comstock 1912, Spider Book p. 586 f. 666 (N).

Agelena p. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 28 (D ♂♀).
Agelena americana Seyler 1941, Journ. Ohio, Sci. 41 (2) p. 51 (N).
A. p. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 588 TF. 1, 16, 40 (D).
A. p. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 288 T. 47, F. 949, 950; T. 128 F. 2058 (D ♂♀).

♂ **perita** (Chamberlin & Gertsch) 1929. Californien

Agelena p. Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 107 T. 3 F. 28-30 (D ♂).

♂♀ **potteri** (Blackwall) 1846. – * Ost-U. St. Amerika, Canada

Agelena p. Blackwall 1846, Ann. Mag. Nat. Hist. (1) 17 p. 43 (D ♂♀).
A. albipilis Giebel 1869, Zeitschr. ges. Naturw. 33 p. 250 (D ♂♀).
Agelena p. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 30 T. 5 F. 42 (D ♂♀).
A. p. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 590 TF. 3, 17, 42 (D ♂♀).
A. p. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 291 T. 47 F. 951-953 (D ♂♀).

♂♀ **spatula** Chamberlin & Ivie 1935. Texas, Neu-Mexico

A. s. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 32 T. 14 F. 109 (D ♂♀).
A. s. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 596 TF. 6, 26, 32 (D ♂♀).

♂ **texana** (Gertsch) 1934. Texas, Georgia

Agelena t. Gertsch 1934, Amer. Mus. Novit. 726 p. 24 (D ♂).
A. (Barronopsis) t. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 601 TF. 46, 47 (D ♂).

♂♀ **utahana** (Chamberlin & Ivie) 1933. Utah, Alaska

Agelena u. Chamberlin & Ivie 1933, Bull. Univ. Utah 23 (4) Biol. 2 (2) p. 43 T. 11 F. 113—115 (D ♂♀).
A. u. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 600 TF. 12, 23, 38 (D ♂♀).
A. u. Seyler 1941, Journ. Ohio Sci. 41 (2) p. 51 (N).
A. u. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 289 T. 47 F. 954, 955 (D ♂♀).
A. u. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 81 f. 29 (D ♀).

♂ **latithorax** (Keyserling) 1886. Süd-Brasilien

Erigone l. Keyserling 1886, Spinn. Amer. 2 (Therid. 2) p. 274 T. 21 F. 324 (D ♂).
A. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 169 f. 266—271 (N ♂).

Gen. **Barrisca** Chamberlin & Ivie 1936.

♂ **nannella** Chamberlin & Ivie 1936. Panama

B. n. Chamberlin & Ivie 1936, Bull. Univ. Utah Biol. 27 (5) p. 15 T. 4 F. 28—32 (D ♂♀).

Gen. **Blabomma** Chamberlin & Ivie 1937.

♀ **flavipes** Chamberlin & Ivie 1937. Californien

B. f. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 222 T. 6 F. 43 (D ♀).

♀ **foxi** Chamberlin & Ivie 1937. Californien

B. f. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 220 T. 6 F. 44 (D ♀).

♂♀ **grande** Chamberlin & Ivie 1937. – * Vancouver
B. g. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 219 T. 5 F. 34—39 (D ♂♀).
B. g. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 19 T. 1 F. 6; T. 3 F. 23, 24 (D ♂♀).

♂♀ **guttatum** Chamberlin & Ivie 1937. Californien
B. g. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 220 T. 6 F. 40—42 (D ♂♀).

♂♀ **hexops** Chamberlin & Ivie 1937. Californien
B. h. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 222 T. 7 F. 49—52 (D ♂♀).

♂ **oregonense** Chamberlin & Ivie 1937. Oregon
B. o. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 222 T. 7 F. 53, 54 (D ♂).

♂♀ **sanctum** Chamberlin & Ivie 1937. Californien
B. s. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 221 T. 7 F. 46—48 (D ♂♀).

♀ **yosemitense** Chamberlin & Ivie 1937. Californien
B. y. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 221 T. 6 F. 45 (D ♀).

Gen. **Calilena** Chamberlin & Ivie 1941.

♀ **absoluta** (Gertsch) 1936. Californien
Agelena a. Gertsch 1936, Amer. Mus. Novit. 852 p. 13 TF. 6 (D ♀).
C. a. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 604 TF. 80 (D ♀).

♀ **adna** Chamberlin & Ivie 1941. Californien
C. a. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 604 TF. 82 (D ♀).

♀ **angelena** Chamberlin & Ivie 1941. Californien
C. a. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 607 TF. 51 (D ♀).

♂♀ **arizonica** Chamberlin & Ivie 1941. Arizona
C. a. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 612 TF. 58, 74, 75 (D ♂♀).

♂♀ **californica** (Banks) 1896. Californien, Arizona
Agelena c. Banks 1896, Journ. N. York Ent. Soc. 4 p. 89 (D ♂♀).
Agelena c. Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 106 T. 2 F. 25—27 (N ♂♀).
C. c. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 605 TF. 49, 72, 73 (D ♂♀).
Agelenopsis c. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 84 f. 31 (D ♀).

♀ **gertschi** Chamberlin & Ivie 1941. Utah
C. g. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 612 TF. 59 (D ♀).

♀ **gosoga** Chamberlin & Ivie 1941. Californien
C. g. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 607 TF. 81 (D ♀).

♀ **magna** Chamberlin & Ivie 1941. Californien
C. m. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 603 TF. 48 (D ♀).

♀ **multiformis dixiana** Chamberlin & Ivie 1941. Utah
C. m. d. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 608 TF. 52 (D ♀).

♂ **nita** Chamberlin & Ivie 1941. Californien
C. n. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 610 TF. 66, 67 (D ♀).

♀ **peninsulana** (Banks) 1898. Nieder-Californien
Agelena p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 231 T. 14 F. 22 (D ♀).
C. p. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 605 TF. 61 (D ♀).

♂♀ **restricta** Chamberlin & Ivie 1941. Utah
C. r. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 606 TF. 50, 68 (D ♂♀).

♂♀ **saylori** Chamberlin & Ivie 1941. – * Californien
C. s. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 608 TF. 53, 69 (D ♂♀).

♀ **siva** Chamberlin & Ivie 1941. Californien
C. s. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 604 TF. 83 (D ♀).

♀ **stylophora** Chamberlin & Ivie 1941. Californien
C. s. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 610 TF. 56, 62 (D ♀).

♀ **stylophora laguna** Chamberlin & Ivie 1941. Californien
C. s. l. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 611 TF. 64 (D ♀).

♀ **stylophora oregona** Chamberlin & Ivie 1941. Oregon
C. s. o. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 611 TF. 65 (D ♀).

♀ **stylophora pomona** Chamberlin & Ivie 1941. Californien
C. s. p. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 611 TF. 57, 63 (D ♀).

♂♀ **umatila** Chamberlin & Ivie 1941. Washington State
C. u. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 609 TF. 54, 70, 71 (D ♂♀).

♂♀ **umatila schizostylus** Chamberlin & Ivie 1941. Idaho
C. u. s. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 610 TF. 55 (D ♂♀).

♀ **yosemita** Chamberlin & Ivie 1941. Californien
C. y. Chamberlin & Ivie 1941, Ann. Ent. Soc. Amer. 34 (3) p. 613 TF. 60 (D ♀).

Gen. **Calymmaria** Chamberlin & Ivie 1937.

§ 3 Arten: Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 21.

♂♀ **aspenola** Chamberlin & Ivie 1942. Californien
C. a. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 23 T. 3 F. 32—34 (D ♂♀).

♂♀ **californica** (Banks) 1896. Californien, Canada
Tegenaria c. Banks 1896, Journ. N. York Ent. Soc. 4 p. 90 (D ♂♀).
C. c. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 213 T. 1 F. 4, 5 (N ♀).

♀ **cavicola** (Banks) 1896. Indiana

Tegenaria c. Banks 1896, Rep. Indiana Geol. Surv. 21 p. 203 (D ♀).
C. c. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 213 (N).
C. c. Roth 1952, Journ. Wash. Ac. Sci. 42 (9) p. 287 (N).

♂♀ **emertoni** (Simon) 1897. Washington State

Tegenaria e. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 17 (D ♂♀).
Tegenaria e. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 181 T. 13 F. 39—41 (C ♂♀).
Tegenaria californica Exline 1936, Psyche 43 p. 25 f. 2 (D ♂♀).
C. e. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 215 T. 2 F. 10, 11; T. 3 F. 20, 21 (N ♂♀).
C. e. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 21 T. 4 F. 3; T. 4 F. 28, 29 (D ♂♀).

♀ **lora** Chamberlin & Ivie 1942. Californien

C. l. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 22 T. 3 F. 30, 31 (D ♀).

♀ **modestella** (Roewer) 1944. Mexico

Tegenaria modesta Banks 1898, Proc. Californ. Ac. Sci. (3) 1 (7) p. 230 T. 14 F. 21 (D ♀).
C. modesta Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 213 (N).
Tegenaria m. Roewer 1944, Katal. d. Araneae 2 (1) p. 33 (nom. nov.).
C. m. Roth 1952, Journ. Wash. Ac. Sci. 42 (9) p. 287 (C).

♂♀ **monicae** Chamberlin & Ivie 1937. – * Californien

C. m. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 213 T. 1 F. 1—3; T. 2 F. 14, 15; T. 3 F. 16, 17 (D ♂♀).

♂♀ **montavencis** (Bishop & Crosby) 1926. Alabama, Georgia

Cybaeus m. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 201 T. 25 F. 51—53 (D ♂♀).
C. m. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 213 (N).
C. m. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 129 (N ♀).

♂♀ **nana** (Simon) 1897. Washington State

Tegenaria n. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 17 (D ♀).
Tegenaria n. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 189 T. 13 F. 47 (C ♀).
Tegenaria n. Exline 1936, Psyche 43 (1) p. 23 T. 1 F. 1 (D ♂♀).
C. n. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 215 T. 2 F. 8, 9; T. 3 F. 22, 23 (N ♂♀).
C. n. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 22 T. 4 F. 32, 33 (D ♂♀).

♂♀ **persica** (Hentz) 1847. Alabama

Tegenaria p. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 463 T. 24 F. 23 (D ♂♀).
C. p. Roth 1952, Journ. Wash. Ac. Sci. 42 (9) p. 287 (N).

♀ **quadrata** (Exline) 1936. Washington State

Tegenaria q. Exline 1936, Psyche 43 (1) p. 22 T. 1 F. 4 (D ♀).
C. q. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 23 T. 4 F. 27 (D ♀).

♂♀ **shastae** Chamberlin & Ivie 1937. Californien

C. s. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 214 T. 1 F. 6, 7; T. 3 F. 24 (D ♂♀).

♂♀ **suprema** Chamberlin & Ivie 1937. Californien

C. s. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 214 T. 2 F. 12, 13; T. 3, F. 18, 19 (D ♂♀).

Gen. **Chorizomma** Simon 1872.

Palaearktische Arten:

♂♀ **subterraneum** Simon 1872. – * Süd-Frankreich, Spanien

C. s. Simon 1872, Ann. Soc. Ent. France (5) 2 p. 221 T. 12 F. 6—9 (D ♀).
C. s. Simon 1875, Arachn. de France 2 p. 26 T. 5 F. 16 (D ♀).
C. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 268 f. 256 (N).
C. s. Simon 1937, Arachn. de France 6 (5) p. 1019, 1044 f. 1586, 1587 (D ♂♀).

Neotropische Arten:

♂ **antillanum** Bryant 1940. Cuba

C. a. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 273 T. 1 F. 14 (D ♂).

Nearktische Arten:

♀ **pallens** Simon 1895. Californien

C. p. Simon 1895, Bull. Soc. Zool. France 20 p. 136 (D ♀).

Gen. **Chorizommoides** Chamberlin & Ivie 1937.

♀ **lahondae** Chamberlin & Ivie 1937. Californien

C. l. Chamberlin & Ivie 1937, Ann. Soc. Ent. Amer. 30 (2) p. 219 T. 4 F. 31 (D ♀).

♀ **sylvicolus** Chamberlin & Ivie 1937. – * Californien

C. s. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 218 T. 4 F. 32, 33 (D ♀).

Gen. **Cicirra** Simon 1886.

♀ **decemnotata** Simon 1886. Tasmanien

C. d. Simon 1886, Ann. Soc. Ent. Belg. 30 C. R. p. 61 (D ♀).
C. d. Simon 1898, Hist. Nat. Araign. 2 (2) p. 267 (N).

Gen. **Cicurina** Menge 1869.

Palaearktische Arten:

§ 1 ♂, 2 ♀: Simon 1937, Arachn. de France 6 (5) p. 1018—1019.

♂♀ **cicurea** (Fabricius) 1793. – * Europa, Japan

Aranea c. Fabricius 1793, Ent. Syst. 2 p. 410 (D).
Aranea cinerea Panzer 1793, in: Herrich-Schäffer, Deutschl. Ins. 128.
Drassus cinereus Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 25 F. A (D ♀).
Tegenaria c. C. L. Koch 1841, Die Arachniden 8 p. 40 TF. 620 (D ♂).
Philoica c. C. L. Koch 1850, Übers. Arachn. Syst. 5 p. 26 (C).
C. cicur Menge 1870, Schrift. Nat. Ges. Danzig (N. F.) 2 p. 272 T. 50 F. 159 (D ♂♀).
Tegenaria cinerea Thorell 1873, Rem. Syn. Europ. Spid. p. 514 (N).
C. pellucida Simon 1875, Arachn. de France 2 p. 21 (D ♂♀).
C. cinerea Simon 1875, Arachn. de France 2 p. 21 (D ♂♀).
Tegenaria cinerea Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 62 (D).
C. cinerea Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 182 T. 14 F. 16 (D ♂♀).
C. cicur Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 155 T. 6 F. 10 (D ♂♀).

C. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 267 f. 265, 266 (N ♂♀).
C. cinerea Bösenberg 1902, Zoologica 14 (2—4) p. 232 T. 21 F. 329 (D ♂♀).
C. cicur Lessert 1910, Catal. Invert. Suisse, Araign. p. 466 (D ♂♀).
C. cicur M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 7 f. 6—10 (D ♂♀).
C. cinerea Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 346 T. 15 F. 76 (D ♀).
C. c. Exline 1936, Amer. Mus. Novit. 850 p. 3 TF. 2, 7, 16 (N ♂♀).
C. c. Simon 1937, Arachn. de France 6 (5) p. 1018, 1043 f. 1583, 1584 (D ♂♀).
C. c. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 28 T. 3 F. 21; T. 9 F. 68 (D ♂♀).
C. cinerea Drensky 1842, Mitt. Naturw. Inst. Sofia 15 p. 55 f. 17a, b (N ♂♀).
C. cicur Locket & Millidge 1953, Brit. Spiders 2 p. 21 f. 16A, B (D ♂♀).

♀ **maculipes** Saito 1934. Japan

C. m. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 347 T. 13 F. 28; T. 15 F. 77 (D ♀).

♀ **raymondi** Simon 1916. Nied. Pyrenäen, Lombardei

C. r. Simon 1916, Ann. Soc. Ent. France 85 Bull. p. 211 (D ♀).
C. r. Simon 1937, Arachn. de France 6 (5) p. 1019, 1043 f. 1585 (D ♀).
C. r. Caporiacco 1941, Le Grotte d'Italia (2) 4 p. 85 (N ♀).

♂ **rhodiensis** Caporiacco 1948. Rhodos

C. r. Caporiacco 1948, Redia 33 p. 40 f. 2 (D ♂).

Neotropische Arten:

♀ **madrynensis** Tullgren 1901. Patagonien

C. m. Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 251 T. 18 F. 10 (D ♀).

Nearktische Arten:

§ 16 Arten: Exline 1936, Amer. Mus. Novit. 850 p. 6—7.
§ 5 Arten: Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 15.
§ 5 Subgen. + 280 ♂, 49 ♀: Chamberlin & Ivie 1940, Bull. Univ. Utah Biol. 5 (9) p. 15—21.
§ 3 ♂, 3 ♀: Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 284.

♂ **alpicola** Barrows 1945. Tennessee

C. a. Barrows 1945, Ann. Ent. Soc. Amer. 38 (1) p. 70 T. 1 F. 1 (D ♂).

♂ **altana** Chamberlin & Ivie 1940. U. St. Amerika

C. (Cicurusta) a. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 49 T. 10 F. 76 (D ♂).

♀ **arcata** Chamberlin & Ivie 1940. U. St. Amerika

C. (Cicurina) a. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 38, T. 4 F. 25 (D ♀.)

♂♀ **arcuata** Keyserling 1887. U. St. Amerika, Canada

C. a. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 460 T. 6 F. 25 (D ♂♀).
C. complicata Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 195 T. 7 F. 7 (D ♂♀).
C. a. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 26 (C).
Coelotes gnavus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 26 (D ♀).
Tegenaria (C.) complicata Emerton 1902, Common Spid. p. 102 f. 246—249 (D ♂♀).
C. a. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 221 (N ♂♀).
C. a. Constock 1912, Spider Book p. 596 f. 678, 679 (N).
Coelotes gnavus Banks 1916, Proc. Ac. Nat. Philad. 68 p. 70 T. 10 F. 22 (C ♀).

C. (Cicurusta) a. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 63 T. 6 F. 46, 47; T. 11 F. 84, 85 (D ♂♀).

♀ **arizona** Chamberlin & Ivie 1940. Arizona

C. (Cicurusta) a. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 72 TF. 55 (D).

♀ **atomaria** Simon 1898. Louisiana, N.-Carolina

C. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 8 (D ♀).
C. a. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13 F. 43 (C ♀).

♂♀ **breviaria** Bishop & Crosby 1926. N.-Carolina

C. b. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 196 T. 24 F. 44, 45 (D ♂).
C. (Cicurina) b. Exline 1936, Amer. Mus. Novit. 850 p. 9 (D ♂).
C. (Cicurina) b. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 26 TF. 15, 66, 67 (D ♂♀).

♂♀ **brevis** (Emerton) 1889. U.St.Amerika, Canada

Tegenaria b. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 194 T. 7 F. 5 (D ♂♀).
C. creber Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 26 T. 1 F. 76 (D ♂♀).
C. b. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 221 T. 8 F. 6 (N ♂♀).
C. b. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 197 (C ♂♀).
C. b. Exline 1936, Amer. Mus. Novit. 850 p. 8 TF. 3, 5, 13 (D ♂♀).
C. b. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 29 T. 3 F. 16, 17; T. 9 F. 69 (D ♂♀).
C. b. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 284 T. 45 F. 920, 921; T. 46 F. 925, 926 (D ♂♀).

♀ **bryantae** Exline 1936. N.-Carolina

C. b. Exline 1936, Amer. Mus. Novit. 850 p. 13 TF. 4—14 (D ♀).
C. b. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 25 TF. 12 (D ♀).

♀ **buwata** Chamberlin & Ivie 1940. U.St.Amerika

C. (Cicurata) b. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (18) Biol. 5 (9) p. 74 TF. 94 (D ♀).

♂♀ **cavealis** Bishop & Crosby 1926. N.-Carolina

C. c. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3-4) p. 197 T. 24 F. 46 (D ♀).
C. c. Exline 1936, Amer. Mus. Novit. 850 p. 19 (D ♀).
C. (Cicurusta) c. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 60 TF. 44, 45, 86 (D ♂♀).

♀ **colorada** Chamberlin & Ivie 1940. Colorado

C. (Cicurusta) c. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 61 TF. 49 (D ♀).

♂♀ **davisi** Exline 1936. Montana

C. d. Exline 1936, Amer. Mus. Novit. 850 p. 18 TF. 24 (D ♀).
C. (Cicurusta) d. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 59 TF. 41, 83 (D ♂♀).

♂♀ **deserticola** Chamberlin & Ivie 1940. U.St.Amerika

C. (Cicurusta) d. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 65 TF. 51 (D ♂♀).

♀ **exlinea** Chamberlin & Ivie 1940. U. St. Amerika

C. atomaria Exline 1936, Amer. Mus. Novit. 850 p. 13 TF. 18 (D ♀).
C. (Cicurina) e. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (18) Biol. 5 (9) p. 27 TF. 14 (D).

♂♀ **garrina** Chamberlin 1919. Utah

C. g. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 256 T. 19 F. 9 (D ♂♀).
C. (Cicurusta) g. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 69 TF. 52 (D ♂♀).

♀ **gertschi** Exline 1936. Montana

C. g. Exline 1936, Amer. Mus. Novit. 850 p. 17 TF. 22 (D ♀).
C. (Cicurusta) g. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 53 TF. 36 (D ♀).

♂ **hexops** Chamberlin & Ivie 1940. U. St. Amerika

C. (Cicurella) h. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 79 TF. 92 (D ♂).

♂♀ **idahoana** Chamberlin 1919. Idaho, Washington State, Brit. Columbia

C. i. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 257 T. 19 F. 10 (D ♀).
C. i. Exline 1936, Amer. Mus. Novit. 850 p. 14 TF. 10, 20 (D ♂♀).
C. i. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 17 T. 2 F. 11; T. 3 F. 18, 19 (D ♂♀).
C. (Cicurona) i. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 43 TF. 30, 78 (D ♂♀).

♂♀ **intermedia** Chamberlin & Ivie 1933. Utah, Arizona

C. i. Chamberlin & Ivie 1933, Bull. Univ. Utah Biol. 23 (4) p. 46 T. 11 F. 116—118 (D ♂♀).
C. i. Gertsch 1935, Amer. Mus. Novit. 792 p. 17 (C ♀).
C. i. Exline 1936, Amer. Mus. Novit. 850 p. 19 (D ♂♀).
C. i. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 18 (D ♂♀).
C. (Cicurusta) i. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 50 TF. 31—34, 77 (D ♂♀).

♂♀ **itasca** Chamberlin & Ivie 1940. Minnesota, Wisconsin

C. (Cicurusta) i. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 62 TF. 48 (D ♀).
C. i. Levi 1951, Amer. Mus. Novit. 1501 p. 19 TF. 18 (D ♂, N ♀).

♂♀ **jonesi** Chamberlin & Ivie 1940. N.-Californien, Oregon

C. (Cicurina) j. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 39 TF. 24, 74 (D ♂♀).

♂♀ **lowriei** Levi 1951. Wisconsin

C. l. Levi 1951, Amer. Mus. Novit. 1501 p. 20 TF. 17, 19 (D ♂♀).

♂♀ **ludoviciana** Simon 1898. Louisiana, Arkansas, Oklahoma

C. l. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 9 (D ♀).
C. l. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13 F. 33 (C ♀).
C. l. Exline 1936, Amer. Mus. Novit. 850 p. 16 (D ♀).
C. (Cicurusta) l. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 56 TF. 40, 81 (D ♂♀).

♂♀ **microps** Chamberlin & Ivie 1940. Texas

C. (Cicurella) m. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 77 TF. 61, 62, 91 (D ♂♀).

♂♀ **minima** Chamberlin & Ivie 1940. N.-Carolina

C. (Cicurina) m. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 31 TF. 19, 70 (D ♂♀).

♀ **minnesota** Chamberlin & Ivie 1940. Minnesota

C. (Cicurina) m. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 34 TF. 18 (D ♀).

♀ **minnedoka** Chamberlin & Ivie 1940. U. St. Amerika

C. (Cicurusta) m. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 52 TF. 39 (D ♀).

♀ **minorata** (Gertsch & Davis) 1936. Texas

Chorizomma m. Gertsch & Davis 1936, Amer. Mus. Novit. 881 p. 6 TF. 8 (D ♀).
C. (Cicurella) m. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 80 TF. 63, 96 (D ♀).

♀ **nevadensis** Simon 1886. Nevada

C. n. Simon 1886, Ann. Soc. Ent. Belg. 30 C. R. p. 59 (D ♀).
C. n. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13 F. 44 (C ♀).
C. n. Exline 1936, Amer. Mus. Novit. 850 p. 12 (D ♀).
C. n. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 37 (D ♀).

♀ **nina** Chamberlin & Ivie 1940. Californien

C. (Cicurina) n. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 39 TF. (D ♀).

♀ **pacifica** Chamberlin & Ivie 1940. Washington State

C. (Cicurusta) p. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 55 TF. 38 (D ♀).

♀ **pagosa** Chamberlin & Ivie 1940. Colorado

C. (Cicurona) p. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 43 TF. 27 (D ♀).

♂♀ **pallida** Keyserling 1887. U. St. Amerika

C. p. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 462 T. 6 F. 26 (D ♂).
C. p. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 221 T. 8 F. 7 (D ♂♀).
C. p. Exline 1936, Amer. Mus. Novit. 850 p. 7 TF. 12 (D ♂♀).
C. p. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 23 T. 3 F. 13; T. 9 F. 65 (D ♂♀).
C. p. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 285 T. 45 F. 922, 923; T. 46 F. 927, 928 (D ♂♀).

♀ **pampa** Chamberlin & Ivie 1940. Texas

C. (Cicurella) p. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (18) Biol. 5 (9) p. 79 TF. 60 (D ♀).

♀ **parma** Chamberlin & Ivie 1940. Idaho, Utah

C. (Cicurusta) p. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 67 TF. 50 (D ♀).

♂♀ **placida** Banks 1892. N. York State

C. p. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 27 T. 1 F. 77 (D ♀).
C. p. Banks 1916, Proc. Ac. Nat. Sci. Philad. 68 p. 70 T. 11 F. 26 (C ♀).

C. p. Exline 1936, Amer. Mus. Novit. 850 p. 10 TF. 1, 9, 11 (D ♀).
C. p. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 32 TF. 20, 71 (D ♂♀).

♂♀ **pusilla** (Simon) 1886. Washingt. State, Alaska, Oregon

Cybaeus p. Simon 1886, Ann. Soc. Ent. Belg. 30 C.R. p. 57 (D ♂♀).
C. p. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13, F. 34, 40 (C ♂♀).
C. p. Exline 1936, Amer. Mus. Novit. 850 p. 11 TF. 8, 17 (D ♂♀).
C. p. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 15 T. 1 F. 4; T. 2 F. 13; T. 3 F. 16, 17 (D ♂♀).

♀ **riogranda** Chamberlin & Ivie 1940. Texas

C. (Cicurusta) r. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 76 TF. 57, 58 (D ♀).

♂♀ **robusta** Simon 1886. Colorado, Utah, Wyoming

C. r. Simon 1886, Ann. Soc. Ent. Belg. 30 C.R. p. 60 (D ♀).
Coelotes longitarsus Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 192 T. 7 F. 2a (D ♀, nec ♂).
C. r. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13 F. 32 (C ♀).
C. r. Exline 1936, Amer. Mus. Novit. 850 p. 20 TF. 21 (D ♂♀).
C. (Cicurusta) r. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 49 TF. 53, 87 (D ♂♀).
C. r. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 285 T. 45 F. 924; T. 46 F. 929, 930 (D ♂♀).

♀ **rubra** Chamberlin & Ivie 1940. Montana

C. (Cicurella) r. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 54 TF. 37 (D ♀).

♀ **rudimentops** Chamberlin & Ivie 1940. Texas

C. (Cicurella) r. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 76 TF. 59 (D ♀).

♀ **schultzi** Exline 1936. Montana

C. s. Exline 1936, Amer. Mus. Novit. 850 p. 16 TF. 23 (D ♀).
C. (Cicurusta) s. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 52 TF. 35 (D ♀).

♂♀ **shasta** Chamberlin & Ivie 1940. Californien

C. (Cicurona) s. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 47 TF 28, 80 (D ♂♀).

♂♀ **sierra** Chamberlin & Ivie 1940. Californien

C. (Cicurona) s. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 41 TF. 26, 75 (D ♂♀).

♂♀ **simplex** Simon 1886. Washington State, Montana, Canada, Alaska

C. s. Simon 1886, Ann. Soc. Ent. Belg. 30 C.R. p. 59 (D ♂♀).
C. s. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13 F. 35 (C ♀).
C. s. Exline 1936, Amer. Mus. Novit. 850 p. 15 TF. 19 (D ♂♀).
C. s. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 17 T. 2 F. 14; T. 3 F. 20 (D ♂♀).
C. (Cicurona) s. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 45 TF. 29, 79 (D ♂♀).

♀ **tacoma** Chamberlin & Ivie 1940. Washington State

C. (Cicurusta) t. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 55 TF. 38 (D ♀).

♂♀ **tersa** Simon 1886. Washington State, Canada

C. t. Simon 1886, Ann. Soc. Ent. Belg. 30 C.R. p. 58 (D ♀).
C. t. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13 F. 45 (C ♂♀).
C. t. Exline 1936, Amer. Mus. Novit. 850 p. 10 TF. 15 (D ♀).
C. t. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 16 T. 2 F. 12; T. 3 F. 15 (D ♂♀).
C. A. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 35 TF. 22, 72 (D ♂♀).

♂♀ **texana** (Gertsch) 1935. Texas

Chorizomma t. Gertsch 1935, Amer. Mus. Novit. 792 p. 15 TF. 36, 37 (D ♂).
C. (Cicurella) t. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 78 TF. 64, 90 (D ♂♀).

♀ **tortuba** Chamberlin & Ivie 1940. Californien

C. (Cicurusta) t. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 70 TF. 54 (D ♀).

♂♀ **utahana** Chamberlin 1919. Utah, Californien

C. u. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 257 T. 19 F. 8 (D ♀).
C. (Cicurusta) u. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 71 TF. 56, 88, 89 (D ♂♀).

♀ **utahana anderis** Chamberlin 1919. Neu-Mexico

C. u. a. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 257 (D ♀).

♂♀ **varians** Chamberlin & Ivie 1940. U. St. Amerika

C. (Cicurusta) v. Chamberlin & Ivie 1940, Bull. Univ. Utah 30 (13) Biol. 5 (9) p. 57 TF. 42, 82, 93, 95 (D ♂♀).

Gen. **Coelotes** Blackwall 1841.

Palaearktische Arten:

§ 7 ♀: L. Koch 1868, Abh. Nat. Ver. Nürnberg 4 p. 33.
§ 6 ♂, 10 ♀: Simon 1875, Aradin. de France 2 p. 31—32.
§ 5 ♂, 5 ♀: Kulczynski 1887, Rozprav. Ak. Umiej. Krakow 16 p. 341—342.
§ 6 ♂, 6 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (2) p. 157—158.
§ 6 ♂, 6 ♀: Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 119 ect. (sub **Amaurobius**).
§ 7 ♂, 7 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 124—125 TF. 1401—1414.
§ 3 ♂, 3 ♀: M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 21—28.
§ 9 ♂, 9 ♀: Simon 1937, Aradin. de France 6 (5) p. 983—991.
§ 11 Arten: Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 37—40.

♂ **alveolifer** Schenkel 1936. Süd-Kansu

C. a. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 177 f. 59 b (D ♂).

♀ **amplilamnis** Saito 1936. Jehol

C. a. Saito 1936, Rep. 1. Sci. Exped. Manchoukuo (5) 1 (3) p. 80 T. 2 F. 2; f. 19 (D ♀).

♂♀ **anoplus** Kulczynski 1897. Kroatien, Serbien

C. a. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 162 T. 6 F. 17 (D ♂♀).
Amaurobius a. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 468 T. 14 F. 5; T. 15 F. 42 (D ♂♀).

♂♀ **atropos** (Walckenaer) 1825. – * Europa

Drassus a. Walckenaer 1825 (1820), Faun. Franç p. 170 (D ♀).
Drassus trucidator Walckenaer 1825 (1820), Faun. Franç. p. 172 (D ♀).
Clubiona saxatilis Blackwall 1833, Lond. Edinbg. Phil. Mag. (3) 3 p. 436 (D ♂♀).
Clubiona saxatilis Blackwall 1834, Research in Zool. p. 332 (N).
Drassus a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 627 (D ♂♀).
Drassus trucidator Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 629 (D ♀).
C. saxatilis Blackwall 1841, Trans. Linn. Soc. Lond. (Zool.) 18 p. 618 T. 39 F. 6—8 (D ♂♀).
Clubiona tigrina Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 483 (D ♂).
Clubiona saxatilis Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 441 (D).
C. saxatilis Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 169 T. 12 F. 109 (D ♂♀).
Amaurobius a., saxatilis, trucidator Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 139 (C).
C. a. Simon 1875, Arachn. de France 2 p. 32 T. 5 F. 14 (D ♂♀).
C. a. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 61 (D ♂♀).
C. a. Hansen 1885, in: Schiödte, Zool. Danica p. 122 T. 3 F. 2 (D ♂♀).
C. a. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 187 T. 15 F. 2 (D ♂♀).
C. a. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 160 T. 6 F. 15 (D ♂♀).
C. a. Bösenberg 1902, Zoologica 14 (2—4) p. 222 T. 20 F. 314 (D ♂♀).
Amaurobius a. Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 435 T. 14 F. 15; T. 15 F. 28, 48, 66 (D ♂♀).
Amaurobius a. Lessert 1910, Catal. Invert. Suisse, Araign. p. 461 (D ♂♀).
C. a. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 22 f. 34—41 (D ♂♀).
C. a. Reimoser 1931, Die Natur (Wien) 7 (2) p. 40 f. 2 (N ♂♀).
C. a. Simon 1937, Arachn. de France 6 (5) p. 985, 990, 1030 f. 1511, 1520 (D ♂♀).
C. a. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 41 f. 5c, 6c (N ♂♀).
Amaurobius a. Locket & Millidge 1953, Brit. Spiders 2 p. 19 f. 14A, B; 15A, C (D ♂♀).

♀ **bidens** Caporiacco 1935. Karakorum

C. b. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 227 T. 6 F. 10 (D ♀).

♂♀ **birulai** Ermolajew 1926. West-Sibirien, Turkestan

C. b. Ermolajew 1926, Annuar. Mus. Zool. Ac. Sci. URSS. 27 p. 347 f. 1, 3—5 (D ♂♀).

caraflensis Kishida 1924. Japan

C. c. Kishida 1924, Zool. Mag. Tokyo 36 p. ? (D ?).

♀ **charitonovi** Spassky 1939. Usbekistan

C. c. Spassky 1939, Festschr. Strand 5 p. 141 p. 4 (D ♀).

♂ **csikii** Kulczynski 1901. China

C. c. Kulczynski 1901, in: Horvath, Zool. Erg. 3. Reis. Zichy 2 p. 341 T. 13 F. 14, 15 (D ♂).
C. c. Ermolajew 1926, Annuar. Mus. Zool. Ac. Sci. URSS. 27 p. 347 f. 2 (N ♂).

♂♀ **exitialis** L. Koch 1878. Japan

C. e. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 755 T. 15 F. 17—19 (D ♂♀).

♂♀ **falciger** Kulczynski 1897. Ungarn, Balkanländer

C. roscidus Hermann 1879, Ungarns Spinn. Faun. 3 p. 124, 353 (D ♂).
C. f. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 161 T. 6 F. 12 (D ♂♀).

Amaurobius f. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 467 T. 14 F. 8; T. 15 F. 41 (D ♂♀).
C. f. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 43 f. 51, 6b (N ♂♀).

♂♀ **gasperinii** Simon 1891. Dalmatien
C. g. Simon 1891, in: Gasperini, Prilog Faun. Dalmat. Pauk. p. 41 (D ♂).
C. g. Simon 1893, Hist. Nat. Araign. 2 (2) p. 254 f. 255 (N ♂).
Amaurobius g. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 462 T. 14 F. 7; T. 15 F. 43, 62 (D ♂♀).

o **ghigii** Caporiacco 1948. Mittel-Italien
C. g. Caporiacco 1948, Act. Pontif. Ac. Sci. 12 (20) p. 235 (D ♀).

♀ **immaculatus** Cambridge 1873. England
C. i. Cambridge 1873, Trans. Linn. Soc. Lond. 28 (3) p. 444 (D ♀).

♂♀ **inermis** (L. Koch) 1855. Mittel- und Südost-Europa
Amaurobius i. L. Koch 1855, Corr. Blatt Zool. Min. Ver. Regensbg. 9 p. 161 TF. 1 (D ♀).
C. i. L. Koch 1868, Abh. Nat. Ver. Nürnberg 4 p. 33 TF. 15, 16 (D ♂♀).
C. i. Simon 1875, Arachn. de France 2 p. 45 (D ♂♀).
C. i. Kulczynski 1887, Rozprav. Ak. Umiej. Krakow 16 p. 341 T. 8 F. 57 (D ♂).
C. i. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 189 T. 13 F. 1 (D ♂♀).
C. i. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 157 T. 6 F. 16 (D ♂♀).
C. i. Bösenberg 1902, Zoologica 14 (2—4) p. 222 T. 20 F. 315 (D ♂♀).
Amaurobius i. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 464 T. 14 F. 2; T. 15 F. 59 (D ♂♀).
Amaurobius i. Lessert 1910, Catal. Invert. Suisse, Araign. p. 465 (D ♂♀).
C. i. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 26 f. 42, 43 (D ♂♀).
C. i. Simon 1937, Arachn. de France 6 (5) p. 983, 987, 1037 f. 1508, 1516 (D ♂♀).
C. i. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 42 f. 5k, 6a (N ♂♀).

♀ **jurinitschi** (Drensky) 1915. Bulgarien, Thrazien
Amaurobius j. Drensky 1915, Rev. Ac. Bulgar. Sci. 12 p. 155, 175 T. 2 F. 1 (D ♀).
C. j. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 42 f. 5f (N ♀).

♂♀ **karlinskii** (Kulczynski) 1906. Balkanländer
Amaurobius k. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 469 T. 14 F. 3 (D ♀).
C. k. Kolosvary 1938, Rassegna Faunist. 3—4 p. 18 TF. g, h (D ♂).
C. k. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 42 f. 5g, 7c, 8 (N ♂♀).

♂♀ **kulczynskii** (Drensky) 1917. Bulgarien, Bukowina
Amaurobius k. Drensky 1917, Rev. Ac. Bulgar. Sci. 12 p. 154, 175 T. 2 F. 2 (D ♀).
C. intermedius Rosca 1935, Zool. Anz. 111 (9—10) p. 250 f. 9—10 (D ♂♀).
C. intermedius Rosca 1937, Bul. Fac. Stiinta Cernauti 10 p. 205 f. 11 (D ♂♀).
Amaurobius k. Drensky 1939, Mitt. Bulgar. Ent. Ges. Sofia 10 p. 86 (N).
C. k. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 41 f. 5e (N ♀).

♀ **kulianganus** Chamberlin 1924. China
C. k. Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 24 T. 5 F. 40 (D ♀).

♂♀ **laticeps** Schenkel 1936. Süd-Kansu
C. l. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 181 f. 60 (D ♂♀).

♂♀ **longispina** Kulczynski 1897. Südost-Europa
C. l. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 158 T. 6 F. 13 (D ♂♀).

Amaurobius l. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 471 T. 14 F. 16; T. 15 F. 39, 55 (D ♂♀).
C. l. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 40 f. 5a (N ♀).

♀ **magniceps** Schenkel 1936. Süd-Kansu
C. m. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 186 f. 61 (D ♀).

♀ **major** Kroneberg 1875. Turkestan, Tienschan, Nord-Kansu
C. m. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 15 T. 1 F. 6 (D ♀).
C. m. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 284 f. 97 (D ♀).

♂♀ **mediocris** Kulczynski 1887. Tirol
C. m. Kulczynski 1887, Rozprav. Ak. Umiej. Krakow 16 p. 337 T. 8 F. 52—56 (D ♂♀).
Amaurobius m. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 448 T. 14 F. 18; T. 15 F. 34, 49, 57 (D ♂♀).

♀ **micado** Strand 1907. Japan
C. moellendorffi Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 303 T. 16 F. 463, 494 (D ♀).
C. m. Strand 1907, Zool. Anz. 31 (17—18) p. 564 (N).
C. m. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 55 (N).

♀ **modestus** Simon 1880. Peking
C. m. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 116 T. 3 F. 15 (D ♀).

o **moellendorffi** (Karsch) 1881. Japan
Cedicus m. Karsch 1881, Berlin. Ent. Zeitschr. 25 p. 220 (D ♀).

♂♀ **munieri** Simon 1880. Dalmatien
C. m. Simon 1880, Ann. Soc. Ent. France (5) 10 Bull. p. 36 (D ♂).
Amaurobius m. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 471 T. 14 F. 23; T. 15 F. 24, 27, 40 (D ♂♀).

♀ **obesus** Simon 1875. Ost-Pyrenäen
C. o. Simon 1875, Arachn. de France 2 p. 44 (D ♀).

♂♀ **pabulator** Simon 1875. Franz. u. Schweizer Alpen, Bulgarien
C. p. Simon 1875, Arachn. de France 2 p. 34 T. 5 F. 11 (D ♂♀).
C. p. Lessert 1904, Rev. Suisse Zool. 12 (2) p. 408 f. 30—33 (N ♂♀).
Amaurobius p. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 450 T. 14 F. 12; T. 15 F. 31, 32, 46, 47, 60 (D ♂♀).
Amaurobius p. Lessert 1910, Catal. Invert. Suisse, Araign. p. 463 (D ♂♀).
C. p. Simon 1937, Arachn. de France 6 (5) p. 987, 990, 1035 (D ♂♀).
C. p. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 44 f. 5k, 6d (N ♂♀).

♂♀ **pastor** Simon 1875. Franz. Alpen, Bulgarien
C. p. Simon 1875, Arachn. de France 2 p. 38 T. 5 F. 12 (D ♂♀).
C. p. Kulczynski 1887, Rozprav. Ak. Umiej. Krakow 16 p. 274, 342 T. 8 F. 60 (N ♂).
Amaurobius p. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 454 T. 14 F. 6, 9, 10; T. 15 F. 36, 52, 58 (D ♂♀).
C. p. Simon 1937, Arachn. de France 6 (5) p. 986, 989, 1035 f. 1512, 1519 (D ♂♀).
C. p. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 43 f. 9a (N ♀).

♀ **pastor pirinicus** Drensky 1942. Bulgarien
C. p. p. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 43, 59 f. 9c (D ♀).

♀ **pastor tirolensis** (Kulczynski) 1906. Tirol

Amaurobius p. t. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 458 T. 14 F. 11, 13 (D ♀).
C. p. t. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 43 f. 9b (N ♀).

♂♀ **pickardi** Cambridge 1873. Schweiz

C. p. Cambridge 1873, Journ. Linn. Soc. Lond. (Zool.) 11 p. 537 T. 14 F. 5 (D ♂).
Amaurobius p. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 460 T. 15 F. 35, 50, 61 (D ♂).
Amaurobius p. Lessert 1910, Catal. Invert. Suisse, Araign. p. 465 (D ♂).
C. p. Schenkel 1927, Rev. Suisse Zool. 34 (14) p. 257 f. 16 (D ♂♀).

♂♀ **poweri** Simon 1875. Süd-Frankreich, Bulgarien

C. p. Simon 1875, Arachn. de France 2 p. 42 (D ♀).
Amaurobius p. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 447 T. 14 F. 20 (D ♀).
C. p. Simon 1937, Arachn. de France 6 (5) p. 987, 991, 1036 f. 1513, 1523 (D ♂♀).
C. p. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 41 f. 5d, 7a (N ♂♀).

♂♀ **pyrenaeus** Simon 1870. Spanien, Frankreich

C. p. Simon 1870, Mem. Soc. Sci. Liège (2) 3 p. 293 (25) T. 1 F. 22 (D ♂).
C. p. Simon 1875, Arachn. de France 2 p. 40 T. 5 F. 12 (D ♂♀).
Amaurobius obesus Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 424 T. 14 F. 1 (D ♀, nec ♂).
Amaurobius p. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 428 T. 14 F. 4 (D ♀).
C. p. Simon 1937, Arachn. de France 6 (5) p. 985, 988, 1034 f. 1509, 1517 (D ♂♀).

♂♀ **rudolfi** (Schenkel) 1923. Schweiz

Amaurobius r. Schenkel 1923, Rev. Suisse Zool. 32 (19) p. 312 f. 13 (D ♂♀).

♂♀ **segestriformis** (Dufour) 1820. Frankreich

Drassus s. Dufour 1820, Ann. Gen. Sci. Phys. 6 p. 297 T. 95 F. 1 (D ♂♀).
Amaurobius roscidus C. L. Koch 1834, Uebers. Arachn. Syst. 1 p. 15 (D).
Clubiona roscida Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 480 (D ♀).
Amaurobius roscidus C. L. Koch 1845, Die Arachniden 10 p. 113 TF. 829 (D ♀).
Drassus s. Dufour 1858, Ann. Soc. Ent. France (3) 6 p. 260 T. 6 F. 2 (D ♂♀).
C. roscidus L. Koch 1868, Abh. Nat. Ges. Nürnbg. 4 p. 40 T. 2 F. 19 (D ♀).
C. roscidus Simon 1875, Arachn. de France 2 p. 43 (D ♀).
C. atramentarius Simon 1875, Arachn. de France 2 p. 46 (D ♀).
C. leveillei Simon 1876, Ann. Soc. Ent. France (5) 6 p. 92 (D ♂♀).
Amaurobius obesus Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 425 T. 14 F. 25; T. 15 F. 37, 53, 68 (D ♂, nec ♀).
Amaurobius leveillei Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 426 T. 15 F. 38, 54, 67 (D ♂).
Amaurobius atramentarius Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 430 T. 14 F. 22 (D ♀).
Amaurobius dubius Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 432 T. 15 F. 19 (D ♀).
C. s. Simon 1937, Arachn. de France 6 (5) p. 895, 988, 1034 f. 1510, 1518 (D ♂♀).

♀ **simoni** Strand 1907. Frankreich

C. solitarius Simon 1898, Feuille Jeun. Natural. 28 p. 173 f. B (D ♀).
C. s. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 392 (nom. nov.).

♀ **simplex** Cambridge 1885. Nordwest-Indien

C. s. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 31 (D ♀).

♂♀ **solitarius** L. Koch 1868. Süd-Frankreich, Schweiz, Österreich, Oberitalien

C. s. L. Koch 1868, Abh. Nat. Ges. Nürnbg. 4 p. 38 T. 2 F. 18 (D ♀).
C. s. L. Koch 1872, Zeitschr. Ferdinand. Tirol 3 (17) p. 295 TF. 18 (D ♂).
C. s. Simon 1875, Arachn. de France 2 p. 36 T. 5 F. 13 (D ♂♀).
C. s. Kulczynski 1887, Rozprav. Ak. Umiej. Krakow 16 p. 341 T. 8 F. 58 (N ♂).
C. brevidens Kulczynski 1898, Symbol. Faun. Aran. Austral. Infer. p. 99 T. 2 F. 75 (D ♀).
Amaurobius s. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 440 T. 14 F. 21; T. 15 F. 30, 44, 65 (D ♂♀).
C. s. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 27 f. 44, 45 (D ♂♀).
C. s. Simon 1937, Arachn. de France 6 (5) p. 987, 990, 1037 f. 1515, 1521 (D ♂♀).

♀ **spinivulvus** Simon 1880. Peking

C. s. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 116 T. 3 F. 16 (D ♀).

♂♀ **stylifer** Caporiacco 1935. Karakorum

C. s. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 226 T. 6 F. 11 (D ♂♀).

o **tegenarioides** Cambridge 1885. Nordwest-Indien

C. t. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 30 (D o).

♂♀ **terrestris** (Wider) 1834. Europa

Aranea t. Wider 1834, Mus. Senckbg. 1 (3) p. 215 T. 14 F. 10 (D ♀).
Amaurobius subterraneus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 15 (C).
Amaurobius tigrinus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 16 (C).
Amaurobius t. C. L. Koch 1839, Die Arachniden 6 p. 45 TF. 463, 464 (D ♂♀).
Amaurobius t. L. Koch 1855, Corresp. Blatt Ver. Regensbg. 9 (11) p. 163 TF. 2. (D ♂♀).
Amaurobius t. Ohlert 1867, Aran. Prov. Preussen p. 92 (D ♂♀).
Amaurobius t. L. Koch 1868, Abh. Nat. Ver. Nürnbg. 4 p. 42 T. 2 F. 20, 21 (D ♂♀).
C. pabulator Cambridge 1889, Proc. Dorset F. Cl. 10 p. 7 f. 2 (D).
C. t. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 161 T. 6 F. 14 (D ♂♀).
Amaurobius t. Kulczynski 1906, Bull. Ac. Sci. Cracov. p. 443 T. 14 F. 17; T. 15 F. 29, 45, 63 (D ♂♀).
Amaurobius t. Lessert 1910, Catal. Invert. Suisse, Araign. p. 462 (D ♂♀).
C. t. Simon 1937, Arachn. de France 6 (5) p. 987, 991, 1036 f. 1514, 1522 (D ♂♀).
C. t. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 41 f. 5 b, 7 b (N ♂♀).
Amaurobius t. Locket & Millidge 1953, Brit. Spiders 2 p. 20 f. 14 C, D, 15 B, D (D ♂♀).

♂ **zangherii** Caporiacco 1938. Italien

C. z. Caporiacco 1938, Boll. Soc. Eustach. 36 (1) p. 5 f. 1 (D ♂).

Neotropische Arten:

♀ **exaptus** Banks 1898. Mexico

C. e. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 231 T. 14 F. 27 (D ♀).

Gen. **Coras** Simon 1898.

Palaearktische Arten:

♂♀ **insidiosus** (L. Koch) 1878. Japan

Coelotes i. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 751 T. 15 F. 12—13 (D ♂).
Coelotes japonicus Karsch 1879, Verh. Nat. Ver. Rheinl. Westfal. 36 p. 97 T. 1 F. 16 (D ♀).

C. i. Simon 1898, Hist. Nat. Araign. 2 (2) p. 258 (N).
C. i. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 300 T. 16 F. 458 (D ♂♀).
C. i. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 62 F. 8 (1) (N ♂).

♂♀ **luctuosus** (L. Koch) 1878. Japan

Coelotes l. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 752 T. 15 F. 14—16 (D ♂♀).
C. l. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 300 T. 16 F. 459 (D ♂♀).
C. l. Strand 1918, Arch. Naturg. 82 (A;11) p. 84 T. 1 F. 18 (N ♀).
C. l. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 342 T. 13 F. 27; T. 15 F. 53 (D ♀).
C. l. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 62 f. 8 (2) (N ♀).

♂ **plancyi** (Simon) 1880. China, Japan

Coelotes p. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 115 T. 3 F. 12—14 (D ♂).
C. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 258 (N).

Nearktische Arten:

§ 3 ♂, 3 ♀: Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 281.

♂♀ **aerialis** Muma 1946. Östl. U. St. Amerika

Coelotes medicinalis Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 191 T. 7 F. 1 (D ♂♀).
C. lamellosus Muma 1944, Amer. Mus. Novit. 1257 p. 4 TF. 4 (C ♂♀).
C. a. Muma 1946, Amer. Mus. Novit. 1329 p. 7 TF. 8, 31, 32 (D ♂♀).

♂♀ **alabama** Muma 1946. Alabama

C. a. Muma 1946, Amer. Mus. Novit. 1329 p. 9 TF. 11, 39, 40 (D ♂♀).

♂♀ **angularis** Muma 1944. Maryland

C. a. Muma 1944, Amer. Mus. Novit. 1257 p. 3 TF. 2, 3 (D ♂♀).

♀ **cavernarum** Barrows 1940. Ohio

C. c. Barrows 1940, Ohio Journ. Sci. 40 (3) p. 130 f. 1 (D ♀).
C. c. Muma 1946, Amer. Mus. Novit. 1329 p. 11 (D ♀).

♀ **crescentis** Muma 1944. Maryland

C. c. Muma 1944, Amer. Mus. Novit. 1257 p. 4 TF. 5 (D ♀).

♂♀ **furcatus** Muma 1946. Florida

C. f. Muma 1946, Amer. Mus. Novit. 1329 p. 6 TF. 6, 25, 26 (D ♂♀).

♂♀ **juvenilis** (Keyserling) 1881. Östl. U. St. Amerika

Coelotes j. Keyserling 1881, Verh. Zool. Bot. Ges. Wien 31 p. 288 T. 11 F. 13 (D ♀).
Coelotes longitarsus Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 192 T. 7. F. 2 (D ♀, nec ♂).
Coelotes fidelis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 24 T. 1 F. 72; T. 5 F. 72 (D ♂♀).
Coelotes longitarsus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 24 T. 4 F. 73 (D ♂♀).
Coelotes lineatus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 25 (D O).
Coelotes longitarsus Simon 1898, Hist. Nat. Araign. 2 (2) p. 254 f. 247 (N ♂).
Tegenaria (Coelotes) longitarsus Emerton 1902, Common Spid. p. 102 f. 241—245 (D ♂♀).

Coelotes fidelis Comstock 1912, Spider Book p. 595 f. 676, 677 (N).
Coelotes fidelis Banks 1916, Proc. Ac. Nat. Sci. Philad. 68 p. 70 T. 10 F. 8 (C ♂).
C. j. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 123 (N).
C. j. Muma 1946, Amer. Mus. Novit. 1329 p. 13 TF. 13—15, 51, 52 (D ♂♀).
C. j. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 281 T. 45 F. 909, 911; T. 128 F. 2056 (N ♂♀).

♂♀ **kisatchie** Muma 1946. Louisiana

C. k. Muma 1946, Amer. Mus. Novit. 1329 p. 10 TF. 12, 41, 42 (D ♂♀).

♂♀ **lamellosus** (Keyserling) 1887. Maryland

Coelotes l. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 469 T. 6 F. 30 (D ♂♀).
C. l. Muma 1946, Amer. Mus. Novit. 1329 p. 6 TF. 7, 27—30 (D ♂♀).

♂♀ **medicinalis** (Hentz) 1821. – * U. St. Amerika, Canada

Tegenaria m. Hentz 1821, Journ. Philad. Ac. Nat. Sci. 2 p. 53 T. 5 F. 1 (D ♂♀).
Clubiona m. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 607 (D).
Tegenaria nemorensis Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 10 (D ♂♀).
Tegenaria m. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 462 T. 24 F. 21 (D ♂♀).
Tegenaria m. Hentz 1866, Boston Journ. Nat. Hist. Soc. 11 p. 107 TF. 110 (N O).
Coelotes urbanus Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 467 T. 6 F. 31 (D ♂).
C. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 258 f. 250 (N ♂).
Tegenaria (Coelotes) m. Emerton 1902, Common Spid. p. 99 f. 233-240 (D ♂♀).
C. m. Comstock 1912, Spider Book p. 592 f. 672 (D ♂♀).
C. m. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 122 (N).
C. m. Comstock 1940, Spider Book p. 610 f. 672 (D ♂♀).
C. m. Muma 1946, Amer. Mus. Novit. 1329 p. 4 TF. 1—3, 21—24 (D ♂♀).
C. m. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 281 T. 44 F. 900—902; T. 45 F. 914, 915 (D ♂♀).

♂♀ **montanus** (Emerton) 1889. U. St. Amerika, Canada

Coelotes m. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 192 T. 7 F. 3 (D ♂♀).
C. m. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 123 (N).
C. m. Muma 1946, Amer. Mus. Novit. 1329 p. 10 TF. 16, 17, 43—46 (D ♂♀).
C. m. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 281 T. 45 F. 912, 913 (D ♂♀).

♀ **parallelis** Muma 1944. Östl. U. St. Amerika

C. p. Muma 1944, Amer. Mus. Novit. 1257 p. 4 TF. 6 (D ♀).
C. p. Muma 1946, Amer. Mus. Novit. 1329 p. 5 TF. 4, 5 (D ♀).

♂♀ **perplexus** Muma 1946. Südl. U. St. Amerika

C. p. Muma 1946, Amer. Mus. Novit. 1329 p. 8 TF. 9, 33, 34 (D ♂♀).

♂♀ **taugynus** Chamberlin 1925. Südöstl. U. St. Amerika

C. t. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 124 (D ♀).
C. t. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 129 (C ♀).
C. t. Muma 1946, Amer. Mus. Novit. 1329 p. 13 TF. 18, 19, 49, 50 (D ♂♀).

♂♀ **tennesseensis** Muma 1946. Tennessee, N.-Carolina

C. t. Muma 1946, Amer. Mus. Novit. 1329 p. 10 TF. 20, 47, 48 (D ♂♀).

Gen. **Corasoides** Butler 1929.

♂♀ **australis** Butler 1929. Victoria

C. a. Butler 1929, Proc. Soc. Victoria 24 (1) p. 42 T. 1 F. 1—5 (D ♂♀).

Gen. **Coreidon** Mello-Leitao 1917.

♂ **tropicum** Mello-Leitao 1917. Brasilien

C. t. Mello-Leitao 1917, Arch. Escol. Sup. Agr. Med. Vet. 1 p. 15 (D ♂).

Gen. **Cryphoeca** Thorell 1870.

Palaearktische Arten:

§ 2 ♂, 2 ♀: Simon 1937, Arachn. de France 6 (5) p. 1019—1021.

♀ **angularis** Saito 1934. Japan

C. a. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 348 T. 13 F. 29; T. 15 F. 77 (D ♀).

♀ **cavicola** Caporiacco 1938. Nordost-Italien, Postumia-Höhle

C. c. Caporiacco 1938, Le Grotte d'Italia (2) 2 p. 7 (D ♀).

♂♀ **lichenum** L. Koch 1876. Tirol

C. l. L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 297 (D ♂♀).

♂♀ **pyrenaea** Simon 1898. Pyrenäen

C. p. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 9 (D ♀).
C. p. Simon 1937, Arachn. de France 6 (5) p. 1021, 1044 f. 1590, 1591 (D ♂♀).

♂♀ **silvicola** (C. L. Koch) 1834. – * Europa (außer Südwest-), Sibirien

Tegenaria s. C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 125.
Hahnia s. C. L. Koch 1845, Die Arachniden 12 p. 158 TF. 1076, 1077 (D ♂♀).
Tegenaria s. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 464 (D ♂♀).
Amaurobius (Kochia) sylvicolus Menge 1850, Neue Schrift. Danzig. Nat. Ges. 4 (3) p. 63 (D ♀).
Agelena hyndmannii Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 154 T. 10 F. 98 (D ♀).
Tegenaria s. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 168 T. 12 F. 108 (D ♂♀).
Hahnia s. Westring 1862, Aran. Svec. p. 320 (D ♂♀).
Hahnia sylvicola Ohlert 1867, Aran. Prov. Preussen p. 87 (D ♂♀).
Hahnia s. Menge 1869, Schrift. Nat. Ges. Danzig (N. F.) 2 p. 254 T. 48 F. 151 (D ♂♀).
C. sylvicola Simon 1875, Arachn. de France 2 p. 52 T. 5 F. 17 (D ♂♀).
C. s. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 61 (D ♂♀).
C. s. Hansen 1885, in: Schiödte, Zool. Danica p. 124 (D ♂♀).
C. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 157 (D ♂♀).
C. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 268 f. 262, 263 (N ♂).
C. s. Bösenberg 1902, Zoologica 14 (2—4) p. 232 T. 21 F. 330 (D ♂♀).
C. sylvicola Lessert 1910, Catal. Invert. Suisse, Araign. p. 468 (D ♂♀).
C. s. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 5 f. 1—5 (D ♂♀).
C. sylvicola Simon 1937, Arachn. de France 6 (5) p. 1021, 1044, f. 1588, 1589 (D ♂♀).
C. s. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 56 f. 18a, b (N ♂♀).
C. s. Locket & Millidge 1953, Brit. Spiders 2 p. 22 f. 16 C—E (D ♂♀).

♂♀ **silvicola carpathica** (Herman) 1879. Carpathen

C. carpathica Herman 1879, Ungarns Spinn. Faun. 3 p. 129, 353 (D ♂♀).
C. s. c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 157 (D ♂♀).

Nearktische Arten:

♂♀ **montana** Emerton 1909. U. St. Amerika, Canada
C. m. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 222 T. 8 F. 4 (D ♂♀).

♀ **peckhami** Simon 1898. U. St. Amerika
C. p. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 9 (D ♀).
C. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 261 f. 258 (N).
C. p. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13 F. 36 (C ♀).
C. p. Worley 1932, Publ. Univ. Wash. Biol. 1 (1) p. 51 (N).
C. p. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 18 T. 1 F. 5; T. 3 F. 21, 22 (D ♂♀).

Gen. **Ethobuella** Chamberlin & Ivie 1937.

♂♀ **cinctipes** (Banks) 1896. Washington State, Oregon, Alaska
Apostenus c. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 65 (D ♀).
E. (Dirksia) anyphaenoides Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 25 T. 3 F. 35—37 (D ♂♀).
E. c. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10) Biol. 19 (3) p. 17 (N).

♀ **hespera** Chamberlin & Ivie 1937. Californien
E. h. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 224 T. 8 F. 61 (D ♀).

♂♀ **tuonops** Chamberlin & Ivie 1937. – * Vancouver
E. t. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 39 (2) p. 223 T. 8 F. 55—60 (D ♂♀).

Gen. **Hadites** Keyserling 1862.

§ 4 Arten: Kratochvil 1938, Act. Soc. Sci. Nat. Morav. 11 (1; 101) p. 8.

♂♀ **bidens** Absolon & Kratochvil 1932. I. Meleda
H. b. Absolon & Kratochvil 1932, Act. Mus. Morav. 29 p. 6 f. 5 (D ♂).
H. (Roeweriana) b. Kratochvil 1938, Act. Soc. Sci. Nat. Morav. 11 (1; 101) p. 12 f. 16—19 (D ♂♀).

♂♀ **dubius** Absolon & Kratochvil 1932. Dalmatien, Herzegowina
H. d. Absolon & Kratochvil 1932, Act. Mus. Morav. 29 p. 6 f. 5 (D ♂).
H. (Roeweriana) d. Kratochvil 1938, Act. Soc. Sci. Nat. Morav. 11 (1; 101) p. 16 f. 10—14, 20—24 (D ♂♀).

♀ **krivosijanus** (Kratochvil) 1935. Kroatien (Höhlen)
H. bidens k. Kratochvil 1935, Act. Soc. Sci. Nat. Morav. 9 (12) p. 21 (D ♀).
H. k. Kratochvil 1938, Act. Soc. Sci. Nat. Morav. 11 (1; 101) p. 21 f. 25—29 (D ♀).

♀ **myops** Simon 1885. Griechenland, Ossa
H. m. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 212 (D ♀).

♂♀ **tegenarioides** Keyserling 1862. – * Corgnale, I. Lissa
H. t. Keyserling 1862, Verh. Zool. Bot. Ges. Wien 12 p. 542 T. 16 F. 2 (D ♂♀).
H. t. Joseph 1882, Berlin. Ent. Zeitschr. 26 p. 19 (N).
H. t. Fage 1931, Arch. Zool. Expér. Gén. 71 (2) p. 213 (N).
H. (H.) t. Kratochvil 1938, Act. Soc. Sci. Nat. Morav. 11 (1; 101) p. 9 f. 1—9, 15 (D ♂♀).

Gen. Halocryphoeca Caporiacco 1934.

♀ **veneta** Caporiacco 1934. Venetien
H. v. Caporiacco 1934, Ann. Mus. Civ. Trieste 12 p. 124 f. 2—5 (D ♀).

Gen. **Hicanodon** Tullgren 1901.

♀ **cinerea** Tullgren 1901. Patagonien
H. c. Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 253 T. 19 F. 9 (D ♀).

Gen. **Histopona** Thorell 1869.

♀ **debilis** Thorell 1875. Riviera
H. d. Thorell 1875, Tijdschr. Ent. 18 p. 95 (D ♀).
H. d. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 83 (D ♀).
Tegenaria d. Simon 1875, Arachn. de France 2 p. 105 (D ♀).

♂♀ **luxurians** (Kulczynski) 1897. Kroatien, Serbien
Tegenaria l. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 172 T. 7 F. 3 (D ♂♀).

♂♀ **torpida** (C. L. Koch) 1834. – * Mittel- und Süd-Europa
Agelena t. C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 125 (part.).
Tegenaria t. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 13 (D).
Tegenaria emaciata Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 14 (D ♂).
Textrix t. C. L. Koch 1841, Die Arachniden 8 p. 48 TF. 625, 626 (D ♂♀).
Textrix montana C. L. Koch 1841, Die Arachniden 8 p. 53 TF. 630 (D ♀).
Tegenaria t. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 464 (D ♂♀).
H. t. Thorell 1869, On Europ. Spid. p. 133 (N).
Tegenaria t. Simon 1875, Arachn. de France 2 p. 103 (D ♂♀).
Tegenaria t. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 203 T. 13 F. 11 (D ♂♀).
Tegenaria t. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 170 T. 7 F. 2 (D ♂♀).
Tegenaria t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 251 f. 254 (N ♂).
H. t. Bösenberg 1902, Zoologica 14 (2—4) p. 223 T. 20 F. 317 (D ♂♀).
Tegenaria t. Lessert 1910, Catal. Invert. Suisse, Araign. p. 460 (D ♂♀).
H. t. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 19 f. 30—33 (D ♂♀).
Tegenaria t. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 48 f. 10a, 11a (N ♂♀).

Gen. **Hololena** Exline 1938.

§ 10 ♂: Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 106 (sub. **Agelena**, part.)

♂♀ **adnexa** (Chamberlin & Gertsch) 1929. Californien
Agelena a. Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 108 T. 3 F. 34—36 (D ♀).
H. a. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 220 TF. 44, 45 (D ♂♀).

♀ **aduma** Chamberlin & Ivie 1942. Californien
H. a. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 201 TF. 38 (D ♀).

♂♀ **altura** Chamberlin & Ivie 1942. Californien
H. a. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 222 TF. 52, 53 (D ♂♀).

♀ **atypica** Chamberlin & Ivie 1942. Californien

H. a. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 206 TF. 5 (D ♀).

♀ **barbarana** Chamberlin & Ivie 1942. Californien

H. b. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 213 TF. 37 (D ♀).

♂♀ **curta** (McCook) 1893. Californien, Canada, Alaska

Agelena c. McCook 1893, Amer. Spid. 3 p. 29 f. 2, 3 (D ♂♀).
Agelena c. Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 106 T. 3 F. 33 (N ♂).
H. c. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 27 T. 4 F. 37; T. 5 F. 39 (D ♂♀).
H. c. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 212 TF. 19, 23 (D ♂♀).

♂♀ **dana** Chamberlin & Ivie 1942. Californien

H. d. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 213 TF. 28, 29 (D ♂♀).

♂♀ **frianta** Chamberlin & Ivie 1942. Californien

H. f. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 210 TF. 17, 21 (D ♂♀).

♂♀ **furcata** (Chamberlin & Gertsch) 1929. Californien

Agelena f. Chamberlin & Gertsch 1929, Journ. Ent. Soc. Claremont 21 (3) p. 107 T. 2 F. 19—21 (D ♂).
H. f. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 209 TF. 15, 16 (D ♂♀).

♂♀ **hola** (Chamberlin & Gertsch) 1928. Utah, Neu-Mexico, Colorado

Agelena h. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 183 (D ♀).
H. h. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2)(p. 206 TF. 6—8 (D ♂♀).

♀ **hopi** Chamberlin & Ivie 1942. Arizona

H. h. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 208 TF. 9 (D ♀).

♂♀ **lassena** Chamberlin & Ivie 1942. Californien

H. l. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 222 TF. 50, 51 (D ♂♀).

♂♀ **madera** Chamberlin & Ivie 1942. Arizona

H. m. Chamberlin & Ivie 1952, Ann. Ent. Soc. Amer. 35 (2) p. 205 TF. 3, 4 (D ♂♀).

♂♀ **mimoides** (Chamberlin) 1919. – * Utah

Agelena m. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 256 T. 19 F. 5, 6 (D ♂).
Agelena m. Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 106 T. 2 F. 16—18 (D ♂).
H. m. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 205 TF. 1, 2 (D ♂♀).

♂♀ **monterea** Chamberlin & Ivie 1942. Californien

H. m. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 215 TF. 32, 33 (D ♂♀).

♂♀ **nedra** Chamberlin & Ivie 1942. Oregon
H. n. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 34 (2) p. 221 TF. 39, 40 (D ♂♀).

♂ **nevada** (Chamberlin & Gertsch) 1929. Nevada
Agelena n. Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 107 T. 2 F. 22—24 (D ♂).
H. n. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 209 TF. 12—14 (D ♂♀).

♀ **oola** Chamberlin & Ivie 1942. Californien
H. n. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 218 TF. 46 (D ♀).

♂♀ **oquirrhensis** (Chamberlin & Gertsch) 1930. Utah
Agelena o. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 142 T. 5 F. 27 (D ♂♀).
H. o. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 208 TF. 11 (D ♂♀).

♂♀ **pacifica** (Banks) 1896. Californien
Agelena p. Banks 1896, Journ. N. York Ent. Soc. 4 p. 89 (D ♂♀).
H. p. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 210 TF. 18, 22 (D ♂♀).

♂♀ **parana** Chamberlin & Ivie 1942. Nevada
H. p. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 222 TF. 47, 48 (D ♂♀).

♂♀ **pearcei** Chamberlin & Ivie 1942. Californien
H. p. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 216 TF. 30, 31 (D ♂♀).

♂ **rabana** Chamberlin & Ivie 1942. Oregon
H. r. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 221 TF. 49 (D ♂).

♂♀ **santana** Chamberlin & Ivie 1942. Californien
H. s. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 213 TF. 24—26 (D ♂♀).

♀ **septata** Chamberlin & Ivie 1942. Californien
H. s. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 214 TF. 36 (D ♀).

♂ **sidella** Chamberlin & Ivie 1942. Californien
H. s. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 220 TF. 41 (D ♂).

♂♀ **sula** Chamberlin & Ivie 1942. Californien
H. s. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 218 TF. 34, 35 (D ♂♀).

♂♀ **tentativa** (Chamberlin & Gertsch) 1929. Utah
Agelena t. Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 106 T. 3 F. 31, 32 (N ♂♀).
H. t. Chamberlin & Ivie 1942. Ann. Ent. Soc. Amer. 35 (2) p. 212 TF. 20, 27 (D ♂♀).

♂ **tulareana** Chamberlin & Ivie 1942. Californien
H. t. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 218 TF. 43 (D ♂).

♀ **turba** Chamberlin & Ivie 1942. Californien
H. t. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 220 TF. 42 (D ♀).

Gen. **Malthonica** Simon 1898.

Palaearktische Arten:

♂♀ **lusitanica** Simon 1898. – * Niedere Pyrenäen, Portugal

M. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 258 (D ♀).
M. l. Simon & Fage 1922, Arch. Zool. Expér. Gén. 60 (7) p. 552 F. 12 (3, 4) (N ♀).
M. l. Simon 1937, Arachn. de France 6 (5) p. 1013, 1042 f. 1570, 1571 (D ♂♀).

Aethiopische Arten:

♀ **africana** Simon & Fage 1922. Ost-Afrika

M. a. Simon & Fage 1922, Arch. Zool. Expér. Gén. 60 (7) p. 551 f. 12 (1, 2) (D ♀).
M. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p . . . (D ♀).

Orientalische Arten:

♀ **psechrina** Simon 1906. Himalya

M. p. Simon 1906, Ann. Soc. Ent. France 75 p. 313 (D ♀).

Gen. **Melpomene** Cambridge 1898.

♂♀ **bicavata** (F. Cambridge) 1902. Mexico

Agelenopsis b. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 337 T. 32 F. 4 (D ♀).
Agelena b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 527 (C).
M. b. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 238 TF. 74—76 (D ♂♀).

♀ **chiricana** Chamberlin & Ivie 1942. Panama

M. ch. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 240 TF. 78 (D ♀).

♀ **coahuilana** (Gertsch & Davis) 1940. Mexico

Agelena c. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 2 TF. 5 (D ♀).
M. c. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 240 TF. 64 (D ♀).

♂ **elegans** Cambridge 1898. – * Mexico

M. e. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 285 T. 39 F. 6 (D ♂).
Agelenopsis e. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 336 T. 31 F. 37 (N ♂).
Agelena e. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 527 (C).
M. e. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 238 (D ♂).

♀ **panamana** (Petrunkevitch) 1925. Panama

Agelena p. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 161 f. 82 (D ♀).
M. p. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 241 (D ♀).

♀ **plesia** Chamberlin & Ivie 1942. Panama

M. p. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 239 TF. 77 (D ♀).

♂ **singula** (Gertsch & Ivie) 1936. Mexico

Agelena s. Gertsch & Ivie 1936, Amer. Mus. Novit. 858 p. 23 TF. 49, 50 (D ♂).
M. s. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 241 TF. 79, 80 (D ♂).

♂ **transversa** (F. Cambridge) 1902. Mexico

Agelenopsis t. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 336 T. 31 F. 38 (D ♂).
Agelena t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 529 (C).
M. t. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 241 (D ♂).

Gen. **Mevianes** Simon 1904.

♀ **delfini** Simon 1904. * Chile

M. d. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 11 (D ♀).

♀ **wilsoni** Simon 1904. Chile

M. w. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 111 (D ♀).

Gen. **Mevianops** Mello-Leitao 1941.

fragilis Mello-Leitao 1941. Columbien

M. f. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (2) p. 119 f. (D).

Gen. **Mizaga** Simon 1898.

♀ **chevreuxi** Simon 1898. Senegambien

M. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 268 (D ♀).
M. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Gen. **Neoporteria** Mello-Leitao 1943.

♀ **pracellens** Mello-Leitao 1943. Chile

N. p. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 140 f. 5 (D ♀).

Gen. **Novalena** Chamberlin & Ivie 1942.

Neotropische Arten:

♂♀ **annamae** (Gertsch & Davis) 1940. Mexico

Agelena a. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 2 TF. 3, 7, 8 (D ♂♀).
N. a. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 229 (D ♂♀).

♂♀ **approximata** (Gertsch & Ivie) 1936. Costa Rica

Agelena a. Gertsch & Ivie 1936, Amer. Mus. Novit. 858 p. 23 TF. 45, 51, 52 (D ♂♀).
N. a. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 226 TF. 63 (D ♂♀).

♀ **attenuata** (F. Cambridge) 1902. Mexico, Guatemala

Agelenopsis a. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 337 T. 32 F. 7 (D ♀).
Agelena a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 527 (C).
N. a. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 228 (D ♀).

♀ **costata** (F. Cambridge) 1902. Costa Rica

Agelenopsis c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 337 T. 32 F. 6 (D ♀).
Agelena Banks 1939, Proc. Ac. Nat. Sci. Philad. p. 202 (C).
N. c. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 228 (D ♀).

♀ **cuspidata** (F. Cambridge) 1902. Mexico

Agelenopsis c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 337 T. 32 F. 3 (D ♀).
Agelena c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 527 (C).
N. c. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 231 (D ♀).

♀ **lobata** (F. Cambridge) 1902. Mexico

Agelenopsis l. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 336 T. 32 F. 2 (D ♀).

Agelena l. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 528 (C).
N. l. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 231 (D ♀).

♂ **marginata** (F. Cambridge) 1902. Mexico

Agelenopsis m. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 336 T. 31 F. 36 (D ♂).
Agelena m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 528 (C).
N. m. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 228 (D ♂).

♂ **nova** (Cambridge) 1896. Guatemala

Agelena n. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 175 T. 22 F. 5 (D ♂).
Agelenopsis n. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 336 T. 31 F. 35 (N ♂).
N. n. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 228 (D ♂).

♀ **orizaba** (Banks) 1898. Mexico

Agelena o. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 231 T.14 F. 30 (D ♀).
Agelenopsis o. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 338 (C ♀).
N. o. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 230 (D ♀).

♂♀ **tolucana** (Gertsch & Davis) 1940. Mexico

Agelena t. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 3 TF. 4, 6 (D ♀).
N. t. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 226 (D ♂♀).

♀ **variabilis** (F. Cambridge) 1902. Mexico

Agelenopsis v. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 338 T. 32 F. 9 (D ♀).
Agelena v. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 529 (C).
N. v. Chamberlin & Ivie 1942. Ann. Ent. Soc. Amer. 35 (2) p. 231 (D ♀).

Nearktische Arten:

♂♀ **calavera** Chamberlin & Ivie 1942. Californien, Utah

N. c. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 230 TF. 61, 62 (D ♂♀).

♀ **idahoana** (Gertsch) 1934. Idaho

Agelena i. Gertsch 1934, Amer. Mus. Novit. 726 p. 25 TF. 5 (D ♀).
N. i. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 229 TF. 57 (D ♀).

♂♀ **intermedia** (Chamberlin & Gertsch) 1930. – * Californien, Oregon, Washington State

Agelena i. Chamberlin & Gertsch 1930, Proc. Biol. Wash. 43 p. 143 T. 5 F. 28 (D ♂).
Hololena i. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 28 T. 4 F. 35, 36 (D ♂♀).
N. i. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 225 TF. 54, 55 (D ♂♀).

♂♀ **lutzi** (Gertsch) 1933. Colorado, Utah, Neu-Mexico, Arizona

Agelena l. Gertsch 1933, Amer. Mus. Novit. 637 p. 12 TF. 9 (D ♂).
N. l. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 229 TF. 59, 60 (D ♂♀).

♀ **pina** Chamberlin & Ivie 1942. Californien

N. p. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 226 TF. 56 (D ♀).

♀ **wawona** Chamberlin & Ivie 1942. Californien

N. w. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 230 TF. 58 (D ♀).

Gen. **Pelidida** Simon 1898.

♂ **albida** Simon 1898. Süd-Brasilien
P. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 270 (D ♂).

Gen. **Philoicides** Mello-Leitao 1944.

♀ **pallidus** Mello-Leitao 1944. Buenos Aires
P. p. Mello-Leitao 1944, Rev. Mus. La Plata (N.S.) Zool. 3 (24) p. 335 f. 21 (D ♀).

Gen. **Pseudotegenaria** Caporiacco 1934.

♀ **parva** Caporiacco 1934. Cyrenaica
P. p. Caporiacco 1934, Bull. Mus. Zool. Torino (3) 44 (47) p. 22 f. 9 (D ♀).

Gen. **Ritalena** Chamberlin & Ivie 1941.

♀ **rita** Chamberlin & Ivie 1941. Arizona
R. c. Chamberlin & Ivie 1941, Ann. Ent. Soc. Columbus 34 p. 613 TF. 84 (D ♀).

Gen. **Rualena** Chamberlin & Ivie 1942.

Neotropische Arten:

♀ **cavata** (F. Cambridge) 1902. Mexico
Agelenopsis c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 337 T. 32 F. 5 (D ♀).
Agelena c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 527 (C).
R. c. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 233 (D ♀).

♂ **simplex** (F. Cambridge) 1902. Guatemala
Agelenopsis s. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 336 T. 32 F. 1 (D ♂).
Agelena s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 528 (C).
R. s. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 233 (D ♂).

Nearktische Arten:

♀ **alleni** Chamberlin & Ivie 1942. Californien
R. a. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 236 TF. 72 (D ♀).

♀ **avila** Chamberlin & Ivie 1942. Californien
R. a. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 236 TF. 71 (D ♀).

♀ **cockerelli** Chamberlin & Ivie 1942. Californien
R. c. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 233 TF. 67 (D ♀).

♂♀ **cruzana** Chamberlin & Ivie 1942. Californien
R. c. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 233 TF. 65, 66 (D ♂♀).

♂♀ **goleta** Chamberlin & Ivie 1942. Californien
R. g. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 234 TF. 69, 70 (D ♂♀).

♀ **magnacava** Chamberlin & Ivie 1942. Californien
R. m. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 236 TF. 73 (D ♀).

♂♀ **rua** (Chamberlin) 1920. Californien

Agelena r. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 9 T. 4 F. 1 (D ♂♀).
R. r. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 232 (N).

♀ **surana** Chamberlin & Ivie 1942. – * Californien

R. s. Chamberlin & Ivie 1942, Ann. Ent. Soc. Amer. 35 (2) p. 234 TF. 68 (D ♀).

Gen. **Saltonia** Chamberlin & Ivie 1942.

♂ **imperialis** Chamberlin & Ivie 1942. Californien

S. i. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 24 T. 2 F. 24, 25 (D ♂).

Gen. **Tegenaria** Latreille 1804.

Palaearktische Arten:

§ 25 ♂, 24 ♀: Simon 1875, Arachn. de France 2 p. 57—59.
§ 8 ♂, 12 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 164—166.
§ 12 ♂, 15 ♀: Roewer 1928, in: Tierw. Mitteleurop. 3 (6) p. 122—124 TF. 1377—1400.
§ 8 ♂, 9 ♀: M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 28—46.
§ 20 ♂, 20 ♀: Simon 1937, Arachn. de France 6 (5) p. 991—1010.
§ 13 Arten: Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 44—48.

♀ **advena** (C. L. Koch) 1841. Oberitalien, Krain

Philoica a. C. L. Koch 1841, Die Arachniden 8 p. 57 TF. 633 (D ♀).
Clubiona a. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 440 (D ♀).
T. a. Simon 1937, Arachn. de France 6 (5) p. 1039 (N).

♀ **africana** Lucas 1846. Algier

T. a. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 240 T. 15 F. 3 (D ♀).

♂♀ **agrestis** (Walckenaer) 1802. Europa (außer N.-) und U. St. Amerika

Aranea a. Walckenaer 1802, Faun. Paris 2 p. 216 (D ♂♀).
T. a. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 8 T. 16 F. 3 (D ♂♀).
Philoica a. Karsch 1873, Verh. Nat. Ver. Rheinl. Westf. 30 p. 136 (N).
T. a. Simon 1875, Arachn. de France 2 p. 93 (D ♂♀).
T. a. Kulczynski 1887, Rozprav. Ak. Umiej. Krakow. 16 p. 275 T. 8 F. 61 (N ♀).
T. a. Müller-Schenkel 1895, Verh. Nat. Ges. Basel 10 p. 753 T. 13 F. 3 (N ♂♀).
T. a. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 200 T. 13 F. 9 (D ♂♀).
T. a. Lessert 1910, Catal. Invert. Suisse, Araign. p. 213, 214 (D ♂♀).
T. a. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 42 f. 46e, 71, 72 (D ♂♀).
T. magnacava Exline 1936, Psyche 43 (1) p. 23 T. 1 F. 3 (D ♂).
T. **magnacava** Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 213 (N).
T. a. Simon 1937, Arachn. de France 6 (5) p. 1000, 1038 f. 1537, 1538 (D ♂♀).
T. magnacava Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 24 T. 4 F. 34 (D ♀).
T. a. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 51 f. 12c, 13c (N ♂♀).
T. a. Hull 1950, Ann. Mag. Nat. Hist. (12) 3 p. 424 T. 3 F. 6—7 (N ♀).
T. a. Exline 1951, Ann. Ent. Soc. Amer. 44 (3) p. 310 f. 1—5 (N ♂♀).
T. a. Roth 1952, Journ. Wash. Ac. Sci. 42 (9) p. 284 (D ♂♀).
T. a. Locket & Millidge 1953, Brit. Spiders 2 p. 13 f. 10A, B (D ♂♀).

♀ **animata** Kratochvil & Miller 1940. Dalmatien, Montenegro

T. a. Kratochvil & Miller 1940, Zool. Anz. 131 (7—8) p. 196 f. 4 (D ♀).

♂♀ **annulata** Kulczynski 1912. Herzegowina, Bulgarien

T. a. Kulczynski 1912, in: Absolon, Zeitschr. Mähr. Landesmus. 13 (1) p. 6 (D ♀).
T. a. Kulczynski 1914, Bull. Ac. Sci. Cracav. p. 381 T. 16 F. 48, 51, 52 (D ♀).
T. a. Kratochvil & Miller 1940, Zool. Anz. 131 (7—8) p. 189 f. 1, 2 (D ♂♀).
T. a. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 49 f. 10h, 11h (N ♂♀).

♀ **antrorum** Simon 1916. Ost-Pyrenäen

T. a. Simon 1916, Ann. Soc. Ent. France 85 Bull. p. 211 (D ♀).
T. a. Fage 1931, Arch. Zool. Expér. Gén. 71 (2) p. 210 f. 46 (N ♀).
T. a. Simon 1937, Arachn. de France 6 (5) p. 994, 1037 f. 1526 (D ♀).

♂♀ **argaeica** Nosek 1905. Kleinasien, Bulgarien

T. a. Nosek 1906, Ann. Nat. Hofmus. Wien 20 p. 136 T. 4 F. 15 (D ♂♀).
T. a. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 51 f. 12d, 13d (D ♂♀).

♂♀ **armigera** Simon 1873. Corsica

T. a. Simon 1873, Mém. Soc. Sci. Liège (2) 5 p. 324 (140) (D ♂♀).
T. a. Simon 1875, Arachn. de France 2 p. 69 (D ♂♀).
T. a. Simon 1937, Arachn. de France 6 (5) p. 995, 1037 f. 1527, 1528 (D ♂♀).

♂♀ **atrica** C. L. Koch 1843. Europa

T. a. C. L. Koch 1843, Die Arachniden 10 p. 105 TF. 825 (D ♂♀).
Philoica stricta C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 26 (N).
T. a. Westring 1862, Aran. Svec. p. 304 (D ♀).
Philoica a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 202 (C).
T. nervosa Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 273 (5) T. 1 F. 8, 12 (D ♂♀).
T. nervosa Simon 1875, Arachn. de France 2 p. 85 T. 5 F. 7 (D ♂♀).
T. larva Simon 1875, Arachn. de France 2 p. 86 T. 5 F. 8 (D ♂).
T. a. Hansen 1885, in: Schlödte, Zool. Danica p. 124 (D ♂♀).
T. hibernica Cambridge 1891, Proc. Dorset F. Cl. 12 p. 86 f. 4 (D ♀).
T. hibernica Cambridge 1895, Proc. Dorset F. Cl. 14 p. 150 TF. 6 (N ♂♀).
T. larva Müller-Schenkel 1895, Verh. Nat. Ges. Basel 10 p. 753 T. 13 F. 1 (N ♂♀).
T. a. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 198 T. 13 F. 7 (D ♂♀).
T. a. Bösenberg 1902, Zoologica 14 (2—4) p. 227 T. 20 F. 320 (D ♂♀).
T. larva Lessert 1910, Catal. Invert. Suisse, Araign. p. 457 f. 211, 212 (D ♂♀).
T. a. larva Kulczynski 1911, Bull. Ac. Sci. Gracov. p. 70 T. 2 F. 87, 88 (N ♂♀).
T. a. Reimoser 1929, Die Natur (Wien) 5 (2) p. 38 f. 2 (N ♂♀).
T. a. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 35 f. 46k, 56—60 (D ♂♀).
T. larva M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 37 f. 46i, 61, 62 (D ♂♀).
T. a. Simon 1937, Arachn. de Franc 6 (5) p. 1003, 1039 f. 1543, 1544 (D ♂♀).
T. a. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 51 f. 12e, 13e (N ♂♀).
T. a. Locket & Millidge 1953, Brit. Spiders 2 p. 10 f. 6, 7, 9AC, 11B (incl. **larva**) (D ♂♀).

♀ **austriaca** Kulczynski 1898. Unter-Österreich

T. a. Kulczynski 1898, Symb. Faun. Aran. Austria Infer. p. 100 T. 2 F. 78 (D ♀).

♂♀ **bayeri** Kratochvil 1934. Kroatien, Herzegowina

T. b. Kratochvil 1934, Prirod. Razprav. 2 (4) p. 212 f. 19 (D ♀).
T. b. Kratochvil 1935, Act. Soc. Sci. Nat. Morav. 9 (12) p. 20 T. 2 F. 21, 22 (D ♀).
T. b. Kratochvil & Miller 1940, Zool. Anz. 131 (7—8) p. 201 f. 5 (N ♂).

♂♀ **bosnica** Kratochvil & Miller 1940. Dalmatien, Bosnien

T. b. Kratochvil & Miller 1940, Zool. Anz. 131 (7—8) p. 191 f. 2, 3 (D ♂♀).

♀ **bucculenta** (L. Koch) 1868. Spanien
Coelotes b. L. Koch 1868, Abh. Nat. Ges. Nürnberg 4 p. 36 TF. 17 (D ♀).
T. patula Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 285 (17) T. 1. F. 21 (D ♂).
T. b. Simon 1875, Arachn. de France 2 p. 106 (D ♂♀).

♂♀ **campestris** C. L. Koch 1834. Europa
T. c. C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 125 T. 35 F. 8 (D).
T. c. C. L. Koch 1841, Die Arachniden 8 p. 34 TF. 615, 616 (D ♂♀).
T. c. Waldkenaer 1841, Hist. Nat. Ins. Apt. 2 p. 9 (D ♂♀).
Philoica c. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 202 (C).
T. c. Ohlert 1867, Aran. Prov. Preussen p. 84 (D ♂♀).
T. c. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 196 T. 13 F. 6 (D ♂♀).
T. c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 167 T. 6 F. 23 (D ♂♀).
T. c. Bösenberg 1902, Zoologica 14 (2—4) p. 229 T. 20 F. 324 (D ♂♀).
T. c. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 31 f. 46 a, 47, 48 (D ♂♀).
T. c. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 49 f. 10 g, 11 g (N ♂♀).

♂ **circumflexa** Canestrini & Pavesi 1868. Venetien
T. c. Ganestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 863 (D ♂).

♂ o **cisticola** Simon 1870. Spanien
T. c. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 286 (18) T. 1 F. 15 (D ♂o).

♂ **concolor** Simon 1873. Syrien
T. c. Simon 1873, Mém. Soc. Sci. Liège 2 (5) p. 327 (143) (D ♂).

♂♀ **conveniens** Kulczynski 1914. Herzegowina, Bulgarien
T. c. Kulczynski 1914, Bull. Ac. Sci. Cracov. p. 383 T. 16 F. 47, 55, 56 (D ♂♀).
T. c. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 48 f. 10 b, 11 b (N ♂♀).

♂♀ **corasides** Bösenberg & Strand 1906. Japan
T. c. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 301 T. 16 F. 460 (D ♂♀).
T. c. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 55 (N).
T. c. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 345 (D ♂).
T. c. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 65 F. 8 (4) (N ♂♀).

♂♀ **corsica** Bremi-Wolff 1849. Corsica, Süd-Frankreich
T. c. Bremi-Wolff 1849, in: Menzel, K. Abriss Naturg. d. Spinn.
T. pallidula Simon 1875, Arachn. de France 2 p. 95 (D ♂).
T. capra Simon 1875, Arachn. de France 2 p. 97 (D ♂).
T. ericarum Simon 1875, Arachn. de France 2 p. 98 (D ♂♀).
T. c. Simon 1937, Arachn. de France 6 (5) p. 1001, 1038 f. 1539, 1540 (D ♂♀).

cubicularis C. L. Koch 1834. Deutschland
T. c. C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 125 (D).

♀ **curta** Bösenberg & Strand 1906. Japan
T. c. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 303 T. 16 F. 478 (D ♀).

♀ **dalmatica** Kulczynski 1906. Dalmatien
T. d. Kulczynski 1906, Ann. Mus. Nat. Hungar. 4 p. 162 f. 5 (D ♀).

♂ o **decolorata** Kratochvil & Miller 1940. Dalmatien
T. d. Kratochvil & Miller 1940, Zool. Anz. 131 (7—8) p. 198 f. 6 (D ♂o).

♀ **dentifera** Kulczynski 1908. Cypern, Bulgarien

T. d. Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 78 T. 2 F. 18 (D ♀).
T. d. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 51 (N ♀).

♀ **dia** Dönitz & Strand 1906. Japan

T. d. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckbg. Ges. 30 (1—2) p. 388 T. 7 F. 79 (D ♀).

o **dubia** Blackwall 1865. Azoren, Salvages

T. d. Blackwall 1865, Ann. Mag. Nat. Hist. (3) 14 p. 177 (D o).

♂ **feminea** Simon 1870. Süd-Spanien

T. f. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 283 (15) T. 1 F. 16, 17 (D ♂).

♂ **femoralis** Simon 1873. Corsica

T. c. Simon 1873, Mém. Soc. Sci. Liège (2) 5 p. 321 (137) (D ♂).
T. c. Simon 1875, Arachn. de France 2 p. 63 (D ♂).
T. c. Simon 1937, Arachn. de France 6 (5) p. 1008, 1040 f. 1557 (D ♂).

♂♀ **ferruginea** (Panzer) 1804. Europa, Azoren

Araneus domesticus Clerck 1757, Aran. Svec. p. 76 T. 2 F. 9 (1) (D ♀, part.).
Aranea domestica Walckenaer 1802, Faun. Paris 2 p. 216 (D).
Aranea f. Panzer 1804, in: Schäffer, Icon. Ins. Ratisb. 3 p. 227 T. 2 (D).
Aranea subpilosa Panzer 1804, in: Schäffer, Icon. Ins. Ratisb. 3 p. 227 T. 3 (D).
Agelena domestica Sundevall 1831, Vet. Ak. Handl. p. 125 (D ♂♀).
Philoica domestica C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 13 (N).
T. domestica C. L. Koch 1841, Die Arachniden 8 p. 25 TF. 607, 608 (D ♂♀).
T. stabularia C. L. Koch 1841, Die Arachniden 8 p. 32 TF. 614 (D ♀).
T. petrensis C. L. Koch 1841, Die Arachniden 8 p. 27 TF. 609 (D ♀).
T. domestica Westring 1862, Aran. Svec. p. 307 (D ♂♀).
T. domestica Ohlert 1867, Aran. Prov. Preussen p. 84 (D ♂♀).
T. domestica petrensis Giebel 1869, Zeitschr. ges. Naturw. 34 (10) p. 304 (N ♀).
Philoeca domestica Menge 1870, Schrift. Nat. Ges. Danzig (N. F.) 2 p. 274 T. 50 F. 160 (D ♂♀).
T. tridentina Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 103 (C).
T. f. Simon 1875, Arachn. de France 2 p. 65 T. 6 F. 7 (D ♂♀).
T. domestica Dahl 1883, Schrift. Nat. Ver. Schlesw.-Holst. 5 (2) p. 62 (D ♂♀).
T. domestica Hansen 1885, in: Schiödte, Zool. Danica p. 122 T. 3 F. 3 (D ♂♀).
T. f. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 192 T. 13 F. 3 (D ♂♀).
T. domestica Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 167 T. 6 F. 22 (D ♂♀).
T. guyoni Bösenberg 1902, Zoologica 14 (2—4) p. 227 T. 20 F. 321 (D ♂♀).
T. domestica Lessert 1910, Catal. Invert. Suisse, Araign. p. 452 (D ♂♀).
T. f. Reimoser 1929, Die Natur (Wien) 5 (2) p. 37 f. 1 (N ♂♀).
T. f. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 38 f. 46 g, 63, 64 (D ♂♀).
T. f. Simon 1937, Arachn. de France 6 (5) p. 1008, 1040 f. 1555, 1556 (D ♂♀).
T. domestica Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 66 f. 8 (5) (N ♂).
T. f. Drensky 1942, Mitt. Naturw. Inst. Sofia 15p. 49 f. 10 d, 11 d (N ♂♀).

♀ **fuesslinii** Pavesi 1873. Schweiz, Oberitalien, Ukraine

T. f. Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 103 f. 1 (D ♀).
T. f. Thorell 1875, Svensk. Vet. Handl. 13 (5) p. 78 (D ♀).
T. f. Lessert 1910, Catal. Invert. Suisse, Araign. p. 456 (D ♀).

♀ **hasperi** Chyzer 1897. Dalmatien, Serbien

T. h. Chyzer 1879, in: Chyzer & Kulczynski, Aran. Hungar 2 (b) p. 167 T. 7 F. 1 (D ♀).

♀ **herculea** Fage 1931. Spanien
T. h. Fage 1931, Arch. Zool. Expér. Gén. 71 (2) p. 210 f. 47 (D ♀).

♀ **hispanica** Fage 1931. Spanien
T. h. Fage 1931, Arch. Zool. Expér. Gén. 71 (2) p. 212 f. 48 (D ♀).

♂♀ **inermis** Simon 1870. Spanien, Süd-Frankreich
T. i. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 271 (3) T. 1 F. 7, 11 (D ♂♀).
T. i. Simon 1875, Arachn. de France. 2 p. 87 (D ♂♀).
T. i. Simon 1937, Arachn. de France 6 (5) p. 1004, 1039 f. 1547, 1548 (D ♂♀).

♀ **laeta** Kulczynski 1897. Ungarn
T. l. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 170 T. 7 F. 4 (D ♀).

♀ **laeta paganettii** Nosek 1905. Herzegowina
T. l. p. Nosek 1905, Verh. Zool. Bot. Ges. Wien 55 p. 216 (D ♀).

♂♀ **lapicidinarum** Spassky 1934. Süd-Rußland
T. l. Spassky 1934, Journ. N. York Ent. Soc. 42 (1) p. 2 T. 1 F. 3—5 (D ♂♀).

♂♀ **ligurica** Simon 1916. Ligurien
T. l. Simon 1916, Ann. Soc. Ent. France 85 Bull. 210 (D ♂♀).
T. l. Simon 1937, Arachn. de France 6 (5) p. 998, 1038 f. 1535, 1536 (D ♂♀).

♂ **longimana** Simon 1898. Kaukasus
T. l. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 16 (D ♂.)
T. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 252 f. 252 (N ♂).

♀ **lucida** Franganillo 1925. Andalusien
T. l. Franganillo 1925, Bol. Soc. Ent. Espan. 8 p. 38 (D ♀).
T. l. Franganilla 1926, Bol. Soc. Ent. Espan. 9 p. 76 (D ♀).

♂ **lusitanica** Schenkel 1938. Portugal
T. l. Schenkel 1938, Ark. Zool. 30 (A; 24) p. 11 f. 4 (D ♂).

♀ **maderiana** Thorell 1875. Madeira
T. m. Thorell 1875, Svensk. Ak. Handl. 13 (5) p. 76 (D ♀).
Coelotes aemilii Bösenberg 1895, Abh. Nat. Ver. Hamburg 13 p. 4 f. 6 (D ♀).
T. m. Kulczynski 1899, Rozprav. Ak. Umiej. Krakow. (2) 16 p. 420 T. 9 F. 111, 114 (N ♀).

♀ **malacensis** Thorell 1875. Spanien
T. m. Thorell 1875, Svensk. Ak. Handl. 13 (5) p. 79 (D ♀).

♂♀ **maronita** Simon 1873. Syrien
T. annulipes Cambridge 1872, Proc. Zool. Soc. Lond. p. 275 (D ♂♀) (praeocc. Lucas 1844).
T. m. Simon 1873, Mém. Soc. Sci. Liège (2) 5 p. 325 (141) (D ♂♀).

♂♀ **montigena** Simon 1937. Spanien, Niedere Pyrenäen
T. m. Simon 1937, Arachn. de France 6 (5) p. 1001, 1039 f. 1541, 1542 (D ♂♀).

♂ **muscicapa** Bösenberg & Strand 1906. Japan
T. m. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 302 T. 16 F. 479 (D ♂).

♂♀ **nemorosa** Simon 1916. Süd-Frankreich, Meeralpen, Italien
T. n. Simon 1916, Ann. Soc. Ent. France 85 Bull. p. 210 (D ♂♀).
T. n. Simon 1937, Arachn. de France 6 (5) p. 1010, 1041 f. 1560, 1561 (D ♂♀).

♀ **nigra** Franganillo 1920. Portugal
T. n. Franganillo 1920, Bull. Soc. Portug. Sci. Nat. 8 p. 141 (D ♀).

♂♀ **oribata** Simon 1916. Ost-Pyrenäen
T. o. Simon 1916, Ann. Soc. Ent. France 85 Bull. p. 211 (D ♂♀).
T. o. Simon 1937, Arachn. de France 6 (5) p. 994, 1037 f. 1524, 1525 (D ♂♀).

♂♀ **pagana** C. L. Koch 1841. Europa (außer Nord-), Nord-Afrika, Anatolien, Krim, Azoren
T. p. C. L. Koch 1841, Die Arachniden 8 p. 31 TF. 612, 613 (D ♂♀).
T. subtilis Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 275 (7) T. 1 F. 9, 10 (D ♂♀).
T. p. Simon 1875, Arachn. de France 2 p. 71 (D ♂♀).
T. subtilis Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 77 (D ♀).
T. variata Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 74 (D ♀).
T. heteropalpa Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 26 p. 209 T. 6 F. 41 (D ♂).
T. p. Warburton 1892, Ann. Mag. Nat. Hist. (6) 10 p. 223 T. 14 F. 10 (N ♀).
T. p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 169 T. 6 F. 20 (D ♂♀).
T. p. Lessert 1904, Rev. Suisse Zool. 12 (2) p. 404 T. 5 F. 28 (N ♂).
T. p. Lessert 1910, Catal. Invert. Suisse, Araign. p. 454 (D ♂♀).
T. p. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 43 f. 46d, 73, 74 (D ♂♀).
T. p. Simon 1937, Arachn. de France 6 (5) p. 1010, 1041 f. 1562, 1563 (D ♂♀).
T. p. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 50 f. 12b, 13b (N ♂♀).
T. p. Locket & Millidge 1953, Brit. Spiders 2 p 16 f. 12 C, D (D ♂♀).

♂ **pagana cavernicola** Simon 1907. Süd-Spanien
T. p. c. Simon 1907, Arch. Zool. Expér. Gén. 36 (8) p. 547 (D ♂♀).

♂♀ **pagana urbana** (Simon) 1875. Frankreich, Oberitalien, Schweiz, Belgien, Holland, Dänemark
T. urbana Simon 1875, Arachn. de France 2 p. 67 (D ♂♀).
T. urbana Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 194 T. 13 F. 4 (D ♂♀).
T. urbana Lessert 1904, Rev. Suisse Zool. 12 (2) p. 402 T. 5 F. 29 (D ♀).
T. p. u. Simon 1937, Arachn. de France 6 (5) p. 1010, 1041 (D ♂♀).

♂♀ **parietina** (Fourcroy) 1785. Europa, Nord-Afrika, Canaren, Azoren, Syrien
Aranea p. Fourcroy 1785, Ent. Paris 2 p. 533 (D).
Aranea phalangiodes Fourcroy 1785, Ent. Paris 2 p. 535 (D).
T. domestica Walckenaer 1805, Tabl. Aran. p. 49 T. 8 F. 53, 54 (N).
T. murina Walckenaer 1805, Tabl. Aran. p. 50 (N).
T. domestica Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 312 T. 1 F. 2 (D ♀).
T. guyonii Guérin 1829, Icon. Règne Anim., Arachn. T. 2 F. 1 (N).
T. intricata C. L. Koch 1841, Die Arachniden 8 p. 29 TF. 610, 611 (D ♂♀).
T. domestica Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 2 (D ♂♀).
T. guyonii Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 5 (D ♂).
T. murina Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 6 (D ♂).
T. guyonii Lucas 1846, Explor. Sci. Alger. Zool., 1. Arachn. p. 241 (D ♂♀).
T. domestica Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 163 T. 11 F. 105 (D ♂♀).

T. p. Simon 1875, Arachn. de France 2 p. 58 T. 5 F. 4 (D ♂♀).
T. guyonii Warburton 1892, Ann. Mag. Nat. Hist. (6) 10 p. 222 (N ♀).
T. p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 191 T. 13 F. 2 (D ♂♀).
T. p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 166 T. 8 F. 18 (D ♂♀).
T. p. Lessert 1910, Catal. Invert. Suisse, Araign. p. 449 (D ♂♀).
T. p. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 45 f. 46f, 75, 76 (D ♂♀).
T. p. Simon 1937, Arachn. de France 6 (5) p. 1005, 1039 f. 1549, 1550 (D ♂♀).
T. p. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 48 f. 10f, 11f (N ♂♀).

♀ **parvula** Thorell 1875. Italien

T. p. Thorell 1875, Tijdschr. Ent. 18 p. 94 (D ♀).
T. p. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 78 (D ♀).
T. p. Locket & Millidge 1953, Brit. Spiders 2 p. 11 f. 6C, 8, 9B (D ♂♀).

♂ **patula** Simon 1870. Sierra Nevada

T. p. Simon 1870, Mém. Soc. Sci. Liège 2(3) p. 285 (17) T. 1 F. 21 (D ♂).

♂♀ **picta** Simon 1870. Süd- u. Mitteleuropa, Nord-Afrika

T. p. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 280 (12) T. 1 F. 13, 14 (D ♂♀).
T. minuta Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 282 (14) (D ♂).
T. p. Simon 1875, Arachn. de France 2 p. 91 (D ♂♀).
T. minuta Simon 1875, Arachn. de France 2 p. 99 (D ♂♀).
T. pusilla Simon 1875, Arachn. de France 2 p. 101 (D ♀).
T. perita Simon 1875, Arachn. de France 2 p. 102 (o).
T. berthae Becker 1879, Ann. Soc. Ent. Belg. 22 C. R. p. 20 (D ♀).
T p. Bertkau 1880, Verh. Nat. Ver. Rheinl. Westf. 37 p. 293 T. 6 F. 9 (N ♂♀).
T. berthae Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 199 T. 13 F. 8 (D ♀).
T. pusilla Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 202 T. 13 F. 10 (D ♂♀).
T. p. Bösenberg 1902, Zoologica 14 (2—4) p. 228 T. 20 F. 323 (D ♂♀).
T. pusilla Bösenberg 1902, Zoologica 14 (2—4) p. 230 T. 21 F. 326 (D ♀).
T. p. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 32 f. 46c, 49—52 (D ♂♀).
T. pusilla M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 41 f. 70 (D ♀).
T. p. Simon 1937, Arachn. de France 6 (5) p. 997, 1038 f. 1531, 1532 (D ♂♀).
T. p. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 48 f. 10c, 11c (N ♂♀).

♂ **racovitzai** Simon 1907. Süd-Tirol, Spanien

T. r. Simon 1907, Arch. Zool. Expér. Gén. 36 (8) p. 548 f. 3B (D ♂).
T. r. Simon 1913, Arch. Zool. Expér. Gén. 52 (5) p. 380 (D ♂).

♀ **rhaetica** Thorell 1875. Süd-Tirol

T. r. Thorell 1875, Tijdschr. Ent. 18 p. 94 (D ♀).
T. r. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 79 (D ♀).

♂ **rhodiensis** Caporiacco 1948. Rhodos

T. r. Caporiacco 1948, Redia 33 p. 40 f. 2 (D ♂).

♂♀ **saeva** Blackwall 1844. Südwest-Europa, Corsica

T. s. Blackwall 1844, Ann. Mag. Nat. Hist. (1) 13 p. 179 (D ♂♀).
T. atrica Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 165 T. 11 F. 106 (D ♂♀).
T. atrica Simon 1875, Arachn. de France 2 p. 81 T. 5 F. 5 (D ♂♀).
T. duellica Simon 1875, Arachn. de France 2 p. 83 T. 5 F. 6 (D ♂♀).
T. atrica Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 70 T. 2 F. 87, 88 (N ♀).
T. s. Simon 1937, Arachn. de France 6 (5) p. 1003, 1039 f. 1545, 1546 (D ♂♀).

♂♀ **silvestris** L. Koch 1872. Mittel- und Süd-Europa

T. s. L. Koch 1872, Zeitschr. Ferdinand. Tirol 3 (17) p. 288 (D ♂♀).
T. s. Simon 1875, Arachn. de France 2 p. 76 (D ♂♀).

T. campestris Simon 1875, Arachn. de France 2 p. 78 (D ♂♀).
T. campestris Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 26 p. 205 (N ♂).
T. s. Müller-Schenkel 1895, Verh. Nat. Ges. Basel 10 p. 753 T. 13 F. 3 (D ♂♀).
T. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 167 T. 6 F. 24 (D ♂♀).
T. s. Bösenberg 1902, Zoologica 14 (2—4) p. 229 T. 21 F. 325 (D ♂♀).
T. s. Lessert 1910, Catal. Invert. Suisse, Araign. p. 453 (D ♂♀).
T. s. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 33 f. 46b, 53—55 (D ♂♀).
T. s. Simon 1937, Arachn. de France 6 (5) p. 1007, 1040 f. 1553, 1554 (D ♂♀).
T. s. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 49 f. 10e, 11e (N ♂♀).
T. s. Locket & Millidge 1953, Brit. Spiders 2 p. 16 f. 13 A—C (D ♂♀).

♀ **sinuata** Kulczynski 1897. Ungarn

T. s. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 171 T. 7 F 5 (D ♀).

♂♀ **soriculata** Simon 1873. Corsica, Sardinien

T. s. Simon 1873, Mém. Soc. Sci. Liège (2) 5 p. 328 (144) (D ♂♀).
T. s. Simon 1875, Arachn. de France 2 p. 89 (D ♂♀).
T. s. Simon 1937, Arachn. de France 6 (5) p. 998, 1038 f. 1533, 1534 (D ♂♀).

♂♀ **testacea** Simon 1870. Granada

T. t. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 278 (10) (D ♂♀).

♂♀ **tridentina** L. Koch 1872. Tirol, Schweiz, Italien, Dalmatien

T. t. Koch 1872, Zeitschr. Ferdinand. Tirol 3 (17) p. 292 (D ♂).
T. bremi Pavesi 1875, Atti Soc. Ital. Sci. Nat. 18 p. 36 (D ♂).
T. t. Simon 1875, Arachn. de France 2 p. 62 (D ♂).
T. t. L. Koch 1876, Zeitschr. Ferdinand. Tirol 3 (20) p. 301 (D ♀).
T. t. Müller-Schenkel 1895, Verh. Nat. Ges. Basel 10 p. 753 T. 13 F. 4 (N ♂♀).
T. t. Lessert 1910, Catal. Invert. Suisse, Araign. p. 451 f. 208—210 (D ♂♀).
T. t. Simon 1937, Arachn. de France 6 (5) p. 1005, 1040 f. 1551, 1552 (D ♂♀).

♂♀ **tyrrhenica** Dalmas 1926. I. Giglio

T. t. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 94 (D ♂♀).

♀ **velox** Chyzer 1897. Rumänien

T. v. Chyzer 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 168 T. 6 F. 28 (D ♀).

Transgredierende Arten:

♂♀ **domestica** Clerck 1757. Palaearktis, Nearktis, Indien, Australien, Hawai

Araneus d. Clerck 1757, Aran. Svec. p. 76 T. 2 F. 9 (2) (D ♂, part.).
Aranea d. Linné 1758, Syst. Nat. (10. Ed.) p. 620 (D).
Aranea derhamii Scopoli 1763, Ent. Carniol. p. 400 (D).
Aranea d. Fabricius 1775, Syst. Ent. p. 433 (D).
Aranea longipes Fuesslin 1775, Verz. Schweiz. Ins. p. 61 (N).
Aranea d. Fabricius 1781, Spec. Ins. 1 p. 538 (D).
Aranea longipes Sulzer 1776, Abgek. Gesch. Schweiz. u. Ausl. Ins. p. 253 T. 29 F. 12 (N ♀).
Aranea d. Olivier 1789, Encycl. Méthod. 4 p. 211 (D).
Aranea civilis Walckenaer 1802, Faun. Paris 2 p. 216 (D).
T. civilis Walckenaer 1805, Tabl. Aran. p. 49 (N).
Arachne familiaris Audouin 1827, Explic. Planch. Arachn. Savigny, Descr. Egypt. p. 315 T. 1 F. 6 (D ♀).
Agelena civilis Sundevall 1831, Vet. Ak. Handl. p. 127 (D ♂♀).
T. scalaris Krynicki 1837, Bull. Soc. Nat. Moscou 10 p. 73 (D ♀).

T. longipes C. L. Koch 1841, Die Arachniden 8 p. 36 TF. 617 (D ♀).
T. civilis C. L. Koch 1841, Die Arachniden 8 p. 37 TF. 618, 619 (D ♂♀).
T. civilis Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 7 (D ♂♀).
Agelena familiaris Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 23 (D ♀).
Philoica civilis C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 26 (N).
T. cretica Lucas 1853, Rev. Mag. Zool. 11 p. 524 (D ♂♀).
T. civilis Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 166 T. 12 F. 107 (D ♂♀).
T. civilis Westring 1862, Aran. Svec. p. 307 (D ♂♀).
Nyssa familiaris Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 212 (C).
T. civilis Ohlert 1867, Aran. Prov. Preussen p. 84 (D ♂♀).
T. civilis Menge 1870, Schrift. Nat. Ges. Danzig (N. F.) 2 p. 267 T. 50 F. 158 (D ♂♀).
T. d. Simon 1875, Arachn. de France 2 p. 73 (D ♂♀).
T. fontium Simon 1875, Arachn. de France 2 p. 79 (D ♀).
T. modesta Keyserling 1877, Verh. Zool. Bot. Ges. Wien 27 p. 594 T. 14 F. 17, 18 (D ♂♀).
T. detestabilis Cambridge 1877, Ann. Mag. Nat. Hist. (4) 20 p. 275 (D ♀).
T. derhamii Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 62 (D ♂♀).
T. derhamii Hansen 1885, in: Schiödte, Zool. Danica p. 123 T. 3 F. 4 (D ♂♀).
Coelotes calcaratus Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 470 **T.** 6 F. 32a (D ♂♀).
T. derhamii Emerton 1889, Trans. Connect. Ac. Sci. 8 p. 193 T. 7 F. 6 (D ♂♀).
T. d. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 195 T. 13 F. 5 (D ♂♀).
T. derhamii Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 170 **T.** 6 F. 19 (D ♂♀).
T. derhamii Bösenberg 1902, Zoologica 14 (2—4) p. 228 **T.** 20 F. 322 (D ♂♀).
T. derhamii F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 333 T. 31 F. 32, 33 (C ♂♀).
T. derhamii Emerton 1902, Common Spid. p. 96 f. 228—232 (D ♂♀).
T. derhamii Lessert 1910, Catal. Invert. Suisse, Araign. p. 456 (D ♂♀).
T. derhamii Comstock 1912, Spider Book p. 593 f. 763, 674 (N).
Coelotes plumarius Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 200 T. 25 F. 50 (D ♀).
T. derhamii Reimoser 1929, Die Natur (Wien) 5 (2) p. 39 f. 3 (N ♂♀).
T. derhami M. Dahl 1931, in: Dahl. Tierw. Deutschl. 23 p. 39 f. 46f, 65—69 (D ♂♀).
T. d. Saito 1936, Rep. I. Sci. Exp. Manschoukuo (5) 1 (3; 11) p. 55, 80 f. 18, T. 28 (D ♂♀).
T. d. Simon 1937, Arachn. de France 6 (5) p. 1009, 1041 f. 1558, 1559 ((D ♂♀).
T. derhamii Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 24 T. 4 F. 25, 26 (D ♂♀).
T. d. Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 182 (N).
T. d. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 50 f. 12a, 13a (N ♂♀).
T. derhamii Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 279 T. 44 F. 895—899; T. 127 F. 2053—2055 (D ♂♀).
T. d. Roth 1952, Journ. Wash. Ac. Sci. 42 (9) p. 285 (N ♂♀).
T. d. Locket & Milledge 1953, Brit. Spiders 2 p. 15 f. 11A, 12A, B (D ♂♀).

Aethiopische Arten:

♂ **proxima** Cambridge 1873. St. Helena

T. p. Cambridge 1873, Proc. Zool. Soc. Lond. p. 217 (D ♂).
T. p. Cambridge 1876, Proc. Zool. Soc. Lond. p. 559 (C ♂).
T. pagana proxima Strand 1909, Dt. Südpolar-Exped. 10 (Zool. 2) p. 585 (D ♂).

Orientalische Arten:

♀ **chebana** Thorell 1897. Burma

T. c. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 258 (D ♀).

♀ **taprobanica** Strand 1907. Ceylon
T. t. Strand 1907, Zool. Anz. 31 (17—18) p. 564 (D ♀).
T. t. Strand 1908, Abh. Nat. Ges. Görlitz 26 p. 56 (D ♀).

Neotropische Arten:

♂ **bidentata** Keyserling 1877. Columbien
T. b. Keyserling 1877, Verh. Zool. Bot. Ges. Wien 27 p. 597 T. 14 F. 19 (D ♂).

♂ **flexuosa** F. Cambridge 1902. Mexico
T. f. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 334 T. 31 F. 34 (D ♂).

♀ **insularis** Walckenaer 1841. Cuba
T. i. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 13 (D ♀).

♀ **obscura** Banks 1898. Mexico
T. o. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 230 T. 14 F. 26 (D ♀).

Nearktische Arten:

§ 3 Arten: Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 23.
§ 3 Arten: Roth 1952, Journ. Wash. Ac. Sci. 42 (9) p. 283—284.

♂♀ **antrias** Crosby 1926. Neu-Mexico, Texas, Californien
T. a. Crosby 1926, Proc. Ent. Soc. Wash. 28 (1) p. 2 T. 1 F. 3 (D ♀).
T. simplex Bryant 1936, Psyche 43 (4) p. 90 T. 3 F. 9 (D ♀).
T. castro Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 21 T. 3 F. 27—29 (D ♂♀).
T. a. Roth 1952, Journ. Wash. Ac. Sci. 42 (9) p. 284 (D ♂♀).

♀ **arboricola** Walckenaer 1841. Georgia
T. a. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 6 (D ♀).

♂♀ **flavens** Hentz 1847. Alabama
T. f. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 464 T. 24 F. 22 (D ♂♀).

♂ **gigantea** Chamberlin & Ivie 1935. Vancouver
T. g. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 31 T. 13 F. 106 (D ♂).
T. g. Exline 1936, Psyche 43 (1) p. 21 T. 1 F. 3 (D ♂).
T. g. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 25 T. 4 F. 30, 31 (D ♂).

♀ **praegrandis** Fox 1937. Washington State
T. p. Fox 1937, Canad. Ent. 69 p. 176 f. 3 (D ♀).

Gen. **Tetrilus** Simon 1886.

§ 2 ♂, 3 ♀: Simon 1937, Arachn. de France 6 (5) p. 1021—1023.

♂♀ **arietinus** (Thorell) 1870. Europa, Algier
Hahnia pratensis Westring 1862, Aran. Svec. p. 318 (D ♂♀).
Cryphoeca a. Thorell 1870, Rem. Syn. Europ. Spid. p. 165 (N ♂♀).
Cicurina impudica Simon 1875, Arachn. de France 2 p. 24 T. 5 F. 2 (D ♂).
Cicurina a. Simon 1875, Arachn. de France 2 p. 25 (D ♂).
Tuberta a. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 156 T. 6 F. 21 (D ♂♀).
T. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 268 f. 261 (N ♂♀).
T. a. Lessert 1910, Catal. Invert. Suisse, Araign. p. 469 (D ♂♀).
T. a. Simon 1937, Arachn. de France 6 (5) p. 1022, 1044 f. 1592, 1593 (D ♂♀).
T. a. Locket & Millidge 1953, Brit. Spiders 2 p. 24 f. 17D (D ♂♀).

♀ **diversus** (Cambridge) 1893. England
Cryphoeca d. Cambridge 1893, Proc. Dorset F. Cl. 14 p. 148 TF. 2 (D♀).
T. d. Simon 1937, Arachn. de France 6 (5) p. 1044 (N).

♀ **japonicus** Simon 1886. – * Japan
T. j. Simon 1886, Ann. Soc. Ent. Belg. 30 C. R. p. 60 (D ♀).

♀ **lucifugus** Simon 1898. Ost-Pyrenäen
T. l. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 9 (D ♀).
T. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 261, f. 259 (N).
T. l. Simon 1937, Arachn. de France 6 (5) p. 1021, 1045 (D ♀).

♂♀ **macrophthalmus** (Kulczynski) 1897. Ungarn, Ost-Pyrenäen, England
Tuberta arietina macrophthalma Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar 2 (b) p. 156 T. 6 F. 21 (D ♂♀).
T. arietinus Cambridge 1900, Proc. Dorset F. Cl. 21 p. 10 T. A F. 2 (N).
Cryphoeca recisa Cambridge 1907, Proc. Dorset F. Cl. 28 p. 123 T. A F. 1—3 (D ♀).
T. recisus Jackson 1913, Trans. Nottingh. Nat. Soc. 60 p. 23 (N ♂♀).
T. m. Simon 1937, Arachn. de France 6 (5) p. 1023, 1044 (D ♂♀).
T. m. Locket & Millidge 1953, Brit. Spiders 2 p. 23 f. 17A—C (D ♂♀).

♂♀ **strandi** Caporiacco 1936. Italien
T. s. Caporiacco 1936, Festschr. Strand 1 p. 355 f. 5 (D ♂).
T. s. Caporiacco 1938, Le Grotte d'Italia (2) 2 p. 6 (sep.) f. 2 (D ♀).

Gen. **Textrix** Sundevall 1830.

§ 5 ♂, 6 ♀: Simon 1875, Arachn. de France 2 p. 118.
§ 3 ♂, 3 ♀: Chyzer & Kulczynski 1897, Aran. Hungar 2 (b) p. 175.
§ 6 ♂, 5 ♀: Simon 1937, Arachn. de France 6 (5) p. 1013—1017.
§ 6 Arten Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 53.

♂♀ **albosignata** Simon 1875. Corsica, Ungarn, Balkanländer
T. a. Simon 1875, Arachn. de France 2 p. 127 T. 6 F. 5 (D ♀).
T. a. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 176 T. 7 F. 10 (D ♂♀).
T. a. Simon 1937, Arachn. de France 6 (5) p. 1015, 1043 f. 1576, 1577 (D ♂♀).
T. a. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 55 f. 15c, 16c (N ♂♀).

o **boopis** (Cambridge) 1863. England
Agelena b. Cambridge 1863, Zoologist 21 p. 8571 (D o).

♂♀ **bovier-lapierrei** Kulczynski 1911. Syrien
T. b. Kulczynski 1911, Bull. Soc. Sci. Cracov. p. 41 T. 1 F. 49, 50; T. 2 F. 52 (D ♂♀).

♂♀ **caudata** L. Koch 1872. Süd-Frankreich, Italien, Spanien, Kroatien, Bulgarien
T. c. L. Koch 1872, Zeitschr. Ferdinand. Tirol 3 (17) p. 283 (D ♂♀).
T. c. Simon 1875, Arachn. de France 2 p. 124 (D ♂♀).
T. c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 175 T. 7 F. 9 (D ♂♀).
T. c. Lessert 1910, Catal. Invert. Suisse, Araign. p. 446 (D ♂♀).
T. c. Simon 1937, Arachn. de France 6 (5) p. 1017, 1043 f. 1578, 1579 (D ♂♀).
T. c. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 55 (N).

♂♀ **coarctata** (Dufour) 1831. Mediterranea, Bulgarien, Azoren, Madeira

Aranea c. Dufour 1831, Ann. Sci. Nat. 12 p. 358 T. 10 F. 1 (D ♀).
T. ferruginea C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 14 (D).
T. ferruginea C. L. Koch 1841, Die Arachniden 8 p. 50 TF. 627 (D ♀).
Tegenaria c. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 13 (D ♀).
Lycosoides rufipes Lucas 1846, Explor. Sci. Alger. Zool. 1. Arachn. p. 124 T. 4 F. 5 (D ♂♀).
Sparassus ferrugineus Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 437 (D ♀).
T. obscura Blackwall 1859, Ann. Mag. Nat. Hist. (3) 4 p. 258 (D o).
Philoica c. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 203 (C).
T. puta Cambridge 1872, Proc. Zool. Soc. Lond. p. 274 (D ♀).
T. moggridgei Cambridge 1873, Journ. Linn. Soc. Lond. 11 (Zool.) p. 537 T. 14 F. 6 (D ♀).
T. c. Simon 1875, Arachn. de France 2 p. 125 (D ♂♀).
T. c. Pavesi 1876, Ann. Mus. Civ. Genova 8 p. 436 (N).
T. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 257 f. 240—242 (N).
T. obscura Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 76 (D ♀).
T. c. Simon 1937, Arachn. de France 6 (5) p. 1014, 1042 f. 1572, 1573 (D ♂♀).
T. c. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 15a, 16a (N ♂♀).

♀ **cretica** Kulczynski 1903. Creta

T. c. Kulczynski 1903, Bull. Soc. Sci. Cracov. p. 52 T. 1 F. 18 (D ♀).
T. c. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 10 f. 4 (N ♀).

♂♀ **denticulata** (Olivier) 1789. – * Europa

Aranea d. Olivier 1789, Encycl. Méthod. 4 p. 191 (D).
Aranea calophylla Panzer 1804, in: Schäffer, Icon. Ins. Ratisb. 1 p. 244 T. 42 F. 13.
T. lycosina Sundevall 1830, Consp. Arachn. p. 19 (N).
Agelena lycosina Sundevall 1831, Vet. Ak. Handl. p. 130 (D ♂♀).
T. agilis Blackwall 1833, Lond. Edinbg. Phil. Mag. (3) 3 p. 109 (D ♂♀).
T. agilis Blackwall 1834, Research in Zool. p. 348 T. 3 F. 1,2 (D ♂♀).
T. lycosina C. L. Koch 1841, Die Arachniden 8 p. 46 TF. 623, 624 (D ♂♀).
Tegenaria lycosina Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 15 (D ♂♀).
Tegenaria fuliginea Lucas 1844, Ann. Soc. Ent. France (2) 2 p. 468 (D).
T. lycosina Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 172 T. 12 F. 110 (D ♂♀).
T. lycosina Westring 1862, Aran. Svec. p. 311 (D ♂♀).
T. lycosina Ohlert 1867, Aran. Prov. Preussen p. 85 (D ♂♀).
T. lycosina Menge 1870, Schrift. Nat. Ges. Danzig (N.F.) 2 p. 277 T. 53 F. 262 (D ♂♀).
T. d. Thorell 1870, Rem. Syn. Europ. Spid. p. 160 (N).
T. d. Simon 1875, Arachn. de France 2 p. 120 (D ♂♀).
T. lycosina Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 61 (D ♂♀).
T. d. Hansen 1885, in: Schiödte, Zool. Danica p. 127 T. 3 F. 7 (D ♂♀).
T. d. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 209 T. 13 F. 14 (D ♂♀).
T. d. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 175 T. 7 F. 8 (D ♂♀).
T. d. Bösenberg 1902, Zoologica 14 (2—4) p. 223 T. 20 F. 316 (D ♂♀).
T. d. Lessert 1910, Catal. Invert. Suisse, Araign. p. 445 (D ♂♀).
T. d. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 18 f. 25—29 (D ♂♀).
T. d. Simon 1937, Arachn. de France 6 (5) p. 1017, 1043 f. 1580, 1581 (D ♂♀).
T. d. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 55 f. 15e, 16e (N ♂♀).
T. d. Locket & Millidge 1953, Brit. Spiders 2 p. 7 f. 3 B, C (D ♂♀).

♂ **digitalis** (Lucas) 1846. Algier

Lycosoides d. Lucas 1846, Explor. Sci. Alger. Zool. 1. Arachn. p. 126 T. 4 F. 3 (D ♂).

♂♀ **flavomaculata** (Lucas) 1846. Nord-Afrika, Corsica, Sizilien, Bulgarien

Lycosoides f. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 124 T. 4 F. 2 (D ♂♀).
T. f. Simon 1875, Arachn. de France 2 p. 122 (D ♂♀).
T. f. Simon 1937, Arachn. de France 6 (5) p. 1015, 1043 f. 1574, 1575 (D ♂♀).
T. f. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 55 f. 15b, 16b (N ♂♀).

♂ **inermis** Franganillo 1926. Andalusien

T. i. Franganillo 1926, Boll. Soc. Ent. Espan. 9 p. 76 (D ♂).

♂♀ **inornata** Cambridge 1872. Palästina

T. i. Cambridge 1872, Proc. Zool. Soc. Lond. p. 274 (D ♀).
T. i. Kulczynski 1911, Bull. Soc. Sci. Cravoc. p. 39 T. 1 F. 47, 48; T. 2 F. 51 (D ♂♀).

♂ **leprieuri** Simon 1875. Algier, Tunis

T. l. Simon 1875, Ann. Soc. Ent. France (5) 5 Bull. p. 62 (D ♂).
T. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 252 f. 249 (N ♂).

♂♀ **lusitanica** Kulczynski 1911. Portugal

T. l. Kulczynski 1911, Bull. Soc. Sci. Cracov. p. 67 T. 2 F. 89—91 (D ♂♀).

♂o **pinicola** Simon 1875. Corsica, Spanien

T. p. Simon 1875, Arachn. de France 2 p. 118 (D ♂o).
T. p. Simon 1937, Arachn. de France 6 (5) p. 1017, 1043 f. 1582 (D ♂o).

♂♀ **rufithorax** (Lucas) 1846. Algier

Lycosoides r. Lucas 1846, Explor. Sci. Alger. Zool. 1. Arachn. p. 125 T. 4 F. 4 (D ♂♀).

♀ **subfasciata** Simon 1870. Algier, Marokko

T. s. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 290 (22) (D ♀).

♂♀ **variegata** Simon 1870. Algier, Marokko, Gibraltar

T. v. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 292 (24) (D ♀).
T. v. Simon 1875, Arachn. de France 2 p. 129 (D ♂).

♂♀ **vestita** C. L. Koch 1841. Balkanländer, Krim, Rhodos, Anatolien, Mesopotamien

T. v. C. L. Koch 1841, Die Arachniden 8 p. 52 TF. 628, 629 (D ♂♀).
T. (Textrix) vestiva Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 220 (C).
T. v. Thorell 1873, Rem. Syn. Europ. Spid. p. 499 (N).
T. v. Simon 1898, Hist. Nat. Araign. 2 (2) p. 252 f. 248 (N ♂).
T. v. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 55 f. 15d, 16d (N ♂♀).

♀ **violantis** Pavesi 1878. Caprera, Sardinien

T. v. Pavesi 1878, Ann. Mus. Civ. Genova 11 p. 344 (D ♀).

Aethiopische Arten:

♀ **nigromarginata** Strand 1906. Abessinien

T. n. Strand 1906, Zool. Anz. 30 (19—20) p. 655 D ♀).
T. n. Strand 1908, Arch. Naturg. 74 (I; 1) p. 97 T. 2 F. 8a (D ♀).
T. n. Roewer 1954, Explor. Parc. Nation. Upemba . . . p. . . . (D ♀).

Gen. **Tortolena** Chamberlin & Ivie 1941.

♂ **confusa** (Gertsch & Ivie) 1936. – * Costa Rica

Agelena c. Gertsch & Ivie 1936, Amer. Mus. Novit. 858 p. 25 TF. 53, 54 (D ♀).
T. c. Chamberlin & Ivie 1941, Ann. Ent. Soc. Columbus 34 p. 614 TF. 76, 77 (D ♀).

♀ **dela** Chamberlin & Ivie 1941. Texas

T. d. Chamberlin & Ivie 1941, Ann. Ent. Soc. Columbus 34 p. 615 TF. 79 (D ♀).

♀ **glaucopis** (F. Cambridge) 1902. Mexico

Agelenopsis g. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 338 T. 32 F. 10 (D ♀).
Agelena g. Petrunkrvitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 527 (C).
T. g. Chamberlin & Ivie 1941, Ann. Ent. Soc. Columbus 34 p. 614 TF. 78 (D ♀).

Gen. **Tuberta** Simon 1884.

♂♀ **moerens** (Cambridge) 1863. Europa

Coelotes m. Cambridge 1863, Zoologist 21 p. 8572 (D o).
Cryphoeca mirabilis Thorell 1870, Rem. Syn. Europ. Spid. p. 166 (D ♂).
Cryphoeca m. Simon 1875, Arachn. de France 2 p. 53 (D ♀).
T. insignipalpis Simon 1884, Arachn. de France 5 (3) p. 869 f. 806 (D ♂).
Cryphoeca m. Cambridge 1885, Proc. Dorset F. Cl. 8 p. 3 T. 1 F. 1 (C ♀).
T. mirabilis Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 156 T. 6 F. 11 (D ♂).
T. insignipalpis Simon 1898, Hist. Nat. Araign. 2 (2) p. 269 (N).
T. mirabilis Bösenberg 1902, Zoologica 14 (2—4) p. 238 T. 21 F. 341 (D ♂♀).
T. mirabilis M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 117 f. 38 (D ♂).
T. m. Simon 1937, Arachn. de France 6 (5) p. 1024, 1045 f. 1594 (D ♂♀).
T. m. Locket & Millidge 1953, Brit. Spiders 2 p. 25 f. 18 A, B (D ♂♀).

Gen. **Wadotes** Chamberlin 1925.

Palaearktische Arten:

♀ **primus** Fox 1937. Hongkong

W. p. Fox 1937, Amer. Mus. Novit. 907 p. 1 f. 1, 2 (D ♀).

Nearktische Arten:

§ 2 ♂, 2 ♀: Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 282.

♂♀ **bimucronatus** (Simon) 1898. Südöstl. U. St. Amerika

Coelotes b. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 6 (D ♂).
Coelotes b. Simon 1898, Hist. Nat. Araign. 2 (2) p. 249 f. 246 (N ♂).
Coelotes b. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13 F. 46 (C ♂).
W. b. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 122 (N).
Coelotes b. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 198 T. 25 F. 47, 48 (D ♂).
W. b. Muma 1947, Amer. Mus. Novit. 1334 p. 5 TF. 8, 9, 20, 21, 39, 40 (D ♂♀).

♂♀ **calcaratus** (Keyserling) 1887. U. St. Amerika, Canada

Coelotes c. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 50 T. 8 F. 32 (D ♂♀).
Coelotes longitarsus Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 192 T. 7 F. 2 (D ♂, nec ♀).
Coelotes nigriceps Banks 1895, Journ. N. York Ent. Soc. 3 p. 82 (D ♀).
Coelotes c. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 221 (N).
W. c. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 122 (N).

W. c. Muma 1947, Amer. Mus. Novit. 1334 p. 2 TF. 3, 4, 16, 17, 33, 34 (D ♂♀).
W. c. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 282 T. 44 F 903, 904; T. 45 F. 916 (D ♂♀).

♂♀ **carolinus** Chamberlin 1925. Nord-Carolina, Alabama

W. c. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 121 (D ♂).
W. c. Muma 1947, Amer. Mus. Novit. 1334 p. 6 TF. 5, 6, 18, 19, 25, 36 (D ♂♀).

♂♀ **convolutus** Muma 1947. Georgia, Alabama

W. c. Muma 1947, Amer. Mus. Novit. 1334 p. 8 TF. 12, 13, 26, 27, 43, 44 (D ♂♀).

♂♀ **dixiensis** Chamberlin 1925. – * Alabama, Georgia

W. d. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 120 (D ♂).
W. d. Muma 1947, Amer. Mus. Novit. 1334 p. 5. TF. 22, 23, 28, 29, 37, 38 (D ♂♀).

♂♀ **hybridus** (Emerton) 1889. Nordöstl. U. St. Amerika

Coelotes h. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 193 T. 7 F. 4 (D ♂).
Coelotes altilis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 25 T. 1 F. 74; T. 4 F. 74 (D ♀).
Coelotes altilis Banks 1918, Proc. Ac. Nat. Sci. Philad. 68 p. 70 T. 11 F. 24 (C ♀).
W. h. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 122 (N).
Coelotes h. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 199 T. 25 F. 49 (D ♂, nec ♀).
W. h. Muma 1947, Amer. Mus. Novit. 1334 p. 7 TF. 10, 11, 24, 25, 41, 42 (D ♂♀).
W. h. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 283 T. 45 F. 917—919 (D ♂♀).

♂♀ **tennesseensis** Gertsch 1936. Tennessee

Coelotes hybridus Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 199 (D ♀, nec ♂).
W. t. Gertsch 1936, Amer. Mus. Novit. 852 p. 19 TF. 27 (D ♂♀).
W. t. Kaston 1945, Amer. Mus. Novit. 1292 p. 1 TF. 21 (N ♀).
W. t. Muma 1947, Amer. Mus. Novit. 1334 p. 4 TF. 1, 2, 14, 15, 31, 32 (D ♂♀).

Gen. **Yorima** Chamberlin & Ivie 1942.

♂♀ **californica** (Simon) 1895. Californien

Chorizomma c. Simon 1895, Bull. Soc. Zool. France 20 p. 136 f. (D ♂).
Chorizomma c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 268 f. 257, 264 (N ♂).
Chorizomma c. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 216 T. 4 F. 25—28 (D ♂♀).
Y. c. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 20 (C).

♂♀ **flava** (Chamberlin & Ivie) 1937. Californien

Chorizomma f. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 218 T. 4 F. 39 (D ♀).
Y. f. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 21 (N ♂).

♀ **sequoiae** (Chamberlin & Ivie) 1937. – * Californien

Chorizomma s. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 217 T. 4 F. 29 (D ♀).
Y. s. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 20 (C).

♀ **subflava** Chamberlin & Ivie 1942. Californien

Y. s. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 20 T. 2 F. 26 (D ♀).

2. Subfam. C y b a e i n a e

Gen. **Auchicybaeus** Gertsch 1933.

♀ **ovalis** Gertsch 1933. Indiana
A. o. Gertsch 1933, Amer. Mus. Novit. 637 p. 11 TF. 15 (D ♀).

Gen. **Campostichomma** Karsch 1891.

Aethiopische Arten:

§ 3 ♂, 7 ♀: Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . .

♂♀ **disparile** Lawrence 1952. Capland
C. d. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 219 f. 69—71 (D ♂♀).
C. d. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 29c, 36 (D ♂♀).

♀ **melanum** Lawrence 1938. Natal
C. m. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 510 f. 32 (D ♀).
C. m. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 33 (D ♀).

♀ **natalense** Lawrence 1938. Natal
C. n. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 509 f. 31 (D ♀).
C. n. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 32 (D ♀).

♂♀ **punctatum** Lawrence 1942. Natal
C. p. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 177 f. 26 (D ♂♀).
C. p. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 29b, 35 (D ♂♀).

♂♀ **robustum** Simon 1898. Capland
C. r. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 7 (D ♀).
C. r. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 512 f. 33 (D ♂♀).
C. r. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 29a, 30 (D ♂♀).

♀ **urbense** Lawrence 1942. Natal
C. u. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 176 f. 25 (D ♀).
C. u. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 34 (D ♀).

♀ **zuluense** Lawrence 1938. Zululand
C. z. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 507 f. 30 (D ♀).
C. z. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 31 (D ♀).

Orientalische Arten:

♂♀ **manicatum** Karsch 1891. – * Ceylon
C. m. Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 296 T. 12 F. 19 (D ♀).
C. m. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 7 (D ♂♀).

♂♀ **pardale** Simon 1898. Ceylon
C. p. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 8 (D ♀).
C. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 240 f. 228 (N ♂).

♂ **pumilum** Simon 1898. Ceylon
C. p. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 8 (D ♂).

♂♀ **seriatum** Simon 1898. Ceylon
C. s. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 8 (D ♂♀).

Gen. **Campostichommides** Strand 1911.

♀ **inquirendus** Strand 1911. Kei-Inseln
C. i. Strand 1911, Abh. Senckbg. Ges. 34 (2) p. 164 T. 5 F. 67 (D ♀).

Gen. **Cedicus** Simon 1875.

Palaearktische Arten:

♀ **dubius** Strand 1907. Japan
C. d. Strand 1907, Zool. Anz. 31 (17—18) p. 564 (D ♀).
C. d. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 53 (D ♀).

♂♀ **flavipes** Simon 1875. – * Corsica, Cypern, Syrien
C. f. Simon 1875, Arachn. de France 2 p. 48 T. 5 F. 15 (D ♂♀).
C. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 245 f. 235, 236 (N).
C. f. Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 77 T. 2 F. 20, 21 (D ♂).

♀ **maerens** Simon 1889. Transkaspien
C. m. Simon 1889, Verh. Zool. Bot. Ges. Wien 39 p. 378 (D ♀).

♂ **pavlovskyi** Spassky 1941. Tadzhikistan
C. p. Spassky 1941, Folia Zool. Hydrobiol. 11 (1) p. 13 T. 1 F. 1, 2 (D ♂).

Orientalische Arten:

♀ **bucculentus** Simon 1889. Himalaya
C. b. Simon 1889, Journ. Asiat. Soc. Bengal. (N.S.) 58 (2; 4. Suppl.) p. 343 (D ♀).

♀ **pumilus** Thorell 1896. Burma
C. p. Thorell 1896, Descr. Catal. Spid. Burma p. 52 (D ♀).

Gen. **Chresiona** Simon 1903.

♀ **albescens** Simon 1903. Capland
C. a. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 37 (D ♀).

♀ **convexa** Simon 1903. Capland
C. c. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 37 (D ♀).

♀ **nigrosignata** Simon 1903. – * Capland
C. n. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 36 (D ♀).

♀ **quadrilineata** Simon 1903. Capland
C. q. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 37 (D ♀).

Gen. **Cybaeina** Chamberlin & Ivie 1932.

♂♀ **confusa** Chamberlin & Ivie 1942. Oregon
C. c. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 19 T. 3 F. 38 (D ♀).
C. c. Roth 1952, Pan Pacific Entom. 28 (4) p. 195 f. 2, 3, 6 (D ♂♀).

♂♀ **minuta** (Banks) 1905. – * Washington State, Californien
Cybaeus m. Banks 1905, Proc. Ent. Soc. Wash. 7 p. 95 (D ♀).
C. m. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 28 T. 2 F. 5—8; T. 3 F. 9—14; T. 4 F. 28—30 (D ♂♀).

♂♀ **sequoia** Roth 1952. Californien
C. s. Roth 1952, Pan Pacific Entom. 28 (4) p. 197 f. 1, 4, 5 (D ♂♀).

♀ **xantha** Chamberlin & Ivie 1937. Oregon
C. x. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 225 T. 9 F. 65 (D ♀).

Gen. **Cybaeodamus** Mello-Leitao 1938.

♀ **nigrovittatus** Mello-Leitao 1941. Argentinien
C. n. Mello-Leitao 1941, Rev. Mus. La Plata (N.S.) 2 Zool. p. 118 T. 4 F. 12 (D ♀).

♂♀ **ornatus** Mello-Leitao 1938. – * Argentinien
C. o. Mello-Leitao 1938, Rev. Mus. La Plata (N.S.) 1 (4) p. 93 f. 4, 5 (D ♂♀).
C. o. Mello-Leitao 1941, Rev. Mus. La Plata (N.S.) 2 Zool. p. 119 T. 3 F. 11 (N ♀).

♂ **scottae** Mello-Leitao 1941. Argentinien
C. s. Mello-Leitao 1941, Rev. Mus. La Plata (N.S.) 2 Zool. p. 119 T. 4 F. 13; f. 17 (D ♂).

Gen. **Cybaeopsis** Strand 1907.

♀ **pusillus** Simon 1884. Feuerland: Ins. Hoste
C. p. Simon 1884, Bull. Soc. Zool. France 9 p. 125 (D ♀).
C. p. Simon 1887, Miss. Sci. du Cap Horn; Zool. 6 p. E 17 (D ♀).

Gen. **Cybaeopsis** Strand 1907.

♂ **typicus** Strand 1907. Japan
C. t. Strand 1907, Zool. Anz. 31 (17—18) p. 363 (D ♂).
C. t. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 50 TF. 40 (D ♂).

Gen. **Cybaeota** Chamberlin & Ivie 1933.

♂♀ **calcarata** (Emerton) 1911. – * New England
Liocranum c. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 402 T. 5 F. 4 (D ♂♀).
C. c. Chamberlin & Ivie 1933, Bull. Univ. Utah 24 (5) Biol. 23 (3) p. 1—4 TF. 1—10 (N ♂♀).

♀ **concolor** Chamberlin & Ivie 1937. Utah
C. c. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 227 T. 11 F. 77, 78 (D ♀).

♀ **munda** Chamberlin & Ivie 1937. Californien
C. m. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 228 T. 11 F. 83, 84 (D ♀).

♂♀ **nana** Chamberlin & Ivie 1937. Californien
C. n. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 229 T. 10 F. 74, 75; T. 11 F. 79,80 (D ♂♀).

♂♀ **shastae** Chamberlin & Ivie 1937. Californien
C. s. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 227 T. 10 F. 68—70 (D ♂♀).

♀ **vancouverana** Chamberlin & Ivie 1937. Alaska, Vancouver
C. v. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 228 T. 11 F. 81, 82 (D ♀).

♂♀ **wasatchensis** Chamberlin & Ivie 1937. Utah

C. w. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 227 T. 10 F. 71—73; T. 11 F. 76 (D ♂♀).

Gen. **Cybaeozyga** Chamberlin & Ivie 1937.

♂ **heterops** Chamberlin & Ivie 1937. Oregon

C. h. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 226 T. 9 F. 66, 67 (D ♂).

Gen. **Cybaeus** L. Koch 1868.

Palaearktische Arten:

§ 3 ♂, 3 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 152.
§ 2 ♂, 2 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 120—121 TF. 1361—1364.
§ 2 ♂, 2 ♀: M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 9—11.

♂♀ **angustiarum** L. Koch 1868. Mittel- u. Südost-Europa

C. a. L. Koch 1868, Abh. Nat. Ges. Nürnbg. 4 p. 47 TF. 22, 23 (D ♂♀).
C. tetricus Simon 1875, Arachn. de France 2 p. 17 T. 5 F. 1 (D ♂♀).
C. tetricus Herman 1879, Ungarns Spinnenfauna 3 p. 121, 352 T. 5 F. 107 (D ♂♀).
C. a. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 153 T. 6 F. 7 (D ♂♀).
C. a. Bösenberg 1902, Zoologica 14 (2—4) p. 231 T. 21 F. 328 (D ♂♀).
C. tetricus Lessert 1910, Catal. Invert. Suisse, Araign. p. 444 (D ♂♀).
C. a. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 p. 11 f. 16, 17 (D ♂♀).
C. a. Simon 1937, Arachn. de France 6 (5) p. 982, 1034 f. 1506, 1507 (D ♂♀).
C. a. Drensky 1942, Mitt. Inst. Naturw. Sofia 15 p. 36 f. 3c, d (N ♂♀).

o **broni** Caporiacco 1934. Karakorum

C. b. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 224 (D o).

♂♀ **mellottei** (Simon) 1886. Japan

Cicurina m. Simon 1886, Ann. Soc. Ent. Belg. 30 C. R. p. 58 (D ♀).
C. m. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 295 T. 16 F. 457 (D ♂♀).

♂♀ **minor** Chyzer 1897. Ungarn

C. m. Chyzer 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 153 T. 6 F. 9 (D ♂♀).

♀ **pirini** (Drensky) 1921. Ost-Macedonien

Hahnia p. Drensky 1921, Zeitschr. Bulgar. Ak. Wiss. 23 p. 42, 77 T. 1 F. 9—11 (D ♀).
C. p. Drensky 1942, Mitt. Inst. Naturw. Sofia 15 p. 56 f. 19 (N ♀).

♀ **strandi** Kolosvary 1934. Siebenbürgen

C. s. Kolosvary 1934, Folia Zool. Hydrobiol. 7 (1) p. 43 f. 7 (D ♀).

♀ **striatipes** Bösenberg & Strand 1906. Japan

C. s. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 295 f. 5 (D ♀).

♂♀ **tetricus** (C. L. Koch) 1839. – * Mitteleuropa, Frankreich, Kroatien

Amaurobius t. C. L. Koch 1839, Die Arachniden 6 p. 43 TF. 462 (D ♀).
Clubiona t. Walckenaer 1841, Hist. Nat. Inst. Apt. 2 p. 482 (N).
Amaurobius t. L. Koch 1855, Corresp. Blatt Ver. Regensbg. 9 (11) p. 164 TF. 3 (D ♂♀).

Amaurobius t. Ohlert 1867, Aran. Prov. Preussen **p.** 92 (D ♂♀).
C. t. L. Koch 1868, Abh. Nat. Ges. Nürnbg. 4 **p.** 50 T. 2 F. 24, 25 (D ♂♀).
C. t. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) **p.** 153 T. 6 F. 8 (D ♂♀).
C. t. Bösenberg 1902, Zoologica 14 (2—4) **p.** 231 T. 21 F. 327 (D ♂♀).
C. t. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) **p.** 11 T. 3 F. 22, 23 (D ♂).
C. t. M. Dahl 1931, in: Dahl, Tierw. Deutschl. 23 **p.** 9 f. 11—15 (D ♂♀).

Aethiopische Arten:

♀ **invalidus** Simon 1898. Capland
C. i. Simon 1898, Ann. Soc. Ent. Belg. 42 **p.** 5 (D ♀).
C. i. Roewer 1954, Explor. Parc Nation. Upemba . . . **p.** . . . (D ♀).

Neotropische Arten:

♀ **maculatus** Keyserling 1877. Columbien
C. m. Keyserling 1877, Verh. Zool. Bot. Ges. Wien 27 **p.** 592 T. 14 F. 16 (D ♀).

♀ **signatus** Keyserling 1882. Peru
C. s. Keyserling 1882, Verh. Zool. Bot. Ges. Wien 31 **p.** 287 T. 11 F. 12 (D ♀).

♂♀ **varius** Keyserling 1879. Peru
C. v. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 **p.** 319 T. 4 F. 19 (D ♂♀).

Nearktische Arten:

§ 8 Arten: Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) **p.** 8.
§ 5 Arten: Exline 1935, Pan Pacific. Ent. S. Francisco 11 (3) **p.** 129.
§ 10 ♂, 13 ♀: Roth 1952, Ann. Ent. Soc. Amer. 45 (2) **p.** 206—207.

♀ **adenes** Chamberlin & Ivie 1932. Californien
C. a. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) **p.** 24 T. 6 F. 59 (D ♀).

♀ **adenoides** Schenkel 1950. Californien
C. a. Schenkel 1950, Verh. Naturf. Ges. Basel 61 **p.** 88 f. 33 (D ♀).

♀ **amicus** Chamberlin & Ivie 1932. Californien
C. a. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) **p.** 24 T. 6 F. 58 (D ♀).

♀ **angelus** Chamberlin & Ivie 1942. Californien
C. a. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) **p.** 16 T. 5 F. 50 (D ♀).

♂♀ **aspenicolens** Chamberlin & Ivie 1932. Californien
C. a. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) **p.** 21 T. 6 F. 52—54 (D ♂♀).

♀ **austinensis** (Chamberlin) 1924. Texas
Parauximus a. Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) **p.** 2 (D ♀).

♀ **blasbes** Chamberlin & Ivie 1932. Californien
C. b. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) **p.** 22 T. 6 F. 55 (D ♀).

♀ **bulbosus** Exline 1935. Idaho, Washington State
C. (Cybaeus) b. Exline 1935, Ent. News 46 **p.** 285 f. ohne Nr. (D ♀).
C. b. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) **p.** 13 T. 2 F. 10 (D ♀).

♂♀ **cascadius** Roth 1952. Oregon
C. c. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) **p.** 212 T. 1 F. 4—8 (D ♂♀).

♀ **chaudius** Exline 1935. Washington State

C. c. Exline 1935, Pan Pacific Ent. S. Francisco 11 (3) p. 131 f. 3 (D ♀).
C. (Cybaeus) c. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 12 T. 2 F. 9 (D ♀).

♀ **conservans** Chamberlin & Ivie 1932. Oregon

C. c. Chamberlin & Ivie 1932, Bull. Univ. Biol. 23 (2) p. 21 T. 5 F. 51 (nec 50) (D ♀).

♂♀ **consocius** Chamberlin & Ivie 1932. Californien

C. c. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 25 T. 6 F. 61 (D ♀).
C. c. Gertsch & Ivie 1936, Amer. Mus. Novit. 858 p. 22 TF. 48 (D ♂).

♀ **constrictus** Chamberlin & Ivie 1942. Oregon

C. c. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 15 T. 5 F. 49 (D ♀).
C. c. Roth 1952, Ann. Soc. Ent. Amer. 45 (2) p. 210 (C).

♂♀ **cribelloides** Chamberlin & Ivie 1932. Californien

C. c. Chamberlin & Ivie 1932, Bull. Univ. Utah 23 (2) p. 26 T. 6 F. 62 (D ♀).
C. c. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 18 T. 4 F. 45, 46 (D ♂).

♀ **devius** Chamberlin & Ivie 1942. Californien

C. d. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 18 T. 5 F. 48 (D ♀).

♂♀ **eutypus** Chamberlin & Ivie 1932. Oregon

C. e. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 19 T. 5 F. 43—45 (D ♂♀).
C. reticulatus Worley 1932, Publ. Univ. Wash. Biol. 1 (1) p. 52 (D).
C. e. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 13 (D ♂♀).
C. e. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) p. 212 T. 1 F. 15; T. 2 F. 17, 33 (N ♂♀).

♂♀ **exlineae** Chamberlin & Ivie 1937. Idaho

C. e. Chamberlin & Ivie 1937, Ann. Ent. Soc. Amer. 30 (2) p. 224 T. 9 F. 62—64 (D ♂♀).
C. e. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) p. 216 T. 2 F. 25—27, 30 (N ♂♀).

♀ **giganteus** Banks 1892. New York

C. g. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 23 T. 1 F. 71; T. 5 F. 71 (D ♀).
C. g. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 14 T. 4 F. 33 (D ♀).

♂ **grizzlyi** Schenkel 1950. Californien

C. g. Schenkel 1950, Verh. Naturfr. Ges. Basel 61 p. 86 f. 32a—c (D ♂).

♀ **hatchi** Exline 1935. Idaho

C. h. Exline 1935, Pan Pacific Ent. S. Francisco 11 (3) p. 130 f. 2 (D o).

♂♀ **hesper** Chamberlin & Ivie 1932. Californien

C. minor Banks 1904, Proc. Calif. Ac. Sci. (3) Zool. 3 (13) p. 341 T. 38 F. 4; T. 40 F. 44 (D ♂♀).
C. minor Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 27 T. 6 F. 63, 64 (D ♀).
C. h. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 27 T. 6 F. 65—66 (D ♀).
C. minoratus Gertsch 1936, Amer. Mus. Novit. 852 p. 14 (nom. nov.).

♀ **hystrix** Chamberlin & Ivie 1942. Californien
C. h. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 18 T. 5 F. 47 (D ♀).

♀ **janus** Chamberlin & Ivie 1942. Oregon
C. j. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 15 T. 4 F. 49 (D ♀).

♀ **marinensis** Chamberlin & Ivie 1932. Californien
C. m. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 25 T. 6 F. 60 (D ♀).

♂♀ **morosus** Simon 1886. Washington State, Alaska
C. m. Simon 1886, Ann. Soc. Ent. Belg. 30 C. R. p. 57 (D ♀).
C. m. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 180 T. 13 F. 37 (C ♀).
C. signifer Emerton 1923, Canad. Ent. 55 p. 240 f. 5 (d—f) (N ♂).
C. m. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 20 T. 1 F. 1—4; T. 3 F. 15—21 (D ♂♀).
C. m. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 14 (D ♂♀).
C. m. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) p. 210 T. 2 F. 19, 31 (N ♂♀).

♀ **multnoma** Chamberlin & Ivie 1942. Oregon
C. conservans Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 21 T. 5 F. 50 (nec 51) (D ♀).
C. m. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 14 T. 4 F. 43 (D ♀).
C. m. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) p. 208 T. 1 F. 1—3; T. 2 F. 20 (N ♀).

♀ **olympiae** Exline 1935. Washington State
C. o. Exline 1935, Pan Pacific Ent. S. Francisco 11 (3) p. 129 f. 1 (D ♀).
C. o. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 11 T. 2 F. 8 (D ♀).

♂♀ **patritus** Bishop & Crosby 1926. Nord-Carolina
C. p. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 202 T. 25 F. 54, 55 (D ♂♀).
C. p. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 15 T. 4 F. 34, 35 (D ♂♀).

♀ **perditus** Chamberlin & Ivie 1932. Washington State
C. p. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 12 T. 4 F. 31 (D ♀).
C. p. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 10 (D ♀).

♀ **reducens** Chamberlin & Ivie 1932. Californien
C. r. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 23 T. 6 F. 57 (D ♀).

♂♀ **reticulatus** Simon 1886. Californien, Washington State, Alaska, Canada
C. r. Simon 1896, Ann. Ent. Soc. Belg. 30 C. R. p. 56 (D ♂♀).
C. r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 237 f. 234 (D ♂).
C. r. Emerton 1923, Canad. Ent. 55 p. 240 f. 4 (N ♂♀).
C. r. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 17 T. 5 F. 40—42 (D ♂♀).
C. (Cybaeus) r. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 12 T. 1 F. 1 (D ♂♀).
C. r. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) p. 207 T. 2 F. 18, 22 (N ♂♀).

♂♀ **reticulatus tius** Chamberlin & Ivie 1932. Californien
C. r. t. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 19 (D ♂♀).

♂♀ **scopulatus** Chamberlin & Ivie 1942. Oregon

C. s. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 13 T. 4 F. 39—40 (D ♀).
C. s. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) p. 214 T. 1 F. 13, 14; T. 2 F. 21, 24 (D ♀).

♂♀ **septatus** Chamberlin & Ivie 1942. Californien

C. s. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 17 T. 4 F. 41, 42 (D ♂♀).
C. s. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) p. 219 T. 2 F. 29 (N ♀).

♂♀ **shoshoneus** Chamberlin & Ivie 1932. Idaho

C. s. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 16 T. 4 F. 37—39 (D ♂♀).

♂♀ **signifer** Simon 1886. Washington State, Oregon, Canada, Alaska

C. s. Simon 1886, Ann. Soc. Ent. Belg. 30 C. R. p. 56 (D ♂♀).
C. morosus Emerton 1923, Canad. Ent. 55 p. 240 f. 5 (N ♂).
C. s. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 12 T. 3 F. 24, 25; T. 4 F. 32 (D ♂♀).
C. s. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) p. 207 T. 2 F. 16, 32 (N ♂♀).

♂♀ **silicis** Barrows 1919. Ohio, Nord-Carolina

C. s. Barrows 1919, Ohio Journ. Sci. 19 p. 356 T. 15 F. 7 (D ♂♀).
C. s. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 15 T. 4 F. 26, 27, 36 (D ♂♀).

♂♀ **simplex** Roth 1952. Oregon

C. s. Roth 1952, Ann. Ent. Soc. Amer. 45 (2) p. 216 T. 1 F. 9—12 (D ♂♀).

♀ **sinuosus** Fox 1937. Canada

C. s. Fox 1937, Canad. Ent. 69 p. 174 f. 1, 2 (D ♀).

♂♀ **tardatus** (Chamberlin) 1920. Californien

Parauximus t. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 3 T. 1 F. 2 (D ♂).
Namopsilus pletus Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 14 T. 6 F. 1 (D ♀).
C. t. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 669 (N).
C. t. Chamberlin & Ivie 1932, Bull. Univ. Utah Biol. 23 (2) p. 23 T. 6 F. 56 (N♀).

Gen. **Cycais** Thorell 1877.

♀ **cylindrata** Thorell 1877. – * Celebes

C. c. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 476 (D ♀).

O **gracilis** Karsch 1879. Japan

C. g. Karsch 1879, Verh. Nat. Ver. Rheinl. Westfal. 36 p. 95 T. 1 F. 15 (D O).
C. g. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 295 (D O).

Gen. **Cyrioctea** Simon 1888.

♂♀ **aschaensis** Schiapelli & Gerschman 1942. Argentinien

C. a. Schiapelli & Gerschman 1942, An. Mus. Argent. B. Aires 40 p. 322 f. 9; T. 1 (D ♂).
C. a. Schiapelli & Gerschman 1948, Com. Mus. Argent. Ci. Nat. (Ci. Zool.) 4 p. 10 f. 10 (D ♀).

♀ **spinifera** (Nicolet) 1849. – * Chile
Drassus s. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 454 (D ♀).
C. s. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 218 (N).
C. s. Simon 1898. Hist. Nat. Araign. 2 (2) p. 239, 246 (N).

Gen. **Desidiopsis** Fage 1909.

♂♀ **racovitzai** Fage 1909. Riviera, Italien, Sizilien
D. r. Fage 1909, Arch. Zool. Expér. Gén. (4) 9 Not. & Rev. p. 75 f. 1—8 (D ♂♀).
D. r. Simon 1937, Arachn. de France 6 (5) p. 980, 1034 f. 1504, 1505 (D ♂♀).

Gen. **Desis** Walckenaer 1837.

Aethiopische Arten:

§ 7 Arten: Pocock 1902, Proc. Zool. Soc. Lond. (2) p. 105.
§ 4 Arten: Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 204.
§ 5 Arten: Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . .

♀ **beckeri** Hewitt 1913. Capland
D. b. Hewitt 1913, Rec. Albany Mus. Grahamstown 2 (6) p. 476 f. 6 (D ♀).
D. b. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 38b (D ♀).

♂♀ **crosslandi** Pocock 1902. Sansibar, Madagascar
D. c. Pocock 1902, Proc. Zool. Soc. Lond. (2) p. 390 f. 78 (D ♀).
D. c. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 141 (D ♂♀).
D. c. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♂♀).

♂♀ **formidabilis** (Cambridge) 1890. Capland
Robsonia f. Cambridge 1890, Proc. Zool. Soc. Lond. p. 625 T. 53 F. 5 (D ♂♀).
Paradesis f. Pocock 1898, Bull. Liverpool Mus. 1 p. 77 (N).
D. f. Simon 1896, Bull. Soc. Zool. France 21 p. 221 (N).
D. f. Pocock 1902, Proc. Zool. Soc. Lond. (2) p. 104 (C).
D. f. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 204 (D ♀).
D. f. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

♀ **pentheri** Simon 1910. Capland
D. p. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 205 (D ♀).
D. p. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

♂♀ **tangana** Roewer 1954. Ost-Afrika (Küste)
D. t. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 37a—e (D ♂♀).

♀ **tubicola** (Pocock) 1898. Capland
Paradesis t. Pocock 1898, Bull. Liverpool Mus. 1 p. 75 f. 1—3 (D ♀).
D. t. Pocock 1902, Proc. Zool. Soc. Lond. (2) p. 104 (N).
D. t. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 38a (D ♀).

Orientalische Arten:

♀ **gardineri** Pocock 1904. Minikoy
D. g. Pocock 1904, Arachn. in: Faun. Geogr. Maldiv. Laccadiv. Archip. 2 p. 802 T. 66 F. 4 (D ♀).

♂♀ **inermis** Gravely 1927. Indien
D. i. Gravely 1927, Bull. Madras Mus. 1 (1) p. 161 T. A—B (D ♂♀).

♂♀ **martensi** L. Koch 1872. Malakka
D. m. L. Koch 1872, Arachn. Austral. 1 p. 347 T. 29 F. 2 (D ♂♀).
D. m. Workman 1896, Malays. Spid. p. 74 T. 74 (D ♂♀).

D. m. Pocock 1902, Proc. Zool. Soc. Lond. (2) p. 99 (C).
D. m. Bristowe 1930, Ann. Mag. Nat. Hist. (10) 6 p. 343 f. 1 (N ♀).

Australische Arten:

o **hartmeyeri** Simon 1909. West-Australien

D. h. Simon 1909, Faun, S. W. Austral. 2 (12) p. 180 (D o).

♂♀ **kenyonae** Pocock 1902. Victoria, Tasmania

D. k. Pocock 1902, Proc. Zool. Soc. Lond. (2) p. 102 f. 21 (D ♀).
D. k. Hickman 1949, Pap. Proc. R. Soc. Tasman. 1948 p. 38 f. 9—15 (D ♂♀).

♂♀ **marina** (Hector) 1877. Neu-Seeland, Chatham-I., Loyalty-I., Neu-Caledonien

Dandridgea dysderoides White 1849, Proc. Zool. Soc. Lond. p. 5 (D ♀).
Dandridgea dysderoides White 1850, Ann. Mag. Nat. Hist. (2) 5 p. 52 (D ♀).
Argyroneta m. Hector 1877, Trans. N. Zeal. Inst. 10 p. 399 (D ♀).
D. robsoni Powell 1878, Trans. N. Zeal. Inst. 11 p. 263 T. 12 (D ♀).
Robsonia m. Cambridge 1879, Proc. Zool. Soc. Lond. p. 687 T. 52 F. 4 (D ♂).
D. m. Pocock 1895, Ann. Mag. Nat. Hist. (6) 16 p. 143 (N).
D. m. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 434 (N).

♀ **maxillosa** (Fabricius) 1793. – * Neu-Guinea, Neu-Caledonien, Vanicoro S. Cruz-I.

Aranea m. Fabricius 1793, Ent. Syst. 2 p. 411 (D ♀).
D. dysderoides Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 610 T. 4 F. 15 (D ♀).
D. dysderoides L. Koch 1872, Arachn. Austral. 1 (1) p. 347 (D ♀).
D. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 228 f. 215—217 (N).
D. m. Pocock 1902, Proc. Zool. Soc. Lond. (2) p. 100 (N).

♂♀ **ribeci** Berland 1931. Neu-Caledonien

D. r. Berland 1931, Bull. Mus. Hist. Nat. Paris (2) 3 (7) p. 666 f. 1—4 (D ♂♀).

♂ **vorax** L. Koch 1872. Samoa

D. v. L. Koch 1872, Arachn. Austral. 1 (1) p. 345 T. 29 F. 1 (D ♂).
D. v. Simon 1898, Hist. Nat. Araign. 2 (2) p. 227 f. 218, 219 (N ♂).

Neotropische Arten:

♂ **galapagoensis** Hirst 1925. Galapagos-I.

D. g. Hirst 1925, Ann. Mag. Nat. Hist. (9) 16 p. 271 (D ♂).

♀ **isolata** Banks 1931. Galapagos-I.

D. i. Banks 1931, Nyt Mag. Naturvid. 68 p. 274 T. 2 F. 4, 5 (D ♀).

Gen. **Emmenomma** Simon 1884.

♀ **falklandicum** Hogg 1913. Falkland-I.

E. f. Hogg 1913, Proc. Zool. Soc. Lond. p. 45 T. 1 F. 2 (D ♀).

♂♀ **oculatum** Simon 1884. – * Feuerland, Ins. Hoste, Hermite, Patagonien

E. o. Simon 1884, Bull. Soc. Zool. France 9 p. 136 T. 3 F. 8—11 (D ♂♀).
E. o. Simon 1887, Miss. Sci. du Cap Horn; Zool. 6 p. E 19 T. 2 F. 8 (D ♂♀).
E. o. Simon 1898, Hist. Nat. Araign. 2 (2) p. 247 f. 231, 232 (N).
E. o. Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 251 T. 19 F. 8 (N ♂♀).

o **oculatum obscurum** Simon 1905. Patagonien

E. o. o. Simon 1905, Boll. Mus. Zool. Torino 20 (511) p. 14 (D o).

Gen. **Ishania** Chamberlin 1925.

♂ **tentativa** Chamberlin 1925. Costa Rica
I. t. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 224 (D ♂).

Gen. **Mynoglenes** Simon 1905.

♂♀ **chiltoni** Hogg 1911. Neu-Seeland
M. c. Hogg 1911, Proc. Zool. Soc. Lond. p. 308 f. 95 (D ♂♀).

♂ **incerta** Bryant 1935. Neu-Seeland
M. i. Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 76 T. 10 F. 3 (D ♂).

♂♀ **insolens** Simon 1905. Chatham-I., Auckland-I., Macquarie-I.
M. i. Simon 1905, Zool. Jahrb. Syst. 21 (4) p. 419 (D ♂♀).
Linyphia antipodiana Berland 1925, Rec. Canterbury Mus. 2 p. 296 T. 43 F. 6—10 (D ♀).
M. i. Berland 1931, Rec. Canterbury Mus. 3 p. 363 T. 50 F. 25, 26 (N ♀).
M. i. Hickman 1939, B. A. N. Z. Antarct. Res. Exped. (B. Zool.) 4 (5) p. 177 (N ♂♀).

♂♀ **marrineri** Hogg 1909. – * Neu-Seeland, Campbell-I.
M. m. Hogg 1909, Subantarct. Isl. N. Zeal., 1 (Spid.) p. 165 T. 8 F. 1 (D ♀).
M. m. Rainbow 1917, Sci. Rep. Zool. Bot. 5 (1) p. 6 f. 1, 2 (N ♀).
M. m. Berland 1931, Rec. Canterbury Mus. 3 p. 362 T. 49 F. 20—24 (N ♂♀).
M. m. Hickman 1939, B. A. N. Z. Antarct. Res. Exped. (B. Zool.) 4 (5) p. 174 f. 32—37 (D ♂♀).

Gen. **Myro** Cambridge 1876.

Aethiopische Arten:

♀ **caffer** Simon 1898. Capland
M. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 246 f. 229, 230 (D ♀).
M. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Australische Arten:

♀ **jeanneli** Berland 1941. Crozet-Inseln
M. j. Berland 1941, Mém. Mus. Hist. Nat. Paris (N. S.) 20 p. 57 f. 1—6 (D ♀).

o **kirki** Hogg 1909. Neu-Seeland, Auckland-I., Snares-I.
M. k. Hogg 1909, Subantarct. Isl. N. Zeal. 1 (Spid.) p. 173 T. 7 F. 5 (D ♀).

♀ **maculatus** Simon 1903. Tasmanien
M. m. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 34 (D ♀).

♂♀ **ovalis** Hogg 1909. Neu-Seeland, Snares-I.
M. o. Hogg 1909, Subantarct. Isl. N. Zeal. 1 (Spid.) p. 174 T. 8 F. 6 (D ♂♀).

Neotropische Arten:

♂♀ **frigidus** Bristowe 1931. Süd-Georgien
M. f. Bristowe 1931, Discovery Reports 3 p. 265 f. 1 (D ♂♀).

♀ **paucispinosus** Berland 1941. Marion-Insel
M. p. Berland 1941, Mém. Mus. Hist. Nat. Paris (N. S.) 20 p. 59 f. 7 (D ♀).

Transgredierende Arten:

♂♀ **kerguelenensis** Cambridge 1876. – * Neu-Seeland, Kerguelen
M. k. Cambridge 1876, Proc. Zool. Soc. Lond. p. 263 T. 19 F. 5 (D ♂♀).
M. k. Cambridge 1879, Phil. Trans. R. Soc. 168 p. 225 T. 13 F. 6 (D ♂♀).
M. hamiltoni Hogg 1909, Subantarct. Isl. N. Zeal. 1 (Spid.) p. 172 T. 8 F. 3 (D ♀).
M. hamiltoni Rainbow 1917, Sci. Rep. Zool. Bot. 5 (1) p. 8—13 (N).
M. k. Hickman 1939, B. A. N. Z. Antarct. Res. Exped. (B. Zool.) 4 (5) p. 166 f. 17 (D ♂♀).
M. k. Berland 1941, Mém. Mus. Hist. Nat. Paris (N. S.) 20 p. 56 (D ♂♀).

♀ **kerguelenensis crozetensis** (Enderlein) 1903. Crozet-Inseln
M. kerguelensis c. Enderlein 1903, in: Chun, Erg. Dt. Tiefsee-Exped. 3 p. 242 T. 37 F. 80—88 (D ♀).

♂♀ **multidentatus** Tullgren 1902. Süd-Chile
M. m. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 72 T. 6 F. 5 (D ♂♀).

Gen. **Ommatauxesis** Simon 1903.

♀ **macrops** Simon 1903. Tasmanien
O. m. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 38 (D ♀).

Gen. **Pacificana** Hogg 1904.

O♀ **cockayni** Hogg 1904. Neu-Seeland, Bounty-I.
P. c. Hogg 1904, Ann. Mag. Nat. Hist. (7) 13 p. 66 f. 1 (D O♀).

Gen. **Paro** Berland 1941.

♀ **simoni** Berland 1941. Ozeanien: Rapa
P. s. Berland 1941, Mém. Mus. Hist. Nat. Paris 20 p. 22 f. 9a—f (D ♀).

Gen. **Phanotea** Simon 1896.

3 Arten: Lawrence 1951, Rev. Zool. Bot. Afr. 45 (1—2) p. 54.
4 Arten: Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . .

♀ **latebricola** Lawrence 1952. Süd-Afrika
P. l. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 221 f. 72 (D ♀).
P. l. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. . . . (D ♀).

♂♀ **natalensis** Lawrence 1951. Natal
P. n. Lawrence 1951, Rev. Zool. Bot. Afr. 45 (1—2) p. 50 f. 1b, d (D ♂♀).
P. n. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. . . . (D ♀).

♂♀ **peringueyi** Simon 1896. – * Capland
P. p. Simon 1896, Ann. Soc. Ent. France 65 Bull. p. 286 (D ♀).
P. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 244 f. 227 (N).
P. p. Lawrence 1951, Rev. Zool. Bot. Afr. 45 (1—2) p. 53 f. 1c, f (D ♂♀).
P. p. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. . . . (D ♂♀).

♀ **simoni** Lawrence 1951. Natal
P. s. Lawrence 1951, Rev. Zool. Bot. Afr. 45 (1—2) p. 52 f. 1a (D ♀).
P. s. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 28 (D ♀).

Gen. **Pionaces** Simon 1904.

♂o **major** Simon 1904. Chile
P. m. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 108 f. 6 (D ♂o).

Gen. **Porteria** Simon 1904.

♂♀ **albopunctata** Simon 1904. Chile
P. a. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 109 f. 7, 8 (D ♂♀).

Gen. **Rubrius** Simon 1887.

Australische Arten:

♀ **bicolor** Bryant 1935. Neu-Seeland
R. b. Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 77 T. 13 F. 30 (D ♀).

♂♀ **cruciferus** Hogg 1909. Neu-Seeland, Auckland-I.
R. c. Hogg 1909, Subantarct. Isl. N. Zeal. 1 (Spid.) p. 169 T. 8 F. 3 (D ♂♀).
R. c. Berland 1931, Rec. Canterbury Mus. 3 p. 361 T. 48 F. 11—14 (N ♂♀).

♀ **mandibularis** Bryant 1935. Neu-Seeland
R. m. Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 78 T. 12 F. 21; T. 13 F. 35 (D ♀).

♀ **milvinus** Simon 1903. Tasmanien
R. m. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 34 (D ♀).

♀ **nummosus** Hogg 1909. Neu-Seeland, Bounty-I.
R. n. Hogg 1909, Subanrarct. Isl. N. Zeal. 1 (Spid.) p. 167 T. 8 F. 2 (D ♀).

♀ **paroculus** Simon 1903. Tasmanien
R. p. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 35 (D ♀).

♂ **periscelis** Simon 1903. Tasmanien
R. p. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 35 (D ♂).

♀ **rufus** Berland 1931. Campbell-I.
R. r. Berland 1931, Rec. Canterbury Mus. 3 p. 361 T. 49 F. 15—19 (D ♀).

Neotropische Arten:

♂♀ **ambiguus** (Nicolet) 1849. Chile
Clubiona a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 438 (D ♂♀).
Mynthes a. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E 16 (N).

♀ **annulatus** F. Cambridge 1899. Chile
R. a. F. Cambridge 1899, Journ. Linn. Soc. Lond. (Zool.) 27 p. 20 T. 2 F. 10 (D ♀).

♂♀ **antarcticus** (Karsch) 1880. – * Patagonien, Feuerland, Hermite-I.
Cybaeus a. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 379 T. 12 F. 7 (D ♂).
Coelotes subfasciatus Simon 1884, Bull. Soc. Zool. France 9 p. 123 (D ♀).
R. subfasciatus Simon 1887, Miss. Sci. Cap Horn (Zool.) p. E 15 T. 2 F. 7 (D ♂).
R. subfasciatus Simon 1896, Ann. Mus. Buenos Aires 5 p. 195 (D ♂).
R. subfasciatus Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 250 T. 19 F. 7 (N ♂♀).

♀ **breviventris** (Nicolet) 1849. Chile
Clubiona b. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 438 (D ♀).
Mynthes b. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E 16 (N).

♂♀ **castaneifrons** (Simon) 1884. Chile, Hoste-I., Feuerland
Coelotes c. Simon 1884, Bull. Soc. Zool. France 9 p. 124 (D ♀).
Mynthes c. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E 16 T. 2 F. 6 (D ♀).
Mynthes c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 245 f. 233 (N ♂).
R. c. Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 250 N ♀).
R. c. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 107 (C).

♂ **dentifer** (Tullgren) 1902. Süd-Chile
Mynthes d. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 69 T. 7 F. 5 (D ♂).

♂ **enigmaticus** Mello-Leitao 1939. Patagonien
R. e. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 57 f. 23—25 (D ♂).

♀ **livens** Simon 1902. Chile
R. l. Simon 1902, Erg. Hambg. Magalh. Sammelreise 2 Arachn. p. 38 (D ♀).

♀ **paganus** Simon 1902. Chile
R. p. Simon 1902, Erg. Hambg. Magalh. Sammelreise 2 Arachn. p. 37 (D ♀).

♀ **radulifer** Simon 1902. Chile
R. r. Simon 1902, Erg. Hambg. Magalh. Sammelreise 2 Arachn. p. 36 (D ♀).

♀ **scottae** Mello-Leitao 1940. Rio Negro
R. s. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2 Zool. p. 19 (D ♀).

Gen. **Symposia** Simon 1898.

♂♀ **sylvicola** Simon 1898. – * Venezuela
S. s. Simon 1898, Ann. Soc. Ent. France 67 Bull. p. 90 (D ♂♀).

♂♀ **umbrosa** Simon 1898. Venezuela
S. u. Simon 1898, Ann. Soc. Ent. France 67 Bull. p. 90 (D ♂♀).
S. u. Simon 1898, Hist. Nat. Araign. 2 (2) p. 239 f. 237—239 (N ♂♀).

Gen. **Thaida** Karsch 1880.

♂♀ **peculiaris** Karsch 1880. America (Loc.?)
T. p. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 389 T. 12 F. 14 (D ♂♀).
T. p. Simon 1898, Hist. Nat. Araign. 2 (b) p. 247 (N).

Gen. **Vagellia** Simon 1899.

♀ **helveola** Simon 1899. Sumatra
V. h. Simon 1899, Ann. Soc. Ent. Belg. 43 p. 101 (D ♀).
V. h. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1042 (N).

Gen. **Valcheta** Mello-Leitao 1940.

♀ **pallida** Mello-Leitao 1943. Argentinien
V. p. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3 (Zool. 20) p. 106 (D ♀).

♀ **rastellifera** Mello-Leitao 1940. – * Rio Negro
V. r. Mello-Leitao 1940. Rev. Mus. La Plata (N. S.) 2 Zool. p. 20 f. 18—20 (D ♀).

Gen. **Zoica** Simon 1896.

♀ **parvula** (Thorell) 1895. Burma
Zobia p. Thorell 1895, Descr. Catal. Spid. Burma p. 54 (D ♀).
Z. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 248 (N).

3. Subfam. Rhoicininae

Gen. **Rhoicinaria** Exline 1950.

♂♀ **rorerae** Exline 1950. Ecuador
R. r. Exline 1950, Amer. Mus. Novit. 1470 p. 7 TF. 1—5, 9—14 (D ♂♀).

Gen. **Rhoicinus** Simon 1898.

♀ **gaujoni** Simon 1898. – * Ecuador
R. g. Simon 1898, Ann. Soc. Ent. France 67 Bull. p. 129 (D ♀).
R. g. Simon 1898, Hist. Nat. Araign. 2 (2) p. 322 f. 328—330 (N).
R. g. Exline 1950, Amer. Mus. Novit. 1470 p. 3 (D).

♀ **wallsi** Exline 1950. Ecuador
R. w. Exline 1950, Amer. Mus. Novit. 1470 p. 3 TF. 6—8 (D ♀).

♀ **wapleri** Simon 1898. Venezuela
R. w. Simon 1898, Ann. Soc. Ent. France 67 Bull. p. 129 (D ♀).

32a. Fam. TOXOPIDAE

Gen. **Toxops** Hickman 1940.

♂♀ **montanus** Hickman 1940. Tasmanien
T. m. Hickman 1940, Proc. R. Soc. Tasman. 1939 p. 126 T. 1—5 F. 1—40 (D ♂♀).

33. Fam. HAHNIIDAE

Gen. **Alistra** Thorell 1894.

o **longicauda** Thorell 1894. Sumatra
A. l. Thorell 1894, Bih. Svensk. Vet. Ak. Handl. 20 (4) p. 40 (D o).
A. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 274 (N).

Gen. **Antistea** Simon 1898.

Palaearktische Arten:

♂♀ **elegans** (Blackwall) 1841. – * Europa, Japan
Agelena e. Blackwall 1841, Trans. Linn. Soc. Lond. 18 p. 619 (D ♂♀).
Hahnia pratensis C. L. Koch 1841, Die Arachniden 8 p. 64 TF. 639 (D ♀, part.).
Agelena e. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 155 T. 10 F. 99 (D ♂♀).
Hahnia pratensis Ohlert 1867, Aran. Prov. Preussen p. 86 (D ♂♀).
Hahnia pratensis Menge 1869, Schrift. Nat. Ges. Danzig (N. F.) 2 p. 253 T. 48 F. 150 (D ♂♀).
Hahnia e. Simon 1875, Arachn. de France 2 p. 136 (D ♂♀).
Hahnia e. Hansen 1885, in: Schiödte, Zool. Danica p. 125 T. 3 F. 5 (D ♂♀).
Hahnia pratensis Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 61 (D).

Hahnia e. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 211 T. 13 F. 15 (D ♂♀).
Hahnia e. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 177 T. 7 F. 2 (D ♂♀).
A. e. Simon 1898, Hist. Nat. Araign. 2 (2) p. 275 f. 272, 273, 279 (N ♂♀).
Hahnia e. Bösenberg 1902, Zoologica 14 (2—4) p. 234 T. 21 F. 332 (D ♂♀).
A. e. Lessert 1910, Catal. Invert. Suisse, Araign. p. 473 (D ♂♀).
A. e. Reimoser 1932, Die Natur (Wien) 8 (3) p. 60 f. 4 (N ♂♀).
A. e. M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 101 f. 2—5 (D ♂♀).
A. e. Simon 1937, Arachn. de France 6 (5) p. 1032, 1047 f. 1612, 1613 (D ♂♀).
A. e. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 57 f. 20 (N ♂♀).
A. e. Locket & Millidge 1953, Brit. Spiders 2 p. 26 f. 19 A—C (D ♂♀).

♂♀ **elegans propinqua** (Simon) 1875. Französ. Alpen

Hahnia propinqua Simon 1875, Arachn. de France 2 p. 138 T. 6 F. 4 (D ♂♀).
A. e. p. Simon 1937, Arachn. de France 6 (5) p. 1032, 1047 (D ♂♀).

Nearktische Arten:

♂♀ **brunnea** (Emerton) 1909. New-Hampshire, Alaska

Hahnia b. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 223 T. 8 F. 5 (D ♀).
Hahnia b. Emerton 1915, Trans. Connect. Ac. Sci. 20 p. 141 T. 1 F. 8 (D ♀).
A. b. Gertsch 1934, Amer. Mus. Novit. 712 p. 15 TF. 31—33 (D ♂♀).
A. b. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 293 T. 46 F. 942 (D ♂♀).

Gen. **Austrohahnia** Mello-Leitao 1942.

♀ **praestans** Mello-Leitao 1942. Argentinien

A. p. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2 (Zool. 16) p. 424 (D ♀).

Gen. **Aviola** Simon 1898.

♂ **radleyi** Simon 1898. Ceylon

A. r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 276 (D ♂).

♂♀ **stenura** Simon 1898. – * Ceylon

A. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 275 f. 276, 280 (D ♂♀).

Gen. **Bigois** Simon 1898.

Orientalische Arten:

♀ **myops** Simon 1898. – * Luzon

B. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 277 f. 275 (D ♀).

Neotropische Arten:

♀ **antartica** Simon 1902. Feuerland

B. a. Simon 1902, Erg. Hambg. Magalh. Sammelreise 2 Arachn. p. 40 (D ♀).

♂♀ **tatei** Gertsch 1934. Venezuela

B. t. Gertsch 1934, Amer. Mus. Novit. 712 p. 13 TF. 5—8, 27, 28 (D ♂♀).

Gen. **Hahnia** C. L. Koch 1841.

Palaearktische Arten:

§ 10 ♂, 10 ♀: Simon 1875, Arachn. de France 2 p. 130—131.
§ 3 ♂, 4 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 176—177.
§ 7 ♂, 10 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 126—127 TF. 1427—1440.
§ 4 ♂, 9 ♀: M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 103—114.

§ 8 ♂, 8 ♀: Simon 1937, Arachn. de France 6 (5) p. 1025—1032.
§ 3 ♂, 3 ♀: Locket & Millidge 1953, Brit. Spiders 2 p. 27—28.

♀ **barbara** Denis 1936. Algier

H. b. Denis 1936, Proc. Zool. Soc. Lond. p. 1052 T. 3 F. 13 (D ♀).

♂♀ **bressica** Simon 1875. Frankreich, Deutschland

H. helveola Simon 1875, Arachn. de France 2 p. 139 (D ♂♀, part.)
H. b. Simon 1875, Arachn. de France 2 p. 141 (D ♂♀).
H. helveola Bösenberg 1902, Zoologica 14 (2—4) p. 235 T. 21 F. 335 (D ♂♀).
H. b. Bösenberg 1902, Zoologica 14 (2—4) p. 237 T. 21 F. 338 (D ♀).
H. b. M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 106 f. 11, 12 (D ♀).
H. helveola Hammen 1947, Zool. Meded. Leiden 28 p. 288 f. 3 (N).
H. helveola Locket & Millidge 1953, Brit. Spiders 2 p. 31 f. 21B, C; f. 22B (D ♂♀).

♀ **cacuminata** Bösenberg 1902. Deutschland

H. c. Bösenberg 1902, Zoologica 14 (2—4) p. 237 T. 21 F. 339 (D ♀).
H. c. M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 108 f. 13, 14 (D ♀).

♂♀ **candida** Simon 1875. West-, Südwest- u. Mitteleuropa, Algier

H. c. Simon 1875, Arachn. de France 2 p. 143 (D ♀).
H. c. Cambridge 1879, Proc. Dorset F. Cl. 1 p. 71 (D ♂♀).
H. rupicola Simon 1884, An. Soc. Espan. Hist. Nat. 13 p. 120 (D ♂).
H. c. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 595 (D ♀).
H. c. M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 108 f. 12, 23 (D ♀).
H. c. Simon 1937, Arachn. de France 6 (5) p. 1028, 1046 f. 1599, 1600 (D ♂♀).

♂♀ **corticola** Bösenberg & Strand 1906. Japan

H. c. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 305 T. 6 F. 66; T. 16 F. 474 (D ♂♀).

♀ **fagei** M. Dahl 1937. Nordwest-Deutschland

H. f. M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 114 f. 18, 33 (D ♀).

♂ **insulana** Schenkel 1938. Madeira

H. i. Schenkel 1938, Ark. Zool. 30 (2) p. 32 f. 11 (D ♂).

♂♀ **jacksoni** nom. nov. Roewer 1951. Frankreich, Schweiz, Italien, Belgien

H. pratensis C. L. Koch 1841, Die Arachniden 8 p. 64 TF. 639 (D ♀, part.).
H. pusilla Menge 1869, Schrift. Nat. Ges. Danzig (N. F.) 2 p. 252 T. 48 F. 149 (D ♂♀) (praeocc. C. L. Koch 1841).
H. mengei Lessert 1910, Catal. Invert. Suisse, Araign. p. 470 (D ♂♀) (praeocc. Chyzer & Kulczynski 1897).
H. helveola Jackson 1934, Norsk. Ent. Tidskr. 3 (5) p. 342 TF. 10—12 (N ♀) (praeocc. Simon 1875).
H. mengei M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 105 f. 6, 10, 19—21 (D ♂♀) (praeocc. Chyzer & Kulczynski 1897).
H. j. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 438 (nom. nov.).

♀ **martialis** Bösenberg & Strand 1906. Japan

H. m. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 305 T. 16 F. 477 (D ♀).

♂♀ **maxima** Caporiacco 1935. Karakorum

H. m. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 228 T. 5 F. 12 (D ♂♀).

♂♀ **montana** (Blackwall) 1841. Mitteleuropa, England

Agelena m. Blackwall 1841, Trans. Linn. Soc. Lond. 18 p. 622 (D ♀).
Argus m. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 505 (D ♀).

Agelena m. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 157 T. 10 F. 100 (D ♂♀).
H. m. Thorell 1873, Rem. Syn. Europ. Spid. p. 435 (N).
H. parva Kulczynski 1882, Denkschr. Ak. Krakau 8 p. 30 T. 3 F. 18 (D ♂).
H. ohlerti Bösenberg 1902, Zoologica 14 (2—4) p. 234 T. 21 F. 331 (D ♀).
H. m. M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 113 f. 17, 32 (D ♀).
H. m. Simon 1937, Arachn. de France 6 (5) p. 1026, 1046 f. 1597, 1598 (D ♂♀).
H. m. Locket u. Millidge 1953, Brit. Spiders 2 p. 28 f. 20B—D (D ♂♀).

♂♀ **muscicola** Simon 1875. Mitteleuropa u. Alpen

H. m. Simon 1875, Arachn. de France 2 p. 144 T. 6 F. 1 (D ♂♀).
H. montana Bösenberg 1902, Zoologica 14 (2—4) p. 238 T. 21 F. 340 (D ♂♀).
H. montana Lessert 1910, Catal. Invert. Suisse, Araign. p. 472 (D ♂♀).
H. m. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 596 (D ♂♀).
H. m. M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 109 f. 9, 14, 25—27 (D ♂♀).

♂♀ **nava** (Blackwall) 1841. Mitteleuropa, England

Agelena n. Blackwall 1841, Trans. Linn. Soc. Lond. 18 p. 622 (D ♂♀).
Argus n. Walckenaer 1837, Hist. Nat. Ins. Apt. 4 p. 506 (D ♀).
Agelena n. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 158 T. 10 F. 101 (D ♂♀).
Agelena subfusca Cambridge 1861, Ann. Mag. Nat. Hist. (3) 7 p. 431 (D ♂).
H. n. Simon 1875, Arachn. de France 2 p. 134 (D ♂).
H. n. Cambridge 1879, Proc. Dorset F. Cl. 1 p. 69 (D ♂♀).
H. n. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 178 T. 7 F. 13 (D ♂♀).
H. n. Bösenberg 1902, Zoologica 14 (2—4) p. 236 T. 21 F. 337 (D ♂♀).
H. n. Cambridge 1907, Proc. Dorset F. Cl. 28 p. 124 T. A F. 4—6 (N ♂♀).
H. n. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 597 (D ♂♀).
H. n. M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 111 f. 8, 15, 28, 29 (D ♂♀).
H. n. Simon 1937, Arachn. de France 6 (5) p. 1031, 1045 f. 1606, 1607 (D ♂♀).
H. n. Locket & Millidge 1953, Brit. Spiders 2 p. 30 f. 20A, 21A, 22A (D ♂♀).

♂♀ **ononidum** Simon 1875. Mitteleuropa, Kroatien, Bulgarien

H. o. Simon 1875, Arachn. de France 2 p. 135 (D ♂♀).
H. chyzeri Becker 1886, Ann. Soc. Ent. Belg. 30 C. R. p. 25 (D ♂).
H. mengei Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 177 T. 7 F. 14 (D ♂♀).
H. mengei Bösenberg 1902, Zoologica 14 (2—4) p. 225 T. 21 F. 333 (D ♂♀).
H. o. Simon 1937, Arachn. de France 6 (5) p. 1029, 1045 f. 1603—1605 (D ♂♀).
H. mengei Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 58 f. 21c, d (N ♂♀).
H. o. Hammen 1947, Zool. Meded. Leiden 28 p. 287 (N).

♂♀ **petrobia** Simon 1875. Frankreich, Spanien, Deutschland

H. p. Simon 1875, Arachn. de France 2 p. 132 (D ♂♀).
H. p. Simon 1937, Arachn. de France 6 (5) p. 1029, 1045 f. 1601, 1602 (D ♂♀).

♂♀ **picta** Kulczynski 1897. Ungarn, Nieder-Oesterreich, Frankreich

H. p. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 178 T. 7 F. 15 (D ♀).

H. p. Kulczynski 1898, Symbol. Faun. Aran. Austr. Infer. p. 103 T. 2 F. 76, 77 (D ♂).
H. p. Simon 1937, Arachn. de France 6 (5) p. 1026, 1047 f. 1595, 1596 (D ♂♀).

♂♀ **pusilla** C. L. Koch 1841. – * Mitteleuropa, England, Italien, Corsica, Japan

H. p. C. L. Koch 1841, Die Arachniden 8 p. 61 TF. 637, 638 (nec 639) (D ♂♀).
H. p. Westring 1862, Aran. Svec. p. 316 (D ♂♀).
H. p. Ohlert 1867, Aran. Prov. Preussen p. 86 (D ♂♀).
Agelena p. Canestrini & Pavesi 1870, Arch. Zool. Anat. Phis. Bologna 2 p. 42 (C).
H. pratensis Simon 1875, Arachn. de France 2 p. 133 (D ♂♀).
H. helveola Simon 1875, Arachn. de France 2 p. 139 (D ♂♀, part.)
H. p. Simon 1875, Arachn. de France 2 p. 142 (D ♂♀).
H. p. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 61 (D ♂♀).
H. p. Müller-Schenkel 1895, Verh. Nat. Ges. Basel 10 p. 751 T. 14 F. 5 (D ♂♀).
H. p. Bösenberg 1902, Zoologica 14 (2—4) p. 206 T. 21 F. 336 (D ♂♀).
H. p. Cambridge 1907, Proc. Dorset F. Cl. 28 p. 124 T. A F. 7—11 (N ♂♀).
H. p. Jackson 1907, Proc. Chester Soc. Nat. Sci,. 6 (1) p. 2 T. 1 F. 1—4 (N).
H. p. Lessert 1910, Catal. Invert. Suisse, Araign. p. 471 (D ♂♀).
H. p. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 596 (D ♂♀).
H. p. M. Dahl 1937, in: Dahl. Tierw. Deutschl. 33 p. 112 f. 7, 16, 30, 31 (D ♂♀).
H. p. Simon 1937, Arachn. de France 6 (5) p. 1032, 1046 f. 1610, 1611 (D ♂♀).
H. helveola Simon 1937, Arachn. de France 6 (5) p. 1032, 1046 f. 1608, 1609 (D ♂♀).
H. p. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 58 F. 21a, b (N ♂♀).
H. p. Locket & Millidge 1953, Brit. Spiders 2 p. 31 f. 21D, 22C (D ♂♀).

♂ **rectispina** Kulczynski 1926. Kamtschatka

H. r. Kulczynski 1926, Ann. Mus. Zool. Leningrad 27 p. 68 T. 3 F. 28, 29 (D ♂).

Aethiopische Arten:

§ 4 ♂: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

♂♀ **annulata** (Lessert) 1915. Ost-Afrika

H. rouleti a. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 496 (D ♀).
H. rouleti a. Caporiacco 1949, Comment. Pontif. Ac. Sci. 13 (6) p. 332 (C).
H. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 43 (D ♂♀).

♀ **clathrata** Simon 1898. Capland

H. c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 11 (D ♀).
H. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **kaestneri** Roewer 1954. Ruanda

H. k. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f 42 (D ♀).

♀ **laticeps** Simon 1898. Capland

H. l. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 11 (D ♀).
H. l. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **macrovulva** Strand 1913. Centr. Afrika

H. m. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 405 (D ♀).
H. m. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 39a,b (D ♀).

♂♀ **rouleti** Lessert 1915. Kilimandjaro-Gebiet

H. r. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 493 f. 58—60 (D ♂♀).
H. r. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 41a,b (D ♂♀).

♂ **rouleti maxima** Denis 1950. Belg. Congo, Ruanda

H. r. m. Denis 1950, Proc. Zool. Soc. London 120 (3) p. 501 (D ♂).

♂♀ **schubotzi** Strand 1913. Centr. Afrika
H. s. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 404 (D ♂♀).
H. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 40a—d (D ♂♀).

♂♀ **tabulicola** Simon 1898. Capland
H. t. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 10 (D ♂♀).
H. t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 273 f. 282 (N).
H. t. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 44 (D ♂♀).

Orientalische Arten:

♀ **maindroni** Simon 1906. Süd-Indien
H. m. Simon 1906, Ann. Soc. Ent. France 75 p. 305 (D ♀).

♂♀ **oreophila** Simon 1898. Ceylon
H. o. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 10 (D ♂♀).
H. o. Simon 1898, Hist. Nat. Araign. 2 (2) p. 274 f. 281 (N).

♂♀ **pusio** Simon 1898. Ceylon
H. p. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 10 (D ♂♀).

♀ **taprobanica** Simon 1898. Ceylon
H. t. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 10 (D ♀).

♀ **weyersi** Simon 1899. Sumatra
H. w. Simon 1899, Ann. Soc. Ent. Belg. 43 p. 101 (D ♀).

Australische Arten:

♂♀ **ampullaria** Hickman 1948. Tasmania
H. a. Hickman 1948, Pap. Proc. R. Soc. Tasman. 1947 p. 25 f. 8—14 (D ♂♀).

♂♀ **astrolomae** Hickman 1948. Tasmania
H. a. Hickman 1948, Pap. Proc. R. Soc. Tasman. 1947 p. 22 f. 1—7 (D ♂♀).

♂♀ **crozetensis** Hickman 1939. Crozet-I.
H. c. Hickman 1939, B. A. N. Z. Antarct. Res. Exped. (B. Zool.) 4 (5) p. 170 f. 18—31 (D ♂♀).
H. c. Berland 1941, Mém. Mus. Hist. Nat. Paris (N. S.) 20 p. 62 f. 14 (N ♀).

♀ **solitaria** Bryant 1935. Neu-Seeland
H. s. Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 80 T. 11 F. 15; T. 12 F. 20 (D ♀).

Neotropische Arten:

♀ **banksi** Fage 1938. Costa Rica
H. b. Fage 1938, Bull. Mus. Hist. Nat. Paris (2) 10 (4) p. 375 f. 5 (D ♀).

♂♀ **ernesti** Simon 1897. St. Vincent, Venezuela, Portorico
H. e. Simon 1897, Proc. Zool. Soc. Lond. p. 888 (D ♂).
H. e. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 78 f. 67, 68 (D ♀).
H. e. Gertsch 1934, Amer. Mus. Novit. 712 p. 9 (D ♀).

♀ **heterophthalma** Simon 1905. Patagonien
H. h. Simon 1905, Boll. Mus. Zool. Torino 20 (511) p. 15 (D ♀).

♀ **isophthalma** Mello-Leitao 1941. Argentinien
H. i. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 193 T. 12 F. 58 (D ♀).

♀ **melloleitaoi** Schiapelli & Gerschman 1942. Argentinien
H. m. Schiapelli & Gerschman 1942, An. Mus. Argent. B. Aires 40 p. 331 f. 20—22 (D ♀).

♀ **michaelseni** Simon 1902. Feuerland
H. m. Simon 1902, Erg. Hambg. Magalh. Sammelreise 2 Arachn. p. 39 (D ♀).

♀ **simoni** Mello-Leitao 1919. Brasilien
H. s. Mello-Leitao 1919, Rev. Mus. Paulista 11 p. 478 (D ♀).

♂ **veracruzana** Gertsch & Davis 1940. Mexico
H. v. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 14 TF. 20 (D ♂).

Nearktische Arten:
§ 4 Arten: Gertsch 1934, Amer. Mus. Novit. 712 p. 3.

♂♀ **arizonica** Chamberlin & Ivie 1942. Arizona
H. a. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 26 T. 5 F. 54, 55 (D ♂♀).

♂♀ **cinerea** Emerton 1889. U. St. Amerika, Canada
H. c. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 197 T. 7 F. 9 (D ♂).
H. c. Emerton 1902, Common. Spid. p. 106 f. 252 (D ♂♀).
H. c. Gertsch 1934, Amer. Mus. Novit. 712 p. 3 TF. 1—4, 19—21 (D ♂♀).
H. c. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 292 T. 46 F. 931—933 (D ♂♀).

♂♀ **cinerea seminola** Gertsch 1934. Florida, Georgia
H. c. s. Gertsch 1934, Amer. Mus. Novit. 712 p. 8 (D ♂♀).
H. c. s. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 25 T. 5 F. 51—53 (N ♂♀).

♂♀ **flaviceps** Emerton 1913. Ohio, Maryland
H. f. Emerton 1913, Bull. Amer. Mus. Nat. Hist. 32 p. 257 T. 48 F. 6 (D ♂♀).
H. f. Gertsch 1934, Amer. Mus. Novit. 712 p. 11 TF. 24—26 (D ♂♀).
H. f. Muma 1944, Amer. Mus. Novit. 1257 p. 12 (C ♀).

♂♀ **glacialis** Soerensen 1898. Grönland, Alaska
H. g. Soerensen 1898, Vidensk. Meddel. (5) 10 p. 219 (D ♂♀).
H. g. Braendegaard 1937, Meddel. Grönland 108 (4) p. 4 f. 1, 2 (D ♂♀).
H. g. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10) Biol. 10 (3) p. 17 T. 2 F. 5 (N ♂).

♂♀ **inornata** Chamberlin & Ivie 1942. Utah, Colorado, Wyoming
H. i. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 26 T. 5 F. 56, 57 (D ♂♀).

♀ **monticola** Bryant 1941. New Hampshire
H. m. Bryant 1941, Psyche 48 (4) p. 132 f. 1 (D ♀).

♂♀ **okefinokensis** Chamberlin & Ivie 1934. Georgia
H. o. Chamberlin & Ivie 1934, in: Gertsch, Amer. Mus. Novit. 712 p. 8 TF. 22, 23 (D ♂♀).

♀ **sanjuanensis** Exline 1938. Washington State
H. s. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 32 T. 5 F. 45 (D ♀).

Gen. **Hahniops** Roewer 1942.

♀ **eidmanni** Roewer 1942. Fernando Poo
H. e. Roewer 1942, Veröff. Dt. Kol. u. Übersee-Mus. 3 (3) p. 250 T. 19 F. 6 (D ♀).
H. e. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 45 (D ♀).

Gen. **Hahnistea** Chamberlin & Ivie 1942.

♀ **longipes** Chamberlin & Ivie 1942. Californien
H. l. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 28 T. 5 F. 58 (D ♀).

Gen. **Iberina** Simon 1881.

♂♀ **mazarredoi** Simon 1881. Niedere Pyrenäen
I. m. Simon 1881, An. Soc. Espan. Hist. Nat. 10 p. 127 (D ♂♀).
I. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 277 f. 274 (N).
I. m. Simon 1937, Arachn. de France 6 (5) p. 1033, 1047 f. 1614 (D ♂♀).

Gen. **Muizenbergia** Hewitt 1915.

♂♀ **abrahami** Hewitt 1915. Capland
M. a. Hewitt 1915, Ann. Natal Mus. 3 (2) p. 291 f. 1 (A—G) (D ♂♀).
M. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. . . . (D ♂♀).

Gen. **Nannonymphaeus** Rainbow 1920.

♂ **pusillus** Rainbow 1920. Lord Howe-I.
N. p. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 260 T. 30 F. 86—91 (D ♂).

Gen. **Neoantistea** Gertsch 1934.

Neotropische Arten:

♂♀ **alachua** Gertsch 1946. Florida
N. a. Gertsch 1946, Journ. N. York Ent. Soc. 54 (1) p. 33 T. 1 F. 3, 4 (D ♂♀).

♀ **jacalana** Gertsch 1946. Mexico
N. j. Gertsch 1946, Journ. N. York Ent. Soc. 54 (1) p. 32 T. 1 F. 2 (D ♀).

♂♀ **mulaiki** Gertsch 1946. Mexico
N. m. Gertsch 1946, Journ. N. York Ent. Soc. 54 (1) p. 34 T. 1 F. 5, 6 (D ♂♀).

♂ **procteri** Gertsch 1946. Florida
N. p. Gertsch 1946, Journ. N. York Ent. Soc. 54 (1) p. 31 T. 1 F. 1 (D ♂).

Nearktische Arten:

♂♀ **agilis** (Keyserling) 1887. – * U. St. Amerika, Canada
Hahnia a. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 465 T. 6 F. 29 (D ♂♀).
Hahnia bimaculata Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 196 T. 7 F 8 (D ♂♀).
Hahnia bimaculata Emerton 1902, Common Spiders p. 108 f. 250, 251 (D ♀).
Hahnia a. Comstock 1912, Spider Book p. 598 f. 682 (N).
N. a. Gertsch 1934, Amer. Mus. Novit. 712 p. 19 TF. 29, 41 (D ♂♀).
N. a. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 294 T. 46 F. 934—941 (D ♂♀).

♂♀ **barrowsi** Gertsch 1934. N.-Carolina, Kentucky
N. b. Gertsch 1934, Amer. Mus. Novit. 712 p. 29 TF. 36, 37 (D ♂♀).
N. b. Muma 1944, Amer. Mus. Novit. 1257 p. 12 (C ♂).

♂ **coconino** Chamberlin & Ivie 1942. Arizona
N. c. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 28 T. 6 F. 59, 60 (D ♂).

♂♀ **crandalli** Gertsch 1946. Arizona
N. c. Gertsch 1946, Journ. N. York Ent. Soc. 54 (1) p. 35 T. 1 F. 7, 8 (D ♂♀).

♀ **gertschi** Muma 1945. Maryland
N. g. Muma 1945, Proc. Biol. Soc. Wash. 58 p. 101 T. 10 F. 18, 19 (D ♀).

♂♀ **gosiuta** Gertsch 1934. Utah
Hahnia radula Chamberlin & Ivie 1933, Bull. Univ. Utah Biol. 23 (4) p. 48 (C).
N. g. Gertsch 1934, Amer. Mus. Novit. 712 p. 24 TF. 30, 42 (D ♂♀).
N. g. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 33 (D ♂♀).

♀ **jollensis** Schenkel 1950. Californien
N. j. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 90 f. 34 (D ♀).

♂♀ **riparia** (Keyserling) 1887. Westl. U. St. Amerika
Hahnia r. Keyserling 1887, Verh. Zool. Bot. Ges. Wien, 37 p. 463 T. 6 F. 27 (D ♂).
Hahnia magna Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 464 T. 6 F. 28 (D ♀).
Antistea r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 529 (N).
N. r. Gertsch 1934, Amer. Mus. Novit. 712 p. 25 TF. 13—17, 38—40 (D ♂♀).
N. r. Exline 1938, Publ. Univ. Wash. Biol. 9 (1) p. 34 T. 1 F. 7 (D ♂♀).
N. r. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 294 T. 48 F. 958—959 (N).

♂ **riparia radula** (Emerton) 1889. New York, New Hampshire
Hahnia radula Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 196 T. 7 F. 10 (D ♀).
Hahnia radula Simon 1898, Hist. Nat. Araign. 2 (2) p. 273 f. 283 (N ♂).
N. r. r. Gertsch 1934, Amer. Mus. Novit. 712 p. 28 TF. 18 (D ♂).
N. r. Kaston 1948, Stat. Connect. Publ. Docum. 47; Bull. 70 p. 294 T. 48 F. 958—959 (N).

♂♀ **santana** Chamberlin & Ivie 1942. Californien
N. s. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13) Biol. 7 (1) p. 29 T. 6 F. 61—63 (D ♂♀).

Gen. **Neoaviola** Butler 1929.

♀ **insolens** Butler 1929. Austr.: Victoria
N. i. Butler 1929, Proc. Soc. Victoria 23 (1) p. 45 T. 1 F. 6—8 (D ♀).

♂♀ **wellingtoni** Hickman 1948. Tasmania
N. w. Hickman 1948, Pap. Proc. R. Soc. Tasman. 1947 p. 28 f. 15—21 (D ♂♀).

Gen. **Neohahnia** Mello-Leitao 1917.

♀ **palmicola** Mello-Leitao 1917. Brasilien
N. p. Mello-Leitao 1917, Arch. Escol. Sup. Agr. Med. Vet. 1 p. 17 (D ♀).

♀ **sylviae** Mello-Leitao 1917. – * Brasilien
N. s. Mello-Leitao 1917, Arch. Escol. Sup. Agr. Med. Vet. 1 p. 17 (D ♀).

Gen. **Scotopsilus** Simon 1886.

♂♀ **bicolor** Simon 1886. Tasmanien
S. b. Simon 1886, Ann. Soc. Ent. Belg. 30 C. R. p. 61 (D ♀).
S. b. Simon 1898, Hist. Nat. Araign. 2 (2) p. 276 f. 277 (N ♀).
S. b. Hickman 1948, Pap. Proc. R. Soc. Tasman. 1947 p. 31 f. 22—28 (D ♂♀).

Gen. **Scotussa** Simon 1898.

♀ **zodarioides** Simon 1898. Capland
S. z. Simon 1898, Hist. Nat. Araign. 2 (2) p. 276 f. 278 (D ♀).

34. Fam. ARGYRONETIDAE

Gen. **Amphinecta** Simon 1898.

Orientalische Arten:

dyali nom. nov. Roewer 1954. Kaschmir
A. (spec.) Dyal 1942, Proc. Ind. Sci. Congr. 28 (3) p. 178 (D).

Australische Arten:

♂ **decemmaculata** Simon 1898. – * Neu-Seeland
A. d. Simon 1898, Hist. Nat. Araign. 2 (2) p. 235 (D ♂).

Gen. **Argyroneta** Latreille 1804.

♂♀ **aquatica** (Clerck) 1757. Palaearctis
Araneus a. Clerck 1757, Aran. Svec. p. 143 T. 6 F. 8 (D ♂).
Aranea a. Linné 1758, Syst. Nat. (10 Ed.) p. 623 (D).
Aranea urinatoria Poda 1761, Ins. Mus. Graec. (Aran.) p. 123 (D).
Aranea amphibia Müller 176, Zool. Danic. Prodrom. p. 194 (D).
Aranea a. Fabricius 1775, Syst. Ent. p. 436 (D).
Aranea a. Fabricius 1781, Spec. Ins. 1 p. 542 (D).
Aranea a. Olivier 1789, Encycl. Méthod. 4 p. 226 (D).
A. a. Latreille 1804, Nouv. Dict. Hist. Nat. 24 p. 134 (D).
Aranea a. Latreille 1804, Gen. Crust. Ins. 7 p. 217 (D).
A. a. Sundevall 1831, Vet. Ak. Handl. p. 131 (D ♂♀).
A a. Hahn 1834, Die Arachniden 2 p. 33 TF. 118 (D ♀).
Clubiona fallax Waldkenaer 1837, Hist. Nat. Ins. Apt. 1 p. 603 (D ♂♀).
A. a. C. L. Koch 1841, Die Arachniden 8 p. 60 TF. 636 (D ♂).
A. a. Waldkenaer 1841, Hist. Nat. Ins. Apt. 2 p. 378 (D ♂♀).
A. a. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 137 T. 8 F. 87 (D ♂♀).
A. a. Westring 1862, Aran. Svec. p. 368 (D ♂♀).
A. a. Ohlert 1867, Aran. Prov. Preussen p. 90 (D ♂♀).
A. a. Menge 1870, Schrift. Nat. Ges. Danzig (N. F.) 2 p. 294 T. 53 F. 170 (D ♂♀)
A. a. Simon 1875, Arachn. de France 2 p. 29 T. 5 F. 3 (D ♂♀).
A. a. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 55 (D ♂♀).
A. a. Hansen 1885, in: Schiödte, Zool. Danica p. 128 T. 3 F. 8 (D ♂♀).
A. a. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 184 T. 15 F. 1 (D ♂♀).
A. a. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 176 T. 7 F. 11 (D ♂♀).
A. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 234 f. 220, 221, 226 (N).
A. a. Bösenberg 1902, Zoologica 14 (2—4) p. 239 T. 21 F. 342 (D ♂♀).
A. a. Lessert 1910, Catal Invert. Suisse, Araign. p. 443 (D ♂♀).

A. a. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 584 (D ♂♀).
A. a. Reimoser 1928, Die Natur (Wien) 4 (5) p. 104 f. 1 (N ♂♀).
A. a. M. Dahl 1937, in: Dahl, Tierw. Deutschl. 33 p. 116 f. 34—37 (D ♂♀).
A. a. Simon 1937, Arachn. de France 6 (5) p. 980, 1034 f. 1502, 1503 (D ♂♀).
A. a. Drensky 1942, Mitt. Naturw. Inst. Sofia 15 p. 35 f. 3a, b (N ♂♀).
A. a. Crome 1951, Neue Brehm-Bücherei, Leipzig p. 1—47 f. 1—21 (D ♂♀).
A. a. Locket & Millidge 1953, Brit. Spiders 2 p. 6 f. 2A, B; f. 4A, B (D ♂♀).

Gen. **Cambridgea** L. Koch 1872.

3 Arten: Dalmas 1917, Ann. Soc. Ent. France 86 p. 399.

♂♀ **antipodiana** (White) 1849. Neu-Seeland

Tegenaria a. White 1849, Proc. Zool. Soc. Lond. p. 5 (D ♂).
Tegenaria a. White 1850, Ann. Mag. Nat. Hist. (2) 5 p. (D ♂).
C. fasciata L. Koch 1872, Arachn. Austral. 1 (1) p. 359 T. 28 F. 2 (D ♀).
Tegenaria arboricola Urquhart 1890, Trans. N. Zeal. Inst. 23 p. 129 T. 21 F. 8 (D ♂♀).
C. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 235 f. 222—225 (N).
C. fasciata Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 435 (N ♂).
C. a. Dalmas 1917, Ann. Soc. Ent. France 86 p. 401 f. 59, 60, 63 (N ♂♀).

♂♀ **antipodiana annulata** Dalmas 1917. Neu-Seeland, Chatham-I.

C. fasciata Cambridge 1873, Trans. N. Zeal. Inst. 6 p. 202 T. 6 F. 1—13 (D ♂♀).
C. antipodiana Pocock 1895, Ann. Mag. Nat. Hist. (6) 16 p. 230 f. 1, 2 (N).
C. antipodiana Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 434 (D ♂♀).
C. a. a. Dalmas 1917, Ann. Soc. Ent. France 86 p. 402 f. 64 (D ♂).

♂♀ **foliata** (L. Koch) 1872. Neu-Seeland

Tegenaria f. L. Koch 1872, Arachn. Austral. 1 (1) p. 356 T. 28 F. 1 (D ♂).
Tegenaria f. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 796 (D ♀).
C f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 234 (N).

♀ **pilosa** Bryant 1935. Neu-Seeland

C. p. Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 75 T. 12 F. 18 (D ♀).

♀ **simoni** Berland 1924. Neu-Caledonien

C. s. Berland 1924, Nov. Caledonia, Zool. 3 (2) p. 237 f. 174—182 (D ♀).

Gen. **Gohia** Dalmas 1917.

♂♀ **antarctica** Berland 1931. Auckland-I.

G. a. Berland 1931, Rec. Canterbury Mus. 3 p. 359 T. 47 F. 4—10 (D ♂♀).

♂ o **falxiata** (Hogg) 1909. – * Neu-Seeland

Rubrius f. Hogg 1909, Subantarct. Isl. N. Zeal. 1 (Spid.) p. 170 T. 8 F. 4 (D ♂).
G. falcata Dalmas 1917, Ann. Soc. Ent. France 86 p. 403 (D o).

Gen. **Urquhartia** Bryant 1953.

♂ **livoris** (Urquhart) 1892. Neu-Seeland

Tegenaria l. Urquhart 1892, Trans. N. Zeal. Inst. 25 p. 167 (D ♂).
Tegenaria l. Dalmas 1917, Ann. Soc. Ent. France 86 p. 407 (N).
U. l. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 9 T. 2 F. 17; T. 4 F. 39 (D ♂).

35. Fam. PISAURIDAE

1. Subfam. Pisaurinae

19 Genera: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

Gen. **Architis** Simon 1898.

♂ **nitidopilosa** Simon 1898. Venezuela
A. n. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 13 (D ♂).
A. nitidoplumosa Simon 1898, Hist. Nat. Araign. 2 (2) p. 292 (D).

o **paulistana** Mello-Leitao 1917. Brasilien
A. p. Mello-Leitao 1917, Broteria 15 p. 99 (D o).

♂♀ **tenuis** Simon 1898. – * Brasilien, Panama
A. t. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 12 (D ♂♀).
A. t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 292 f. 301 (N ♂).

Gen. **Caripetella** Strand 1926.

Palaearktische Arten:

o **japonica** (Bösenberg & Strand) 1906. Japan
Caripeta j. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 307 T. 13 F. 343 (D o).

Aethiopische Arten:

♂♀ **madagascariensis** (Lenz) 1886. – * Madagascar
Ocyale m. Lenz 1886, Zool. Jahrb. Syst. 1 (2) p. 402 T. 10 F. 8—14 (D ♂♀).
Caripeta m. Strand 1915, Arch. Naturg. 81 (A; 9) p. 76 (D ♀).
C. m. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 72a,b (D ♂♀).

♀ **vittata** (Simon) 1898. Madagascar
Caripeta v. Simon 1898, Hist. Nat. Araign. 2 (2) p. 295 (D ♀).
C. v. Strand 1926, Arch. Naturg. 92 (A; 8) p. 43 (nom. nov. gen.).
C. v. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Gen. **Charminus** Thorell 1899.

♂♀ **camerunensis** Thorell 1899. Camerun
C. c. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4, 1) p. 83 (D ♂♀).
Nilus c. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 601 (N).
C. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂♀).

Gen. **Chiasmopes** Pavesi 1883.

♂♀ **comatus** Pavesi 1883. Abessinien
C. c. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 79 (D ♂♀).
C. c. Pavesi 1883, Rend. Ist. Lombard. Sci. Lett. (2) 16 p. 499 (N).
C. c. Simon 1898, Hist .Nat. Araign. 2 (2) p. 297 (N).
C. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂♀).

Gen. **Cispinilus** Roewer 1954.

♀ **flavidus** (Simon) 1909. Franz. Congo
Cispius f. Simon 1909, Ann. Mus. Civ. Genova 44 p. 388 (D ♀).
C. f. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Gen. **Cispiolus** Roewer 1954.

O♀ **angolensis** Roewer 1954. Angola
C. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 75a, b (D O♀).

♀ **cruciatus** Roewer 1954. Ost-Afrika
C. c. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . . f. 74a, b (D ♀).

♀ **marfieldi** Roewer 1954. Camerun
C. m. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 76a, b (D ♀).

♀ **upembensis** Roewer 1954. – * Belg. Congo (P. Upemba)
C. u. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 73a, b (D ♀).

Gen. **Cispiomma** Roewer 1954.

♂ **bidentatum** (Lessert) 1936. Portug. Ost-Afrika
Cispius b. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 278 f. 75, 76 (D ♂).
C. b. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . D ♂).

Gen. **Cispius** Simon 1898.

14 Arten: Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . .

♂ **aethiopicus** Caporiacco 1939. Aethiopien
C. a. Caporiacco 1939, Real Accad. Ital. (Afr. Orient. Ital.) p. 318 f. 3 (D ♂).
C. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♂).

♂♀ **ambiguus** Lessert 1925. Natal, Ost-Afrika
C. a. Lessert 1925, Rev. Suisse Zool. 32 (21) p. 329 f. 4 (D ♂♀).
C. a. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 109 (N ♀).
C. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♂♀).

♂♀ **atomarius** Lawrence 1942. Natal, Mozambique, Belg. Congo
C. a. Lawrence 1942, Ann. Natal. Mus. 10 (2) p. 179 f. 27 (D ♂♀).
C. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 91 a—d (D ♂♀).

o **delesserti** Caporiacco 1947. Ost-Afrika
C. d. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 110 (D o).
C. d. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D o).

o **kovacsi** Caporiacco 1947. Abessinien
C. k. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 113 (D o).
C. k. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D o).

♀ **minor** Lessert 1928. Belg. Congo
C. m. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 34 f. 23 (D ♀).
C. m. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

♀ **natalensis** Lawrence 1949. Zululand
C. n. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (4) p. 33 f. 19 (D ♀).
C. n. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 92 (D ♀).

♀ **novus** Caporiacco 1901. Abessinien
C. n. Caporiacco 1901, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 36 f. 7 (D ♀).
C. n. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 94 (D ♀).

♀ **quadrimaculatus** Roewer 1954. Ost-Afrika
C. q. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 89a, b (D ♀).

♀ **simoni** Lessert 1915. Ost-Afrika
C. s. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 52 T. 3 F. 88 (D ♀).
C. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♂ **strandi** Caporiacco 1947. Ost-Afrika
C. s. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 112 T. 1 F. 4 (D ♂).
C. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂).

♂ **tanganus** Roewer 1954. Ost-Afrika
C. t. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 90a—c (D ♂).

♂ **tertalei** Caporiacco 1941. S.-Abessinien
C. t. Caporiacco 1941, Miss. Biol. Sagan.-Omo 12, Zool. 6 p. 35 f. 6 (D ♂).
C. t. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 93a, b (D ♂).

♀ **variegatus** Simon 1898. – * Congo
C. v. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 19 (D ♀).
C. v. Simon 1898, Hist. Nat. Araign. 2 (2) p. 296 (N).
C. v. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Gen. **Cladycnis** Simon 1898.

Palaearktische Arten:

♀ **insignis** (Lucas) 1838. – * Canaren
Dolomedes i. Lucas 1838, in: Barker, Webb, Berthelot, Hist. Nat. Canar. 2 (2) p. 33 T. 6 F. 12 (D ♀).
C. i. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 596 (C).
C. i. Denis 1941, Ann. Soc. Ent. France 110 p. 123 f. 10 (N ♀).

Aethiopische Arten:

♀ **angusta** Thorell 1899. Camerun
C. a. Thorell 1899, Bih. Svensk Vet. Ak. Handl. 25 (4; 1) p. 82 (D ♀).
C. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Gen. **Dendrolycosa** Doleschall 1859.

Orientalische Arten:

♀ **fusca** Doleschall 1859. – * Amboina
D. f. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 51 T. 7 F. 9 (D ♀).
D. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 294 (N).

♀ **gracilis** Thorell 1891. Nicobaren
D. g. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 63 (D ♀).

o **lepida** (Thorell) 1890. Sumatra
Dolomedes l. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 135 (N o).
D. l. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 149 (D o).
D. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).

♂♀ **robusta** (Thorell) 1895. Burma
Therimachus r. Thorell 1895, Descr. Catal. Spid. Burma p. 224 (D ♂♀).
D. r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).
D. r. Pocock 1900, Faun. Brit. Ind.: Arachn. p. 247 (D ♂♀).

♀ **stauntoni** Pocock 1900. Indien
D. s. Pocock 1900, Faun. Brit. Ind.: Arachn. p. 247 (D ♀).

Australische Arten:

kochi Simon 1898. Australien

D. k. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).

♀ **lineata** Thorell 1881 Queensland

D. l. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 366 (D o).

Gen. **Enna** Cambridge 1897.

o **approximata** (Cambridge) 1893. Panama

Perissoblemma a. Cambridge 1893, Biol. Centr. Amer. Aran. 1 p. 105 T. 14 F. 4 (D o).
Perissoblemma a. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 313 (N).
E. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 543 (C).

♀ **jullieni** (Simon) 1898. Venezuela, Panama

Hesydrus j. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 20 (D ♀).
E. j. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 312 (N ♀).

♀ **minor** Petrunkevitch 1925. Panama

E. m. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 167 f. 88 (D ♀).

♀ **nesiotes** Chamberlin 1925. Nieder-Californien

E. n. Chamberlin 1925, Bull. Mus. Compar. Zool. Harvard 67 p. 224 (D ♀).

♂♀ **velox** Cambridge 1897. – * Costa Rica

E. v. Cambridge 1897, Biol. Centr. Amer. Aran. 1 p. 232 T. 30 F. 2, 3 (D ♂♀).
E. v. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 311 T. 30 F. 13, 14 (D ♂♀).

Gen. **Euprosthenomma** Roewer 1954.

♀ **schenkeli** Roewer 1954. Ost-Afrika

Euprosthenops proximus Schenkel 1936, Rev. Suisse Zool. 43 (10) p. 330 f. 9 (D ♀).
E. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Gen. **Euprosthenops** Pocock 1897.

Aethiopische Arten:

§ 18 Arten: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

♀ **affinitatus** (Cambridge) 1877. West-Afrika (Küste)

Podophthalma a. Cambridge 1877, Proc. Zool. Soc. London p. 569 (D ♀).
E. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♂ **annulipes** Strand 1913. Centr.-Afrika

E. a. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 416 (D ♂).
E. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 61 (D ♂).

♂♀ **armatus** Strand 1913. Centr.- und Ost-Afrika, Congo

E. a. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 417 (D ♂♀).
E. a. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 108 (N ♀).
E. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 56a—d (D ♂♀).

♂♀ **armatus garambensis** Lessert 1928. Belg.-Congo
E. a. g. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 334 f. 20 (D ♂).
E. a. g. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂♀).

♀ **australis** Simon 1898. Capland, Zululand, Nyassa, Ost-Afrika
Podophthalma bayaoniana Karsch 1878, Monatsber. Ak. Wiss. Berlin p. 326 T. 2 F. 8 (D ♀).
E. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 12 (D ♀).
E. a. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 253 (N ♀).
E. a. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 33 f. 18 (N ♀).
E. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 62 (D ♀).

O♀ **bananus** Strand 1919. Belg.-Congo
E. b. Strand 1919, Arch. Naturg. 85 (A, 12) p. 112 (D O♀).
E. b. Roewer 1954, Explor. Parc Nation. Upemba ... p. .. (D O♀).

♂♀ **bayaonianus** (Brito Capello) 1867. – * Trop.-Afrika, Nil-Sudan, Angola
Podophthalma b. Brito Capello 1867, Mem. Ac. Sci. Lisboa 4 p. 13 T. 2 F. 1 (D ♀).
E. b. Simon 1898, Hist. Nat. Araign. 2 (2) p. 291 f. 285, 288, 289, 299 (N ♂♀).
E. b. Strand 1908, Arch. Naturg. 74 (I, 1) p. 104 (D ♂♀).
E. b. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 42 (C).
E. b. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 331 f. 18 (D ♀).
E. b. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 108 (C ♀).
E. b. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 54a—e (D ♂♀).

♂♀ **biguttatus** Roewer 1954. Belg.-Congo (Upemba)
E. b. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 57a—f (D ♂♀).

♀ **grimmi** Roewer 1954. Südwest-Afrika
E. g. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 59a, b (D ♀).

♀ **hartmanni** Roewer 1954. Ost-Afrika
E. h. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 60a, b (D ♀).

♀ **hilaris** (Cambridge) 1877. Madagascar, Aethiopien, Ost-Afrika
Podophthalma h. Cambridge 1877, Proc. Zool. Soc. London (3) p. 569 T. 57 F. 7 (D ♀).
E. h. Caporiacco 1949, Comment. Pontif. Ac. Sci. 13 (6) p. 332 f. 9 (N ♀).
E. h. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♂ **lesserti** Roewer 1954. Ost-Afrika
E. armatus Lessert 1916, Rev. Suisse Zool. 24 (9) p. 569 f. 5, 6 (D ♂).
E. l. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂).

♀ **pavesii** Lessert 1928. Congo, Portug. Ost-Afrika
Podophthalma bayaoniana Pavesi 1881, Ann. Mus. Civ. Genova 16 p. 553 (N ♀).
E. p. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 333 f. 19 (D ♀).
E. p. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 278 f. 74 (N ♀).
E. p. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 108 (N ♀).
E. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **pedatus** (Strand) 1913. Centr.-Afrika
E. bayaonianus p. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 414 (D ♀).
E. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 55a, b (D ♀).

♂ **prospiciens** Cambridge 1908. Mashonaland
E. p. Cambridge 1908, Proc. Zool. Soc. London (2) p. 827 T. 50 F. 38—40 (D ♂).
E. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂).

♂♀ **proximus** Lessert 1916. Ost-Afrika, Zululand
E. p. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 565 f. 1—4 (D ♂).
E. p. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 253 (N ♂♀).
E. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 63a, b (D ♂♀).

♀ **pulchellus** Pocock 1902. Capland
E. p. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 18 T. 3 F. 6 (D ♀).
E. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♂ **wühlischi** Roewer 1954. Südwest-Afrika
E. w. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 58a—e (D ♂).

Orientalische Arten:

♂♀ **ellioti** (Cambridge) 1877. Indien
Podophthalma e. Cambridge 1877, Proc. Zool. Soc. London p. 567 T. 57 F. 6 (D ♂♀).
E. e. Pocock 1900, Faun. Brit. Ind., Arachn. p. 249 (D ♀).

Gen. **Eurychoera** Thorell 1897.

♀ **quadrimaculata** Thorell 1897. Singapore
E. q. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (2—4) p. 19 (D ♀).
E. q. Simon 1898, Hist. Nat. Araign. 2 (2) p. 296 (N).

Gen. **Ischalea** L. Koch 1872.

Aethiopische Arten:

o **incerta** (Cambridge) 1877. Madagascar
Podophthalma i. Cambridge 1877, Proc. Zool. Soc. Lond. p. 570 T. 57 F. 8 (D o).
I. i. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 600 (N).
I. i. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (N).

♀ **longiceps** Simon 1897. Mauritius
I. l. Simon 1897, Ann. Soc. Ent. France 66 p. 281 (D ♀).
I. l. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (N).

Australische Arten:

♂♀ **spinipes** L. Koch 1872. – * Neu-Seeland
I. s. L. Koch 1872, Arachn. Austral. 1 (1) p. 197 T. 17 F. 4 (D ♂).
Tetragnatha tenella Urquhart 1892, Trans. N. Zeal. Inst. 25 p. 172 (D ♂).
I. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 292 f. 292 (N).
I. s. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 22 (D ♂).
I. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (N).

Gen. **Maypacius** Simon 1898.

§ 5 Arten: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

♂♀ **berlandi** Roewer 1954. Aethiopien

Tetragonophthalma stuhlmanni Berland 1922, Voy. Rothschild Ethiop. Res. Sci. Anim. Artic. 1 p. 78, f. 21—23 (D ♂♀).
M. b. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂♀).

♂♀ **bilineatus** (Pavesi) 1895. – * Trop.-Afrika, Madagascar

Tetragonophthalma b. Pavesi 1895, Ann. Mus. Civ. Genova 35 p. 524 (D ♀).
M. vittiger Simon 1898, Ann. Soc. Ent. Belg. 42 p. 13 (D♀).
M. vittiger Simon 1898, Hist. Nat. Araign. 2 (2) p. 292 (N).
M. b. Simon 1906, S. B. Ak. Wiss. Wien 115 p. 1169 (C).
Tetragonophthalma b. Strand 1908, Arch. Naturg. 74 (I; 1) p. 47 T. 2 F. 16 (N♀).
M. b. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 64 a—d (D ♂♀).

♂ **kaestneri** Roewer 1954. Camerun

M. k. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 66a, b, c (D ♂).

♀ **petrunkevitchi** Lessert 1933. Angola

M. p. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 131 f. 51, 52 (D ♀).
M. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. .. . (D ♀).

♀ **stuhlmanni** (Bösenberg & Lenz) 1895. Sansibar

Tetragonophthalma s. Bösenberg & Lenz 1895, Jahrb. Hamburg. Wiss. Anst. 12 p. 13 T. 1 F. 19, 19a (D ♀).
M. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 65a, b (D ♀).

Gen. **Melocosa** Gertsch 1937.

Neotropische Arten:

♂ **gertschi** Mello-Leitao 1947. Parana

M. g. Mello-Leitao 1947, Pap. Avuls. S. Paulo 8 (11) p. 130 f. 4 (D ♂).

Nearktische Arten:

♂♀ **fumosa** (Emerton) 1894. – * Alaska, Canada

Lycosa f. Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 421 T. 3 F. 1 (D ♂♀).
Lycosa f. Banks 1898, Ent. News 9 p. 16 (N).
Lycosa f. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. p. 272 T. 19 F. 2, 3 (N).
M. f. Gertsch 1937, Amer. Mus. Novit. 936 p. 7 TF. 5 (N ♂♀).

Gen. **Nilus** Cambridge 1876.

Palaearktische Arten:

o **curtus** Cambridge 1876. – * Aegypten

N. c. Cambridge 1876, Proc. Zool. Soc. Lond. p. 596 T. 60 F. 13 (D o).
N. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 295 f. 297 (N).

Aethiopische Arten:

§ 5 Arten: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

♀ **maruanus** Roewer 1954. Camerun

N. m. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 95a, b (D ♀).

o **oblongus** Pavesi 1897. Somaliland

N. o. Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 177 (D ♀).
N. o. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).
N. o. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D o).

o **pictus** (Simon) 1888. Madagascar
Tallonia p. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 223 (D o).
N. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).
N. p. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 601 (N).
N. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D o).

♀ **sparassiformis** Strand 1907. Nossibé
N. s. Strand 1907, Zool. Anz. 31 (23) p. 741 (D ♀).
N. s. Strand 1908, Nyt. Mag. Naturvid. 46 (2) p. 143 (D ♀).
N. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 96 (D ♀).

Orientalische Arten:

♀ **lanceolatus** Simon 1898. Indochina
N. l. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 16 (D ♀).
N. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).

♀ **marginatus** (Simon) 1888. Andamanen
Sphedanus m. Simon 1888, Journ. Asiat. Soc. Bengal. 56 p. 284 (D ♀).
N. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).

o **spadicarius** (Simon) 1897. Guzerat
Sphedanus s. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 262 (D o).
N. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).

♀ **undatus** (Thorell) 1877. Celebes
Sphedanus u. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 523 (D ♀).
N. u. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).

Australische Arten:

♀ **australianus** (Karsch) 1876. Australien
Aenigma a. Karsch 1876, Zeitschr. ges. Naturw. 51 p. 825 (D ♀).
Aetola a. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 385 (N).
N. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 290 (N).

♀ **icadius** (L. Koch) 1876. Queensland
Dolomedes i. L. Koch 1876, Arachn. Austral. 1 (2) p. 859 T. 73 F. 5 (D ♀).
N. i. Simon 1898, Hist. Nat. Araign. 2 (2) p. 290 (N).

♂ **kochi** nom. nov. Queensland
Dolomedes elegans L. Koch 1876, Arachn. Austral. 1 (2) p. 861 T. 73 F. 8 (D ♂) (praeocc. Taczanowski 1874).
N. elegans Simon 1898, Hist. Nat. Araign. 2 (2) p. 290 (N).
N. k. Roewer 1951, Abh. Nat. Ver. Bremen 32 (27) p. 438 (nom. nov.).

♀ **ornatus** Berland 1924. Neu-Caledonien
N. o. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 239 f. 183—185 (D ♀).

Neotropische Arten:

o **amazonicus** Simon 1898. Amazonas
N. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 17 (D o).

Gen. **Pelopatis** Bishop 1924.

♂♀ **undulatus** (Keyserling) 1887. Florida
Tetragonophthalmus u. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 486 T. 6 F. 42 (D ♀).

P. u. Bishop 1924, N. York Stat. Mus. Bull. 252 p. 21 T. 3 F. 1, 2; T. 4 F. 1—5 (D ♂♀).

Gen. **Perenethis** L. Koch 1878.

Palaearktische Arten:

♀ **fascigera** (Bösenberg & Strand) 1906. Japan

Tetragonophthalma f. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 306 T. 13 F. 329 (D ♀).

Aethiopische Arten:

§ 4 Arten: Roewer 1954, Explor. Parc Nation. Upemba p. . . .

o **brevipes** (Strand) 1906. Abessinien, Uganda

Tetragonophthalma b. Strand 1906, Zool. Anz. 30 (19—20) p. 685 (D o).
Tetragonophthalma b. Strand 1908, Arch. Naturg. 74 (I, 1) p. 45 T. 2 F. 11 (D o).
Tetragonophthalma b. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (33) p. 109 (N o).
P. b. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D o).

♂♀ **simoni** (Lessert) 1916. Ost-Afrika, Congo

Tetragonophthalma phylla Simon 1898, Hist. Nat. Araign. 2 (2) p. 293, 295, 296, f. 300 (N ♂).
Tetragonophthalma s. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 577 11—14 (D ♂♀).
P. s. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 97 (D ♂♀).

♂ **straeleni** Roewer 1954. Belg.-Congo (Upemba)

P. s. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 98a—e (D ♂).

♀ **symmetrica** (Lawrence) 1927. Südwest-Afrika

Tetragonophthalma s. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 46 T. 2 F. 33, T. 3 F. 74 (D ♀).
P. s. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

Orientalische Arten:

♀ **sindica** (Simon) 1897. Indien

Tetragonophthalma s. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 295 (D ♀).
P. indica Pocock 1900, Faun. Brit. Ind.; Arachn. p. 246 (D ♀).

Transgredierende Arten:

♂♀ **unifasciata** (Doleschall) 1859. – * Ceylon, Burma, Amboina, Queensland, Aru-I.

Dolomedes u. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 10 T. 6 F. 6 (D ♂).
P. venusta L. Koch 1878, Arachn. Austral. 1 (2) p. 980 T. 85 F. 7 (D ♀).
P. venusta Thorell 1881, Ann. Mus. Civ. Genova 17 p. 372 (D ♂♀).
P. u. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 61 (N).
Tetragonophthalma u. Strand 1911, Abh. Senckbg. Ges. 34 (2) p. 165 (N ♀).

Australische Arten:

♀ **parkinsoni** Dahl 1908. Bismarck-Archip.

P. p. Dahl 1908, Nov. Act. Leopoldina 88 p. 228 f. 7 (D ♀).

Gen. **Phalaeopsis** Roewer 1954.

♀ **mossambica** Roewer 1954. – * Mozambique

P. m. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 77a, b (D ♀).

♀ **somalica** Roewer 1954. Somaliland
P. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 78a, b (D ♀).

Gen. **Pisaura** Simon 1885.

Palaearktische Arten:

♀ **clarivittata** Dönitz & Strand 1906. Japan
P. c. Dönitz & Strand 1906, in: Bösenberg & Strand. Abh. Senckbg. Ges. 30 (1—2) p. 389 T. 6 F. 76 (Abb. ♀).

♂♀ **consocia** (Cambridge) 1872. Syrien, Palestina
Dolomedes c. Cambridge 1872, Proc. Zool. Soc. Lond. p. 320 (D ♂♀).
P. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).
Ocyale c. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 48 T. 2 F. 57—59 (D ♂♀).

♂ **kishidai** Saito 1936. Jehol
P. k. Saito 1936, Rep. Sci. Exped. Manchoukuo (5) 1 (3) p. 82 T. 1 F. 3, 20 (D ♂).

♀ **lama** Bösenberg & Strand 1906. Japan
P. l. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 306 T. 13 F. 430 (D ♀).
P. l. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 67 f. 8 (6) (N ♀).

♂♀ **mirabilis** (Clerck) 1757. – * Palaearctis (Macronesien)
Araneus m. Clerck 1757, Aran. Svec. p. 108 T. 5 F. 10 (D ♂♀).
Aranea listeri Scopoli 1763, Ent. Carniol. p. 397 (D).
Aranea rufofasciata De Geer 1783, Mém. p. s. Hist. Ins. 7 p. 269 T. 16 F. 1—8 (D ♂♀).
Aranea agraria Olivier 1789, Encycl. Méthod. 4 p. 215 (D).
Aranea obscura Fabricius 1793, Ent. Syst. 2 p. 419 (D).
Aranea arcuatolineata Panzer 1804, in: Schäffer, Icon. Ins. Ratisb. 2 p. 172 F. 6.
Dolomedes m. Walckenaer 1805, Tabl. Aran. p. 16 T. 2 F. 17, 18 (N o).
Ocyale m. Audouin 1827, Explic. Planch. Arachn. Savigny, Descr. Egypt. p. 373 (N).
Dolomedes m. Hahn 1829, Monogr. d. Spinn. 5 p. 1 F. 17 (D ♂).
Ocyale m. Sundevall 1832, Vet. Ak. Handl. p. 198 (D ♂♀).
Dolomedes m. Hahn 1834, Die Arachniden 2 p. 35 TF. 120 (D ♀).
Ocyale murina C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 23 (N).
Dolomedes m. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 356 (D ♂♀).
Dolomedes m. Lucas 1846, Explor. Sci. Alger. Zool. 1; Arachn. p. 130 (C).
Ocyale m. C. L. Koch 1848, Die Arachniden 14 p. 107 TF. 1346 (D ♂).
Ocyale rufofasciata C. L. Koch 1848, Die Arachniden 14 p. 110 TF. 1347 (D ♀).
Ocyale murina C. L. Koch 1848, Die Arachniden 14 p. 111 TF. 1348 (D ♀).
Dolomedes scheuchzeri Bremi-Wolff in: Menzel 1849, Kurz. Abr. Naturg. d. Spinn. p. 12 f. 17 (D).
Dolomedes m. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 37 T. 2 F. 18 (D ♂♀).
Ocyale m. Westring 1862, Aran. Svec. p. 537 (D ♂♀).
Ocyale m. Ohlert 1867, Aran. Prov. Preussen p. 130 (D ♂♀).
Ocyale murina Ohlert 1867, Aran. Prov. Preussen p. 131 (D ♀).
Ocyale m. Thorell 1872, Rem. Syn. Europ. Spid. p. 349 (N).
Ocyale m. Simon 1876, Arachn. de France 3 p. 227 (D ♂♀).
Ocyale m. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 506 T. 83 F. 287 (D ♂♀).
Ocyale m. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 346 (D ♂♀).
Ocyale m. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 81 T. 5 F. 1—17 (D ♂♀).
Ocyale m. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 63 (D).

Ocyale m. Hansen 1885, in: Schiödte, Zool. Danica p. 155 T. 5 F. 8 (D ♂♀).
P. m. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 354 (N).
P. m. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 78 (D ♂♀).
P. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 294 f. 303 (N ♂).
P. m. Kulczynski 1899, Rozprav. Ak. Umiej. Krakow. (2) 16 p. 422 T. 9 F. 115 (N ♂).
P. m. Bösenberg 1903, Zoologica 14 (5—6) p. 408 T. 39 F. 604 (D ♂♀).
P. rufofasciata Kulczynski 1903, Bull. Ac. Sci. Cracov. p. 54 (D ♀).
P. m. Järvi 1908, Zool. Anz. 32 (25) p. 755 f. 3 (N ♀).
P. listeri Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 258 f. 21—23 (D ♂♀).
P. rufofasciata Strand 1908, Arch. Naturg. 74 (I; 1) p. 107 (N).
P. m. Lessert 1910, Catal. Invert. Suisse, Araign. p. 474 (D ♂♀).
P. listeri Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 578 (D ♂♀).
P. m. Berland 1927, Arch. Zool. Expér. Gén. 66 Not. & Rev. 2 p. 22 f. 17, 18 (N).
P. listeri F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 7 f. 6—9 (D ♂♀).
P. listeri Reimoser 1932, Die Natur (Wien) 8 (3) p. 63 f. 9 (N ♂♀).
P. m. Simon 1937, Arachn. de France 6 (5) p. 1048, 1051 f. 1615, 1616 (D ♂♀).
P. listeri Holm 1947, Svensk Spindelfauna 3 p. 40 f. 17a, b, 18; T. 8 F. 90, T. 10 F. 48 (D ♂♀).
P. m. Locket & Millidge 1951, Brit. Spiders 1 p. 293 f. 141, 142A, B (D ♂♀).

♀ **mirabilis albida** (Franganillo) 1913. Nordwest-Spanien

Ocyale m. a. Franganillo 1913, Broteria 11 p. 120 (D ♀).
Ocyale m. a. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 59 (D ♀).

♀ **mirabilis fusca** (Franganillo) 1913. Nordwest-Spanien

Ocyale m. f. Franganillo 1913, Broteria 11 p. 120 (D ♀).
Ocyale m. f. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 59 (D ♀).

♂♀ **mirabilis maderiana** Schmitz 1895. Madeira

P. m. m. Schmitz 1895, Ann. Sci. Nat. Porto 2 p. 197 (D ♂♀).
P. m. m. Kulczynski 1899, Rozprav. Ak. Umiej. Krakow. (2) 16 p. 422 T. 9 F. 116, 123 (D ♀).
P. rufofasciata Strand 1915, Arch. Naturg. 81 (A; 9) p. 38 (N).

♀ **mirabilis orientalis** Kulczynski 1913. Russland

P. m. o. Kulczynski 1913, Arachn. in: Velitchkovsky, Faun. Distr. Waloukyi 10 p. 28 (D ♀).

♂♀ **novicia** (L. Koch) 1878. Kaukasus, Turkestan

Ocyale n. L. Koch 1878, Jahresber. Isis p. 54 T. 2 F. 3 (D ♂♀).
P. n. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).

Aethiopische Arten:

§ 7 Arten: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

♀ **affinis** (Lessert) 1916. Ost-Afrika

Cispius a. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 585 f. 19, 20 (D ♀).
P. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **camerunensis** Roewer 1954. Camerun

P. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 87a, b (D ♀).

♂♀ **ducis** Strand 1913. Centr.-Afrika, Congo

P. d. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 419 (D ♂).
P. d. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 338 (D ♂).
P. d. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 85a—d (D ♂♀).

♂♀ **faradjensis** (Lessert) 1928. Belg.-Congo
Rothus f. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 336 f. 21, 22 (D ♂♀).
P. f. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 86a—d (D ♂♀).

♂♀ **rothiformis** Strand 1908. Camerun
P. r. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 278 (D ♂).
P. r. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 84a—d (D ♂♀).

♂♀ **rothiformis orientalis** Strand 1913. Centr.-Afrika
P. r. o. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool.2) (11) p. 420 (D ♂).
P. r. o. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂♀).

♀ **valida** Simon 1885. Senegambien, Guinea
P. v. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 354 (D ♀).
P. v. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).
P. v. Simon 1909, Ann. Mus. Civ. Genova 44 p. 388 (C).
P. v. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Orientalische Arten:

♀ **dentifasciata** (Cambridge) 1885. Nordwest-Indien
Ocyale d. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 79 (D ♀).
P. d. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).

O **rectifasciata** (Cambridge) 1885. Nordwest-Indien
Ocyale r. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 78 (D O).
P. r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 289 (N).

Gen. **Pisaurina** Simon 1898.

Neotropische Arten:

♀ **brasiliensis** Mello-Leitao 1940. Brasilien
P. b. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 199 (D ♀).

Nearktische Arten:

♂♀ **brevipes** (Emerton) 1911. NO.-U. St. Amerika
Pisaura b. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 400 T. 4 F. 6 (D ♀).
P. b. Bishop 1924, N. York Stat. Mus. Bull. 252 p. 29 T. 7 F. 2; T. 33 F. 5 (D ♀).
P. b. Kaston 1938, Bull. Brookl. Ent. Soc. 33 (4) p. 185 T. 9 F. 24 (D ♂♀).
P. b. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 297 T. 48 F. 963; T. 49 F. 978 (D ♂♀).

♂♀ **mira** (Walckenaer) 1837. – * U. St. Amerika, Canada
Dolomedes m. Walckenaer 1937, Hist. Nat. Ins. Apt. 1 p. 357 (D ♀).
Dolomedes virgatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 358 (D ♀).
Micrommata undata Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 192 T. 16 F. 7 (D ♀).
Micrommata serrata Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 193 T. 16 F. 8 (D ♀).
Micrommata marmorata Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 193 T. 17 F. 5 (D ♀).
Micromata carolinensis Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 194 T. 18 F. 9 (D ♂).
Dolomedes binotatus C. L. Koch 1848, Die Arachniden 14 p. 121 TF. 1356 (D ♀)
Ocyale m. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 382 (C).
Ocyale virgata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 382 (C).
Micrommata canadensis Emerton 1875, Psyche 50 (21) p. 131 (C).

Ocyale undata Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 499 T. 49 F. 7 (D ♂♀).
P. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 295 (N).
Ocyale undata Emerton 1902, Common Spid. p. 88 f. 215—217 (D ♂♀).
Ocyale undata Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 584 T. 30 F. 49 (D O♀).
Dolomedes m. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 320 (D ♂♀).
P. undata Banks 1910, Bull. U. Stat. Nat. Mus. (72) p. 54 (C).
P. m. Comstock 1912, Spider Book p. 607 f. 683, 684, 687, 691, 692 (N).
P. m. Bishop 1924, N. York Stat. Mus. Bull. p. 252 T. 5 F. 1, 2; T. 6 F. 1, 2; T. 8 F. 1—4; T. 9 F. 1—6; T. 10, 11 (D ♂♀).
P. m. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 4 (3—4) p. 205 (C ♀).
P. m. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 296 T. 48 F. 960, 961; T. 49 F. 976, 977 (D ♂♀).

♀ **subinflata** (Hentz) 1850. U. St. Amerika

Micrommata s. Hentz 1850, Boston Journ. Nat. Hist. Soc. 6 p. 288 T. 10 F. 13 (D ♀).
P. mira Bishop 1924, N. York Stat. Mus. Bull. 252 T. 7 F. 1 (D ♀).
P. mira s. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 297 T. 48 F. 962 (N).

Gen. **Polybaea** Thorell 1895.

♂♀ **vulpina** Thorell 1895. Burma, Malakka

P. v. Thorell 1895, Descr. Catal. Spid. Burma p. 229 (D O).
P. v. Workman 1895, Malays. Spid. p. 97 T. 97 (D ♂♀).

Gen. **Rothus** Simon 1898.

§ 16 Arten: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

♂♀ **aethiopicus** (Pavesi) 1883. Abessinien, Natal

Ocyale a. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 71 (D ♂♀).
R. a. Simon 1907, Arachn. in: Res. Swed. Zool. Exped. Egypt. a. White Nile (21) p. 8 (N).
R. a. Strand 1908, Arch. Naturg. 74 (I; 1) p. 47 (N o)
Pisaura insula Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 418 (D ♀).
R. a. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 581 f. 15—18 (D ♂♀).
R. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 79a—e (D ♂♀).

♀ **atlanticus** Simon 1898. Abessinien, Algier, Tunis

R. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 14 (D ♀).
R. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **auratus** Pocock 1900. Capland

R. a. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 326 (D ♀).
R. a. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 16 T. 3 F. 3 (N ♀).
R. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **catenulatus** Simon 1898. Süd-Afrika, Galla-Länder

R. c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 15 (D ♀).
R. c. Caporiacco 1940, Atti Reale Accad. Ital. 11 (18) p. 786 f. 8 (N ♀).
R. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

o **concolor** Caporiacco 1940. Abessinien

R. c. Caporiacco 1940, Atti Reale Accad. Ital. 11 (18) p. 787 (D o).
R. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D o).

♀ **lineatus** Pocock 1902. Capland
R. l. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 16 T. 3 F. 2 (D ♀).
R. l. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀)

♂♀ **magnus** Caporiacco 1940. Abessinien
R. m. Caporiacco 1940, Atti Reale Accad. Ital. 11 (18) p. 784 f. 7 (D ♂♀).
R. m. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂♀).

♀ **mossamedesus** Roewer 1954. Angola
R. m. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 82a, b (D ♀).

♀ **obscurus** Strand 1907. Capland
R. o. Strand 1907, Zool. Anz. 31 (17—18) p. 545 (D ♀).
R. o. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 698 (D ♀).
R. o. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♂♀ **pictus** Roewer 1954. Mozambique
R. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 81a—d (D ♂♀).

♀ **purpurissatus** Simon 1898. – * Abessinien
R. p. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 14 (D ♀).
R. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 294 f. 293, 294, 298 (N).
R. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

o **strandi** Caporiacco 1940. Abessinien
R. s. Caporiacco 1940, Atti Reale Accad. Ital. 11 (18) p. 787 (D o).
R. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D o).

♀ **subcatenulatus** Strand 1908. Abessinien
R. catenulatus (= ? s.) Strand 1908, Arch. Naturg. 74 (I; 1) p. 107 (D ♀).
R. s. Caporiacco 1940, Atti Reale Accad. Ital. 11 (18) p. 786 f. 8 (D ♀).
R. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **upembanus** Roewer 1954. Belg.-Congo (Upemba)
R. u. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 80a, b (D ♀).

♀ **vestitus** Roewer 1954. Camerun
R. v. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 83a, b (D ♀).

♀ **vittatus** Simon 1898. Capland
R. v. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 15 (D ♀).
R. v. Pocock 1902, Ann. Mag. Nat. Hist. 7 (10) p. 16 (C).
R. v. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Gen. **Sisenna** Simon 1898.

♂♀ **helvola** Simon 1898. Amazonas
S. h. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 12 (D ♂♀).
S. h. Simon 1898, Hist. Nat. Araign. 2 (2) p. 292 f. 290, 291 (N).

Gen. **Spencerella** Pocock 1898.

♀ **hystrix** (Berland) 1912. Abessinien
Maypacius h. Berland 1912, Voy. Rothschild Ethiop. Res. Sci. Anim. Artic. 1 p. 77 f. 20 (D ♀).
S. h. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♂♀ **lineata** Pocock 1898. – * Natal

S. l. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 215 T. 8 F. 17 (D ♂).
S. l. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 17 T. 3 F. 5 (N).
S. l. Lessert 1916, Rev. Suisse Zool. 24 p. 572 f. 7—10 (D ♂♀).
S. l. Lawrence 1938, Ann. Natal. Mus. 8 (3) p. 514 f. 34 (N ♀).
S. l. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂♀).

♀ **namaquensis** Roewer 1954. Namaqualand

S. n. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 68a—c (D ♀).

♂♀ **sexmaculata** (Lessert) 1916. Ost-Afrika

Maypacius lineatus s. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 575 (D ♀).
S. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 67a—d (D ♂♀).

♀ **signata** Pocock 1902. Capland

S. s. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 17 T. 3 F. 4 (D ♀).
S. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

Gen. **Staberius** Simon 1898.

♂♀ **aculeatus** Simon 1898. – * Amazonas

S. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 16 (D ♂♀).
S. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 293 f. 302 (N ♂).
S. a. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 49 f. 5, 6 (N ♂♀).

♂♀ **argenteonotatus** Simon 1898. Peru

S. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 16 (D ♀).
S. a. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 49 f. 5, 6 (D ♂♀).

Gen. **Stoliczka** Cambridge 1885.

o **affinis** Caporiacco 1935. Karakorum

S. a. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 229 (D o).

♀ **insignis** Cambridge 1885. – * Nordwest-Indien

S. i. Cambridge 1885, Aran. in: Sci. Res. Sec. Yarkand Miss. p. 77 (D ♀).

Gen. **Tetragonophthalma** Karsch 1878.

Aethiopische Arten:

§ 11 Arten: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

♀ **aculeata** (Strand) 1906. Camerun

Phalaea a. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 86 (D ♀).
T. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **canescens** (Simon) 1898. Guinealänder, Congo

Phalaea c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 14 (D ♀).
Phalaea c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 294 (N).
Phalaea c. Simon 1909, Ann. Mus. Civ. Genova 44 p. 387 (C).
T. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **crassa** (Thorell) 1899. Camerun

Phalaea c. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4, 1) p. 80 (D ♀).
T. c. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **ferox** (Pocock) 1899. Congo

Phalaea f. Pocock 1899, Proc. Zool. Soc. London p. 863 T. 55 F. 6 (D ♀).
T. f. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **guentheri** Roewer 1954. Togo
T. g. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 69 (D ♀).

O **marginata** (Strand) 1907. Camerun
Phalaea m. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 183 (D O).
T. m. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D O).

♂♀ **pelengea** Roewer 1954. Belg.-Congo (Upemba)
T. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 70a—d (D ♂♀).

♀ **phylla** Karsch 1878. – * Elfenbeinküste
T. p. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 329 T. 9 F. 4 (D ♀) (nec Simon etc.)
T. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. (D ♀).

♀ **thomensis** (Simon) 1909. San Thomé
Phalaea t. Simon 1909, Ann. Mus. Civ. Genova 44 p. 388 (D ♀).
T. t. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♂♀ **vulpina** (Simon) 1898. Franz.-Congo
Phalaea v. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 14 (D ♂♀).
Phalaea v. Simon 1909, Ann. Mus. Civ. Genova 44 p. 388 (C).
T. v. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂♀).

♂♀ **wittei** Roewer 1954. Belg.-Congo (Upemba)
T. w. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 71a—f (D ♂♀).

Neotropische Arten: (fraglich bezüglich **T. phylla** Karsch 1878)

♂ **freiburgensis** (Keyserling) 1876. Süd-Brasilien
Diapontia f. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 671 T. 8 F. 45, 46 (D ♂).

♀ **obscura** Keyserling 1891. Brasilien
T. o. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 256 T. 10 F. 192 (D ♀).

♂♀ **spinipes** (Taczanowski) 1874. Guiana
Ocyale s. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 95 (D ♂♀).

Gen. **Thanatidius** Simon 1898.

Neotropische Arten:

♀ **proximus** Mello-Leitao 1920. Brasilien
T. p. Mello-Leitao 1820, Rev. Soc. Bras. Sci. 4 p. 180 (D ♀).
T. parahybensis Mello-Leitao 1924, Bol. Mus. Nac. R. d. Janeiro 1 (4) p. 278 (D ♀).

♀ **spinipes** F. Cambridge 1903. Amazonas
T. s. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 156 T. 14 F. 10—12 (D ♀).

Nearktische Arten:

♂♀ **dubius** (Hentz) 1847. – * Nord-Carolina, Alabama
Thomisus d. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 448 T. 23 F. 11 (D ♀).
T. d. Simon 1898, Hist. Nat. Araign. 2 (2) p. 293 (N).
T. d. Bishop 1924, N. York Stat. Mus. Bull. 252 p. 17 T. 1; T. 33 F. 2 (D ♀).
T. d. Bishop & Crosby 1936, Ent. News 47 p. 242 f. 4, 5 (D ♂).

♀ **floridanus** (Simon) 1898. Florida
Maypacius f. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 14 (D ♀).
Maypacius f. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 181 T. 12 F. 30 (N ♀).

♂♀ **tenuis** (Hentz) 1847. Südost-U. St. Amerika
? Uloborus americanus Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 229 (D ♀).
Thomisus t. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 449 T. 23 F. 12 (D ♀).
T. t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 293 (N).
T. t. Bishop 1924, N. York Stat. Mus. Bull. 252 p. 18 T. 2 F. 1—5 (D ♀).
? T. americanus Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 139 (N ♂).
T. t. Bryant 1945, Psyche 52 (3—4) p. 179 T. 15 F. 1—6 (D ♂).

2. *Subfam. Thaumasiinae*

Gen. **Aglaoctenus** Tullgren 1905.

♀ **bifasciatus** Tullgren 1905. Bolivien
A. b. Tullgren 1905, Ark. Zool. 2 (19) p. 53 T. 7 F. 25 (D ♀).

Gen. **Anoteropis** L. Koch 1878.

♀ **flavescens** L. Koch 1878. – * Neu-Seeland
A. f. L. Koch 1878, Arachn. Austral. 1 (2) p. 971 T. 85 F. 1 (D ♀).
A. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 314 (N).

♂♀ **flavovittata** Simon 1880. Neu-Caledonien
A. f. Simon 1880, Ann. Soc. Ent. Belg. 23 C. R. p. 166 (D ♀).
A. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 314 f. 314 (N ♂) (in f. 314: **flavomaculata**).
A. f. Berland 1924, Nov. Caledon.; Zool. 3 (2) p. 244 f. 195, 196 (N ♂♀).

♀ **longipes** L. Koch 1878. Australien
A. l. L. Koch 1878, Arachn. Austral. 1 (2) p. 973 T. 85 F. 2 (D ♀).

♀ **papuana** Thorell 1881. Neu-Guinea
A. p. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 374 (D ♀).

Gen. **Archipirata** Simon 1898.

♀ **tartaricus** Simon 1898. Turkestan, China
A. t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 314 (D ♀).

Gen. **Demolodes** Mello-Leitao 1943.

♀ **iheringi** Mello-Leitao 1943. Brasilien
D. i. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 164 (D ♀).

Gen. **Dolomedes** Latreille 1804.

Palaearktische Arten:

♀ **chinensis duoformus** Fox 1936. China
D. c. d. Fox 1936, Journ. Wash. Ac. Sci. 26 (2) p. 123 f. 2 (D ♀).

♂♀ **clercki** Simon 1937. Frankreich, Schweiz, Deutschland
? D. fimbriatus C. L. Koch 1848, Die Arachniden 14 p. 116 TF. 1353 (D ♀, part.).
D. fimbriatus Simon 1876, Arachn. de France 3 p. 231 (D ♂♀, part.).

D. plantarius Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 430 T. 22 F. 2, 3, 5 (N ♂♀).
D. plantarius Lessert 1910, Catal. Invert. Suisse, Araign. p. 477 f. 218, 219 (D ♂♀).
D. c. Simon 1937, Arachn. de France 6 (5) p. 1051, 1052 f. 1619, 1620 (D ♂♀).

♂♀ **cordivulva** Strand 1907. Nord-China

D. c. Strand 1907, Zool. Anz. 31 (17—18) p. 564 (D ♂♀).
D. c. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 59 (D ♂♀).

♀ **fimbriatoides** Bösenberg & Strand 1906. Japan

D. f. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 308 T. 13 F. 341 (D ♀).

♂♀ **fimbriatus** (Clerck) 1757. – * Europa, Turkestan, Sibirien, Kamtschatka

Araneus f. Clerck 1757, Aran. Svec. p. 106 T. 5 F. 9 (D ♂).
? Araneus undatus Clerck 1757, Aran. Svec. p. 100 T. 5 F. 1 (D ♀).
Aranea f. Linné 1758, Syst. Nat. (10. Ed.) p. 621 (D).
Aranea virescens Linné 1758, Syst. Nat. (10. Ed.) p. 623 (D).
Aranea palustris Linné 1758, Syst. Nat. (10. Ed.) p. 623 (D).
Aranea schaefferi Scopoli 1761, Ent. Carniol. p. 397 (D).
Aranea virescens Müller 1776, Zool. Danic. Prodom. p. 94 (D).
Aranea paludosa De Geer 1778, Mém. p. s. Hist. Ins. 7 p. 278 T. 16 F. 9, 10 (D).
Aranea marginata De Geer 1778, Mém. p. s. Hist. Ins. 7 p. 281 T. 16 F. 13—15 (D).
Aranea f. Fabricius 1781, Spec. Ins. 1 p. 543 (D).
Aranea f. Olivier 1789, Encycl. Méthod. 4 p. 215 (D).
Aranea marginata Olivier 1789, Encycl. Méthod. 4 p. 216 (D).
Aranea elongata Olivier 1789, Encycl. Méthod. 4 p. 217 (D).
Aranea elegans Meyer 1790, Ueber einige Spinn. Göttingen p. 12 (D).
Aranea XIV punctata Schrank 1803, Faun. Boica 3 (A) p. 237 (D).
D. f. Latreille 1804, Nouv. Dict. Hist. Nat. 24 p. 135 (N).
D. f. Walckenaer 1805, Tabl. Aran. p. 16 (C).
D. marginatus Walckenaer 1805, Tabl. Aran. p. 16 T. 2 F. 19, 20 (N ♀).
D. f. Sundevall 1830, Vet. Ak. Handl. p. 194 (D ♂♀).
D. f. Hahn 1831, Die Arachniden 1 p. 14 TF. 10 (D ♂♀).
D. limbatus Hahn 1831, Die Arachniden 1 p. 15 TF. 11 (D ♀).
D. marginatus Hahn 1831, Die Arachniden 1 p. 15 TF. 12 (D ♂♀).
D. marginatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 345 (D ♂♀).
Argyroneta f. Contarini 1843, Catal. Ins. Padova e Venezia p. 15 (N).
D. f. C. L. Koch 1848, Die Arachniden 14 p. 116 TF. 1352 (nec 1353) (D ♂, nec ♀).
D. ornatus Blackwall 1859, Ann. Mag. Nat. Hist. (3) 3 p. 91 (D o).
D. ornatus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 39 T. 2 F. 19 (D ♂♀).
D. f. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 40 T. 2 F. 20 (D ♂♀).
D. f. Ohlert 1867, Aran. Prov. Preussen p. 129 (D ♂♀).
D. f. Simon 1876, Arachn. de France 3 p. 231 T. 12 F. 2 (D ♂♀, part.).
D. limbatus Simon 1876, Arachn. de France 3 p. 230 T. 12 F. 1, 3 (D ♂♀).
D. f. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 510 T. 83 F. 288 (D ♂♀).
D. f. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 348 (D ♂♀).
D. limbatus Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 85 T. 7 F. 2 (D ♂♀).
D. f. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 86 T. 7 F. 1 (D ♂♀).
D. f. Hansen 1885, in: Schiödte, Zool. Danica p. 155 T. 5 F. 8 (D ♂♀).
D. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 312, f. 286, 310 (N ♂♀).
D. f. Bösenberg 1903, Zoologica 14 (5—6) p. 408 T. 39 F. 603 (D ♂♀).
D. f. Järvi 1906, Zool. Anz. 32 (25) p. 755 f. 5 (N ♀).
D. f. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 252 f. 18—20 (D ♂♀).
D. f. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 430 T. 22 F. 1, 4 (N ♂♀).

D. f. Lessert 1910, Catal. Invert. Suisse, Araign. p. 476 f. 215—217 (D ♂♀).
D. f. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 578 (D ♂♀).
D. f. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 8 f. 10—13 (D ♂♀).
D. f. Reimoser 1928, Die Natur (Wien) 4 (5) p. 107 f. 4 (N ♂♀).
D. f. Saito 1936, Rep. I. Sci. Exp. Manschoukuo (5) 1 (3) p. 60, 83 f. 21 T. 29 (N ♀).
D. f. Simon 1937, Arachn. de France 6 (5) p. 1050, 1052 f. 1617, 1618 (D ♂♀).
D. f. Palmgren 1943, Act. Zool. Fenn. 36 p. 5 f. (N).
D. f. Holm 1947, Svensk Spindelfauna 3 p. 40 f. 19, 20a; T. 8 F. 86—88 (D ♂♀).
D. f. Locket & Millidge 1951, Brit. Spiders 1 p. 293 f. 142 C, D (D Oo).

♂♀ **hercules** Bösenberg & Strand 1906. Japan

D. h. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 310 T. 13 F. 361 (D ♀).
D. h. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 68 (D ♂, N ♀).

♀ **hyppomene** Audouin 1827. Nord-Aegypten

D. h. Audouin 1827, Explic. Planch. Arachn. Savigny, Descr. Egypt. p. 371 T. 4 F 9 (D ♀).
D. hippomenes (hyppomene) Thorell 1870, Rem. Syn. Europ. Spid. p. 168 (N).

♂ **italicus** Thorell 1875. Italien

D. i. Thorell 1875, Tijdschr. Ent. 18 p. 107 (D ♂).
D. i. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 177 (D ♂).

♂ **japonicus** Bösenberg & Strand 1906. Japan

D. j. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) p. 313 T. 13 F. 312 (D ♂).

o **kurilensis** Strand 1907. Kurilen

D. k. Strand 1907, Zool. Anz. 31 (17—18) p. 564 (D o).
D. k. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 61 (D o).

o **lucensis** Thorell 1873. Italien, Thracien

D. ornatus Blackwall 1870, Journ. Linn. Soc. Lond. (Zool.) 10 p. 407 (D o).
D. l. Thorell 1873, Rem. Syn. Europ. Spid. p. 579 (N).
D. l. Simon 1937, Arachn. de France 6 (5) p. 1053 (N).

♀ **oviger** Dönitz & Strand 1906. Japan

D. o. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckbg. Ges. 30 (1—2) p. 389 T. 8 F. 113 (D ♀).

♀ **pallitarsis** Dönitz & Strand 1906. Japan

D. p. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckbg. Ges. 30 (1—2) p. 388 T. 8 F. 114 (D ♀).

♂♀ **plantarius** (Clerck) 1757. Mittel- u. Nord-Europa

Araneus p. Clerck 1757, Aran. Svec. p. 105 T. 5 F. 8 (D ♀).
Aranea p. Olivier 1789, Encycl. Méthod. 4 p. 218 (D).
D. riparius Hahn 1834, Die Arachniden 2 p. 59 TF. 148 (D ♂♀).
D. p. Hahn 1834, Die Arachniden 2 p. 60 TF. 149 (D ♂♀).
D. p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 353 (D ♂♀).
D. fimbriatus Westring 1862, Arn. Svec. p. 535 (D ♂♀).
D. p. Ohlert 1867, Aran. Prov. Preussen p. 130 (D ♂♀).
D. p. Hansen 1885, in: Schiödte, Zool. Danica p. 155 (D ♂♀).
D. p. Bösenberg 1903, Zoologica 14 (5—6) p. 408 T. 39 F. 602 (D ♀).
D. p. Simon 1937, Arachn. de France 6 (5) p. 1051, 1052 (D ♀).
D. p. Holm 1947, Svensk Spindelfauna 3 p. 42 f. 20b; T. 8 F. 89 (D ♂♀).

♀ **raptor** Bösenberg & Strand 1906. Japan
D. r. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) **p.** 309 T. 8 F. 119; T. 13 F. 342 (D ♀).

♂♀ **saganus** Bösenberg & Strand 1906. Japan, Formosa
D. s. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) **p.** 312 T. 8 F. 115; T. 13 F. 328 (D ♂♀).
D. s. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) **p.** 349 T. 15 F. 79 (D ♀).
D. s. Saito 1935, Trans. Sapporo Nat. Hist. Soc. 13 (1) **p.** 59 T. 3 F. 11 (N ♀).

♀ **senilis** Simon 1880. Peking
D. s. Simon 1880, Ann. Soc. Ent. France (5) 10 **p.** 101 (D ♀).

♂♀ **strandi** Bonnet 1929. Amur-Gebiet
D. s. Bonnet 1929, Ann. Soc. Ent. France 98 Bull. 17 **p.** 268 f. 1—3 (D ♂♀).

♂♀ **sulfureus** L. Koch 1877. Japan
D. s. L. Koch 1877, Verh. Zool. Bot. Ges. Wien 27 **p.** 778 (D o).
D. s. Bösenberg & Strand 1906, Abh. Senckbg. Ges. 30 (1—2) **p.** 311 T. 13 F. 330 (D ♂).
D. s. Strand 1934, Arch. Naturg. 82 (A; 11) **p.** 97 T. 2 F. 16 (N ♀).
D. s. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) **p.** 349 T. 15 F. 80 (D ♀).
D. s. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 **p.** 69 f. 8 (7) (N ♂).

♂ **xanthum** Saito 1939. Japan
D. x. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 **p.** 69 f. 8 (8) T. 1 F. 13 (D ♂).

Aethiopische Arten:

§ 14 (♂, ♀): Roewer 1954, Explor. Parc Nation. Upemba ... **p.** ...

♀ **actaeon** Pocock 1903. Camerun
D. a. Pocock 1903, Ann. Mag. Nat. Hist. (7) 11 **p.** 260 (D ♀).
D. a. Roewer 1954, Explor. Parc Nation. Upemba ... **p.** ... **f.** 161 (D ♀).

♀ **aethiops** Caporiacco 1939. Ital. Ost-Afrika
D. a. Caporiacco 1939, Real. Accad. Ital. **p.** 322 f. 5b (D ♀).
D. a. Roewer 1954, Explor. Parc Nation. Upemba ... **p.** ... **f.** 164 (D ♀).

♀ **batesi** Pocock 1903. Camerun
D. b. Pocock 1903, Ann. Mag. Nat. Hist. (7) 11 **p.** 261 (D ♀).
D. b. Roewer 1954, Explor. Parc Nation. Upemba ... **p.** ... (D ♀).

♂♀ **bistylus** Roewer 1954. Belg. Congo (Upemba)
D. b. Roewer 1954, Explor. Parc Nation. Upemba ... **p.** ... **f.** 158a—d (D ♂♀).

♂♀ **crosbyi** Lessert 1928. Belg. Congo
D. c. Lessert 1928, Rev. Suisse Zool. 35 (18) **p.** 345 f. 27 (D ♂).
D. c. Roewer 1954, Explor. Parc Nation. Upemba ... **p.** ... **f.** 154a—c (D ♂♀).

♂♀ **fageli** Roewer 1954. Belg. Congo (Upemba)
D. f. Roewer 1954, Explor. Parc Nation. Upemba ... **p.** ... **f.** 151, 157a—d (D ♂♀).

♀ **fernandensis** Simon 1909. Fernando Poo
D. f. Simon 1909, Ann. Mus. Civ. Genova 44 **p.** 389 (D ♀).
D. f. Roewer 1954, Explor. Parc Nation. Upemba ... **p.** ... (D ♀).

♂ **furcatus** Roewer 1954. Mozambique
D. f. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 167a—e (D ♂).

♀ **fuscipes** Roewer 1954. Camerun
D. f. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 160 (D ♀).

♂♀ **gracilipes** Lessert 1928. Belg. Congo
D. g. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 347 f. 28, 29 (D ♂♀).
D. g. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 155a—c (D ♂♀).

♂♀ **ingens** Caporiacco 1939. Aethiopien
D. i. Caporiacco 1939, Real Accad. Ital. p. 320 f. 4, 5a (D ♂♀).
D. i. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 163a (D ♂♀).

iturianus Strand 1913. Centr.-Afrika
D. i. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 424 (N).

♀ **lesserti** Roewer 1954. Mozambique
D. l. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 166 (D ♀).

o **lomensis** Strand 1906. West-Afrika
D. l. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 90 (D o).

♀ **machadoi** Roewer 1954. Portug. West-Afrika
D. m. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 162a, b (D ♀).

o **macrops** Simon 1906. Nil-Sudan
D. m. Simon 1906, S. B. Ak. Wiss. Wien 115 (1) p. 1170 (D o).
D. m. Simon 1907, Arachn. in: Res. Swed. Zool. Exped. Aegypt. a. White Nile 21 p. 8 (C).
D. m. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D o).

♀ **palpiger** Pocock 1903. Camerun
D. p. Pocock 1903, Ann. Mag. Nat. Hist. (7) 11 p. 262 (D ♀).
D. p. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

o **saccalavus** Strand 1907. Nossibé
D. s. Strand 1907, Zool. Anz. 31 (23) p. 742 (D o).
D. s. Strand 1908, Nyt. Mag. Naturvid. 46 (2) p. 150 (D o).
D. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D o).

♂ **smithi** Lessert 1916. Ost-Afrika
D. s. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 588 f. 21, 22 (D ♂).
D. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 165a—c (D ♂).

♀ **straeleni** Roewer 1954. Belg. Congo (Upemba)
D. s. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 156a, b (D ♀).

♂o **transfuga** Pocock 1899. Congo
D. t. Pocock 1899, Proc. Zool. Soc. London p. 869 T. 57 F. 24 (D ♂o).
D. t. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂o).

o **vatovae** Caporiacco 1940. Abessinien
D. v. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 780 (D o).
D. v. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D o).

Orientalische Arten:

♀ **annulatus** Simon 1877. Philippinen
D. a. Simon 1877, Ann. Soc. Ent. France (5) 7 p. 63 (D ♀).

♀ **boiei** (Doleschall) 1859. Java, Ceylon
Lycosa b. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 7 T. 14 F. 7 (D ♀).
? Tarantuloides b. Karsch 1891, Berlin Ent. Zeitschr. 36 (2) p. 297 (C o).

♀ **chinesus** Chamberlin 1924. Süd-China
D. c. Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 26 T. 6 F. 42 (D ♀).

♂♀ **femoralis** Hasselt 1882. Sumatra
D. f. Hasselt 1882, in: Veth, Midd. Sumatra 4 (11; A) p. 44 T. 5 F. 9 (D ♂♀).
D. f. Simon 1893, Rev. Suisse Zool. 1 (3) p. 326 (D ♂).

♂ **insurgens** Chamberlin 1924. Süd-China
D. i. Camberlin 1924, Proc. U. Stat Nat. Mus. 63 (13) p. 25 T. 6 F. 41 (D ♂).

♂ **karschi** Strand 1913. Ceylon
D. k. Strand 1913, Arch. Naturg. 79 (A; 6) p. 121 (D ♂).
D. k. Strand 1914, Abh. Senckbg. Ges. 36 (2) p. 255 (D ♂).

♀ **minahassae** Merian 1911. Celebes
D. m. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 289 f. 11 (D ♀).

♀ **minahassae vulcanicus** Merian 1911. Celebes
D. m. v. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 290 (D ♀).

o **paroculus** Simon 1901. Malakka
D. p. Simon 1901, Proc. Zool. Soc. Lond. (2; 4) p. 68 (D o).

♀ **spathularis** Hasselt 1882. Sumatra
D. s. Hasselt 1882, in: Veth, Midd. Sumatra 4 (11; A) p. 44 T. 4 F. 10, 11 (D ♀).
Thalassius s. Simon 1893, Rev. Suisse Zool. 1 (3) p. 327 (N).

♀ **submarginalivittatus** Strand 1907. Java
D. s. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 439 (D ♀).

♀ **sumatranus** Strand 1906. Sumatra
D. s. Strand 1906, Jahrb. Nassau. Nat. Ver. 59 p. 275 (D ♀).
D. s. Strand 1914, Abh. Senckbg. Ges. 36 (2) p. 255 (D ♀).

Australische Arten:

§ 5 ♂, 7 ♀: L. Koch 1876, Arachn. Austral. 1 (2) p. 858.
§ 4 Arten: Hogg 1908, Proc. Zool. Soc. Lond. p. 340.

♂ **albicomus** L. Koch 1867. Queensland
D. a. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 199 (D ♂).
D. a. L. Koch 1876, Arachn. Austral. 1 (2) p. 875 T. 75 F. 3 (D ♂).

♂♀ **aquaticus** Goyen 1887. Neu-Seeland
D. a. Goyen 1887, Trans. N. Zeal. Inst. 20 p. 133 (D ♂♀).

O♀ **australianus** L. Koch 1865. Victoria, Neu-Süd-Wales
D. a. L. Koch 1865, Verh. Zool. Bot. Ges. Wien 15 p. 863 (D O).
D. a. L. Koch 1876, Arachn. Austral. 1 (2) p. 873 T. 75 F. 2 (D ♀).

o **cervinus** L. Koch 1876. Neu-Süd-Wales
D. c. L. Koch 1876, Arachn. Austral. 1 (2) p. 872 T. 75 F. 1 (D o).

♀ **chroesus** Strand 1911. Kei-I.
D. c. Strand 1911, Abh. Senckbg. Ges. 34 (2) p. 166 T. 5 F. 58 (D ♀).

♂ **eberhardarum** Strand 1913. Victoria
D. e. Strand 1913, Jahrb. Nassau. Ver. Nat. 66 p. 207 (D ♂).

♂♀ **facetus** L. Koch 1876. Samoa, Australien, Neu-Seeland
D. f. L. Koch 1876, Arachn. Austral. 1 (2) p. 869 T. 74 F. 5, 6 (D ♂♀).

♂ **flaminius** L. Koch 1867. Queensland
D. f. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 197 (D ♂).
D. f. L. Koch 1876, Arachn. Austral. 1 (2) p. 877 T. 75 F. 4 (D ♂).

♀ **habilis** Hogg 1905. Australien
D. h. Hogg 1905, Proc. Zool. Soc. Lond. p. 589 f. 89 (D ♀).

♂♀ **huttoni** Hogg 1908. Neu-Seeland
D. h. Hogg 1908, Proc. Zool. Soc. Lond. p. 840 f. 74 (D ♂♀).

♀ **instabilis** L. Koch 1876. Queensland, Victoria, Neu-Süd-Wales
D. i. L. Koch 1876, Arachn. Austral. 1 (2) p. 863 T. 74 F. 1 (D ♀).

♂♀ **lafoensis** Berland 1924. Neu-Caledonien
D. l. Berland 1924, Nov. Caledon., Zool. 3 (2) p. 243 f. 192—194 (D ♂♀).

lateralis White 1850. Neu-Seeland
D. l. White 1850, Ann. Mag. Nat. Hist. (2) 5 p. 50 (D).

♂ **laticeps** Pocock 1898. Salomonen
D. l. Pocock 1898, Ann. Mag. Nat. Hist. (7) 1 p. 467 T. 19 F. 7 (D ♂).

♂♀ **minor** L. Koch 1876. Neu-Seeland
D. m. L. Koch 1876, Arachn. Austral. 1 (2) p. 864 T. 74 F. 2, 3 (D ♂♀).
D. imperiosus L. Koch 1876, Arachn. Austral. 1 (2) p. 867 T. 74 F. 4 (D ♂♀).

mirificus Walckenaer 1837. Australien, Neu-Seeland
D. m. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 355 (D).

♂o **naja** Berland 1938. Neue Hebriden
D. n. Berland 1938, Ann. Soc. Ent. France 107 p. 179 f. 141, 142 (D ♂o).

♂♀ **neocaledonicus** Berland 1924. Neu-Caledonien
D. n. Berland 1924, Nov. Caledon., Zool. 3 (2) p. 241 f. 189—191 (D ♂♀).

noukhiava Walckenaer 1847. Marquesas-I.
D. n. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 401 (D).

sagittiger White 1850. Neu-Seeland
D. s. White 1850, Ann. Mag. Nat. Hist. (2) 5 p. 51 (D).

♀ **schauinslandi** Simon 1899. Chatham-I.
D. s. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 436 (D ♀).

♀ **signatus** Walckenaer 1837. Marianen
D. s. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 348 (D ♀).
D. punctipes Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 374 (C).

♂ **stilatus** Karsch 1878. Australien
D. s. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 814 (D ♂).

O♀ **titan** Berland 1924. Neu-Caledonien, Neue Hebriden
D. t. Berland 1924, Nov. Caledon., Zool. 3 (2) p. 240 f. 186—188 (D O♀).

♀ **tridentatus** Hogg 1911. Neu-Seeland
D. t. Hogg 1911, Proc. Zool. Soc. Lond. p. 311 f. 96 (D ♀).

♂♀ **trippi** Hogg 1908. Neu-Seeland
D. t. Hogg 1908, Proc. Zool. Soc. Lond. p. 342 f. 75 (D ♂♀).

♀ **trux** Lamb 1911. Queensland
D. t. Lamb 1911, Ann. Queensland Mus. 10 p. 173 f. 4 (D ♀).
D. t. Rainbow 1912, Mem. Queensland Mus. 1 p. 210 f. 1—3 (N ♀).

♀ **wetarius** Strand 1911. Wetar-Ilimaki
D. w. Strand 1911, Arch. Naturg. 77 (I; 2) p. 207 (D ♀).
D. w. Strand 1914, Abh. Senckbg. Ges. 36 (2) p. 256 (D ♀).

♀ **wollastoni** Hogg 1915. Neu-Guinea
D. w. Hogg 1915, Trans. Zool. Soc. Lond. 20 (14) p. 481 f. 37 (D ♀).

Neotropische Arten:

♀ **aerugineus** C. L. Koch 1848. Amerika (ohne Fundort)
D. a. C. L. Koch 1848, Die Arachniden 14 p. 122 TF. 1357 (D ♀).
D. aerugina Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 374 (C).

albicoxa Bertkau 1880. Brasilien
D. a. Bertkau 1880, Mém. Class. Sci. 43 p. 63 (D).

♂♀ **elegans** Taczanowski 1874. Guiana
D. e. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 86 (D ♂♀).

♀ **intermedius** Giebel 1863. Columbien
D. i. Giebel 1863, Zeitschr. ges. Naturw. 21 p. 313 (D ♀).

♂♀ **major** Banks 1898. Nieder-Californien
D. m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 276 T. 17 F. 5 (D ♂♀).

♂♀ **minoratus** nom. nov. Nieder-Californien
D. minor Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 277 T. 17 F. 6 (D ♂♀) (praeocc. L. Koch 1876).

♂ **pullatus** Nicolet 1849. Chile
D. p. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 364 (D ♂).

Transgredierende Arten:

♂♀ **triton** (Walckenaer) 1837. U. St. Amerika, Canada, Portorico
Lycosa t. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 340 (D ♀).
D. scapularis C. L. Koch 1848, Die Arachniden 14 p. 119 TF. 1354 (D O).
Potamia t. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 352 (C).
D. scapularis Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 676 T. 8 F. 49 (D ♀).
D. t. Petrunkevitch 1910, Ann. N. York Ac. Sci. 19 (9; 2) p. 219 (N).
Thaumasia t. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 154 (N).
D. t. triton Bishop 1924, N. York Stat. Mus. Bull. 252 p. 50 f. 2; T. 27, 28, 30 F. 1—4 (D ♂♀).
D. t. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 82 f. 71 (N ♀).

D. scopularis Chamberlin & Ivie 1946, Bull. Univ. Utah 36 (13) Biol. 9 (5) p. 6 f. (D ♂♀).
D. t. Chamberlin & Ivie 1946, Bull. Univ. Utah 36 (13) Biol. 9 (5) p. 6 f. 3 (D ♂♀).

♂♀ **triton sexpunctatus** (Hentz) 1845. Florida

D. sexpunctatus Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 191 T. 16 F. 5, 6 (D ♂♀).
D. sexpunctatus Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 510 T. 49 F. 8 (D ♀).
D. sexpunctatus Mc Cook 1890, Amer. Spid. 2 p. 145 f. 177, 178 (D ♂♀).
D. sexpunctatus Emerton 1902, Common Spid. p. 85 f. 210—212 (D ♂♀).
D. sexpunctatus Montgomery 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 654 T. 29 F. 5 (N ♀).
D. sexpunctatus Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 314 T. 20 F. 34 (D ♂♀).
D. sexpunctatus Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 210 T. 7 F. 6 (D ♂♀).
D. sexpunctatus Comstock 1912, Spider Book p. 614 f. 704—706 (N).
D. t. s. Bishop 1924, N. York Stat. Mus. Bull. 252 p. 52 T. 29 F. 1, 2 (D ♂♀).
D. sexpunctatus Chamberlin & Ivie 1946, Bull. Univ. Utah, 36 (13), Biol. (4) 9 (5) p. 6 f. 4 (N).
D. t. s. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 300 T. 48 F. 970—971; T. 49 F. 979—981 (D ♂♀).

♀ **urinator** Hentz 1845. Südl. u. mittl. U. St. Amerika, Mexico

D. u. Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 190 T. 16 F. 3 (D ♀).
D. u. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 54 (nec p. 586) T. 30 F. 50 (♀).
D. u. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 317 (D ♀, part., nec ♂).
D. u. Comstock 1912, Spider Book p. 609, 611 f. 699, 700 (N, part.).
D. u. Bishop 1924, N. York Stat. Mus. Bull. 252 p. 37 T. 16, 33 F. 3 (D ♀).
D. u. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 302 T. 48 F. 975; T. 50 F. 996 (D ♂♀).

Nearktische Arten:

§ 5 ♀: Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 314.
§ 6 ♂, 10 ♀: Bishop 1924, N. York Stat. Mus. Bull. 252 p. 32—33.
§ 8 ♂: Bishop & Croby 1936, Ent. News 47 p. 238.
§ 6 ♂, 6 ♀: Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 298—299.

♀ **albiclavius** Bishop 1924. Utah, Georgia

D. a. Bishop 1924, N.York Stat. Mus. Bull. 252 p. 56 T. 32, 33 F. 4 (D ♀).
D. a. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 135 (C ♀).

♂♀ **albineus** Hentz 1845. Alabama, Missouri, Arkansas

? **Lycosa tarentula suspecta** Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 286 (D ♀).
D. a. Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 189 T. 16 F. 2 (D ♀).
Tarentula suspecta Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
D. a. Bishop 1924, N.York Stat. Mus. Bull. 252 p. 33 T. 12, 13, 14 F. 1—3 (D ♂♀).
D. suspectus Chamberlin & Ivie 1946, Bull. Univ. Utah 36 (13), Biol. (4) 9 (5) p. 6 (N).

♀ **fulviatronotatus** Bishop 1924. Illinois

D. f. Bishop 1924, N.York Stat. Mus. Bull. 252 p. 59, T. 19 F. 3; T. 34 F. 1 (D ♀).

♂♀ **okefinokensis** Bishop 1924. Alabama, Louisiana

D. o. Bishop 1924, N.York Stat. Mus. Bull. 252 p. 38 T. 17, 18 F. 1; T. 19 F. 1, 2 (D ♂♀).

♂♀ **scriptus** Hentz 1845. U. St. Amerika

D. s. Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 189 **T.** 16 F. 1 (D ♀).
D. fontanus Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 502 **T.** 49 F. 10 (D ♀).
D. tenebrosus Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 501 **T.** 49 F. 9**c** (D ♀, nec ♂).
D. tenebrosus Emerton 1902, Common Spid. p. 87 f. 213, 214 (D ♀, nec ♂).
D. urinator Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 54 p. 586 (D ♀) (nec T. 30 F. 50).
D. fontanus Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 **T.** 20 F. 35—37 (D ♂♀).
D. fontanus Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 210 (N ♂♀).
D. fontanus Comstock 1912, Spider Book p. 696—698 u. p. 118 f. 114 (N).
D. s. Bishop 1924, N. York Stat. Mus. Bull. 252 p. 44 **T.** 22, 23, 24 F. 1, 2 (D ♂♀).
D. s. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 299 **T.** 48 F. 964—966 **T.** 50 F. 992; **T.** 130 F. 2061; **T.** 131 F. 2062 (D ♂♀).

♂♀ **spatulatus** Chamberlin & Ivie 1946. Tennessee

D. s. Chamberlin & Ivie 1946, Bull. Univ. Utah 36 (13), Biol. (4) 9 (5) p. 6 f. 5 (D ♂♀).

♂♀ **striatus** Giebel 1869. nordöstl. U. St. Amerika

D. s. Giebel 1869, Zeitschr. ges. Naturw. 33 (2—3) p. 252 (D ♀).
D. sexpunctatus Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 210 (D ♂♀, part.).
D. s. Bishop 1924, N.York Stat. Mus. Bull. 252 p. 57 **T.** 33 F. 1; **T.** 34 F. 2 (D ♀).
D. s. Bishop & Crosby 1936, Ent. News 47 p. 242 (D ♂).
D. st. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 301 **T.** 48 F. 972; **T.** 49 F. 982 (D ♂♀).

♂♀ **tenebrosus** Hentz 1843. U. St. Amerika, Canada

D. t. Hentz 1843, Boston Journ. Nat. Hist. Soc. 4 p. 396 **T.** 19 F. 10—13 (D ♂♀).
D. idoneus Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 54 p. 588 **T.** 30 F. 51 (D ♀).
D. idoneus Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 319 (D ♀).
D. idoneus Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 211 **T.** 7 F. 8 (D ♀).
D. vernalis Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 211 **T.** 7 F. 7 (D ♂♀).
D. t. Comstock 1912, Spider Book p. 608 f. 694, 695 (N).
D. vernalis Comstock 1912, Spider Book p. 613, f. 702, 703 (N).
D. t. Bishop 1924, N.York Stat. Mus. Bull. 252 p. 40 f. 1 i; **T.** 18 F. 2; **T.** 20 F. 21 F. 1—5 (D ♂♀).
D. t. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 300 **T.** 48 F. 967—969; **T.** 50 F. 993 (D ♂♀).

♂♀ **vittatus** Walckenaer 1837. U. St. Amerika

D. v. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 347 (D ♀).
D. lanceolatus Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 191 **T.** 17 F. 12 (D ♂).
D. tenebrosus Emerton 1884, Trans. Connect. Ac. Sci. 6 p. 501 **T.** 49 F. 9 (D ♂, nec ♂).
D. urinator Banks 1895, Journ. N.York Ent. Soc. 3 p. 91 (N ♂).
D. urinator Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 317 (D ♂, nec ♀).
D. urinator Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 211 (N ♂).
D. urinator Comstock 1912, Spider Book p. 612 f. 701 (D ♂).
D. v. Bishop 1924, N.York Stat. Mus. Bull. 252 p. 49 **T.** 24 F. 3, 4; **T.** 25, 26 (D ♂♀).
D. v. Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 301 **T.** 48 F. 973—974; **T.** 50 F. 995 (D ♂♀).

Gen. **Dossenus** Simon 1898.

♂♀ **fidelis** Mello-Leitao 1920. Brasilien

D. f. Mello-Leitao 1920, Rev. Soc. Bras. Sci. 4 p. 180 (D ♂♀).
D. fulvotaeniatus Mello-Leitao 1924, Bol. Mus. Nac. R. d. Jan. 1 (4) p. 277 (D ♂♀).
D. f. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 165 (D ♂♀).

♀ **fluminensis** (Mello-Leitao) 1917. Brasilien

Marxiellia f. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 122 (D ♀).
Marxiellia f. Mello-Leitao 1929, Arch. Mus. Nacion. R. d. Jan. 31 p. 50 TF. 39 (D ♀).
D. f. Mello-Leitao 1947, Bol. Mus. Nacion. R. d. Jan. 80 p. 8 (N).

♀ **longipes** Mello-Leitao 1941. Argentinien

D. l. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 203 f. 1 (D ♀).

♂♀ **marginatus** Simon 1898. – * Amazonas, I. Trinidad

D. m. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 19 (D ♂♀).
D. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 314 f. 315 (N).
D. m. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 155 T. 14 F. 3—5 (N ♀).

♂ **marginellus** Badcock 1932. Brasilien

D. m. Badcock 1932, Journ. Linn. Soc. Lond. (Zool.) 38 p. 35 f. 26 (D ♂).

Gen. **Dyrines** Simon 1903.

♂ **lineatipes** Petrunkevitch 1925. Panama

D. l. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 166 f. 86, 87 (D ♂).

♀ **rubrosignatus** Mello-Leitao 1943. Brasilien

D. r. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 165 (D ♀).

♀ **striatipes** (Simon) 1898. – * Venezuela

Drances s. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 18 (D ♀).
Drances s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 314 (N).
D. s. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1045 (N).

♀ **taeniatus** (Mello-Leitao) 1943. Rio Grande do Sul

Drances t. Mello-Leitao 1943, Arq. Mus. Nac. R. d. Janeiro 37 p. 159 TF. 5 (D ♀).

♂♀ **tenuipes** (Simon) 1898. Brasilien

Drances t. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 18 (D ♂♀).

Gen. **Dyrinoides** Badcock 1932.

minutus Badcock 1932. Brasilien

D. m. Badcock 1932, Journ. Linn. Soc. Lond. (Zool.) 38 p. 34 (D).

onychiatus Badcock 1932. – * Brasilien

D. o. Badcock 1932, Journ. Linn. Soc. Lond. (Zool.) 38 p. 33 f. 25 (D).

Gen. **Eucamptopus** Pocock 1900.

♂ **coronatus** Pocock 1900. Indien

E. c. Pocock 1900, Faun. Brit. Ind., Aradin. p. 245 (D ♂).

Gen. **Hesydrimorpha** Strand 1911.

♀ **gracilipes** Strand 1911. Aru-I.
H. g. Strand 1911, Abh. Senckbg. Ges. 34 (2) p. 168 (D ♀).

Gen. **Hesydrus** Simon 1898.

♂ **bivittatus** Mello-Leitao 1941. Nord-Argentinien
H. b. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 120 (D ♂).

♀ **bucculentus** Simon 1898. Brasilien
H. b. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 20 (D ♀).
H. b. Simon 1898, Hist. Nat. Araign. 2 (2) p. 315 (N).
H. b. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 165 (C).

♂♀ **estebanensis** Simon 1898. Venezuela
H. e. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 20 (D ♂♀).
H. e. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 165 (C ♂).

♂♀ **habilis** (Cambridge) 1896. Guatemala, Costa Rica
Triclaria h. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 173 T. 22 F. 9 (D ♂♀).
Triclaria h. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 233 (N).
Trechalea h. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 313 T. 30 F. 15 (C ♂).
H. h. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 165 T. 15 F. 21 (D ♂).

♂ **ornatus** Mello-Leitao 1941. Argentinien
H. o. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 120 (D ♂).

♂♀ **palustris** Simon 1898. – * Ecuador, Venezuela
H. p. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 21 (D ♂♀).
H. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 315 f. 319, 320, 321 (N ♂).
H. p. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 165 T. 15 F. 22—25 (N ♂♀).

Gen. **Hygropoda** Thorell 1894.

Aethiopische Arten:

§ 3 Arten: Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . .

♂♀ **africana** Simon 1898. Gabun, Sierra Leone
H. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 21 (D ♂♀).
H. a. Strand 1918, Arch. Naturg. 87 (A; 12) p. 113 (D ♂).
H. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (N ♂).

♂♀ **borbonica** (Vinson) 1863. Réunion
Dolomedes b. Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 25, 299 T. 12 F. 1 (D ♂♀).
H. b. Simon 1898, Hist. Nat. Araign. 2 (2) p. 315 f. 322, 323 (N ♂).
H. b. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (N ♂).

♀ **madagascarica** Strand 1907. Nossibé
H. m. Strand 1907, Zool. Anz. 31 (23) p. 742 (D ♀).
H. m. Strand 1908, Nyt. Mag. Naturvid. 46 (2) p. 152 (D ♀).
H. m. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

Orientalische Arten:

♀ **albolimbata** (Thorell) 1878. Amboina
Dendrolycosa a. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 201 (D ♀).

♂♀ **dolomedes** (Doleschall) 1859. – * Amboina
Tegenaria d. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 50 T. 8 F. 10 (D ♂).
Dendrolycosa d. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 205, 307 (N ♀).
H. d. Simon 1898, Hist. Nat. Araign. 2 (2) p. 316 (N).

♀ **longimana** (Stoliczka) 1869. Bengalen, Malakka
Dolomedes l. Stoliczka 1869, Journ. Asiat. Soc. Bengal. 38 p. 218 T. 21 F. 3 (D ♀).
H. l. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 469 (C).

o **longitarsis** (Thorell) 1877. Celebes, Annam
Dendrolycosa l. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 525 (D o).

♀ **macropus** Pocock 1897. Halmahera
H. m. Pocock 1897, Abh. Senckbg. Ges. 23 (4) p. 605 T. 25 F. 12 (D ♀).

♀ **procera** Thorell 1895. Burma
H. p. Thorell 1895, Descr. Catal. Spid. Burma p. 222 (D ♀).
H. p. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 245 (D ♀).

♂♀ **prognatha** Thorell 1894. Singapore
H. p. Thorell 1894, Bull. Soc. Ent. Ital. 26 (3) p. 324 (D ♂♀).
H. p. Workman 1896, Malays. Spid. p. 95 T. 95 (D ♂♀).

Australische Arten:

O **exilis** (Thorell) 1881. Neu-Guinea
Dendrolycosa e. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 369 (D O).

♀ **spuripes** Strand 1911. Aru-I.
H. s. Strand 1911, Abh. Senckbg. Ges. 34 (2) p. 169 T. 5 F. 65 (D ♀).

O **subannulipes** Strand 1911. Aru-I.
H. s. Strand 1911, Abh. Senckbg. Ges. 34 (2) p. 170 T. 5 F. 68 (D O).

Neotropische Arten:

♂ **andina** Simon 1898. Ecuador
H. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 22 (D ♂).
H. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 316 f. 324 (N ♂).

♀ **venezuelana** Simon 1898. Venezuela
H. v. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 22 (D ♀).

Gen. **Hypsithylla** Simon 1903.

Aethiopische Arten:

o **linearis** Simon 1903. – * Madagascar
H. l. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 38 (D o).
H. l. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1046 (N).
H. l. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D o).

Orientalische Arten:

♀ **celebesiana** Strand 1913. Celebes
H. c. Strand 1913, Arch. Naturg. 79 (A; 6) p. 121 (D ♀).
H. c. Strand 1914, Abh. Senckbg. Ges. 36 (2) p. 257 T. 19 F. 95 (D ♀).

Gen. **Ilipula** Simon 1903.

♂o **anguicula** Simon 1903. Annam
I. a. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 39 (D ♂o).
I. a. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1046 (N).

Gen. **Nukuhiva** Berland 1935.

♂♀ **adamsoni** (Berland) 1933. Marquesas-I.
Dolomedes a. Berland 1933, Pacif. Ent. Surv. Publ. 7 (3) p. 68 f. 55—59 (D ♀).
N. a. Berland 1935, Pacif. Ent. Surv. Publ. 8 (4) p. 63 f. 54—56 (D ♂♀).

Gen. **Papakula** Strand 1911.

♂♀ **niveopunctata** Strand 1911. Aru-I.
P. n. Strand 1911, Abh. Senckbg. Ges. 34 (2) p. 167 T. 5 F. 59 (D ♂♀).

Gen. **Paradossenus** F. Cambridge 1903.

♂♀ **longipes** (Taczanowski) 1874. Brit. Guiana
Dolomedes l. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 88 (D ♀, nec ♂).
P. l. Caporiacco 1948, Proc. Zool. Soc. Lond. 118 (3) p. 630 (D ♂♀).

♂♀ **nigricans** F. Cambridge 1903. – * Amazonas, Brit. Guiana
P. n. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 155 T. 14 F. 6—9 (D ♂♀).
P. n. Caporiacco 1948, Proc. Zool. Soc. Lond. 118 (3) p. 630 TF. 22 (N ♀).

♂ **taczanowskii** Caporiacco 1948. Brit. Guiana
Dolomedes longipes Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 88 (D ♂, nec ♀).
P. t. Caporiacco 1948, Proc. Zool. Soc. Lond. 118 (3) p. 631 TF. 23 (D ♂).

Gen. **Syntrechalea** F. Cambridge 1902.

♂ **porschi** Reimoser 1939. Costa Rica
S. p. Reimoser 1939, Ann. Naturhist. Mus. Wien 50 p. 339 f. 4 (D ♂).

♀ **tenuis** F. Cambridge 1902. – * Panama
S. t. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 314 T. 30 F. 18 (D ♀).

Gen. **Tapinothele** Simon 1898.

♀ **astuta** Simon 1898. – * Sansibar
T. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 313 (D ♀).
T. a. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 117 (N).
T. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

Gen. **Tapinothelella** Strand 1909.

o **laboriosa** Strand 1909. Süd-Afrika
T. l. Strand 1909, Dt. Südpol-Exped. 1901—03 10 (5) (Zool. 2) p. 586 (D o).
T. l. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 152, 168 (D o).

Gen. **Tapinothelops** Roewer 1954.

♀ **concolor** (Caporiacco) 1947. – * Ost-Afrika

Tapinothele c. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 117 (D ♀).
T. c. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♀).

o **vittipes** (Caporiacco) 1941. Süd-Abessinien

Tapinothele v. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 38 (D o).
T. v. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D o).

Gen. **Teippus** Chamberlin 1924.

♀ **encarpatus** (Walckenaer) 1837. Georgia

Lycosa tarentuloides e. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 290 (D ♀).
Tarentula e. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
T. e. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 138 (C).

♂♀ **pinicola** (Hentz) 1850. – * Südl. U. St. Amerika bis Texas

Dolomedes rufus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 351 (part.).
Micrommata p. Hentz 1850, Boston Journ. Nat. Hist. Soc. 6 p. 287 T. 10 F. 14 (D ♀)
Ocyale p. Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 560 (C).
Dolomedes albineus Banks 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 136 (N).
Thaumasia p. Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 54 (N).
Dolomedes p. Comstock 1912, Spider Book p. 607 f. 710 (D ♀).
Dolomedes p. Bishop 1924, N. York Stat. Mus. Bull. 252 p. 60 T. 35 F. 1 (D ♀).
T. lamprus Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 28 (D o).
Dolomedes p. Gertsch 1934, Amer. Mus. Novit. 726 p. 11 (N).
Dolomedes p. Bishop & Crosby 1936, Ent. News 47 p. 239 f. 1 (D ♂).
T. p. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 138 (C ♀).

♂♀ **praeceps** (Walckenaer) 1837. Georgia

Philodromus p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 560 (D ♀).
Thanata p. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 402 (C).
Dolomedes tenax Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 395 T. 19 F. 7, 8 (D).
T. p. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 139 (N).

Gen. **Thaumasia** Perty 1833.

Neotropische Arten:

♀ **abrahami** Mello-Leitao 1948. Brit. Guiana

T. a. Mello-Leitao 1948, An. Acad. Brasil. Ci. 20 (2) p. 152 f. 1 (D ♀).

♀ **annulipes** F. Cambridge 1903. Amazonas

T. a. F. Cambridge 1903, Proc. Zool. Soc. London (1) p. 154 T. 14 F. 2 (D ♀).

♀ **annecta** Bryant 1948. Haiti

T. a. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 349 T. 2 F. 18 (D ♀).

♂ **argentinensis** Mello-Leitao 1941. Argentinien

T. a. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 204 f. 2 (D ♂).

♀ **argyrotypa** Chamberlin & Ivie 1936. Panama

T. a. Chamberlin & Ivie 1936, Bull. Univ. Utah Biol. 27 (5) p. 16 T. 4 F. 24, 25 (D ♀).

♀ **argyrura** Mello-Leitao 1943. Rio Grande do Sul
T. a. Mello-Leitao 1943, Arq. Mus. Nac. R. d. Janeiro 37 p. 160 TF. 6 (D ♀).

♀ **brunnea** Caporiacco 1943. Brit. Guiana
T. b. Caporiacco 1943, Proc. Zool. Soc. Lond. 118 (3) p. 629 (D ♀).
T. b. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 22 (N).

♀ **decemguttata** Mello-Leitao 1945. Argentinien
T. d. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) Zool. 4 p. 245 f. 28 (D ♀).

♀ **heterogyna** Chamberlin & Ivie 1936. Panama
T. h. Chamberlin & Ivie 1936, Bull. Univ. Utah Biol. 27 (5) p. 15 T. 4 F. 26 (D ♀).

♂♀ **marginella** (C. L. Koch) 1848. Brasilien, Columbien, Portorico
Dolomedes m. C. L. Koch 1848, Die Arachniden 14 p. 120 TF. 1355 (D ♀).
Dolomedes m. Keyserling 1875, Verh. Zool. Bot. Ges. Wien 26 p. 678 T. 8 F. 50 (D ♂).
Saltuinus m. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 207 (C).
T. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 302 f. 311 (N).
T. m. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 84 f. 72, 73 (D ♂♀).

♀ **niceforoi** Mello-Leitao 1941. Columbien
T. n. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 270 f. 5 (D ♀).

♂ **scoparia** (Simon) 1888. Venezuela
Saltuinus s. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 207 (D ♂).
T. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 302 f. 312, 313 (N ♂).

♂ **senilis** Perty 1833. – * Süd-Brasilien
T. s. Perty 1833, Delect. Anim. p. 192 T. 38 F. 5 (D ♂).
Philodromus s. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 561 (D ♂).

O **strandi** Caporiacco 1947. Brit. Guiana
T. s. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 22 (N).
T. s. Caporiacco 1948, Proc. Zool. Soc. Lond. 118 (3) p. 629 (D O).

♂♀ **uncata** F. Cambridge 1901. Panama
T. u. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 309 T. 30 F. 6, 7 (D ♂♀).

♂♀ **velox** Simon 1898. Brasilien, Guatemala, Panama
T. v. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 18 (D ♂).
T. v. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 309 T. 30 F. 5 (D ♂).
T. v. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 154 T. 14 F. 1 (D ♂♀).

Transgredierende Arten:

♂♀ **peregrina** Bishop 1924. Arkansas, Mexico
T. p. Bishop 1924, N. York Stat. Mus. Bull. 252 p. 62 T. 36, 37 F. 1—4 (D ♀).
T. p. Bishop & Crosby 1936, Ent. News 47 p. 243 f. 6, 7 (D ♂).

Gen. **Tinus** F. Cambridge 1901.

♂♀ **connexus** (Bryant) 1940. Cuba, San Domingo
Thaumasia c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 277 T. 2 F. 22 (D ♀).
T. c. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 350 T. 2 F. 17, 19 (D ♂♀).

♀ **minutus** F. Cambridge 1901. Mexico
T. m. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 311 T. 30 F. 12 (D ♀).

♂♀ **nigrinus** F. Cambridge 1901. – * Costa Rica, Guatemala, Brit. Guiana
T. n. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 310 T. 30 F. 8, 9 (D ♂♀).
Thaumasia n. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 215 (C).
T. n. Caporiacco 1948, Proc. Zool. Soc. Lond. 118 (3) p. 628 (N).

♂♀ **tibialis** F. Cambridge 1901. Mexico
T. t. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 311 T. 30 F. 10, 11 (D ♂♀).

Gen. **Trechalea** Thorell 1870.

§ 6 ♂, 5 ♀: F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 158—160.
§ 7 Arten: Mello-Leitao 1947, Arq. Mus. Paranaense 6 (6) p. 253.

♂♀ **amazonica** F. Cambridge 1903. Amazonas
T. a. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 163 T. 15 F. 18—20 (D ♂♀).

aurantia Mello-Leitao 1942. Peru
T. a. Mello-Leitao 1942, Rev. Brasil. Biol. R. d. Jan. 2 (4) p. 430 f. 2—3 (D).

♀ **biocellata** Mello-Leitao 1926. Brasilien
T. b. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 3 (D ♀).

♀ **cezariana** Mello-Leitao 1931. Süd-Brasilien
T. c. Mello-Leitao 1931, Bol. Biol. R. d. Janeiro 17 p. 12 TF. 2 (D ♀).

♂ **connexa** (Cambridge) 1898. Costa Rica, Mexico
Triclaria c. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 233 T. 30 F. 1 (D ♂).
T. c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 313 T. 30 F. 17 (D ♂).
T. c. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 162 T. 15 F. 9, 10 (in F. 17 **convexa**) (N ♂).
T. convexa Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 216 (C).

♀ **ellacombei** F. Cambridge 1903. Surinam
T. e. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 161 T. 15 F. 6 (D ♀).

♂ **extensa** (Cambridge) 1896. Guatemala
Triclaria e. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 174 T. 22 F. 10 (D ♂).
T. e. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 313 T. 30 F. 16 (N ♂).
T. e. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 162 T. 15 F. 11, 12 (N ♂).

♀ **keyserlingi** F. Cambridge 1903. Süd-Brasilien
T. k. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 163 T. 15 F. 1, 2 (D ♀).

♂ **langei** Mello-Leitao 1947. Santa Catharina
T. l. Mello-Leitao 1947, Arq. Mus. Paranaense 6 (6) p. 252 T. 35 F. 16 (D ♂).

♀ **limai** Mello-Leitao 1940. Brasilien
T. l. Mello-Leitao 1940, Arq. Inst. Biol. S. Paulo 11 (30) p. 245 f. 1, 2 (D ♀).

♂♀ **longitarsis** (C. L. Koch) 1848. – * Brasilien, Columbien, Venezuela

Triclaria l. C. L. Koch 1848, Die Arachniden 15 p. 65 TF. 1462 (D ♀).
T. protenta Karsch 1879, Zeitschr. ges. Naturw. 52 p. 540 (nom. nov.).
T. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 315 f. 286, 316—318, 325, 326 (N).
T. l. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 160 T. 15 F. 13—17 (D ♂♀).

♂ **macconnelli** Pocock 1900. Brit. Guiana

T. m. Pocock 1900, Trans. Linn. Soc. Lond. (2) 8 (Zool.) p. 67 f. 2 e (D ♂).
T. m. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 162 T. 15 F. 7, 8 (D ♂).

♀ **magnifica** Petrunkevitch 1925. Panama

T. m. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 169 f. 89 (D ♀).

o **monticola** Chamberlin 1916. Peru

T. m. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 276 T. 23 F. 1 (D o).

♀ **numida** Mello-Leitao 1943. Brasilien

T. n. Mello-Laitao 1943, Rev. Chil. Hist. Nat. 45 p. 166 (D ♀).

♀ **ornata** Mello-Leitao 1943. Argentinien

T. o. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3 (Zool. 20) p. 107 f. 7 (D ♀).

♂♀ **paucispina** Caporiacco 1947. Brit. Guiana

T. p. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 22 (D ♂♀).
T. p. Caporiacco 1948, Proc. Zool. Soc. Lond. 118 (3) p. 633 TF. 24—26 (D ♂♀).

♂♀ **reimoseri** Caporiacco 1947. Brit. Guiana

T. r. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 22 (N ♂♀).
T. r. Caporiacco 1948, Proc. Zool. Soc. Lond. 118 (3) p. 634 TF. 27—28 (D ♂♀).

o **thomisiformis** (Cambridge) 1881. Amazonas

Perissoblemma t. Cambridge 1881, Proc. Zool. Soc. Lond. p. 774 T. 66 F. 6 (D o).
T. t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 549 (C).

♂♀ **urinator** Simon 1898. Ecuador

T. u. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 20 (D ♂♀).
T. u. Simon 1898, Hist. Nat. Araign. 2 (2) p. 310 f. 284 (N ♂).
T. u. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 161 T. 15 F. 3—5 (D ♂♀).

♂ **wygodzinskyi** Soares & Camargo 1948. Mato Grosso

T. w. Soares & Camargo 1948, Bol. Mus. Paraens. Goeldi 10 p. 358 f. 6, 7 (D ♂).

Gen. **Tunabo** Chamberlin 1916.

♂ **peruvianus** Chamberlin 1916. Peru

T. p. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 278 T. 22 F. 7—9 (D ♂).

Gen. **Voraptipus** Roewer 1954.

♀ **agilis** Roewer 1954. Mozambique

V. a. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 153, 169a, b (D ♀).

Gen. **Voraptus** Simon 1898.

Aethiopische Arten:

5 Arten: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

♂ **aerius** Simon 1898. Congo

V. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 23 (D ♂).
V. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂).

♀ **affinis** Lessert 1925. Natal

V. a. Lessert 1925, Rev. Suisse Zool. 32 (21) p. 332 f. 5 (D ♀).
V. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 170c (D ♀).

♂ **exilipes** (Lucas) 1858. Gabun

Dolomedes e. Lucas 1858, Arch. Ent. 2 p. 385 T. 12 F. 1, 1a (D ♂).
V. e. Simon 1898, Hist. Nat. Araign. 2 (2) p. 371 (N).
V. e. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 170a (D ♂).

♀ **extensus** Lessert 1916. Ost-Afrika

V. e. Lessert 1916, Rev. Suisse Zool. 24 (9) p. 591 f. 23—26 (D ♀).
V. e. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 170b (D ♀).

♂♀ **tenellus** (Simon) 1893. – * Seychellen

Dendrolycosa t. Simon 1893, Bull. Soc. Zool. France 18 p. 208 (D ♂♀).
V. t. Simon 1897, Ann. Soc. Ent. France 66 p. 385 (C).
V. t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 316 (N).
V. t. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♂♀).

Orientalische Arten:

♀ **orientalis** Hogg 1919. Sumatra

V. o. Hogg 1919, Journ. Fed. Malay. Mus. 8 (3) p. 98 T. 10 F. 8 (D ♀).

Gen. **Xingusiella** Mello-Leitao 1940.

♀ **minima** Mello-Leitao 1940. Brasilien

X. m. Mello-Leitao 1940, Ann. Ac. Bras. Sci. 12 (1) p. 23 f. 1 (D ♀).

3. Subfam. Thalassiinae

Gen. **Ancylometes** Bertkau 1880.

§ 5 ♂, 3 ♀: F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 96—97 (sub **Lycoctenus**).

♂ **amazonicus** Simon 1898. Amazonas

A. a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 17 (D ♂).
A. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 299 f. 304, 305 (N ♂).

♀ **bahiensis** (Strand) 1909. Brasilien

Lycoctenus b. Strand 1909, Zool. Anz. 34 (11—12) p. 330 (D ♀).

♂♀ **bogotensis** (Keyserling) 1876. Brasilien, Bolivien, Columbien, Panama, Costa Rica

Ctenus b. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 684 T. 8 F. 54 (D ♀).
Lycoctenus brunneus F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 97 T. 4 F. 1a, c, d, 2a, c (D ♂♀).

Lycoctenus b. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 98 T. 4 F. 2b, d (D ♀).
Lycoctenus colombianus F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 99 T. 4 F. 1 c 4 (D ♂).
Lycoctenus b. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 308 T. 30 F. 3, 4 (C ♂♀).
A. b. Strand 1907, Zeitschr. Naturw. 79 p. 430 (D ♀).

♀ **bolivianus** Tullgren 1905. Bolivien
A. b. Tullgren 1905, Ark. Zool. 2 (19) p. 51 T. 7 F. 24 (D ♀).

o **caracassensis** (Strand) 1910. Venezuela
Lycoctenus c. Strand 1910, Zool. Jahrb. Syst. 28 (4) p. 427 (D o).

♂ **demerarensis** (F. Cambridge) 1897. Brasilien
Lycoctenus d. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 99 T. 4 F. 1c 3 (D ♂).

♂ **gigas** (F. Cambridge) 1897. Amazonas
Lycoctenus g. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 98 T. 4 F. 1c 1 (D ♂).
A. g. Simon 1898, Hist. Nat. Araign. 2 (2) p. 299 (N).

♂♀ **hewitsoni** (F. Cambridge) 1897. Nord-Brasilien
Lycoctenus h. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 100 T. 4 F. 1b (D ♂♀).
A. h. Simon 1898, Hist. Nat. Araign. 2 (2) p. 299 (N).

♂ **orinocensis** Simon 1898. Venezuela
A. o. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 17 (D ♂).

♂o **palustris** (F. Cambridge) 1898. I. Trinidad
Lycoctenus p. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 899 T. 54 F. 11 (D ♂).
A. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 299 (N).
Lycoctenus p. Strand 1909, Zool. Anz. 34 (11—12) p. 333 (D o).

O **paraensis** (Strand) 1915. Brasilien
Lycoctenus p. Strand 1915, Arch. Naturg. 81 (A; 11) p. 114 (D O).

♂ **paraguayensis** (Strand) 1909. Paraguay
Lycoctenus p. Strand 1909, Zool. Anz. 34 (11—12) p. 335 (D ♂).
Lycoctenus p. Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 427 (N).

♀ **pindareensis** Mello-Leitao 1920. Brasilien
A. p. Mello-Leitao 1920, Revista Soc. Bras. Sci. 4 p. 180 (D ♀).
A. pindareannus Mello-Leitao 1924, Bol. Mus. Nac. R. d. Jan. 1 (4) p. 277 (D ♀).

♀ **saraensis** (Strand) 1909. Bolivien
Lycoctenus s. Strand 1909, Zool. Anz. 34 (11—12) p. 332 (D ♀).

♀ **selenkae** (Strand) 1909. Brasilien
Lycoctenus s. Strand 1909, Zool. Anz. 34 (11—12) p. 331 (D ♀).
Lycoctenus s. Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 427 (N ♀).

♂♀ **titanus** (Caporiacco) 1947. Brit. Guiana
Lycoctenus t. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 22 (N).
Lycoctenus t. Caporiacco 1948, Proc. Zool. Soc. Lond. 118 (3) p. 635 TF. 29—31 (D ♂♀).

♂♀ **valentinei** Petrunkevitch 1925. Panama
A. v. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 162 f. 83—85 (D ♂♀).

♀ **venezuelensis** (Strand) 1909. Venezuela
Lycoctenus v. Strand 1909, Zool. Anz. 34 (11—12) p. 334 (D ♀).

♀ **vulpes** Bertkau 1880. – * Brasilien
A. v. Bertkau 1880, Mém. Class. Sci. 43 p. 114 (D o).
A. v. Petrunkevitch 1910, Ann. N. York Ac. Sci. 19 (9; 2) p. 220 T. 22 F. 35 (D ♀).

Gen. **Pycnoctenus** L. Koch 1878.

♀ **robustus** L. Koch 1878. Neu-Süd-Wales
P. r. L. Koch 1878, Arachn. Austral. 1 (2) p. 996 T 87 F. 2 (D ♀).
P. r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 301 (N).

Gen. **Thalassiops** Roewer 1954.

♂ **fagei** Roewer 1954. Madagascar
T. f. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 99, 150 (D ♂).

Gen. **Thalassius** Simon 1883.

Aethiopische Arten:
§ 5 ♀: F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 29.
§ 9 Arten: Pocock 1899, Proc. Zool. Soc. Lond. p. 869.
61 Arten: Roewer 1954, Explor. Parc Nation. Upemba ... p. ...

♂♀ **alacer** Roewer 1954. Camerun
T. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 126a—d (D ♂♀).

♀ **albiabundans** Roewer 1954. Portug. Guinea
T. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 132a, b (D ♀).

♀ **albopunctatus** Roewer 1954. Kenia, Ost-Afrika
T. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 138a, b (D ♀).

o **araneoides** Strand 1913. Centr.-Afrika
T. a. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 423 (D o).
T. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D o).

♀ **auratus** Pocock 1899. Congo
T. a. Pocock 1899, Proc. Zool. Soc. Lond. p. 866 T. 57 F. 20 (D ♀).
T. a. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 120 (D ♀).

♀ **batesi** Pocock 1899. Congo
T. b. Pocock 1899, Proc. Zool. Soc. Lond. p. 867 (D ♀).
T. b. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... (D ♀).

♀ **biseriatus** Roewer 1954. O.-Afrika
T. b. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 146a, b (D ♀).

♀ **brunneopictus** Caporiacco 1940. Abessinien
T. b. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 789 f. 9 (D ♀).
T. b. Roewer 1954, Explor. Parc Nation. Upemba ... (D ♀).

♀ **bukobensis** Strand 1913. Centr.-Afrika
T. b. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 421 (D ♀).
T. b. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . f. 141 (D ♀).

♀ **cataractus** Lawrence 1927. SW.-Afrika
T. c. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 46 T. 2 F. 34 (D ♀).
T. c. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 103 (D ♀).

♀ **contactus** Roewer 1954. Belg. Congo (Upemba)
T. c. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 115 (D ♀).

♀ **cromei** Roewer 1954. Togo
T. c. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 130a, b (D ♀).

♀ **cummingi** F. Cambridge 1898 Fac a. Pers. Golf
T. c. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 30 T. 4 F. 3 (D ♀).

♂♀ **fimbriatus** (Waldkenaer) 1837. Capland, Congo
Ctenus f. Waldkenaer 1837, Hist. Nat. Ins. Apt. 1 p. 364 (D ♀).
Titurius f. Simon 1884, Ann. Mus. Civ. Genova 20 p. 329 (N).
T. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 298 f. 287, 306 (N).
T. f. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 100a—c (D ♂♀).

♂♀ **formosus** Pocock 1899. Congo
T. f. Pocock 1899, Proc. Zool. Soc. Lond. p. 865 T. 57 F. 19 (D o).
T. f. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 123 (D ♂♀).

♀ **fulvus** Kulczynski 1901. Erythraea
T. f. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 50 T. 2 F. 48 (D ♀).
T. f. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 136 (D ♀).

♀ **gaerdesi** Roewer 1954. SW.-Afrika
T. g. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 104 (D ♀).

♀ **gressorius** Roewer 1954. Portug. Guinea
T. g. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 133a, b (D ♀).

♂♀ **guineensis** (Lucas) 1858. Gabun, Congo, Camerun
Olios g. Lucas 1858, Arch. Ent. 2 p. 405 T. 13 F. 6 (D ♂).
T. g. Pocock 1899, Proc. Zool. Soc. Lond. p. 864 T. 57 F. 18 (D ♂♀).
T. rubromaculatus Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 81 (D ♀).
T. g. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 341 f. 24, 25 (D ♂♀).
T. g. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 117a—c (D ♂♀).

♀ **guineensis annulatus** Lessert 1928. Congo
T. g. a. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 344 f. 26 (D ♀).
T. g. a. Roewer 1954, Explor. Parc Nation Upemba . . . p. . . . f. 118 (D ♀).

♂ **harpago** Roewer 1954. Mozambique
T. h. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 149a—c (D ♂).

♀ **inornatus** Pocock 1899. Congo
T. i. Pocock 1899, Proc. Zool. Soc. Lond. p. 865 (D ♀).
T. i. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 119 (D ♀).

♀ **insignis** Pocock 1899. Congo

T. i. Pocock 1899, Proc. Zool. Soc. Lond. p. 868 T. 57 F. 23 (D ♀).
T. i. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 121 (D ♀).

♀ **insulanus** Berland 1922. Abessinien, Uganda

T. i. Berland 1922, Voy. Rothschild Ethiop. Res. Sci. Anim. Artic. 1 p. 79 f. 24 (D ♀).
T. i. Caporiacco 1947, Ann. Mus. Nation. Hungar. 40 (3) p. 114 (N ♀).

♀ **jaundeus** Roewer 1954. Camerun

T. j. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 125 (D ♀).

♀ **jayakari** F. Cambridge 1898. Maskat

T. j. F. Cambridge 1898, Proc. Zool. Soc. London p. 30 T. 4 F. 4, 9—11, 14 (D ♀).

♀ **kaestneri** Roewer 1954. Kenia

T. k. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 140a, b (D ♀).

♀ **kazibius** Roewer 1954. Belg. Congo (Upemba)

T. k. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 111a, b (D ♀).

♂♀ **kolosvaryi** Caporiacco 1947. O.-Afrika, Belg. Congo, Mozambique

T. k. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 116 T. 1 F. 6 (D ♂).
T. k. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 144a, b (D ♂♀).

♀ **lanceolatus** Roewer 1954. Camerun

T. l. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 124a, b (D ♀).

O o **leo** Strand 1907. Nossibé

T. l. Strand 1907, Zool. Anz. 31 (23) p. 741 (D o).
T. l. Strand 1908. Nyt Mag. Naturvid. 46 (2) p. 145 (D o).
T. l. (= ? **leonina**) Strand 1915, Arch. Naturg. 81 (A; 9) p. 75 (D O o).
T. l. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . (N).

♀ **leonensis** Pocock 1899. W.- u. O.-Afrika, Capland

T. l. Pocock 1899, Proc. Zool. Soc. Lond. p. 867 T. 57 F. 21 (D ♀).
T. l. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 p. 106 (N).
T. l. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 701 (D ♀).
T. l. Simon 1909, Ann. Mus. Civ. Genova 44 p. 390 (C).
T. l. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 131 (D ♀).

o **leucostictus** Pocock 1899. Franz. Congo

T. l. Pocock 1899, Proc. Zool. Soc. Lond. p. 866 (D o).
T. l. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . (D o).

♀ **maculatipes** Roewer 1954. O.-Afrika

T. m. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 145a, b (D ♀).

♀ **majungensis** Strand 1907. Madagascar

T. m. Strand 1907, Zool. Anz. 31 (23) p. 741 (D o).
T. m. Strand 1908, Nyt. Mag. Naturvid. 46 (2) p. 148 (D o).
T. m. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 135 (D ♀).

♀ **malitiosus** Roewer 1954. Belg. Congo (Upemba)

T. m. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . (D ♀).

♀ **marfieldi** Roewer 1954. Camerun
T. **m.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 129a, b (D ♀).

♂♀ **margaritatus** Pocock 1898. Abessinien, O.-Afrika
T. **m.** Pocock 1898, Proc. Zool. Soc. London p. 518 T. 41 F. 8 (D ♀).
T. **m.** Strand 1908, Arch. Naturg. 74 (I; 1) p. 108 T. 2 F. 10 (D ♂♀).
T. **m.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 137a, b (D ♂♀).

♀ **maruanus** Roewer 1954. Camerun
T. **m.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 128a, b (D ♀).

♀ **massayae** (Pavesi) 1883. Abessinien bis Uganda
Dolomedes m. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 68 (D ♀).
T. **m.** Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 701 (N).
T. **m.** Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 114 (N).
T. **m.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . (D ♀).

♀ **mossambicus** Roewer 1954. Mozambique
T. **m.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 148 (D ♀).

♀ **mubaleus** Roewer 1954. Belg. Congo (Upemba)
T. **m.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 114 (D ♀).

♀ **multimaculatus** Roewer 1954. Belg. Congo (Upemba)
T. **m.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 113a, b (D ♀).

♀ **pallidus** (L. Koch) 1875. Abessinien, Aegypten
Ctenus p. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 84 T. 7 F. 7 (D ♀).
Titurius p. Simon 1884, Ann. Mus. Civ. Genova 20 p. 329 (N).
Ctenus p. F. Cambridge 1898, Proc. Zool. Soc. London **p.** 17 (D ♀).
T. **p.** Simon 1898, Hist. Nat. Araign. 2 (2) p. 298 (N).
T. **p.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . (N).

♀ **parallelus** Roewer 1954. Belg. Congo (Upemba)
T. **p.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 112a, b (D ♀).

♂ **perincertus** Caporiacco 1947. Aethiopien
T. **i.** Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 115 T. 1 F. 5 (D ♂).
T. **i.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . (D ♂).

o **pictus** Simon 1898. W.-Afrika
T. **p.** Simon 1898, Ann. Soc. Ent. Belg. 42 p. 17 (D o).
T. **p.** Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 88 (D o).
T. **p.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . (D o).

♀ **poecilis** Roewer 1954. SW.-Afrika
T. **p.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 105a, b (D ♀).

♂♀ **preussi** Roewer 1954. Camerun
T. **p.** Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 127a—d (D ♂♀).

♀ **radiatolineatus** Strand 1906. Abessinien
T. **r.** Strand 1906, Zool. Anz. 30 (19—20) p. 671 (D ♀).
T. **r.** Strand 1908, Arch. Naturg. 74 (I; 1) p. 111 T. 2 F. 2a (D ♀).
T. **r.** Berland 1922, Voy. Rothschild Ethiop. Res. Sci. Anim. Artic. 1 p. 80 (C ♀).
T. **r.** Caporiacco 1947, Ann. Mus. Nation. Hungar. 40 (3) p. 114 (N ♀).

♀ **regalis** Pocock 1899. Congo
T. **r.** Pocock 1899, Proc. Zool. Soc. Lond. p. 868 T. 52 F. 22 (D ♀).
T. **r.** Roewer 1954, Explor. Parc Nation. Upemba . . **p.** . . f. 122 (D ♀).

♀ **rossii** Pocock 1902. Natal

T. r. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 15 T. 3 F. 1 (D ♀).
T. r. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 102 (D ♀).

♀ **ruwenzoricus** Strand 1913. Centr.-Afrika

T. r. Strand 1913, Arachn. I, in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 420 (D ♀).
T. r. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 142a, b (D ♀).

♀ **schubotzi** Strand 1913. Centr.-Afrika

T. s. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 421 (D ♀).
T. s. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 143a, b (D ♀).

♀ **signatus** Roewer 1954. O.-Afrika

T. s. Roewer 1954, Explor. Parc Nation. Upemba . . p. . . f. 147a, b (D ♀).

♂♀ **spenceri** F. Cambridge 1898. Capland

T. s. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 29 T. 4 F. 1, 8 (D ♀).
T. s. Abraham 1923, Ann. Natal Mus. 5 (1) p. 93 T. 7 F. 1—8 (N).
T. s. Roewer 1954, Explor. Parc Nation Upemba . . . p. . . . f. 101a—c (D ♂♀).

♀ **spinosissimus** (Karsch) 1879. W.-Afrika

Ctenus s. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 345 f. 1 (D ♀).
Titurius s. Simon 1884, Ann. Mus. Civ. Genova 20 p. 329 (N).
T. s. Simon 1891, Ann. Soc. Ent. France 60 p. 299 (C).
Ctenus s. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 329 (N).
T. s. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (N).

♀ **straeleni** Roewer 1954. Belg. Congo (Upemba)

T. s. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 107a, b (D ♀).

♂♀ **torvus** (Pavesi) 1883. Abessinien

Ctenus t. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 74 (D ♂♀).
Ctenus t. F. Cambridge 1898, Proc. Zool. Soc. London p. 18 (N).
T. t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 299 (N).
T. t. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . (D ♂♀).

♀ **trifasciatus** Roewer 1954. Belg. Congo (Upemba)

T. t. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 110a, b (D ♀).

♂♀ **tuckeri** Lessert 1923. Natal, Zululand, Mozambique, Belg. Congo

T. t. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 207 f. 56, 57 (D ♂).
T. t. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 106a—c (D ♂♀).

♀ **umbrosus** Roewer 1954. Portug. Guinea

T. u. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 134a, b (D ♀).

♀ **unicolor** Simon 1897. S.-Afrika

T. u. Simon 1897, Aran. in: Smith, Through unkn. Afric. Countr. p. 389 (D ♀).
T. u. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 29 T. 4 F. 2 (D ♀).
T. u. Simon 1898, Hist. Nat. Araign. 2 (2) p. 299 (N).
T. u. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 116a—d (D ♀).

♂♀ **upembanus** Roewer 1954. Belg. Congo (Upemba)

T. u. Roewer 1954, Explor. Parc Nation. Upemba . . . p. . . . f. 109a—c (D ♂♀).

♀ **wittei** Roewer 1954. Belg. Congo (Upemba)

T. w. Roewer 1954, Explor. Parc Nation. Upemba ... p. ... f. 108a, b (D ♀).

Orientalische Arten:

§ 5 ♂: F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 29 (part.).

♂♀ **albocinctus** (Doleschall) 1859. – * Burma, Malakka, Indochina, Java, Borneo, Celebes

Dolomedes a. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 9 T. 15 F. 4 (D ♀).
Titurius marginellus Simon 1884, Ann. Mus. Civ. Genova 20 p. 329 (D o).
T. marginellus Simon 1885, Bull. Soc. Zool. France 10 p. 13 (N).
T. doleschalli F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 352 T. 4 F. 19 (D ♀).
Dolopoeus doleschalli F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 28 (C in §).
T. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 298 f. 307, 308 (N O).
T. marginellus Simon 1898, Hist. Nat. Araign. 2 (2) p. 300 (N).
T. a. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 287 f. H1 (D ♀).

♀ **cinctus** (Thorell) 1891. Nicobaren

Dolopoeus c. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 61 (D ♀).
Dolopoeus c. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 28 (C in §).
T. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 299 (N).

36. Fam. LYCOSIDAE

§ 5 Gattungen: Simon 1876, Arachn. de France 3 p. 225.
§ 5 Gattungen: Simon 1937, Arachn. de France 6 (5) p. 1053.
§ 21 Gattungen: Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 253.
§ 10 Gattungen: Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 304—305.
§ 7 Gattungen: Locket & Millidge 1951, Brit. Spiders 1 p. 249—250.

Nota: Weit über die Hälfte der etwa 2000 beschriebenen Arten der Lycosidae ist durch ihre Autoren für die heutigen Anforderungen und Vorschriften der Internat. Nomenclatur-Regeln (bez. Genotypus und Typus der Species) morphologisch nicht ausreichend und zum großen Teil so kümmerlich diagnostiziert, daß eine einwandfreie Einstellung in die einzelnen Genera oder auch nur Subgenera zur Zeit nicht möglich ist (vergl. auch die in der Literatur laufenden, langen Synonyma-Reihen innerhalb vieler Arten). Die alte Streitfrage **Tarentula—Lycosa—Pardosa** ist durch Bonnet 1951 geklärt worden. Es wird im folgenden in seinem Sinne verfahren. Aber trotzdem darf die hier vorgenommene Gruppierung und Einsetzung der Arten in die einzelnen Genera bzw. Subgenera bis zur modernen Revision aller nur erreichbaren Arten, und zwar möglichst deren Typen, nur als vorläufig angesehen werden. Die beiden Subfamilien **Pardosinae** und **Lycosinae** mögen noch beibehalten werden, obgleich sie für viele Arten höchst anfechtbar sind.

1. Subfam. Pardosinae

§ 5 Gattungen: Simon 1898, Hist. Nat. Araign. 2 (2) p. 361.

Gen. **Acantholycosa** Dahl 1908.

§ 3 ♂, 3 ♀: F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 11—14.
§ 4 ♂, 4 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 136 (part.).
§ 2 ♂, 3 ♀: Palmgren 1939, Act. Zool. Fenn. 25 p. 30.

♂♀ **beklemischevi** Charitonow 1936. Nord-Ural

A. b. Charitonow 1936, Sci. Mem. Univ. Perm 2 (3) p. 27 TF. 1—4 (D ♂♀).

♂♀ **baltoroi** (Caporiacco) 1935. Karakorum

Pardosa b. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 233 T. 5 F. 17 (D ♂♀) (in F. 17: **baltistana**).

♀ **fedotovi** Charitonow 1936. Nord-Ural

A. f. Charitonow 1936, Sci. Mem. Univ. Perm 2 (3) p. 31 TF. 6—8 (D ♀).

♂♀ **lignaria** (Clerck) 1757. Europa (außer W. u. S.), Sibirien

Araneus l. Clerck 1757, Aran. Svec. p. 90 T. 4 F. 4 (D ♂♀).
Aranea l. Olivier 1789, Encycl. Méth. 4 p. 217 (D).
Lycosa l. Sundevall 1832, Vet. Ak. Handl. p. 174 (D ♂♀).
Lycosa borealis Sundevall 1832, Vet. Ak. Handl. p. 180 (D ♀).
Lycosa l. Westring 1862, Aran. Svec. p. 493 (D ♂♀).
Lycosa borealis Westring 1862, Aran. Svec. p. 495 (D ♀).
Pardosa l. Simon 1876, Arachn. de France 3 p. 355 (N).
Lycosa l. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 59 T. 2 F. 21 (D ♂♀).
Pardosa l. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 470 (N).
A. l. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 367, 369 f. 61 (D ♂♀).
A. l. Charitonow 1926, Bull. Inst. Biol. Univ. Perm 4 p. 59 TF. 2 (N ♀).
A. l. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 11 f. 18, 20 (D ♂♀).
A. l. Palmgren 1939, Act. Zool. Fenn. 25 p. 30 f. 30, 33, 35 (D ♂♀).
A. l. Holm 1947, Svensk Spindelfauna 3 p. 37 T. 8 F. 82—83; T. 10 F. 47 (D ♂♀).

♂♀ **nigra** (C. L. Koch) 1834. Frankreich, Schweiz, Tirol, Tatra

Lycosa n. C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 122 T. 13—14 (D ♀).
Lycosa n. C. L. Koch 1848, Die Arachniden 15 p. 13 TF. 1423—1424 (D ♂♀).
Leimonia n. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Pardosa n. Simon 1876, Arachn. de France 3 p. 351 T. 13 F. 5 (D ♂♀).
Lycosa n. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 59 T. 2 F. 20 (D ♂♀).
Lycosa ludovici Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 378, 395 f. 71 (D ♂♀).
Pardosa ludovici Lessert 1910, Catal. Invert. Suisse; Araign. p. 528 (D ♂♀).
Lycosa ludovici F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 35 f. 89—91 (D ♂♀).
Pardosa n. Simon 1937, Arachn. de France 6 (5) p. 1055, 1123 f. 1621, 1622 (D ♂♀).

♂ **nigripalpis** Giltay 1932. Bulgarien

A. n. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 12 f. 7 (D ♂).
A. n. Giltay 1933, Act. Faun. Flor. Univ. Bucuresti; Zool. 1 (3—5) p. 5 T. 3 F. 1 (D ♂).

♂♀ **norvegica** (Thorell) 1872. Norwegen, Finnland, Sibirien, Deutschl.: Kaufunger Wald

Lycosa n. Thorell 1872, Rem. Syn. Europ. Spid. p. 296 (D ♀).
A. n. Charitonow 1936, Sci. Mem. Univ. Perm 2 (3) p. 34 (N).
A. n. Palmgren 1939, Act. Zool. Fenn. 25 p. 31 f. 32, 34, 36, 37 (D ♂♀).
A. n. Holm 1947, Svensk Spindelfauna 3 p. 38 f. 4a, 15, 16; T. 8 F. 84—85 (D ♂♀).
A. n. Homann 1951, Die Naturwiss. 38 (4) p. 101 (N ♂).

♂♀ **pyrenaea** (Simon) 1876. Hoch-Pyrenäen, Schweiz

Pardosa p. Simon 1876, Arachn. de France 3 p. 353 (part., nec f.) (D ♂♀).

Pardosa p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 531 f. 226—228 (D ♂♀).
Pardosa spinosa Denis 1937, Proc. Zool. Soc. London 107 (4) p. 575 T. 1 F. 1 (D ♀).
A. spinosa Denis 1950, Bull. Soc. Hist. Nat. Toulouse 85 (1—2) p. 104 f. 42, 44, 46 (N ♂♀).
A. p. Denis 1953, Bull. Soc. Hist. Nat. Toulouse 88 (1—2) p. 108 f. 29 (N ♀).

♀ **raboti** (Simon) 1887. Lappland, N.-Russland
P. r. Simon 1887, Bull. Soc. Zool. France 12 p. 458 (D ♀).
A. r. Palmgren 1939, Act. Zool. Fenn. 25 p. 32 f. 31, 38 (D ♀).

♂♀ **rupicola** (Dufour) 1820. Frankreich, Schweiz, Deutschland
Lycosa r. Dufour 1820, Ap. Bory de St. Vincent, Voy. Souterrain. p. 315 (D ♂♀).
Lycosa longipes Thorell 1872, Rem. Syn. Europ. Spid. p. 297 (D ♂).
Pardosa pedestris Simon 1876, Arachn. de France 3 p. 356 (N).
A. pedestris Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 368, 370 f. 62 (D ♂♀).
A. pedestris F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 13 f. 21—22 (D ♂♀).
Pardosa r. Simon 1937, Arachn. de France 6 (5) p. 1055, 1123 f. 1623, 1624 (D ♂♀).
A. r. Denis 1950, Bull. Soc. Hist. Nat. Toulouse 85 (1—2) p. 106 f. 41, 43, 45 (N ♂♀).
A. r. Denis 1953, Bull. Soc. Hist. Nat. Toulouse 88 (1—2) p. 109 (N).

♀ **spasskyi** Charitonow 1936. Nord-Ural
Lycosa norvegica Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 39 T. 2 F. 62 (D ♀).
A. s. Charitonow 1936, Sci. Mem. Univ. Perm 2 (3) p. 35 (N).

♂♀ **strandi** Kratochvil 1935. Julische Alpen, Schweiz
A. s. Kratochvil 1935, Folia Zool. Hydrobiol. 8 (1) p. 12 f. 1 (D ♀).
Pardosa s. Schenkel 1936, Rev. Suisse Zool. 43 (10) p. 326 f. 8 (D ♂, N ♀).

♂♀ **sudetica** (L. Koch) 1875. – * Sudeten, Schweden, N.-Russland, O.-Sibirien
Lycosa s. L. Koch 1875, Abh. Nat. Ges. Görlitz 15 p. 12 T. 1 F. 8 (D ♀).
Lycosa s. Fickert 1875, Myriop. Aran. Riesengeb. p. 39 (D ♀).
P. s. Simon 1876, Arachn. de France 3 p. 356 (C).
Lycosa s. Bösenberg 1903, Zoologica 14 (5—6) p. 385 T. 36 F. 566 (D ♀).
A. s. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 368, 371 f. 63 (D ♂♀).
A. s. Charitonow 1926, Bull. Inst. Biol. Univ. Perm 4 p. 59 TF. 3 (N ♀).
A. s. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 14 f. 23—25 (D ♂♀).
A. s. Charitonow 1936, Sci. Mem. Univ. Perm 2 (3) p. 31 TF. 5 (N ♀).

Gen. **Acroniops** Simon 1898.

♀ **heterophthalma** Simon 1898. Java
A. h. Simon 1898, Hist. Nat. Araign. 2 (2) p. 362 f. 351 (D ♀).

Gen. **Algidus** Simon 1898.

♀ **marmoratus** Simon 1898. Venezuela
A. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 362 f. 348—349 (D ♀).

Gen. **Brevilabus** Strand 1908.

♂♀ **oryx** (Simon) 1885. Senegambien, Süd-Aethiopien

Lycosa o. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 356 (D ♂).
Tarentula o. (= ? **Brevilabus orycella)** Strand 1908, Arch. Naturg. 74 (I; 1) p. 54 T. 2 F. 24 (D ♂).
B. o. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 45 (N ♀).

Gen. **Evippa** Simon 1882.

Palaearktische Arten:

♀ **arenaria** (Audouin) 1827. – * N.-Afrika, Syrien

Lycosa a. Audouin 1827, Explic. Planch. Aradin. Savigny Descr. Egypt. p. 367 T. 4 F. 3 (D ♀).

Lycosa a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 329 (D ♀).
Lycosa festiva Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 369 (D ♀).
E. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 354 f. 346, 347, 350 (N).
E. a. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 127 (D ♀).

♀ **benevola** (Cambridge) 1885. Yarkand-Geb.

Boebe b. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 95 (D ♀).
E. b. Simon 1898, Hist. Nat. Araign. 2 (2) p. 360 (N).

♀ **brevipes** Strand 1906. Tunis

E. b. Strand 1906, Zool. Anz. 30 (19—20) p. 680 (D ♀).
E. b. Strand 1907, Arch. Naturg. 73 (I; 3) p. 369 T. 8 F. 15 (D ♀).

♂ **concolor** (Kroneberg) 1875. Turkestan, Karakorum

Lycosa c. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 38 T. 4 F. 26 (D ♂).
E. c. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 342 (N).

♀ **douglasi** Hogg 1912. Nord-China

E. d. Hogg 1912, Aran. in: Clarck & Sowerby, The Shen Kan 5 p. 215 TF. 8 (D ♀).

♀ **kronebergi** nom. nov. Turkestan, Karakorum

Lycosa aculeata Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 38 T. 5 F. 46 (D ♀) (praeocc. Sundevall 1832).
E. aculeata Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 342 (N).

♀ **onager** Simon 1895. Tienschan

E. o. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 341 (D ♀).

♀ **peregrina** (Audouin) 1827. Aegypten

Lycosa p. Audouin 1827, Explic. Planch. Arachn. Savigny, Descr. Egypt. p. 368 T. 4 F. 4 (D ♀).
Lycosa p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 330 (D ♀).

♀ **sjöstedti** Schenkel 1936. Mongolei

E. s. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 304 f. 106 (D ♀).

♂♀ **söderbomi** Schenkel 1936. Mongolei

E. s. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 302 f. 105 (D ♂♀).

Transgredierende Arten:

♀ **praelongipes** (Cambridge) 1870. Transkaspien, Indien, Arabien, Sinai, Tripolis

Lycosa p. Cambridge 1870, Proc. Zool. Soc. London p. 822 T. 50 F. 3 (D ♀).
Pardosa p. Schmidt 1895, Zool. Anz. 8 (4) p. 476 (D ♀).
E. p. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 290 (N).

♀ **ungulata** (Cambridge) 1876. Aegypten, Arabien, Somaliland, Tunis

Lycosa u. Cambridge 1876, Proc. Zool. Soc. London p. 603 (D o).
E. u. Simon 1882, Ann. Mus. Civ. Genova 18 p. 223 (N).
E. u. Simon 1898, Hist. Nat. Araign. 2 (2) p. 360 (N).
E. u. Strand 1907, Arch. Naturg. 73 (I; 3) p. 368 (N o).
E. u. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 39 T. 1 F. 4 (D ♀).

Aethiopische Arten:

♂♀ **africana** Strand 1906. Abessinien

E. a. Strand 1906, Zool. Anz. 30 (19—20) p. 679 (D ♀).
E. a. Strand 1907, Arch. Naturg. 73 (I; 3) p. 365 T. 8 F. 10—12 (D ♂♀).

♀ **differta** Lawrence 1952. Natal

E. d. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 222 f. 74 (D ♀).

♀ **relicta** Lawrence 1927. SW.-Afrika, Angola

E. r. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 53 T. 2 F. 41 (D ♀).
E. r. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 256 (N).

♀ **squamulata** Simon 1898. S.-Afrika

E. s. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 30 (D ♀).

Orientalische Arten:

♀ **rubiginosa** Simon 1886. Indien

E. r. Simon 1885, Bull. Soc. Zool. France 10 p. 11 (D ♀).
E. r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 360 (N).
E. r. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 611 f. 5E (N ♀).

Gen. **Evippella** Strand 1906.

♂ **typica** Strand 1906. N.-Afrika

E. t. Strand 1906, Zool. Anz. 30 (19—20) p. 680 (D ♂).
E. t. Strand 1907, Arch. Naturg. 73 (I; 3) p. 371 T. 8 F. 14 (D ♂).

Gen. **Evippomma** gen. nov.

Palaearktische Arten:

♂♀ **evippiformis** (Caporiacco) 1935. Karakorum

Pardosa e. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 242 T. 7 F. 5 (D ♂♀).

Aethiopische Arten:

♂ **cristata** (Simon) 1910. – * SW.-Afrika

Evippa c. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 214 (D ♂).

Orientalische Arten:

♀ **evippina** (Simon) 1897. Indien

Pardosa e. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 296 (D ♀).

Gen. **Pardosa** C. L. Koch 1848.

(= **Lycosa** auct. alter.)

Palaearktische Arten:

§ 31 ♂, 35 ♀: Simon 1876, Arachn. de France 3 p. 306—311.
§ 21 ♂, 23 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 50—55 (sub **Lycosa**).
§ 29 ♂, 28 ♀: Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 371—388 (sub **Lycosa**).
§ 26 ♂, 26 ♀: F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 29—53 (sub **Lycosa,** incl. **Acantholycosa**).
§ 30 ♂, 30 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 136—143 TF. 1541—1586 sub **Lycosa,** incl. **Acantholycosa**).
§ 13 ♂, 14 ♀: Soerensen 1904, Ent. Meddel. 2 (1) p. 315—319 (sub **Lycosa**).
§ 8 ♂, 8 ♀: Kratochvil 1936, Folia Zool. Hydrobiol. 8 (1) p. 16—19 (sub **Lycosa**).
§ 35 Arten: Simon 1937, Arachn. de France 6 (5) p. 1056—1081.
§ 19 ♂, 24 ♀: Palmgren 1939, Act. Zool. Fenn. 25 p. 34—38 (sub **Lycosa**).
§ 20 Arten: Holm 1947, Svensk Spindelfauna 3 p. 26—28 (sub **Lycosa**).

O o **abacata** Karsch 1881. Tripolitanien

P. a. Karsch 1881, Arch. Naturg. 47 (I) p. 9 (D O o).

♂♀ **acorensis** Simon 1883. Azoren

P. a. Simon 1883, Ann. Soc. Ent. France (6) 3 p. 262 (D ♂♀).

♀ **adustella** (Roewer) 1951. Transbaikalien, Kamtschatka

Lycosa adusta Odenvall 1901, Oefv. Finska Vet. Soc. Förh. 43 p. 266 TF. 14 (D ♀) (praeocc. Banks 1898).
Lycosa a. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 438 (nom. nov. spec.).

♂♀ **agrestis** (Westring) 1862. Europa, Sibirien, Turkestan

Lycosa a. Westring 1862, Aran. Svec. p. 480 (D ♀).
Lycosa decipiens L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 33 (D ♂♀).
Lycosa a. Thorell 1872, Rem. Europ. Spid. p. 278, 282 (N ♂).
P. a. Simon 1876, Arachn. de France 3 p. 315 (D ♂♀).
P. neglecta L. Koch 1881, Abh. Nat. Ges. Görlitz 17 p. 65 T. 2 F. 12 (D ♀).
P. a. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 126 T. 10 F. 2 (D ♂♀).
Lycosa a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 56 (D ♂♀).
Lycosa decipiens Cambridge 1903, Proc. Dorset F. Cl. 24 p. 161 T. A F. 2 (N).
Lycosa a. Smith 1907, Journ. Quek. Micr. Cl. (2) 10 p. 16, 185 T. 1 F. 3 (N).
Lycosa a. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 377, 436 f. 70 (D ♂♀).
P. a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 509 f. 222—223 (D ♂♀).
Lycosa a. Dahl 1912, Beitr. Naturdenkmalpfl. 3 p. 581 (D ♂♀).
Lycosa a. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 49 f. 130—132 (D ♂♀).
Lycosa a. Reimoser 1931, Die Natur (Wien) 7 (3) p. 61 f. 5 (N ♂♀).
Lycosa a. Kratochvil 1936, Folia Zool. Hydrobiol. 8 (1) p. 18—19 f. 12 (N ♂♀).
Lycosa a. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 238 (N ♂).
P. a. Simon 1937, Arachn. de France 6 (5) p. 1056, 1071, 1127 f. 1628—29, 1665 (D ♂♀).
Lycosa a. Palmgren 1939, Act. Zool. Fenn. 25 p. 57 (D ♂♀).
Lycosa a. Holm 1947, Svensk Spindelfauna 3 p. 29 f. 13 b; T. 10 F. 30 (D ♂♀).
Lycosa a. Locket & Millidge 1951, Brit. Spiders 1 p. 255 f. 122 I, 123 C, 124 A, B, 127 C (D ♂♀).

♂♀ **agrestis pseudagricola** (Dahl) 1908. Mitteleuropa

Lycosa a. p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 395 (D).
Lycosa a. p. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 582 (D ♂♀).

P. a. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 509 f. 224 (D ♀).
P. a. p. Simon 1937, Arachn. de France 6 (5) p. 1071, 1127 (D ♀).

♀ **agrestis pseudomonticola** Simon 1937. Schweiz

P. a. p. Simon 1937, Arachn. de France 6 (5) p. 1071, 1127 (D ♀).

♂♀ **agricola** (Thorell) 1856. Deutschland, England, Frankreich, Ungarn, Finnland, Skandinavien

Lycosa arenaria C. L. Koch 1843, in: Herrich-Schäffer, Deutschl. Ins. 123 T. 15—16 (D).
Lycosa pallida Blackwall 1843, Trans. Linn. Soc. London (Zool.) 19 p. 119 (D ♂♀).
Lycosa arenaria C. L. Koch 1848, Die Arachniden 15 p. 36 TF. 1441—42 (D ♂♀).
Lycosa a. Thorell 1853, Rec. Crit. Aran. p. 61 (N).
Lycosa fluviatilis Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 31 T. 2 F. 13 (D ♂♀).
Lycosa arenaria Westring 1862, Aran. Svec. p. 476 (D ♂♀).
P. arenaria Ohlert 1867, Aran. Prov. Preussen p. 136 (D ♂♀).
Lycosa a. Thorell 1872, Rem. Syn. Europ. Spid. p. 278 (N).
P. a. Simon 1876, Arachn. de France 3 p. 311 (D ♂♀).
Lycosa a. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 541 T. 88 F. 307 (D ♂♀).
Lycosa a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 55 T. 2 F. 11 (D ♂♀).
Lycosa a. Bösenberg 1902, Zoologica 14 (2—4) p. 375 T. 35 F. 548 (D ♂♀).
Lycosa a. Smith 1907, Journ. Quek. Micr. Cl. (2) 10 p. 15 T. 1 F. 2 (N).
Lycosa fluviatilis Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 375, 433 (D ♂♀).
Lycosa a. Järvi 1908, Zool. Anz. 32 (25) p. 757 f. 7 (N ♀).
Lycosa fluviatilis F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 52 f. 139—141 (D ♂♀).
Lycosa fluviatilis Reimoser 1928, Die Natur (Wien) 4 (5) p. 107 f. 6 (N ♂♀).
Lycosa a. Kratochvil 1935, Folia Zool. Hydrobiol. 8 (1) p. 14, 19 f. 7 (N ♂♀).
P. a. Simon 1937, Arachn. de France 6 (5) p. 1057, 1070 f. 1631—32, 1663 (D ♂♀).
Lycosa fluviatilis Palmgren 1939, Act. Zool. Fenn. 25 p. 55 f. 57, 85 (D ♂♀).
Lycosa a. Holm 1947, Svensk Spindelfauna 3 p. 30 f. 13 c; T. 5 F. 50—51; T. 10 F. 31—32 (D ♂♀).
Lycosa a. Locket & Millidge 1951, Brit. Spiders 1 p. 255 f. 123 B; 125 C, D; 127 B (D ♂♀).

♂♀ **agricola borussica** (Dahl) 1908. Ostpreussen

Lycosa fluviatilis b. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 376 (D ♂♀).

agricola maritima (Hull) 1911. England

Lycosa a. m. Hull 1911, Trans. N. Castle Nat. Hist. Soc. (3) 4 p. 45 (D).

♀ **albigena** Schenkel 1936. Tienschan

P. a. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 297 f. 103 (D ♀).

♂♀ **algens** (Kulczynski) 1908. Sibirien, Kamtschatka

Lycosa a. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 93 T. 3 F. 105, 110, 111 (D ♂♀).

♂♀ **amentata** (Clerck) 1757. Europa; Turkestan

Araneus a. Clerck 1757, Aran. Svec. p. 96 T. 4 F. 8 (D ♂♀).
Araneus fumigatus Clerck 1757, Aran. Svec. p. 104 T. 5 F. 6 (D ♀).
Aranea fumigata Linné 1758, Syst. Nat. (10. Ed.) p. 621 (D) (sec. Simon 1837).
? Aranea saccata Linné 1758, Syst. Nat. (10. Ed.) p. 623 (Σ).

Aranea lyonetti Scopoli 1763, Ent. Carn. p. 403 (D).
Aranea littoralis De Geer 1778, Mém. p. s. Hist. Ins. 7 (3) p. 274 T. 15 F. 17—24 (D).
Aranea littoralis Olivier 1789, Encycl. Méthod. 4 p. 216 (D).
Aranea fumigata Olvier 1789, Encycl. Méthod. 4 p. 216 (D).
Aranea a. Olivier 1789, Encycl. Méthod. 4 p. 218 (D).
Lycosa saccata Hahn 1831, Die Arachniden 1 p. 108 TF. 81 (D ♂♀).
Lycosa a. Sundevall 1832, Vet. Ak. Handl. p. 177 (D ♂♀).
Lycosa paludicola C. L. Koch 1934, in: Panzer, Deutschl. Ins. (123) T. 2 F. 3.
Lycosa paludicola C. L. Koch 1848, Die Arachniden 15 p. 10 TF. 1421—22 (D ♂♀).
Leimonia paludicola C. L. Koch 1850, Übers. Arachn. Syst. 5 p. 35 (C).
Lycosa a. Thorell 1856, Rec. Crit. Aran. Suec. p. 60 (N).
Lycosa fumigata Thorell 1856, Rec. Crit. Aran. Suec. p. 65 (N).
Lycosa saccata Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 26 T. 2 F. 9 (D ♂♀).
Lycosa a. Westring 1862, Aran. Svec. p. 496 (D ♂♀).
Leimonia paludicola Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Leimonia fumigata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Leimonia paludicola Ohlert 1867, Aran. Prov. Preussen p. 133 (D ♂♀).
Lycosa pullata Giebel 1869, Zeitschr. ges. Naturw. 34 (10) p. 304 (N).
Lycosa a. Thorell 1872, Rem. Syn. Europ. Spid. p. 298 (N).
P. a. Simon 1876, Arachn. de France 3 p. 341 (D ♂♀).
Lycosa a. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 539 T. 87 F. 305 (D ♂♀).
Lycosa a. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 370 (D ♂♀).
Pirata knorri Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 118 T. 9 F. 6 a (D ♂, nec ♀).
Pirata hygrophilus Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 120 T. 9 F. 7 b (D ♂, nec ♀).
P. a. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 140 T. 11 F. 3 (D ♂♀).
Lycosa a. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 68 (D).
Lycosa a. Hansen 1885, in: Schiödte, Zool. Danica p. 151 T. 5 F. 1 (D ♂♀).
Lycosa a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 58 T. 2 F. 8 (D ♂♀).
Lycosa a. Bösenberg 1902, Zoologica 14 (2—4) p. 378 T. 35 F. 552 (D ♂♀).
Lycosa saccata Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 382, 401 f. 78 (D ♂♀).
Lycosa a. Järvi 1908, Zool. Anz. 32 (25) p. 757 f. 12 (N ♀).
P. a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 523 (D ♂♀).
Lycosa saccata Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 582 (D ♂♀).
Lycosa saccata F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 41 f. 108—110 (D ♂♀).
Lycosa saccata Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 45 f. 12 (N ♀).
Lycosa saccata Reimoser 1932, Die Natur (Wien) 8 (3) p. 63 f. 10 (N ♂♀).
P. a. Simon 1937, Arachn. de France 6 (5) p. 1066, 1082, 1125 f. 1651, 1683 (D ♂♀).
Lycosa saccata Palmgren 1939, Act. Zool. Fenn. 25 p. 44 f. 48, 63, 77 (D ♂♀).
Lycosa saccata Holm 1947, Svensk Spindelfauna 3 p. 34 T. 6 F. 66—67; T. 10 F. 40 (D ♂♀).
Lycosa a. Locket & Millidge 1951, Brit. Spiders 1 p. 264 f. 129 A, B, G (D ♂♀).

♂♀ **amnicola** (L. Koch) 1870. Galizien, Rhodos

Lycosa a. L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 41—42 (D ♂♀).
Lycosa a. Thorell 1872, Rem. Syn. Europ. Spid. p. 281 (N ♂♀).
P. a. Simon 1876, Arachn. de France 3 p. 339 (N).
P. a. Caporiacco 1948, Redia 33 p. 46 (N ♀).

O♀ **ancorifera** Schenkel 1936. Süd-Kansu

P. a. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 227 f. 73 (D O ♀).

♂♀ **anneae** (Strand) 1916. Deutschland, Kroatien

Lycosa furva Bösenberg 1903, Zoologica 14 (5—6) p. 387 T. 36 F. 571 (D ♀).
Lycosa a. Strand 1916, Arch. Naturg. 82 (A; 2) p. 72 (nom. nov.).
Lycosa furva Kolosvary 1938, Rassegna Faunist. 3—4 p. 16 TF. 2 (D ♂).

♂♀ **annulata** (Thorell) 1872. Europa, Japan

Lycosa saccata Walckenaer 1805, Tabl. Aran. p. 13 (N).
Lycosa saccata Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 326 (D ♂♀).
Lycosa a. Thorell 1872, Rem. Syn. Europ. Spid. p. 299 (D ♂♀).
Lycosa a. Cambridge 1875, Ann. Mag. Nat. Hist. (4) 16 p. 256 T. 8 F. 10 (N ♂♀).
Lycosa a. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 372 (D ♂♀).
Lycosa a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 57 T. 2 F. 25 (D ♂♀).
Lycosa a. Bösenberg 1902, Zoologica 14 (2—4) p. 378 T. 35 F. 553 (D ♂♀).
Lycosa a. Smith 1907, Journ. Quek. Micr. Cl. (2) 10 p. 26 T. 3 F. 13 (4) (N).
Lycosa a. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 358 T. 15 F. 86 (D ♀).

♂♀ **arctica** (Kulczynski) 1916. West-Sibirien

Lycosa a. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 40 T. 2 F. 67, 69, 71 (DOD ♂♀).

♂♀ **arenicola** (Cambridge) 1875. England, Frankreich, Schweden

Lycosa a. Cambridge 1875, Ann. Mag. Nat. Hist. (4) 16 p. 253 T. 8 F. 9 (D ♂♀).
P. a. Simon 1876, Arachn. de France 3 p. 314 (D ♂♀).
Lycosa a. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 373 (D ♂♀).
Lycosa a. Smith 1907, Journ. Quek. Micr. Cl. (2) 10 p. 14 T. 1 F. 1a, b (N).
Lycosa a. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 443 T. 22 F. 10 (N ♂).
P. a. Simon 1937, Arachn. de France 6 (5) p. 1056, 1074, 1129 f. 1630, 1671 (D ♂♀).
Lycosa a. Holm 1947, Svensk Spindelfauna 3 p. 31 (N).
Lycosa a. Locket & Millidge 1951, Brit. Spiders 1 p. 252 f. 123A; 125A, B; 127A (D ♂♀).

♂♀ **arenicola fucicola** (Dahl) 1908. Schleswig-Holstein, Finnland

Lycosa monticola maritima Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 67 (D ♂♀).
Lycosa a. f. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 375, 435 f. 68 (D ♂♀).
Lycosa a. f. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 51 f. 136—138 (D ♂♀).
Lycosa a. f. Palmgren 1939, Act. Zool. Fenn. 25 p. 59 (D ♀).

♂♀ **astrigera** L. Koch 1878. Japan, China

P. a. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 775 T. 16 F. 37—38 (D ♂♀).
Lycosa a. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 322 T. 7 F. 98; T. 13 F. 322, 327 (D ♂♀).
Lycosa a. Strand 1918, Arch. Naturg. 82 (A; 11) p. 86 (D ♂♀).

♀ **atalanta** L. Koch 1879. Sibirien

P. a. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 105 T. 3 F. 18 (D ♀).

♂♀ **atomaria** (C. L. Koch) 1848. Balkanländer, Cypern, Rhodos, Aegäische Ins.

Lycosa a. C. L. Koch 1848, Die Arachniden 15 p. 31 TF. 1437 (D ♀).
Leimonia a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Lycosa a. Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 80 T. 2 F. 23 (N ♀).

Lycosa a. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 16 f. 10—11 (D ♂, N ♀).
P. a. Caporiacco 1948, Redia 33 p. 46 (N ♂♀).

♂♀ **atrata** (Thorell) 1873. N.- u. O.-Europa bis Sibirien, Turkestan, Kamtschatka (Canada ?)

Lycosa lapponica Thorell 1872, Rem. Syn. Europ. Spid. p. 273 (D ♀, nec ♂).
Lycosa a. Thorell 1873, Rem. Syn. Europ. Spid. p. 576 (D ♂♀).
Lycosa camtschadalica Kulczynski 1886, Denkschr. Ak. Wiss. Krakau 11 p. 52 T. 11 F. 31 (D ♂♀).
P. a. Simon 1887, Bull. Soc. Zool. France 12 p. 457 (N).
Lycosa a. Schenkel 1926, Rev. Suisse Zool. 35 (2) p. 19 f. 2 (N ♂♀).
P. lapponica Sytshevskaja 1935, Folia Zool. Hygrobiol. 8 (1) p. 85 f. 1 (N ♀).
Lycosa a. Palmgren 1939, Act. Zool. Fenn. 25 p. 49 f. 49, 50, 70, 80, 90 (D ♂♀).
Lycosa a. Holm 1947, Svensk Spindelfauna 3 p. 35 f. 3b; T. 6 F. 70—71; T. 10 F. 44 (D ♂♀).
P. lapponica Schenkel 1951, Verh. Nat. Ges. Basel 62 p. 25 (N ♀, ?).

♀ **bernensis** (Lebert) 1877. Schweiz

Lycosa b. Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 27 p. 290 (D ♀).

♂♀ **biarmillata** (Strand) 1942. Süd-Kansu

P. armillata Schenkel 1936, Ark. Zool. 29 (A; 1) p. 218 f. 70 (D ♂♀).
Lycosa b. Strand 1942, Folia Zool. Hydrobiol. 11 (2) p. 398 (nom. nov.).

♂♀ **blanda** (C. L. Koch) 1834. Frankreich, Mitteleuropa, Balkanländer

Lycosa b. C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 120 T. 24 (D).
Lycosa b. C. L. Koch 1848, Die Arachniden 15 p. 21 TF. 1428—30 (D ♂♀).
Leimonia b. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Lycosa cursoria L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 42 (C ♂).
Lycosa hortensis Thorell 1872, Rem. Syn. Europ. Spid. p. 299 (N ♂).
P. cursoria Simon 1876, Arachn. de France 3 p. 316 (D ♂♀).
Lycosa hortensis Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 68 (D).
Lycosa hortensis Bösenberg 1902, Zoologica 14 (2—4) p. 379 T. 35, F. 554 (D ♂).
Lycosa b. Bösenberg 1903, Zoologica 14 (5—6) p. 385 T. 36 F. 567 (D ♀).
Lycosa b. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 374, 438 f. 67 (D ♂♀).
Lycosa b. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 443 T. 22 F. 12 (N ♂).
P. b. Lessert 1910, Catal. Invert. Suisse; Araign. p. 513 (D ♂♀).
P. b. Schenkel 1925, Rev. Suisse Zool. 32 (19) p. 315 (N ♀).
Lycosa b. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 51 f. 133—135 (D ♂♀).
Lycosa b. Schenkel 1927, Rev. Suisse Zool. 34 (14) p. 261 f. 18 (N ♀).
Lycosa b. Kratochvil 1935, Folia Zool. Hydrobiol. 8 (1) p. 18—19 f. 8 (N ♂♀).
P. b. Simon 1937, Arachn. de France 6 (5) p. 1064, 1073, 1128 f. 1647, 1670 (D ♂♀).

♀ **carnifex** (Collett) 1875. Norwegen

Lycosa c. Collett 1875, Christian. Vid. Selsk. Förh. p. 11 (D ♀).

♀ **celeris** (Thorell) 1875. Oberitalien

Lycosa c. Thorell 1875, Tijdschr. Ent. 18 p. 106 (D ♀).
Lycosa c. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 146 (D ♀).

♀ **cervina** Schenkel 1936. Szechuan

P. c. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 222 f. 71 (D ♀).

♀ **cervinopilosa** Schenkel 1936. Szechuan
P. c. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 224 f. 72 (D ♀).

♂♀ **chionophila** L. Koch 1879. Sibirien, Transbaikalien, Kansu
P. c. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 102 T. 3 F. 13 (D ♀).
P. c. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 215 f. 69 (D ♂♀).

♂♀ **chisimensis** (Saito) 1932. Nördl. Kurilen
Lycosa c. Saito 1932, Trans. Sapporo Nat. Hist. Soc. 12 (2) p. 102 f. 2 (D ♂♀).

♂ **cinereofusca** (Dönitz & Strand) 1906. Japan
Lycosa c. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 393 T. 7 F. 99 (D ♂).

♀ **circumcincta** (Collett) 1875. Norwegen, Finnland
Lycosa c. Collett 1875, Christiania Vid. Selsk. Förh. p. 14 (D ♀).
Lycosa c. Palmgren 1939, Act. Zool. Fenn. 25 p. 59 f. 54, 87 (D ♀).

♂♀ **confalonierii** Caporiacco 1928. Tripolitanien, Libyen
P. c. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 98 f. 7 (D ♂♀).

♀ **consimilis** Nosek 1905. Kleinasien
P. c. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 140 T. 5 F. 18 (D ♀).

♂ **cornuta** Saito 1939. Japan
P. c. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 (6) p. 71 f. 9 (2); T. 1 F. 6 (D ♂).

♂♀ **credula** (Cambridge) 1885. Turkestan, Karakorum, Altai-Geb.
Lycosa c. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 91 (D ♀).
P. c. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 473 (D ♀).
P. c. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 235 T. 5 F. 13 (D ♂♀).
P. c. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 228 f. 74 (D ♀).

♂♀ **cribrata** Simon 1876. S.-Frankreich, Spanien, Algier, Macedonien
P. c. Simon 1876, Arachn. de France 3 p. 342 (D ♂♀).
P. c. Simon 1937, Arachn. de France 6 (5) p. 1068, 1083, 1126 f. 1655—56, 1685 (D ♂♀).

♀ **cribrata catalonica** Simon 1937. Catalonien
P. c. c. Simon 1937, Arachn. de France 6 (5) p. 1075, 1126 (D ♀).

♂♀ **daisetsuzana** (Saito) 1934. Japan
Lycosa d. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 356 T. 13 F. 32; T. 15 F. 85 (D ♂♀).

♀ **danica** (Soerensen) 1904. Dänemark
Lycosa d. Soerensen 1904, Ent. Meddel. (2) 1 p. 321 (D ♀).

♀ **doenitzi** (Bösenberg & Strand) 1906. Japan, Saghalin
Lycosa d. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 325 T. 13 F. 345 (D ♀).

♂♀ **eisenii** (Thorell) 1875. Norwegen, Lappland, Finnland, Far-Oer-Ins.
Lycosa e. Thorell 1875, Tijdschr. Ent. 18 p. 106 (D ♀).
Lycosa e. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 145 (D ♀).

P. e. Schenkel 1925, Ent. Meddel. 14 (9—10) p. 406 f. 2 (N ♀).
Lycosa e. Schenkel 1928, Rev. Suisse Zool. 35 (2) p. 21 f. 4 (D ♂♀).
Lycosa e. Jackson 1932, Proc. Zool. Soc. London (1) p. 101 T. 1 F. 8 (D ♂).
Lycosa e. Palmgren 1939, Act. Zool. Fenn. 25 p. 41 f. 42, 59, 73, 88 (D ♂♀).
Lycosa e. Holm 1947, Svensk Spindelfauna 3 p. 34 T. 7 F. 78—79; T. 10 F. 42 (D ♂♀).

♂ **ejusmodi** (Cambridge) 1872. Syrien

Lycosa e. Cambridge 1872, Proc. Zool. Soc. London p. 317 (D ♂).

♀ **elegans** (Thorell) 1875. Russland

Lycosa e. Thorell 1875, Tijdschr. Ent. 18 p. 105 (D ♀).
Lycosa e. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 144 (D ♀).

♀ **embriki** (Kolosvary) 1937. Siebenbürgen

Lycosa e. Kolosvary 1937, Festschr. Strand 3 p. 404 f. 3 (C ♀).

♂♀ **entzii** (Chyzer) 1891. Siebenbürgen, Krim, Turkestan

Lycosa e. Chyzer 1891, Chyzer & Kulczynski, Aran. Hungar. 1 p. 60 T. 2 F. 26 (D ♂♀).
Lycosa e. Kolosvary 1940, Zool. Anz. 132 (5—6) p. 146 f. 1a (N ♀).

♀ **entzii marina** (Kolosvary) 1940. Istrien

Lycosa e. m. Kolosvary 1940, Zool. Anz. 132 (5—6) p. 147 f. 1b (D ♀).

♂♀ **femoralis** Simon 1876. Süd-Frankreich

P. f. Simon 1876, Arachn. de France 3 p. 345 (D ♂♀).
P. f. Simon 1937, Arachn. de France 6 (5) p. 1066, 1081, 1125, f. 1652, 1680 (D ♂♀).

♂♀ **ferruginea** (L. Koch) 1870. Europa, Sibirien

Lycosa f. L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 46 (D ♀).
Lycosa blanda Thorell 1872, Rem. Syn. Europ. Spid. p. 295 (N).
Lycosa f. L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 341 (D ♂).
P. blanda Simon 1876, Arachn. de France 3 p. 349 T. 13 F. 16 (D ♂♀).
P. alveolata Simon 1876, Arachn. de France 3 p. 346 T. 13 F. 19 (D ♀).
Lycosa f. Kulczynski 1887, Rozpraw. Ak. Umiej. Krakow 16 p. 294 T. 5 F. 6—7 (D ♂).
Lycosa f. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 59 T. 2 F. 18 (D ♂♀).
Lycosa f. Bösenberg 1902, Zoologica 14 (2—4) p. 379 T. 35 F. 555 (D ♂♀).
Lycosa f. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 378, 397 f. 72 (D ♂♀).
Lycosa f. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 439 T. 22 F. 27 (N ♀).
P. f. Lessert 1910, Catal. Invert. Suisse; Araign. p. 525 (D ♂♀).
Lycosa f. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 36 f. 92—94 (D ♂♀).
P. f. Simon 1937, Arachn. de France 6 (5) p. 1058, 1086, 1124 f. 1634—1635, 1691 (D ♂♀).
Lycosa f. Palmgren 1939, Act. Zool. Fenn. 25 p. 50 f. 51, 91 (D ♀).

♀ **fervida** Simon 1876. Corsica

P. f. Simon 1876, Arachn. de France 3 p. 336 (D ♀).
P. f. Simon 1937, Arachn. de France 6 (5) p. 1080, 1125 (D ♀).

♀ **festinans** (Herman) 1879. Ungarn

Lycosa f. Herman 1879, Ungarns Spinn. Faun. 3 p. 259, 376 (D ♀).

O♀ **flavida** (Cambridge) 1885. Turkestan, Tienschan

Lycosa f. Cambridge 1885, Sci. Res. Sec. Yarkand Miss. p. 93 (D O♀).
Lycosa f. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 473 (N).

♂♀ **flavisterna** Caporiacco 1935. Karakorum
P. f. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 236 T. 7 F. 4 (D ♂♀).

♀ **foveata** (Odenvall) 1901. Transbaikalien
Lycosa f. Odenvall 1901, Oefv. Finsk. Vet. Soc. Förh. 43 p. 260 TF. 7 (D ♀).

♂♀ **frigida** Simon 1876. Frankreich, Italien
P. f. Simon 1876, Arachn. de France 3 p. 353 T. 13 F. 15 (D ♀).
P. cavannae Simon 1881, Bull. Soc. Ent. Ital. 13 p. 21 (D ♂♀).
P. f. Simon 1937, Arachn. de France 6 (5) p. 1058, 1080, 1125 (D ♂♀).

♀ **ghigii** Caporiacco 1932. Marokko
P. g. Caporiacco 1932, Boll. Zool. Napoli 3 (5) p. 237 f. 6 (D ♀).

♂♀ **gracilenta** (Lucas) 1846. Algier
Lycosa g. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 119 T. 3 F. 9 (D ♂♀).

♀ **guernei** Simon 1887. Norwegen, Finnland
P. g. Simon 1887, Bull. Soc. Zool. France 12 p. 457 (D ♀).
Lycosa g. Palmgren 1939, Act. Zool. Fenn. 25 p. 42 f. 40, 79, 84 (D ♀).

♀ **hedini** Schenkel 1936. Süd-Kansu
P. h. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 230 f. 75 (D ♀).

♂♀ **herbigrada** (Blackwall) 1857. England, Frankreich, Deutschland, Schweden
Lycosa h. Blackwall 1857, Ann. Mag. Nat. Hist. (2) 20 p. 285 (D ♀).
Lycosa h. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 22 T. 1 F. 6 (D ♂♀).
Lycosa albolimbata Westring 1862, Aran. Svec. p. 482 (D ♀).
P. h. Simon 1876, Arachn. de France 3 p. 323 (D ♂♀).
Lycosa h. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 384 T. 5 F. 4 (D ♂♀).
P. h. F. Cambridge 1895, Ann. Mag. Nat. Hist. (6) 15 p. 34 T. 4 F. 2, 7, 8, 10 (N ♂♀).
P. h. Carpenter 1898, Proc. Irish Ac. (3) 5 (1) p. 201 f. 5 (N).
Lycosa h. Smith 1907, Journ. Quek. Micr. Cl. (2) 10 p. 19 T. 2 F. 7; T. 4 f. c (N).
P. h. Simon 1937, Arachn. de France 6 (5) p. 1064, 1071, 1128 f. 1666 (D ♂♀).
L. palustris Holm 1947, Svensk Spindelfauna 3 p. 28 f. 12b; T. 5 F. 52—53; T. 10 F. 28 (D ♂♀).
Lycosa tarsalis h. Locket & Millidge 1951, Brit. Spiders 1 p. 261 f. 121; 123F (D ♂♀).

♀ **herbigrada intermedia** Smith 1907. England
P. h. i. Smith 1907, Journ. Quek. Micr. Cl. (2) 10 T. 4 F. D (D ♀).
P. h. i. Simon 1937, Arachn. de France 6 (5) p. 1071 (N).

♂♀ **hortensis** (Thorell) 1872. – * Europa
Lycosa saccata C. L. Koch 1848, Die Arachniden 15 p. 51 TF. 1451—1452 (D ♂♀).
P. saccata Ohlert 1867, Aran. Prov. Preussen p. 137 (D ♂♀).
Lycosa h. Thorell 1872, Rem. Syn. Europ. Spid. p. 299 (N ♀).
P. h. Simon 1876, Arachn. de France 3 p. 343 T. 13 F. 11 (D ♂♀).
P. h. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 142 T. 11 F. 4 (D ♂♀).
Lycosa h. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 387, 422 f. 85 (D ♂♀).
P. h. Lessert 1910, Catal. Invert. Suisse; Araign. p. 516 (D ♂♀).
Lycosa h. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 31 f. 75—77 (D ♂♀).

P. h. Simon 1937, Arachn. de France 6 (5) p. 1064, 1085, 1126 f. 1646, 1687 (D ♂♀).
P. h. Bonnet 1951, Bull. Soc. Hist. Nat. Toulouse 86 (3—4) p. 305, 307 (Genotypus).
Lycosa h. Locket & Millidge 1951, Brit. Spiders 1 p. 267 f. 130A, B, F (D ♂♀).

♂♀ **hummeli** Schenkel 1936. Mongolei
P. h. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 299 f. 104 (D ♂♀).

♂♀ **hydaspis** Caporiacco 1935. Karakorum
P. h. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 238 T. 7 F. 2 (D ♂♀).

♂♀ **ilgünensis** Nosek 1905. Kleinasien
P. i. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 142 T. 5 F. 20, 22 (D ♂♀).

♀ **incerta** Nosek 1905. Kleinasien
P. i. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 139 T. 5 F. 17 (D ♀).
Lycosa i. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 19 f. 13 (N ♀).

♂♀ **indecora** L. Koch 1879. Sibirien, Kamtschatka
P. i. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 104 T. 3 F. 27 (D ♀).
Lycosa latisepta Kulczynski 1885, Denkschr. Ak. Wiss. Krakau 11 p. 51 T. 11 F. 30 (D ♀).
Lycosa i. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 41 T. 2 F. 73—76 (D ♂♀).

♀ **iniqua** (Cambridge) 1876. Aegypten
Lycosa i. Cambridge 1876, Proc. Zool. Soc. London p. 605 (D ♀).

♂ **innominabilis** (Dönitz & Strand) 1906. Japan
Lycosa i. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 20 (1—2) p. 392 T. 7 F. 100 (D ♂).

♂ **inquieta** (Cambridge) 1876. Aegypten
Lycosa i. Cambridge 1876, Proc. Zool. Soc. London p. 606 (D ♂).

♀ **intermedia** (Bösenberg) 1903. Deutschland
Lycosa i. Bösenberg 1903, Zoologica 14 (5—6) p. 388 T. 36 F. 572 (D ♀).

♀ **invenusta** (C. L. Koch) 1837. Morea, Rhodos
Lycosa i. C. L. Koch 1837, Übers. Arachn. Syst. 1 p. 22 (D).
Lycosa i. C. L. Koch 1848, Die Arachniden 15 p. 27 TF. 1434 (D ♀).
Leimonia i. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
P. i. Caporiacco 1948, Redia 33 p. 47 (N).

♂♀ **kervillei** Simon 1937. Europa, Japan
Lycosa riparia C. L. Koch 1848, Die Arachniden 15 p. 29 TF. 1435—1436 (D ♂♀).
Leimonia riparia Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Leimonia riparia Ohlert 1867, Aran. Prov. Preussen p. 134 (D ♂♀).
Lycosa riparia Thorell 1872, Rem. Syn. Europ. Spid. p. 307 (N).
Lycosa prativaga Cambridge 1876, Ann. Mag. Nat. Hist. (4) 16 p. 258 T. 8 F. 12 (D ♂♀).
P. riparia Simon 1876, Arachn. de France 3 p. 334 (D ♂♀).
Lycosa riparia Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 551 T. 90 F. 315 (D ♂♀).
Lycosa riparia Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 68 (D).

Lycosa riparia Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 58 T. 2 F. 14 (D ♂♀).
Lycosa riparia Cambridge 1898, Proc. Zool. Soc. London p. 490 f. 3—4 (D ♂♀).
Lycosa cursoria Dahl 1908, Noc. Act. Leopoldina 88 (3) p. 379, 415 f. 74 (D ♂♀).
Lycosa riparia Strand 1909, Abh. Nat. Ses. Görlitz 26 p. 78 (N ♀).
P. cursoria Lessert 1910, Catal. Invert. Suisse; Araign. p. 520 (D ♂♀).
Lycosa cursoria F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 30 f. 69—71 (D ♂♀).
Lycosa riparia Petrusewicz 1935, Ann. Mus. Zool. Polon. 11 (3) p. 21 T. 2 F. 2, 3—9, 18, 19, 23, 24 (N ♂♀).
P. cursoria Fox 1937, Proc. Ent. Soc. Wash. 39 p. 115 f. 2 (D ♂).
P. k. Simon 1937, Arachn. de France 6 (5) p. 1066, 1078, 1130 f. 1654—1676 (D ♂♀).
Lycosa riparia Palmgren 1939, Act. Zool. Fenn. 25 p. 47 f. 44, 66 (D ♂♀).

♂♀ **kervillei montivaga** (Kulczynski) 1898. Deutschland, Oesterreich

Lycosa montivaga Kulczynski 1898, Symbol. Faun. Aran. Austr. Infer. p. 106 T. 2 F. 83—84 (D ♂♀).
Lycosa riparia Bösenberg 1902, Zoologica 14 (2—4) p. 383 T. 36 F. 562 (D ♂♀).
Lycosa riparia sphagnicola Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 381, 414 (D ♂♀).
Lycosa montivaga Petrusewicz 1935, Ann. Mus. Zool. Polon. 11 (3) p. 21 T. 2 F. 1, 10, 17, 20—22, 25—27 (N ♂♀).

♀ **kratochvili** (Kolosvary) 1934. Ungarn

Lycosa k. Kolosvary 1934, Folia Zool. Hydrobiol. 6 (1) p. 16 f. 15 (D ♀).

♀ **laetabunda** (Spassky) 1941. Tadzhikistan

Lycosa l. Spassky 1941, Folia Zool. Hydrobiol. 11 (1) p. 16 T. 1 F. 4 (D ♀).

♂♀ **lapponica** (Thorell) 1872. Norwegen, Lappland, Finnland, Tirol, Schweiz

Lycosa l. Thorell 1872, Rem. Syn. Europ. Spid. p. 273 (D ♂, nec ♀).
Lycosa cincta Kulczynski 1887, Rozpraw. Ak. Umiej. Krakow 16 p. 295 T. 5 F. 8 (D ♀).
Lycosa cincta Kulczynski 1909, Bull. Ac. Sci. Gracov. p. 439 T. 22 F. 19 (N ♀).
Lycosa l. Schenkel 1926, Rev. Suisse Zool. 35 (2) p. 20 f. 3 (D ♀).
Lycosa l. Palmgren 1939, Act. Zool. Fenn. 25 p. 51 f. 52, 71, 81, 92 (D ♂♀).
Lycosa l. Holm 1947, Svensk Spindelfauna 3 p. 36 f. 6b; T. 7 F. 74—75; T. 10 F. 46 (D ♂♀).

♂♀ **lasciva** L. Koch 1879. Sibirien, Schweden

P. l. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 103 T. 3 F. 16 (D ♀).
Lycosa l. Holm 1947, Svensk Spindelfauna 3 p. 35 T. 7 F. 76—77; T. 10 F. 43 (D ♂♀).

♂♀ **laura** Karsch 1879. Japan, China

P. l. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 102 T. 1 F. 21 (D ♀).
Lycosa l. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 323 T. 8 F. 111; T. 13 F. 317, 333 (D ♂♀).
Lycosa l. Strand 1918, Arch. Naturg. 82 (A; 11) p. 84 (D ♂♀).
Lycosa l. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 (6) p. 76 f. 9 (7) (N ♂♀).

♂♀ **luctinosa** Simon 1876. Corsica, Frankreich, Attika

P. l. Simon 1876, Arachn. de France 3 p. 347 T. 13 F. 24—25 (D ♂♀).

P. l. Simon 1937, Arachn. de France 6 (5) p. 1059, 1086, 1124 f. 1618, 1693 (D ♂♀).

♂♀ **lugubris** (Walckenaer) 1802. Europa, Sibirien, Transbaikalien

? Aranea chelata Müller 1764, Faun. Ins. Friedrichsdal p. 94 (D).
? Aranea dorsalis Fabricius 1775, Ent. Syst. 2 p. 437 (D).
? Aranea dorsalis Olivier 1789, Encycl. Méthod. 4 p. 234 (N).
Aranea l. Walckenaer 1802, Faun. Paris. 2 p. 239 (D).
Lycosa l. Walckenaer 1805, Tabl. Aran. p. 13 (N).
Lycosa sylvicola Sundevall 1832, Vet. Ak. Handl. p. 176 (D O ♀).
Lycosa alacris C. L. Koch 1833, in: Herrich-Schäffer, Deutschl. Ins. 120 T. 17—18.
Lycosa silvicultrix C. L. Koch 1836, Die Arachniden 3 p. 25 TF. 182—183 (D ♂♀).
Lycosa l. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 329 (D ♂♀).
Lycosa alacris C. L. Koch 1848, Die Arachniden 15 p. 39 TF. 1443—1444 (D ♂♀).
Lycosa l. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 27 T. 2 F. 10 (D ♂♀).
Lycosa silvicola Westring 1862, Aran. Svec. p. 474 (D ♂♀).
P. silvicola Zimmermann 1871, Abh. Nat. Ges. Görlitz 14 p. 42 (N).
Lycosa silvicola (l.) Thorell 1872, Rem. Syn. Europ. Spid. p 276 (N).
P. l. Simon 1876, Arachn. de France 3 p. 337 (D ♂♀).
Lycosa nigriceps Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 549 T. 89 F. 313 (D ♂, nec ♀).
Lycosa silvicola Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 553 T. 90 F. 317 (D ♂♀).
Lycosa nemoralis Bertkau 1880, Verh. Nat. Ver. Rheinl. West. 37 p. 288 (N).
Lycosa l. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 374 (D ♂♀).
P. l. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 138 T. 11 F. 2 (D ♂♀).
Lycosa l. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 68 (D).
Lycosa l. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 58 T. 2 F. 9 (D ♂♀).
? Lycosa blanca Wagner 1894, Mem. Ac. Sci. St. Petersbg. (7) 42 (11) p. 30, 32 (N).
Lycosa l. arctica Strand 1906, Fauna Arctica 4 p. 468 (N).
Lycosa chelata Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 383, 418 f. 79 (D ♂♀).
P. l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 521 (D ♂♀).
Lycosa chelata 1912, Beitr. z. Naturdenkmalpfl. 3 p. 581 (D ♂♀).
Lycosa chelata F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 43 f. 111—113 (D ♂♀).
Lycosa chelata Reimoser 1930, Die Natur (Wien) 6 (3) p. 57 f. 14 (N ♂♀).
Lycosa l. Bristowe 1933, Ann. Mag. Nat. Hist. (10) 11 p. 284 f. 2—3 (N ♀).
P. l. Simon 1937, Arachn. de France 6 (5) p. 1065, 1082, 1130 f. 1650, 1682 (D ♂♀).
Lycosa chelata Palmgren 1939, Act. Zool. Fenn. 25 p. 45 f. 47, 64, 78 (D ♂♀).
Lycosa l. Holm 1947, Svensk Spindelfauna 3 p. 33 f. 12a; T. 6 F. 68—69; T. 10 F. 39 (D ♂♀).
Lycosa l. Locket & Millidge 1951, Brit. Spiders 1 p. 266 f. 129E, F; 130E (D ♂♀).

♂♀ **lyrata** (Odenvall) 1901. Sibirien, Kamtschatka

Lycosa l. Odenvall 1901, Oefv. Finsk. Vet. Soc. Förb. 43 p. 270 TF. 16—19 (D ♂♀).

♀ **lyrifera** Schenkel 1936. Süd-Kansu

P. l. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 234 f. 77 (D ♀).

♀ **lyrivulva** (Bösenberg & Strand) 1906. Japan

Lycosa l. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 326 (D ♀).

♂♀ **mixta** (Kulczynski) 1887. Kroatien, Tirol, Schweiz

Lycosa m. Kulczynski 1887, Rozpraw. Ak. Umiej. Krakow 16 p. 299, 301 T. 5 F. 11, 13 (D ♂♀).

Lycosa m. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 441 T. 22 F. 9, 15 (N ♂).
P. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 511 (D ♂♀).
Lycosa m. Kratochvil 1935, Folia Zool. Hydrobiol. 8 (1) p. 14, 18, 19 f. 2—4, 10 (D ♂♀).
P. monticola m. Simon 1937, Arachn. de France 6 (5) p. 1129 (N).

♀ **mongolica** Kulczynski 1901. Mongolei, Sibirien

P. m. Kulczynski 1901, in: Horvath, Zool. Erg. 3. Reise Zichy 2 p. 346 T. 13 F. 17 (D ♀).

♂♀ **monticola** (Clerck) 1757. Europa, Sibirien, Amur-Geb., Japan

Araneus m. Clerck 1757, Aran. Svec. p. 91 T. 4 F. 5 (D ♂♀).
Lycosa m. Sundevall 1832, Vet. Ak. Handl. p. 175 (D ♂♀).
Lycosa paludosa Hahn 1834, Die Arachniden 2 p. 15 TF. 105 (D ♀).
Lycosa exigua Blackwall 1836, Lond. Edinbg. Phil. Mag. (3) 8 p. 490 (D ♂♀).
Lycosa solers Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 319 (D).
Lycosa saccigera Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 327 (D ♂♀).
Lycosa m. C. L. Koch 1848, Die Arachniden 15 p. 42 TF. 1446, 1448 (D ♂♀).
? Lycosa cursoria C. L. Koch 1848, Die Arachniden 15 p. 49 TF. 1450 (D ♀).
Leimonia pullata C. L. Koch 1850, Ubers. Arachn. Syst. 5 p. 35 (C).
Lycosa exigua Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 29 T. 2 F. 12 (D ♂♀).
Lycosa m. Westring 1862, Aran. Svec. p. 487 (D ♂♀).
Leimonia solers Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Lycosa m. Thorell 1872, Rem. Syn. Europ. Spid. p. 285 (N).
P. m. Simon 1876, Arachn. de France 3 p. 318 (D ♂♀).
Lycosa m. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 543 T. 88 F. 308 (D ♂♀).
Lycosa palustris Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 544 T. 88 F. 309 (D ♀, nec ♂).
Lycosa bifasciata Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 546 T. 89 F. 311 (D ♀, nec ♂).
Lycosa m. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 388 (D ♂♀).
P. m. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 127 T. 10 F. 3 (D ♂♀).
Lycosa m. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 67 (D).
Lycosa m. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 56 (D ♂♀).
P. m. F. Cambridge 1895, Ann. Mag. Nat. Hist. (6) 15 p. 34 T. 4 F. 5, 7, 8, 11 (D ♂♀).
Lycosa m. Bösenberg 1903, Zoologica 14 (5—6) p. 376 T. 35 F. 549 (D ♂♀).
Lycosa agrestis Bösenberg 1903, Zoologica 14 (5—6) p. 374 T. 35 F. 547 (D ♂♀).
Lycosa m. Smith 1907, Journ. Quek. Micr. Cl. (2) 10 p. 17 T. 1 F. 4; T. 4 F. A (N).
Lycosa m. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 376, 430 f. 69 (D ♂♀).
Lycosa m. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 443 T. 22 F. 17 (N ♂).
P. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 510 (D ♂♀).
Lycosa m. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 582 (D ♂♀).
Lycosa m. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 48 f. 127—129 (D ♂♀).
Lycosa m. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 83 T. 15 F. 87 (D ♀).

Lycosa m. Kratochvil 1935, Folia Zool. Hydrobiol. 8 (1) p. 18, 19 F. 11 (N ♂♀).
P. m. Simon 1937, Arachn. de France 6 (5) p. 1068, 1074, 1129 f. 1658, 1672 (D ♂♀).
Lycosa m. Holm 1947, Svensk Spindelfauna 3 p. 29 f. 13a; T. 10 F. 29 (D ♂♀).
Lycosa m. Locket & Millidge 1951, Brit. Spiders 1 p. 259 f. 123G; 124C; 126E, F; 127E (D ♂♀).

♀ **monticola ambigua** Simon 1937. Mont Blanc

P. m. a. Simon 1937, Arachn. de France 6 (5) p. 1075, 1129 (D ♀).

♀ **monticola minima** Simon 1876. Frankreich

P. m. m. Simon 1876, Arachn. de France 3 p. 329 (D ♀).
P. m. m. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 128 T. 10 F. 3b (D ♀).
P. m. m. Simon 1937, Arachn. de France 6 (5) p. 1075, 1129 (D ♀).

♀ **monticola pseudosaltuaria** Simon 1937. Ost-Pyrenäen

P. m. p. Simon 1937, Arachn. de France 6 (5) p. 1075, 1129 (D ♀).

♂♀ **multivaga** Simon 1880. Peking

P. m. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 104 T. 3 F. 2—3 (D ♂♀).

♂♀ **nebulosa** (Thorell) 1872. Südost-Europa bis Kaukasus

Tarentula n. Thorell, Rem. Syn. Europ. Spid. p. 330 (D ♀).
Lycosa n. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 63 (N).
Lycosa n. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 62 T. 2 F. 23 (D ♂♀).

♂♀ **nigriceps** (Thorell) 1856. Europa

Lycosa monticola Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 328 (D ♂♀, part.).
Lycosa saccigera Westring 1851, Göteborg Vet. Handl. p. 52 (D).
Lycosa n. Thorell 1856, Rec. Crit. Aran. Suec. p. 56 (D ♀).
Lycosa saccigera Thorell 1856, Rec. Crit. Aran. Suec. p. 55 (D ♂, nec ♀).
Lycosa saccigera Westring 1862, Aran. Svec. p. 483 (D ♂♀).
Lycosa congener Cambridge 1870, Trans. Linn. Soc. Lond. (Zool.) 27 (3) p. 393 T. 54 F. 1 (D ♂♀).
Lycosa saccigera (n.) Thorell 1872, Rem. Syn. Europ. Spid. p. 283 (N).
P. n. Simon 1876, Arachn. de France 3 p. 328 (D ♂♀).
Lycosa n. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 382 (D ♂♀).
P. n. Simon 1898, Hist. Nat. Araign. 2 (2) p. 358 f. 357 (N ♂).
Lycosa lugubris Bösenberg 1903, Zoologica 14 (5—6) p. 380 T. 35 F. 556 (D ♂♀).
Lycosa Bösenberg 1903, Zoologica 14 (5—6) p. 386 T. 36 F. 569 (D ♂♀).
Lycosa n. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 383, 421 f. 80 (D ♂♀).
P. n. Lessert 1910, Catal. Invert. Suisse; Araign. p. 517 (D ♂♀).
Lycosa n. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 46 f. 121—123 (D ♂♀).
P. n. Simon 1937, Arachn. de France 6 (5) p. 1062, 1076, 1130 f. 1640, 1673 (D ♂♀).
Lycosa n. Palmgren 1939, Act. Zool. Fenn. 25 p. 51 f. 53, 67, 82 (D ♂♀).
P. n. Machado 1941, Mem. Mus. Zool. Univ. Coimbra (1) 117 p. 46 (N).
Lycosa n. Holm 1947, Svensk Spindelfauna 3 p. 31 T. 5 F. 56—57; T. 10 F. 34 (D ♂♀).
Lycosa n. Locket & Millidge 1951, Brit. Spiders 1 p. 264 f. 129C, D, H (D ♂♀).

♀ **obscuripes** Simon 1909. Marokko

P. o. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 38 (D ♀).

♂♀ **observans** (Cambridge) 1876. Aegypten

Lycosa o. Cambridge 1876, Proc. Zool. Soc. London p. 608 (D ♂♀).
P. o. Caporiacco 1936, Mem. Soc. Ent. Ital. 15 p. 111 f. 9 (D ♀).

♀ **occidentalis** Simon 1881. Süd-Portugal

P. o. Simon 1881, Ann. Soc. Espan. Hist. Nat. 10 p. 135 (D ♀).

♀ **oreophila** Simon 1937. Meeralpen

P. o. Simon 1937, Aradın. de France 6 (5) p. 1072, 1128 f. 1668 (D ♀).

♂♀ **orientalis** Kroneberg 1875. Ukraine, Kaukasus, Transkaspien, Turkestan

Lycosa o. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 37 T. 4 F. 25 (D ♂♀).
P. o. Simon 1895, Verh. Zool. Bot. Ges. Wien 39 p. 377 (C).
P. o. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 471 (N).

♂♀ **palitans** Simon 1876. Süd-Frankreich, Corsica, Macedonien

P. p. Simon 1876, Aradın. de France 3 p. 326 T. 13 F. 21—22 (D ♂♀).
P. p. Simon 1937, Aradın. de France 6 (5) p. 1056, 1077, 1130 f. 1625, 1627, 1675 (D ♂♀).

♂♀ **paludicola** (Clerck) 1757. Europa, Turkestan, Sibirien

Araneus p. Clerck 1757, Aran. Svec. p. 94 T. 4 F. 7 (D ♂♀).
Lycosa fumigata Walckenaer 1805, Tabl. Aran. p. 13 (N).
Lycosa p. Walckenaer 1825 (1820), Faun. Franç. Arachn. p. 26 (D, part.).
Lycosa p. Sundevall 1832, Vet. Ak. Handl. p. 179 (D ♂♀).
Lycosa p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 333 (D ♂♀).
Lycosa fumigata Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 334 (D ♂♀).
Lycosa fumigata C. L. Koch 1848, Die Arachniden 15 p. 16 TF. 1425—1426 (D ♂♀).
Lycosa p. Thorell 1856, Rec. Crit. Aran. Suec. p. 58 (N).
Lycosa p. Westring 1862, Aran. Svec. p. 499 (D ♂♀).
Leimonia fumigata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Leimonia fumigata Ohlert 1867, Aran. Prov. Preussen p. 135 (D ♂♀).
Lycosa p. Thorell 1872, Rem. Syn. Europ. Spid. p. 304 (N).
P. p. Simon 1876, Arachn. de France 3 p. 348 T. 13 F. 7—8 (D ♂♀).
Lycosa p. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 541 T. 87 F. 306 (D ♂♀).
Lycosa palustris Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 544 T. 88 F. 309 (D ♂, nec ♀).
P. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 144 T. 11 F. 5 (D ♂♀).
Lycosa p. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 68 (D).
Lycosa p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 59 T. 2 F. 17 (D ♂♀).
Lycosa p. Bösenberg 1902, Zoologica 14 (2—4) p. 381 T. 35 F. 558 (D ♂♀).
Lycosa fumigata Smith 1907, Journ. Quek. Micr. Cl. (2) 10 p. 27 T. 3 F. 15 (N ♂♀).
Lycosa p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 379, 397 f. 73 (D ♂♀).
Lycosa p. Järvi 1908, Zool. Anz. 32 (25) p. 757 f. 9 (N ♀).
P. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 524 (D ♂♀).
Lycosa p. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 40 f. 105—107 (D ♂♀).
P. p. Simon 1937, Arachn. de France 6 (5) p. 1066, 1086, 1124 f. 1653, 1690 (D ♂♀).
Lycosa p. Palmgren 1939, Act. Zool. Fenn. 25 p. 43 f. 41, 61, 75 (D ♂♀).
Lycosa p. Holm 1947, Svensk Spindelfauna 3 p. 35 T. 7 F. 80—81; T. 10 F. 41 (D ♂♀).
Lycosa p. Locket & Millidge 1951, Brit. Spiders 1 p. 270 f. 131E (D ♂♀).

♂ **pannonica** (Kolosvary) 1934. Ungarn

Lycosa p. Kolosvary 1934, Folia Zool. Hydrobiol. 6 (1) p. 16 f. 16 (D ♂).
Lycosa p. Kolosvary 1935, Act. Biol. 3 (3) p. 140 f. 5 (D ♂).

♂♀ **pernix** (Thorell) 1872. Schweden

Lycosa p. Thorell 1872, Rem. Syn. Europ. Spid. p. 308 (D ♂♀).
P. p. Simon 1876, Arachn. de France 3 p. 336 (N).
Lycosa p. Holm 1947, Svensk Spindelfauna 3 p. 33 T. 6 F. 64—65; T. 10 F. 35 (D ♂♀).

♂♀ **plumipes** (Thorell) 1875. Russland, Transkaukasien

Lycosa p. Thorell 1875, Tijdschr. Ent. 18 p. 104 (D ♂).
Lycosa p. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 143 (D ♂).
Lycosa p. Odenvall 1901, Oefv. Finsk. Vet. Soc. Förh. 43 p. 257 TF. 1—4 (N ♂, D ♀).
Lycosa p. (? = **plumipedella**) Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 76 (D ♀).

♂♀ **podhorskii** (Kulczynski) 1907. Tschuktschen-Halbins., Altai-Geb.

Lycosa p. Kulczynski 1907, Bull. Ac. Sci. Cracov. p. 588 T. 21 F. 20, 23, 29 (D ♂♀).

♀ **poecila** (Herman) 1879. Ungarn

Lycosa p. Herman 1879, Ungarns Spinn. Fauna 3 p. 258, 375, T. 8 F. 178 (D ♀).

♀ **postuma** (Cambridge) 1912. England

Lycosa p. Cambridge 1912, Proc. Dorset F. Cl. 33 p. 92 T. A (D ♀).

♂♀ **prativaga** (L. Koch) 1870. Europa, Island, Far-Oer-Ins.

Lycosa p. L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 43 (D ♂♀).
Lycosa p. Thorell 1872, Rem. Syn. Europ. Spid. p. 304 (N).
Lycosa riparia Cambridge 1875, Ann. Mag. Nat. Hist. (4) 16 p. 257 T. 8 F. 11 (N ♂♀).
P. p. Simon 1876, Arachn. de France 3 p. 333 (D ♂♀).
Lycosa riparia Cambridge 1881, Proc. Dorset F. Cl. 2 p. 380 (D ♂♀).
Lycosa p. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 381 (D ♂♀).
P. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 136 T. 11 F. 1 (D ♂♀).
Lycosa p. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 68 (D).
Lycosa p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 57 T. 2 F. 16 (D ♂♀).
Lycosa p. Bösenberg 1902, Zoologica 14 (2—4) p. 381 T. 35 F. 559 (D ♂♀).
Lycosa p. Smith 1907, Journ. Quek Micr. Cl. (2) 10 p. 22 T. 2 F. 9 (N ♂♀).
Lycosa riparia Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 381, 412 f. 77 (D ♂♀).
P. riparia Lessert 1910, Catal. Invert. Suisse; Araign. p. 519 (D ♂♀).
Lycosa riparia Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 582 (D ♂♀).
Lycosa riparia F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 45 f. 117—120 (D ♂♀).
P. p. Simon 1937, Arachn. de France 6 (5) p. 1061, 1080, 1125 f. 1639, 1679 (D ♂♀).
Lycosa p. Holm 1947, Svensk Spindelfauna 3 p. 32 f. 3 a, 14 a; T. 6 F. 62—63; T. 10 F. 37 (D ♂♀).
Lycosa p. Locket & Millidge 1951, Brit. Spiders 1 p. 262 f. 128 A, B (D ♂♀).

♂♀ **prativaga fulvipes** (Collett) 1875. Skandinavien

Lycosa fulvipes Collett 1875, Christiania Vid. Selsk. Förh. p. 17 (D ♂).
Lycosa p. f. Holm 1947, Svensk Spindelfauna 3 p. 32 f. 14 b; T. 10 F. 38 (D ♂♀).

♂♀ **prativaga scoparia** Simon 1937. Gironde

P. p. s. Simon 1937, Arachn. de France 6 (5) p. 1061, 1125 (D ♂♀).

♂ **profuga** (Herman) 1879. Ungarn

Lycosa p. Herman 1879, Ungarns Spinn. Fauna 3 p. 254, 374 T. 8 F. 181 (D ♂).

♀ **promptula** (Cambridge) 1902. England

Lycosa p. Cambridge 1902, Proc. Dorset F. Cl. 23 p. 37 f. 11 (D ♀).

♂♀ **proxima** (C. L. Koch) 1848. Mediterranea, Mesopotamien, Europa, (Makronesien?)

Lycosa p. C. L. Koch 1848, Die Arachniden 15 p. 53 TF. 1453—54 (D ♂♀).
P. p. Simon 1876, Arachn. de France 3 p. 330 T. 13 F. 20 (D ♂♀).
Lycosa p. Cambridge 1878, Ann. Mag. Nat. Hist. (5) 1 p. 125 T. 11 F. 6 (N ♂♀).
Lycosa p. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 378 (D ♂♀).
P. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 133 T. 10 F. 7 (D ♂♀).
P. furtadoi Simon 1883, Ann. Soc. Ent. France (6) 3 p. 263 (D ♂♀).
Lycosa p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 57 T. 2 F. 24 (D ♂♀).
Lycosa p. Bösenberg 1903, Zoologica 14 (5—6) p. 383 T. 36 F. 561 (D ♂♀).
Lycosa p. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 140 T. 5 F. 19 (N ♀).
Lycosa p. Smith 1907, Journ. Quek. Micr. Cl. (2) 10 p. 26 T. 3 F. 14 (N).
P. p. Berland 1931, Arch. Zool. Expér. Gén. 71 (3) p. 81 (N).
P. p. Simon 1937, Arachn. de France 6 (5) p. 1068, 1085, 1129 f. 1657, 1688, 1689 (D ♂♀).
Lycosa p. Locket & Millidge 1951, Brit. Spiders 1 p. 267 f. 130 C, D, G (D ♂♀).

♀ **proxima annulatoides** (Strand) 1915. Palästina

Lycosa p. a. Strand 1915, Arch. Naturg. 81 (A; 2) p. 165 (D ♀).

♀ **proxima antoni** (Strand) 1915. Palästina

Lycosa p. a. Strand 1915, Arch. Naturg. 81 (A; 2) p. 165 (D ♀).

♂♀ **proxima poetica** Simon 1876. Spanien, Portugal, Pyrenäen

P. p. p. Simon 1876, Arachn. de France 3 p. 331 (D ♂♀).
P. p. p. Simon 1937, Arachn. de France 6 (5) p. 1068, 1076, 1130 (D ♂♀).

♂♀ **proxima tenuipes** (Dahl) 1908 (nec: **tenuipes** L. Koch). Südwest- u. Mitteleuropa

P. proxima Simon 1876, Arachn. de France 3 p. 330 (D ♂♀, part.).
Lycosa proxima Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 57 (D ♂♀, part.).
Lycosa p. t. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 384, 425 f. 81 (D ♂♀).
P. p. t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 513 (D ♂♀).
Lycosa p. t. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 33 f. 81—82 (D ♂♀).
P. p. t. Simon 1937, Arachn. de France 6 (5) p. 1068 (N).

♀ **pseudoferruginea** Schenkel 1936. Tienschan

P. p. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 295 f. 102 (D ♀).

♂♀ **pullata** (Clerck) 1757. Europa, Turkestan

Araneus p. Clerck 1757, Aran. Svec. p. 104 T. 5 F. 7 (D ♀).
? Aranea lupus Fourcroy 1786, Ent. Paris 2 p. 536 (D).
Aranea p. Olivier 1789, Encycl. Méthod. 4 p. 218 (D).
Aranea erratica Olivier 1789, Encycl. Méthod. 4 p. 217 (D).

Lycosa lignaria C. L. Koch 1833, in: Herrich-Schäffer, Deutschl. Ins. 129 T. 9—10.
Lycosa obscura Blackwall 1841, Trans. Linn. Soc. Lond. (Zool.) 18 p. 611 (D ♂♀).
Lycosa p. C. L. Koch 1848, Die Arachniden 15 p. 25 TF. 1431—33 (D ♂♀).
Lycosa p. Westring 1862, Aran. Svec. p. 501 (D ♂♀).
Leimonia p. Ohlert 1867, Aran. Prov. Preussen p. 134 (D ♂♀).
Lycosa p. Thorell 1872, Rem. Syn. Europ. Spid. p. 305 (N).
P. p. Simon 1876, Arachn. de France 3 p. 332 (D ♂♀).
Lycosa lugubris Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 548 T. 89 F. 312 (D ♂, nec ♀).
Lycosa nigriceps Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 549 T. 89 F. 313 (D ♀, nec ♂).
Lycosa badia Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 550 T. 84 F. 314 (D ♂♀).
Lycosa nana Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 552 T. 90 F. 316 (D ♂).
Lycosa p. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 376 (D ♂♀).
P. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 135 T. 10 F. 8 (D ♂♀).
Lycosa p. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 68 (D).
Lycosa p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 57 T. 2 F. 15 (D ♂♀).
Lycosa p. Bösenberg 1902, Zoologica 14 (2—4) p. 382 T. 35 F. 560 (D ♂♀).
Lycosa p. Smith 1907, Journ. Quek. Micr. Cl. (2) 10 p. 21 T. 2 F. 81 (N).
Lycosa p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 381, 409 f. 76 (D ♂♀).
P. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 518 (D ♂♀).
Lycosa p. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 582 (D ♂♀).
Lycosa p. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 44 f. 114—116 (D ♂♀).
P. p. Simon 1937, Arachn. de France 6 (5) p. 1065, 1081, 1125 f. 1649, 1681 (D ♂♀).
Lycosa p. Palmgren 1939, Act. Zool. Fenn. 25 p. 46 f. 45, 65, 79 (D ♂♀).
Lycosa p. Holm 1947, Svensk Spindelfauna 3 p. 32 T. 6 F. 60—61; T. 10 F. 36 (D ♂♀).
Lycosa p. Locket & Millidge 1951, Brit. Spiders 1 p. 261 f. 128 C—E (D ♂♀).

♀ **pullata jugorum** Simon 1937. Frankreich

P. p. j. Simon 1937, Arachn. de France 6 (5) p. 1081 (D ♀).

♂♀ **purbeckensis** F. Cambridge 1895. England

P. p. F. Cambridge 1895, Ann. Mag. Nat. Hist. (6) 15 p. 32 T. 4 F. 1, 4, 7—9 (D ♂).
Lycosa p. Locket & Millidge 1951, Brit. Spiders 1 p. 258 f. 122J; 123D; 124A, B; 126A, B; 127D (D ♂♀).

♂♀ **purbeckensis minor** F. Cambridge 1895. England

P. p. m. F. Cambridge 1895, Ann. Mag. Nat. Hist. (6) 15 p. 33 (N).
Lycosa plumata Braendegaard 1925, Ent. Meddel. 16 (1) p. 9 (D ♂♀).
Lycosa p. m. Locket & Millidge 1951, Brit. Spiders 1 p. 258 (N ♂♀).

♀ **rufa** Grese 1909. Sibirien

P. r. Grese 1909, Ann. Mus. Zool. St. Petersbg. 14 p. 330 T. 7 F. 9 (D ♀).
Lycosa rufula Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov. superfl.).

♀ **sagiba** (Strand) 1918. Japan

Lycosa s. Strand 1918, Arch. Naturg. 82 (A; 11) p. 85 (D ♀).

♀ **selengensis** (Odenvall) 1901. Transbaikalien

Lycosa s. Odenvall 1901, Oefv. Finsk. Vet. Soc. Förh. 43 p. 268 TF. 15 (D ♀).

♂♀ **septentrionalis** (Westring) 1862. Skandinavien, Sibirien

Lycosa s. Westring 1862, Aran. Svec. p. 469 (D ♂♀).
P. s. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 471 (N).
Lycosa s. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 36 T. 2 F. 63—66 (D ♂♀).
Lycosa s. Holm 1947, Svensk Spindelfauna 3 p. 36 T. 7 F. 72—73; T. 10 F. 45 (D ♂♀).

o **serena** (L. Koch) 1875. Unter-Aegypten

Lycosa s. L. Koch 1875, Aegypt. Abyssin. Arachn. Jickeli p. 71 (D o).

♀ **shansia** Hogg 1912. Nord-China

P. s. Hogg 1912, Aran. in: Clarck & Sowerby, Through Shen Kan. p. 211 TF. 2 (D ♀).

♂♀ **sibirica** (Kulczynski) 1908. Sibirien

Lycosa s. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 89 T. 3 F. 103, 104, 106, 107 (D ♂♀).

♂♀ **sordidata** (Thorell) 1875. Sudeten, Tatra, Serbien, Russland

Lycosa s. Thorell 1875, Tijdschr. Ent. 18 p. 105 (D ♀).
Lycosa s. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 149 (D ♀).
P. s. Simon 1876, Arachn. de France 3 p. 356 (N).
Lycosa s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 59 T. 2 F. 22 (D ♀).
Lycosa s. Bösenberg 1902, Zoologica 14 (2—4) p. 384 T. 36 F. 564 (D ♀).
Lycosa s. Kulczynski 1909, Bull. Ac. Sci. Gracov. p. 683 T. 26 F. 26—27 (D ♂).

♂♀ **stellata** (Cambridge) 1885. Yarkand, Pamir, Karakorum

Lycosa s. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 90 (D ♂♀).
P. s. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 235 T. 5 F. 14 (D ♂♀).

♂♀ **strigillata** Simon 1876. SW.-Europa, Corsica, Sardinien, Italien, Tirol, Bulgarien

Lycosa strenua Thorell 1872, Rem. Syn. Europ. Spid. p. 302 (D ♀).
P. s. Simon 1876, Arachn. de France 3 p. 338 T. 12 F. 6—7; T. 13 F. 9—10 (D ♂♀).
P. subita Simon 1876, Arachn. de France 3 p. 356 (C).
Lycosa subita Kulczynski 1887, Rozpraw. Ac. Umiej. Ak. Krakow 16 p. 289 T. 5 F. 4—5 (D ♂♀).
P. s. Simon 1937, Arachn. de France 6 (5) p. 1062, 1085, 1126 f. 1642—1643, 1686 (D ♂♀).
? P. seguarai (seguerari) Simon 1937, Arachn. de France 6 (5) p. 1062, 1085 (N).

♀ **strigillata ligurica** Simon 1937. Ligurien

P. s. l. Simon 1937, Arachn. de France 6 (5) p. 1075 (D ♀).

♀ **strigillata saturatior** Caporiacco 1948. Rhodos

P. s. s. Caporiacco 1948, Redia 33 p. 46 (D ♀).

♀ **subalpina** Schenkel 1918. Schweiz

P. s. Schenkel 1918, Verh. Nat. Ges. Basel 29 p. 97 f. 3 (D ♀).

♀ **subsolana** (Kulczynski) 1907. Tschuktschen-Halbins., Kamtschatka

Lycosa s. Kulczynski 1907, Bull. Ac. Sci. Cracov. p. 592 T. 21 F. 26 (D ♂).

♀ **subtarentula** (Dönitz & Strand) 1906. Japan
Lycosa s. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 393 T. 7 F. 101 (D ♀).

♂♀ **taczanowskii** (Thorell) 1875. Polen
Lycosa t. Thorell 1875, Tijdschr. Ent. 18 p. 105 (D ♂♀).
Lycosa t. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 148 (D ♂♀).

♂ **tatarica** (Thorell) 1875. Krim
Lycosa t. Thorell 1875, Tijdschr. Ent. 18 p. 100 (D ♂).
Lycosa t. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 148 (D ♂).

thoracica (Storm) 1898. Norwegen
Lycosa t. Storm 1898, Nat. Vid. Selsk. Skrift. 7 p. 6 (D).

♂♀ **thorelli** (Collett) 1875. Norwegen
Lycosa t. Collett 1875, Christiania Vid. Selsk. Förh. p. 22 (D ♂♀).

♂♀ **T-insignita** (Bösenberg & Strand) 1906. Japan, Saghalin
Lycosa T-i. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 324 T. 8 F. 109; T. 13, F. 337, 344 (D ♂♀).
Lycosa T-i. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 357 (D ♀).
Lycosa T-i. Saito 1936, Rep. I. Sci. Exped. Manschoukuo (5) 1 (3; 11) p. 63 84, T. 30 (N ♂♀).

♂♀ **torrentum** Simon 1876. Frankreich, Schweiz, Tirol
P. t. Simon 1876, Arachn. de France 3 p. 313 T. 13 F. 26 (D ♂♀).
Lycosa t. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 443 T. 22 F. 13 (N ♂).
P. t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 507 (D ♂♀).
P. t. Simon 1937, Arachn. de France 6 (5) p. 1062, 1070, 1127 f. 1641, 1664 (D ♂♀).

♂♀ **traillii** (Cambridge) 1873. England
Lycosa t. Cambridge 1873, Trans. Linn. Soc. London 28 (4) p. 524 T. 46 F. 1 (D ♂♀).
Lycosa trailii Cambridge 1894, Ann. Mag. Nat. Hist. (6) 13 p. 108 (N ♂♀).
Lycosa t. Jackson 1932, Proc. Zool. Soc. London (1) p. 101 T. 1 F. 7 (N ♂).
Lycosa t. Locket & Millidge 1951, Brit. Spiders 1 p. 270 f. 131A, D (D ♂♀).

♀ **trajani** (Rosca) 1939. Dobrudja
Acantholycosa t. Rosca 1939, Zool. Anz. 125 (3—4) p. 93 f. 4—5 (D ♀).

♂♀ **tridentia** Caporiacco 1935. Karakorum
P. t. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 241 T. 7 F. 1 (D ♂♀).

♀ **vindex** (Cambridge) 1885. Yarkand
Lycosa v. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. 92 (D ♀).

♀ **vindicata** (Cambridge) 1885. NW.-Indien, Karakorum
Lycosa v. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 92 (D ♀).
P. v. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 234 (N).

♂♀ **vittata** (Keyserling) 1863. Schweiz, Tirol, Oberitalien, Ungarn, Dalmatien, Balkanländer, Kaukasus
Lycosa v. Keyserling 1863, Verh. Zool. Bot. Ges. Wien 13 p. 369 T. 10 F. 7 (D ♀).
Tarantula v. Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 808 (N).
P. v. Simon 1876, Arachn. de France 3 p. 327 T. 13 F. 3—4 (D ♂♀).

Lycosa v. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 62 T. 2 F. 28 (D ♀).
P. v. Lessert 1910, Catal. Invert. Suisse; Araign. p. 532 (D ♀).
P. v. Simon 1937, Arachn. de France 6 (5) p. 1056, 1077, 1130 f. 1626 (D ♂♀).

♀ **vulvitecta** Schenkel 1936. Süd-Kansu

P. v. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 233 f. 76 (D ♀).

♂♀ **waglerii** (Hahn) 1822. Europa, Syrien

Lycosa w. Hahn 1822, Monogr. d. Spinn. 3 T. 10 F. 2 (♀).
Lycosa pallida Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 334 (D ♀).
Lycosa w. C. L. Koch 1848, Die Arachniden 15 p. 19 TF. 1427 (D ♀).
Leimonia pallida Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Lycosa w. Thorell 1873, Rem. Syn. Europ. Spid. p. 533 (N).
P. w. Simon 1876, Arachn. de France 3 p. 354 T. 13 F. 18 (D ♂♀).
Lycosa w. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 60 T. 2 F. 27 (D ♂♀).
Lycosa w. Bösenberg 1903, Zoologica 14 (5—6) p. 386 T. 36 F. 565 (D ♂♀).
Lycosa w. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 379, 416 f. 75 (D ♂♀).
Lycosa w. Järvi 1908, Zool. Anz. 32 (25) p. 757 f. 11 (N ♀).
P. w. Lessert 1910, Catal. Invert. Suisse; Araign. p. 529 (D ♂♀).
Lycosa w. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 37 f. 95—97 (D ♂♀).
P. w. Simon 1937, Arachn. de France 6 (5) p. 1059, 1083, 1123 f. 1636, 1684 (D ♂♀).

♂♀ **waglerii atra** (Giebel) 1869. Europa

Lycosa atra Giebel 1869, Zeitschr. ges. Naturw. 34 (10) p. 305 (D ♀).
Lycosa w. nigra Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 380 (D ♂♀).
P. w. nigra Lessert 1910, Catal. Invert. Suisse; Araign. p. 530 (D ♂♀).
P. w. nigra Schenkel 1925, Rev. Suisse Zool. 32 (19) p. 276 f. 2 (N ♂).
P. w. saturatior Simon 1937, Arachn. de France 6 (5) p. 1067, 1124 (D ♂).

O **x-notata** Schenkel 1936. Süd-Kansu

P. x. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 236 f. 78 (D O).

Transgredierende Arten:

♂ **fidelis** (Cambridge) 1872. Syrien, Aegypten, Dekan

Lycosa f. Cambridge 1872, Proc. Zool. Soc. London p. 319 (D ♂) (nec = **venatrix**).

♂♀ **furcifera** (Thorell) 1875. Island, Grönland, Labrador

Lycosa f. Thorell 1875, Proc. Boston Soc. Nat. Hist. 17 p. 499 (D ♂♀).
Lycosa f. Soerensen 1898, Vidensk. Meddel. (5) 10 p. 233 (N).
P. f. Braendegaard 1946, Meddel. Grönland 121 (15) p. 12 f. (N).

♂♀ **giebelii** (Pavesi) 1873. Schweiz, Tirol, Lappland, Sibirien, U. St. Amerika, Canada

Lycosa g. Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 164 f. 7—9 (D ♂♀).
P. ferruginea Simon 1876, Arachn. de France 3 p. 350 T. 13 F. 23 (D ♂♀).
P. g. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 101 (N).
P. uncata Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 425 T. 3 F. 8, 8c, d, f (D ♂♀) (part.)
Lycosa sordidata Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 388, 425 f. 86 (D ♂♀).
P. g. Lessert 1910, Catal. Invert. Suisse; Araign. p. 527 f. 225 (D ♂♀).
Lycosa g. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 41 T. 2 F. 70, 72, (N ♀).

Lycosa sordidata F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 39 f. 103—104 (D ♂♀).
Lycosa g. Schenkel 1928, Rev. Suisse Zool. 35 (2) p. 23 f. 5 (N ♂♀).
Lycosa g. Jackson 1932, Proc. Zool. Soc. London (1) p. 101 T. 1 F. 6 (N ♂).
P. uintana Gertsch 1933, Amer. Mus. Novit. 636 p. 27 (D ♂♀).
P. g. Simon 1937, Arachn. de France 6 (5) p. 1058, 1086, 1124 f. 1633, 1692 (D ♂♀).
P. uintana Bishop 1949, Canad. Ent. 81 (4) p. 103 f. . . (N).
P. g. Schenkel 1951, Verh. Nat. Ges. Basel 62 p. 24 (N).

♂♀ **groenlandica** (Thorell) 1872. Island, Grönland, U. St. Amerika, Canada, Labrador, Alaska

Aranea saccata Fabricius 1775, Syst. Ent. p. 437 (D).
Lycosa saccata Blackwall 1846, Ann. Mag. Nat. Hist. (1) 17 p. 34 (N).
Lycosa g. Thorell 1872, Oefv. Vet. Ak. Förh. 29 (2) p. 157 (D ♂♀).
Lycosa indagatrix Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 512 (D ♀).
Lycosa dromea Thorell 1878, Amer. Naturalist 12 p. 394 (D ♀).
P. albomaculata Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 495 T. 48 F. 3 (D ♂♀).
Lycosa intrepida Marx 1889, Proc. U. St. Nat. Mus. 12 p. 562, 594 (nom. nov.).
P. g. Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 423 T. 4 F. 1 (D ♂♀).
Lycosa g. Soerensen 1898, Vidensk. Meddel. (5) 10 p. 233 (N).
P. greenlandica Emerton 1902, Common Spiders p. 79 f. 189—190 (D ♀).
P. g. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 274 (D ♀).
P. g. Chamberlin 1918, Proc. Ac. Nat. Sci. Philad. 60 p. 200 T. 14 F. 6 (D ♂♀).
P. albomaculata Emerton 1919, Rep. Canad. Arct. Exped. 3 p. 6 (N ♀).
P. g. Gertsch 1933, Amer. Mus. Novit. 693 p. 18 (N).
Lycosa g. Jackson 1933, Proc. Zool. Soc. London (1) p. 147 T. 1 F. 4 (N ♀).
Lycosa g. Holm 1939, Ann. Mag. Nat. Hist. (11) 3 (13) p. 77 f. 3 (N ♂♀).
P. tristis Chamberlin & Ivie 1941, Bull. Univ. Utah 31 (8), Biol. 6 (3) p. 10 (N).
P. g. Braendegaard 1946, Meddel. Grönland 121 (15) p. 19 f. . . (N).
P. g. Levi 1951, Zoologica, N. York 36 (4) p. 225 f. 13—14 (N ♂♀).

♂♀ **hyperborea** (Thorell) 1872. Nord-Europa, Grönland, Labrador, Canada, Maine

Lycosa h. Thorell 1872, Rem. Syn. Europ. Spid. p. 293 (D ♂♀).
P. luteola Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 427 T. 3 F. 7 (D ♂♀).
Lycosa h. Soerensen 1898, Vidensk. Meddel. (5) 10 p. 234 (N).
P. distincta Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 192 T. 15 F. 8—9 (D ♂♀).
Lycosa h. Fedotow 1911, Annu. Mus. Zool. Ac. Sci. St. Petersbg. 16 p. 470 T. 8 F. 11 (D ♀).
P. h. Gertsch 1933, Amer. Mus. Novit. 693 p. 24 (N).
Lycosa h. Holm 1947, Svensk Spindelfauna 3 p. 28 T. 5 F. 54—55; T. 10 F. 27 (D ♂♀).

♂♀ **hyperborea pusilla** (Thorell) 1872. Skandinavien, Finnland, Ost-Preussen, Alaska

Lycosa h. p. Thorell 1872, Rem. Syn. Europ. Spid. p. 293 (D).
Lycosa pusilla Strand 1899, Arch. Nat. Christiania 21 (6) p. 60 (N ♀).
Lycosa h. p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 372, 443 f. 65 (D ♂♀).
Lycosa h. p. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 32 f. 78—80 (D ♂♀).
Lycosa hyperborea Jackson 1930, Ann. Mag. Nat. Hist. (10) 6 p. 641 T. 17 F. 9 (N ♀).

Lycosa hyperborea Palmgren 1939, Act. Zool. Fenn. 25 p. 52 f. 55, 68, 83 (D ♂♀).

♂♀ **injucunda** (Cambridge) 1876. Aegypten bis Ost-Afrika

Lycosa i. Cambridge 1876, Proc. Zool. Soc. London p. 605 T. 60 F. 15 (D ♂♀).
P. i. Simon 1906, S. B. Ak. Wiss. Wien 115 p. 1171 (N).
P. i. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 69 T. 3 F. 86, 87, 89 (D ♂♀).
P. i. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 127 (N ♂♀).

♂♀ **inopina** (Cambridge) 1876. Syrien, Aegypten, Abessinien

Lycosa proxima Cambridge 1872, Proc. Zool. Soc. London p. 316 (C ♀).
Lycosa i. Cambridge 1876, Proc. Zool. Soc. London p. 607 T. 60 F. 16 (D ♂♀).

♂♀ **inopina clavipalpus** (Purcell) 1903. Capland, Ost-Afrika

P. clavipalpus Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 137 T. 8 F. 25 (D ♂♀).
P. i. c. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 351 f. 12 (D ♀).

♂ **mtugensis** (Strand) 1908. Nord-Afrika bis Abessinien

Lycosa sylvicola C. Koch 1873, Ber. Senckenbg. Ges. p. 115 (C).
Lycosa m. Strand 1908, Zool. Anz. 33 (1) p. 6 (N ♂).
Lycosa m. Strand 1915, Arch. Naturg. 81 (A;9) p. 42 (D ♂).

♂♀ **palustris** (Linné) 1758. Palaearktis (außer Mediterranea), Alaska, Kurilen

Aranea p. Linné 1746, Faun. Suec. (1. Ed.) p. 352.
Aranea p. Linné 1758, Syst. Nat. (10. Ed.) p. 623 (D).
Aranea p. Linné 1761, Faun. Suec. (2. Ed.) p. 491 (D).
Lycosa monticola C. L. Koch 1848, Die Arachniden 15 p. 42 TF. 1447, 1449 (D ♂♀).
Lycosa tarsalis Thorell 1856, Rec. Crit. Aran. Suec. p. 53 (D ♂♀).
Lycosa saccigera Thorell 1856, Rec. Crit. Aran. Suec. p. 53 (D ♀, nec ♂).
Lycosa tarsalis Westring 1862, Aran. Svec. p. 490 (D ♂♀).
P. monticola Ohlert 1867, Aran. Prov. Preussen p. 136 (D ♂♀).
Lycosa tarsalis (p). Thorell 1872, Rem. Syn. Europ. Spid. p. 288 (N).
P. p. Simon 1876, Arachn. de France 3 p. 321 (D ♂♀).
Lycosa tarsalis Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 545 T. 88 F. 310 (D ♂♀).
Lycosa p. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 387 (D ♂♀).
P. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 129 T. 10 F. 4 (D ♂♀).
Lycosa p. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 67 (D ♂♀).
Lycosa p. Kulczynski 1887, Rozpraw. Ak. Umiej. Krakow. 16 p. 303 T. 5 F. 5, 9, 10 (N ♂).
Lycosa p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 56 T. 2 F. 13 (D ♂♀).
Lycosa p. Bösenberg 1902, Zoologica 14 (2—4) p. 377 T. 35 F. 551 (D ♂♀).
Lycosa tarsalis Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 373, 439 f. 66 (D ♂♀).
P. tarsalis Lessert 1910, Catal. Invert. Suisse; Araign. 512 (D ♂♀).
Lycosa tarsalis Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 581 (D ♂♀).
Lycosa tarsalis F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 47 f. 124—126 (D ♂♀).
P. andersoni Gertsch 1934, Amer. Mus. Novit. 693 p. 16 (D ♀).
Lycosa tarsalis Kratochvil 1935, Folia Zool. Hydrobiol. 8 (1) p. 17, 19 f. 5 (N ♂♀).
Lycosa tarsalis Kolosvary 1937, Festschr. Strand 3 p. 404 f. 3 (N ♀).
P. tarsalis Simon 1937, Arachn. de France 6 (5) p. 1064, 1072, 1128 f. 1648, 1669 (D ♂♀).
Lycosa tarsalis Palmgren 1939, Act. Zool. Fenn. 25 p. 54, f. 56, 69, 84 (D ♂♀).
Lycosa tarsalis Locket & Millidge 1951, Brit. Spiders 1 p. 259 f. 123 E; 124 D; 126 C; 127 F (D ♂♀).

palustris islandica (Strand) 1906. Island

Lycosa p. i. Strand 1906, Fauna Arctica 4 p. 471 (N).

♂♀ **saltuaria** (L. Koch) 1870. Alpen, Sudeten, Carpathen, Balkanländer, Skandinavien, Sibirien, Grönland

Lycosa s. L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 38 (D ♀).
P. s. Simon 1876, Arachn. de France 3 p. 320 (D ♂♀).
Lycosa s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 56 T. 2 F. 12 (D ♂♀).
Lycosa s. Bösenberg 1902, Zoologica 14 (2—4) p. 384 T. 36 F. 563 (D ♂♀).
Lycosa s. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 372, 442 f. 64 (D ♂♀).
Lycosa s. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 442 T. 22 F. 14 (N ♂).
P. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 511 (D ♂♀).
Lycosa s. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 31 f. 72—74 (D ♂♀).
Lycosa s. Kratochvil 1935, Folia Zool. Hydrobiol. 8 (1) p. 17, 18 f. 6 (N ♂♀).
P. s. Simon 1937, Arachn. de France 6 (5) p. 1069, 1071, 1128 f. 1659, 1667 (D ♂♀).
P. s. Braendegaard 1946, Medd. Grönland 121 (15) p. 22 f. . . (N).

♂♀ **venatrix** (Lucas) 1846. Mediterranea bis Mesopotamien, Abessinien u. Ost-Afrika

Lycosa v. Lucas 1846, Explor. Sci. Algér., Zool. 1, Arachn. p. 116 T. 3 F. 7 (D ♂♀).
Lycosa galerita L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 69 T. 7 F. 1 (D ♂).
Lycosa galerita Simon 1876, Arachn. de France 3 p. 269 (D ♂♀).
Lycosa v. (? = subvenatrix) Strand 1907, Arch. Naturg. 73 (I; 3) p. 352 (D ♀).
P. v. Simon 1937, Arachn. de France 6 (5) p. 1059, 1080, 1128 f. 1637, 1678 (D ♂♀).
P. v. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 37 T. 1 F. 11—13 (N ♂♀).

Aethiopische Arten:

♀ **angustifrons** Caporiacco 1941. Süd-Abessinien

P. a. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 48 (D ♀).

♂ **aurantipes** (Strand) 1906. Abessinien

Lycosa a. Strand 1906, Zool. Anz. 30 (19—20) p. 677 (D ♂).
Lycosa a. Strand 1907, Arch. Naturg. 73 (I; 3) p. 345 T. 8 F. 32 (D ♂).

♂ **benadira** Caporiacco 1940. Aethiopien

P. b. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 770 f. 1 (D ♂).

♂♀ **brunellii** Caporiacco 1940. Abessinien

P. b. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 801 f. 17 (D ♂♀).

cinerascens (Roewer) 1951. – (spec. incert. sed.) Madagascar

Lycosa cinerea Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 298 (D) (praeocc. Sundevall 1832).
Lycosa c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov.).

♂♀ **crassipalpis** Purcell 1903. Capland

P. c. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 138 T. 8 F. 26 (D ♂♀).
P. c. Lawrence 1938, Ann. Natal. Mus. 8 (3) p. 517 (N ♂♀).

♀ **darolii** (Strand) 1906. Abessinien

Lycosa d. Strand 1906, Zool. Anz. 30 (19—20) p. 678 (D ♀).
Lycosa d. Strand 1907, Arch. Naturg. 73 (I; 3) p. 354 T. 8 F. 9 (D ♀).

♂ **erupticia** (Strand) 1913. Centr.-Afrika
Lycosa e. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (1) p. 468 (D ♂).

♀ **feldmanni** (Strand) 1907. Camerun
Lycosa f. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 186 (D ♀).

♀ **feldmanni xanthippe** (Strand) 1916. Camerun
Lycosa f. x. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 106 (D ♀).

♂♀ **foveolata** Purcell 1903. Capland, Centr.-Afrika, Congo
P. f. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 135 T. 8 F. 23 (D ♂♀).
Lycosa houssa Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 466 (D ♀, forma typica).
P. f. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 73 T. 3 F. 84, 88 (D ♂).
P. f. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 518 (N ♂♀).

♀ **houssabeni** nom. nov. Centr.-Afrika
Lycosa houssa Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 467 (D ♀, forma Ft. Beni).

♂♀ **hypocrita** (Simon) 1882. Yemen
Lycosa h. Simon 1882, Ann. Mus. Civ. Genova 18 p. 220 T. 8 F. 3—6 (D ♂♀).
P. h. Simon 1898, Hist. Nat. Araign. 2 (2) p. 355 (N).

♂♀ **karagonis** (Strand) 1913. Centr.-Afrika, Abessinien
Lycosa k. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 459 (D ♂♀).
P. k. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 348 f. 11 (D ♂♀).
P. k. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 127 (N ♂♀).

♀ **karagonis nivicola** Lessert 1926. Kilimandjaro
P. k. n. Lessert 1926, Rev. Suisse Zool. 33 (7) ß. 351 (D ♀).

♂♀ **leipoldti** Purcell 1903. Capland
P. l. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 136 T. 8 F. 24 (D ♂♀).

♀ **lycosina** Purcell 1903. Capland
P. l. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 134 T. 8 F. 21 (D ♀).

♀ **lycosinella** Lawrence 1927. Südwest-Afrika
P. l. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 52 T. 2 F. 40 (D ♀).

♂ **manicata** Thorell 1899. Camerun
P. m. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 87 (D ♂).

♂♀ **manubriata** Simon 1898. Capland, Portug. Ost-Afrika
P. m. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 31 (D ♂).
P. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 358 f. 356 (N ♂).
P. m. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 256 T. 22 F. 36 (N ♂, D ♀).
P. m. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 282 f. 77—78 (D ♂).

♂♀ **martinii** (Pavesi) 1883. Abessinien
Lycosa m. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 64 (D ♂♀).
P. m. Caporiacco 1939, Miss. Biol. ... Borana 3 (2) p. 329 f. 8 (D ♂♀).

♂o **mendicans** (Simon) 1882. Yemen
Lycosa m. Simon 1882, Ann. Mus. Civ. Genova 18 p. 219 (D ♂ o).

♂♀ **micheli** Simon 1901. Abessinien
P. m. Simon 1901, Ann. Soc. Ent. France 70 p. 26 (D ♂♀).
P. m. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 128 T. 1 F. 10 (D ♀).

♂ **mira** Caporiacco 1941. Süd-Abessinien
P. m. Caporiacco 1941, Miss. Biol. Sagan-Omo 12; Zool. 6 p. 35 f. 6 (D ♂).

♂♀ **naevia** (L. Koch) 1875. Abessinien
Lycosa n. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 72 T. 7 F. 2 (D ♂♀).
Lycosa n. Strand 1908, Arch. Naturg. 74 (I; 3) p. 357 T. 8 F. 3 (D ♀).

♀ **naevioides** (Strand) 1916. Südwest-Afrika
Lycosa n. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 104 (D ♀).

♀ **novitatis** (Strand) 1906. Abessinien
Lycosa n. Strand 1906, Zool. Anz. 30 (19—20) p. 677 (D ♀).
Lycosa n. Strand 1907, Arch. Naturg. 73 (I; 3) p. 347 T. 8 F. 35 (D ♀).

♀ **obturata** Lawrence 1928. Südwest-Afrika
P. o. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 254 T. 22 F. 35 (D ♀).

♂♀ **oncka** Lawrence 1927. Südwest-Afrika, Angola, Portug. Ost-Afrika
P. o. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 51 T. 2 F. 39 (D ♀).
P. o. Lessert 1930, Rev. Suisse Zool. 40 (4) p. 137 f. 56—58 (D ♂♀).

♂♀ **potamophila** Lawrence 1927. Südwest-Afrika
P. p. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 50 T. 2 F. 38; T. 3 F. 71, 75 (D ♂♀).

♂o **potteri** Simon 1901. Abessinien
P. p. Simon 1901, Ann. Soc. Ent. France 70 p. 25 (D ♂♀).

♀ **praepes** Simon 1885. Senegal
P. p. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 359 (D ♀).

♂♀ **proximella** (Strand) 1906. Abessinien, Centr.-Afrika, Congo, Angola, Mozambique
Lycosa p. Strand 1906, Zool. Anz. 30 (19—20) p. 678 (D ♂♀).
Lycosa p. Strand 1907, Arch. Naturg. 73 (I; 3) p. 359 T. 8 F. 4—5 (D ♂♀).
P. p. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 72 T. 3 F. 90—91 (D ♂, N ♀).

♂♀ **proximella ituria** (Strand) 1913. Centr.-Afrika
Lycosa p. i. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 463 (D ♂♀).

♀ **proximella mbogana** (Strand) 1916. Brit. Ost-Afrika
Lycosa p. m. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 104 (D ♀).

♀ **proximella messingerae** (Strand) 1916. Somaliland, Brit. Ost-Afrika
Lycosa p. m. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 102 (D ♀).
P. p. messengerae Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 800 f. 1 (D ♀).

♀ **proximella wauana** (Strand) 1916. Brit. Ost-Afrika
Lycosa p. w. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 104 (D ♀).

♂♀ **pseudokaragonis** (Strand) 1913. Centr.-Afrika
Lycosa p. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 461 (D ♂♀).

♂ **ruanda** (Strand) 1913. Ruanda
Lycosa r. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 457 (D ♂).

♀ **rugegensis** (Strand) 1913. Centr.-Afrika
Lycosa r. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 462 (D ♀).
P. r. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 76 T. 3 F. 67, 74 (N ♀).

♂♀ **schreineri** Purcell 1903. Capland
P. s. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 139 T. 8 F. 27 (D ♂♀).

♀ **schubotzi** (Strand) 1913. Centr.- u. Ost-Afrika
Lycosa s. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 466 (D ♀).
P. s. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 338 (N).

♂ **sjöstedti** Lessert 1926. Ost-Afrika
P. s. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 338 f. 4 A, B (D ♂♀).

♂♀ **sordidecolorata** (Strand) 1906. Abessinien
Lycosa s. Strand 1906, Zool. Anz. 30 (19—20) p. 677 (D ♀).
Lycosa s. Strand 1907, Arch. Naturg. 73 (I; 3) p. 349 T. 8 F. 16 (D ♂♀).

♂♀ **spilota** Pocock 1903. Sokotra
P. s. Pocock 1903, in: Forbes, Nat. Hist. Sokotra a. Abd-el-Kuri p. 193 (D ♂♀).

♀ **strandembriki** Caporiacco 1949. Abessinien
P. strandi Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 128 T. 1 F. 11 (D ♀).
P. s. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 338 (nom. nov.).

♂♀ **subproximella** (Strand) 1906. Abessinien
Lycosa s. Strand 1906, Zool. Anz. 30 (19—20) p. 679 (D ♂♀).
Lycosa s. Strand 1907, Arach. Naturg. 73 (I; 3) p. 362 T. 8 F. 6—8 (D ♂♀).

♀ **tenera** Thorell 1899. Camerun
P. t. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 87 (D ♀).
Lycosa tamerlani Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov. superfl.).

♂♀ **umtalica** Purcell 1903. Mashonaland
P. u. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 135 T. 8 F. 22 (D ♂♀).

♀ **valida** Banks 1893. Sierra Leone, Congo-Geb.
P. v. Banks 1893, Proc. U. St. Nat. Mus. 16 (951) p. 587 f. 13 (D ♀).
Lycosa validior Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) (nom. nov. superfl.).

♀ **vatovae** Caporiacco 1940. Abessinien
P. v. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 803 f. 18 (D ♀).

♂ **verticillifer** (Strand) 1906. Abessinien
Lycosa v. Strand 1906, Zool. Anz. 30 (19—20) p. 678 (D ♂).

Lycosa v. Strand 1907, Arch. Naturg. 73 (I; 3) p. 355 T. 8 F. 2 (D ♂).
P. v. Caporiacco 1949, Comment. Pontific. Ac. Sc. 13 (6) p. 338 (N).

♂♀ **vinsoni** (Roewer) 1951 (spec. incert. sed.). Madagascar
Lycosa nigra Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 298 (D ♂♀) (praeocc. C. L. Koch 1834).
Lycosa v. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov.).

♂♀ **zorimorpha** (Strand) 1907. Madagascar
Lycosa z. Strand 1907, Zool. Anz. 31 (23) p. 744 (D ♀).
Lycosa z. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 170 (D ♂♀).

Orientalische Arten:

§ 8 Arten: Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 597—599 (sub **Lycosa,** part.).
§ 4 Arten: Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 609.

♂♀ **amazonia** (Thorell) 1896. Burma
Lycosa a. Thorell 1895, Descr. Catal. Spid. Burma p. 236 (D ♂♀).

♂♀ **annandalei** (Gravely) 1924. Indien
Lycosa a. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 606 f. 41 (D ♂♀).

♂♀ **atropalpis** Gravely 1924. Indien
P. a. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 610 f. 5B (D ♂♀).

♂♀ **basiri** (Dyal) 1935. Panjab
Lycosa b. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 137 T. 13 F. 31—35 (D ♂♀).

♂♀ **birmanica** Simon 1884. Indien, Burma, Java, Sumatra, S.-China
P. b. Simon 1884, Ann. Mus. Civ. Genova 20 p. 333 (D ♀).
Lycosa ipnochoera Thorell 1890, Ann. Mus. Civ. Genova 30 p. 138 (D ♀).
Lycosa ipnochoera Thorell 1892, Ann. Mus. Civ. Genova 31 p. 176 (D ♀).
Lycosa b. Thorell 1895, Descr. Catal. Spid. Burma p. 242 (D ♂♀).
Lycosa b. (= ? subbirmanica) Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 84 (D ♂).
Lycosa b. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 607 f. 4 J (D ♂♀).
Lycosa b. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 136 T. 13 F. 36—37 (D ♂♀).

♀ **brevimetatarsis** (Strand) 1907. Java
Lycosa b. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 442 (D ♀).

♂♀ **carmicheli** (Gravely) 1924. Indien
Lycosa c. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 604 f. 4 B (D ♂♀).

♀ **drancensis** Hogg 1922. Annam
P. d. Hoog 1922, Proc. Zool. Soc. London p. 303 f. 7c—d (D ♀).

♂♀ **fletcheri** (Gravely) 1924. Indien
Lycosa f. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) pp. 606 f. 4 F (D ♂♀).

♂ **gerhardti** (Strand) 1922. Sumatra
Lycosa g. Strand 1922, Arch. Naturg. 88 (A; 4) p. 147 (D ♂).

♀ **indistinctepicta** (Strand) 1907. Süd-China
Lycosa i. Strand 1907, Zool. Anz. 31 (17—18) p. 567 (D ♀).
Lycosa i. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 81 TF. 44 (D ♀).

♂♀ **irretita** Simon 1886. Malakka, Siam, Borneo
P. i. Simon 1886, Ann. Soc. Linn. Bord. 40 p. 140 (D ♂♀).
P. i. Simon 1901, Proc. Zool. Soc. London (2;4) p. 69 (N).
P. i. Simon 1904, Arachn. in: Miss. Pavie en Indochin. 3 p. 288 (D ♂♀).

♂♀ **lahorensis** Dyal 1935. Panjab
P. l. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 145 T. 13 F. 43—44 (D ♂♀).

♀ **laidlawi** Simon 1901. Malakka
P. l. Simon 1901, Proc. Zool. Soc. London (2; 4) p. 69 (D ♀).

♂♀ **leucopalpis** Gravely 1924. Indien
P. l. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 610 f. 5 D (D ♂♀).
P. l. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 144 (N ♂♀).

♂ **lombokibia** (Strand) 1915. Lombok
Lycosa l. Strand 1915, Abh. Senckenbg. Ges. 36 (2) p. 260 T. 19 F. 100 (D ♂).

♂♀ **ludia** (Thorell) 1895. Burma
Lycosa l. Thorell 1895, Descr. Catal. Spid. Burma p. 245 (D ♂♀).

♂♀ **mackenziei** (Gravely) 1924. Indien
Lycosa m. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 606 f. 4 H (D ♂♀).
Lycosa m. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 139 T. 13 F. 38—39 (D ♀).

♂♀ **moulmeinensis** (Gravely) 1924. Burma
Lycosa m. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 604 f. 4 A (D ♂♀).

♀ **mulani** Dyal 1935. Panjab
P. m. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 146 T 13 F. 45—46 (D ♀).

♀ **nesiotis** (Thorell) 1878. Sumatra, Amboina
Lycosa n. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 209 (D ♀).
P. n. Hogg 1919, Journ. Feder. Malay. Stat. Mus. 8 (3) p. 101 T. 11 F. 9 (N ♀).

♂♀ **nicobarica** (Thorell) 1891. Nicobaren
Lycosa n. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 68 (D ♂♀).

♂♀ **ookleyi** Gravely 1924. Indien
P. o. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 610 f. 5 C (D ♂♀).

♂ **pacata** Fox 1937. Hongkong
P. p. Fox 1937, Amer. Mus. Novit. 907 p. 6 f. 5—7 (D ♂).

♂ **palliclava** (Strand) 1907. Ceylon
Lycosa p. Strand 1907, Zool. Anz. 31 (17—18) p. 567 (D ♂).
Lycosa p. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 87 (D ♂).

♀ **partita** Simon 1885. Indien
P. p. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 12 T. 10 F. 5 (D ♀).

♂♀ **pinangensis** (Thorell) 1890. Ins. Pinang, Sumatra
Tarentula vagabunda Hasselt 1882, in: Webb, Midd. Sumatra 4 (11; A) p. 46 (D ♂♀).
Lycosa p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 137 (D ♀).
Lycosa p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 166 (D ♀).

♀ **psammodes** (Thorell) 1887. Burma
Lycosa p. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 312 (D ♀).

♂♀ **pusiola** (Thorell) 1891. Ceylon, Indien, Burma, Sumatra, Java, Borneo
Lycosa p. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 65 (D ♂♀).
Lycosa p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 157 (D ♂♀).
P. p. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 70 (N).
P. p. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 609 f. 5 A (D ♂♀).

♂♀ **quadrifer** (Gravely) 1924. Indien, Ceylon
L. q. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 608 f. 4 K (D ♂♀).

♀ **rabulana** (Thorell) 1890. Malakka, Sumatra, Java
Lycosa r. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 138 (D ♀).
Lycosa r. Thorell 1891, Ann. Mus. Civ. Genova 31 p. 173 (D ♀).

♀ **semicana** Simon 1885. Ceylon, Malakka
P. s. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 442 (D ♀).
Lycosa s. (= ? subsemicana) Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 87 (D ♀).

♂♀ **sumatrana** (Thorell) 1890. Sumatra, Indien, Nicobaren, Celebes, I. Berhala, Japan, Hongkong
Lycosa s. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 136 (D ♂♀).
Lycosa s. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 161 (D ♂♀).
Tarentula palus Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 391 T. 7 F. 95 (D ♀).
Lycosa s. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 294 (D ♀).
P. s. Hogg 1919, Journ. Feder. Malay. Stat. Mus. 8 (3) p. 100 (N ♀).
Lycosa s. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 604 f. 4 C—E (D ♂♀).
Lycosa s. Sherriffs 1939, Hong Kong Natural. 9 (3) p. 137 f. 3 (N).

♂♀ **sutherlandi** (Gravely) 1924. Indien
Lycosa s. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 606 f. 4 G (D ♂♀).

♂♀ **tenasserimensis** (Thorell) 1895. Burma, Sumatra, Java
Lycosa t. Thorell 1895, Descr. Catal. Spid. Burma p. 239 (D ♂♀).

♂♀ **thalassia** (Thorell) 1891. Nicobaren
Lycosa t. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 65 (D ♂♀).

♀ **trifoveata** (Strand) 1907. Süd-China
Lycosa t. Strand 1907, Zool. Anz. 31 (17—18) p. 566 (D ♀).
Lycosa t. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 80 TF. 42 (D ♀).

♀ **tristiculella** (Roewer) 1951. Burma
Lycosa tristicula Thorell 1887, Ann. Mus. Civ. Genova 25 p. 315 (D o) (praeocc. L. Koch 1877).
Lycosa t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov.).

♂♀ **vagula** (Thorell) 1890. Sumatra, Mentawei, Simalur, Java
Lycosa v. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 137 (D ♂♀).
Lycosa v. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 169 (D ♂♀).

Australische Arten:

♀ **adumbrata** (Urquhart) 1886. Neu-Seeland
Lycosa a. Urquhart 1886, Trans. N. Zeal. Inst. 19 p. 114 (D ♀).
P. a. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 8 T. 3 F. 23; T. 4 F. 41 (D ♀).

♂♀ **aerescens** (Goyen) 1886. Neu-Seeland
Lycosa a. Goyen 1886, Trans. N. Zeal. Inst. 19 p. 206 (D ♂♀).

O♀ **bellicosa** (Goyen) 1887. Neu-Seeland
Lycosa b. Goyen 1887, Trans. N. Zeal. Inst. 20 p. 138 (D O ♀).

♂♀ **bleyi** (Dahl) 1908. Bismarck-Archipel
Lycosa b. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 233 f. 12—13 (D ♂♀).

♂♀ **canescens** (Goyen) 1886. Neu-Seeland
Lycosa c. Goyen 1886, Trans. N. Zeal. Inst. 19 p. 203 (D ♂♀).
P. c. Hogg 1911, Proc. Zool. Soc. London p. 300 (N).

♂ **eyrei** Hickman 1944. Centr.-Australien
P. e. Hickman 1944, Trans. R. Soc. S. Austral. 68 (1) p. 24 T. 1 F. 11—13 (D ♂♀).

♂♀ **goyeni** (Roewer) 1951. Neu-Seeland
Lycosa uliginosa Goyen 1887, Trans. N. Zeal. Inst. 20 p. 136 (D ♂♀) (praeocc. Westring 1862).
Lycosa g. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov.).

♂ **marchei** Simon 1890. Marianan
P. m. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 134 (D ♂).

♂ **pexa** Hickman 1944. Süd-Australien
P. p. Hickman 1944, Trans. R. Soc. S. Austral. 68 (1) p. 25 T. 2 F. 14 (D ♂).

♀ **praevelox** Simon 1909. West-Australien
P. p. Simon 1909, Faun. S. W. Austral. 2 (12) p. 191 (D ♀).

♀ **rascheri** (Dahl) 1908. Bismarck-Archipel
Lycosa r. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 232 f. 11 (D ♀).

♂ **taylori** (Goyen) 1886. Neu-Seeland
Lycosa t. Goyen 1886, Trans. N. Zeal. Inst. 19 p. 204 (D ♂).

♂♀ **versicolor** L. Koch 1877. Neu-Süd-Wales
P. v. L. Koch 1877, Arachn. Austral. 1 (2) p. 966 T. 84 F. 4—5 (D ♂♀).

♀ **vicaria** L. Koch 1877. Neu-Caledonien
P. v. L. Koch 1877, Arachn. Austral. 1 (2) p. 965 T. 84 F. 3 (D ♀).

♂♀ **virgatella** (Roewer) 1951. Neu-Seeland
Lycosa virgata Goyen 1886, Trans. N. Zeal. Inst. 19 p. 201 (D ♂♀) (praeocc. Karsch 1880).
Lycosa v. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov).

Neotropische Arten:

§ 75 Arten: Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 255—262.

♀ **accurata** Becker 1886. Mexico
P. a. Becker 1886, Ann. Soc. Ent. Belg. 30 C. R. p. 24 (D ♀).
P. a. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 322 (N).

♀ **afflicta** (Holmberg) 1876. Argentinien
Lycosa a. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 26 (D ♀).

♂ **algina** (Chamberlin) 1916. Peru
Lycosa a. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 287 T. 24 F. 5—6 (D ♂).

♂♀ **birabeni** Mello-Leitao 1938. Argentinien
P. b. Mello-Leitao 1938, Rev. Mus. La Plata Zool. 1 (4) p. 94 f. 7 (D ♂♀).

♀ **canalis** F. Cambridge 1902. Mexico
P. c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 321 T. 31 F. 8 (D ♀).

O♀ **cayennensis** (Taczanowski) 1874. Guiana
Lycosa c. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 84 (D O ♀).
P. c. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 (N).

♂ **chiapasiana** Gertsch & Wallace 1937. Mexico
P. c. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 2 TF. 3 (D ♂).

♀ **concolorata** (Roewer) 1951. Nieder-Californien
Lycosa concolor Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) (Zool.) p. 269 T. 16 F. 25 (D ♀) (praeocc. Kroneberg 1875).
P. concolor Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 672 f. 115—116 (D ♀).
Tarentula c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 441 (nom. nov.).

♀ **costrica** Chamberlin & Ivie 1942. Costa Rica
P. c. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 32 T. 6 F. 64 (D ♀).

♀ **cubana** Bryant 1940. Cuba
P. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 272 T. 2 F. 27 (D ♀).

♂♀ **delicata** Gertsch 1934. Mexico
P. d. Gertsch 1934, Amer. Mus. Novit. 693 p. 20 (D ♂♀).
P. d. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 3 TF. 18 (N ♀).

♂♀ **desolatula** Gertsch & Davis 1940. Mexico
P. d. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 5 TF. 22 (D ♂♀).

♀ **dilecta** Banks 1898. Nieder-Californien
P. d. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 274 T. 16 F. 24 (D ♀).

♂ **falcula** F. Cambridge 1902. Guatemala
P. f. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 320 T. 31 F. 3 (D ♂).

♂♀ **fastosa** (Keyserling) 1876. Columbien
Lycosa f. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 618 T. 1 F. 5—6 (D ♂♀).
P. f. Mello-Leitao 1941, An. Ac. Bras. Ci. 13 (4) p. 277 (N).

♀ **fastosa viota** (Strand) 1914. Columbien
Lycosa f. v. Strand 1914, Mém. Soc. Neuchâtel. Sci. Nat. 5 p. 814 (D ♀).

♂ **flammula** Mello-Leitao 1945. Argentinien
P. f. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 251 f. 34 (D ♂).

♂♀ **flavipalpis** F. Cambridge 1902. Mexico

P. f. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 319 T. 30 F. 25—26 (D ♂♀).

♂♀ **floridana** (Banks) 1896. Florida, Cuba

Lycosa f. Banks 1895, Trans. Amer. Mus. Soc. 23 p. 72 (D ♀).
Lycosa f. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 231 (D ♀).
P. albopilosa Franganillo 1931, Rev. Belen Habana 27 p. 286 (D).
P. albopilosa Franganillo 1934, Mem. Soc. Cub. Hist. Nat. 8 (3) p. 152 (D ♂♀).
P. albopilosa Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 284 T. 2 F. 20, 21, 28 (D ♂♀).

o **glabra** Mello-Leitao 1938. Argentinien

P. g. Mello-Leitao 1938, Rev. Mus. La Plata (Zool.) 1 (4) p. 95 (D o).

♂ **hamifera** F. Cambridge 1902. Guatemala

P. h. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 320 T. 31 F. 4 (D ♂).

♀ **izabella** Chamberlin & Ivie 1942. Guatemala

P. i. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 32 T. 7 F. 73 (D ♀).

joerandae (Strand) 1916. Chile

Lycosa aspersa Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 361 (D).
Lycosa j. Strand 1916, Arch. Naturg. 82 (A; 2) p. 72 (nom. nov.).

♀ **lineata** F. Cambridge 1902. Mexico

P. l. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 321 T. 31 F. 7 (D ♀).

♀ **linguata** F. Cambridge 1902. Mexico

P. l. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 320 T. 31 F. 5 (D ♀).

♂♀ **longivulva** F. Cambridge 1902. Mexico

P. l. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 318 T. 30 F. 21, 22 (D ♂♀).
Lycosa longivulvula Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov. superfl.).

maculata Franganillo 1931. Cuba

P. m. Franganillo 1931, Revista Belen Habana p. 286 (D).
P. m. Franganillo 1934, Mem. Soc. Cub. Hist. Nat. 8 (3) p. 152 (D).

♂♀ **maculatipes** (Keyserling) 1887. Chile

Lycosa m. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 482 T. 6 F. 43 (D ♂♀).
P. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 572 (C).

♀ **masareyi** Mello-Leitao 1939. Ecuador

P. m. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 56 f. 20—22 (D ♀).

♀ **medialis** Banks 1898. Mexico

P. m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 273, T. 16 F. 29 (D ♀).
P. m. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 322 (N ♀).
P. m. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 32 T. 7 F. 74 (N ♀).

♀ **nanica** Mello-Leitao 1941. Argentinien

P. n. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 209 f. 11—12 (D ♀).

♂ **petrunkevitchi** Gertsch 1934. Mexico
P. p. Gertsch 1934, Amer. Mus. Novit. 693 p. 21 (D ♂).

♀ **plagula** F. Cambridge 1902. Mexico
P. p. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 321 T. 31 F. 6 (D ♀).

♂ **plumipes** Mello-Leitao 1942. Argentin. Chaco
P. p. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. p. 395 f. 9—10 (D ♂).
Lycosa plumipedata Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov. superfl.).

♂♀ **portoricensis** Banks 1901. Portorico
P. p. Banks 1901, Proc. U. St. Mus. 24 p. 224 T. 15 F. 2—3 (D ♀).
P. p. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 87 f. 74—75 (D ♂♀).

♂♀ **prolifica** F. Cambridge 1902. Mexico, Costa Rica
P. p. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 317 T. 30 F. 19—20 (D ♂♀).
Lycosa prolificula Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov. superfl.).

♀ **rara** (Keyserling) 1891. Süd-Brasilien
Lycosa r. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 265 T. 10 F. 199 (D ♀).
P. r. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 574 (C).

♂♀ **riveti** Berland 1913. Ecuador
P. r. Berland 1913, Miss. Mes. Mérid. Equat. 10 (1) p. 112 T. 12 F. 114—115 (D ♂♀).

♂♀ **sagei** Gertsch & Wallace 1937. Panama
P. s. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 1 TF. 1—2 (D ♂♀).

♀ **strix** (Holmberg) 1876. Argentinien
Lycosa s. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 26 (D ♀).

♀ **tricuspidata** Tullgren 1905. Argentinien
P. t. Tullgren 1905, Ark. Zool. 2 (19) p. 67 T. 8 F. 33 (D ♀).

tristicella (Roewer) 1951. Columbien
P. tristis Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 p. 277 f. 10 (D) (praeocc. Keyserling 1887).
Lycosa t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov.).

♂♀ **unguifera** F. Cambridge 1902. Guatemala, Mexico
P. u. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 320 T. 31 F. 1—2 (D ♂♀).

♂ **v-insignita** Soares & Camargo 1948. Brasilien
P. v. Soares & Camargo 1948, Bol. Mus. Paraens. Göldi 10 p. 360 f. 8 (D ♂).

Transgredierende Arten:

♂♀ **bellona** Banks 1898. Utah, Arizona, Mexico
P. b. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 275 T. 16 F. 21 (D ♂♀).
P. b. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 3 TF. 14 (N ♂).

♂♀ **delicatula** Gertsch & Wallace 1935. Mexico, Texas

P. d. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 4 TF. 13, 17 (D ♂♀).
P. d. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 5 (N ♂♀).

♂♀ **falcifera** F. Cambridge 1902. Mexico, Costa Rica, Oklahoma

P. f. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 318 T. 30 F. 23—24 (D ♂♀).
P. orthodox Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 671 f. 114 (D ♀).
P. f. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 32 T. 6 F. 67; T. 7 F. 68 (N ♂♀).

♂♀ **longispinata** Tullgren 1901. Florida bis New York u. Connecticut

P. littoralis Banks 1896, Journ. N. York Ent. Soc. 4 p. 192 (D ♂♀).
P. l. Tullgren 1901, Bih. Svensk. Vet. Ak. Handl. 27 (4; 1) p. 23 T. 1 F. 13 (D ♀).
P. floridana Banks 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 136 T. 7 F. 1; T. 8 F. 15 (D ♀).
P. banksi Chamberlin 1904, Canad. Ent. 36 p. 175 (N).
P. banksi Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 182 T. 13 F. 7 (D ♂♀).
P. l. Chamberlin 1908, Proc. Ac. Sci. Nat. Philad. 60 p. 209 (D ♀).
P. littoralis Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 207 T. 6 F. 5 (D ♂♀).
P. floridana Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 5 TF. 12, 16 (N ♂♀).
P. ocala Bryant 1935, Psyche 42 (2) p. 81 T. 5 F. 12 (D ♀).
P. floridana Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 336 T. 58 F. 1126; T. 59 F. 1140—41 (D ♂♀).
P. l. Wallace 1950, Florida ent. 33 (2) p. 77 T. 1 F. 3—4 (D ♂♀).

♂♀ **mercurialis** Montgomery 1904. Californien, Texas, Mexico

P. m. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. p. 270 T. 19 F. 20—21 (D ♂♀).
P. texana Banks 1904, Journ. N. York Ent. Soc. 12 p. 115 T. 5 F. 4 (D ♀).
P. lapidicina Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 195 T. 8 F. 2, 4, 5; T. 14 F. 7—8 (D ♂♀).

♀ **sabulosa** Banks 1898. Mexico, Neu-Mexico, Arizona

P. s. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 273 T. 16 F. 28 (D ♀).
P. s. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 322 (N ♀).
Lycosa nathani Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov. superfl.).

♂♀ **sternalis** (Thorell) 1877. U. St. Amerika, Mexico

Lycosa s. Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 504 (D ♀).
Lycosa ramulosa Mc Cook 1893, Amer. Spiders 3 T. 30 F. 5—6.
P. s. Banks 1894, Journ. N. York Ent. Soc. 2 p. 51 (N).
P. futilis Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 274 T. 16 F. 23 (Cotyp.).
P. peninsulana Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 275 T. 16 F. 22 (D ♂♀).
P. s. Banks 1902, Proc. U. Stat. Nat. Mus. 25 p. 217 (N).
Lycosa s. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 185 T. 8 F. 7, 9; T. 13 F. 5, 6 (D ♀).
P. vancouveri Emerton 1917, Canad. Ent. 49 p. 269 f. 20 (1, 2) (D ♀).
P. vancouveri Emerton 1919, Canad. Ent. 51 p. 106 T. 7 F. 6 (D ♂).
P. s. Chamberlin & Ivie 1946, Bull. Univ. Utah 36 (13), Biol. 9 (5) p. 8 TF. 8 (N ♀).

♂♀ **uncatula** F. Cambridge 1902. Costa Rica, Guatemala, Mexico, Texas

P. u. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 319 T. 30 F. 27—28 (D ♂♀).
P. pauxilla Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 268 T. 19 F. 22—23 (D ♂♀).
P. pauxilla Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 180 T. 13 F. 9 (D ♂♀).
P. pauxilla Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 4 TF. 11, 15 (N ♂♀).

Nearktische Arten:

§ 31 Arten: Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 265 u. 277 (sub **Pardosa u. Lycosa** part.).
§ 55 Arten: Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 172 u. 223 (sub **Pardosa** u. **Lycosa** part.).
§ 9 Arten: Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 332.

♂♀ **altamontis** Chamberlin & Ivie 1946. Westl. U. St. Amerika

P. a. Chamberlin & Ivie 1946, Bull. Univ. Utah 36 (13) Biol. 19 (5) p. 7 TF. 7 (D ♂♀).

♂♀ **anomala** Gertsch 1933. Utah, Wyoming

P. a. Gertsch 1933, Amer. Mus. Novit. 636 p. 26 TF. 36 (D ♀).
P. a. Levi 1951, Zoologica, N. York 36 (4) p. 223 f. 10 (D ♂).

♂♀ **californica** Keyserling 1887. Californien, Utah

P. c. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 483 T. 6 F. 44 (D ♂♀).
P. c. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13), Zool. p. 355 T. 38 F. 5 (N).
P. c. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 192 T. 14 F. 5 (D ♂♀).

♀ **cascadae** Schenkel 1951. Canada

P. c. Schenkel 1951, Verh. Nat. Ges. Basel 62 p. 25 f. 35 (D ♀).

♂♀ **concinna** (Thorell) 1877. New England, Colorado, Utah, Labrador, Alaska

Lycosa c. Thorell 1877, Bull. U. Stat. Geol. Surv. 3 (2) p. 506 (D ♀).
P. c. Banks 1894, Journ. N. York Ent. Soc. 2 p. 51 (N).
P. glacialis Emerton 1894, Trans. Connect. Ac. Sci. 9 (a) p. 424 T. 4 F. 2 (D ♂♀).
P. glacialis Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 274 T. 19 F. 25 (D ♀).
P. muscicola Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 401 T. 5 F. 1 (D ♂).
P. glacialis Emerton 1918, Vid. Meddel. Dansk. Nat. Foren. 70 p. 145 f. 7 (N ♀).
P. glacialis Emerton 1919, Rep. Canad. Exped. 3 p. 6 T. 6 F. 17 (N ♀).
P. muscicola Crosby & Bishop 1928, Mem. Cornell Univ. Agr. Exper. Stat. 101 p. 1068 (N).
P. c. Gertsch 1934, Amer. Mus. Novit. 693 p. 18 (N).
P. c. Bishop 1939, Canad. Ent. 81 (4) p. 101 f. . . (N).

♀ **disjuncta** Jackson 1933. Akpatok-Ins.

P. d. Jackson 1933, Proc. Zool. Soc. London (1) p. 146 T. 1 F. 2—3 (D ♀).

♂♀ **distincta** (Blackwall) 1846. Minnesota, Colorado, Utah, Idaho, Wyoming, Connecticut, Canada

Lycosa d. Blackwall 1846, Ann. Mag. Nat. Hist. (1) 17 p. 32 (D ♀).

P. pallida Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 496 T. 49 F. 3 (D ♂♀).
P. pallida Montgomery 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 653 T. 29 F. 3 (N ♀).
P. pallida Emerton 1902, Common Spiders p. 82 f. 197—200 (D ♂♀).
P. pallida Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 271 (D ♀).
P. emertoni Chamberlin 1908, Proc. Ac. Sci. Philad. 60 p. 190 T. 8 F. 6; T. 14 F. 1 (D ♂♀).
P. emertoni Comstock 1912, Spider Book p. 657 f. 731f (N).
P. utahensis Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 258 T. 19 F. 11 (D ♀).
P. d. Gertsch 1934, Amer. Mus. Novit. 693 p. 23 (N).
P. d. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 1 TF. 4, 8 (N ♂♀).
P. utahensis Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 3 TF. 3, 7 (N ♂♀).
P. d. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 333 T. 56 F. 1095—99; T. 57 F. 1119—1121 (D ♂♀).

♀ **diuturna** Fox 1937. Alaska

P. d. Fox 1937, Proc. Ent. Soc. Wash. 30 (5) p. 114 f. 3 (D ♀).
P. d. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 19 T. 10 F. 86 (N ♀).

♂♀ **fuscula** (Thorell) 1875. Labrador, Wyoming

Lycosa f. Thorell 1875, Boston Soc. Nat. Hist. 17 p. 501 (D ♀).
Lycosa f. Jackson 1933, Proc. Zool. Soc. London p. 147 T. 1 F. 5 (D ♂♀).
P. f. Levi 1951, Zoologica, N. York 36 (4) p. 225 f. 12, 15 (D ♂♀).

♂♀ **georgiae** Chamberlin & Ivie 1944. Georgia

P. g. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 147 T. 13 F. 185—186 (D ♂♀).
P. g. Wallace 1950, Florida Entomolog. 33 (2) p. 78 T. 1 F. 1—2 (N ♂♀).

♂ **gertschi** Chamberlin & Ivie 1947. Alaska

P. g. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 19 T. 10 F. 90 (D ♂).

♂♀ **glacialis** (Thorell) 1872. Grönland, Canada, Alaska

Lycosa g. Thorell 1872, Oefv. Vet. Ak. Förh. 29 (2) p. 159 (D ♀).
Lycosa aquilonaris L. Koch 1874, II. Dt. Nordpolfahrt; Wiss. Erg. (Zool. 9) p. 400 T. 1 F. 1 (D ♂♀).
Lycosa g. Cambridge 1877, Ann. Mag. Nat. Hist. (4) 20 p. 281 (N ♂♀).
Lycosa g. Soerensen 1898, Vidensk. Meddel. (5) 10 p. 234 (N).
P. g. Gertsch 1934, Amer. Mus. Novit. 693 p. 18 (N).
Tarentula aquilonaris Fox 1940, Proc. Biol. Soc. Wash. 53 p. 44 f. 2 (D ♀).
P. g. Braendegaard 1946, Medd. Grönland 121 (15) p. 13 f. . . (N).

♀ **harperi** Bishop 1949. Canada

P. h. Bishop 1949, Canad. Ent. 81 (4) p. 100 f. . . (D ♀).

♀ **hetchi** Chamberlin & Ivie 1942. Californien

P. h. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 34 T. 7 F. 75 (D ♀).

♀ **hopi** Chamberlin & Ivie 1942. Arizona

P. h. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 34 T. 6 F. 66 (D ♀).

♀ **johanseni** Gertsch 1933. Canada

P. j. Gertsch 1933, Amer. Mus. Novit. 636 p. 21 TF. 39 (D ♀).

♀ **josemitensis** (Strand) 1908. (nec = **modica** Blackwell) Californien

Lycosa j. Strand 1918, Jahrb. Nassau, Ver. Nat. 61 p. 256 (D ♀).

♂♀ **labradorensis** (Thorell) 1875. Labrador

Lycosa l. Thorell 1875, Proc. Boston Soc. Nat. Hist. 17 p. 502 (D ♂♀).
P. l. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 205 (D ♂♀).

♂♀ **lapidicina** Emerton 1885. U. St. Amerika, Canada

P. l. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 494 T. 48 F. 5 (D ♂♀).
P. venusta Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 69 T. 1 F. 42 (D ♀).
P. obsoleta Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 71 T. 3 F. 45 (D ♀).
P. l. Emerton 1902, Common Spiders p. 78 f. 186—188 (D ♂♀).
P. l. Montgomery 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 652 T. 29 F. 6, 9 (N ♂♀).
P. l. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 272 T. 19 F. 24 (D ♂♀).
P. l. Comstock 1912, Spider Book p. 655 f. 731 g, 732 a (D).
P. l. Gertsch 1934, Amer. Mus. Novit. 693 p. 19 (N).
P. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 337 T. 58 F. 1129; T. 59 F. 1143—45; T. 134 F. 2069 (D ♂♀).

♂♀ **lengi** Gertsch 1933. Labrador

P. l. Gertsch 1933, Amer. Mus. Novit. 636 p. 23 TF. 24, 34 (D ♂♀).

♂♀ **mackenziana** (Keyserling) 1876. Colorado, Utah, Canada Alaska, Connecticut

Lycosa m. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 621 T. 1 F. 7 (D ♀).
Lycosa uncata Thorell 1877, Bull. U. Stat. Geol. Surv. 3 (2) p. 508 (D ♂♀).
P. dorsalis Banks 1894, Journ. N. York Ent. Soc. 2 p. 51 (D ♀).
P. uncata Banks 1894, Journ. N. York Ent. Soc. 2 p. 51 (C).
P. uncata Emerton 1894, Trans. Connect. Ac. Sci. 9 p. 425 T. 3 F. 8 a, b, e (D ♂♀, part.).
P. m. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 207 T. 15 F. 5—7 (D ♂♀).
P. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 335 T. 58 F. 1133—36 (D ♂♀).

♂♀ **metlakatla** Emerton 1917. Columbia, Montana, Canada

P. m. Emerton 1917, Canad. Ent. 49 p. 268 f. 208 f, 20 (3, 4) (D ♂♀).
P. hesperella Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 16 T. 6 F. 6 (D ♀).

♀ **metlakatloides** Schenkel 1951. Californien

P. m. Schenkel 1951, Verb. Nat. Ges. Basel 62 p. 27 f. 36 (D ♀).

♂♀ **milvina** (Hentz) 1844. U. St. Amerika, Canada

Lycosa m. Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 392 T. 18 F. 8 (D ♀).
Lycosa canadensis Blackwall 1871, Ann. Mag. Nat. Hist. (4) 8 p. 429 (D ♀).
Lycosa flavipes Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 616 T. 7 F. 4 (D ♀).
P. m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (1), Zool. p. 273 (N).
P. scita Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 55 p. 573 T. 30 F. 37—38 (D ♂♀).
P. m. Banks 1904, Journ. N. York Ent. Soc. 12 p. 115 T. 5 F. 6 (N ♀).
P. scita Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 272 (D ♂).

P. m. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 179 T. 13 F. 3, 4 (D ♂♀).
P. m. Comstock 1912, Spider Book p. 654 f. 731i, 732e (D).
P. m. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 5 TF. 19—20 (N ♂♀).
P. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 334 T. 56 F. 1100—03; T. 59 F. 1138 (D ♂♀).

♂♀ **modica** (Blackwall) 1846. U. St. Amerika, Labrador, Canada, Alaska

Lycosa m. Blackwall 1846, Ann. Mag. Nat. Hist. (1) 17 p. 33 (D ♂).
P. m. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 202 T. 15 F. 1—2 (D ♂♀).
Lycosa albimontis Strand 1908, Zeitschr. f. Naturw. 81 p. 285 (D ♀).
P. m. Comstock 1912, Spider Book p. 657 f. 731e, 732b (D).
P. m. Gertsch 1933, Amer. Mus. Novit. 636 p. 18 (N).
P. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 336 T. 58 F. 1127—28; T. 59 F. 1142 (D ♂♀).

♂♀ **modica brunnea** (Emerton) 1885. U. St. Amerika

P. brunnea Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 495 T. 48 F. 4 (D ♂♀).
P. m. b. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 205 T. 15 F. 3—4 (D ♂♀).

♂♀ **moesta** Banks 1892. U. St. Amerika

P. m. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 70 T. 3 F. 44 (D ♀).
P. m. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 183 T. 14 F. 9 (D ♀).
P. diffusa Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 207 T. 6 F. 5 (D ♂♀).
P. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 334 T. 57 F. 1122; T. 58 F. 1123; T. 59 F. 1137 (D ♂♀).

♂♀ **montgomeryi** Gertsch 1934. Texas, Neu-Mexico

P. m. Gertsch 1934, Amer. Mus. Novit. 693 p. 24 (D ♀).
P. m. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 3 TF. 1, 5 (N ♂♀).

♂ **mulaiki** Gertsch 1934. Texas

P. m. Gertsch 1934, Amer. Mus. Novit. 693 p. 22 (D ♂).

♂♀ **nebraska** Chamberlin & Ivie 1942. Nebraska

P. n. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 30 T. 7 F. 69—70 (D ♂♀).

♂♀ **nigropalpis** Emerton 1885 (nec = **milvina** Hentz). U. St. Amerika

P. n. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 497 T. 49 F. 1 (D ♂♀).
P. n. Emerton 1902, Common Spiders p. 83 f. 202—204 (D ♂♀).
P. n. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 55 p. 569 T. 30 F. 37—38 (D ♂♀).
P. n. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 275 (D ♂♀).
Lycosa n. Strand 1915, Arch. Naturg. 81 (A; 9) p. 137 (N ♀).

♀ **nordicolens** Chamberlin & Ivie 1947. Alaska

P. n. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 21 T. 10 F. 85 (D ♀).

♂♀ **ontariensis** Gertsch 1933. Utah, Wyoming, Colorado, Ontario

P. coloradensis Banks 1894, Journ. N. York Ent. Soc. 2 p. 51 (D ♀).
Lycosa coloradensis Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 249 T. 18 F. 6—7 (D ♂♀).
P. o. Gertsch 1933, Amer. Mus. Novit. 636 p. 18 TF. 27 (D ♂).

♀ **ourayensis** Gertsch 1933. Colorado

P. o. Gertsch 1933, Amer. Mus. Novit. 636 p. 26 TF. 35 (D ♀).

♀ **platta** Chamberlin & Ivie 1942. Nebraska

P. p. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 31 T. 7 F. 72 (D ♀).

♂♀ **pristina** Fox 1937. Canada

P. p. Fox 1937, Proc. Ent. Soc. Wash. 39 (5) p. 113 f. 1 (D ♂♀).

♀ **prosaica** Chamberlin & Ivie 1947. Alaska

P. p. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 21 T. 10 F. 89 (D ♀).

♂♀ **saxatilis** (Hentz) 1844. U. St. Amerika

Lycosa s. Hentz 1844, Bost. Journ. Nat. Hist. Soc. 4 p. 392 T. 18 F. 9—10 (D ♀).
Lycosa minima Keyserling 1876, Verh. Z. B. Ges. Wien 26 p. 614 T. 7 F. 3 (D ♂).
P. albopatella Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 497 T. 49 F. 2 (D ♂♀).
P. annulata Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 68 T. 1 F. 41 (D ♀).
P. albopatella Emerton 1902, Common Spiders p. 83 f. 205—207 (D ♂♀).
P. minima Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 55 p. 571 T. 30 F. 35—36 (D ♂♀).
P. parvula Banks 1904, Journ. N. York Ent. Soc. 12 p. 114 T. 6 F. 24 (D ♂).
P. minima Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 273 (D ♂♀).
P. s. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 174 T. 13 F. 1—2 (D ♂♀).
P. s. Comstock 1912, Spider Book p. 653 f. 731 h, 732 d (D).
P. atlantica Emerton 1913, Bull. Amer. Mus. Nat. Hist. 32 p. 258 T. 48 F. 7 (D ♂♀).
P. s. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 149 (N ♂♀).
P. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 335 T. 56 F. 1104; T. 58 F. 1124—25; T. 59 F. 1139 (D ♂♀).

♀ **seydi** (Strand) 1908 (nec = **sternalis** Thorell). Californien

Lycosa s. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 258 (D ♀).

♂♀ **sierra** Banks 1898. Neu-Mexico, Californien

P. s. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 274 T. 16 F. 20 (D ♂♀).
Pardosa atromedia Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 355 T. 39 F. 32 (D ♀).

♂♀ **sinistra** (Thorell) 1877 (nec = **groenlandica** Thorell). Colorado

Lycosa s. Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 517 (D ♂♀).

♂♀ **solituda** Levi 1951. Wyoming, Utah

P. s. Levi 1951, Zoologica, N. York 36 (4) p. 225 f. 11, 16 (D ♂♀).

♀ **subra** Chamberlin & Ivie 1942. Oregon

P. s. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 30 T. 7 F. 71 (D ♀).

♀ **sura** Chamberlin & Ivie 1941. Californien

P. s. Chamberlin & Ivie 1941, Bull. Univ. Utah 31 (8), Biol. 6 (3) p. 10 TF. 61 (D ♀).

♂♀ **tetonensis** Gertsch 1933. Yellowstone-Park, Montana

P. t. Gertsch 1933, Amer. Mus. Novit. 636 p. 19 TF. 28, 38 (D ♂♀).

♂ **townsendi** Gertsch 1933. Canada, Labrador

P. t. Gertsch 1933, Amer. Mus. Novit. 636 p. 22 TF. 26 (D ♂).

♂♀ **tristis** (Thorell) 1877 (nec=**groenlandica** Thorell). Idaho, Colorado

Lycosa t. Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 510 (D ♀).
Lycosa iracunda Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 514 (D ♂♀).

♀ **tristoides** Chamberlin & Ivie 1947. Alaska

P. t. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 22 T. 10 F. 88 (D ♀).

♀ **tuoba** Chamberlin 1920. Californien

P. t. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 15 T. 6 F. 3 (D ♀).

♂♀ **umanaki** Gertsch 1933. Grönland

P. u. Gertsch 1933, Amer. Mus. Novit. 636 p. 23 TF. 23, 43 (D ♂♀).

♂♀ **varians** Gertsch 1933. NW.-Territ., Canada

P. v. Gertsch 1933, Amer. Mus. Novit. 636 p. 19 TF. 29, 32 (D ♂♀).

♀ **washatchensis** Gertsch 1933. Utah

P. w. Gertsch 1933, Amer. Mus. Novit. 636 p. 25 TF. 37 (D ♀).

♂♀ **wyuta** Gertsch 1934. Utah, Colorado

P. atra Banks 1894, Journ. N. York Ent. Soc. 2 p. 52 (D ♀).
P. atra Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 188 T. 8 F. 3; T. 8 F. 3, 8; T. 13 F. 8 (D ♂).
P. w. Gertsch 1934, Amer. Mus. Novit. 693 p. 17 (nom. nov.).

♂♀ **xerampelina** (Keyserling) 1876. U. St. Amerika, Canada, Labrador, Alaska

Lycosa x. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 622 T. 1 F. 8 (D ♀).
Lycosa tachypoda Thorell 1878, Amer. Natural. 12 p. 394 (D).
P. montana Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 498 T. 49 F. 5 (D ♂♀).
P. tachypoda Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 427 T. 3 F. 6 (D ♂♀).
P. tristis Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 485 T. 6. F. 45 (D ♀).
P. tachypoda Emerton 1902, Common Spiders p. 81 f. 193—196 (D ♂♀).
Pirata procursus Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 55 p. 583 T. 30 F. 48 (D ♀).
P. tachypoda Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 275 T. 19 F. 26 (D ♀).
P. x. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 198 T. 14 F. 3, 4 (D ♂♀).
P. x. Comstock 1912, Spider Book p. 656 f. 731 a (D).
P. x. Kaston 1948, State Connect. Publ. Docum 47, Bull. 70 p. 337 T. 58 F. 1130—32; T. 59 F. 1146 (D ♂♀).

♂♀ **yavapa** Chamberlin 1925. Colorado, Utah, Arizona

P. y. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 231 (D ♀).
P. saniuana Chamberlin 1928, Canad. Ent. 60 (4) p. 94 (D ♀).
P. orophila Gertsch 1933, Amer. Mus. Novit. 636 p. 28 TF. 45 (D ♀).
P. y. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 3 TF. 2, 6, 9 (N ♂♀).

♂♀ **zionis** Chamberlin & Ivie 1942. Utah
P. z. Chamberlin & Ivie 1942, Bull. Univ. **Utah** 32 (13), **Biol. 7** (1) p. 33 T. 6 F. 65 (D ♂♀).

Gen. **Pardosella** Caporiacco 1939.

Palaearktische Arten:

♂♀ **pentheri** (Nosek) 1905. Kleinasien, Bulgarien
Pardosa p. Nosek 1905, Ann. **Nat. Hofmus.** Wien 20 p. 141 T. 5 F. 21, 24 (D ♂♀).

Aethiopische Arten:

♀ **delesserti** Caporiacco 1939. Aethiopien
P. d. Caporiacco 1939, Miss. Biol. . . Borana p. 332 f. 9 b (D ♀).

♀ **maculata** Caporiacco 1941. Süd-Abessinien
P. m. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, **Zool.** 6 p. 51 f. 13 (D ♀).

♂♀ **zavattarii** Caporiacco 1939. – * Aethiopien
P. z. Caporiacco 1939, Miss. Biol. . . Borana p. 331 f. 9 a (D ♀).
P. z. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, **Zool.** 6 p. 50 f. 12 (D ♂).

♀ **saltuarides** (Strand) 1907. Abessinien
Lycosa saltuaria Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 66 (D ♀).
Lycosa s. Strand 1907, Arch. Naturg. 73 (I; 3) p. 362 (nom. nov.).
Lycosa s. Strand 1908, Arch. Naturg. 74 (I; 1) p. 59 (D ♀).
P. s. Caporiacco 1939, Miss. Biol. . . Borana p. 336 (N).

Neotropische Arten:

♀ **corondaensis** (Mello-Leitao) 1941. Argentinien
Pardosa c. Mello-Leitao 1941, Rev. Mus. La Plata (N.S.) 2, **Zool.** p. 209 f. 10 (D ♀).

Gen. **Pardosops** nov. gen.

Palaearktische Arten:

♂♀ **albatula** (Roewer) 1951. Südost-Europa, Nord-Russland
Lycosa albata L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 36 (D ♂♀) (**praeocc.** Nicolet 1849).
Lycosa albata Bösenberg 1902, **Zoologica** 14 (2—4) p. 376 T. 35 F. 550 (D ♂♀).
Lycosa albata Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 56 T. 2 F. 10 (D ♂♀).
Lycosa albata Kolosvary 1937, Festschr. Strand 3 p. 404 f. 1 (N ♀).
Lycosa albata Kratochvil 1935, **Folia Zool.** Hydrobiol. 8 (1) p. 18—19 f. 9 (N ♂♀).
Lycosa a. Roewer 1951, Verh. Nat. Ver. Bremen 32 (2) p. 438 (nom. nov.).

♂♀ **condolens** (Cambridge) 1885. Jarkand, Karakorum, Kaukasus
Lycosa c. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 88 (D ♂♀).
Pardosa c. Schmidt 1895, **Zool.** Jahrb. Syst. 8 (4) p. 472 (D ♀).
Pardosa c. Caporiacco 1935, Mem. **Soc. Ent. Ital.** 13 p. 239 (N ♂♀).

♂♀ **fortunata** (Cambridge) 1885. Turkestan, Pamir, Jarkand, Karakorum
Lycosa f. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 89 (D ♂♀).
Pardosa f. Schmidt 1895, **Zool.** Jahrb. Syst. 8 (4) p. 474 (N ♀).
Pardosa f. Caporiacco 1935, Mem. **Soc. Ent. Ital.** 13 p. 239 T. 7 F. 3 (N ♂♀).

♂♀ **incilis** (Odenvall) 1901. Transbaikalien

Lycosa i. Odenvall 1901, Oefv. Finsk. Vet. Soc. Förh. 43 p. 264 TF. 8—10, 12, 13 (D ♂♀).

♂♀ **morosa** (L. Koch) 1870. Mittel- u. Süd-Europa

Lycosa m. L. Koch 1870, Jahr. Gel. Ges. Krakau 41 p. 47 (D ♀).
Pardosa m. Simon 1876, Arachn. de France 3 p. 339 (D ♂♀).
Lycosa m. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 58 T. 2 F. 19 (D ♂♀).
Lycosa m. Bösenberg 1902, Zoologica 14 (2—4) p. 380 T. 35 F. 537 (D ♂♀).
Lycosa m. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 386, 429 f. 84 (D ♂♀).
Lycosa m. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 33 f. 83—85 (D ♂♀).
Pardosa m. Simon 1937, Arachn. de France 6 (5) p. 1063, 1078, 1124 f. 1644, 1645, 1677 (D ♂♀).

♂♀ **passibilis** (Cambridge) 1885. Jarkand, Turkestan, Altai-Geb.

Lycosa p. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. 92 (D ♂).
Pardosa p. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 475 (D ♀).

♂♀ **pontica** (Thorell) 1875. – * Krim, Bulgarien

Lycosa p. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 100 (D ♂♀).
Lycosa p. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 142 (D ♂♀).

O♀ **ricta** (Odenvall) 1901. Transbaikalien

Lycosa r. Odenvall 1901, Oefv. Finsk. Vet. Soc. Förh. 43 p. 262 TF. 11 (D O ♀).

♂♀ **subsordidatula** (Strand) 1915. Palästina

Lycosa s. Strand 1915, Arch. Naturg. 81 (A; 2) p. 164 (D ♂♀).

♂ **tenuipes** (L. Koch) 1882 (nec Dahl 1908). Balearen

Pardosa t. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 649 T. 2 F. 24 (D ♀).

♂♀ **turkestanica** (Roewer) 1951. Turkestan

Lycosa velox Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 36 T. 4 F. 24 (D ♂♀) (praeocc. Walckenaer 1837).
Pardosa velox Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 471 (N).
Pardosa velox Schenkel 1936, Ark. Zool. 29 (A; 1) p. 213 f. 68 (D ♀).
Lycosa t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov.).

♂♀ **venatica** (L. Koch) 1882. Balearen

Pardosa v. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 650 T. 21 F. 25—27 (D ♂♀).

virgata (Kulczynski) 1901. Mongolei

Pardosa dimidiata v. Kulczynski 1901, Arachn. in: Horvath, Zool. Erg. 3. Reise Zichy 2 p. 345 (D).

Transgredierende Arten:

♂♀ **tesquorum** (Odenvall) 1901. Transbaikalien, Saghalin, U. St. Amerika, Canada

Lycosa t. Odenvall 1901, Oefv. Finsk. Vet. Soc. Förh. 43 p. 4 f. 5—6 (D ♀).
Lycosa t. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 90 T. 3 F. 108—109 (D ♂♀).
Pardosa albiceps Emerton 1915, Trans. Connect. Ac. Sci. 20 p. 152 T. 3 F. 5 (D ♂♀).

Aethiopische Arten:

♀ **bidentigera** (Strand) 1906. Abessinien

Trabea b. Strand 1906, Zool. Anz. 30 (19—20) p. 686 (D ♀).
Trabea b. Strand 1908, Arch. Naturg. 74 (I; 1) p. 57 T. 2 F. 23 (D ♀).

Neotropische Arten:

♀ **leprevosti** (Mello-Leitao) 1947. Santa Catharina

Pardosa l. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 266 T. 36 F. 20 (D ♀).

Nearktische Arten:

♂♀ **aurantiaca** (Emerton) 1885. U. St. Amerika

Aulonia a. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 499 T. 49 F. 6 (D ♂♀).
Trabea a. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 266 T. 20 F. 31—32 (D ♂).
Trabea a. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 296 T. 11 F. 7—9; T. 12 F. 1—4 (D ♂♀).
Trabea a. Emerton 1909, Trans. Connect. Ac. Sci. 14 T. 6 F. 11 (N).
Trabea a. Comstock 1912, Spider Book p. 649 f. 131b (N).
Trabea a. Wallace 1947, Florida Entomlog. 30 (3) p. 38 (N ♀).
Trabea a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 305 T. 50 F. 997—1000 (D ♂♀).

♀ **impavidula** nom. nov. (nec = **xerampelina** Keyserling). Colorado

Lycosa impavida Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 513 (D ♀) (praeocc. Walckenaer 1837).

Gen. **Passiena** Thorell 1890.

Palaearktische Arten:

♂♀ **bifasciata** (C. L. Koch) 1834. Europa

Lycosa b. C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 125 T. 17—18 (D).
Lycosa b. C. L. Koch 1848, Die Arachniden 15 p. 34 TF. 1439—1440 (D ♂♀).
Lycosa calida Blackwall 1852, Ann. Mag. Nat. Hist. (2) 10 p. 93 (D ♂).
Pardosa b. Simon 1876, Arachn. de France 3 p. 324 (D ♂♀).
Lycosa b. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 546 T. 89 F. 311 (D ♂, nec ♀).
Pardosa b. Becker 1882, Ann. Mus. Nat. Hist. Belg. 10 p. 131 T. 10 F. 5 (D ♂♀).
Lycosa b. Bösenberg 1903, Zoologica (5—6) p. 386 T. 36 F. 568 (D ♂♀).
Pardosa b. Lessert 1904, Rev. Suisse Zool. 12 (2) p. 429 T. 6 F. 35, 36, 41 (D ♂♀).
P. b. Simon 1898, Hist. Nat. Araign. 2 (2) p. 355 (N).
Lycosa b. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 385, 427 f. 83 (D ♂♀).
Pardosa b. Lessert 1910, Catal. Invert. Suisse; Araign. p. 533 (D ♂♀).
Lycosa b. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 34 f. 86—88 (D ♂♀).
Lycosa b. Schenkel 1927, Rev. Suisse Zool. 34 (14) p. 262 (N).
Pardosa b. Simon 1937, Arachn. de France 6 (5) p. 1069, 1077, 1130 f. 1660, 1661, 1674 (D ♂♀).
Lycosa b. Holm 1947, Svensk Spindelfauna 3 p. 31 T. & F. 58—59; T. 10 F. 33 (D ♂♀).

♂♀ **schenkeli** (Lessert) 1904. Schweiz, Russland, Preussen

Pardosa s. Lessert 1904, Rev. Suisse Zool. 12 (2) p. 427 T. 6 F. 34 (D ♀).
Lycosa calida Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 385, 428 f. 82 (D ♂♀).

Pardosa s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 534 (D ♂♀).
Lycosa s. Charitonow 1926, Bull. Inst. Biol. Univ. Perm 4 p. 60 TF. 4 (N ♀).
Lycosa calida F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 38 f. 98—102 (D ♂♀).
Lycosa s. Schenkel 1927, Rev. Suisse Zool. 34 (14) p. 262 (N ♀).
Lycosa calida Palmgren 1939, Act. Zool. Fenn. 25 p. 43, 60, 76 (D ♂♀).

Aethiopische Arten:

♀ **auberti** (Simon) 1898. Transvaal

Pardosa a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 30 (D ♀).
P. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 355 (N).

Orientalische Arten:

♀ **spinicrus** Thorell 1890. – * Indien, Nicobaren, Sumatra, Celebes, Hongkong

P. s. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 140 (D ♀).
P. s. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 186 (D ♀).
P. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 355 (N).

Gen. **Proevippa** Purcell 1903.

♂♀ **lightfooti** Purcell 1903. – * Süd-Afrika

P. l. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 111 T. 8 F. 3 (D ♂♀).

♂ **ovambica** Lawrence 1927. Südwest-Afrika

P. o. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 54 T. 4 F. 82 (D ♂).

♀ **strandi** Lessert 1926. Ost-Afrika

P. s. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 352 f. 13 (D ♀).

Gen. **Pseudevippa** Simon 1909.

♀ **cana** Simon 1910. – * Südwest-Afrika

P. c. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 215 (D ♀).

♀ **gulosa** Lawrence 1952. Natal

P. g. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 223 f. 75 (D ♀).

♂♀ **plumipes** Lessert 1936. Portug. Ost-Afrika

P. p. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 283 f. 79—80 (D ♂♀).

Gen. **Schizogyna** Banks 1929.

♂♀ **tristani** (Banks) 1909. Costa Rica, Panama

Lycosa t. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 218 T. 5 F. 4; T. 6 F. 42 (D ♂♀).
Pardosa albopilosa Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 174 f. 93 (D ♂).
S. t. Banks 1929, Bull. Mus. Comp. Zool. Harvard 69 p. 83 (N).
Schizocosa t. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 22 (N).

Gen. **Trabea** Simon 1876.

(= **Trabaea** Simon 1898).

♂♀ **paradoxa** Simon 1876. Frankreich, Alpen, Corsica, Algier

T. p. Simon 1876, Arachn. de France 3 p. 357 T. 12 F. 10—11 (D ♂♀).
T. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 349 f. 337 (N).
T. p. Simon 1937, Arachn. de France 6 (5) p. 1123, 1141 f. 1776, 1777 (D ♂♀).

Gen. **Zenonina** Simon 1898.

♂♀ **albocaudata** Lawrence 1952. Natal
Z. a. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 224 f. 76 (D ♂♀).

♀ **fusca** Caporiacco 1941. Süd-Abessinien
Z. f. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 52 f. 14 (D ♀).

♀ **mystacina** Simon 1898. Süd-Afrika
Z. m. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 32 (D ♀).
Z. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 357 f. 353—355 (N).

♀ **rehfousi** Lessert 1933. Angola
Z. r. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 141 f. 59—60 (D ♀).

♂ **vestita** Simon 1898. – * Abessinien
Z. v. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 31 (D O).
Z. v. Simon 1898, Hist. Nat. Araign. 2 (2) p. 363 (N).
Z. v. **(= ? squamulata)** Strand 1907, Arch. Naturg. 73 (I; 3) p. 373 (D ♂).

2. *Subfam. Lycosinae*

Nota: Für die **Lycosinae** (= **Tarentulinae** auct. alter.) wurde es notwendig, für die zahlreichen, von den Autoren so verschiedenartig bewerteten Arten neben den von ihnen teilweise zum Genus erhobenen „Gruppen" Simons (1898) weitere Genera (mit festliegendem Genotypus) einzuführen, um eine einigermaßen übersichtliche Gruppierung nach rein morphologischen, eindeutigen Gesichtspunkten (Relativität der Augen, Bezähnelung der Cheliceren, ähnlich wie es bei den Salticiden seit langem durch Simon geschehen ist) zu erreichen, mögen nun die neuen Gruppen als Genera oder Subgenera zu **Lycosa** gewertet werden.

Gen. **Agalenoscosa** Mello-Leitao 1944.

Orientalische Arten:

♂♀ **subinermis** (Simon) 1897. Indien
Lycosa s. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 295 (D ♂♀).

Australische Arten:

♀ **fallax** (L. Koch) 1877. Queensland
Lycosa f. L. Koch 1877, Arachn. Austral. 1 (2) p. 934 T. 80 F. 8 (D ♀).

♀ **kolbei** (Dahl) 1908. Bismarck-Archipel
Hogna k. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 228, 230, 235 f. 8 (D ♀).

♀ **leucophaeoides** (Roewer) 1951. Australien
Lycosa leucophaea L. Koch 1877, Arachn. Austral. 1 (2) p. 948 T. 82 F. 3 (D ♀) (praeocc. Blackwall 1837).
Hogna l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov.).

Neotropische Arten:

♂♀ **bryantae** (Roewer) 1951. Haiti
Lycosa festina Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 353 T. 2 F. 11; T. 3 F. 22 (D ♂♀) (praeocc. L. Koch 1877).
Trochosa b. Roewer 1951. Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.)

♀ **chacoensis** (Mello-Leitao) 1942. Argentin. Chaco
Lycosa c. Mello-Leitao 1948, Rev. Mus. La Plata (N. S.) 2, Zool. p. 394 f. 7 (D ♂).

♂♀ **denisi** (Caporiacco) 1947. Brit. Guiana
Trochosa d. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 23 (D ♂♀).
Trochosa d. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 639 TF. 39—41 (D ♂♀).

♀ **fimbriata** Mello-Leitao 1944. Buenos Aires
A. f. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 366 f. 22 (D ♀).

♀ **gentilis** Mello-Leitao 1944. Buenos Aires
A. g. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 336 f. 23 (D ♀).

♀ **helvola** (C. L. Koch) 1848. Mexico, Columbien
Lycosa h. C. L. Koch 1948, Die Arachniden 14 p. 153 TF. 1380 (D ♀).
Tarentula granadensis Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 646 T. 7 F. 26 (D ♀).
Lycosa granadensis Mello-Leito 1941, An. Ac. Bras. Ci. 13 (4) p. 272 (C).

♂ **melanotaeniata** (Mello-Leitao) 1941. Argentinien
Lycosa m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 208 f. 8—9 (D ♂).

♀ **pickeli** (Mello-Leitao) 1937. Brasilien
Lycosa p. Mello-Leitao 1937, Ann. Ac. Bras. Sci. 9 (2) p. 89 f. 5—6 (D ♀).

♂♀ **punctata** Mello-Leitao 1944. Buenos Aires
A. p. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 337 f. 24—25 (D ♂♀).

♂♀ **singularis** Mello-Leitao 1944. – * Buenos Aires
A. s. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 338 f. 26—27 (D ♂♀).

♀ **yaucensis** (Petrunkevitch) 1929. Portorico
Lycosa y. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 99 f. 81 (D ♀).

Gen. **Allocosa** Banks 1900.

Palaearktische Arten:

♂ **albonotata** (Schmidt) 1895. Ost-Sibirien
Lycosa a. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 461 (D ♂).

♂♀ **baulnyi** (Simon) 1876. Algier, Tunis
Lycosa b. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 74 T. 3 F. 20—21 (D ♀).
Tarentula b. Strand 1907, Arch. Naturg. 73 (I; 3) p. 295 (D ♂).
Hogna b. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 119 (C).

♂♀ **cambridgei** (Simon) 1876. Kleinasien, Syrien
Lycosa c. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 84 T. 3 F. 11—12 (D ♂♀).

♀ **deserticola** (Simon) 1898. Aegypten
Lycosa d. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 28 (D ♀).

♀ **dufouri** (Simon) 1876. Spanien, Portugal
Lycosa d. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 80 T. 3 F. 3 (D ♀).
Tarentula d. Strand 1915, Arch. Naturg. 81 (A; 9) p. 41 (C).

♂♀ **fasciiventris** (Dufour) 1835. Spanien
Lycosa f. Dufour 1835, Ann. Sci. Nat. Paris (2), Zool. 3 p. 161 (D).
Lycosa f. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 68 T. 3 F. 4—7 (D ♂♀).

♀ **handschini** (Schenkel) 1937. Marokko
Lycosa h. Schenkel 1937, Festschr. Strand 3 p. 393 f. 9 (D ♀).

♂ **mogadorensis** (Simon) 1909. Marokko
Lycosa m. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 37 (D ♂).

♀ **munieri** (Simon) 1876. Algier
Lycosa m. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 70 (D ♀).

♀ **nordmanni** (Thorell) 1875. Süd-Russland, Krim, Kaukasus
Tarentula n. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 105 (D ♀).
Tarentula n. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 161 (D ♀).
Lycosa n. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 449 (N).

♂♀ **oculata** (Simon) 1876. Corsica, Sardinien, Tunis, Marokko
Tarentula apuliae Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 348 (80) (D ♀, part.).
Lycosa o. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 86 T. 3 F. 13—14 (N ♂♀).
Lycosa o. Simon 1876, Arachn. de France 3 p. 239 (D ♂♀).
Lycosa (Hogna) cunicularia Simon 1886, Arachn. in: Explor. Sci. Tunis p. 7 (D ♀).
Lycosa o. Simon 1937, Arachn. de France 6 (5) p. 1093, 1132 f. 1698, 1699 (D ♂♀).

♀ **olivieri** (Simon) 1876. Syrien, Palästina
Lycosa o. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 83 T. 3 S. 10 (D ♀).

♂ **pia** (Bösenberg & Strand) 1906. Japan
Tarentula p. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 320 T. 13 F. 324 (D ♂).

♂♀ **sefrana** (Schenkel) 1937. Algier
Lycosa s. Schenkel 1937, Festschr. Strand 3 p. 390 f. 8 (D ♂♀).

♂♀ **tarentulina** (Audouin) 1827. Nord-Afrika, Arabien
Lycosa t. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 363 T. 4 F. 2 (D ♂♀).
Lycosa t. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 304 (D ♀).
Tarentula t. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Tarentula t. Cambridge 1876, Proc. Zool. Soc. London p. 601 (N).
Tarentula t. Strand 1907, Arch. Naturg. 73 (I; 3) p. 294 T. 8 F. 20 (D ♀).

♂♀ **tremens** (Cambridge) 1876. Nord-Afrika
Tarentula t. Cambridge 1876, Proc. Zool. Soc. London p. 602 (D ♂, vidi).
Lycosa t. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 10 (D ♀) (nec: **Trochosina** Simon, vidi ♀ Paris).
Lycosa t. Simon 1908, Zool. Jahrb. Syst. 26 (4) p. 436 (N).

Aethiopische Arten:

♀ **adolphi-friederici** (Strand) 1913. Centr.-Afrika
Tarentula a. Strand 1913, Arachn. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 453 (D ♀).

♂♀ **algoensis** (Pocock) 1900. Capland
Lycosa a. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 329 (D ♀).
Lycosa bessiana Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 329 (D ♂).

♀ **aurata** (Purcell) 1903. Süd-Afrika
Lycosa a. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 119 T. 8 F. 12 (D ♀).

♀ **delessertii** (Caporiacco) 1941. Süd-Abessinien
Hogna d. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 39 f. 8 (D ♀).

♂ **faberrima** (Simon) 1910. Südwest-Afrika
Lycosa f. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 213 (D ♂).

♀ **gracilitarsis** (Purcell) 1903. Transvaal
Lycosa g. Purcell 1903, Ann. S. Afr. Mus. 3 (5) p. 119 (D ♀).

♀ **hirsuta** (Bösenberg & Lenz) 1895. Abessinien, Centr.-Afrika
Tarentula h. Bösenberg & Lenz 1895, Jahresh. Hambg. Wiss. Anst. 12 (2) p. 38 T. 2 F. 16 (D ♀).
Tarentula h. (= ? **abyssinica**) Strand 1907, Arch. Naturg. 73 (I; 3) p. 313 T. 8 F. 29 (D ♀).
Hogna h. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 792 (N ♀).

♀ **illegalis** (Strand) 1906. Abessinien
Tarentula i. Strand 1906, Zool. Anz. 30 (19—20), p. 673 (D ♂♀).
Tarentula i. Strand 1907, Arch. Naturg. 73 (I; 3) p. 311 T. 8 F. 28 (D ♀).
Hogna i. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 120 (N).

♀ **ituriana** (Strand) 1913. Centr.-Afrika
Tarentula i. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 442 (D ♀).

♀ **kalaharensis** (Simon) 1910. Kalahari
Lycosa k. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 212 (D ♀).
Lycosa k. Lawrence 1936, Ann. Transvaal Mus. 17 (2) p. 156 (N ♀).

♀ **karissimbica** (Strand) 1913. Centr.-Afrika
Tarentula k. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 441 (D ♀).

♀ **lamperti** (Strand) 1906. West-Afrika
Tarentula l. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 92 f. 2 (D ♀).

♀ **mafensis** (Lawrence) 1927. Südwest-Afrika
Lycosa m. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 48 T. 2 F. 36 (D ♀).

♀ **marshalli** (Pocock) 1901. Mashonaland
Lycosa m. Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 388 (D ♀).

♂♀ **mirabilis** (Strand) 1906. Abessinien
Tarentula m. Strand 1906, Zool. Anz. 30 (19—20) p. 675 (D ♂).
Tarentula m. Strand 1907, Arch. Naturg. 73 (I; 3) p. 326 T. 8 F. 36—37 (D ♂♀).

♀ **mirabilis ruwenzorensis** (Strand) 1913. Ruwenzori-Geb.
Tarentula m. r. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 441 (D ♀).

♀ **molicola** (Strand) 1906. Abessinien
Tarentula m. Strand 1906, Zool. Anz. 30 (19—20) p. 685 (D ♀).
Tarentula m. Strand 1908, Arch. Naturg. 74 (I; 1) p. 51 T. 2 F. 25 (D ♀).

♀ **nigella** (Caporiacco) 1940. Abessinien
Trochosa n. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 794 f. 12 (D ♀).

♀ **pallideflava** (Lawrence) 1936. Kalahari
Lycosa p. Lawrence 1936, Ann. Transvaal Mus. 17 (2) p. 156 f. 8 (D ♀).

♀ **parvivulva** (Lawrence) 1927. Südwest-Afrika
Lycosa p. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 49 T. 2 F. 37 (D ♀).

♀ **pistia** (Strand) 1913. Centr.-Afrika, Aethiopien
Tarentula p. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 444 (D ♀).
Pirata p. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 127 (N).

♀ **schönlandi** (Pocock) 1900. Capland
Lycosa s. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 328 (D ♀).

♀ **schubotzi** (Strand) 1913. Centr.-Afrika
Tarentula s. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 496 (D ♀).

♂ **sjöstedti** (Lessert) 1926. Ost-Afrika
Lycosa s. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 338 f. 4 (D ♂).

♂♀ **tuberculipalpus** (Caporiacco) 1940. Abessinien, Uganda
Trochosa t. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 795 f. 13 (D ♂♀).
Trochosa t. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 123 (N ♀).

♂♀ **umtalica** (Purcell) 1903. Mashonaland, Ost-Afrika
Lycosa u. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 121 T. 8 F. 14 (D ♀).
Trochosa u. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 121 (D ♂, N ♀).

Orientalische Arten:

♀ **comotti** (Thorell) 1887. Burma
Tarentula c. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 307 (D ♀).

♀ **fuscana** (Pocock) 1901. Indien
Lycosa f. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 485 (D ♀).

♀ **iranii** (Pocock) 1901. Indien
Lycosa i. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 485 (D ♀).

♀ **laetella** (Strand) 1907. Halmahera
Tarentula l. Strand 1907, Zool. Anz. 31 (17—18) p. 565 (D ♀).
Tarentula l. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 74 TF. 45 (D ♀).

♀ **lombokensis** (Strand) 1913. Lombok
Tarentula l. Strand 1913, Arch. Naturg. 79 (A; 6) p. 122 (D ♀).
Tarentula l. Strand 1915, Abh. Senckenbg. Ges. 36 (2) p. 259 T. 19 F. 98 (D ♀).

♀ **masteri** (Pocock) 1901. Indien
Lycosa m. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 484 (D ♀).

♂♀ **phipsoni** (Pocock) 1899. Indien, Burma

Tarentula nigrotibialis Thorell 1887, Ann. Mus. Civ. Genova 25 p. 305 (N ♀) (nec Simon 1884).
Tarentula nigrotibialis Thorell 1895, Descr. Catal. Spid. Burma p. 236 (N ♀).
Lycosa p. Pocock 1899, Journ. Bombay Nat. Hist. Soc. 12 p. 751 (D ♂♀).
Lycosa p. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 253 f. 85 (D ♂♀).
Lycosa goliathus Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 484 (D ♀).
Tarentula nigrotibialis (= ? **nigrotibiella**) Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 72 (D ♀).
Lycosa nigrotibialis Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 600 f. 2 B; 3 C—E(D ♀).
Lycosa nigrotibialis Sinha 1951, Rec. Ind. Mus. Calcutta 48 (2) p. 23 f. . . (N).

♀ **phipsoni leucophora** (Thorell) 1887. Burma

Tarentula nigrotibialis l. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 306 (D ♀).

♀ **pictula** (Pocock) 1901. Indien

Lycosa p. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 486 (D ♀).

♀ **prolifica** (Pocock) 1901. Indien

Lycosa p. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 485 (D ♀).
Lycosa p. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 600 (N).

♂ **tagax** (Thorell) 1897. Burma

Tarentula t. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4—6) p. 23 (D ♂).

o **tenebrosa** (Thorell) 1897. Burma

Tarentula t. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 12 (4—6) p. 24 (D o).

Transgredierende Arten:

♂♀ **laeta** (L. Koch) 1877. Flores, Australien

Lycosa l. L. Koch 1877, Arachn. Austral. 1 (2) p. 944 T. 81 F. 7; T. 82 F. 1 (D ♂♀).
Tarentula l. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 382 (D ♀).

♀ **laeta curticeps** (Strand) 1913. Centr.-Australien

Tarentula l. c. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 621 (D ♀).

♀ **laeta protruda** (Strand) 1913. Centr.-Australien

Tarentula l. p. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 620 (D ♀).

♂♀ **obscuroides** (Strand) 1906. Java, Australien

Lycosa obscura L. Koch 1877, Arachn. Austral. 1 (2) p. 954 T. 83 F. 1—2 (D ♂♀).
Lycosa obscura Hogg 1905, Proc. Zool. Soc. London (2) p. 571 (N).
Tarentula o. Strand 1906, Fauna Arctica 4 p. 467 (nom. nov).
Tarentula o. (= ? **seuberti**) Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 445 (D ♀).

Australische Arten:

♀ **abmingani** (Hickman) 1914. Süd-Australien

Lycosa a. Hickman 1914, Trans. R. Soc. S. Austral. 68 (1) p. 28 T. 2 F. 15 (D ♀).

♀ **australicola** (Strand) 1913. Centr.-Australien

Tarentula a. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 618 (D ♀).

O♀ **bicolor** (Hogg) 1905. Australien

Lycosa b. Hogg 1905, Proc. Zool. Soc. London (2) p. 580 f. 85 (D O ♀).

♀ **castanea** (Hogg) 1905. Süd-Australien
Lycosa c. Hogg 1905, Proc. Zool. Soc. London (2) p. 577 f. 83 (D ♀).

♀ **clara** (L. Koch) 1877. Australien
Lycosa c. L. Koch 1877, Arachn. Austral. 1 (2) p. 912 T. 79 F. 1 (D ♀).
Lycosa c. Hogg 1905, Proc. Zool. Soc. London (2) p. 571 (N).
Lycosa c. Hogg 1914, Proc. Zool. Soc. London (1) p. 88 (N ♀).

o **danneili** (Dahl) 1908. Bismarck-Archipel
Hogna d. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 230, 231, 234 (D o).

♀ **finkei** (Hickman) 1944. Süd-Australien
Lycosa f. Hickman 1944, Trans. R. Soc. S. Austral. 68 (1) p. 31 T. 2 F. 17—18 (D ♀).

♂♀ **flavisternis** (L. Koch) 1877. Queensland, Neu-S.-Wales
Lycosa f. L. Koch 1877, Arachn. Austral. 1 (2) p. 950 T. 82 F. 4—5 (D ♂♀).

♂♀ **furcillata** (L. Koch) 1867. Queensland, Neu-S.-Wales
Lycosa f. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 201 (D).
Lycosa f. L. Koch 1877, Arachn. Austral. 1 (2) p. 903 T. 78 F. 1—2 (D ♂♀).

♀ **halei** (Hickman) 1944. Australien (nördl. Territ.)
Lycosa h. Hickman 1944, Trans. R. Soc. S. Austral. 68 (1) p. 34 T. 2 F. 21 (D ♀).

♂♀ **hasseltii** (L. Koch) 1877. Queensland, Süd-Australien
Lycosa h. L. Koch 1877, Arachn. Austral. 1 (2) p. 960 T. 83 F. 5 (D ♀).
Lycosa h. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 794 (D ♂, N ♀).

♀ **hostilis** (L. Koch) 1877. Queensland
Lycosa h. L. Koch 1877, Arachn. Austral. 1 (2) p. 939 T. 81 F. 5 (D ♀).

♀ **hugonis** (Strand) 1911. Aru-Ins.
Tarentula h. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 171 T. 5 F. 72 (D ♀).

♀ **impedita** (Simon) 1909. West-Australien
Lycosa i. Simon 1909, Faun. S. W. Austral. 2 (12) p. 187 f. 6 (D ♀).

♀ **molyneuxi** (Hogg) 1905. Neu-S.-Wales
Lycosa m. Hogg 1905, Proc. Zool. Soc. London (2) p. 575 f. 82 (D ♀).

♀ **ornatula** (L. Koch) 1877. Australien
Lycosa o. L. Koch 1877, Arachn. Austral. 1 (2) p. 902 T. 77 F. 6 (D ♀).

♂♀ **palabunda** (L. Koch) 1877. Australien, Neu-Caledonien, Südsee-Ins.
Lycosa p. L. Koch 1877, Arachn. Austral. 1 (2) p. 906 T. 78 F. 3—4 (D ♂♀).

♀ **percauta** (Simon) 1909. West-Australien
Lycosa p. Simon 1909, Fauna S. W. Austral. 2 (12) p. 187 (D ♀).

♀ **propitia** (Simon) 1909. West-Australien
Lycosa p. Simon 1909, Fauna S. W. Austral. 2 (12) p. 186 f. 6 (D ♀).

♀ **retiruga** (Simon) 1905. Chatham-Ins.
Lycosa r. Simon 1905, Zool. Jahrb. Syst. 21 (4) p. 422 (D ♀).

♀ **samoana** (Roewer) 1951. Samoa
Lycosa inornata L. Koch 1877, Arachn. Austral. 1 (2) p. 938 T. 81 F. 4 (D ♀). (praeocc. Giebel 1863).
Tarentula s. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 441 (nom. nov.).

♂♀ **tula** (Strand) 1913. Centr.-Australien
Tarentula t. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 622 (D ♂♀).

♀ **woodwardi** (Simon) 1909. West-Australien
Lycosa w. Simon 1909, Fauna S. W. Austral. 2 (12) p. 182 (D ♀).

♂ **zualella** (Strand) 1907. Sydney
Tarentula z. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 219 (D ♂).

Neotropische Arten:

♂♀ **alachua** (Gertsch & Wallace) 1935. Florida
Pirata a. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 9 TF. 34, 36 (D ♂♀).

♂ **allapahae** (Gertsch) 1940. Florida
Pirata a. Gertsch 1940, Florida Entomol. 23 (2) p. 23 f. 9 (D ♂).

♂♀ **apora** Gertsch 1934. Costa Rica, Mexico
Arctosa a. Gertsch 1934, Amer. Mus. Novit. 693 p. 8 (D ♂♀).

♂♀ **australis** (Simon) 1884. Patagonien, Feuerland
Lycosa a. Simon 1884, Bull. Soc. Zool. France 9 p. 119 T. 3 F. 1 (D ♂♀).
Lycosa a. Simon 1887, Miss. Sci. Cap Horn (Zool.) 6 p. E6 T. 1 F. 1 (D ♂♀).
Lycosa a. Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 254 T. 19 F. 10 (N ♂).

♀ **browni** (Gertsch & Davis) 1940. Mexico
Pirata b. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 9 TF. 18 (D ♀).

♀ **calamarica** (Strand) 1914. Columbien
Tarentula c. Strand 1914, Neuchât. Mém. Soc. Sci. Nat. 5 p. 817 (D ♀).
Lycosa c. Mello-Leitao 1941, An. Ac. Bras. Ci. 13 (4) p. 272 (N).

♀ **dubia** (Walckenaer) 1837. Brasilien
Lycosa d. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 338 (D ♀).
Leimonia d. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 352 (C).
Lycosa exalbida Becker 1881, Ann. Soc. Ent. Belg. 25 C. R. p. 46 T. 2 F. 3 (D ♀).
A. exalbida Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 292 (N ♀).
Lycosa d. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 (N).

♀ **evagata** (Chamberlin) 1908. Nieder-Californien
Aulonia funerea Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 273 (C).
A. e. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 290 T. 23 F. 4 (D ♀).

♀ **felix** (Cambridge) 1898. Mexico, Guatemala
Pirata f. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 243 T. 33 F. 6 (D ♀).
Pirata f. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 330 T. 31 F. 23 (N ♀).

♂♀ **floridiana** (Banks) 1896. Florida bis Mexico
Trochosa f. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 72 (D ♀).
Lycosa f. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 283 (D ♀).

Arctosa seminola Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 552 (C).
Arctosa f. Gertsch 1934, Amer. Novit. 693 p. 11 (N).
Arctosa absoluta Gertsch 1934, Amer. Mus. Novit. 726 p. 9 TF. 1 (D ♂).

♂♀ **grata** (Gertsch & Davis) 1940. Mexico
Pirata g. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 10 TF 19, 21 (D ♂♀).

♂♀ **guianensis** (Caporiacco) 1947. Brit. Guiana
Trochosa g. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 22 (D ♂).
Trochosa g. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 637 TF. 32—34 (D ♂♀).

♂♀ **implacida** (Nicolet) 1849. Chile
Lycosa i. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 358 T. 2 F. 10 (D ♀).
Lycosa strenua Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 359 T. 2 F. 11 (D ♂).
Tarentula stygia Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 642 T. 1 F. 23 (D ♀).
Lycosa i. Simon 1884, Bull. Soc. Zool. France 9 p. 120 (N).

♀ **martinicensis** (Strand) 1910. Martinique
Tarentula (A.) m. Strand 1910, Societas Ent. 25 p. 17 (D ♀).

♂♀ **mayaca** (Gertsch) 1940. Florida
Pirata m. Gertsch 1940, Florida Entomolg. 23 (2) p. 21 f. 5—6 (D ♂♀).

♂ **moresoliana** (Gertsch & Davis) 1940. Mexico
Arctosa m. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 8 TF. 15—17 (D ♂).

♂ **mutillata** Mello-Leitao 1937. Brasilien
A. m. Mello-Leitao 1937, Ann. Ac. Bras. Sci. 9 (2) p. 90 f. 7 (D ♂).

♀ **nanahuensis** (Badcock) 1932. Paraguay-Chaco
Lycosa n. Badcock 1932, Journ. Linn. Soc. London (Zool.) 38 (257) p. 36 f. 27 (D ♀).

♀ **orinus** (Chamberlin) 1916. Peru
Lycosa o. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 284 T. 24 F. 1 (D ♀).

♂♀ **panamena** Chamberlin 1925. Panama
A. p. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 225 (D ♂♀).
A. panamana Banks 1929, Bull. Mus. Comp. Zool. Harvard 69 (3) p. 83 T. 4 F. 54 (N ♀).

♂ **paraguayensis** (Roewer) 1951. Paraguay
Lycosa schenkeli Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 52 f. 11—13 (D ♂) (praeocc. Charitonow 1926).
Trochosa p. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.).

♀ **pardala** (Strand) 1909. Brasilien
Trochosa p. Strand 1909, Zeitschr. f. Naturwiss. 81 (4) p. 280 (D ♀).

♀ **pugnatrix** (Keyserling) 1876. Centr.-Amerika, Westindien
Tarentula p. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 637 T. 7 F. 19 (D ♀).

♀ **soluta** (Tullgren) 1905. Bolivien

Lycosa s. Tullgren 1905, Ark. Zool. 2 (19) p. 60 T. 7 F. 28 (D ♀).

♂♀ **suwanea** (Gertsch) 1940. Florida, Georgia

Pirata s. Gertsch 1940, Florida Entomolog. 23 (2) p. 20 f. 1—2 (D ♂♀).
Pirata s. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 151 (N ♂♀).

♂ **veracruzana** (Gertsch & Davis) 1940. Mexico

Arctosa v. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 6 TF. 9—11 (D ♂).

Transgredierende Arten:

♂♀ **parallela** (Banks) 1898. Nieder-Californien, Nevada, Mexico

Pardosa p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 276 T. 16 F. 27 (D ♀).
Schizocosa celerior Chamberlin 1910, Ent. News 21 p. 2 T. 1 F. 1—2 (D ♂♀).
Schizocosa celerior Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 18 (N).
Schizocosa p. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 10 (N).

Nearktische Arten:

♂♀ **arenicola** (Emerton) 1909. Massachusets, Connecticut

Pirata aspirans Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 303 T. 27 F. 5 (D ♂, nec ♀).
Pirata insularis Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 309 T. 22 F. 4 (D ♂, nec ♀).
Pirata a. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 208 T. 6 F. 9 (D ♂♀).
Pirata insularis Comstock 1912, Spider Book p. 645 f. 724 e (N ♀, nec ♂).
Pirata a. Gertsch 1934, Amer. Mus. Novit 603 p. 11 (N, part.).
Pirata a. Kaston 1938, Canad. Ent. 70 p. 16 f. 2 (N ♀).
Pirata a. Kaston 1948, State Connect. Publ. Docum 47, Bull. 70 p. 311 T. 49 F. 989; T. 50 F. 1002; T. 51 F. 1012 (D ♂♀).

♀ **aspirans** (Chamberlin) 1904. Dakota, Connecticut

Pirata a. Chamberlin 1904, Canad. Ent. 36 p. 286 (D ♀).
Pirata a. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 303 T. 27 F. 6 (D ♀, nec ♂).
Pirata a. Comstock 1912, Spider Book p. 643 f. 724 (N ♀, nec ♂).
Pirata arenicola Gertsch 1934, Amer. Mus. Novit. 603 p. 11 (N, part.).

♂ **chamberlini** (Gertsch) 1934. Utah, Arizona

Arctosa c. Gertsch 1934, Amer. Mus. Novit. 693 p. 10 (D ♂).

♂♀ **frondicola** (Emerton) 1885. U. St. Amerika

Tarentula modesta Thorell 1877, Bull. U. Stat. Geol. Surv. 3 (2) p. 520 (D ♀).
Lycosa f. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 484 T. 46 F. 3 (D ♀).
Lycosa nigroventris Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 488 T. 47 F. 5 (D ♂♀).
Tarentula pudens Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 564 (N).
Lycosa f. Stone 1890, Proc. Ac. Nat. Sci. Philad. p. 426 T. 15 F. 2 (N ♀).
Lycosa modesta Banks 1894, Proc. N. York Ent. Soc. 2 p. 50 (N).
Trochosa f. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 565 T. 30 F. 28—29 (D ♂♀).
Trochosa f. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 306 (D ♂♀).
Lycosa f. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 258 T. 18 F. 4—5 (D ♂♀).
Lycosa f. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 203 (N ♀).
Lycosa f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 328 T. 57 F. 1110—13 (D ♂♀).

♂♀ **funerea** (Hentz) 1844. – * U. St. Amerika

Lycosa f. Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 393 T. 18 F. 11 (D ♀).
Lycosa rugosa Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 624 T. 4 F. 9—10 (D ♂).
Pardosa nigra Stone 1890, Proc. Ac. Nat. Sci. Philad. p. 432 T. 15 F. 4 ((D ♀).
A. f. Banks 1900, Proc. Ac. Nat. Sci. Philad. p. 539 (N).
Pardosa nigra Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 538 T. 29 F. 1 (D ♀).
A. f. Banks 1904, Journ. N. York Ent. Soc. 12 p. 113 (N).
Lycosa nigra Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 285 T. 20 F. 40—41 (D ♂♀).
A. rugosa Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 285 T. 23 F. 3 (D ♂♀).
Lycosa f. Emerton 1913, Trans. Connect. Ac. Soc. 18 p. 220 T. 2 F. 13 (D ♀).
A. rugosa Bishop & Crosby 1926, Journ. Elisha Mitch, Sci. Soc. 41 (3—4) p. 205 (N ♂).
A. f. Gertsch 1934, Amer. Mus. Novit. 693 p. 9 (N).
A. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. T. 54 F. 1054 (D ♂♀).

♂♀ **georgicola** (Walckenaer) 1837. Georgia bis Florida

Lycosa g. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 338 (D ♀).
Lycosa riparia Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 389 T. 17 F. 13—15 (D ♂♀).
Tarentula g. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Lycosa albopunctata Tullgren 1901, Bih. Svensk. Vet. Ak. Handl. 27 (4; 1) p. 18 T. 1 F. 8 (D ♀).
Lycosa riparia Banks 1904, Proc. Ac. Nat. Sci. Philad. p. 121 (N).
Lycosa riparia Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 234 T. 17 F. 5—6 (D ♂♀).
Lycosa g. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 143 T. 3 F. 57 (D ♀).
Lycosa riparia Wallace 1950, Florida Entomolog. 33 (2) p. 74 T. 1 F. 6 (N ♀).

♂♀ **humicola** (Montgomery) 1902. U. St. Amerika

Pirata h. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 575 T. 30 F. 40—41 (D ♂♀).
Aulonia h. Montgomery 1904, Proc. Ac. Sci. Philad. 56 p. 265 T. 20 F. 33 (D ♀).
Pirata h. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 305 (D ♂♀).

♂♀ **insularis** (Emerton) 1885. U. St. Amerika

Pirata i. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 492 T. 48 F. 8 (D ♀).
Pardosa bilobata Tullgren 1901, Bih. Svensk. Vet. Ak. Handl. 27 (4; 1) p. 22 T. 1 F. 12 (D ♀).
Pirata liber Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 578 T. 30 F. 42—43 (D ♂♀).
Pirata liber Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 311 (D ♂♀).
Pirata i. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 309 T. 22 F. 4 (D ♀, nec ♂).
Pirata bilolata Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 315 (D ♀).
Pirata i. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 208 T. 6 F. 7 (N).
Pirata sylvestris Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 209 T. 6 F. 8 (♂, nec ♀).
Pirata i. Kaston 1938, Canad. Ent. 70 p. 16 f. 10 (N ♀).
Pirata i. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 310 T. 49 F. 987—88; T. 50 F. 1005; T. 51 F. 1011 (D ♂♀).
Pirata i. Wallace 1950, Florida Entomolg. 33 (2) p. 77 T. 2 F. 9 (N ♀).

♂♀ **maculata** (Emerton) 1909. Connecticut, New York

Pirata m. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 209 T. 6 F. 10 (D ♀).
Pirata arenicola Gertsch 1934, Amer. Mus. Novit. 693 p. 11 (part.).
Pirata m. Kaston 1938, Canad. Ent. 70 p. 16 f. 3 (N ♀).
Pirata m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 311 T. 49 F. 990—991; T. 50 F. 1007; T. 51 F. 1013 (D ♂♀).

♂ **millica** (Strand) 1906. Californien

Lycosa (spec.) Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 354 (N ♂).
Tarentula m. Strand 1906, Zool. Zentralbl. 13 p. 784 (N ♂).

♂ **mimula** (Gertsch) 1934. Colorado

Lycosa m. Gertsch 1934, Amer. Mus. Novit. 726 p. 5 (D ♂).

♂♀ **modesta** (Keyserling) 1876. U. St. Amerika

Tarentula m. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 626 T. 1 F. 11—12 (D ♂♀).
Lycosa m. Kaston 1938, Canad. Ent. 70 p. 15 (N).
Lycosa m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 327 T. 54 F. 1067—69 (D ♂♀).

♂ **mokiensis** Gertsch 1934. Arizona

A. noctuabunda Gertsch 1933, Amer. Mus. Novit. 637 p. 8 TF. 11 (N ♂).
A. m. Gertsch 1934, Amer. Mus. Novit. 693 p. 8 (D ♂).

♂♀ **noctuabunda** (Montgomery) 1904. Texas, Florida, Mexico

Trochosa n. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 301 T. 18 F. 9—10 (D ♂♀).
A. degesta Chamberlin 1904, Canad. Ent. 36 p. 287 (D ♀).
A. degesta Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 288 T. 10 F. 1—2; T. 21 F. 5 (D ♀).
A. pylora Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 226 (D ♂).
A. n. Gertsch 1934, Amer. Mus. Novit. 693 p. 7 (N).

♂♀ **parva** (Banks) 1894. Californien, Nevada

Trochosa p. Banks 1894, Journ. N. York Ent. Soc. 2 p. 52 (D ♀).
Trochosa p. Banks 1902, Proc. U. St. Nat. Mus. 25 p. 217 T. 7 F. 10 (D ♀).
Arctosa p. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 332 (N).
A. p. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 289 T. 20 F. 7 (D ♂♀).

♂o **retenta** (Gertsch & Wallace) 1935. Texas

Lycosa r. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 17 TF. 30 (D ♂o).

♀ **scalaris** (Thorell) 1877. Colorado, Arizona

Tarentula s. Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 521 (D ♀).
Lycosa s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 567 (C).

♂♀ **sublata** (Montgomery) 1902. Tennessee

Lycosa s. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 539 T. 29 F. 2 (D ♀).
A. s. Banks 1904, Journ. N. York Ent. Soc. 12 p. 113 T. 16 F. 23 (D ♂).
Trochosa s. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 308 (D ♀).
A. funerea Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 287 T. 10 F. 3—4 (D ♀).
Arctosa s. Gertsch 1934, Amer. Mus. Novit. 693 p. 7 (N).

♂♀ **virgo** Chamberlin 1925. Maryland, Virginia, Ohio

A. v. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 (4) p. 226 (D ♀).
Arctosa v. Gertsch 1934, Amer. Mus. Novit. 693 p. 7 (N).
Arctosa v. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 320 T. 53 F. 1051—52; T. 54 F. 1053 (D ♂♀).

Gen. **Allohogna** gen. nov.

Palaearktische Arten:

♀ **approximata** (Cambridge) 1885. Turkestan
Trochosa a. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 84 (D ♀).

♀ **gobiensis** (Schenkel) 1936. Mongolei
Lycosa singoriensis g. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 290 f. 100 (D ♀).

♂♀ **sabulosa** (Cambridge) 1885. Yarkand
Trochosa s. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 83 (D ♂♀).

♂♀ **singoriensis** (Laxmann) 1770. – * O.- u. SO.-Europa, Sibirien, Turkestan, Tienschan
Aranea s. Laxmann 1770, Nov. Comment. Ac. Petropol. 14 p. 602 T. 25 F. 12 (D ♀).
Aranea tarentula Pallas 1771, Reise d. versch. Prov. d. Russ. Reich. 1 p. 337 (D ♀).
Lycosa latreillii Hahn 1831, Die Arachniden 1 p. 98 TF. 74 (D ♀).
Lycosa rossica Krynicki 1837, Bull. Nat. Moscou 5 p. 83 (D ♀).
Lycosa tarentuloides s. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 287 (D ♀).
Lycosa latreillii C. L. Koch 1839, Die Arachniden 5 p. 99 TF. 406 (D ♀).
Arctosa latreillii C. L. Koch 1850, Übers. Arachn. Syst. 5 p. 32 (N).
Arctosa s. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 346 (C).
Lycosa s. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 101 T. 3 F. 14 (N ♀).
Trochosa s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 72 T. 3 F. 4 (D ♂♀).
Lycosa s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 315 f. 327 (N ♀).
Lycosa s. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 289 f. 99 (D ♀).

Aethiopische Arten:

♀ **septembris** (Strand) 1906. Abessinien
Tarentula s. Strand 1906, Zool. Anz. 30 (19—20) p. 676 (D o).
Tarentula s. Strand 1907, Arch. Naturg. 73 (I; 3) p. 338 T. 8 F. 31 (D ♀).
Trochosa s. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 337 (N).

♀ **signata** (Lenz) 1886. Madagascar
Lycosa s. Lenz 1886, Zool. Jahrb. Syst. 1 (2) p. 402 T. 10 F. 10 (D ♀).

Australische Arten:

♀ **exculta** (L. Koch) 1877. Queensland
Lycosa e. L. Koch 1877, Arachn. Austral. 1 (2) p. 881 T. 76 F. 1 (D ♀).

♂ **properipes** (Simon) 1909. West-Australien
Lycosa p. Simon 1909, Fauna S. W. Austral. 2 (12) p. 189 (D ♂).

♂ **pulchella** (Thorell) 1881. Neu-Guinea, Bismarck-Archipel
Trochosa p. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 377 (D ♂).
Tarentula barboae Strand 1916, Arch. Naturg. 82 (A; 2) p. 72 (N).

Neotropische Arten:

♀ **horrida** (Keyserling) 1876. Columbien
Tarentula h. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 648 T. 7 F. 27 (D ♀).
Lycosa h. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 561 (C).

♂♀ **pictipes** (Keyserling) 1891. Süd-Brasilien, Nord-Argentinien

Trochosa p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 266 T. 10 F. 201 (D ♂♀).
Lycosa p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 564 (C).
Lycosa p. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 131 (N).

Nearktische Arten:

♂♀ **pratensis** (Emerton) 1885. U. St. Amerika, Labrador, Canada, Alaska

Lycosa p. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 483 T. 46 F. 4 (D ♂♀).
Lycosa p. Emerton 1894, Trans. Connect. Ac. Sci. 9 p. 422 T. 3 F. 4 (N ♀).
Lycosa p. Emerton 1902, Common Spiders p. 69 f. 168—170 (D ♂♀).
Lycosa contestata Montgomery 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 649 T. 29 F. 4 (D ♀).
Lycosa p. Montgomery 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 651 T. 29 F. 8 (N ♀).
Trochosa p. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 303 (D ♀).
Trochosa contestata Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 303 (D ♀).
Lycosa p. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 261 T. 21 F. 3 (D ♀).
Lycosa p. Comstock 1912, Spider Book p. 638 f. 720 a (D).
Lycosa orophila Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 108 (D ♂♀).
Lycosa p. Gertsch 1934, Amer. Mus. Novit. 726 p. 1 (N).
Trochosa p. orophila Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 24 (N ♂♀).
Trochosa p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 330 T. 56 F. 1092—94; T. 57 F. 1117—18 (D ♂♀).

Gen. **Allotrochosina** gen. nov.

♀ **mananganuiensis** (Berland) 1925. Chatham-Ins.

Lycosa m. Berland 1925, Rec. Canterbury Mus. 2 p. 298 T. 43 F. 11—15 (D ♀).

Gen. **Alopecosa** (Simon) 1885.

Palaearktische Arten:

♂♀ **albostriata** (Grube) 1861. Ost-Sibirien

Lycosa a. Grube 1861, Bull. Ac. Sci. St. Petersbg. 4 p. 174 (D o).
Lycosa a. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 462 (D ♀).
Tarentula a. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 71 T. 3 F. 84, 89, 94 (D ♂♀).

♂♀ **albovittata** (Schmidt) 1895. Ost-Sibirien

Lycosa a. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 464 (D ♂♀).

♂♀ **alpicola** (Simon) 1876. Frankreich

Lycosa a. Simon 1876, Arachn. de France 3 p. 263 (D ♂♀).
Lycosa a. Simon 1937, Arachn. de France 6 (5) p. 1102, 1106, 1135 f. 1721, 1729 (D ♂♀).

♂♀ **alpicola soriculata** (Simon) 1876. Meeralpen

Lycosa soriculata Simon 1876, Arachn. de France 3 p. 264 (D ♂♀).
Lycosa a. s. Simon 1937, Arachn. de France 6 (5) p. 1106, 1135 (D ♂♀).

♀ **alpicola vidua** (Simon) 1937. Frankreich
Lycosa a. v. Simon 1937, Arachn. de France 6 (5) p. 1106, 1135 (D ♀).

♀ **atis** Caporiacco 1949. Cyrenaica
A. a. Caporiacco 1949, Ann. Mus. Civ. Trieste 17 (6) p. 5 f. 2 (D ♀).

♂♀ **barbipes** (Sundevall) 1832. Europa, Sibirien
Lycosa (Tarentula) b. Sundevall 1832, Vet. Ak. Handl. p. 184 (D ♂♀).
Lycosa (Tarentula) cruciata Sundevall 1832, Vet. Ak. Handl. p. 185 (D ♀).
Lycosa inquilina C. L. Koch 1833, in: Herrich-Schäffer, Deutschl. Ins. 120 T. 2—3.
Lycosa accentuata Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 311 (D ♂♀).
Lycosa andrenivora Walckenaer 1937, Hist. Nat. Ins. Apt. 1 p. 315 (D ♂♀).
Lycosa inquilina C. L. Koch 1848, Die Arachniden 14 p. 163 TF. 1387—88 (D ♂♀).
Lycosa andrenivora Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 20 T. 1 F. 4 (D ♂♀).
Lycosa b. Westring 1862, Aran. Svec. p. 511 (D ♂♀).
Tarentula accentuata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Tarentula inquilina Ohlert 1867, Aran. d. Prov. Preussen p. 139 (D ♂♀).
Tarentula andrenivora Thorell 1872, Rem. Syn. Europ. Spid. p. 318 (N).
Lycosa accentuata Simon 1876, Arachn. de France 3 p. 355 (D ♂♀).
Lycosa farinosa Herman 1879, Ungarns Spinn. Fauna 3 p. 258, 375 T. 8 F. 179 (D ♂♀).
Tarentula aculeata Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 527 T. 85 F. 298 (D ♂, nec ♀).
Tarentula andrenivora Cambridge 1881, Proc. Dorset F. Cl. 2 p. 366 (D ♂♀).
Lycosa accentuata Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 92 T. 7 F. 5 (D ♂♀).
Tarantula andrenivora Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 66 (D ♂♀).
Tarentula accentuata Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 70 T. 3 F. 1 (D ♂♀).
Tarentula accentuata Bösenberg 1903, Zoologica 14 (5—6) p. 392 T. 37 F. 577 (D ♂♀).
Tarentula andrenivora Bösenberg 1903, Zoologica 14 (5—6) p. 393 T. 37 F. 578 (D ♂♀).
Tarentula b. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 327, 345 f. 45 (D ♂♀).
Lycosa b. Lessert 1910, Catal. Invert. Suisse; Araign. p. 485 (D ♂♀).
Tarentula b. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 579 (D ♂♀).
Tarentula b. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 16 f. 33—34 (D ♂♀).
Lycosa accentuata Simon 1937, Arachn. de France 6 (5) p. 1100, 1103, 1135 f. 1715, 1725 (D ♂♀).
Tarentula b. Palmgren 1939, Act. Zool. Fenn. 25 p. 21 f. 6, 20 (D ♂♀).
Tarentula accentuata Holm 1947, Svensk Spindelfauna 3 p. 18 T. 3 F. 23—24; T. 9 F. 14 (D ♂♀).
Tarentula b. Locket & Millidge 1951, Brit. Spiders I p. 275 f. 122 F; 133 C, F (D ♂♀).

♂ **barbipes oreophila** (Simon) 1937. Dauphiné, Provence
Lycosa o. Simon 1937, Arachn. de France 6 (5) p. 1100, 1135 D ♂).

♂♀ **beckeri** (Thorell) 1875. Südost-Russland, Krim
Tarentula b. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 104 (D ♂♀).
Tarentula b. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 151 (D ♂♀).
Lycosa b. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 454 (N).

♀ **brunnea** (Bösenberg) 1895. Canaren

Tarentula b. Bösenberg 1895, Mitt. Nat. Ver. Hambg. 13 p. 8 TF. 3 (D ♀).

♂ **chiragrica** (Thorell) 1875. Krim

Tarentula c. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 105 (D ♂).
Tarentula c. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 157 (D ♂).

♀ **cronebergii** (Thorell) 1875. Süd-Russland, Kaukasus, Ungarn

Tarentula c. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 103 (D ♀).
Tarentula c. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 156 (D ♀).

♂♀ **cuneata** (Clerck) 1757. Palaearktis

Araneus c. Clerck 1757, Aran. Svec. p. 99 T. 4 F. 11 (D ♀).
Lycosa vorax Hahn 1831, Die Arachniden 1 p. 105 TF. 78 (D ♀).
Lycosa (Tarentula) c. Sundevall 1832, Vet. Ak. Handl. p. 187 (D ♂♀).
Lycosa clavipes C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 122 T. 19—20 (D ♂♀).
Lycosa alpica C. L. Koch 1834, in: Panzer, Deutschl. Ins. 122 T. 23, 24.
Lycosa armillata Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 317 (D ♂♀).
Lycosa clavipes C. L. Koch 1848, Die Arachniden 14 p. 191 TF. 1403—04 (D ♂♀).
Tarantula c. C. L. Koch 1850, Ubers. Arachn. Syst. 5 p. 34 (N).
Lycosa c. Westring 1862, Aran. Svec. p. 521 (D ♂♀).
Tarentula armillata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Tarentula clavipes Ohlert 1867, Aran. d. Prov. Preussen p. 141 (D ♂♀).
Lycosa barbipes Cambridge 1870, Trans. Linn. Soc. London 27 (3) p. 398 (N).
Tarentula c. Thorell 1872, Rem. Syn. Europ. Spid. p. 330 (N).
Lycosa c. Simon 1876, Arachn. de France 3 p. 261 (D ♂♀).
Tarentula clavipes Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 532 T. 86 F. 301 (D ♂♀).
Lycosa c. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 99 T. 8 F. 2 (D ♂♀).
Tarantula c. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 65 (D ♂♀).
Tarentula c. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 71 (D ♂♀).
Tarentula c. Bösenberg 1903, Zoologica 14 (5—6) p. 393 T. 37 F. 579 (D ♂♀).
Tarentula c. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 331, 352 f. 53 (D ♂♀).
Tarentula c. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 437 T. 22 F. 21 (N ♂).
Lycosa c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 487 (D ♂♀).
Tarentula c. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 23 f. 50—52 (D ♂♀).
Tarentula c. Reimoser 1931, Die Natur (Wien) 7 (6) p. 130 f. 5 (N ♂♀).
Lycosa c. Simon 1937, Arachn. de France 6 (5) p. 1099, 1103, 1134 f. 1713—14, 1723 (D ♂♀).
Tarentula c. Palmgren 1939, Act. Zool. Fenn. 25 p. 23 f. 17—18 (D ♂♀).
Tarentula c. Holm 1947, Svensk Spindelfauna 3 p. 18 T. 3 F. 30—31; T. 9 F. 16 (D ♂♀).
Tarentula c. Locket & Millidge 1951, Brit. Spiders I p. 274 f. 122 G, 133 B, E (D ♂♀).

♂♀ **cursor** (Hahn) 1831. Palaearktis

Lycosa c. Hahn 1831, Die Arachniden 1 p. 17 TF. 14 (D ♂♀).
Lycosa sabulosa Hahn 1831, Die Arachniden 1 p. 16 TF. 13 (D ♂♀).
Tarantula c. C. L. Koch 1850, Ubers. Arachn. Syst. 5 p. 34 (N).
Lycosa c. Simon 1876, Arachn. de France 3 p. 268 (D ♂♀).
Lycosa c. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 100 T. 8 F. 3 (D ♂♀).
Tarentula c. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 70 T. 3 F. 2 (D ♂♀).
Tarentula c. Bösenberg 1903, Zoologica 14 (5—6) p. 395 T. 37 F. 582 (D ♂♀).

Tarentula c. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 327, 349 f. 46 (D ♂♀).
Tarentula c. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 579 (D ♂♀).
Tarentula c. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 17 f. 35—36 (D ♂♀).
Hogna c. Caporiacco 1934, Ann. Mus. Civ. Trieste 12 p. 127 (N).
Tarentula c. Kratochvil 1935, Folia Zool. Hydrobiol. 8 (1) p. 19 f. 13 (N ♀).
Lycosa c. Simon 1937, Arachn. de France 6 (5) p. 1102, 1105, 1135 f. 1718, 1726 (D ♂♀).

♀ **cursor elatior** (Kratochvil) 1935. Kroatien

Tarentula c. e. Kratochvil 1935, Folia Zool. Hydrobiol. 8 (1) p. 19 f. 14 (D ♀).

♀ **cursor insignis** (Nosek) 1905. Kleinasien

Lycosa c. i. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 138 (D ♀).
Lycosa c. dordeiae Strand 1916, Arch. Naturg. 82 (A; 2) p. 72 (N).

♂♀ **eichwaldii** (Thorell) 1875. Russland, Ungarn

Tarentula e. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 103 (D ♂♀).
Tarentula e. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 154 (D ♂♀).
Tarentula e. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 69 T. 2 F. 31 (D ♂♀).
Tarentula e. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 659 T. 1. F. 37 (D ♀).

♀ **eichwaldii bithynica** Kulczynski 1903. Kleinasien

Tarentula e. b. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 659 T. 1 F. 36 (D ♀).

♂♀ **erudita** (Simon) 1880. China, Mongolei

Lycosa e. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 102 (D ♂♀).
Lycosa e. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 288 f. 98 (D ♀).

♂♀ **fabrilis** (Clerck) 1757. – * Europa, Sibirien, Turkestan

Araneus f. Clerck 1757, Aran. Svec. p. 86 T. 4 F. 2 (D ♀).
Aranea f. Olivier 1789, Encycl. Méthod. 4 p. 217 (D).
Lycosa f. Walckenaer 1825, Faun. Franç. Aran. p. 17 T. 2 F. 5 (D).
Lycosa melanogaster Hahn 1831, Die Arachniden 1 p. 102 TF. 76 (D ♂♀).
Lycosa (Tarentula) f. Sundevall 1832, Vet. Ak. Handl. p. 182 (D ♂♀).
Lycosa f. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 306 (D ♂♀).
Lycosa f. C. L. Koch 1848, Die Arachniden 14 p. 168 TF. 1389—92 (D ♂♀).
Tarantula f. C. L. Koch 1850, Übers. Arachn. Syst. 5 p. 34 (N).
Tarentula f. Thorell 1856, Rec. Crit. Aran. p. 41 (N).
Lycosa f. Westring 1862, Aran. Svec. p. 505 (D ♂♀).
Tarantula f. Ohlert 1867, Aran. d. Prov. Preussen p. 138 (D ♀, part.).
Tarentula f. Thorell 1872, Rem. Syn. Europ. Spid. p. 309 (N).
Lycosa f. Simon 1876, Arachn. de France 3 p. 246 (D ♂♀).
Tarentula f. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 523 T. 85 F. 295 (D ♂, nec ♀).
Lycosa f. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 89 T. 7 F. 3 (D ♂♀).
Tarentula f. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 66 (D ♂♀).
Lycosa (A.) f. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 10 (N).
A. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 348 f. 343 (N).
Tarentula f. Bösenberg 1903, Zoologica 14 (5—6) p. 390 T. 36 F. 574 (D ♂♀).
Tarentula f. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 330, 337, f. 51 (D ♂♀).
Tarentula f. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 434 T. 22 F. 6, 11, 20 (N ♂♀).
Lycosa f. Lessert 1910, Catal. Invert. Suisse; Araign. p. 484 (D ♀).
Tarentula f. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 21 f. 46—47 (D ♂♀).

Lycosa f. Simon 1937, Arachn. de France 6 (5) p. 1099, 1133 f. 1709—10 (D ♂♀).
Tarentula f. Palmgren 1939, Act. Zool. Fenn. 25 p. 22 f. 7, 8, 21 (D ♂♀).
Tarentula f. Holm 1947, Svensk Spindelfauna 3 p. 16 f. 11; T. 3 F. 21—22; T. 9 F. 11 (D ♂♀).
Tarentula f. Locket & Millidge 1951, Brit. Spiders I p. 276 f. 133D, G (D ♂♀).

♂♀ **fuscipes** (C. L. Koch) 1848. Griechenland, Corfu, Macedonien
Lycosa (Tarantula) f. C. L. Koch 1848, Die Arachniden 14 p. 182 TF. 1398 (D ♂).
Tarentula f. Hadjissarandos 1940, Araign. de l'Attique p. 39 f. 11 (D ♀).

♀ **galilaei** (Caporiacco) 1923. Italien
Lycosa g. Caporiacco 1923, Mem. Soc. Ent. Ital. 2 p. 209 f. 2 (D ♀).

♂♀ **gracilis** (Bösenberg) 1895. Canaren
Tarentula g. Bösenberg 1895, Abh. Nat. Ver. Hambg. 13 p. 8 TF. 4 (D ♀).
Tarentula g. Strand 1911, Arch. Naturg. 77 (I; 2) p. 196 (N ♀).
Tarentula g. Denis 1941, Ann. Soc. Ent. France 110 p. 123 f. 11—12 (D ♂, N ♀).

♂♀ **hirta** (Kulczynski) 1908. West-Sibirien, Kamtschatka
Tarentula h. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 80 T. 3 F. 87—88 (D ♂).
Tarentula h. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 26 T. 2 F. 46—49 (D ♀).

♂♀ **hirtipes** (Kulczynski) 1907. Sibirien
Tarentula h. Kulczynski 1907, Bull. Ac. Sci. Cracov. p. 593 T. 21 F. 22, 27 (D ♂♀).
Tarentula h. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 74 T. 3 F. 86 (D ♂).

♀ **inimica** (Cambridge) 1885. Pamir
Tarentula i. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 87 (D ♀).

♂♀ **inquilina** (Clerck) 1757. Europa, Sibirien, Turkestan
Araneus i. Clerck 1757, Aran. Svec. p. 88 T. 5 F. 2 (D ♀).
Araneus nivalis Clerck 1757, Aran. Svec. p. 100 T. 5 F. 3 (D ♀).
Aranea i. Olivier 1789, Encycl. Méthod. 4 p. 217 (D).
Aranea nivalis Olivier 1789, Encycl. Méthod. 4 p. 218 (D).
Lycosa (Tarentula) trabalis Sundevall 1832, Vet. Ak. Handl. p. 182 (D ♂, nec ♀).
Lycosa audax Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 335 (D ♂♀).
Tarantula i. C. L. Koch 1850, Übers. Arachn. Syst. 5 p. 34 (N).
Lycosa kollari Doleschall 1852, S. B. Ak. Wiss. Wien 9 p. 643 (D).
Tarentula i. Thorell 1856, Rec. Crit. Aran. p. 44, 47 (N).
Leimonia audax Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Lycosa i. Westring 1862, Aran. Svec. p. 507 (D ♂♀).
Tarentula i. Thorell 1872, Rem. Syn. Europ. Spid. p. 312 (N).
Lycosa i. Simon 1876, Arachn. de France 3 p. 248 (D ♂♀).
Tarentula i. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 524 T. 85 F. 296 (D ♂♀).
Lycosa i. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 91 T. 7 F. 4 (D ♂♀).
Tarantula i. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 66 (D ♂♀).
Tarentula i. Hansen 1885, in: Schiödte, Zool. Danica p. 151 T. 5 F. 2 (D ♂♀).
Tarentula i. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 69 T. 2 F. 30 (D ♂♀).
Tarentula i. Bösenberg 1903, Zoologica 14 (5—6) p. 390 T. 36 F. 573 (D ♂♀).

Tarentula i. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 326, 339 f. 44 (D ♂♀).
Lycosa i. Lessert 1910, Catal. Invert. Suisse; Araign. p. 481 (D ♂♀).
Tarentula i. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 579 (D ♂♀).
Tarentula i. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 15 f. 31—32 (D ♂♀).
Tarentula i. Reimoser 1930, Die Natur (Wien) 6 (3) p. 56 f. 13 (N ♂♀).
Lycosa i. Simon 1937, Arachn. de France 6 (5) p. 1099, 1133 f. 1711—12 (D ♂♀).
Tarentula i. Palmgren 1939, Act. Zool. Fenn. 25 p. 21 f. 4, 5, 19 (D ♂♀).
Tarentula i. Holm 1947, Svensk Spindelfauna 3 p. 15 T. 3 F. 25—26; T. 9 F. 10 (D ♂♀).

♂♀ **konstantinovi** (Drenski) 1929. Macedonien
Tarentula k. Drenski 1929, Zeitschr. Bulgar. Ak. Wiss. 39 p. 53, 73 T. 4 F. 9—10 (D ♂♀).

♂♀ **laciniosa** (Simon) 1876. Süd-Frankreich, Sardinien
Lycosa l. Simon 1876, Arachn. de France 3 p. 265 (D ♂♀).
Lycosa l. Simon 1937, Arachn. de France 6 (5) p. 1102, 1105, 1133 f. 1720, 1728 (D ♂♀).

♂♀ **latifasciata** (Kroneberg) 1875. Turkestan
Tarentula l. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 39 T. 4 F. 27 (D ♂♀).
Lycosa l. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 459 (D ♂).

♂ **lineatipes** (Nosek) 1905. Ins. Prinkipo
Tarentula l. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 139 T. 5 F. 16 (D ♂).

♀ **macedonica** (Drenski) 1929. Macedonien
Hogna m. Drenski 1929, Zeitschr. Bulgar. Ak. Wiss. 39 p. 52, 73 T. 4 F. 8 (D ♀).

♂♀ **mariae** (Dahl) 1908. Mitteleuropa
Lycosa striatipes Doleschall 1852, S. B. Ak. Wiss. Wien 9 p. 642 (D) (nec C. L. Koch).
Lycosa striatipes Kulczynski 1895, Term. Füzetec 18 p. 18 T. 1 F. 7, 10, 11 (D ♂♀).
Tarentula m. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 329, 343 f. 50 (D ♂♀).
Tarentula m. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 579 (D ♂♀).
Tarentula m. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 21 f. 44—45 (D ♂♀).
Tarentula m. Ermolajew 1928, Arch. Naturg. 92 (A; 7) p. 107 f. 7 (D ♂♀).
Tarentula striatipes m. Kratochvil 1931, Casopis 28 p. 5 f. 2—5 (N ♂♀).
Lycosa m. Simon 1937, Arachn. de France 6 (5) p. 1133 (N 6).

♀ **mariae orientalis** Kolosvary 1934. Siebenbürgen
Tarentula m. o. Kolosvary 1934, Folia Zool. Hydrobiol. 7 (1) p. 42 f. 5 (D ♀).

♀ **notabilis** (Schmidt) 1895. Süd-Ural
Lycosa n. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 455 (D ♀).

♀ **obsoleta** (C. L. Koch) 1848. Turkestan
Lycosa (Tarantula) o. C. L. Koch 1848, Die Arachniden 14 p. 149 TF. 1377 (D ♀).

♂♀ **pastoralis** (Simon) 1876. Europa, Kaukasus, Turkestan, Altai
Lycosa p. Simon 1876, Arachn. de France 3 p. 251 (D ♂♀).
Lycosa p. Simon 1937, Arachn. de France 6 (5) p. 1097, 1135 f. 1706—07 (D ♂♀).

♂♀ **pinetorum** (Thorell) 1856. Europa, West-Sibirien

Tarentula p. Thorell 1856, Rec. Crit. Aran. p. 111 (N).
Lycosa p. Westring 1862, Aran. Svec. p. 509 (D ♂♀).
Tarentula p. Thorell 1872, Rem. Syn. Europ. Spid. p. 316 (N).
Tarentula p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 70 T. 2 F. 29 (D ♀).
Tarentula p. Bösenberg 1903, Zoologica 14 (5—6) p. 392 T. 37 F. 576 (D ♂♀).
Lycosa fumigata Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 331, 360 f. 52 (D ♂♀).
Tarentula p. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 437 T. 22 F. 16 (N ♂).
Tarentula fumigata F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 22 f. 48—49 (D ♂♀).
Tarentula fumigata Palmgren 1939, Act. Zool. Fenn. 25 p. 23 f. 9, 10, 24 (D ♂♀).
Tarentula p. Holm 1947, Svensk Spindelfauna 3 p. 17 T. 3 F. 29; T. 9 F. 12 (D ♂♀).

♀ **pinnata** (Kulczynski) 1908. Sibirien

Tarentula p. Kulczynski 1908, Mem. Soc. Sci. St. Petersbg. (8) 18 (7) p. 78 T. 3 F. 91 (D ♀).

♀ **poecila** (Kulczynski) 1908. Sibirien

Tarentula p. Kulczynski 1908, Mem. Soc. Sci. St. Petersbg. (8) 18 (7) p. 83 T. 3 F. 95, 102 (D ♀).

♂♀ **pulverulenta** (Clerck) 1757. Palaearktis

Araneus p. Clerck 1757, Aran. Svec. p. 93 T. 4 F. 6 (D ♂♀).
Aranea carinata Olivier 1789, Encycl. Méthod. 4 p. 218 (D).
Lycosa andrenivora Walckenaer 1805, Tabl. Aran. p. 13 (N).
Lycosa intersecta Latreille 1817, Nouv. Dict. Hist. Nat. 18 p. 295 (D).
Lycosa graminicola Walckenaer 1825 (1820), Faun. Franç. Arachn. p. 21 (D ♂♀).
Lycosa (Tarentula) p. Sundevall 1832, Vet. Ak. Handl. p. 186 (D ♂♀).
Lycosa gasteinensis C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 122 T. 21, 22 (part:).
Lycosa taeniata C. L. Koch 1835, in: Herrich-Schäffer, Deutschl. Ins. 131 T. 16, 17 (D ♂♀).
Lycosa graminicola Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 312 (D ♂♀).
Lycosa rapax Blackwall 1841, Trans. Linn. Soc. London (Zool.) 18 p. 609 (D ♂♀).
Lycosa taeniata C. L. Koch 1848, Die Arachniden 14 p. 178 TF. 1396—97 (D ♂♀).
Lycosa cuneata C. L. Koch, 1948, Die Arachniden 14 p. 183 TF. 1399—1400 (D ♂♀).
Lycosa gasteinensis C. L. Koch 1848, Die Arachniden 14 p. 187 TF. 1401—02 (D ♂♀, part.).
Lycosa rapax Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 21 T. 1 F. 5 (D ♂♀).
Lycosa p. Westring 1862, Aran. Svec. p. 519 (D ♂♀).
Tarentula andrenivora, gasteinensis, graminicola Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Tarentula p. Zimmermann 1871, Abh. Nat. Ges. Görlitz 14 p. 112 (N).
Tarentula p. Thorell 1872, Rem. Syn. Europ. Spid. p. 328 (N).
Lycosa p. Simon 1876, Arachn. de France 3 p. 259 (D ♂♀).
Tarentula andrenivora Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 519 T. 84 F. 294 (D ♂♀).
Tarentula p. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 529 T. 86 F. 299 (D ♂♀).

Tarentula cuneata Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 533 T. 86 F. 302 (D ♀, nec ♂).
Tarentula p. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 364 (D ♂♀).
Lycosa p. Becker 1882; Ann. Mus. Hist. Nat. Belg. 10 p. 96 T. 8 F. 1 (D ♂♀).
Tarentula p. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 66 (D ♂♀).
Tarentula p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 71 (D ♂♀).
Tarentula p. Bösenberg 1903, Zoologica 14 (5—6) p. 396 T. 37 F. 583A, B (D ♀, nec ♂).
Tarentula p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 331, 354 f. 54 (D ♂♀).
Tarentula p. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 437 T. 22 F. 22 (N ♂).
Lycosa p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 488 (D ♂♀).
Tarentula p. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 580 (D ♂♀).
Tarentula p. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 24 f. 53, 54 (D ♂♀).
Lycosa p. Simon 1937, Arachn. de France 6 (5) p. 1100, 1103, 1134 f. 1717, 1724 (D ♂♀).
Tarentula p. Palmgren 1939, Act. Zool. Fenn. 25 p. 24 f. 14—16, 23 (D ♂♀).
Tarentula p. Holm 1947, Svensk Spindelfauna 3 p. 18 T. 3 F. 33; T. 9 F. 15 (D ♂♀).
A. p. Caporiacco 1948, Redia 33 p. 44 (N).
Tarentula p. Locket & Millidge 1951, Brit. Spiders I p. 274 f. 133A, B (D ♂♀).

♀ **pulverulenta tridentina** (Thorell) 1875. Süd-Tirol

Tarentula p. t. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 180 (D ♀).

♂♀ **raddei** (Simon) 1889. Transkaspien

Lycosa r. Simon 1889, Verh. Zool. Bot. Ges. Wien 39 p. 373 (D ♂♀).

♀ **reimoseri** (Kolosvary) 1934. Ungarn

Tarentula r. Kolosvary 1934, Folia Zool. Hydrobiol. 6 (1) p. 16 f. 14 (D ♀).

♂♀ **roeweri** (Rosca) 1937. Bukowina

Tarentula r. Rosca 1937, Zool. Anz. 117 (11—12) p. 329 f. 1—3 (D ♂♀).
Tarentula r. Rosca 1937, Bull. Fac. Stiinte Cernauti 11 p. 233 f. 4—6 (D ♂♀).

♂♀ **schmidtii** (Hahn) 1834. Südost- u. Mitteleuropa, Kleinsien. Sibirien, China

Lycosa s. Hahn 1834, Die Arachniden 2 p. 58 TF. 147 (D ♀).
Tarentula fabrilis Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 523 T. 85 F. 295 (D ♀, nec ♂).
Tarentula s. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 329, 341 f. 48 (D ♂♀).
Tarentula s. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 579 (D ♂♀).
Tarentula s. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 19 f. 39—40 (D ♂♀).
Tarentula s. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 211 (D ♂).

♀ **sibirica** (Kulczynski) 1908. Sibirien

Tarentula s. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 76 T. 3 F. 92 (D ♀).

♂♀ **simonis** (Thorell) 1872. Frankreich, Spanien, Portugal, Macedonien, Cypern

Tarentula s. Thorell 1872, Rem. Syn. Europ. Spid. p. 326 (D ♂♀).
Lycosa simoni Simon 1876, Arachn. de France 3 p. 267 T. 12 F. 5 (D ♂♀).
Tarentula simonii Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 83 T. 2 F. 22, 25, 26 (D ♂♀).
Lycosa simoni Simon 1937, Arachn. de France 6 (5) p. 1102, 1105, 1135 f. 1719, 1729 (D ♂♀).

♂♀ **solivaga** (Kulczynski) 1901. Sibirien

Tarentula s. Kulczynski 1901, Arachn. in: Horvath, Zool. Erg. 3. Reise Zichy 2 p. 343 T. 13 F. 16 (D ♀).
Tarentula s. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 29 T. 2 F. 52—60 (D ♂♀).

♀ **solivaga annulata** (Kulczynski) 1916. Sibirien

Tarentula s. a. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 31 (D ♀).

♀ **solivaga borea** (Kulczynski) 1908. Sibirien

Tarentula s. b. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 73 T. 3 F. 85 (D ♀).

♀ **solivaga katunjica** (Ermolajew) 1937. Altai-Geb.

Tarentula s. k. Ermolajew 1937, Festschr. Strand 3 p. 600 f. 2 (D ♀).

♀ **solivaga lineata** (Kulczynski) 1916. Sibirien

Tarentula s. l. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) 29 (D ♀).

♂♀ **striata** (Kulczynski) 1895. Südost- u. Mitteleuropa, Japan

Lycosa lugubris Hahn 1831, Die Arachniden 1 p. 19 TF. 15 (D ♂♀).
? Tarentula striatipes Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 153. (D ♂♀).
Lycosa striatipes Simon 1876, Arachn. de France 3 p. 250 (D ♂♀).
Tarentula striatipes Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 69 T. 2 F. 52 (D ♂♀).
Tarentula s. Kulczynski 1895, Term. Füzet. 18 p. 18 T. 1 F. 8, 12 (D ♂♀).
Tarentula striatipes Bösenberg 1903, Zoologica 14 (5—6) p. 391 T. 36 F. 575 (D ♂♀).
Tarentula striatipes Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 329, 342 f. 49 (D ♂♀).
Lycosa s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 482, 220—221 (D ♂♀).
Tarentula striatipes F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 19 f. 41 43 (D ♂♀).
Tarentula striatipes Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 354 (D ♀).
Lycosa s. Simon 1937, Arachn. de France 6 (5) p. 1095, 1133 f. 1704—05 (D ♂♀).

♀ **striatipes** (C. L. Koch) 1839. Bayern

Lycosa s. C. L. Koch 1839, Übers. Arachn. Syst. 2 p. 22 (D).
Lycosa (Pardosa) s. C. L. Koch 1848, Die Arachniden 15 p. 32 TF. 1438 (D ♀).
Lycosa s. Simon 1937, Arachn. de France 6 (5) p. 113 (N 5).

♀ **subhirsutella** nom. nov. Balearen

Lycosa subhirsuta L. Koch 1881, Verh. Zool. Bot. Ges. Wien 31 p. 655 T. 21, F. 29 (D ♀, nec ♂).

♂♀ **sulzeri** (Pavesi) 1873. Ost- u. Mitteleuropa (Alpen), Turkestan

Tarentula s. Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 169 f. 10 (D ♀).
Trochosa s. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 164 (D ♂♀).
Lycosa s. Simon 1876, Arachn. de France 3 p. 252 (D ♀).
Trochosa s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 72 T. 3 F. 5 (D ♂♀).
Tarentula s. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 328, 345 f. 47 (D ♂♀).
Trochosa s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 491 (D ♂♀).
Tarentula s. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 18 f. 37, 38 (D ♂♀).
Lycosa s. Simon 1937, Arachn. de France 6 (5) p. 1097, 1132 f. 1708 (D ♀).
A. s. Caporiacco 1948, Redia 33 p. 44 (N).

♂♀ **taeniopus** (Kulczynski) 1895. Süd-Russland, Bulgarien, Kaukasus, Transkaukasien

Tarentula t. Kulczynski 1895, Term. Füzet. 18 p. 16 T. 1 F. 6, 9 (D ♂♀).

♀ **thessala** (Simon) 1885. Griechenland

Lycosa t. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 210 (D ♀).

♂♀ **trabalis** (Clerck) 1757. Europa östl. bis Turkestan

Araneus t. Clerck 1757, Aran. Svec. p. 97 T. 4 F. 9 (D ♀).
Aranea obscura Olivier 1789, Encycl. Méthod. 4 p. 218 (D ♀).
Aranea vorax Walckenaer 1802, Faun. Paris, 2 p. 238 (D).
Aranea agilis Walckenaer 1802, Faun. Paris, 2. p. 238 (D).
Lycosa vorax Walckenaer 1805, Tabl. Aran. p. 13 (N).
Lycosa (Tarentula) t. Sundevall 1832, Vet. Ak. Handl. p. 182 (D ♀, nec ♂).
Lycosa (Tarentula) vorax Sundevall 1832, Vet. Ak. Handl. p. 183 (D ♂).
Lycosa cuneata C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 122 T. 17 u. 18 (D ♂♀).
Lycosa vorax Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 313 (D ♂♀).
Lycosa agilis Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 318 (D ♂♀).
Lycosa vorax C. L. Koch 1848, Die Arachniden 14 p. 172 TF. 1393—94 (D ♂♀).
Tarentula t. Thorell 1856, Rec. Crit. Aran. p. 61 (N).
Lycosa vorax C. L. Koch 1848, Die Arachniden 14 p. 173 TF. 1393—94 (D ♂♀).
Lycosa t. Westring 1862, Aran. Svec. p. 513 (D ♂♀).
Tarentula vorax Ohlert 1867, Aran. Prov. Preussen p. 140 (D ♂♀).
Tarentula t. Thorell 1872, Rem. Syn. Europ. Spid. p. 321 (N).
Lycosa t. Simon 1876, Arachn. de France 3 p. 257 (D ♂♀).
Tarentula t. Cambridge 1878, Ann. Mag. Nat. Hist. (5) 1 p. 125 (N).
Tarentula t. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 526 T. 85 F. 297 (D ♂♀).
Tarentula t. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 550 (D ♂♀).
Tarentula t. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 70 T. 2 F. 36 (D ♂♀).
Tarentula t. Bösenberg 1903, Zoologica 14 (5—6) p. 395 T. 37 F. 581 (D ♂♀).
Tarentula t. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 333, 350 f. 56 (D ♂♀).
Tarentula t. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 437 T. 22 F. 25 (N ♂).
Lycosa t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 466 (D ♂♀).
Tarentula t. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 26 f. 59—62 (D ♂♀).
A. t. Caporiacco 1935, Monit. Zool. Ital. 46 (9) p. 289 (C).
Lycosa t. Simon 1937, Arachn. de France 6 (5) p. 1100, 1103, 1134 f. 1716, 1722 (D ♂♀).
Tarentula t. Holm 1949, Svensk Spindelfauna 3 p. 17 T. 3 F. 27—28; T. 9 F. 13 (D ♂♀).

♀ **trabalis albica** (Franganillo) 1913. Spanien

Lycosa t. a. Franganillo 1913, Broteria 11 p. 123 (D ♀).
Lycosa t. a. Franganillo 1918, Bol. Soc. Ent. Espan. p. 61 (D ♀).

Transgredierende Arten:

♂♀ **aculeata** (Clerck) 1757. Palaearktis, Canada, Alaska

Araneus a. Clerck 1757, Aran. Svec. p. 87 T. 4 F. 3 (D ♀).
Lycosa meridiana Hahn 1831, Die Arachniden 1 p. 20 TF. 16 (D ♂♀).
Lycosa (Tarentula) nivalis Sundevall 1832, Vet. Ak. Handl. p. 184 (D ♂).
Tarentula nivalis C. L. Koch 1850, Übers. Arachn. Syst. 5 p. 34 (N).
Tarentula taeniata Thorell 1856, Rec. Crit. Aran. p. 61 (N).
Lycosa cursor Westring 1862, Aran. Svec. p. 517 (D ♂).
Tarentula taeniata Ohlert 1867, Aran. Prov. Preussen p. 140 (D ♂♀).

Tarentula a. Thorell 1872, Rem. Syn. Europ. Spid. p. 323 (N).
Tarentula andrenivora Fickert 1875, Myriop. Arachn. v. K. d. Riesengeb. p. 42 (D ♂♀).
Tarentula a. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 527 T. 85 F. 298 (D ♀, nec ♂).
Tarentula cuneata Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 533 T. 86 F. 302 (D ♂, nec ♀).
Lycosa trabalis Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 95 T. 7 F. 6 (D ♂♀).
Lycosa pulverulenta Kulczynski 1882, Spinn. d. Tatra p. 30 (N).
Tarentula a. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 65 (D ♂♀).
Tarentula meridiana Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 66 (D).
Lycosa beanii Emerton 1894, Trans. Connect. Ac. Sci. 9 (6) p. 421 T. 3 F. 2 (D ♂♀).
Tarentula a. Bösenberg 1903, Zoologica 14 (5—6) p. 394 T. 37 F. 580 (D ♂♀).
Tarentula pulverulenta Bösenberg 1903, Zoologica 14 (5—6) p. 396 T. 37 F. 583 C—E (D ♂, nec ♀).
Lycosa beanii Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 273 T. 19 F. 4—5 (D ♂♀).
Tarentula a. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 332 f. 55 (D ♂♀).
Tarentula a. Järvi 1908, Zool. Anz. 32 (25) p. 757 f. 14 (N ♀).
Tarentula a. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 437 T. 22 F. 23—24 (N ♂).
Lycosa a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 489 (D ♂♀).
A. beanii Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 551 (C).
Tarentula a. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 580 (D ♂♀).
Tarentula a. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 25 f. 55—58 (D ♂♀).
Tarentula a. Palmgren 1939, Act. Zool. Fenn. 25 p. 26 f. 11—13, 22 (D ♂♀).
Tarentula a. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 23 (N).
Tarentula a. Holm 1947, Svensk Spindelfauna 3 p. 19 T. 3 F. 32; T. 9 F. 17—18 (D ♂♀).
Tarentula a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 312 T. 52 F. 1024—25; T. 144 F. 2139—40 (D ♂♀).
Tarentula a. (var.) Schenkel 1950, Rev. Suisse Zool. 57 (35) p. 764 f. 6 a, b (D ♀).

Orientalische Arten:

♂ **balinensis** (Giltay) 1935. Ins. Bali
Lycosa b. Giltay 1935, Bull. Mus. Hist. Nat. Belg. 11 (20) p. 4 f. 4 (D ♂).

Australische Arten:

♂ **funesta** (C. L. Koch) 1837. Tasmanien
Lycosa f. C. L. Koch 1837, Die Arachniden 14 p. 148 TF. 1376 (D ♂).
Tarentula f. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).

♀ **leonhardii** (Strand) 1913. Centr.-Australien
Tarentula l. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 618 (D ♀).

♂♀ **madigani** (Hickman) 1944. Australien (nördl. Territ.)
Lycosa m. Hickman 1944, Trans. R. Soc. Austral. 68 (1) p. 36 T. 2 F. 22—25 (D ♂♀).

♂♀ **oahuensis** (Keyserling) 1890. Hawai
Lycosa o. Keyserling 1890, Arachn. Austral. 2 p. 267 T. 24 F. 8 (D ♂♀).
Lycosa (A.) stygialis Simon 1898, Ann. Soc. Ent. Belg. 42 p. 29 (D ♀).
Lycosa o. Simon 1900, Fauna Hawaiiensis 2 (5) p. 505 (N).

♂♀ **ralphi** (Simon) 1905. Hawai, Chatham-Ins.
Lycosa r. Simon 1905, Zool. Jahrb. Syst. 21 (4) p. 421 (D ♂♀).

♀ **rapa** (Karsch) 1881. Gilbert-Ins.
Lycosa r. Karsch 1881, Berlun. Ent. Zeitschr. 25 p. 96 (D ♀).

♂♀ **schauinslandi** (Simon) 1899. Neu-Seeland
Lycosa s. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 428 (D ♂♀).

Neotropische Arten:

♂ **humilis** Mello-Leitao 1943. Buenos Aires
A. h. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. p. 338 f. 28 (D ♂).

♀ **lallemandi** (Berland) 1913. Ecuador
Lycosa l. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 111 T. 12 F. 112—113 (D ♀).

♀ **michaelseni** (Simon) 1902. Feuerland, Patagonien
Lycosa m. Simon 1902, Erg. Hambg. Magalh. Sammelreise 2, Arachn. p. 42 (D ♀).
A. m. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 (N).

♀ **moesta** (Holmberg) 1876. Argentinien
Lycosa m. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 26 (D o).
Tarentula m. Holmberg 1881, Exped. Roca Rio Negro, Zool. p. 161 T. 4 F. 12 (D o).
Lycosa m. Simon 1886, Bull. Soc. Zool. France 11 p. 561 f. 2 (D ♀).
A. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 551 (C).
A. m. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 (N).

♂ **mojonia** (Mello-Leitao) 1941. Nord-Argentinien
Lycosa m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 128 T. 5 F. 22; f. 25 (D ♂♀).

♀ **nigricans** (Simon) 1886. Patagonien
Lycosa n. Simon 1886, Bull. Soc. Zool. France 11 p. 563 f. 3 (D ♀).
A. n. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 551 (C).
A. n. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 (N).

♀ **restricta** Mello-Leitao 1940. Rio Negro
A. r. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 23 f. 21 (D ♀).

♂ **rosea** Mello-Leitao 1945. Argentinien
A. r. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 247 (D ♂).

o **serranoa** (Tullgren) 1901. Patagonien
Lycosa s. Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 256 (D o).
A. s. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 (N).

♀ **unguiculata** Mello-Leitao 1944. Buenos Aires
A. u. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 339 f. 29 (D ♀).

Nearktische Arten:

♂♀ **asivak** (Emerton) 1919. Baffinland, Alaska
Tarentula a. Emerton 1919, Canad. Arct. Exped. 3 p. 5 T. 2 F. 13—16 (D ♂♀).
Tarentula a. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 23 T. 11 F. 92 (N ♂♀).

♂ **exasperans** (Cambridge) 1877. Grönland

Tarentula e. Cambridge 1877, Ann. Mag. Nat. Hist. (4) 20 p. 283 T. 8 F. 7 (D ♀).
Tarentula e. Jackson 1933, Proc. Zool. Soc. London p. 146 (N ♀).

♂(♀) **gertschi** (Schenkel) 1951. Californien

Tarentula g. Schenkel 1951, Verh. Nat. Ges. Basel 62 p. 29 f. 37—38 (D ♂, ?♀).

♀ **hamiltoni** (Chamberlin & Ivie) 1947. Alaska

Tarentula h. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 23 T. 10 F. 91 (D ♀).

♂♀ **kochii** (Keyserling) 1876. U. St. Amerika, Alaska

Tarentula k. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 636 T. 7 F. 18 (D ♀).
Lycosa brunneiventris Banks 1894, Journ. N. York Ent. Soc. 2 p. 50 (D ♀).
Lycosa k. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 263 T. 9 F. 3—4; T. 21 F. 4—5 (D ♂♀).
A. k. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 551 (C).
Pardosa heretica Chamberlin 1925, Proc. Calif. Ac. Sci. (4) 14 p. 125 f. 37 (D ♀).
Tarentula k. Schenkel 1951, Verh. Nat. Ges. Basel 62 p. 29 (N ♂).

Gen. **Alopecosella** gen. nov.

♀ **pelusiaca** (Audouin) 1827. Aegypten bis Algier, Fezzan

Lycosa p. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 370 T. 4 F. 8 (D ♀).
Lycosa p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 308 (D ♀).
Alopecosa p. Caporiacco 1936, Atti Soc. Ital. Sci. Nat. 75 p. 89 (N ♀).

♀ **perspicax** (L. Koch) 1882. – * Balearen

Lycosa p. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 658 T. 31 F. 32 (D ♀).

Gen. **Arctosa** C. L. Koch 1848.

Palaearktische Arten:

§ 6 ♂, 6 ♀: Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 307—310 (part.).
§ 8 ♂, 8 ♀: F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 65—73 (part.).
§ 8 ♂, 8 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 132—133 TF. 1487—99 (part.).
§ 6 ♂, 7 ♀: Simon 1937, Arachn. de France 6 (5) p. 1087—1122 (sub **Lycosa** part.).
§ 5 (♂, ♀): Holm 1947, Svensk Spindelfauna 3 p. 20.

♂♀ **depectinata** (Bösenberg & Strand) 1906. Japan

Tarentula d. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 314 T. 7 F. 332 (D ♂♀).
Tarentula d. Strand 1918, Arch. Naturg. 62 (A; 11) p. 97 T. 2 F. 30—31 (N ♂).

♂♀ **depuncta** (Cambridge) 1876. Aegypten, Kufra

Trochosa d. Cambridge 1876, Proc. Zool. Soc. London p. 300 (D ♂♀).
A. d. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 338 f. 13 (D ♀).

♂♀ **deserta** (Cambridge) 1872. Syrien

Lycosa d. Cambridge 1872, Proc. Zool. Soc. London p. 318 (D ♂♀).

♂♀ **dissonans** (Cambridge) 1872. Syrien

Lycosa d. Cambridge 1872, Proc. Zool. Soc. London p. 316 (D ♂♀).

♂♀ **lacustris** (Simon) 1876. Mediterranean, Kufra
Lycosa l. Simon 1876, Arachn. de France 3 p. 280 (D ♂♀).
Pirata l. Caporiacco 1924, Ann. Mus. Civ. Trieste 12 p. 127 (C).
Lycosa l. Simon 1937, Arachn. de France 6 (5) p. 1116, 1139, f. 1758—1759 (D ♂♀).

♂♀ **mayi** (Strand) 1911. Canaren
Tarentula m. Strand 1911, Arch. Naturg. 77 (I; 2) p. 197 (D ♂♀).

o **misella** (L. Koch) 1882. Mallorca
Lycosa m. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 660 (D o).

♀ **pardosina** (Simon) 1898. Turkestan
Lycosa p. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 28 (D ♀).

♂♀ **perita** (Latreille) 1798. Europa, Nord-Afrika, Azoren
Aranea p. Latreille 1798, Bull. Soc. Sci. Philom. 1 (2) p. 170 (D ♀).
Aranea velox Walckenaer 1802, Faun. Paris. 2 p. 24 T. 3 F. 4 (D ♂♀).
Lycosa picta Hahn 1831, Die Arachniden 1 p. 106 TF. 79 (D ♂♀).
Lycosa p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 318 (D).
A. p. C. L. Koch 1848, Die Arachniden 14 p. 130 TF. 1362—1363 (D ♂♀).
A. lynx C. L. Koch 1848, Die Arachniden 14 p. 133 TF. 1364 (D ♂ o).
Lycosa picta Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 25 T. 1 F. 8 (D ♂♀).
Lycosa picta Westring 1862, Aran. Svec. p. 525 (D ♂♀).
A. picta Ohlert 1867, Aran. Prov. Preussen p. 146 (D ♂♀).
Tarantula velox Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 808 (C).
Trochosa picta Thorell 1870, On Europ. Spid. p. 193 (N).
Lycosa p. Simon 1876, Arachn. de France 3 p. 276 (D ♂♀).
Lycosa filicata Simon 1876, Arachn. de France 3 p. 277 (D ♂).
A. picta Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 518 T. 84 F. 293 (D ♀, nec ♂).
Trochosa p. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 375 (N ♂♀).
Trochosa picta Cambridge 1881, Proc. Dorset F. Cl. 2 p. 358 (D ♂♀).
Lycosa p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 105 T. 8 F. 6 (D ♂♀).
Trochosa picta Hansen 1885, in: Schiödte, Zool. Danica p. 153 T. 5 F. 5 (D ♂♀).
Trochosa p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 74 T. 3 F. 9 (D ♂♀).
Trochosa picta Bösenberg 1903, Zoologica 14 (5—6) p. 401 T. 38 F. 590 (D ♂♀.).
Trochosa vigilans Bösenberg 1903, Zoologica 14 (5—6) p. 404 T. 38 F. 596A (D ♀, nec ♂).
A. p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 309, 318 f. 39 (D ♂♀).
Lycosa p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 496 (D ♂♀).
A. p. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 580 (D ♂♀).
A. p. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 69 f. 179, 180 (D ♂♀).
A. p. Bacelar 1929, Bull. Soc. Portug. Sci. Nat. 10 (21) p. 248 f. 2, 3 (D ♂♀).
Lycosa p. Simon 1937, Arachn. de France 6 (5) p. 1115, 1138 f. 1754—1755 (D ♂♀).
A. p. Palmgren 1939, Act. Zool. Fenn. 25 p. 74 f. 120—121 (D ♂♀).
A. p. Holm 1947, Svensk Spindelfauna 3 p. 20 f. 6a; T. 4 F. 40—41; T. 9 F. 25 (D ♂♀).
A. p. Locket & Millidge 1951, Brit. Spiders 1 p. 287 f. 137B; 138B (D ♂♀).

♂♀ **perita arenicola** (Simon) 1937. Gironde, Landes
Lycosa p. a. Simon 1937, Arachn. de France 6 (5) p. 1116, 1138 (D ♂♀).

♂♀ **quadripunctata** (Lucas) 1846. Nord-Afrika, Oase Siwah

Lycosa q. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 119 T. 4 F. 1 (D ♂).
Tarentula q. Strand 1907, Arch. Naturg. 73 (I; 3) p. 325 (D ♂).
A. q. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 36 T. 1 F. 9—10 (N ♂, D ♀).

♂♀ **renidens** (Simon) 1876. Süd-Frankreich, Schweiz

Lycosa r. Simon 1876, Arachn. de France 3 p. 275 (D ♀).
Lycosa r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 490 (D ♀).
Tarentula r. Schenkel 1927, Rev. Suisse Zool. 34 (14) p. 259 f. 17 (D ♀).
Lycosa r. Simon 1937, Arachn. de France 6 (5) p. 1113, 1138 f. 1747 (D ♂).

♂ **soror** (Simon) 1889. Transkaspien

Lycosa s. Simon 1889, Verh. Zool. Bot. Ges. Wien 39 p. 377 (D ♂).

♂♀ **variana** C. L. Koch 1848. Mediterranea

A. v. C. L. Koch 1848, Die Arachniden 14 p. 125 TF. 1359 (D ♀).
Lycosa v. Simon 1876, Arachn. de France 3 p. 280 (N).
Trochosa v. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 74 T. 3 F. 11 (D ♂♀).
A. v. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 21 f. 15—16 (N ♂♀).
Lycosa v. Simon 1937, Arachn. de France 6 (5) p. 1115, 1139 f. 1752—53 (D ♂♀).

Transgredierende Arten:

♂♀ **alpigena** (Doleschall) 1852. West- u. Mitteleuropa, Grönland, Canada, U. St. Amerika

Lycosa a. Doleschall 1852, S. B. Ak. Wiss. Wien 9 p. 643 (D).
Lycosa superba L. Koch 1872, Zeitschr. Ferdinand. Tirol (3) 17 p. 316 (D ♀).
Trochosa insignita Thorell 1872, Oefv. Svensk. Vet. Ak. Förh. 29 (2) p. 160 (D ♀).
Lycosa biunguiculata Cambridge 1873, Trans. Linn. Soc. London 28 (3) p. 526 T. 46 F. 2 (D ♂).
Lycosa insignita Simon 1876, Arachn. de France 3 p. 273 (D ♂♀).
Trochosa biunguiculata Cambridge 1881, Proc. Dorset F. Cl. 2 p. 544 (D ♂).
Lycosa biunguiculata Cambridge 1894, Ann. Scott. Nat. Hist. p. 23 f. 1 (N ♂).
Trochosa a. Kulczynski 1898, Symbol. Faun. Aran. Austr. Infer. p. 105 T. 2 F. 80—82 (N ♂).
Trochosa insignita Soerensen 1898, Vidensk. Meddel. (5) 10 p. 232 (N, part.).
Lycosa simonii Bösenberg 1903, Zoologica 14 (5—6) p. 387 T. 36 F. 570 (D ♂).
A. a. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 307, 326 f. 37 (D ♂♀).
A. lamperti Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 307, 325 f. 36 (D ♂♀).
Lycosa a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 500 (D ♂♀).
Lycosa lamperti F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 66 f. 170—173 (D ♂♀).
A. a. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 67 f. 174—176 (D ♂♀).
Lycosa a. Simon 1937, Arachn. de France 6 (5) p. 1112, 1138 f. 1745—46 (D ♂♀).
A. a. Braendegaard 1939, Meddel. om Grönland 108 (7) p. 6, 7 f. 2, 4, 5 (N ♂♀).
A. insignita Braendegaard 1939, Meddel. om Grönland 108 (7) p. 6, 9 f. 1, 3 (N).
A. a. Palmgren 1939, Act. Zool. Fenn. 25 p. 73 f. 122—124 (D ♂♀).
A. a. Holm 1947, Svensk Spindelfauna 3 p. 22 T. 4 F. 46—47; T. 9 F. 22 (D ♂♀).
A. a. Levi 1951, Zoologica, N.York 36 (4) p. 223 f. 9, 20 (N ♂♀).
A. a. Locket & Millidge 1951, Brit. Spiders I p. 286 f. 138 A, E (D ♂♀).

♂♀ **cinerea** (Fabricius) 1776. – * Palaearktis, West-Afrika, Nearktis

Aranea c. Fabricius 1776, Gen. Ins. 249 (D).
Aranea c. Fabricius 1793, Ent. Syst. 2 p. 423 (D).
Aranea c. Olivier 1789, Encycl. Méthod. 4 p. 219 (D).
Aranea allodroma Walckenaer 1802, Faun. Paris. 2 p. 238 (D).

? **Lycosa maculata** Hahn 1822, Monogr. d. Spinn. 3 p. 1 T. 3 F. a (D ♀) **(sec** Simon 1937).
Lycosa c. Sundevall 1832, Vet. Ak. Handl. p. 190 (D ♂♀).
Lycosa lynx Hahn 1834, Die Arachniden 2 p. 13 TF. 104 (D ♀).
Lycosa leucophaea Blackwall 1837, London Edinbg. Phil. Mag. (3) 10 p. 104 (D ♂♀).
Lycosa allodroma Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 330 (D ♀).
Lycosa allodroma C. L. Koch 1839, Die Arachniden 5 p. 106 TF. 410—411 (D ♂♀).
Lycosa litoralis Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 388 T. 17 F. 9 (D ♀).
Lycosa maritima Hentz 1944, Boston Journ. Nat. Hist. Soc. 4 p. 389 T. 17 F. 10 (D ♀).
Lycosa pilipes Lucas 1846, Explor. Sci. Algér. Zool. 1 Arachn. p. 109 T. 2 F. 8 (D ♂♀).
A. c. C. L. Koch 1848, Die Arachniden 14 p. 123 TF. 1358 (D ♀).
Lycosa allodroma Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 23 T. 1 F. 7 (D ♂♀).
Lycosa c. Westring 1862, Aran. Svec. p. 523 (D ♀).
A. allodroma Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 346 (C).
A. halodroma Ohlert 1867, Aran. Prov. Preussen p. 145 (D ♂♀).
Trochosa c. Thorell 1870, On Europ. Spid. p. 192 (C).
Lycosa (Trochosa) c. Thorell 1872, Rem. Syn. Europ. Spid. p. 332 (N).
Lycosa c. Simon 1876, Arachn. de France 3 p. 278 (D ♂♀).
Lycosa pilipes Cambridge 1876, Proc. Zool. Soc. London p. 600 (N ♂♀).
A. c. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 516 T. 84 F. 292 (D ♂♀).
Lycosa c. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 107 T. 8 F. 7 (D ♂♀).
Trochosa c. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 64 (D ♂♀).
Trochosa c. Hansen 1885, in: Schiödte, Zool. Danica p. 152 T. 5 F. 4 (D ♂♀).
Lycosa c. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 488 T. 47 F. 3 (D ♂).
Trochosa c. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 73 T. 3 F. 10 (D ♂♀).
Trochosa c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 331 T. 31 F. 28—29 (N ♂♀).
Lycosa c. Emerton 1902, Common Spiders p. 73 f. 177—178 (D ♂♀).
Lycosa c. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 555 T. 29 F. 17—18 (D ♂♀).
Trochosa c. Bösenberg 1903, Zoologica 14 (5—6) p. 401 T. 38 F. 589 (D ♂♀).
Trochosa c. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 305 T. 20 F. 43 (D ♂♀).
Tarentula pilipes Strand 1907, Arch. Naturg. 73 (I; 3) p. 332 T. 8 F. 9—10 (N ♂, D ♀).
A. c. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 309, 312 f. 40 (D ♂♀).
Lycosa c. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 281 T. 20 F. 6 (D ♀).
Lycosa c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 494 (D ♂♀).
A. littoralis Chamberlin 1924, Proc. Calif. Ac. Sci. (4) 12 p. 673 (N).
A. c. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 70 f. 181—182 (D ♂♀).
A. litoralis Crosby & Bishop 1928, Mem. Cornell Univ. Agr. Exper. Stat. 101 p. 1066 (C).
Trochosa c. Peelle & Saito 1933, Journ. Fac. Sci. Hokkaido Zool. (6) 2 (3) p. 122 f. 9 (N).
Lycosa c. Simon 1937, Arachn. de France 6 (5) p. 1113, 1138 f. 1748—49 (D ♂♀).
A. litoralis Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 183 (N).
A. c. Palmgren 1939, Act. Zool. Fenn. 25 p. 73 f. 116—119 (D ♂♀).
A. c. Holm 1947, Svensk Spindelfauna 3 p. 20 T. 4 F. 38—39; T. 9 F. 19 (D ♂♀).
A. litoralis Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 320 T. 53 F. 1050; T. 55 f. 1070—71 (D ♂♀).
A. c. Locket & Millidge 1951, Brit. Spiders I p. 285 f. 137 A; 138 D (D ♂♀).

♂ **cinerea obscura** (Franganillo) 1913. Nordwest-Spanien
Lycosa c. o. Franganillo 1913, Broteria 11 p. 121 (D ♂).
Lycosa c. o. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 59 (D ♂).

Aethiopische Arten:

♀ **astuta** (Gerstäcker) 1873. Centr.-Afrika
Lycosa a. Gerstäcker 1873, Gliedertier. Faun. Sansibar-Geb. p. 483 (D ♀).
Tarentula a. Pavesi 1881, Ann. Mus. Civ. Genova 16 p. 552 (N ♀).
Tarentula a. Strand 1913, Arachn. I in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 438 (D ♀).

♀ **bacchabunda** (Karsch) 1884. Ins. Rolas
Lycosa b. Karsch 1884, S. B. Ges. Naturw. Marburg (2) p. 63 f. 2 (D ♀).

♀ **berlandi** (Caporiacco) 1944. Ost-Afrika
Hogna b. Caporiacco 1944, Comment. Pontific. Ac. Sci. 13 (6) p. 335 f. 10 (D ♀).

♀ **brauni** (Strand) 1916. Ost-Afrika
Tarentula b. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 116 (D ♀).

♂♀ **brevispina** (Lessert) 1915. Centr.-Afrika
Lycosa b. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 67 T. 3 F. 61 (D ♀) (nec = **Tarentula b.** Kulczynski 1908).
Lycosa b. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 345 f. 9 (D ♂).

♀ **dregei** (Purcell) 1903. Capland
Lycosa d. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 126 T. 8 F. 18 (D ♀).

♂♀ **kassenjea** (Strand) 1913. Centr.-Afrika
Tarentula k. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 429 (D ♂♀).

♂♀ **kirkiana** (Strand) 1913. Centr.-Afrika
Tarentula k. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 428 (D ♀).
Trochosa k. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 793 f. 11 (D ♂).

♀ **kiwuana** (Strand) 1913. Centr.-Afrika
Tarentula k. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 452 (D ♀).

♀ **laccophila** (Simon) 1910. Portug. Guinea
Lycosa l. Simon 1910, Ann. Mus. Civ. Genova 44 p. 398 (D ♀).

♀ **lenzi** (Roewer) 1951. Madagascar
Lycosa melanogaster Lenz 1886, Zool. Jahrb. Syst. 1 (2) p. 401 T. 10 F. 11 (D ♀) (praeocc. Latreille 1918 und Hahn 1831).
Tarentula melanogaster Strand 1915, Arch. Naturg. 81 (A; 9) p. 79 (N).
Hogna l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov.).

♂♀ **lightfooti** (Purcell) 1903. Capland
Lycosa l. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 125 (D ♂♀).

♂♀ **nivosa** (Purcell) 1903. Capland
Lycosa n. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 124 T. 8 F. 16 (D ♂♀).

o **nyembeensis** (Strand) 1916. Ost-Afrika
Tarentula n. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 113 (D o).
Trochosa n. Caporiacco 1947, Comment, Pontific. Ac. Sci. 13 (6) p. 337 (N).

♀ **promontorii** (Pocock) 1900. Capland
Lycosa p. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 328 (D ♀).
Tarentula p. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 703 (D ♀).

♀ **schweinfurthi** (Strand) 1906. Abessinien
Tarentula s. Strand 1906, Jahresb. Ver. Nat. Württbg. 62 p. 96 (D ♀).

Orientalische Arten:

♂♀ **lesserti** Reimoser 1934. Dekan
A. l. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 470 f. 2—3 (D ♂♀).

♀ **swatowensis** (Strand) 1907. Süd-China
Tarentula s. Strand 1907, Zool. Anz. 31 (17—18) p. 565 (D ♀).
Tarentula s. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 70 TF. 43 (D ♀).

Australische Arten:

♀ **aliusmodi** (Karsch) 1880. Australien
Lycosa a. Karsch 1880, S. B. Ges. Naturf. Freunde Berlin (5) p. 83 (D ♀).

♀ **konei** (Berland) 1924. Neu-Caledonien
Lycosa k. Berland 1924, Nov. Caledonia; Zool. 3 (2) p. 245 f. 197—199 (D ♀).

♂♀ **konei epiana** (Berland) 1938. Neue Hebriden
Lycosa k. e. Berland 1938, Ann. Soc. Ent. France 107 p. 183 f. 197—199 (D ♂♀).

♀ **tremula** (Simon) 1899. Neu-Seeland
Lycosa t. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 429 (D ♀).

Neotropische Arten:

♂♀ **andina** (Chamberlin) 1916. Peru
Lycosa a. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 286 T. 24 F. 2—3 (D ♂♀).

♀ **aussereri** (Keyserling) 1876. Columbien, Portorico
Tarentula a. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 657 T. 7 F. 33 (D ♀).
Lycosa a. Banks 1901, Proc. U. Stat. Nat. Mus. 24 p. 223 (N).

♂♀ **bogotensis** (Keyserling) 1876. Columbien
Tarentula b. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 651 T. 7 F. 29—31 (D ♂♀).
Lycosa b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 557 (C).

♂♀ **furtiva** Gertsch 1934. Florida
A. f. Gertsch 1934, Amer. Mus. Novit. 726 p. 8 TF. 4 (D ♂♀).

♀ **mexicana** (Banks) 1898. Mexico
Trochosa m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) Zool. p. 272 T. 17 F. 4 (D ♀).
A. m. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 331 (N ♀).

♂♀ **minuta** F. Cambridge 1902. Costa Rica, Guatemala
A. m. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 331 T. 31 F. 26—27 (D ♂♀).

♂ **pugil** (Bertkau) 1880. Brasilien
Tarentula p. Bertkau 1880, Mém. Class. Sci. 43 p. 71 T. 2 F. 23 (D ♂).

Transgredierende Arten:

♂♀ **trifida** F. Cambridge 1902. Costa Rica, Mexico, Texas
A. t. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 330 T. 31 F. 24—25 (D ♂♀).

Nearktische Arten:

♂♀ **albohastata** (Emerton) 1894. Canada
Lycosa a. Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 423 T. 3 F. 3—3b (D ♂♀) (nec = **alpigena** Doleschall).
Lycosa a. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 275 T. 19 F. 1 (D ♂♀).

♂♀ **mulaiki** Gertsch 1934. Texas
A. m. Gertsch 1934, Amer. Mus. Novit. 693 p. 10 (D ♂♀).

♂♀ **quinaria** (Emerton) 1894. Alberta, Alaska
Lycosa q. Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 422 T. 3 F. 5—5a (D ♀).
Lycosa q. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 277 T. 19 F. 7 (D ♀).
Lycosa q. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 400 T. 5 F. 1 (D ♂♀).
A. q. Gertsch 1934, Amer. Mus. Novit. 693 p. 5 (N).
A. q. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10), Biol. 10 (3) p. 18 T. 2 F. 10 (N ♂).

Gen. **Arctosippa** gen. nov.

Australische Arten:

♀ **alboguttulata** (L. Koch) 1878. Australien
Lycosa a. L. Koch 1878, Arachn. Austral. 1 (2) p. 973 T. 85 F. 3 (D ♀).

Neotropische Arten:

♀ **gracilis** (Keyserling) 1882. – * Peru
Diapontia g. Keyserling 1882, Verh. Zool. Bot. Ges. Wien 31 p. 302 T. 11 F. 22 (D ♀).

Gen. **Arctosomma** gen. nov.

♀ **trochosiformis** (Strand) 1906. Abessinien
Tarentula t. Strand 1906, Zool. Anz. 30 (19—20) p. 675 (D ♀).
Tarentula t. Strand 1907, Arch. Naturg. 73 (I; 3) p. 330 T. 8 F. 34 (D ♀).

Gen. **Arkalosula** gen. nov.

Palaearktische Arten:

♂♀ **amylaceoides** (Schenkel) 1936. Szechuan
Arctosa a. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 188 f. 62 (D ♂♀).

♀ **brevis** (Denis) 1953. Teneriffa
Hogna b. Denis 1953, Bull. Inst. Sci. Nat. Belg. 29 (39) p. 6 f. 5 (D ♀).

♀ **chengta** (Fox) 1935. Szechuan
Lycosa c. Fox 1935, Journ. Wash. Ac. Sci. 25 (10) p. 453 f. 5 (D ♀).

♀ **garamantica** (Caporiacco) 1936. Fezzan
Pirata g. Caporiacco 1936, Atti Soc. Ital. Sci. Nat. 75 p. 89 (D ♀).

Aethiopische Arten:

♀ **albopelliata** (L. Koch) 1875. Abessinien
Trochosa a. L. Koch 1875, Aegypt. Abyssin. Arachn. Jickeli p. 82 (D ♀).

♂♀ **frequentissima** (Caporiacco) 1947. Kilimandjaro
Arctosa f. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 124 T. 1 F. 8 (D ♂♀).

♀ **picturella** (Strand) 1906. Abessinien
Tarentula p. Strand 1906, Zool. Anz. 30 (19—20) p. 674 (D ♀).
Tarentula p. Strand 1907, Arch. Naturg. 73 (I;3) p. 321 (D ♀).

♀ **poecila** (Caporiacco) 1939. Aethiopien
Arctosa p. Caporiacco 1939, Mis. Biol. . . . Borana p. 327 f. 7 (D ♀).

♀ **scopulitibiis** (Strand) 1906. Abessinien
Tarentula s. Strand 1906, Zool. Anz. 30 (19—20) p. 672 (D ♀).
Tarentula s. Strand 1907, Arch. Naturg. 73 (I;3) p. 309 T. 8 F. 21 (D ♀).

Neotropische Arten:

♂ **cheluncata** (Petrunkevitch) 1925. Panama
Arctosa c. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 177 f. 94—96 (D ♂).

♂♀ **fusca** (Keyserling) 1876. Centr.-Amerika, Westindien, Portorico
Tarentula f. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 640 T. 7 F. 22 (D ♀).
Lycosa f. Banks 1901, Proc. U. St. Nat. Mus. 24 p. 223 (N).
Lycosa f. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 91 f. 76—79 (N ♀).
Lycosa f. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 280 T. 2 F. 23—24 (D ♂♀).

♀ **inconspicua** (Bryant) 1948. Haiti
Lycosa i. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 355 T. 2 F. 16 (D ♀).

♂♀ **panamana** (Petrunkevitch) 1925. Panama
Arctosa p. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 179 f. 97 (D ♀).

♂♀ **sanctae-rosae** (Gertsch & Wallace) 1935. – * Florida
Arctosa s. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 5 TF. 23—24 (D ♂♀).

Nearktische Arten:

♀ **gigantea** (Gertsch) 1934. Illinois
Pirata g. Gertsch 1934, Amer. Mus. Novit. 693 p. 12 (D ♀).

Gen. **Artoria** Thorell 1877.

Aethiopische Arten:

♂ o **fascicularis** Purcell 1903. Capland
A. f. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 133 (D ♂ o).

Transgredierende Arten:

♂♀ **parvula** Thorell 1877. – * Celebes, Bismarck-Archipel

A. p. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 531 (D ♂).
A. p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 233 f. 14 (D ♂♀).

Australische Arten:

♂♀ **palustris** Dahl 1908. Bismarck-Archipel

A. p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 234 f. 16—17 (D ♂♀).

Gen. **Artoriella** gen. nov.

Aethiopische Arten:

o **lycosimorpha** (Strand) 1909. Süd-Afrika

Artoria l. Strand 1909, Deutsch. Südpolar. Exped. 1901—1903; 10 (5) (Zool. 2) p. 589 (D o).

Australische Arten:

♀ **cingulipes** (Simon) 1909. West-Australien

Artoria c. Simon 1909, Faun. SW. Austral. 2 (12) p. 193 f. 10 (D ♀).

♀ **flavimanus** (Simon) 1909. – * West-Australien

Artoria f. Simon 1909, Faun. SW. Austral. 2 (12) p. 192 f. 9 (D ♀).

♂♀ **maura** (Urquhart) 1891. Neu-Seeland

Lycosa m. Urquhart 1891, Trans. N. Zeal. Inst. 24 p. 246 (D ♂♀).

♀ **taeniifera** (Simon) 1909. West-Australien

Artoria t. Simon 1909, Faun. SW. Austral. 2 (12) p. 193 f. 11 (D ♀).

Gen. **Artoriellula** gen. nov.

♀ **bicolor** (Simon) 1898. Capland

Artoria b. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 31 (D ♀).
Artoria b. Simon 1898, Hist. Nat. Araign. 2 (2) p. 329 f. 338 (N).

Gen. **Aulonia** C. L. Koch 1848.

Palaearktische Arten:

♂♀ **albimana** (Walckenaer) 1805. – * Europa, Mediterranea, Krim

Lycosa a. Walckenaer 1805, Tabl. Aran. p. 14 (N).
Lycosa a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 341 (D ♂♀).
A. a. C. L. Koch 1848, Die Arachniden 14 p. 202 TF. 1411—12 (D ♂♀).
Lycosina a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 369, 518 (N).
A. a. Simon 1876, Arachn. de France 3 p. 359 (D ♂♀).
Lycosa a. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 554 T. 90 F. 318 (D ♂♀).
A. a. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 146 T. 12 F. 4 (D ♂♀).
A. a. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 68 (D ♂♀).
A. a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 50 (D ♂♀).
A. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 340 f. 344 (N).
A. a. Bösenberg 1902, Zoologica 14 (2—4) p. 371 T. 34 F. 546 (D ♂♀).
A. a. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 302 f. 35 (D ♂♀).
A. a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 505 (D ♂♀).
A. a. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 73 f. 189—192 (D ♂♀).
A. a. Simon 1937, Arachn. de France 6 (5) p. 1087, 1131 f. 1694—95 (D ♂♀).
A. a. Holm 1947, Svensk Spindelfauna 3 p. 22 T. 5 F. 48—49; T. 9 F. 24 (D ♂♀).
A. a. Locket & Millidge 1951, Brit. Spiders I p. 290 f. 122A; 140A, B (D ♂♀).

Neotropische Arten:

bergi (Holmberg) 1876. Argentinien

Lycosa b. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 26 (D).

♂♀ **luteonigra** Mello-Leitao 1945. Argentinien

A. l. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 247 f. 31—32 (D ♂♀).

♀ **macrops** Simon 1898. Brasilien

A. m. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 30 (D ♀).
A. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 329 f. 399 (N).

Gen. **Avicosa** Chamberlin & Ivie 1942.

Palaearktische Arten:

♀ **algerica** (Roewer) 1951. Algier

Lycosa erratica Lucas 1846, Explor. Sci. Algér. Zool. 1 Arachn. p. 111 T. 3 F. 1 (D ♀) (praeocc. Hentz 1844).
Tarentula erratica Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Tarentula a. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov.).

O♀ **aomorensis** (Saito) 1939. Japan

Pirata a. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 71 f. 9 (3); T. 1 F. 11 (D O♀).

♀ **chopini** (Fox) 1935. Szechuan

Lycosa c. Fox 1935, Journ. Wash. Ac. Sci. 25 (10) p. 453 f. 6 (D ♀).

♀ **cervina** (Schenkel) 1936. Süd-Kansu

Arctosa c. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 191 f. 63 (D ♀).

♀ **concolor** (Caporiacco) 1935. Karakorum

Hogna c. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 231 T. 5 F. 15 (D ♀).

♀ **grahami** (Fox) 1935. Yünnan

Lycosa g. Fox 1935, Journ. Wash. Ac. Sci. 25 (10) p. 455 f. 3 (D ♀).

♂♀ **hebes** (Cambridge) 1885. Yarkand, Sirikol

Trochosa h. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 81 (D ♂♀).

O♀ **intermixta** (Schenkel) 1936. Szechuan

Trochosa i. Schenkel 1936, Ark. Zool. 29 (4; 1) p. 205 f. 67 (D O♀).

♂ **krynickii** (Thorell) 1875. Krim

Tarentula k. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 104 (D ♂).
Tarentula k. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 157 (D ♂).

♀ **longipedis** (Saito) 1939. Japan

Pirata l. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 74 f. 9 (5); T. 1 F. 1 (D ♀).

♀ **nemurensis** (Strand) 1907. Japan

Tarentula n. Strand 1907, Zool. Anz. 31 (17—18) p. 566 (D ♀).
Tarentula n. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 69 TF. 36 (D ♀).

♂♀ **pseudoannulata** (Bösenberg & Strand) 1906. Japan, China

Tarentula p. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 319 T. 8 F. 106; T. 13 F. 323, 326, 334, 338 (D ♂♀).
Tarentula p. Strand 1918, Arch. Naturg. 82 (A; 11) p. 97 (N ♀).
Lycosa p. Fox 1935, Journ. Wash. Ac. Sci. 25 (10) p. 455 (N).
Lycosa p. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 77 f. 9 (8) (N ♀).

♀ **pseudoterricola** (Schenkel) 1936. Szechuan
Lycosa p. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 199 f. 66 (D ♀).

O♀ **rubiginea** (Cambridge) 1885. Yarkand
Trochosa r. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 80 (D O♀).

♀ **wulsini** (Fox) 1935. Shanghai
Lycosa w. Fox 1935, Journ. Wash. Ac. Sci. 25 (10) p. 452 f. 4 (D ♀).

Aethiopische Arten:

♂ **berndti** (Strand) 1913. Centr.-Afrika
Tarentula b. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 447 (D ♂).

♀ **cecilii** (Pocock) 1901. Mashonaland
Lycosa c. Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 338 (D ♀).

♀ **chinchoxensis** (Strand) 1908. West- u. Centr.-Afrika
Pirata pilipes Karsch 1879, Zeitschr. ges. Naturw. 52 p. 351 (D ♀).
Tarentula c. Strand 1908, Arch. Naturg. 73 (I; 3) p. 333 (N).
Tarentula c. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 437 (D ♀).

♂♀ **darlingi** (Pocock) 1898. Capland, Transvaal
Lycosa d. Pocock 1898, Ann. Mag. Nat. Hist. (7) 1 p. 314 f. 3 (D ♂♀) (nec = **subvittata** Pocock 1900).
Lycosa d. Lawrence 1936, Ann. Transvaal Mus. 17 (2) p. 157 (N ♀).

♂ **ehni** (Lessert) 1933. Angola
Lycosa e. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 135 f. 54—55 (D ♂).

♂♀ **hewitti** (Lessert) 1915. Ost-Afrika
Lycosa h. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 56 T. 3 F. 63 (D ♀).
Hogna h. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 335 (N ♂♀).

♂♀ **hewitti minor** (Lessert) 1926. Ost-Afrika
Lycosa h. m. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 337 f. 2—3 (D ♂♀).

♂♀ **subpersonata** (Simon) 1910. Südwest-Afrika
Lycosa s. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 208 (D ♂♀).

♀ **tenera** (Karsch) 1879. West- u. Centr.-Afrika
Lycosa t. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 356 (D ♀).
Tarentula t. Strand 1913, Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 433 (D ♀).

Orientalische Arten:

♂♀ **fragilis** (Thorell) 1890. Sumatra
Tarentula f. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 136 (D ♂♀).
Tarentula f. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 154 (D ♂♀).

♂♀ **minahassae** (Merian) 1911. Celebes
Lycosa m. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 297 f. M 1 (D ♂♀).

Australische Arten:

♀ **arua** (Strand) 1911. Aru-Ins.
Tarentula a. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 172 T. 5 F. 69 (D ♀).

♀ **berenice** (L. Koch) 1877. Australien
Lycosa b. L. Koch 1877, Arachn. Austral. 1 (2) p. 937 T. 81 F. 3 (D ♀).

♀ **cristopheri** (Simon) 1909. West-Australien
Lycosa c. Simon 1909, Fauna SW.-Austral. 2 (12) p. 182 (D ♀).

♂♀ **expolita** (L. Koch) 1877. Queensland
Lycosa e. L. Koch 1877, Arachn. Austral. 1 (2) p. 917 T. 79 F. 45 (D ♂♀).

♀ **umbrata** (L. Koch) 1877. Neu-Seeland
Lycosa u. L. Koch 1877, Arachn. Austral. 1 (2) p. 921 T. 79 F. 7 (D ♀).

♂o **vulpecula** (L. Koch) 1865. Australien
Lycosa v. L. Koch 1865, Verh. Zool. Bot. Ges. Wien 15 p. 864 (D ♂).
Lycosa v. L. Koch 1877, Arachn. Austral. 1 (2) p. 914 T. 79 F. 2 (D o).

Neotropische Arten:

♂♀ **altamontis** Chamberlin 1916. Peru
Arctosa a. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 289 T. 23 F. 7—9 (D ♂♀).

♀ **bellamyi** (Gertsch & Wallace) 1937. Florida
Lycosa b. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 10 TF. 14 (D ♀).

♂♀ **ceraticola** (Gertsch & Wallace) 1935. Florida
Lycosa c. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 13 TF. 27 (D ♀).
Lycosa c. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 9 TF. 7, 9 (D ♂).

♀ **delfini** (Simon) 1904. Chile
Lycosa d. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 113 (D ♀).

♂♀ **malitiosa** (Tullgren) 1905. Bolivien, Nord-Argentinien
Lycosa m. Tullgren 1905, Ark. Zool. 2 (19) p. 57 T. 7 F. 27 (D ♂♀).
Lycosa m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 128 (N).

♂♀ **proletaria** (Tullgren) 1905. Bolivien, Nord-Argentinien
Lycosa p. Tullgren 1905, Ark. Zool. 2 (19) p. 65 T. 8 F. 31 (D ♀).
Lycosa p. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 134 f. 28 (D ♂).

♀ **serranoi** (Mello-Leitao) 1941. Parana, Argentinien
Geolycosa s. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (2) p. 120 (D ♀).

♂♀ **venefica** (Keyserling) 1891. Brasilien
Tarentula v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 261 T. 10 F. 197 (D ♂♀).
Lycosa v. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 568 (C).

o **yurae** (Strand) 1908. Peru
Tarentula y. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 242 (D o).
Lycosa y. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 569 (C).

Nearktische Arten:

♂♀ **avida** (Walckenaer) 1837. – * U. St. Amerika, Canada
Lycosa a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 322 (D ♂).
Lycosa erratica Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 388 T. 17 F. 8 (D ♂).
Lycosa sagittata Hentz 1844, Boston. Journ. Nat. Hist. Soc. 4 p. 391 T. 18 F. 3—4 (D ♀).

Lycosa propinqua Blackwall 1846, Ann. Mag. Nat. Hist. (1) 17 p. 31 (D ♀).
Tarentula lepida Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 631 T. 7 F. 1 (D ♀).
Lycosa communis Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 489 T. 47 F. 6 (D ♂♀).
Lycosa communis Emerton 1902, Common Spiders p. 75 f. 181—182 (D ♂♀).
Lycosa lepida Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 55 p. 562 T. 29 F. 26—27 (D ♂♀).
Lycosa pacifica Banks 1904, Proc. Calif. Ac. Sci. (Zool.) (3) 3 (13) p. 354 T. 38 F. 6 (D ♂♀).
Lycosa lepida Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 287 (D ♂♀).
Lycosa erratica Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 251 T. 9 F. 8; T. 17 F. 3—4 (D ♂♀).
Lycosa a. Petrunkevitch 1910, Ann. N. York Ac. Sci. 19 (9; 2) p. 221 (N).
Schizocosa a. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 19 (N).
Schizocosa (A.) a. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 38 (N).
Lycosa a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 326 T. 54 F. 1063—64; T. 56 F. 1085—89 (D ♂♀).

♂♀ **minnesotensis** (Gertsch) 1934. Minnesota, Idaho, Alberta

Lycosa m. Gertsch 1934, Amer. Mus. Novit. 726 p. 4 TF. 2 (D ♂♀).
Schizocosa m. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 21 (N).
Schizocosa (A.) a. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 38 (N).

♂♀ **pictilis** (Emerton) 1885. New Hampshire, Labrador, Canada

Lycosa p. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 485 T. 46 F. 5 (D ♂♀).
Lycosa p. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 287 T. 18 F. 7—8 (D ♂♀).
Lycosa p. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 270 T. 19 F. 6—8 (D ♂♀).
Lycosa p. Emerton 1919, Canad. Arct. Exped. 3 p. 4 T. 1 F. 11—12 (N).
Tarentula p. Gertsch 1934, Amer. Mus. Novit. 693 p. 15 (N).

♂♀ **wasatchensis** (Chamberlin & Ivie) 1942. Wyoming, Utah

Schizocosa (A.) w. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 39 (D ♂♀).
Schizocosa w. Levi 1951, Zoologica, N. York 36 (4) p. 226 f. 17—18 (N ♂♀).

Gen. **Bonacosa** gen. nov.

Palaearktische Arten:

♀ **similis** (Schenkel) 1938. Portugal

Arctosa s. Schenkel 1938, Ark. Zool. 30 (A; 24) p. 13 f. 5 (D ♀).

♂ **meinerti** (Thorell) 1875. – * Nord-Afrika

Trochosa m. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 176 (D ♂) (nec = **villica** Lucas).
Lycosa m. Simon 1876, Arachn. de France 3 p. 280 (N).

Gen. **Chorilycosa** gen. nov.

♂ **arorai** (Dyal) 1935. Panjab

Lycosa a. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 140 T. 13 F. 40—41 (D ♂).

Gen. **Citilycosa** gen. nov.

♀ **dacica** (Pavesi) 1898. Rumänien

Trochosa d. Pavesi 1898, Bull. Soc. Sci. Bucarest 7 (3—4) p. 9 (D ♀).

♂ **hellenica** (C. L. Koch) 1836. – * Griechenland, Thrazien, Creta

Lycosa h. C. L. Koch 1836, Die Arachniden 3 p. 24 TF. 181 (D ♂).
Lycosa h. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 283 (D ♂).
Lycosa h. C. L. Koch 1839, Die Arachniden 5 p. 104 TF. 409 (D ♂♀).
Arctosa h. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 346 (C).

Gen. **Crocodilosa** Caporiacco 1947.

Aethiopische Arten:

♂ **kittenbergeri** Caporiacco 1947. – * Ost-Afrika

C. k. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 125 T. 1 F. 9 (D ♂).

♀ **parviguttata** (Strand) 1906. Abessinien

Tarentula p. Strand 1906, Zool. Anz. 30 (19—20) p. 676 (D ♀).
Tarentula p. Strand 1907, Arch. Naturg. 73 (I; 3) p. 335 T. 8 F. 30 (D ♀).

o **praetecta** (L. Koch) 1875. Abessinien

Trochosa p. L. Koch 1875, Aegypt. Abyssin. Arachn. Jickeli p. 75 T. 7 F. 3 (D o).

♂♀ **virulenta** (Cambridge) 1876. Aegypten

Trochosa v. Cambridge 1876, Proc. Zool. Soc. London p. 600 (D ♂♀) (nec = **Ocyale atalanta** Audouin).

Orientalische Arten:

♂♀ **leucostigma** (Simon) 1885. Indien

Lycosa l. Simon 1885, Bull. Soc. Zool. France 10 p. 10 (D ♂♀).
Lycosa l. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 603 f. 3H (D ♂♀).

♀ **maindroni** (Simon) 1897. Indien

Lycosa (Pirata) m. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 296 (D ♀).

♀ **ovicula** (Thorell) 1895. Burma

Arctosa o. Thorell 1895, Descr. Catal. Spid. Burma p. 230 (D ♀).

♂♀ **punctipes** (Gravely) 1924. Indien

Lycosa p. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 603 f. 3I (D ♂♀).

Australische Arten:

♂♀ **oraria** (L. Koch) 1876. West-Australien

Lycosa o. L. Koch 1876, Arachn. Austral. 1 (2) p. 883 T. 76 F. 2—3 (D ♂♀).

Nearktische Arten:

♂♀ **emertoni** (Gertsch) 1934. Minnesota, Ontario

Lycosa polita Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 484 T. 46 F. 2a (D ♀, part.).

Arctosa e. Gertsch 1934, Amer. Mus. Novit. 693 p. 5 (D ♂♀).
Arctosa e. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 319 T. 53 F. 1047—1049 (D ♂♀).

♀ **imperiosa** (Gertsch) 1933. Colorado
Arctosa i. Gertsch 1933, Amer. Mus. Novit. 637 p. 13 TF. 17 (D ♀).

♂♀ **rubicunda** (Keyserling) 1876. Connecticut, Utah, Canada
Trochosa r. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 663 T. 8 F. 40 (D ♀).
Lycosa polita Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 484 T. 46 F. 2, 2b, 2c (D ♀, part.).
Lycosa polita Emerton 1902, Common Spiders p. 70 f. 171 (D ♀).
Trochosa r. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 307 T. 20 F. 30 (D ♀).
Lycosa r. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 278 T. 19 F. 9 (D ♀).
Arctosa r. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 319 T. 53 F. 1044—1046 (D ♂♀).

Gen. **Cynosa** Caporiacco 1933.

Palaearktische Arten:

♂ **agedabiae** Caporiacco 1933. – * Tripolis, Kufra
C. a. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 339 f. 14 (D ♂).

♂♀ **stigmosa** (Thorell) 1875. Mittel-, Ost- u. Südost-Europa
Trochosa s. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 107 (D ♀).
Trochosa s. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 175 (D ♂).
Lycosa s. Simon 1876, Arachn. de France 3 p. 280 (N).
Arctosa picta Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 518 T. 84 F. 293 (D ♂, nec ♀).
Lycosa vigilans L. Koch 1881, Abh. Zool. Bot. Ges. Görlitz 17 p. 69 T. 2 F. 13 (D ♀).
Trochosa s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 74 T. 3 F. 13 (D ♀).
Arctosa s. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 308, 321 f. 38 (D ♂♀).
Lycosa s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 497 (D ♂♀).
Arctosa s. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 69 f. 177—178 (D ♂♀).
Arctosa s. Denis 1937, Bull. Soc. Hist. Nat. Toulouse 71 (4) p. 452 f. 1 (N ♂♀).

Australische Arten:

o **ramosa** (L. Koch) 1877. Australien
Lycosa r. L. Koch 1877, Arachn. Austral. 1 (2) p. 910 T. 78 F. 6 (D o).

Neotropische Arten:

o **heterura** (Simon) 1900. Chile
Lycosa h. Simon 1900, Revista Chilen. 4 p. 54 (D o).

♀ **leucotaeniata** (Mello-Leitao) 1947. Parana
Arctosa l. Mello-Leitao 1947, Pap. Avuls. S. Paulo 8 (11) p. 128 f. 2 (D ♀).

Gen. **Diahogna** gen. nov.

♀ **martensii** (Karsch) 1878. Australien
Lycosa m. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 812 (D ♀).

Gen. **Diapontia** Keyserling 1876.

♂♀ **niveovittata** Mello-Leitao 1945. Argentinien
D. n. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 248 (D ♂♀).

♂ **pourtaleensis** Mello-Leitao 1944. Buenos Aires
D. p. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 341 f. 30 (D ♂).

♀ **sacra** (C. L. Koch) 1848. Uruguay
Dolomedes sacer C. L. Koch 1848, Die Arachniden 14 p. 115 TF. 1351 (D ♀).
Lycosa (Pirata) s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 334 (N).
D. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 553 (C).

♀ **senescens** Mello-Leitao 1944. Buenos Aires
D. s. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 342 f. 31 (D ♀).

♂♀ **uruguayensis** Keyserling 1876. – * Uruguay, Argentinien, Brasilien, Peru
D. u. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 675 T. 8 F. 48 (D ♀).
D. u. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 257 T. 10 F. 193 (D ♂).
Lycosa u. Simon 1898, Hist. Nat. Araign. 2 (2) p. 347 (N).
Tarentula u. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 255 (D ♀).
D. u. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 553 (C).

Gen. **Dingosa** gen. nov.

Australische Arten:

♂ **pruinosa** (L. Koch) 1877. Neu-Süd-Wales
Lycosa p. L. Koch 1877, Arachn. Austral. 1 (2) p. 925 T. 80 F. 2 (D ♂).

♀ **simsoni** (Simon) 1898. – * Tasmanien
Lycosa s. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 29 (D ♀).
Lycosa s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 347 (N).

♀ **tasmanica** (Hogg) 1905. Tasmanien
Lycosa t. Hogg 1905, Proc. Zool. Soc. London (2) p. 571 (D ♀).

♂♀ **thieli** (Dahl) 1908. Bismarck-Archipel
Hogna t. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 230, 231, 235 f. 9—10 (D ♂♀).

♀ **topaziopsis** (Hogg) 1896. Centr.-Australien
Lycosa t. Hogg 1896, Aran. in: Rep. Horn Exped. 2 (Zool.) p. 347 T. 24 F. 14 (D ♀).

♀ **turbida** (Simon) 1905. Chatham-Ins.
Lycosa t. Simon 1905, Zool. Jahrb. Syst. 21 (4) p. 421 (D ♀).

Neotropische Arten:

♀ **liopus** (Chamberlin) 1916. Peru
Lycosa l. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 283 T. 24 F. 4 (D ♀).

♀ **porteri** (Simon) 1904. Chile
Lycosa p. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 112 (D ♀).

Gen. **Edenticosa** gen. nov.

♀ **edentula** (Simon) 1910. Fernando Poo
Lycosa e. Simon 1910, Ann. Mus. Civ. Genova 44 p. 399 (D ♀).

Gen. **Flanona** Simon 1898.

♀ **puellula** Simon 1898. Ceylon
F. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 349 (D ♀).

Gen. **Galapagosa** gen. nov.

♀ **albemarlensis** (Banks) 1902. Galapagos-Ins.
Lycosa a. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 65 T. 2 F. 10 (D ♀).

Gen. **Geolycosa** Montgomery 1904.

Palaearktische Arten:

♀ **aquila** (Bösenberg) 1895. Canaren
Trochosa a. Bösenberg 1895, Abh. Nat. Mus. Hambg. 13 p. 9 TF. 1 (D ♀).
Tarentula a. Strand 1915, Arch. Naturg. 81 (A; 9) p. 40 (N).

♂♀ **blackwalli** (Johnson) 1862. Madeira
Lycosa b. Johnson 1862, Ann. Mag. Nat. Hist. (3) 12 p. 152 (D ♂♀).
Lycosa b. Pollock 1863, Ann. Mag. Nat. Hist. (3) 12 p. 404 (N).
Trochosa maderiana Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 167 (D ♂♀).

♀ **cyrenaica** (Simon) 1908. Tripolitanien
Lycosa c. Simon 1908, Zool. Jahrb. Syst. 26 (4) p. 435 (D ♀).

♀ **iaffa** (Strand) 1913. Palästina
Tarentula i. Strand 1913, Arch. Naturg. 79 (A; 10) p. 161 (D ♀).

♂♀ **ingens** (Blackwall) 1857. Madeira
Lycosa i. Blackwall 1857, Ann. Mag. Nat. Hist. (2) 20 p. 284 (D ♀).
Lycosa i. Blackwall 1867, Ann. Mag. Nat. Hist. (3) 20 p. 203 (D ♂).
Lycosa i. Simon 1898, Hist. Nat. Araign. 2 (2) p. 247 (N).
Trochosa i. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 423 T. 9 F. 121 (D ♂♀).

♂♀ **sepia** (Dönitz & Strand) 1906. Japan
Tarentula s. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 391 T. 8 F. 108 (D ♂♀).

Transgredierende Arten:

♂♀ **urbana** (Cambridge) 1876. Nord- u. Centr.-Afrika, Abessinien, Seychellen, St. Helena, Arabien, Indien
Lycosa agretyca Audouin 1827, Explic. Planch. Arachn. Savigny, Descr. Egypt. p. 369 T. 4 F. 6 (D ♀).
Trochosa u. Cambridge 1876, Proc. Zool. Soc. London p. 601 T. 60 F. 14 (D ♂♀).
Tarentula (Trochosa) u. Strand 1907, Arch. Naturg. 73 (I; 3) p. 337 (D ♂♀).
Tarentula (Trochosa) u. Strand 1908, Arch. Naturg. 74 (I; 1) p. 49 T. 2 F. 19 (N ♀).
Tarentula u. Strand 1913, Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 430 (N ♀).

Lycosa u. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 61 T. 3 F. 69—71, 76, 78 (D ♂♀).
Lycosa u. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 32 T. 1 F. 6—7 (N ♂♀).

♂♀ **urbana gofensis** (Strand) 1906. Centr.-Afrika
Tarentula u. g. Strand 1906, Zool. Anz. 30 (19—20) p. 685 (D ♀).
Tarentula u. g. Strand 1908, Arch. Naturg. 74 (I; 1) p. 50 T. 2 F. 20 (D ♀).
Tarentula u. g. Strand 1913, Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 430 (N ♀).
Lycosa u. g. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 343 f. 6A, 7A, 8 (D ♂♀).

♀ **urbana hova** (Strand) 1907. Nossibé
Tarentula u. h. Strand 1907, Zool. Anz. 31 (23) p. 744 (D ♀).
Tarentula u. h. Strand 1907, Nyt Mag. Naturvid. 46 p. 166 (D ♀).

Aethiopische Arten:

♀ **aballicola** (Strand) 1906. Abessinien
Tarentula a. Strand 1906, Zool. Anz. 30 (19—20) p. 676 (D ♀).
Tarentula a. Strand 1907, Arch. Naturg. 73 (I; 3) p. 340 T. 8 F. 1 (D ♀).

♂♀ **ashantica** (Strand) 1915. Ashantiland
Tarentula a. Strand 1915, Arch. Naturg. 81 (A; 9) p. 78 (D ♂♀).

♂♀ **cretata** (Purcell) 1903. Capland
Lycosa c. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 125 T. 8 F. 17 (D ♂♀).

♂ **ituricola** (Strand) 1913. Centr.-Afrika
Tarentula i. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 445 (D ♂).

♀ **minor** (Simon) 1909. Fernando Poo
Lycosa furva m. Simon 1909, Ann. Mus. Civ. Genova 44 p. 396 (D ♀).

♀ **nolotthensis** (Simon) 1910. Südwest-Afrika
Lycosa n. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 211 (D ♀).

o **nossibeensis** (Strand) 1907. Madagascar
Tarentula n. Strand 1907, Zool. Anz. 31 (23) p. 743 (D o).
Tarentula n. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 163 (D o).

Orientalische Arten:

♂♀ **conspersa** (Thorell) 1877. Burma, Borneo, Celebes
Trochosa c. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 529 (D ♀).
Tarentula subinermis Thorell 1895, Descr. Catal. Spid. Burma p. 234 (D ♂).
Tarentula c. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4—6) p. 22 (D ♀).

♀ **timorensis** (Thorell) 1881. Timor
Trochosa t. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 379 (D ♀).

Australische Arten:

♂♀ **albovestita** (Dalmas) 1917. Neu-Seeland
Lycosa a. Dalmas 1917, Ann. Soc. Ent. France 86 p. 412 (D ♂♀).

♂♀ **arenivaga** (Dalmas) 1917. Neu-Seeland
Lycosa arenaria Urquhart 1890, Trans. N. Zeal. Inst. 23 p. 182 (D ♀).
Lycosa a. Dalmas 1917, Ann. Soc. Ent. France 86 p. 412 (D ♂).

♂♀ **festina** (L. Koch) 1877. Queensland
Lycosa f. L. Koch 1877, Arachn. Austral. 1 (2) p. 927 T. 80 F. 3—4 (D ♂♀).

o **forsaythi** (Dahl) 1908. Bismarck-Archipel
Hogna f. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 229, 231, 234 (D o).

♂♀ **godeffroyi** (L. Koch) 1865. Australien
Lycosa g. L. Koch 1865, Verh. Zool. Bot. Ges. Wien 15 p. 867 (D ♀).
Lycosa g. L. Koch 1877, Arachn. Austral. 1 (2) p. 957 T. 83 F. 3—4 (D ♂♀).
Tarentula g. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 216 (D ♀).

O♀ **pictiventris** (L. Koch) 1877. Queensland, Neu-Süd-Wales
Lycosa p. L. Koch 1877, Arachn. Austral. 1 (2) p. 899 T. 77 F. 4—5 (D O♀).

O **schulzi** (Dahl) 1908. Bismarck-Archipel
Hogna s. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 229, 231, 234 (D O).

♂♀ **serrata** (L. Koch) 1877. Neu-Süd-Wales
Lycosa s. L. Koch 1877, Arachn. Austral. 1 (2) p. 930 T. 80 F. 5 (D ♂♀).

Neotropische Arten:

♀ **abdita** (Gertsch) 1934. Florida, Nord-Carolina
Lycosa a. Gertsch 1934, Amer. Mus. Novit. 726 p. 3 TF. 6 (D ♀).
Trochosa a. Barnes 1953, Amer. Mus. Novit. 1632 p. 13 (N ♀).

♂♀ **arctosina** (Caporiacco) 1947. Brit. Guiana
Trochosa a. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 23 (D ♂♀).
Trochosa a. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 638 TF. 36—38 (D ♂♀).

♂♀ **bivittata** (Mello-Leitao) 1939. Patagonien
Lycosa b. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 50 f. 7—8 (D ♀).
Lycosa b. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 125 T. 4 F. 17; T. 5 F. 17a; f. 22 (D ♂).

♀ **bridarollii** (Mello-Leitao) 1945. Argentinien
Lycosa b. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 250 f. 33 (D ♀).

♀ **excussa** (Tullgren) 1905. Bolivien, Nord-Argentinien
Lycosa e. Tullgren 1905, Ark. Zool. 2 (19) p. 56 T. 7 F. 26 (D ♀).
Lycosa e. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 126 (N).

♀ **guayaquiliana** (Mello-Leitao) 1939. Ecuador
Lycosa g. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 54 f. 17 (D ♀).

♀ **hylton-scottae** (Mello-Leitao) 1941. Argentinien
Lycosa h. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 126 T. 5 F. 19; f. 23 (D ♀).

♂♀ **insulata** (Mello-Leitao) 1944. Buenos Aires
Lycosa i. Mello-Leitao 1944, Eev. Mus. La Plata (N. S.) 3, Zool. p. 345 f. 34—35 (D ♂♀).

♂♀ **lancearia** (Mello-Leitao) 1940. Süd-Brasilien
Lycosa l. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 24 f. 22 (D ♂).

Lycosa l. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 128 T. 5 F. 21 (N o).

♀ **rubrotaeniata** (Keyserling) 1876. Columbien

Tarentula r. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 656 T. 7 F. 34 (D ♀).
Lycosa r. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 566 (C).

♀ **rufibarbis** (Mello-Leitao) 1947. Parana

Lycosa r. Mello-Leitao 1947, Pap. Avuls. S-Paulo 8 (11) p. 129 f. 3 (D ♀).

♀ **ternetzi** (Mello-Leitao) 1939. Paraguay

Pirata t. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 55 f. 18—19 (D ♀).

♀ **uruguayaca** (Strand) 1909. Uruguay

Tarentula u. Strand 1909, Zeitschr. Naturw. 81 (4) p. 278 (D ♀).

Transgredierende Arten:

♂♀ **grandis** (Banks) 1894. Mexico, Nieder-Californien, Colorado

Lycosa g. Banks 1894, Journ. N. York Ent. Soc. 2 p. 49 (D ♂).
Lycosa g. Banks 1898, Proc. Calif. Ac. sci. (3) 1 (7), Zool. p. 268 (N).
Lycosa g. Chamberlin 1908, Proc. Ac. Sci. Philad. 60 p. 229 (D ♂♀).

Nearktische Arten:

♂♀ **baltimoriana** (Keyserling) 1876. U. St. Amerika

Tarentula b. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 632 T. 7 F. 16 (D ♂).
Lycosa b. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 55 p. 561 T. 29 F. 25 (D ♂).
G. b. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 297 T. 19 F. 19 (D ♂♀).
Lycosa b. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 203 T. 7 F. 1 (N ♂♀).
Lycosa b. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 227 (D ♂♀).
Lycosa b. Fox 1937, Proc. Ent. Soc. Wash. 39 p. 115 (N).
Lycosa b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 324 T. 55 F. 1073—1076 (D ♂♀).

♂♀ **latifrons** Montgomery 1904. – * U. St. Amerika, Canada

G. l. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 295 T. 19 F. 15—18 (D ♂♀).
Lycosa fatifera Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 241 (D ♂♀, part.).
Lycosa fatifera Chamberlin 1910, Canad. Ent. 42 (1) p. 17 (part.).
G. l. Wallace 1942, Amer. Midland Naturalist 27 (1) p. 45 (D ♂♀).

♂♀ **pikei** (Marx) 1881. Östl. U. St. Amerika

Lycosa arenicola Scudder 1877, Psyche 2 p. 2 (D) (praeocc. Cambridge 1875).
Tarentula p. Marx 1881, Amer. Naturalist 15 p. 398 f. 4—6 (D ♂♀).
Lycosa nidifex Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 487 T. 47 F. 4 (D ♂♀, part.).
Lycosa arenicola Mc Cook 1890, Amer. Spiders 2 p. 336 (N).
Lycosa arenicola Stone 1890, Proc. Ac. Nat. Sci. Philad. p. 425 (N).
? Lycosa arenicola Banks 1895, Journ. N. York Ent. Soc. 3 p. 91 (N).
Lycosa arenicola Montgomery 1902, Proc. Ac. Nat. Sci. Philad. 55 p. **550** T. 29 F. 13 (D ♀).

? **Lycosa arenicola** Montgomery 1903, Proc. Ac. Nat. Sci. Philad. p. 647 (N).
G. arenicola Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 299 (D ♀).
Lycosa nidifex Bryant 1908, Occas. Pap. Boston Soc. Nat. Hist. 7 (9) p. 84 (N).
Lycosa arenicola Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 239 T. 20 F. 9 (D ♀, part.).
Lycosa p. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 117, 204 T. 7 F. 3 (D ♂♀).
Lycosa p. Chamberlin 1910, Canad. Ent. 42 (1) p. 17 f. 3—4 (D ♂♀).
G. arenicola Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 553 (C, part.).
Lycosa p. Emerton 1912, Psyche 19 p. 29 T. 4 F. 1 (N ♂♀).
Lycosa p. Comstock 1912, Spider Book p. 635 f. 131 c, 720 i (N).
Lycosa arenicola Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 (4) p. 230 (N).
G. arenicola Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 205 (N ♂♀).
Lycosa p. Crosby & Bishop 1928, Mem. Cornell Univ. Agr. Exper. Stat. 101 p. 1067 (N).
Lycosa p. Chamberlin 1928, in: Chamberlin & Gertsch, Proc. Biol. Soc. Wash. 41 p. 186 (N).
G. arenicola Kaston 1936, Entom. Amer. (N. S.) 16 (2) p. 103, 127 (N).
G. p. Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. p. 183 (N).
G. p. Wallace 1942, Amer. Midland Natural. 27 (1) p. 20 TF. 27, 28, 45, 62, 63, 79, 89, 103, 113 (D ♂♀).
G. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 317 T. 51 F. 1022; T. 52 F. 1034—37; T. 53 F. 1040—42; T. 132 F. 2064 (D ♂♀).

♂♀ **sepulchralis** (Montgomery) 1902. U. St. Amerika

Lycosa s. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 534 T. 29 F. 7 (D ♀).
Lycosa s. Montgomery 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 645 T. 29 F. 1 (D ♂).
Trochosa s. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 307 (D ♂♀).
Lycosa modesta Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 268 (D ♂♀).
Lycosa s. Gertsch 1934, Amer. Mus. Novit. 726 p. 3 (N).

♂♀ **turricola** (Treat) 1880. Östl. U. St. Amerika

? **Lycosa fatifera** Hentz 1842, Journ. Boston Soc. Nat. Hist. 4 p. 229 T. 8 F. 8 (D, part.).
Tarentula t. Treat 1880, Harpers Monthly Mag. p. 710—718, 857—861 (D ♂♀).
Tarentula nidifex Marx 1881, Amer. Naturalist 15 p. 396 f. 1—3 (D ♀).
Tarentula arenicola Mc Cook 1883, Proc. Ac. Nat. Sci. Philad. p. 131 (N).
Lycosa nidifex Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 487 (D, nec TF.).
Lycosa **nidifex** Mc Cook 1888, Proc. Ac. Nat. Sci. Philad. p. 217 f. 1 (2) (N).
Lycosa arenicola Mc Cook 1889, Amer. Spiders 1 p. 19, 313 (N).
Lycosa arenicola Mc Cook 1893, Amer. Spiders 3 p. 24—26 (N).
? **Lycosa arenicola** Emerton 1902, Common Spiders p. 70 f. 172—175 (D).
Lycosa arenicola Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 550 (N, part.).
? **Lycosa arenicola** Montgomery 1903, Proc. Ac. Nat. Sci. Philad. p. 647 (N, part.).
Scaptocosa arenicola Banks 1904, Journ. N. York Ent. Soc. 12 p. 113 (D).
Lycosa nidifex Bryant 1908, Occas. Pap. Boston Soc. Nat. Hist. 7 (9) p. 84 (N, part.).
Lycosa arenicola Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 239 bis 241 (N).
Lycosa nidifex Emerton 1909, Trans. Connect. Ac. Sci. 14 p. 17, 205 T. 7 F. 3—3c (D, part.).

Lycosa nidifex Chamberlin 1910, Canad. Ent. 42 (1) p. 17—22 (D, part.).
G. arenicola Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 558 (C, part.).
Lycosa nidifex Emerton 1912, Psyche 19 (2) p. 25 T. 4 F. 2—2c; f. 3, 5, 6 (D).
Lycosa nidifex Comstock 1912, Spider Book p. 635 f. 721—722 (N, part.).
Lycosa nidifex Crosby & Bishop 1928, Mem. Cornell Univ. Agr. Exper. Stat. 101 p. 1067 (N).
G. nidifex Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 183 (N).
G. t. Wallace 1942, Amer. Midland Natural. 27 (1) p. 26 TF. 13, 14, 42, 53, 54, 87, 11 (D ♂♀).
G. t. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 318 T. 51 F. 1023; T. 52 F. 1038—39; T. 53 F. 1043 (D ♂♀).

♂♀ **uinticolens** (Chamberlin) 1936. Utah

? **Lycosa fatifera** Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 241 (N, part.).
? **Lycosa fatifera** Chamberlin 1910, Canad. Ent. 42 (1) p. 17 (N, part.).
G. fatifera Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 554 (C, part.).
? **Lycosa missouriensis** Emerton 1912, Psyche 19 (2) p. 34 (N, part.).
Lycosa u. Chamberlin 1936, Proc. Biol. Soc. Wash. 49 p. 15 f. 1 (D ♀).
G. u. Wallace 1942, Amer. Midland Natural. 27 (1) p. 49 TF. 32, 59 (D ♂♀).

Gen. **Glieschiella** Mello-Leitao 1932.

♂♀ **alticeps** Mello-Leitao 1944. Buenos Aires

G. a. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 347 f. 37—38 (D ♂♀).

♀ **halophila** Mello-Leitao 1932. – * Süd-Brasilien

G. h. Mello-Leitao 1932, Bol. Mus. Nac. R. d. Jan. 8 p. 70 (D ♀).
G. h. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 161 TF. 19 (N).

♀ **senex** Mello-Leitao 1945. Argentinien

G. s. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 254 (D ♀).

Gen. **Gnatholycosa** Mello-Leitao 1940.

Aethiopische Arten:

♂♀ **atriannulipes** (Strand) 1906. Abessinien

Tarentula a. Strand 1906, Zool. Anz. 30 (19—20) p. 673 (D ♀).
Tarentula a. Strand 1907, Arch. Naturg. 73 (I; 3) p. 318 (D ♀).

♂ **kolosvaryi** (Caporiacco) 1947. Aethiopien

Trochosa k. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 122 T. 1 F. 7 (D ♂).

♀ **urbanides** (Strand) 1907. Nossibé

Tarentula u. 1907, Zool. Anz. 31 (23) p. 744 (D ♀).
Tarentula u. Strand 1908, Nyt Mag. Naturvid. 46 p. 167 (D ♀).

Neotropische Arten:

♀ **galapagoensis** (Banks) 1902. Galapagos-Ins.

Lycosa g. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 64 T. 2 F. 3 (D ♀).

♂ **spinipalpi** Mello-Leitao 1940. – * Argentinien

G. s. Mello-Leitao 1940, Notas Mus. La Plata 5 (43) p. 252 (D ♂).
G. s. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. 20 p. 109 f. 10 (D ♂).

Gen. **Hesperocosa** Gertsch & Wallace 1937.

Palaearktische Arten:

♀ **gomerae** (Strand) 1911. Canaren

Tarentula kulczynskii g. Strand 1911, Arch. Naturg. 77 (I; 2) p. 197 (D ♀).

♀ **kulczynskii** (Bösenberg) 1895. Canaren

Tarentula k. Bösenberg 1895, Abh. Nat. Ver. Hambg. 13 p. 8 TF. 2 (D ♀).

Transgredierende Arten:

♂♀ **mutabilis** (Kulczynski) 1908. Sibirien, Alaska

Tarentula m. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 85 T. 3 F. 96—101 (D ♀).
Tarentula m. Grese 1909, Ann. Mus. Zool. St. Petersbg. 14 p. 330 T. 7 F. 8 (D ♂).
Tarentula m. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 25 T. 2 F. 50—51 (D ♀).
Tarentula m. Gertsch 1934, Amer. Mus. Novit. 693 p. 15 (N).

Nearktische Arten:

♂♀ **unica** (Gertsch & Wallace) 1935. – * Neu-Mexico

Schizocosa u. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 9 TF. 21—22 (D ♂♀).
H. u. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 5 (gen. nov.).

Gen. **Hoggicosa** gen. nov.

Palaearktische Arten:

♀ **subamylacea** (Bösenberg & Strand) 1906. Japan

Tarentula s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 322 T. 13 F. 318 (D ♀).
Tarentula s. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 70 f. 9 (1) (N ♀).

Australische Arten:

♀ **errans** (Hogg) 1905. – * Australien

Lycosa e. Hogg 1905, Proc. Zool. Soc. London (2) p. 579 f. 84 (D ♀).

Neotropische Arten:

♂♀ **atlantica** (Marx) 1889. Bermuda-Ins., Cuba, Portorico

Lycosa a. Marx 1889, Proc. Ac. Nat. Philad. p. 101 T. 4 F. 4 (D ♀).
Lycosa a. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 97 f. 80 (D ♀).
Lycosa a. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 279 T. 2 F. 18 (D ♂, N ♀).

Gen. **Hogna** Simon 1885.

Palaearktische Arten:

♂♀ **alticeps** (Kroneberg) 1875. Turkestan

Tarentula a. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 40 T. 4 F. 28 (D ♂♀).

♂ **auribrachialis** (Schenkel) 1936. Szechuan

Lycosa a. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 194 f. 64 (D ♂).

♀ **balearica** (Thorell) 1872. Balearen
Tarentula b. Thorell 1872, Rem. Syn. Europ. Spid. p. 530 (D ♀, nec ♂).
Lycosa b. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 89 (N ♀).

♂♀ **bergsoeii** (Thorell) 1875. Kaukasus, Turkestan
Tarentula b. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 106 (D ♂).
Tarentula b. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 163 (D ♂).
Lycosa b. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 447 (D ♀).

♂♀ **coelestis** (L. Koch) 1878. Szechuan, Japan
Lycosa c. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 772 T. 16 F. 35—36 (D ♂♀).
Tarentula c. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 321 T. 13 F. 325 (D ♂♀).

♀ **felina** (L. Koch) 1878. Transkaukasien
Lycosa f. L. Koch 1878, Jahresber. Isis p. 80 T. 1 F. 6 (D ♀).

♀ **graeca** (Roewer) 1951. Griechenland
Lycosa grisea C. L. Koch 1848, Die Arachniden 14 p. 161 TF. 1386 (D ♀) (praeocc. Risso 1826).
Tarentula grisea Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Tarentula g. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 441 (nom. nov.).

♀ **herii** (Thorell) 1875. Madeira
Trochosa h. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 166 (D ♀).
Trochosa h. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 433 T. 9 F. 118 (N ♀).

♀ **hispanica** (Walckenaer) 1837. Spanien
Lycosa tarentula Dufour 1835, Ann. Sci. Nat. Paris 3 p. 97 T. 5 F. 1 (D ♀).
Lycosa h. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 284 (D ♀).
Lycosa h. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 78 T. 3 F. 18—19 (D ♀).
Tarentula h. Strand 1915, Arch. Naturg. 81 (A; 9) p. 41 (N).

♀ **hispanica dufouri** (Strand) 1915. Süd-Spanien
Tarentula h. d. Strand 1915, Arch. Naturg. 81 (A; 9) p. 41 (D ♀).

♀ **irascibilis** (Cambridge) 1885. Turkestan
Tarentula i. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 86 (D ♀).

♂ **kulagini** (Spassky) 1941. Tadzhikistan
Lycosa k. Spassky 1941, Folia Zool. Hydrobiol. 11 (1) p. 17 T. 1 F. 5—6 (D ♂).

♂♀ **leprieuri** (Simon) 1876. Algier
Lycosa l. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 87 T. 3 F. 22 (D ♂♀).

♀ **lessertii** (Cambridge) 1912. Schweiz
Tarentula l. Cambridge 1912, Proc. Zool. Soc. London p. 404 f. 51 (D ♀).

♀ **leucocephala** (L. Koch) 1878. Sibirien, Altai
Lycosa l. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 28 p. 484 f. 2 (D ♀).

♂♀ **maurusia** (Simon) 1909. Marokko
Lycosa m. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 35 (D ♂♀).

♂♀ **media** (Pocock) 1889. Persien

Tarentula m. Pocock 1889, Trans. Linn. Soc. London (Zool.) (2) 5 p. 110 T. 13 F. 1 (D ♂♀).
Lycosa m. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 450 (N ♂).

♀ **melica** (Fox) 1937. Yünnan

Lycosa m. Fox 1937, Amer. Mus. Novit. 907 p. 2 f. 3—4 (D ♀).

♀ **niccensis** (Strand) 1907. Japan

Tarentula n. Strand 1907, Zool. Anz. 31 (17—18) p. 565 (D ♀).
Tarentula n. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 68 TF. 37 (D ♀).

♂♀ **ocellata** (L. Koch) 1878. Baku

Lycosa o. L. Koch 1878, Jahresber. Isis p. 52 T. 2 F. 1—2 (D ♂♀).

♂♀ **radiata** (Latreille) 1819. – * Mediterranea, Süd-Russland, Kaukasus, Turkestan

Lycosa r. Latreille 1819, Nouv. Dict. Hist. Nat. (2. Ed.) 18 p. 292 (D).
Lycosa chersonensis Krynicki 1837, Bull. Soc. Moscou 5 p. 84 T. 5 (D ♀).
Lycosa tarentuloides liguriensis Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 288 (D ♀).
Lycosa captans Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 306 (D ♀).
Lycosa xylina C. L. Koch 1839, Die Arachniden 5 p. 119 TF. 415 (D ♀).
Lycosa famelica C. L. Koch 1839, Die Arachniden 5 p. 123 TF. 417 (D ♀).
Lycosa xylina Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 450 (D ♀).
Lycosa famelica Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 450 (D ♀).
Lycosa biimpressa Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 107 T. 2 F. 6 (D ♀).
Lycosa exilipes Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 108 T. 2 F. 7 (D ♀).
Lycosa vagabunda Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 112 T. 3 F. 2 (D ♀).
Lycosa isabellina C. L. Koch 1848, Die Arachniden 14 p. 158 TF. 1384 (D ♀).
Lycosa melanognatha Lucas 1853, Rev. Mag. Zool. 11 p. 519 (D ♀).
Tarentula xylina u. **captans** Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Lycosa famelica Blackwall 1869, Journ. Linn. Soc. London 10 p. 405 (D ♂).
Tarentula liguriensis Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 351 (83) (D ♀).
Tarentula famelica Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 353 (85) (D ♀).
Tarentula r. Thorell 1872, Rem. Syn. Europ. Spid. p. 313 (D ♂♀).
Tarentula balearica Thorell 1872, Rem. Syn. Europ. Spid. p. 530 (D ♂, nec ♀).
Tarentula liguriensis Thorell 1873, Rem. Syn. Europ. Spid. p. 529 (N).
Tarentula liguriensis Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 158 (D ♂, nec ♀).
Lycosa r. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 60, 87 T. 3 F. 24 (N ♂♀).
Lycosa r. Simon 1876, Arachn. de France 3 p. 244 (D ♂♀).
Lycosa exornata Herman 1879, Ungarns Spinn. Fauna 3 p. 260, 376, T. 8 F. 182 (D ♂♀).
Lycosa (H.) r. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 9 (N).
Tarentula r. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 72 (D ♂♀).
Lycosa r. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 450 (N).
Lycosa (H) r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 347 (N).
Tarentula r. Strand 1907, Arch. Naturg. 73 (I; 3) p. 302 T. 8 F. 17 (N ♀).
Lycosa r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 490 (D ♂♀).
Lycosa r. Simon 1937, Arachn. de France 6 (5) p. 1094, 1132 f. 1700—01 (D ♂♀).

♀ **radiata clara** (Franganillo) 1913. Spanien

Lycosa r. c. Franganillo 1913, Broteria 11 p. 121 (D ♀).
Lycosa r. c. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 60 (D ♀).

♂♀ **radiata minor** (Simon) 1876. Corsica, Sardinien, Tunis, Tripolitanien

Lycosa r. m. Simon 1876, Arachn. de France 3 p. 245 (D O o).
H. r. m. Caporiacco 1947, Ann. Hist. Nat. Mus. Hungar. 40 (3) p. 119 (N).

o **truculenta** (Cambridge) 1876. Aegypten

Tarentula t. Cambridge 1876, Proc. Zool. Soc. London p. 601 (D o).

Aethiopische Arten:

♀ **andreinii** Reimoser 1937. Erythraea

H. a. Reimoser 1937, Mem. Soc. Ent. Ital. 16 (1) p. 18 f. 1 (D ♀).

♀ **atramentata** (Karsch) 1879. Mozambique, Centr.- u. Ost-Afrika

Lycosa a. Karsch 1879, Zeitschr. ges. Naturwiss. 52 p. 353 f. 4 (D ♀).
Tarentula a. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 435 (D ♀).
Trochosa a. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 337 (N).

♀ **bimaculata** (Purcell) 1903. Capland

Lycosa b. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 120 T. 8 F. 13 (D ♀).
H. b. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 337 (N).

♀ **bottegoi** Caporiacco 1940. Abessinien

H. b. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 792 f. 50 (D ♀).

♂♀ **furva** (Thorell) 1899. Camerun, Fernando Poo

Lycosa f. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 85 (D ♂♀).

♀ **furva cingulipes** (Simon) 1909. Annobom

Lycosa f. c. Simon 1909, Ann. Mus. Civ. Genova 44 p. 397 (D ♀).

♂ **inhambania** nom. nov. Mozambique

Lycosa tarentulina Karsch 1878, Monatsber. Ak. Wiss. Berlin p. 329 (N ♂) (nec **L. tarentulina** Audouin).

o **juanensis** (Strand) 1907. Mozambique

Tarentula j. Strand 1907, Zool. Anz. 31 (23) p. 744 (D o).
Tarentula j. Strand 1908, Nyt. Mag. Naturvid. 46 (2) p. 160 (D o).
H. j. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 337 (N).

♀ **karschi** (Roewer) 1951. San Thomé

Lycosa gulosa Karsch 1884, S. B. Ges. Naturw. Marburg (2) p. 64 (D ♀) (praeocc. Walckenaer 1837).
Tarentula k. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 441 (nom. nov.).

♀ **lambarenensis** (Simon) Congo

Lycosa l. Simon 1910, Ann. Mus. Civ. Genova 44 p. 394 (D ♀).

♀ **landanae** (Simon) 1877. Congo

Lycosa l. Simon 1877, Bull. Soc. Zool. France 2 p. 485 (D ♀).
Tarentula l. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 702 (D ♀).

♂♀ **lawrencei** (Roewer) 1951. Natal

Lycosa maritima Lawrence 1938, Ann. Natal Mus. 8 (3) p. 514 f. 36 (D ♂♀) (praeocc. Hentz 1844).
Lycosa l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov.).

♀ **manicola** (Strand) 1906. Abessinien
Tarentula m. Strand 1906, Zool. Anz. 30 (19—20) p. 672 (D ♀).
Tarentula m. Strand 1907, Arch. Naturg. 73 (I; 3) p. 309 T. 8 F. 25 (D ♀).

♀ **migdilybs** (Simon) 1885. Senegambien
Lycosa (H.) m. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 355 (D ♀).

♀ **ocyalina** (Simon) 1910. Südwest-Afrika
Lycosa o. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 212 (D ♀).

♀ **petiti** (Simon) 1876. Congo
Lycosa p. Simon 1876, Bull. Soc. Zool. France 1 p. 217 (D ♀).

♂♀ **principum** (Simon) 1910. Ins. Principe
Lycosa p. Simon 1910, Ann. Mus. Civ. Genova 44 p. 392 (D ♂♀).

♀ **pulla** (Bösenberg & Lenz) 1895. Ost-Afrika
Tarentula p. Bösenberg & Lenz 1895, Jahresb. Hambg. Wiss. Anst. 12 p. 15 T. 2 F. 17 (D ♀).
H. p. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 120 (N).

♂♀ **pulloides** (Strand) 1916. Abessinien, Centr.-Afrika
Tarentula pulla (=? pulloides) Strand 1907, Arch. Naturg. 73 (I; 3) p. 306, T. 8 F. 22—24 (D ♂♀).
H. p. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 335 (N ♀).

♂ **pulloides hippasimorpha** (Strand) 1913. Centr.-Afrika
Tarentula p. h. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 427 (D ♂).

♂ **pulloides irumua** (Strand) 1913. Centr.-Afrika
Tarentula p. i. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 426 (D ♂).

♀ **raffrayi** (Simon) 1876. Abessinien, Somaliland, Sansibar, Ost-Afrika
Lycosa r. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 76 T. 3 F. 23 (D ♀).
Tarentula r. Strand 1906, Jahresb. Ver. Nat. Württbg. 62 p. 94 (D ♀).
Lycosa r. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 55 (N ♀).
Lycosa r. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 336 f. 1 (N ♀).

♂♀ **schreineri** (Purcell) 1903. Capland
Lycosa s. Purcell 1903, Ann. S. Afr. Mus. 3 (1) p. 35 (D ♂♀).

♀ **schultzei** (Simon) 1910. Südwest-Afrika
Lycosa s. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 211 (D ♀).
Lycosa s. Lawrence 1938, Ann. Transvaal Mus. 17 (2) p. 157 (N ♀).

♂♀ **spenceri** (Pocock) 1898. Natal
Lycosa s. Pocock 1898, Ann. Mag. Nat. Hist. (7) 1 p. 313 f. 1 (D ♂♀).
Lycosa s. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 60 T. 3 F. 59, 60, 66 (D ♂♀).

♀ **swakopmundensis** (Strand) 1916. Südwest-Afrika
Tarentula s. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 108 (D ♀).

♀ **thetis** (Simon) 1910. Ins. Principe
Lycosa t. Simon 1910, Ann. Mus. Civ. Genova 44 p. 393 (D ♀).

♀ **trägardhi** (Lawrence) 1949. Zululand
Lycosa t. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 35 f. 21 (D ♀).

♀ **transvaalica** (Simon) 1898. Transvaal
Lycosa t. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 26 (D ♀).

Transgredierende Arten:

♀ **timidula** (Roewer) 1951. Arabien, Indien, Ceylon
Lycosa timida Simon 1882, Ann. Mus. Civ. Genova 18 p. 221 T. 8 F. 4 (D ♀) (praeocc. Lucas 1846).
Pardosa timida Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 290 (N).
Lycosa t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 439 (nom. nov.).

Orientalische Arten:

♂♀ **bistriata** (Gravely) 1924. Indien
Lycosa b. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) 600 (D ♂♀).
Lycosa b. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 138 (D ♀).
Lycosa b. Sinha 1951, Rec. Ind. Mus. Calcutta 48 (2) p. 21 f. . . (N).

♀ **bowonglangi** (Merian) 1911. Celebes
Lycosa b. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 299 f. 01 (D ♀).

♀ **celebensis** (Merian) 1911. Celebes
Lycosa c. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 298 f. N 1 (D ♀).

♂♀ **chaperi** (Simon) 1885. Indien
Lycosa c. Simon 1885, Bull. Soc. Zool. France 10 p. 8, 458 T. 10 F. 3 (D ♂♀).
Lycosa c. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 254 (D ♀).
Lycosa c. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 135 T. 12 F. 27—30 (D ♀).

♀ **gorontalensis** (Merian) 1911. Celebes
Lycosa astrigera g. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 295 f. K 1 (D ♀).

♂♀ **indagatrix** (Walckenaer) 1837. Indien, Ceylon
Lycosa i. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 339 (D ♀).
Leimonia i. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 352 (C).
Lycosa i. Simon 1884, Ann. Mus. Civ. Genova 20 p. 366 (D ♂♀).
Lycosa catula Simon 1885, Bull. Soc. Zool. France 10 p. 8 457 T. 10 F. 4 (D ♀).
Lycosa i. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 254 (D ♂♀).
Lycosa catula Pocock 1900, Faun. Brit. Ind.; Arachn. p. 254 (D ♀).
Lycosa i. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 599 f. 2 A, 3 A (N).
H. catula Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 471 f. 4 (D ♀).
Lycosa catula Sinha 1951, Rec. Ind. Mus. Calcutta 48 (2) p. 20 f. . . (N).

♀ **inominata** (Simon) 1886. Siam
Lycosa i. Simon 1886, Act. Soc. Linn. Bord. 40 p. 142 (D ♀).
Lycosa i. Simon 1904, Arachn. in: Miss. Pavie Indochin. 3 p. 287 (D ♀).

♂♀ **nigrotibialis** (Simon) 1884. Burma
Lycosa n. Simon 1884, Ann. Mus. Civ. Genova 20 p. 330 (D ♂♀) (nec = **Tarentula n.** Thorell = **Lycosa phipsoni** Poc.).
Lycosa n. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 253 (D ♀).

♂o **wroughtoni** (Pocock) 1899. Indien
Lycosa w. Pocock 1899, Journ. Bombay Nat. Hist. Soc. 12 p. 751 (D ♂).
Lycosa w. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 253 (D ♂).
Lycosa w. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 142 (D o).

♀ **yerburyi** (Pocock) 1901. Indien, Ceylon
Lycosa y. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 486 (D ♀).

Australische Arten:

♀ **burti** (Hickman) 1944. Süd-Australien
Lycosa b. Hickman 1944, Trans. R. Soc. S. Austral. 68 (1) p. 29 T. 2 F. 16 (D ♀).

♀ **hawaiiensis** (Simon) 1899. Hawai
Lycosa h. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 419 (D ♀).

♂♀ **immansueta** (Simon) 1909. West-Australien
Lycosa i. Simon 1909, Faun. SW.-Austral. 2 (12) p. 183 f. 1 (D ♂♀).

♀ **lacertosa** (L. Koch) 1877. Süd-Australien
Lycosa l. L. Koch 1877, Arachn. Austral. 1 (2) p. 952 T. 82 F. 6 (D ♀).

♀ **marcentior** (Simon) 1909. West-Australien
Lycosa m. Simon 1909, Faun. SW.-Austral. 2 (12) p. 185 f. 3 (D ♀).

♀ **naeviella** (Roewer) 1951. Neu-Süd-Wales
Lycosa naevia L. Koch 1878, Arachn. Austral. 1 (2) p. 978 T. 85 F. 5 (D ♀). (praeocc. L. Koch 1875).
Tarentula n. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.).

♀ **pullastra** (Simon) 1909. West-Australien
Lycosa p. Simon 1909, Faun. SW.-Austral. 1 (12) p. 184 f. 2 (D ♀).

♀ **segregis** (Simon) 1909. West-Australien
Lycosa s. Simon 1909, Faun. SW.-Austral. 2 (12) p. 186 f. 4 (D ♀).

♀ **senica** (L. Koch) 1877. Neu-Seeland
Lycosa s. L. Koch 1877, Arachn. Austral. 1 (2) p. 915 T. 79 F. 3 (D ♀).

♀ **senilis** (L. Koch) 1877. Neu-Süd-Wales
Lycosa s. L. Koch 1877, Arachn. Austral. 1 (2) p. 946 T. 82 F. 2 (D ♀).

♀ **sibyllina** (Simon) 1909. West-Australien
Lycosa s. Simon 1909, Faun. SW.-Austral. 2 (12) p. 188 f. 7 (D ♀).

♂o **speciosa** (L. Koch) 1877. Neu-Süd-Wales
Lycosa s. L. Koch 1877, Arachn. Austral. 1 (2) p. 890 T. 77 F. 1 (D ♂ o).

♀ **subligata** (L. Koch) 1877. Queensland
Pirata s. L. Koch 1877, Arachn. Austral. 1 (2) p. 963 T. 84 F. 2 (D ♀).
Lycosa s. Rainbow 1911, Rec. Austral. Mus. 9 (2) p. 273 (N).

♀ **urquharti** (Simon) 1898. Neu-Seeland
Lycosa u. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 28 (D ♀).

♀ **willeyi** (Pocock) 1899. Bismarck-Archipel
Lycosa w. Pocock 1899, in: Willey, Zool. Res. . . . N. Brit., Salom. Isl. 1 p. 110 T. 10 F. 8 (D ♀).
H. w. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 229, 230, 235 (D ♀).

Neotropische Arten:

♀ **antiguiana** nom. nov. Westindien: Antigua
Tarentula beckeri Keyserling 1878, Ann. Soc. Ent. Belg. 21 C. R. p. 252 (D ♀) (praeocc. Thorell 1875).

♂ **archaeologica** (Chamberlin) 1916. Peru
Lycosa a. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 286 T. 24 F. 2, 3 (D ♂♀).

♀ **auricoma** (Keyserling) 1891. Brasilien
Tarentula a. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 262 T. 10 F. 198 (D ♀).
Lycosa a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 555 (C).

♀ **brevitarsis** (F. Cambridge) 1902. Mexico, Guatemala, Costa Rica, Panama
Lycosa b. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 327 T. 31 F. 18 (D ♀).
H. b. Caporiacco 1938, Atti Soc. Ital. Sci. Nat. Milano 77 p. 261 (N).

♀ **chickeringi** (Chamberlin & Ivie) 1936. Panama
Lycosa c. Chamberlin & Ivie 1936, Bull. Univ. Utah 27 (5) Biol. 3 (5) p. 17 T. 3 F. 23 (D ♀).

♀ **colosii** (Caporiacco) 1947. Brit. Guiana
Trochosa c. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 23 (D ♀).
Trochosa c. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 637 TF. 35 (D ♀).

♀ **commota** Gertsch 1934. Columbien
Lycosa inornata Giebel 1863, Zeitschr. Ges. Naturw. 21 p. 313 (D ♀) (praeocc. Blackwall 1862).
Lycosa giebeli Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 559 (praeocc. Pavesi 1873).
Lycosa c. Gertsch 1934, Amer. Mus. Novit. 736 p. 7 (nom. nov.).

♀ **cosquin** (Mello-Leitao) 1941. Argentinien
Lycosa c. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 126 T. 5 F. 18 (D ♀).

♀ **dilatata** (F. Cambridge) 1902. Mexico, Panama
Lycosa d. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 326 T. 31 F. 17 (D ♀).
Lycosa d. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 188 f. 101—104 (D ♀).

♀ **evagra** (Chamberlin) 1925. Mexico
Lycosa e. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 227 (D ♀).

♀ **exsiccatella** (Strand) 1915. Guatemala
Tarentula e. Strand 1915, Arch. Naturg. 81 (A; 11) p. 112 (D ♀).

♂♀ **gumia** (Petrunkevitch) 1911. Bolivien
Lycosa gulosa Tullgren 1905, Ark. Zool. 2 (19) p. 63 T. 8 F. 30 (D ♂♀).
Lycosa g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 560 (nom. nov.).
Lycosa g. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 126 (N).

♀ **guttulata** (F. Cambridge) 1902. Mexico

Lycosa g. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 328 T. 31 F. 21 (D ♀).

♂ **indefinida** (Mello-Leitao) 1941. Argentinien

Lycosa i. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 207 f. 5—6 (D ♂).

♀ **indomita** (Nicolet) 1849. Chile, Galapagos-Ins.

Lycosa i. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 360 T. 2 F. 12 (D ♀).
Lycosa i. Simon 1900, Rev. Chil. Hist. Nat. 4 p. 6 (N).
Lycosa i. Simon 1902, Erg. Hambg. Magalh. Sammelreise 2 Arachn. p. 41 (N ♀).

♀ **medellina** (Strand) 1914. Columbien

Tarentula m. Strand 1914, Mém. Soc. Neuchât. Sci. Nat. 5 p. 813 (D ♀).
Lycosa m. Mello-Leitao 1941, An. Ac. Bras. Ci. 13 (4) p. 273 (N).

♀ **morosina** (Banks) 1909. Costa Rica

Lycosa m. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 218 T. 6 F. 43 (D ♀).

♀ **mülleriana** (Strand) 1908. Chile

Tarentula m. Strand 1908, Zool. Anz. 33 (1) p. 6 (D ♀).
Tarentula m. Strand 1915, Arch. Naturg. 81 (A; 9) p. 139 (D ♀).

♀ **nervosa** (Keyserling) 1891. Süd-Brasilien

Tarentula n. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 260 T. 10 F. 196 (D ♀).
Lycosa n. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 563 (C).

♂♀ **nordenskjöldii** (Tullgren) 1905. Bolivien

Lycosa n. Tullgren 1905, Ark. Zool. 2 (19) p. 61 T. 8 F. 29 (D ♂♀).
Lycosa n. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 129 f. 26 (N ♀).

♂♀ **nychthemera** (Bertkau) 1880. Brasilien

Tarentula n. Bertkau 1880, Mém. Class. Sci. 43 p. 68 T. 2 F. 21 (D ♀).
Lycosa n. Petrunkevitch 1910, Ann. N. York Ac. Sci. 19 p. 221 T. 22 F. 36 (D ♂♀).

♀ **oaxacana** (Gertsch & Wallace) 1937. Mexico

Lycosa o. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 13 TF. 13 (D ♀).

♀ **ornata** (Perty) 1833. Brasilien

Lycosa o. Perty 1833, Delect. Anim. p. 196 T. 39 F. 1 (D ♀).
Lycosa o. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 307 (D ♀).
Lycosa o. C. L. Koch 1848, Die Arachniden 14 p. 154 TF. 1381 (D ♀).
Tarentula o. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).

♀ **pardalina** (Bertkau) 1880. Brasilien

Tarentula p. Bertkau 1880, Mém. Class. Sci. 43 p. 75 T. 2 F. 25 (D ♀).
Tarentula p. Strand 1909, Zeitschr. Naturw. 81 (4) p. 280 (D ♀).
Lycosa p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 564 (C).
Lycosa p. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 27 (N).

♀ **passerina** (Mello-Leitao) 1941. Nord-Argentinien

Lycosa p. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 129 f. 27 (D ♀).

♀ **patagonica** (Simon) 1886. Patagonien
Lycosa p. Simon 1886, Bull. Soc. Zool. France 11 p. 563 f. 4 (D ♀).
Lycosa p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 346 (N).
Lycosa p. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 27 (N).

♂♀ **persimilis** (Banks) 1898. Mexico
Lycosa p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 270 T. 17 F. 2 (D ♂♀).

♀ **planithorax** (Mello-Leitao) 1938. West-Argentinien
Lycosa p. Mello-Leitao 1938, Rev. Mus. La Plata (N. S.) 1, Zool. p. 98 f. 12—13 (D ♀).

♀ **posticata** (Banks) 1904. Florida
Lycosa p. Banks 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 134 (D ♀).

♂♀ **pulchella** (Keyserling) 1876. Columbien
Tarentula p. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 654 T. 7 F. 32 (D ♀).
Lycosa p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 565 (C).
Tarentula p. Strand 1914, Mém. Soc. Neuchât. Sci. Nat. 5 p. 816 (D ♂♀).

♀ **reducta** (Bryant) 1942. Virgin-Isl.
Lycosa r. Bryant 1942, Bull. Mus. Comp. Zool. Harvard 89 (7) p. 330 T. 2 F. 25 (D ♀).

♀ **sancti-thomasi** (Petrunkevitch) 1926. St. Thomas
Lycosa s. Petrunkevitch 1926, Trans. Connect. Ac. Sci. 28 p. 67 f. 22 (D ♀).
Lycosa s. Bryant 1942, Bull. Mus. Comp. Zool. Harvard 89 (7) p. 331 (N ♀).

♂♀ **sancti-vincenti** (Simon) 1897. St. Vincent, Virgin-Isl.
Lycosa s. Simon 1897, Proc. Zool. Soc. London p. 888 (D ♂♀).
Lycosa s. Bryant 1942, Bull. Mus. Comp. Zool. Harvard 89 (7) p. 332 (N ♀).

♂ **sanisabel** (Strand) 1909. Uruguay
Tarentula s. Strand 1909, Zeitschr. Naturw. 81 (4) p. 281 (D ♂).

♂♀ **selkirki** (Simon) 1905. Juan Fernandez
Lycosa s. Simon 1905, Ann. Soc. Ent. France 74, Bull. p. 71 (D ♂♀).

♀ **sericea** (Simon) 1898. Brasilien
Lycosa s. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 28 (D ♀).

♀ **sternalis** (Bertkau) 1880. Brasilien
Tarentula s. Bertkau 1880, Mém. Class. Sci. 43 p. 73 T. 2 F. 24 (D ♀) (nec = **thorelli** Keyserling).

♀ **subaustralis** (Strand) 1908. Peru
Tarentula s. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 251 (D ♀).

♂♀ **subtilis** (Bryant) 1942. Virgin-Isl.
Lycosa s. Bryant 1942, Bull. Mus. Comp. Zool. Harvard 89 (7) p. 332 T. 2 F. 16, 19 (D ♂♀).

♀ **tivior** (Chamberlin & Ivie) 1936. Panama
Lycosa t. Chamberlin & Ivie 1936, Bull. Univ. Utah 27 (5), Biol. 3 (5) p. 17 T. 3 F. 22 (D ♀).

♀ **tlaxcalana** (Gertsch & Davis) 1940. Mexico
Lycosa t. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 12 TF. 12 (D ♀).

♀ **travassosi** (Mello-Leitao) 1939. Mato Grosso
Lycosa t. Mello-Leitao 1939, Bol. Biol. S. Paulo (N. S.) 4 (2) p. 287 f. 1—2 (D ♀).

♀ **volxemi** (Bertkau) 1880. Brasilien
Tarentula v. Bertkau 1880, Mém. Class. Sci. 43 p. 70 T. 2 F. 22 (D ♀).

♀ **vulpina** (C. L. Koch) 1848. Brasilien
Lycosa v. C. L. Koch 1848, Die Arachniden 14 p. 157 TF. 1383 (D ♀).
Tarentula v. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).

♀ **zorodes** (Mello-Leitao) 1942. Argentin. Chaco
Lycosa z. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. p. 395 f. 8 (D ♀).

Transgredierende Arten:

♂♀ **carolinensis** (Walckenaer) 1805. U. St. Amerika bis Mexico
Lycosa c. Walckenaer 1805, Tabl. Aran. p. 12 (N).
Lycosa c. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 285 (D ♂♀).
Lycosa georgiana Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 286 (D ♂♀).
Lycosa milberti Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 336 (D ♀).
Lycosa c. Hentz 1842, Boston Journ. Nat. Hist. Soc. 4 p. 230 (N).
Lycosa pilosa Girard 1852, in: Marcty's R. Red River La. p. 263 T. 16 F. 4—5 (D).
Leimonia milberti Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Tarentula c. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Lycosa c. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 486 T. 47 F. 1 (D ♂♀).
Lycosa c. Stone 1890, Proc. Ac. Nat. Sci. Philad. p. 423 T. 15 F. 6 (N ♀).
Lycosa c. Emerton 1902, Common Spiders p. 73 f. 176 (D ♂♀).
Lycosa c. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 556 T. 29 F. 19—20 (D ♂♀).
Geolycosa texana Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 293 T. 18 F. 13—14 (D ♂♀).
Geolycosa c. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 299 (D ♂♀).
Lycosa c. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 246 T. 21 F. 1—2 (D ♂).
Lycosa c. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 203 (D ♂♀).
Lycosa c. Comstock 1912, Spider Book p. 636 f. 75, 717 (D ♂♀).
Tarentula c. Strand 1915, Arch. Naturg. 81 (A; 9) p. 138 (D ♀).
Lycosa c. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 322 T. 54 F. 1055—1056; T. 55 F. 1072 (D ♂♀).

Nearktische Arten:

♂♀ **annexa** (Chamberlin & Ivie) 1944. Georgia
Lycosa helluo Gertsch 1934, Amer. Mus. Novit. 726 p. 6 TF. 3 (D ♀).
Lycosa a. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 142 T. 1 F. 189 (D ♂♀).

♂♀ **antelucana** (Montgomery) 1904. Arizona, Neu-Mexico, Texas
Lycosa a. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 282 T. 18 F. 5—6 (D ♂♀).
Lycosa apicata Banks 1904, Journ. N. York Ent. Soc. 12 p. 114 T. 5 F. 13, 21 (D ♂♀).

Lycosa apicata Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 232 (D ♂♀).
Lycosa a. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 13 TF. 25—26 (N ♂♀).

♂♀ **benedicta** (Chamberlin) 1925. Virginia, Alabama, Texas, Arizona, Illinois

Lycosa b. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 (4) p. 227 (D ♂♀).

♂o **coloradensis** (Banks) 1894. Colorado, Neu-Mexico, Kansas

Lycosa c. Banks 1894, Journ. N. York Ent. Soc. 2 p. 50 (D ♂).
Lycosa c. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 268 (D ♂ o).

♂♀ **crassipes** (Walckenaer) 1837. U. St. Amerika

Lycosa c. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 323 (D ♂).
Lycosa ocreata Hentz 1842, Boston Journ. Nat. Hist. Soc. 4 p. 391 T. 18 F. 5 (D ♂).
Lycosa ocreata Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 611 T. 7 F. 1 (D ♂).
Lycosa rufa Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 613 T. 7 F. 2 (D ♀).
Lycosa ocreata Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 491 T. 48 F. 6 (D ♂♀).
Lycosa ocreata Emerton 1902, Common Spiders p. 77 f. 184—185 (D ♂♀).
Lycosa stonei Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 546 T. 29 F. 9—10 (D ♂♀).
Pardosa solivaga Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 574 T. 30 F. 39 (D ♀).
Lycosa ocreata Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 288 (D ♂♀).
Schizocosa ocreata Emerton 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 212 T. 16 F. 1, 5 (D ♂♀).
Lycosa ocreata Emerton 1909, Trans. Connect. Ac. Sci. 14 T. 6 F. 2 (N ♂♀).
Schizocosa c. Petrunkevitch 1910, Ann. N. York Ac. Sci. 19 p. 222 (N).
Schizocosa ocreata Comstock 1912, Spider Book p. 648 f. 726a (D).
Schizocosa c. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 17 (N).
Schizocosa c. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 153 T. 3 F. 59; T. 13 F. 187—188 (D ♂♀).
Schizocosa ocreata Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 154 (N ♂♀).
Schizocosa c. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 314 T. 51 F. 1017; T. 52 F. 1030—31 (D ♂♀).

♂♀ **euepigynata** (Montgomery) 1904. Texas

Lycosa e. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 279 T. 18 F. 1—2 (D ♂♀).
Lycosa e. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 22 TF. 44—45 (N ♂).

♂♀ **helluo** (Walckenaer) 1837. U. St. Amerika, Canada

Lycosa h. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 337 (D ♀).
Lycosa sayi Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 337 (D ♀).
Lycosa babingtoni Blackwall 1846, Ann. Mag. Nat. Hist. (1) 17 p. 30 (D ♂♀).
Tarentula vafra C. L. Koch 1848, Die Arachniden 14 p. 135 TF. 1365—66 (D ♀).
Leimonia h. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Leimonia say Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Tarentula helvipes Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 659 T. 7 F. 35—36; T. 8 F. 37 (D ♂♀).

Lycosa nidicola Emerton 1885. Trans. Connect. Ac. Sci. 6 p. 482 T. 46 F. 1 (D ♂♀).
Lycosa similis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 64 T. 2 F. 30 (D ♀).
Lycosa crudelis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 66 T. 3 F. 37 (D ♀).
Lycosa nidicola Emerton 1902, Common Spiders p. 69 f. 166—167 (D ♂♀).
Lycosa nidicola Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 559 T. 29 F. 23—24 (D ♂ ♀).
Lycosa nidicola Montgomery 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 647 (N ♀).
Lycosa nidicola Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 226 T. 9 F. 2; 5—7; T. 17 F. 1—2 (D ♂♀).
Lycosa h. Comstock 1912, Spider Book p. 633 f. 715, 720 (D).
Lycosa h. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 327 T. 54 F. 1065—66; T. 56 F. 1090; T. 57 F. 1105 (D ♂♀).

♂♀ **labrea** (Chamberlin & Ivie) 1942. Californien

Lycosa l. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 37 T. 8 F. 79—80 (D ♂♀).

♂♀ **montana** (Emerton) 1885. U. St. Amerika, Canada

Pirata m. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 493 T. 48 F. 9 (D ♀).
Pirata elegans Stone 1890, Proc. Ac. Nat. Sci. Philad. p. 429 T. 15 F. 5 (D ♀).
Pirata agilis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 72 T. 1 F. 47 (D ♀).
Pirata nigromaculatus Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 579 T. 30 F. 44—45 (D ♂♀).
Pirata elegans Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 581 T. 30 F. 46 (D ♀).
Pirata nigromaculatus Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 310 (D ♂♀).
Pirata elegans Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 310 (D ♀).
Pirata m. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 306 T. 10 F. 5—9; T. 2 F. 9 (D ♀).
Pirata m. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 401 T. 5 F. 3 (D ♂).
Pirata m. Comstock 1912, Spider Book p. 644 f. 131a, 724c (D).
Pirata m. Kaston 1938, Canad. Ent. 70 p. 16 f. 6 (N ♀).
Pirata m. Kaston 1948, State Connect. Publ. Docum 47, Bull. 70 p. 308 T. 49 F. 983; T. 50 F. 1004; T. 51 F. 1009 (D ♂♀).

♀ **montanoides** (Banks) 1892. New York

Pirata m. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 71 T. 1 F. 46 (D ♀).
Pirata m. Banks 1916, Proc. Ac. Nat. Sci. Philad. 68 p. 81 T. 11 F. 20 (N ♀).

♂♀ **permunda** (Chamberlin) 1904. Kansas

Lycosa p. Chamberlin 1904, Canad. Ent. 36 p. 286 (D ♂♀).
Lycosa p. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 233 (D ♂♀).

♂♀ **pseudoceraticola** (Wallace) 1942. Florida

Lycosa p. Wallace 1942, Amer. Mus. Novit. 1185 p. 3 TF. 14, 15, 24 (D ♂♀).

♀ **suprenans** (Chamberlin) 1924. Louisiana

Lycosa s. Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 30 T. 7 F. 47 (D ♀).

♂♀ **wallacei** (Chamberlin & Ivie) 1944. Florida, Georgia

Lycosa w. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 199 T. 13 F. 199 (D ♂♀).

♀ **watsoni** (Gertsch) 1934. Georgia

Lycosa w. Gertsch 1934, Amer. Mus. Novit. 726 p. 6 TF. 7 (D ♀).

Gen. **Hyaenosa** Caporiacco 1940.

Palaearktische Arten:

♀ **clarki** (Hogg) 1912. Nord-China

Lycosa c. Hogg 1912, Aran. in: Clarck & Sowerby, Through Shen Kan p. 209 TF. 6 (D ♀).

♂♀ **effera** (Cambridge) 1872. Syrien

Lycosa e. Cambridge 1872, Proc. Zool. Soc. London p. 318 (D ♂♀) (nec = **ferox** Lucas).

♂♀ **sagaphila** (Strand) 1918. Japan

Tarentula s. Strand 1918, Arch. Naturg. 82 (A; 11) p. 99 (D ♂♀).

Aethiopische Arten:

o **strandi** Caporiacco 1940. – * Abessinien

H. s. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 799 (D o).

Orientalische Arten:

♀ **madani** (Pocock) 1901. Indien

Lycosa m. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 486 (D ♀).
Lycosa m. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 602 (D ♀).

Gen. **Hydrolycosa** Caporiacco 1948.

o **strandi** Caporiacco 1948. Rhodos

H. s. Caporiacco 1948, Redia 33 p. 44 f. 4 (D o).

Gen. **Hygrolycosa** Dahl 1908.

Palaearktische Arten:

♂♀ **figurata** (Simon) 1876. Mittel- u. Süd-Europa

Lycosa f. Simon 1876, Ann. Soc. Ent. France (5) 6 Bull. p. 181 (D ♂).
Lycosa f. Simon 1937, Arachn. de France 6 (5) p. 1114, 1139 f. 1750—51 (D ♂♀).
Arctosa f. Caporiacco 1940, Folia Zool. Hydrobiol. 10 (1) p. 13 (N).

♂♀ **rubrofasciata** (Ohlert) 1865. – * Mittel- u. Nord-Europa bis Russland

Trochosa r. Ohlert 1865, Progr. Realschule Königsberg p. 10 (D ♀).
Trochosa r. Ohlert 1867, Aran. Prov. Preussen p. 144 (D ♀).
Lycosa farrenii Cambridge 1870, Trans. Linn. Soc. London 27 (3) p. 393 T. 54 F. 2 (D ♂).
Trochosa r. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 171 (D ♀).
Lycosa r. Simon 1876, Arachn. de France 3 p. 275 (N).
Pardosa r. L. Koch 1877, Abh. Nat. Ges. Nürnberg 6 p. 54 (N).
Trochosa r. Bösenberg 1903, Zoologica 14 (5—6) p. 403 T. 38 F. 594 (D ♂♀).
Lycosa farrenii Smith 1907, Journ. Quekett Micr. Cl. (2) 10 p. 186 T. 14 F. 3 (N ♂♀).
H. r. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 366 f. 59—60 (D ♂♀).
H. r. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 14 f. 26—30 (D ♂♀).
Lycosa r. Simon 1937, Arachn. de France 6 (5) p. 1108, 1136 f. 1734—35 (D ♂♀).
H. r. Palmgren 1939, Act. Zool. Fenn. 25 p. 33 f. 39 (D ♂♀).
H. r. Holm 1947, Svensk Spindelfauna 3 p. 11 f. 4 b, 8; T. 2 F. 13—14; T. 9 F. 6 (D ♂♀).
Lycosa r. Locket & Millidge 1951, Brit. Spiders I p. 270 f. 131 B, C, F (D ♂♀).

♀ **tokunagai** Saito 1936. Jehol

H. t. Saito 1936, Rep. 1. Sci. Exped. Manchoukuo (5) 1 (3; 11) p. 69, 86 T. 1 F. 2; f. 23 (D ♀).

Australische Arten:

♂♀ **crispipes** (L. Koch) 1877. Queensland

Lycosa c. L. Koch 1877, Arachn. Austral. 1 (2) p. 923 T. 79 F. 8; T. 80 F. 1 (D ♂♀).

Neotropische Arten:

♀ **workmani** (Strand) 1909. Paraguay

Tarentula w. Strand 1909, Zeitschr. Naturw. 81 (4) p. 277 (D ♀).

Nearktische Arten:

♂♀ **aspersa** (Hentz) 1844. U. St. Amerika

Lycosa a. Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 389 T. 17 F. 11—12 (D ♀).
Tarentula inhonesta Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 634 T. 7 F. 17 (D ♀).
Lycosa tigrina Mc Cook 1879, Proc. Amer. Ent. Soc. 11 f. 1—2 (D ♂♀).
Lycosa vulpina Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 487 T. 47 F. 2 (D ♀).
Lycosa tigrina Stone 1890, Prov. Ac. Nat. Sci. Philad. p. 423 T. 15 F. 7 (D ♂♀).
Lycosa immaculata Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 67 T. 5 F. 38 (D ♀).
Lycosa exitiosa Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 67 T. 1 F. 39 (D ♂).
Lycosa oblonga Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 68 T. 3 F. 40 (D ♀).
Lycosa inhonesta Montgomery 1902, Proc. Ac. Nat. Hist. Philad. p. 557 T. 29 F. 21, 22 (D ♂♀).
Lycosa inhonesta Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 290 T. 20 F. 38—39 (D ♂♀).
Lycosa a. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 236 T. 9 F. 9; T. 17 F. 7—8 (D ♂♀).
Lycosa a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 323 T. 54 F. 1057—62; T. 132 F. 2065 (D ♂♀).

Gen. **Ishicosa** gen. nov.

Palaearktische Arten:

♀ **ishikariana** (Saito) 1934. – * Japan

Tarentula i. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 353 T. 13 F. 30; T. 15 F. 83 (D ♀).

Australische Arten:

♂ **teranganicola** (Strand) 1911. Aru-Ins.

Tarentula t. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 170 T. 5 F. 71 (D ♂).

Gen. **Isohogna** gen. nov.

Palaearktische Arten:

♂♀ **maderiana** (Walckenaer) 1837. – * Madeira

Lycosa tarentuloides m. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 291 (D ♀).
Lycosa tarentuloides m. Blackwall 1857, Ann. Mag. Nat. Hist. (2) 20 p. 282 (D ♂).
Tarentula m. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Tarentula m. Warburton 1892, Ann. Mag. Nat. Hist. (6) 10 p. 219 (N).

Lycosa m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 346 (N).
Trochosa m. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 426 T. 9 F. 119—120 (D ♂♀).

Australische Arten:

♀ **dimota** (Simon) 1909. West-Australien
Lycosa d. Simon 1909, Fauna SW.-Austral. 2 (12) p. 184 (D ♀).

♀ **likelikeeae** (Simon) 1900. Hawai
Lycosa l. Simon 1900, Faun. Hawaiiens. 2 (5) p. 506 T. 18 F. 3 (D ♀).

Neotropische Arten:

♂♀ **ammophila** (Wallace) 1942. Florida
Lycosa a. Wallace 1942, Amer. Mus. Novit. 1185 p. 13 TF. 7—9, 21 (D ♂♀).

♂♀ **angusta** (Tullgren) 1901. Florida
Lycosa a. Tullgren 1901, Bih. Svensk. Vet. Ak. Handl. 27 (4; 1) p. 16 TF. 7 a, b (D ♂♀, part.).
? Lycosa timuqua Wallace 1942, Amer. Mus. Novit. 1185 p. 8 TF. 19 (D ♀, part.).
Lycosa a. Wallace 1950, Florida Entomolog. 33 (2) p. 71 T. 2 F. 7 (D ♂♀).

♂♀ **episima** (Chamberlin) 1924. Florida, Georgia
Lycosa e. Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 30 T. 6 F. 46 (D ♀).
Schizocosa duplex Bryant 1935, Psyche 42 (2) p. 80 T. 5 F. 11 (D ♀).
Schizocosa e. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 18 TF. 17 (N ♂♀).
Schizocosa e. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 154 (N ♂♀).

♂♀ **ericeticola** (Wallace) 1942. Florida
Lycosa a. Wallace 1942, Amer. Mus. Novit. 1185 p. 13 TF. 7—9, 21 (D ♂♀).

♀ **longitarsis** (F. Cambridge) 1902. Mexico, Costa Rica, Panama
Lycosa l. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 217 T. 31 F. 20 (D ♀).
Lycosa l. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 186 f. 100 (D ♀).

♀ **maasi** (Gertsch & Wallace) 1937. Mexico
Lycosa m. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 11 (D ♀).

♂♀ **miami** (Wallace) 1942. Florida
Lycosa m. Wallace 1942, Amer. Mus. Novit. 1185 p. 11 TF. 10, 11, 23 (D ♂♀).

♂♀ **osceola** (Gertsch & Wallace) 1937. Florida
Lycosa o. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 9 TF. 7, 9 (D ♂♀).

♀ **securifer** (Tullgren) 1905. Argentinien
Lycosa s. Tullgren 1905, Ark. Zool. 2 (19) p. 66 T. 8 F. 32 (D ♀).

♂♀ **snodgrassi** (Banks) 1902. Galapagos-Ins.
Lycosa s. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 65 T. 2 F. 1 (D ♂♀).

Transgredierende Arten:

♂♀ **duplex** (Chamberlin) 1925. Florida, Virginia, Maryland, Georgia
Schizocosa d. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 231 (D ♂).

Schizocosa d. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 17 TF. 18 (N ♀).
Schizocosa d. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 154 (N ♂♀).

Nearktische Arten:

♂♀ **lenta** (Hentz) 1844. U. St. Amerika

Lycosa l. Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 386 T. 17 F. 1—4 (D ♂).
Lycosa ruricola Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 387 T. 17 F. 5—6 (D ♂).
Lycosa l. Banks 1904, Proc. Ac. Nat. Sci. Philad. p. 121 (N).
Lycosa l. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 245 T. 18 F. 8—9 (D ♂♀).
Lycosa l. Wallace 1942, Amer. Mus. Novit. 1185 p. 5 TF. 1, 2, 18 (D ♂♀).

♂♀ **punctulata** (Hentz) 1844. U. St. Amerika

Lycosa p. Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 390, T. 17 F. 16—17 (D ♂♀).
Lycosa p. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 490 T. 48 F. 1 (D ♀).
Lycosa p. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 552 T. 29 F. 14 (D ♀).
Lycosa p. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 288 (D ♀).
Lycosa p. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 256 T. 18 F. 2—3 (D ♂♀).
Lycosa p. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 206 T. 7 F. 4 (D ♂♀).
Lycosa p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 325 T. 55 F. 1080—84 (D ♂♀).

♂♀ **salsa** (Barnes) 1953. Nord-Carolina

Schizocosa s. Barnes 1953, Amer. Mus. Novit. 1632 p. 12 f. 15—18 (D ♂♀).

♂♀ **tigana** (Gertsch & Wallace) 1935. Texas

Lycosa t. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 14 TF. 32 (D ♂).
Lycosa t. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 6 TF. 6 (D ♀).
Lycosa t. Wallace 1942, Amer. Mus. Novit. 1185 p. 8 TF. 5, 6, 20 (D ♂♀).

♂♀ **timuqua** (Wallace) 1942. Östl. U. St. Amerika

Lycosa t. Wallace 1942, Amer. Mus. Novit. 1185 p. 8 TF. 5, 6, 20 (D ♂♀).
Lycosa t. Wallace 1950, Florida Entomolog. 33 (2) p. 74 (N).

Gen. **Jollecosa** gen. nov.

♀ **jollensis** (Schenkel) 1951. Californien

Lycosa j. Schenkel 1951, Verh. Nat. Ges. Basel 62 p. 35 f. 40 (D ♀).

Gen. **Leaena** Simon 1885.

Palaearktische Arten:

§ 2 ♂, 2 ♀: Simon 1937, Arachn. de France 6 (5) p. 1120—1122 (sub **Lycosa** part.).

♀ **excellens** (Simon) 1876. Spanien, Portugal

Lycosa e. Simon 1876, Arachn. de France 3 p. 291 (D ♀).
Lycosa (L.) e. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 12 (N).

♂♀ **fulvolineata** (Lucas) 1846. – * West-Europa, Nord-Afrika

Lycosa f. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 114 T. 3 F. 4 (D ♀).
Lycosa personata L. Koch 1872, Zeitschr. Ferdinand. Tirol (3) 17 p. 320 (D ♀).

Lycosa personata Simon 1876, Arachn. de France 3 p. 288 (D ♂♀).
Lycosa subfasciata Simon 1876, Arachn. de France 3 p. 292 (D ♀).
Lycosa f. Simon 1899, Bull. Mus. Hist. Nat. Paris p. 86 (D ♂).
Lycosa personata Lessert 1910, Catal. Invert. Suisse; Araign. p. 499 (D ♂♀).
Lycosa (Trochosa) f. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 24 (N).
L. personata Caporiacco 1934, Ann. Mus. Civ. Trieste 12 p. 128 (N).
Lycosa (L.) f. Simon 1937, Arachn. de France 6 (5) p. 1120, 1141 f. 1771—72 (D ♂♀).
Trochosa f. Locket & Millidge 1951, Brit. Spiders I p. 282 f. 134E; 136E (D ♂♀).

♀ **letourneuxi** (Simon) 1885. Tunis
Lycosa (L.) l. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 11 (D ♀).

♂♀ **villica** (Lucas) 1846. Südwest-Europa, Nord-Afrika
Lycosa v. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 110 T. 2 F. 9 (D ♂♀).
Lycosa tomentosa Simon 1876, Arachn. de France 3 p. 289 (D ♂♀).
L. v. Simon 1898, Hist. Nat. Araign. 2 (2) p. 337, 349 (N).
Lycosa (L.) v. Simon 1937, Arachn. de France 6 (5) p. 1122, 1140 f. 1773—74 (D ♂♀).

Aethiopische Arten:

♀ **albida** Simon 1898. Capland
L. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 338 (D ♀).

♀ **dolosa** (Cambridge) 1873. St. Helena
Lycosa (Trochosa) d. Cambridge 1873, Proc. Zool. Soc. London p. 233 (D ♀).

Gen. **Leaenella** gen. nov.

Palaearktische Arten:

♀ **intricaria** (C. L. Koch) 1848. – * Deutschland
Trochosa i. C. L. Koch 1848, Die Arachniden 14 p. 136 TF. 1367 (D ♀).

♀ **tridens** (Simon) 1937. Nord-Afrika
Lycosa (Leaena) villica t. Simon 1937, Arachn. de France 6 (5) p. 1089, 1140 (N ♀).

Aethiopische Arten:

♀ **leaeniformis** (Simon) 1915. Südwest-Afrika
Lycosa l. Simon 1915, Denkschr. Med. Nat. Ges. Jena 16 p. 208 (D ♀).

Gen. **Loculla** Simon 1909.

♀ **rauca** Simon 1909. – * San Thomé
L. r. Simon 1909, Ann. Mus. Civ. Genova 44 p. 400 (D ♀).

♀ **rauca minor** Simon 1909. San Thomé
L. r. m. Simon 1909, Ann. Mus. Civ. Genova 44 p. 401 (D ♀).

Gen. **Lycorma** Simon 1885.

Palaearktische Arten:

♂♀ **amylacea** (C. L. Koch) 1839. Mitteleuropa
Lycosa a. C. L. Koch 1839, Die Arachniden 5 p. 110 TF. 412 (D ♀).
Arctosa farinosa C. L. Koch 1848, Die Arachniden 14 p. 127 TF. 1360 (D ♂).

Lycosa amalthea L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 343 (D ♂).
Trochosa a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 74 T. 3 F. 12 (D ♂♀).
Trochosa a. Bösenberg 1903, Zoologica 14 (5—6) p. 402 T. 38 F. 591 (D ♂♀).
Tarentula a. Bösenberg & Strand 1906, Abh. Nat. Ges. Senckenbg. 30 (1—2) p. 322 (C).
Arctosa maculata Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 310, 316 f. 42 (D ♂♀).
Lycosa maculata Lessert 1910, Catal. Invert. Suisse; Araign. p. 495 (D ♂♀).
Arctosa maculata F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 73 f. 187—188 (D ♂♀).

♀ **formosana** (Saito) 1936. Japan

Lycosa f. Saito 1936, Trans. Sapporo Nat. Hist. Soc. 14 (4) p. 252 f. B. (D ♀).

♀ **fraissei** (L. Koch) 1882. Mallorca

Lycosa f. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 666 T. 21 F. 36 (D ♀).

♀ **immanis** (L. Koch) 1879. Sibirien (Amur-Gebiet)

Lycosa i. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 100 T. 3 F. 13 (D ♀).

♀ **insulana** (L. Koch) 1882. Mallorca

Lycosa i. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 664 T. 21 F. 35 (D ♀).

♂♀ **rubromandibulata** (Cambridge) 1885. Yarkand, Karakorum

Trochosa r. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 85 (D O).
L. r. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 232 T. 5 F. 16 (D ♂♀).

♂♀ **sabulonum** (L. Koch) 1877. Ost-, Südost- u. Mitteleuropa, Schweden

Lycosa s. L. Koch 1877, Abh. Nat. Ges. Nürnberg 6 p. 191 TF. 19—20 (D ♂♀).
Trochosa trabalis C. L. Koch 1848, Die Arachniden 14 p. 141 TF. 1371—74 (D ♂♀, part.).
Trochosa terminalis Bertkau 1880, Verh. Nat. Ver. Rheinl. Westf. 37 p. 283 T. 6 F. 8 (D ♀).
Trochosa s. Kulczynski 1898, Symbol. Faun. Aran. Austr. Infer. p. 104 T. 2 F. 79—80 (N ♂♀).
Trochosa s. Bösenberg 1903, Zoologica 14 (5—6) p. 404 T. 38 F. 595 (D ♂♀).
Arctosa s. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 308, 324 (D ♂♀).
Arctosa s. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 68 (D ♂♀).
Arctosa figurata Holm 1947, Svensk Spindelfauna 3 p. 21 T. 4 F. 46—47; T. 9 F. 23 (D ♂♀).

Transgredierende Arten:

♂♀ **ferox** (Lucas) 1838. – * Mediterranea, Canaren, Fernando Poo, Aethiopien

Lycosa f. Lucas 1838, in: Barker, Webb, Berthelot, Hist. Nat. Canar. 2 p. 26 (D ♀).
Trochosa xylina Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 355 (87) D ♂♀).
Lycosa andalusiaca Simon 1876, Aradin. de France 3 p. 254 (N).
Trochosa andalusiaca Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 373 (N ♂).
Lycosa (L.) f. Simon 1885, Aradin. in: Explor. Sci. Tunis. p. 9 (gen. nov.).
L. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 333, 347 (N).
Tarentula f. (= ? feroxella) Strand 1915, Arch. Naturg. 81 (A; 9) p. 39 (D ♂).
Lycosa f. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 32 T. 1 F. 3—5 (N ♂♀).
L. f. Caporiacco 1940, Ann. Mus. Nat. Hungar. 40 (3) p. 120 (N).
L. f. Caporiacco 1949, Ann. Mus. Civ. Trieste 17 (6) p. 4 f. 1 (N ♀).

Aethiopische Arten:

♀ **beniana** (Strand) 1913. Centr.-Afrika
Tarentula b. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 449 (D ♀).

♀ **furvescens** (Simon) 1910. Südwest-Afrika
Lycosa f. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 209 (D ♀).

♀ **levis** (Karsch) 1879. West- u. Centr.-Afrika
Lycosa l. Karsch 1879, Zeitschr. ges. Naturwiss. 52 p. 355 (D ♀).
Tarentula l. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 437 (D ♀).

♂♀ **lüderitzi** (Simon) 1910. Südwest-Afrika
Lycosa l. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 209 (D ♂♀).

♀ **petersii** (Karsch) 1878. Mozambique
Lycosa p. Karsch 1878, Monatsber. Ak. Wiss. Berlin p. 330 T. 2 F. 3 (D ♀).

♀ **ruricolaris** (Simon) 1910. Südwest-Afrika
Lycosa r. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 210 (D ♀).
Lycosa r. Lawrence 1936, Ann. Transvaal Mus. 17 (2) p. 156 (N ♀).

♀ **sansibarensis** (Strand) 1907. Sansibar
Tarentula s. Strand 1907, Zool. Anz. 31 (23) p. 743 (D ♀).
Tarentula s. Strand 1908, Nyt. Mag. Naturvid. 46 p. 157 (D ♀).

♂♀ **storeniformis** (Simon) 1910. Portug. Guinea
Lycosa s. Simon 1910, Ann. Mus. Civ. Genova 44 p. 397 (D ♂♀).

♀ **suahela** (Strand) 1913. Centr.-Afrika
Tarentula s. Strand 1913, Arachn. 1 in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 429 (D ♀).

♀ **tenuissima** (Purcell) 1903. Süd-Afrika
Lycosa t. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 127 (D ♀).

Orientalische Arten:

♀ **inops** (Thorell) 1890. Sumatra, Borneo, Celebes
Trochosa i. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 135 (D ♀).
Trochosa i. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 151 (D ♀).
Lycosa i. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 295 (D ♀).

♂♀ **stictopyga** (Thorell) 1895. Burma, Indien, Singapore
Trochosa s. Thorell 1895, Descr. Catal. Spid. Burma p. 232 (D ♂♀).
Lycosa s. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) 602 (D ♂♀).

Australische Arten:

o **albosparsa** (L. Koch) 1876. Queensland, Centr.-Australien
Lycosa a. L. Koch 1876, Arachn. Austral. 1 (2) p. 886 T. 76 F. 4 (D o).

♀ **bellatrix** (L. Koch) 1865. Australien
Lycosa b. L. Koch 1865, Verh. Zool. Bot. Ges. Wien 15 p. 866 (D ♀) (nec = **godeffroyi** L. Koch).

♀ **subrufa** (Karsch) 1878. Tasmanien
Lycosa s. Karsch 1878, Zeitschr. ges. Naturwiss. 51 p. 813 (D ♀).

Neotropische Arten:

♂ **badia** (Keyserling) 1876. Centr.-Amerika, Cuba

Tarentula b. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 639 T. 7 F. 20—21 (D ♂).

♀ **constricta** (F. Cambridge) 1902. Guatemala

Lycosa c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 327 T. 31 F. 19 (D ♀).

♂♀ **nigrosecta** (Mello-Leitao) 1940. Brasilien

Lycosa n. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 26, f. 25—27 (D ♂♀).

♀ **ternetzi** (Mello-Leitao) 1939. Paraguay

Lycosa t. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 51 f. 9—10 (D ♀).

♂♀ **thorellii** (Keyserling) 1876. Brasilien, Columbien

Tarentula t. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 650 T. 7 F. 28 (D ♀).
Tarentula t. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 257 T. 10 F. 194 (D ♂♀).
Tarentula t. Strand 1909, Zeitschr. Naturwiss. 81 (4) p. 280 (N ♀).
Lycosa t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 568 (C).

♀ **variculosa** (Mello-Leitao) 1941. Argentinien

Lycosa v. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 134 T. 6 F. 26 f. 32 (D ♀).

Gen. **Lycosa** Latreille 1804 (s. str.).

(= **Tarentula** auct. alter.)

Palaearktische Arten:

§ 37 ♂, 33 ♀: Simon 1876, Arachn. de France 3 p. 235—239 (part).
§ 16 (♂♀): Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 62—72 (part. sub. **Tarentula).**
§ 13 (♂♀): F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5. p. 15—52 (part. sub. **Tarentula).**

♂ **affinis** Lucas 1846 (incert. sed.). Algier

L. a. Lucas 1846, Explor. Sci. Algér. Zool. 1 Arachn. p. 106 T. 2 F. 5 (D ♂) (D inutil., typ. perd.).
Tarentula a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).

♂ **alba** Franganillo 1913 (incert. sed.). Nordwest-Spanien

L. a. Franganillo 1913, Broteria 11 p. 122 (D ♂) (D inutil.).
L. a. Franganillo 1918, Bol. Sof. Ent. Espan. 1 p. 60 (D ♂).

♀ **alba fulva** Franganillo 1913 (incert. sed.). Nordwest-Spanien

L. a. f. Franganillo 1913, Broteria 11 p. 123 (D ♀) (D inutil.).
L. a. f. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 61 (D ♀).

♀ **albidorsa** Kolenati 1857 (incert. sed.). Sibirien

L. a. Kolenati 1857, Bull. Soc. Nat. Moscou 1 p. 442 (D ♀).

♀ **albonigra** Franganillo 1913 (incert. sed.). Nordwest-Spanien

L. a. Franganillo 1913, Broteria 11 p. 122 (D ♀) (D inutil.).
L. a. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 60 (D ♀).

♂♀ **atropos** L. Koch 1878. Japan, China
L. a. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 770 T. 16 F. 34 (D ♂).
Tarentula a. Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 134 (N).
L. a. Fox 1937, Amer. Mus. Novit. 907 p. 4 TF 6 (D ♂♀).
L. a. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 75 f. 9 (6) (N ♀).

♀ **bedeli** Simon 1876. Algier, Tunis
L. b. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 81 T. 3 F. 15 (D ♀).

♀ **brevivalva** Franganillo 1913 (incert. sed.). Nordwest-Spanien
L. b. Franganillo 1913, Broteria 11 p. 124 (D ♀) (D inutil.).
L. b. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 61 (D ♀).

♀ **cingara** (C. L. Koch) 1848. Aegypten
Arctosa c. C. L. Koch 1848, Die Arachniden 14 p. 129 TF. 1361 (D ♀).

♀ **clarissa** Roewer 1951 (incert. sed.). Spanien
L. clara Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 120 (D o) (D inutil.) (praeocc. L. Koch 1877).
L. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 438 (nom. nov.).

♀ **cretacea** Simon 1898. Aegypten, Cyrenaica
L. c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 27 (D ♀).
Hogna c. Caporiacco 1934, Boll. Mus. Zool. Torino 44 (3; 47) p. 24 (N).

♀ **frigens** (Kulczynski) 1916. Sibirien
Tarentula f. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 34 T. 2 F. 61 (D ♀).

♀ **fulviventris** (Kroneberg) 1875. Turkestan
Tarentula f. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 41 T. 4 F. 29 (D ♀).

♀ **granitensis** Franganillo 1925 (incert. sed.). Andalusien
L. g. Franganillo 1925, Bol. Soc. Ent. Espan. 8 p. 36 (D ♀) (D inutil.).
L. g. Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 71 (D ♀).

o **intermedialis** nom. nov. Tripolitanien
L. (Tarentula) intermedia Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 100 (D o) (praeocc. Bösenberg 1903).

♀ **intersticialis** (Strand) 1906. Algier
Tarentula i. Strand 1906, Zool. Anz. 30 (19—20) p. 672 (D ♀).
Tarentula i. Strand 1907, Arch. Naturg. 73 (I; 3) p. 300 T. 8 F. 19 (D ♀).

♀ **isoscelica** Franganillo 1913 (incert. sed.). Nordwest-Spanien
L. i. Franganillo 1913, Broteria 11 p. 122 (D ♀) (D inutil.).
L. i. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 60 (D ♀).

♀ **lanceolata** Franganillo 1913 (incert. sed.). Nordwest-Spanien
L. l. Franganillo 1913, Broteria 11 p. 123 (D ♀) (D inutil.).
L. l. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 60 (D ♀).

♀ **leireana** Franganillo 1918 (incert. sed.). Spanien
L. l. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 120 (D ♀) (D inutil.).

♀ **macedonica** (Giltay) 1932. Macedonien

Tarentula m. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 20 f. 14 (D ♀).
Tarentula m. Giltay 1933, Act. Faun. Flor. Univ. Bucuresti (Zool.) 1 (3—5) p. 5 TF. 2 (D ♀).

♀ **malacensis** Franganillo 1926 (incert. sed.). Andalusien

L. m. Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 72 (D ♀) (D inutil.).

♀ **minae** (Dönitz & Strand) 1906. Japan

Tarentula m. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 392 T. 7 F. 102 (D ♀).

♂♀ **narbonensis** Latreille 1806. Mediterranea, Süd-Russland, Turkestan, Sibirien bis Amur-Gebiet

L. tarentula n. Latreille 1806, Gen. Crust. Ins. 1 p. 119 (D).
L. melanogaster Latreille 1819, Nouv. Dict. Hist. Nat. (2. Ed.) 18 p. 291 (D).
L. n. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 282 (D ♂♀).
L. (Tarentula) n. C. L. Koch 1848, Die Arachniden 14 p. 145 TF. 1375 (D ♀).
Tarentula melanogaster Thorell 1870, On Europ. Spid. p. 192 (N).
Tarentula n. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 162 (D ♂).
L. n. Simon 1876, Arachn. de France 3 p. 241 T. 13 F. 1—2 (D ♂♀).
L. n. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 78 T. 3 F. 1—2 (N).
Tarentula n. Strand 1907, Arch. Naturg. 73 (I; 3) p. 297 T. 8 F. 18 (D ♀).
L. n. c. Simon 1937, Arachn. de France 6 (5) p. 1091, 1131 f. 1696—97 (D ♂♀).

♀ **narbonensis cisalpina** Simon 1937. Südost-Frankreich

L. n. c. Simon 1937, Arachn. de France 6 (5) p. 1091, 1131 (D ♀).

♀ **nilotica** Audouin 1827. Aegypten

L. n. Auduin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 369 T. 4 F. 7 (D ♀).

♂♀ **parricida** Karsch 1881. Peking

L. p. Karsch 1881, Berlin. Ent. Zeitschr. 25 p. 219 (D ♂♀).

♀ **phila** (Dönitz & Strand) 1906. Japan

Tarentula p. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 389 T. 8 F. 105 (D—♀).

♂♀ **piochardi** Simon 1876. Vorderasien, Transkaukasien

L. p. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 72 T. 3 F. 8—9 (D ♂♀).
Tarentula p. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 51 T. 2 F. 60—61 (N ♀).

♀ **piochardi infraclara** (Strand) 1915. Palästina

Tarentula p. i. Strand 1915, Arch. Naturg. 81 (A; 2) p. 167 (D ♀).

♀ **praegrandis** C. L. Koch 1836. Balkanländer, Anatolien, Nord-Afrika

L. p. C. L. Koch 1836, Die Arachniden 3 p. 22 TF. 180 (D ♀).
L. p. C. L. Koch 1839, Die Arachniden 5 p. 114 TF. 414 (D ♀).
Tarentula p. Strand 1907, Arch. Naturg. 73 (I; 3) p. 300 (N).
Hogna p. Hadjissarandos 1940, Araign. de l'Attique p. 37 f. 9—10 (N ♂♀, griech.).

♀ **praegrandis discoloriventer** Caporiacco 1949. Albanien
L. p. d. Caporiacco 1949, Ann. Mus. Civ. Trieste 17 (8) p. 125 (D ♀).

♂♀ **roscai** Roewer 1951. Dobrudja
L. maculata Rosca 1939, Zool. Anz. 125 (3—4) p. 95 f. 7—9 (D ♂♀) (praeocc. Hahn 1822).
L. r. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 438 (nom. nov.).

♀ **spiniformis** Franganillo 1926 (incert. sed.). Andalusien
L. s. Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 72 (D ♀) (D inutil.).

♂ **subhirsuta** L. Koch 1881. Mallorca
L. s. L. Koch 1881, Verh. Zool. Bot. Ges. Wien 31 p. 653 T. 21 F. 28 (D ♂, nec. ♀).

♂♀ **sylvatica** (Roewer) 1951 (incert. sed.). Algier
L. sylvicola Lucas 1846, Explor. Sci. Algér. Zool. 1 Arachn. p. 115 T. 3 F. 6 (D ♂♀) (D inutil., typ. perd.) (praeocc. Sundevall 1832).
Tarentula s. Roewer 1951, Abh. N. V. Bern 32 (2) p. 441 (nom. nov.).

♂♀ **tarentula** (Rossi) 1790. – * Südost-Europa, Mediterranea, Vorderasien

Aranea t. Rossi 1790, Faun. Etrusc. 2 p. 132 (D).
Aranea t. Petagna 1792, Institut. Ent. p. 436 T. 6 F. 6 (D ♀).
L. t. Latreille 1806, Gen. Crust. Ins. 1 p. 119 (D).
L. t. Hahn 1831, Die Arachniden, 1 p. 95 TF. 73 (D ♀).
L. t. apuliae Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 281 (D ♀).
L. t. C. L. Koch 1839, Die Arachniden 5 p. 112 TF. 413 (D ♂).
L. rubiginosa C. L. Koch 1839, Die Arachniden 5 p. 121 TF. 416 (D ♀).
Tarantula apuliae C. L. Koch 1850, Übers. Arachn. Syst. 5 p. 33 (N).
Tarentula rubiginosa Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Tarentula apuliae Thorell 1870, On Europ. Spid. p. 191 (N).
Tarentula fasciiventris Thorell 1873, Rem. Syn. Europ. Spid. p. 526 (N).
L. t. Simon 1876, Ann. Soc. Ent. France (5) 6 p. 65 T. 3 F. 16—17 (D ♀).
L. t. Caporiacco 1949, Ann. Mus. Civ. Trieste 17 (11) p. 35 (N ♂).

♂♀ **turbida** (Rosca) 1935. Bukowina
Arctosa t. Rosca 1935, Zool. Anz. 111 (9—10) p. 252 f. 11—12 (D ♂♀).
Arctosa t. Rosca 1936, Bul. Fac. Stiinte Cernauti 10 p. 208 f. 12 (D ♂♀).

♀ **valida** Lucas 1846 (incert. sed.). Algier
L. v. Lucas 1846, Explor. Sci. Algér. Zool. 1 Arachn. p. 113 T. 3 F. 3 (D ♀) (D inutil., typ. perd.).
Leimonia v. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).

♀ **virgulata** Franganillo 1920 (incert. sed.). Portugal
L. v. Franganillo 1920, Bull. Soc. Portug. Sci. Nat. 8 p. 139 (D ♀) (D inutil).

Aethiopische Arten:

♂♀ **biampliata** Purcell 1903. Capland
L. b. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 128 T. 8 F. 19 (D ♂♀).

♂♀ **capensis** Simon 1898. Capland
L. c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 26 (D ♂♀).

♀ **madagascariensis** Vinson 1863 (incert. sed.). Madagascar
L. m. Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 297 (D ♀) (D inutil; typ. perd.).

♀ **quadrimaculata** Lucas 1858 (incert. sed.). Gabun
L. q. Lucas 1858, Arch. Ent. 2 p. 383 (D ♀) (D inutil.; typ. perd.).

♂♀ **rimicola** Purcell 1903. Capland
L. r. Purcell 1903, Ann. S. Afr. Mus. 3 (1) p. 37 (D ♂♀).

♀ **sordulenta** Thorell 1899. Camerun
L. s. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 85 (D ♀).

Orientalische Arten:

♀ **barnesi** Gravely 1924. Indien
L. b. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 599 f. 38 (D ♀).

♂♀ **himalayensis** Gravely 1924. Himalaya
L. h. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 603 f. 3G (D ♂♀).

♀ **innocua** Doleschall 1859. Amboina
L. i. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 9 T. 7 F. 6 (D ♀).

♀ **khudiensis** Sinha 1951. Indien (Bihar)
L. k. Sinha 1951, Rec. Ind. Mus. Calcutta 48 (2) p. 22 f. . . . (D ♀) (lit. non vidi).

♂ **lebakensis** Doleschall 1859. Java
L. l. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 8 (D ♂).

Australische Arten:

♂♀ **albopilata** Urquhart 1893. Tasmanien
L. a. Urquhart 1893, Pap. Proc. Soc. Tasman. (1892) p. 123 (D ♂♀) (D inutil.).

♀ **algida** Simon 1905. Chatham-Ins.
L. a. Simon 1905, Zool. Jahrb. Syst. 21 (4) p. 423 (D ♀).

♂♀ **ambrymiana** Berland 1938. Neue Hebriden
L. a. Berland 1938, Ann. Soc. Ent. France 107 p. 184 f. 153—156 (D ♂♀).

♀ **aurea** Hogg 1896. Centr.-Australien
L. a. Hogg 1896, Aran. in: Rep. Horn Exped. 2 (Zool.) p. 345 T. 24 F. 13 (D ♀).

♀ **celaenica** Rainbow 1917. Farina
L. c. Rainbow 1917, Trans. Soc. S. Austral. 41 p. 488 T. 32 F. 10—11 (D ♀).

♂♀ **coenosa** Rainbow 1899. Neu-Caledonien, Neue Hebriden
L. c. Rainbow 1899, Proc. Linn. Soc. N.S. Wales 24 (2) p. 315 T. 25 F. 6 (D ♀).
L. c. Rainbow 1902, Proc. Linn. Soc. N.S. Wales 26 p. 530 (N).
L. c. Berland 1924, Nov. Caledonia; Zool. 3 (2) p. 244 (D ♂, N ♀).

♀ **cowlei** Hogg 1896. Centr.-Australien
L. c. Hogg 1896, Aran. in: Rep. Horn Exped. 2 (Zool.) p. 349 T. 24 F. 15 (D ♀).

♂ **excusor** L. Koch 1867. Queensland
L. e. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 202 (D ♂).

♀ **gloriosa** Rainbow 1920. Lord Howe-Ins.
L. g. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 261 T. 30 F. 94—95 (D ♀).

♂♀ **hilaris** L. Koch 1877. Neu-Seeland, Tasmanien, Chatham-Ins.
L. h. L. Koch 1877, Arachn. Austral. 1 (2) p. 920 T. 79 F. 6 u. p. 979 T. 85 F. 6 (D ♂♀).
L. h. Simon 1905, Zool. Jahrb. Syst. 21 (4) p. 420 (D ♀).

♀ **neptunus** (Rainbow) 1896. Neu-Süd-Wales
Dolomedes n. Rainbow 1896, Proc. Linn. Soc. N. S. Wales 21 (3) p. 326 **T.** 18 F. 4 (D ♀).
L. n. Rainbow 1911, Rec. Austral. Mus. 9 (2) p. 270 (N).

♀ **nigropunctata** Rainbow 1915. Süd-Australien
L. n. Rainbow 1915, Trans. Soc. S. Austral. 39 p. 787 T. 68 F. 16—17 (D ♀).

♀ **parvipudens** Karsch 1881. Gilberts-Ins.
L. p. Karsch 1881, Berlin. Ent. Zeitschr. 25 p. 96 (D ♀).

♀ **perinflata** Pulleine 1922. Süd-Australien
L. p. Pulleine 1922, Trans. Soc. S. Austral. 46 p. 84 T. 5 F. 2 (D ♀).

♀ **perkinsi** Simon 1904. Hawai
L. p. Simon 1904, Arachn. in: Faun. Hawaiiens. 2 (Suppl.) p. 343 (D ♀).

♀ **rainbowi** (Roewer) 1951. Norfolk-Ins.
L. strenua Rainbow 1920, Rec. S. Austral. Mus. 1 p. 260 T. 30 F. 92—93 (D ♀) (praeocc. Nicolet 1849 u. Thorell 1872).
Tarentula n. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.).

♀ **skeeti** Pulleine 1922. Süd-Australien
L. s. Pulleine 1922, Trans. Soc. S. Austral. 46 p. 83 T. 5 F. 1 (D ♀).

♀ **spinipes** (Rainbow) 1896. Neu-Süd-Wales
Dolomedes s. Rainbow 1896, Proc. Linn. Soc. N. S. Wales 21 (3) p. 327 T. 18 F. 5 (D ♀).
L. s. Rainbow 1911, Rec. Austral. Mus. 9 (2) p. 273 (N).

♀ **tasmanica** (Roewer) 1951. Tasmanien
L. festiva Urquhart 1893, Pap. Proc. Soc. Tasman. (1892) p. 126 (D ♀) (praeocc. Pavesi 1880).
Tarentula t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 441 (nom. nov.).

♀ **waitei** Rainbow 1917. Süd-Australien
L. w. Rainbow 1917, Trans. Soc. S. Austral. 41 p. 487 T. 32 F. 7—9 (D ♀).

Neotropische Arten:

♀ **adusta** Banks 1898. Mexico
L. a. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 268 T. 16 F. 31 (D ♀).

♀ **albata** Nicolet 1849 (incert. sed.). Chile
L. a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 362 (D ♀) (D inutil., typ. perd.).

♀ **anclata** Franganillo 1946 (incert. sed.). Cuba
L. a. Franganillo 1946, Mem. Soc. Cubana Hist. Nat. 18 p. 100 (D ♀) (D inutil.).

♂♀ **apalachea** (Gertsch) 1940. Florida, Nord-Carolina
Pirata a. Gertsch 1940, Florida Entomolog. 23 (2) p. 17 f. 3—4 (D ♂♀).
Pirata a. Barnes 1953, Amer. Mus. Novit. 1632 p. 11 (N ♂♀).

♂ **bezzii** Mello-Leitao 1944. Buenos Aires
L. b. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 343 (D ♂).

♀ **biolleyi** Banks 1909. Costa Rica
L. b. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 219 T. 6 F. 35 (D ♀).

♀ **brunnea** F. Cambridge 1902. Costa Rica, Guatemala, Mexico
L. b. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 325 T. 31 F. 12 (D ♀).
Hogna b. Caporiacco 1938, Atti Soc. Ital. Sci. Nat. Milano 77 p. 261 (N).

♀ **emuncta** Banks 1898. Nieder-Californien
L. e. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 269 T. 16 F. 30 (D ♀).

♂ **eutypa** Chamberlin 1925. Panama
L. e. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 229 (D ♂).

♀ **fuliginosa** Nicolet 1849 (incert. sed.). Chile
L. f. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 362 (D ♀) (D inutil.; typ. perd.).

♂♀ **futilis** Banks 1898. Nieder-Californien
L. f. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. 271 T. 16 F. 32 (D ♂♀).

♂ **illicita** Gertsch 1934. Mexico
L. uncata F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 328 T. 31 F. 22 (D ♂).
L. i. Gertsch 1934, Amer. Mus. Novit. 726 p. 7 (nom. nov.).

♂♀ **injusta** Banks 1898. Mexico
L. i. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. 270 T. 17 F. 1 (D ♂♀).
L. i. Caporiacco 1938, Atti Soc. Ital. Sci. Nat. 77 p. 261 f. 2 (D ♀).

♀ **inornata** Blackwall 1862. Brasilien
L. i. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 349 (D ♀).
L. i. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 262 (N).

♀ **insularis** Lucas 1857 (incert. sed.). Cuba
L. i. Lucas 1857, Arachn. in: Segra, Hist. Nat. Phys. Cuba 7 (Ins. 10) p. 79 T. 5 F. 1 (D ♀) (D inutil.; typ. perd.).

♂♀ **isolata** Bryant 1940. Cuba
L. i. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 282 T. 2 F. 19—26 (D ♂♀).

♂♀ **langei** Mello-Leitao 1947. Brasilien
L. l. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 264 T. 41 F. 18 (D ♂♀).

♀ **lativulva** F. Cambridge 1902 (incert. sed.). Guatemala
L. l. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 326 T. 31 F. 16 (D ♀) (D inutil.).

♀ **leucogastra** Mello-Leitao 1944. Buenos Aires
L. l. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 346 f. 36 (D ♀).

♀ **leucophthalma** Mello-Leitao 1940. Rio Negro
L. l. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 25 f. 23—24 (D ♀).

♀ **liliputana** Nicolet 1849 (incert. sed.). Chile
L. l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 359 (D ♂) (D inutil.; typ. perd.).

♂ **longipes** Nicolet 1849 (incert. sed.). Chile
L. l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 363 (D ♀) (D inutil.; typ. perd.).

♀ **longivulva** F. Cambridge 1902 (incert. sed.). Guatemala
L. l. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 326 T. 31 F. 15 (D ♀) (D inutil.).

♂ **maya** Chamberlin 1925. Yucatan
L. m. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 230 (D ♂).

♂♀ **mexicana** Banks 1898. Mexico
L. m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. 271 T. 17 F. 3 (D ♂♀).

♀ **murina** Nicolet 1849 (incert. sed.). Chile
L. m. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 361 (D ♀) (D inutil.; typ. perd.).

♂♀ **nanata** (Gertsch) 1940. Florida, Georgia
Pirata n. Gertsch 1940, Florida Entomolog. 23 (2) p. 19 f. 7—8 (D ♂♀).
Pirata n. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 150 (N ♂♀).

♀ **niceforoi** Mello-Leitao 1941. Columbien
L. n. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (2) p. 121 f. 5 (D ♀).

♀ **nigromarmorata** Mello-Leitao 1941. Columbien
L. n. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 273 f. 7 (D ♀).

♀ **nigrotaeniata** Mello-Leitao 1941. Columbien
L. n. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 274 f. 8 (D ♀).

♂♀ **ovalata** Franganillo 1931 (incert. sed.). Cuba
L. o. Franganillo 1931, Revista Belen, Habana p. 286 (D).
L. o. Franganillo 1934, Mem. Soc. Cubana Hist. Nat. 8 (3) p. 15 (D ♂♀) (D inutil.).

pampeana Holmberg 1876 (incert. sed.). Argentinien, Paraguay
L. p. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 25 (D) (lit. non vidi).

♂ **paranensis** Holmberg 1876 (incert. sed.). Argentinien, Parana
L. p. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 25 (D ♂) (lit. non vidi).

♀ **pintoi** Mello-Leitao 1931. Süd-Brasilien
L. p. Mello-Leitao 1931, Bol. Biol. R. d. Jan. 17 p. 12 TF. 3 (D ♀).

♀ **proletarioides** Mello-Leitao 1941. Nord-Argentinien
L. p. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 132 T. 6 F. 23; f. 29 (D ♀).

♀ **punctiventralis** (Roewer) 1951. Nieder-Californien
L. punctiventris Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7), Zool. p. 269 T. 16 F. 26 (D ♀) (praeocc. Doleschall 1852).
Tarentula p. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 441 (nom. nov.).

♂♀ **rufimanoides** (Strand) 1908. Bolivien
Tarentula r. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 249 (D ♂♀).

♂ **seriovittata** Mello-Leitao 1939. Süd-Brasilien
L. s. Mello-Leitao 1939, Mem. Inst. Butantan 12 p. 525 TF. 5—6 (D ♂).

♀ **signiventris** Banks 1909. Costa Rica
L. s. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 218 T. 5 F. 20 (D ♀).

♀ **sigridae** (Strand) 1916. Mexico
L. hirsuta F. Cambridge 1902, Biol. Centr. Amer. Aran 2 p. 325 T. 31 F. 10 (D ♀).
Tarentula s. Strand 1916, Arch. Naturg. 82 (A; 2) p. 72 (nom. nov.).

♀ **sochoi** Mello-Leitao 1947. Brasilien
L. s. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 262 (D ♀).

♀ **subfusca** F. Cambridge 1902 (incert. sed.) Mexico, Costa Rica
L. s. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 325 T. 31 F. 11 (D ♀) (D inutil.).

♀ **tarentuloides** Perty 1833 (incert. sed.). Brasilien
L. t. Perty 1833, Delect. Anim. Artic. p. 196 T. 38 F. 14 (D o) (D inutil.; typ. perd.).
L. pertyi C. L. Koch 1846, Die Arachniden 14 p. 156 TF. 1382 (D ♀) (typ. perd.).
Tarentula pertyi Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).

♀ **tetrophthalma** Mello-Leitao 1939. Paraguay
L. t. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 53 f. 14—16 (D ♀).

♀ **transversa** F. Cambridge 1902 (incert. sed.). Guatemala
L. t. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 325 T. 31 F. 14 (D ♀). (D inutil.).

♀ **U-album** Mello-Leitao 1938. Buenos Aires
L. U. Mello-Leitao 1938, Rev. Mus. La Plata (N. S.) 1, Zool. p. 97 f. 10—11 (D ♀).

♀ **vellutina** Mello-Leitao 1941. Columbien
L. v. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 p. 276 f. 9 (D ♀).

♀ **ventralis** F. Cambridge 1902 (incert. sed.). Mexico
L. v. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 326 T. 31 F. 14 (D ♀) (D inutil.).

Nearktische Arten:

♀ **apacha** Chamberlin 1925. Arizona
L. a. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 228 (D ♀).

♂♀ **bilineata** (Emerton) 1885. U. St. Amerika
Pardosa b. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 496 T. 49 F. 4 (D ♀).
L. ochreata pulchra Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 540 T. 29 F. 3—4 (D ♂♀).
L. b. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 290 (D ♂♀).
Schizocosa b. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 218 T. 16 F. 6 (D ♂♀).
L. b. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 207 T. 6 F. 4 (D ♂♀).
Schizocosa b. Comstock 1912, Spider Book p. 648 f. 726b (D).
Schizocosa b. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 210 (N ♀).

Schizocosa b. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 18 (N).
Schizocosa b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 314 T. 51 F. 1016; T. 52 F. 1026—29 (D ♂♀).

♂ **discolor** Walckenaer 1837 (incert. sed.). Carolina
L. d. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 332 (D ♂) (D inutil.; typ. perd.).

♀ **ferriculosa** Chamberlin 1920. Californien
L. f. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 14 T. 6 F. 2 (D ♀).

♂ **impavida** Walckenaer 1837 (incert. sed.). Georgia
L. i. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 324 (D ♀) (D inutil.; typ. perd.).

♂♀ **infesta** Walckenaer 1837 (incert. sed.). Georgia
L. i. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 332 (D ♂♀) (D inutil.; typ. perd.).

♀ **maccooki** Montgomery 1904. Texas
L. m. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 283 T. 18 F. 11 (D ♀).

♂♀ **mordax** Walckenaer 1837 (incert. sed.). U. St. Amerika
L. m. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 321 (D ♂♀) (D inutil.; typ. perd.).

♀ **philadelphiana** Walckenaer 1837 (incert. sed.). Georgia, Pennsylvania
L. p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 289 (D ♀) (D inutil.; typ. perd.).

♂♀ **santrita** Chamberlin & Ivie 1942. Arizona
L. s. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 37 T. 8 F. 81—82 (D ♂♀).

♂ **tusapa** Chamberlin 1925. Californien
L. t. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 228 (D ♂).

♀ **vehemens** Walckenaer 1837 (incert. sed.). Georgia
L. v. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 324 (D ♀) (D inutil.; typ. perd.).

Gen. **Lycosella** Thorell 1890.

Orientalische Arten:

♀ **minuta** Thorell 1890. Sumatra
L. m. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 139 (D ♀).
L. m. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 183 (D ♀).

♂♀ **tenera** Thorell 1890. – * Sumatra
L. t. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 139 (D ♂♀).
L. t. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 179 (D ♂♀).
L. t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 350 (N).

♀ **tenera bisulcata** Thorell 1890. Sumatra
L. t. b. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 139 (D ♀).

Australische Arten:

♀ **annulata** Simon 1900. Hawai
L. a. Simon 1900, Faun. Hawaiiens. 2 (5) p. 508 T. 16 F. 10 (D ♀).

♀ **spinipes** Simon 1900. Hawai
L. s. Simon 1900, Faun. Hawaiiens. 2 (5) p. 507 **T.** 16 F. 9; **T.** 18 F. 5 (D ♀).

Gen. **Lycosula** gen. nov.

♂ **hebridisiana** (Berland) 1938. Neue Hebriden
Lycosella h. Berland 1938, Ann. Soc. Ent. France 107 p. 180 f. 143—144 (D ♂).

♂ **minima** (Berland) 1938. Neue Hebriden
Lycosella m. Berland 1938, Ann. Soc. Ent. France 107 p. 182 f. 145—146 (D ♂).

♀ **thorelli** (Berland) 1929. – * Samoa, Marquesas-Ins.
Lycosella t. Berland 1929, Insect. Samoa 8 (2) p. 68 f .65—68 (D ♀).
Lycosella t. Berland 1934, Ann. Soc. Ent. France 103 p. 334 f. 18 (N ♀).

Gen. **Lynxosa** gen. nov.

Palaearktische Arten:

♀ **orotawensis** (Strand) 1915. Orotawa
Tarentula gracilis o. Strand 1915, Arch. Naturg. 81 (A; 9) p. 40 (D ♀).

♂♀ **sowerbyi** (Hogg) 1912. Nord-China
Pardosa s. Hogg 1912, Aran. in: Clarck & Sowerby, Through Shen Kan p. 213 TF. 4 (D ♂♀).

Aethiopische Arten:

♂♀ **hibernalis** (Strand) 1906. Abessinien
Tarentula h. Strand 1906, Zool. Anz. 30 (19—20) p. 673 (D ♂♀).
Tarentula h. Strand 1907, Arch. Naturg. 73 (I; 3) p. 315 **T.** 8 F. 27 (D ♂♀).

♀ **inexorabilis** (Cambridge) 1869. – * St. Helena
Lycosa i. Cambridge 1869, Proc. Zool. Soc. London p. 541 **T.** 42 F. 9 (D ♀).
Lycosa i. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 61 (N).

Neotropische Arten:

♀ **tantilla** (Bryant) 1948. San Domingo
Arctosa t. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 352 **T.** 3 F.20 (D ♀).

♂♀ **yauliensis** (Strand) 1908. Peru
Tarentula y. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 247 (D ♂♀).
Lycosa y. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 569 (C).

Gen. **Megarctosa** Caporiacco 1948.

Palaearktische Arten:

♀ **argentata** (Denis) 1947. Oase Siwah
Arctosa a. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 36 **T.** 6 F. 1 (D ♀).

♀ **gobiensis** (Schenkel) 1936. Mongolei
Arctosa g. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 292 f. 101 (D ♀).

♂♀ **leopardus** (Sundevall) 1832. Europa, Vorderasien, Tienschan
Lycosa l. Sundevall 1832, Vet. Ak. Handl. p. 189 (D ♀).
Lycosa sericata C. L. Koch 1837, Übers. Arachn. Syst. 1 p. 23 (N).

Lycosa cambrica Blackwall 1841, Trans. Linn. Soc. London (Zool.) 18 p. 614 (D ♂♀).
Lycosa sericata C. L. Koch 1848, Die Arachniden 15 p. 8 TF. 1420 (D ♀).
Arctosa l. Thorell 1856, Rec. Crit. Aran. Suec. p. 111 (N).
Lycosa cambrica Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 32 T. 2 F. 14 (D ♂♀).
Lycosa l. Westring 1862, Aran. Svec. p. 522 (D ♂♀).
Potamia sericata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 352 (C).
Tarantula l. Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 809 (N).
Lycosa (Pirata) l. Thorell 1872, Rem. Syn. Europ. Spid. p. 331 (N).
Lycosa l. Simon 1876, Arachn. de France 3 p. 281 (D ♂♀).
Trochosa l. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 357 (D ♂♀).
Lycosa l. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 109 T. 9 F. 1 (D ♂♀).
Pirata l. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 64 (D ♂♀).
Trochosa l. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 74 (D ♂♀).
Trochosa l. Bösenberg 1903, Zoologica 14 (5—6) p. 402 T. 38 F. 592 (D ♂♀).
Arctosa l. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 310, 321 f. 41 (D ♂♀).
Lycosa l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 498 (D ♂♀).
Arctosa l. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 580 (D ♂♀).
Arctosa l. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 71 f. 183—186 (D ♂♀).
Pirata l. Caporiacco 1934, Ann. Mus. Civ. Trieste 12 p. 127 (N).
Lycosa l. Simon 1937, Arachn. de France 6 (5) p. 1116, 1139 f. 1756 (D ♂♀).
Arctosa l. Palmgren 1939, Act. Zool. Fenn. 25 p. 74 f. 125—127 (D ♂♀).
Arctosa l. Holm 1947, Svensk Spindelfauna 3 p. 21 T. 4 F. 44—45; T. 9 F. 21 (D ♂♀).
Arctosa l. Locket & Millidge 1951, Brit. Spiders I p. 284 f. 137 C; 138 C (D ♂♀).

♀ **naccai** Caporiacco 1948. – * Rhodos

M. n. Caporiacco 1948, Redia 33 p. 42 f. 3 (D ♀).

Aethiopische Arten:

♂♀ **aequioculata** (Strand) 1906. Abessinien

Tarentula a. Strand 1906, Zool. Anz. 30 (19—20) p. 675 (D ♀).
Tarentula a. Strand 1907, Arch. Naturg. 73 (I; 3) p. 329 (D ♀).
Arctosa a. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 797 f. 15 (D ♂, N ♀).

Neotropische Arten:

♂♀ **hentzi** (Banks) 1904. Florida

Lycosa h. Banks 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 135 T. 8 F. 16—17 (D ♂♀).
Lycosa h. Wallace 1950, Florida Entomolog. 33 (2) p. 77 T. 1 F. 5 (N ♀).

♀ **melanostoma** (Mello-Leitao) 1941. Argentinien

Lycosa m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 208 f. 7 (D ♂).

Gen. **Melloicosa** gen. nov.

♀ **vittata** (Mello-Leitao) 1945. Argentinien

Gnatholycosa v. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 249 (D ♀).

Gen. **Metatrochosina** gen. nov.

♀ **lucasi** (Roewer) 1951. Canaren

Lycosa pelliona Lucas 1838, in: Barker, Webb, Berthelot, Hist. Nat. Canar. 2 p. (N) (praeocc. Audouin 1827).

Lycosa fulviventris Simon 1883, Ann. Soc.. Ent. France (6) 3 p. 285 T. 8 F. 12 (D ♀) (praeocc. Kroneberg 1875 sub **Tarentula**).
Tarentula l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 441 (nom. nov.).

♀ **vulvella** (Strand) 1907. – * Japan

Tarentula v. Strand 1907, Zool. Anz. 31 (17—18) p. 565 (D ♀).
Tarentula v. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 65 TF. 39 (D ♀) .

Gen. **Mimohogna** gen. nov.

Palaearktische Arten:

♂♀ **vultuosa** (C. L. Koch) 1839. Südost-Europa, Vorderasien bis Turkestan

Lycosa v. C. L. Koch 1839, Die Arachniden 5 p. 102 TF. 407—408 D ♂♀).
Lycosa v. Waldkenaer 1841, Hist. Nat. Ins. Apt. 2 p. 448 (D ♂♀).
Lycosa infernalis Motschulsky 1849, Bull. Soc. Nat. Moscou 22 (2) p. 289 T. 2 F. 1—2 (D ♂).
Arctosa v. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 346 (C).
Trochosa infernalis Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 172 (D ♂♀).
Lycosa infernalis Simon 1884, Ann. Soc. Ent. France (6) 4 p. 185 (N).
Trochosa infernalis Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 72 (D ♂♀).

Aethiopische Arten:

♀ **pachana** (Pocock) 1898. – * Süd-Afrika, Congo

Lycosa p. Pocock 1898, Ann. Mag. Nat. Hist. (7) 1 p. 314 f. 2 (D ♀).
Lycosa p. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 408 (D ♀).

Neotropische Arten:

♀ **arapensis** (Strand) 1908. Peru

Tarentula a. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 245 (D o).
Lycosa a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 555 (C).

Gen. **Molitorosa** gen. nov.

♂ **molitor** (Bertkau) 1880. Brasilien

Lycosa m. Bertkau 1880, Mém. Class. Sci. 43 p. 76 T. 2 F. 26 (D ♂).
Pardosa m. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 (N).

Gen. **Mustelicosa** gen. nov.

Palaearktische Arten:

♂♀ **dimidiata** (Thorell) 1875. – * Süd-Russland, Kaukasus, Turkestan, Mongolei, China

Trochosa d. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 107 (D ♂♀).
Trochosa d. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 165 (D ♂♀).
Trochosa d. Simon 1898, Hist. Nat. Araign. 2 (2) p. 337 (N).

♂♀ **opiphex** (Wagner) 1891. Süd-Russland, Bulgarien

Tarentula o. Wagner 1891, Bull. Soc. Nat. Moscou (N. S.) 4 p. 626 T. 16 F. 1—14 (D ♂♀).
Lycosa opifex Simon 1898, Hist. Nat. Araign. 2 (2) p. 337 (N).

♂♀ **ordosa** (Hogg) 1912. Nord-China

Lycosa o. Hogg 1912, Aran. in: Clarck & Sowerby, Through Shen Kan p. 210 TF. 7 (D ♂♀).

Australische Arten:

♀ **goyderi** (Hickman) 1944. Süd-Australien

Lycosa g. Hickman 1944, Trans. R. Soc. S. Austral. 68 (1) p. 33 T. 2 F. 20 (D ♀).

Gen. **Ocyale** Audouin 1827.

Palaearktische Arten:

♀ **pelliona** (Audouin) 1827. Aegypten bis Algier

Lycosa p. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 368 T. 4 F. 5 (D ♀).
Lycosa p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 308 (D ♀).
Lycosa modesta Giebel 1863, Zeitschr. ges. Naturw. 21 p. 314 (D ♀).
Leimonia p. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).

Transgredierende Arten:

♂♀ **atalanta** Audouin 1827. – * Aegypten, Palästina, Arabien, Afrika, Burma, Japan

O. a. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p 374 T. 4 F. 10 (D ♀).
Dolomedes ocyale Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 353 (D ♀).
O. ocyale Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 382 (C).
Trochosa maculata L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 78 T. 7 F. 5 (D ♀).
Trochosa lactea L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 80 T. 7 F. 6 (D ♀).
Lycosa guttata Karsch 1878, Monatsber. Ak. Wiss. Berlin p. 329 T. 2 F. 1 (D ♂).
Trochosa guttata Pavesi 1881, Ann. Mus. Civ. Genova 16 p. 552 (N ♂).
O. a. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 358 (D ♂).
O. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 345 (N).
O. a. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 252 (N).
O. maculata Strand 1907, Arch. Naturg. 73 (I; 3) p. 344 (D ♀).
O. a. Lessert 1925, Rev. Suisse Zool. 32 (21) p. 336 f. 7 A, B (N ♀).
O. a. Lawrence 1936, Ann. Transvaal Mus. 17 (2) p. 157 (N ♀).

Aethiopische Arten:

♀ **conspersa** Karsch 1879. West-Afrika

O. c. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 831 (D o) (nec = **atalanta** Aud.).
Pisaura c. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 355 (N) (nec = **Pisaura!**).

♀ **fera** Strand 1908. Madagascar

Lycosa robusta Lenz 1891, Jahrb. Hambg. Wiss. Anst. 9 (1) p. 171 T. 1 F. 7 (D ♀) (praeocc. Simon 1876).
O. f. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 155 (D ♀).

♀ **ingenua** (Karsch) 1879. West-Afrika

Lycosa i. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 354 (D ♀).
O. i. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 359 (N).
O. i. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 455 (D ♀).

♂♀ **spissa** (Bösenberg & Lenz) 1895. Ost-Afrika, Congo

Trochosa s. Bösenberg & Lenz 1895, Mitt. Nat. Mus. Hambg. 12 (2) p. 39 T. 2 F. 18 (D o).
O. s. (= ? **spissides**) Strand 1907, Arch. Naturg. 73 (I; 3) p. 344 (D ♂).
O. s. Lessert 1925, Rev. Suisse Zool. 32 (21) p. 336 f. 7 C (N ♀).
O. s. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 407 f. 1 (D ♂♀).

Orientalische Arten:

♀ **kumari** Dyal 1935. Panjab

O. k. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 147 T. 13 F. 47 (D ♀).

♂♀ **lanca** (Karsch) 1879. Ceylon

Lycosa l. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 551 (D ♂) (nec = **atalanta** Aud.).

Lycosa l. Karsch 1891, Berlin. Ent. Zeitschr. 36 p. 297 T. 12 F. 21 (N ♂♀).

Neotropische Arten:

♀ **huachoi** (Mello-Leitao) 1942. Peru

Lycosa h. Mello-Leitao 1942, Rev. Bras. Biol. R. d. Jan. 2 (4) p. 43 f. 5 (D ♀).

Gen. **Orinocosa** Chamberlin 1916.

Palaearktische Arten:

♂♀ **guentheri** (Pocock) 1900. Am Urmia-See

Lycosa g. Pocock 1900, Journ. Linn. Soc. London (Zool.) 27 p. 401 T. 26 F. 1 (D ♂♀).

♀ **oriens** Chamberlin 1924. China

O. o. Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 31 T. 7 F. 48—49 (D ♀).

Aethiopische Arten:

♀ **hansi** (Strand) 1915. Ashantiland

Tarentula h. Strand 1915, Arch. Naturg. 81 (A; 9) p. 77 (D ♀).

Australische Arten:

♂♀ **stirlingae** (Hogg) 1905. Neu-Süd-Wales

Lycosa s. Hogg 1905, Proc. Zool. Soc. London (2) p. 584 f. 87 (D ♂♀).

Neotropische Arten:

♀ **aymara** Chamberlin 1916. – * Peru

O. a. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 291 T. 24 F. 7—8 (D ♀).

♂♀ **pulchra** Caporiacco 1947. Brit. Guiana

O. p. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 23 (D).

O. p. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 640 TF. 42—43 (D ♂♀).

♂ **paraguensis** (Gertsch & Wallace) 1937. Paraguay

Arctosa p. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 4 TF. 10 (D ♂).

Gen. **Orthocosa** gen. nov.

Palaearktische Arten:

♀ **ambigua** (Denis) 1947. Oase Siwah

Arctosa a. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 34 T. 1 F. 8 (D ♀).

Orientalische Arten:

♀ **orophila** (Thorell) 1887. Burma

Tarentula o. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 310 (D ♀).

Australische Arten:

♀ **semicincta** (L. Koch) 1877. – * Queensland

Lycosa s. L. Koch 1877, Arachn. Austral. 1 (2) p. 908 T. 78 F. 5 (D ♀).

Gen. **Paratrochosina** gen. nov.

Palaearktische Arten:

♂♀ **sagittigera** (Roewer) 1951. Ost-Sibirien

Lycosa sagittata Grube 1861, Bull. Ac. Sci. St. Petersbg. 4 p. 174 (D ♂♀) (praeocc. Hentz 1844 u. C. L. Koch 1848).
Lycosa sagittata Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 466 (D ♂♀).
Tarentula s. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 441 (nom. nov.).

Aethiopische Arten:

o **arctosaeformis** (Caporiacco) 1940. Abessinien

Trochosina a. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 798 (D o).

Transgredierende Arten:

O♀ **insolita** (L. Koch) 1878. – * Sibirien, Labrador, Akpatok-Ins.

Lycosa i. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 28 p. 486 f. 3 (D O ♀).
Tarentula i. Jackson 1933, Proc. Zool. Soc. London (1) p. 145 T. 1 F. 1 (N ♀).

Neotropische Arten:

♂ **amica** (Mello-Leitao) 1941. Nord-Argentinien

Alopecosa a. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 121 T. 4 F. 14 (D ♂).

♀ **murina** (Mello-Leitao) 1941. Argentinien

Alopecosa m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 122 f. 19 (D ♀).
Tarentula murinella Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 441 (nom. nov. superfl.).

Gen. **Pavocosa** gen. nov.

Orientalische Arten:

♀ **siamensis** (Giebel) 1863. Siam

Lycosa s. Giebel 1863, Zeitschr. ges. Naturw. 21 p. 314 (D ♀).

Australische Arten:

O **feisica** (Strand) 1914. Carolinen

Tarentula f. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 258 T. 19 F. 97 (D O).

Neotropische Arten:

♂ **gallopavo** (Mello-Leitao) 1941. – * Argentinien

Lycosa g. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 205 f. 3—4 (D ♂).

♀ **herteli** (Mello-Leitao) 1947. Brasilien

Lycosa h. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 T. 36 F. 17 (D ♀).

♂ **langei** (Mello-Leitao) 1947. Santa Catharina

Schizocosa l. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 266 T. 36 F. 21 (D ♂).

Gen. **Pirata** Sundevall 1833.

Palaearktische Arten:

§ 6 ♂, 6 ♀: Simon 1876, Arachn. de France 3 p. 295—296 (part.).
§ 5 ♂, 5 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 74—75 (part.).
§ 7 ♂, 7 ♀: Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 281—285 (part.).
§ 7 ♂, 7 ♀: F. 5 M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 58—65 (part.).
§ 7 ♂, 7 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 130—131 (part.).
§ 6 ♂, 6 ♀: Simon 1937, Arachn. de France 6 (5) p. 1116—1118 (sub **Lycosa**, part.).
§ 5 (♂, ♀): Holm 1947, Svensk Spindelfauna 3 p. 8 (part.).

♂♀ **albicomaculata** Franganillo 1913 (incert. sed.). Spanien

P. a. Franganillo 1913, Broteria 11 p. 125 (D ♂♀) (D inutil.).
P. a. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 62 (D ♂♀) (D inutil.).

♂ **cereipes** (L. Koch) 1878. Turkestan, Transkaspien

Lycosa c. L. Koch 1878, Jahresber. Isis p. 68 T. 2 F. 6 (D ♂).

♀ **moodyi** Hull 1950. England

P. m. Hull 1950, Ann. Mag. Nat. Hist. (12) 3 p. 421 T. 3 F. 1—2 (D ♀).

♀ **pallipes** (Blackwall) 1857. Algier

Lycosa p. Blackwall 1857, Ann. Mag. Nat. Hist. (2) 20 p. 286 (D ♀).

♂♀ **piccolo** Dahl 1908. Deutschland, Russland, Schweden

P. p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 301 f. 30 (D ♂♀).
P. p. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 583 (D ♂♀).
P. p. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 60 f. 157—158 (D ♂♀).
P. p. Palmgren 1939, Act. Zool. Fenn. 25 p. 68 f. 108, 110, 113 (D ♀).
P. p. Holm 1947, Svensk Spindelfauna 3 p. 10 T. 1 F. 9—10; T. 9 F. 5 (D ♂♀).

♀ **piratella** (Strand) 1907. Japan

Tarentula p. Strand 1907, Zool. Anz. 31 (17—18) p. 565 (D ♀).
Tarentula p. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 64 TF. 38 (D ♀).

♂♀ **piscatorius** (Clerck) 1757. Europa, Sibirien

Araneus p. Clerck 1757, Aran. Svec. p. 103 T. 5 F. 5 (D ♀).
Aranea p. Olivier 1789, Encycl. Méthod. 4 p. 218 (D).
Trochosa umbraticola C. L. Koch 1848, Die Arachniden 14 p. 137 TF. 1368 (D ♀).
Lycosa p. Westring 1851, Göteborg Vet. Handl. 2 p. 54 (D).
Potamia p. Thorell 1856, Rec. Crit. Aran. p. 64 (N).
Lycosa p. Westring 1862, Aran. Svec. p. 530 (D ♀).
Trochosa umbraticola Ohlert 1867, Aran. Prov. Preussen p. 144 (D ♀).
Lycosa de greyi Cambridge 1870, Trans. Linn. Soc. London (Zool.) 27 (3) p. 396 T. 54 F. 3 (D ♂).
Lycosa (P.) p. Thorell 1872, Rem. Syn. Europ. Spid. p. 339 (N).
P. p. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 512 T. 83 F. 289 (D ♂♀).
P. p. Simon 1876, Arachn. de France 3 p. 299 (D ♂♀).
P. p. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 351 (D ♂♀).
P. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 121 T. 9 F. 8 (D ♂♀).
P. p. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 65 (D ♂♀).
P. p. Hansen 1885, in: Schiödte, Zool. Danica p. 154 (D ♂♀).
P. p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 76 (D ♂♀).
P. p. Bösenberg 1903, Zoologica 14 (5—6) p. 405 T. 38 F. 597 (D ♂♀).
P. p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 292 f. 33 (D ♂♀).
Lycosa p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 503 (D ♂♀).

P. p. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 584 (D ♂♀).
P. p. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 63 f. 164—165 (D ♂♀).
Lycosa p. Simon 1937, Arachn. de France 6 (5) p. 1118, 1140 f. 1767—68 (D ♂♀).
P. p. Palmgren 1939, Act. Zool. Fenn. 25 p. 69 f. 101, 106, 114 (D ♂♀).
P. p. Holm 1947, Svensk Spindelfauna 3 p. 10 T. 2 F. 11—12; T. 9 F. 3 (D ♂♀).
P. p. Locket & Millidge 1951, Brit. Spiders I p. 290 f. 139 A, G (D ♂♀).

♀ **proxima** Cambridge 1876. Aegypten

P. p. Cambridge 1876, Proc. Zool. Soc. London p. 598 (D ♀).

♀ **rubicundocolorata** (Strand) 1906. Algier

Tarentula r. Strand 1906, Zool. Anz. 30 (19—20) p. 675 (D ♀).
Tarentula r. Strand 1907, Arch. Naturg. 73 (I; 3) p. 333 (D ♀).

♀ **simplex** (L. Koch) 1882. Mallorca

Lycosa s. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 41 T. 21 F. 34 (D ♀).

♀ **subnigra** Franganillo 1913 (incert. sed.). Spanien

P. s. Franganillo 1913, Broteria 11 p. 124 (D ♀) (D inutil.).
P. s. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 62 (D ♀).

♂♀ **uliginosus** (Thorell) 1856. Schweden, Finnland, Deutschland

Potamia u. Thorell 1856, Rec. Crit. Aran. p. 111 (D ♀).
P. u. Thorell 1869, On Europ. Spid. p. 194 (N).
P. u. Thorell 1872, Rem. Syn. Europ. Spid. p. 346 (N).
P. u. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 300 f. 28 (D ♂♀).
P. u. F. & M. Dahl 1927; in: Dahl, Tierw. Deutschl. 5 p. 59 f. 154 (D ♂♀).
P. u. Palmgren 1939, Act. Zool. Fenn. 25 p. 67 f. 103, 108, 111 (D ♀).
P. u. Holm 1947, Svensk Spindelfauna 3 p. 9 f. 7 b; T. 1 F. 5—6; T. 9 F. 2 (D ♂♀).

Transgredierende Arten:

♂♀ **piraticus** (Clerck) 1757. – * Palaearktis, Nearktis

Araneus p. Clerck 1757, Aran. Svec. p. 102 T. 5 F. 4 (D ♀).
? Aranea palustris Fabricius 1775, Ent. Syst. 2 p. 418 (D).
Aranea p. Olivier 1789, Encycl. Méthod. 4 p. 218 (D).
Lycosa p. Walckenaer 1805, Tabl. Aran. p. 14 (N).
Lycosa p. Hahn 1831, Die Arachniden 1 p. 107 TF. 80 (D ♂♀).
P. p. Sundevall 1833, Consp. Arachn. p. 24 (D).
Lycosa p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 339 (D ♂♀).
Lycosa argenteomarginata Lucas 1846, Explor. Sci. Algér. Zool. 1 Arachn. p. 120 T. 3 F. 10 (D ♀).
Lycosa (Potamia) p. C. L. Koch 1848, Die Arachniden 15 p. 1 TF. 1413—14 (D ♂♀).
Potamia p. Thorell 1856, Rec. Crit. Aran. p. 63 (N).
Lycosa p. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 34 T. 2 F. 16 (D ♂♀).
Lycosa p. Westring 1862, Aran. Svec. p. 522 (D ♀).
Potamia argenteomarginata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 352 (C).
Lycosa (P.) p. Thorell 1872, Rem. Syn. Europ. Spid. p. 341 (N).
P. p. Simon 1876, Arachn. de France 3 p. 300 T. 12 F. 7—8 (D ♂♀).
P. prodigiosa Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 669 T. 8 F. 44 (D ♀).
P. p. Menge 1879, Schrift. Nat. Ges. Danzig (N.F.) 4 p. 513 T. 83 F. 290 (D ♂♀).
Lycosa febriculosa Becker 1881, Ann. Soc. Ent. Belg. 25 C.R. p. 45 T. 2 F. 2 (D ♀).
P. p. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 353 (D ♂♀).
P. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 122 T. 9 F. 9 (D ♂♀).

P. p. Dahl 1883, Schrift Nat. Ver. Schlesw. Holst. 5 (2) p. 64 (D ♂♀).
P. p. Hansen 1885, in: Schiödte, Zool. Danica p. 153 T. 5 F. 6 (D ♂♀).
P. p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 76 (D ♂♀).
P. p. Bösenberg 1903, Zoologica 14 (5—6) p. 406 T. 38 F. 598 (D ♂♀).
Lycosa wacondana Scheffer 1904, Ent. News 15 p. 260 T. 17 F. 7 (D ♀).
P. p. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 287 f. 34 (D ♂♀).
P. febriculosa Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 311 T. 22 F. 1—2 (N ♂♀).
P. prodigiosa Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 313 (D ♀).
P. sylvestris Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 209 T. 6 F. 8 (D ♀, nec ♂).
Lycosa p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 504 (D ♂♀).
P. p. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 584 (D ♂♀).
P. febriculosa Comstock 1912, Spider Book p. 645 f. 724 f (D).
P. p. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 64 f. 166—169 (D ♂♀).
P. wacondana Crosby & Bishop 1928, Mem. Cornell Univ. Agr. Exper. Stat. 101 p. 1069 (N).
P. p. Reimoser 1928, Die Natur (Wien) 4 (5) p. 107 f. 5 (N ♂♀).
P. p. Kratochvil 1930, Sbornik Klub. Prirod. 13 p. 2, 4 f. 4 (N ♀).
P. p. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 351 T. 15 F. 81 (D ♀).
P. p. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 5 (N).
Lycosa p. Simon 1937, Arachn. de France 6 (5) p. 1118, 1140 f. 1769—70 (D ♂♀).
P. p. Palmgren 1939, Act. Zool. Fenn. 25 p. 70 f. 104, 109, 115 (D ♂♀).
P. p. Kaston 1938, Canad. Ent. 70 p. 16 f. 1 (N ♀).
P. p. Holm 1947, Svensk Spindelfauna 3 p. 10 f. 4c; T. 1 F. 7—8; T. 9 F. 4 (D ♂♀).
P. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 309 T. 50 F. 1003; T. 51 F. 1010 (D ♂♀).
P. p. Locket & Millidge 1951, Brit. Spiders I p. 287 f. 139B, F (D ♂♀).

♀ **piraticus moravicus** Kratochvil 1930. Mähren

P. p. m. Kratochvil 1930, Sbornik Klub. Prirod. 13 p. 2, 4 f. 3 (D ♀).

♂♀ **piraticus tenuitarsis** (Simon) 1876. Corsica, Spanien

P. tenuitarsis Simon 1876, Arachn. de France 3 p. 302 T. 12 F. 9 (D ♂♀).
Lycosa p. t. Simon 1937, Arachn. de France 6 (5) p. 1118, 1140 (D ♂♀).

♂ **piraticua utahensis** Chamberlin 1908. Utah

P. p. u. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 313 (D ♂).

Aethiopische Arten:

♀ **brevipes** (Banks) 1893. Congo

Lycosa b. Banks 1893, Proc. U. Stat. Nat. Mus. 16 (951) p. 587 f. 12 (D ♀).

♂ **mascatensis** (Simon) 1898. Mascat

Lycosa m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 334 (D ♂).

♂ **molensis** (Strand) 1908. Süd-Aethiopien

Tarentula urbana m. Strand 1908, Arch. Naturg. 74 (I) p. 48 (D ♂).

♂♀ **oneili** (Purcell) 1903. Süd-Afrika

Lycosa o. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 122 T. 8 F. 15 (D ♂♀).

♀ **subannulipes** (Strand) 1906. Abessinien

Tarentula s. Strand 1906, Zool. Anz. 30 (19—20) p. 686 (D ♀).
Tarentula s. Strand 1908, Arch. Naturg. 73 (I; 3) p. 53 T. 2 F. 26 (D ♀).

♀ **taurirtensis** (Schenkel) 1937. Marokko
Lycosa urbana t. Schenkel 1937, Festschr. Strand 3 p. 395 f. 10 (D ♀).

♀ **zavattarii** (Caporiacco) 1941. Süd-Abessinien
Trochosa z. Caporiacco 1941, Miss. Biol. Sagan-Omo 12; Zool. 6 p. 43 f. 9 (D ♀).

Australische Arten:

♀ **brisbanae** (L. Koch) 1878. Australien
Lycosa b. L. Koch 1878, Arachn. Austral. 1 (2) p. 976 T. 85 F. 4 (D ♀).

Neotropische Arten:

♀ **pagicola** Chamberlin 1925. Nieder-Californien, Panama
P. p. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 225 (D ♀).

♂ **sternomaculata** (Mello-Leitao) 1943. Rio Grande do Sul
Pardosa s. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 163 TF. 8 (D ♂).

♀ **velox** Keyserling 1891. Süd-Brasilien
P. v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 265 T. 10 F. 200 (D ♀).

♂ **veracruzae** Gertsch & Davis 1940. Mexico
P. v. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 8 TF. 23 (D ♂).

Nearktische Arten:

bryantae Kurata 1944. Canada
P. b. Kurata 1944, Occ. Pap. R. Ontario Mus. Zool. 8 p. . . . f. . . . (D).

♀ **californica** Banks 1904. Californien
P. f. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13), Zool. p. 356 T. 39 F. 13 (D ♂♀).

♂♀ **emertoni** Dahl 1908. U. St. Amerika
P. piraticus Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 492 T. 48 F. 7 (D ♂♀).
P. piraticus Emerton 1902, Common Spiders p. 84 f. 208—209 (D ♂♀).
P. e. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 526 (nom. nov.).

♂♀ **sylvanus** Chamberlin & Ivie 1944. Georgia
P. s. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 151 T. 13 F. 192—193 (D ♂♀).

Gen. **Piratessa** gen. nov.

Palaearktische Arten:

♂ **dybowskii** (Kulczynski) 1885. – * Kamtschatka
Tarentula d. Kulczynski 1885. Denkschr. Ak. Wiss. Krakau 11 p. 54 T. 11 F. 32 (D ♂).

Transgredierende Arten:

♂♀ **minuta** (Emerton) 1885. U. St. Amerika, Mexico
Pirata m. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 493 T. 48 F. 10 (D ♂♀).
Pirata exigua Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 72 T. 1 F. 48 (D ♀).
Lycosa m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 335 (N).
Pirata m. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 301 T. 21 F. 9; T. 22 F. 33 (D ♀).
Pirata m. Comstock 1912, Spider Book p. 643 f. 724a (D).
Pirata m. Kaston 1938, Canad. Ent. 70 p. 16 f. 9 (N ♀).
Pirata m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 307 T. 50 F. 1001; T. 51 F. 1008 (D ♂♀).

Nearktische Arten:

♂♀ **marxi** Stone 1890. U. St. Amerika

Pirata m. Stone 1890. Proc. Ac. Nat. Sci. Philad. p. 429 T. 15 F. 1 (D ♀).
Pirata m. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 582 T. 30 F. 47 (D ♀).
Pirata m. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 309 T. 19 F. 27 (D ♀).
Pirata m. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 307 T. 21 F. 8; T. 22 F. 8 (D ♂♀).
Pirata m. Comstock 1912, Spider Book p. 644 f. 724d (N).
Pirata m. Kaston 1938, Canad. Ent. 70 p. 16 f. 5 (N ♀).
Pirata m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 309, T. 49 F. 985—86; T. 50 F. 1006 (D ♂♀).

Gen. **Piratula** gen. nov.

Palaearktische Arten:

♀ **clercki** (Bösenberg & Strand) 1906. Japan

Tarentula c. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 316 T. 8 F. 107; T. 13 F. 320 (D ♀).
Pirata c. Fox 1935, Journ. Wash. Ac. Sci. 25 (10) p. 456 (N ♀).

♂♀ **eugeni** (Roewer) 1951. Meeralpen

Lycosa furcifera Simon 1937, Arachn. de France 6 (5) p. 1118, 1140 f. 1765—66 (D ♂♀) (praeocc. Thorell 1875).
Pirata e. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov.).

♂♀ **hygrophila** (Thorell) 1872. – * Europa bis Turkestan u. Sibirien

Lycosa piscatoria Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 36 T. 2 F. 17 (D ♂♀).
Lycosa uliginosa Westring 1862, Aran. Svec. p. 533 (D ♀).
Potamia piscatoria Ohlert 1867, Aran. Prov. Preussen p. 132 (D ♂♀).
Pirata h. Thorell 1872, Rem. Syn. Europ. Spid. p. 346, 419 (N).
Lycosa h. Cambridge 1873, Proc. Zool. Soc. London p. 523 (N).
Pirata h. Simon 1876, Arachn. de. France 3 p. 297 (D ♂♀).
Pirata h. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 514 T. 84 F. 291 (D ♂♀).
Pirata h. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 352 (D ♂♀).
Pirata knorri Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 118 T. 9 F. 6b, c (D ♀, nec ♂).
Pirata h. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 120 T. 9 F. 7a (D ♀, nec ♂).
Pirata h. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 65 (D).
Pirata h. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 72 T. 2 F. 7 (N ♂♀).
Pirata h. Bösenberg 1903, Zoologica 14 (5—6) p. 406 T. 38 F. 599 (D ♂♀).
Pirata h. Dahl 1908, Nov. Act. Leopoldina 28 (3) p. 294 f. 29 (D ♂♀).
Lycosa h. Lessert 1910, Cata. Invert. Suisse; Araign. p. 502 (D ♂♀).
Pirata h. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 583 (D ♂♀).
Pirata h. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 59 f. 155—156 (D ♂♀).
Lycosa h. Simon 1937, Arachn. de France 6 (5) p. 1116, 1140 f. 1760—1761 (D ♂♀).
Pirata h. Palmgren 1939, Act. Zool. Fenn. 25 p. 68 f. 102, 107, 112 (D ♂♀).
Pirata h. Holm 1947, Svensk Spindelfauna 3 p. 9 f. 7a; T. 1 F. 3—4; T. 9 F. 1 (D ♂♀).
Pirata h. Locket & Millidge 1951, Brit. Spid. I p. 289 f. 139 D, H (D ♂♀).

♂♀ **knorrii** (Scopoli) 1763. Europa, Japan

Aranea k. Scopoli 1763, Ent. Carniol. p. 403 (D).
Lycosa (Potamia) piscatoria C. L. Koch 1848, Die Arachniden 15 p. 6 TF. 1417—19 (D ♂♀).
Pirata k. Simon 1876, Arachn. de France 3 p. 296 (D ♂♀).
Pirata k. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 75 (D ♂♀).
Pirata k. Bösenberg 1903, Zoologica 14 (5—6) p. 407 T. 39 F. 601 (D ♂♀).
Pirata k. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 296 f. 32 (D ♂♀).
Lycosa k. Lessert 1910, Catal. Invert. Suisse; Araign. p. 501 (D ♂♀).
Pirata k. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 62 f. 161—163 (D ♂♀).
Pirata h. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 352 T. 15 F. 82 (D ♀).
Lycosa k. Simon 1937, Arachn. de France 6 (5) p. 1118, 1140 f. 1764 (D ♂♀).
Pirata k. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 72 f. 6 (4) (N ♀).

♂♀ **latitans** (Blackwall) 1841. Europa

Lycosa l. Blackwall 1841, Trans. Linn. Soc. London (Zool.) 18 p. 612 (D ♂♀).
Lycosa (Potamia) palustris C. L. Koch 1848, Die Arachniden 15 p. 4 TF. 1415—16 (D ♂♀).
Potamia palustris C. L. Koch 1850, Übers. Arachn. Syst. 5 p. 35 (N).
Lycosa l. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 33 T. 2 F. 15 (D ♂♀).
Potamia palustris Ohlert 1867, Aran. Prov. Preussen p. 133 (D ♂♀).
Pirata l. Thorell 1873, Rem. Syn. Europ. Spid. p. 419 (N).
Pirata l. Simon 1876, Arachn. de France 3 p. 303 (D ♂♀).
Pirata l. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 355 (D ♂♀).
Pirata l. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 76 (D ♂♀).
Pirata l. Bösenberg 1903, Zoologica 14 (5—6) p. 407 T. 39 F. 600 (D ♂♀).
Pirata l. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 298 f. 31 (D ♂♀).
Lycosa l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 504 (D ♂♀).
Pirata l. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 584 (D ♂♀).
Pirata l. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 61 f. 159—160 (D ♂♀).
Lycosa l. Simon 1937, Arachn. de France 6 (5) p. 1117, 1139 f. 1762—63 (D ♂♀).
Pirata l. Locket & Millidge 1951, Brit. Spiders 1 p. 289 f. 139C, E (D ♂♀).

♀ **piratoides** (Bösenberg & Strand) 1906. Japan

Tarentula p. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 318 T. 13 F. 336 (D ♀).

♂♀ **praedo** (Kulczynski) 1885. Kamtschatka

Pirata p. Kulczynski 1885, Denkschr. Ak. Wiss. Krakau 11 p. 56 T. 11 F. 34 (D ♂♀).

♂♀ **procurva** (Bösenberg & Strand) 1906. Japan

Tarentula p. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 315 T. 13 F. 321 (D ♂♀).

♀ **subpiraticus** (Bösenberg & Strand) 1906. Japan

Tarentula s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 317 T. 13 F. 339 (D ♀).

Aethiopische Arten:

♂♀ **chamberlini** (Lessert) 1927. Congo

Pirata c. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 409 f. 2 (D ♂♀)

Orientalische Arten:

♂♀ **kempi** (Gravely) 1924. Indien

Lycosa k. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 602 f. 3 F (D ♂♀).
Lycosa k. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 141 T. 13 F. 42 (D ♂♀).
Lycosa k. Sinha 1951, Rec. Ind. Mus. Culcutta 48 (2) p. 28 f. . . (N).

Nearktische Arten:

♂♀ **gertschi** (Chamberlin & Ivie) 1944. Georgia

Pirata g. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 149 T. 13 F. 190—191 (D ♂♀).

♀ **piratimorpha** (Strand) 1908. Californien

Tarentula p. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 244 (D ♀).
Lycosa p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 564 (C).

♂♀ **sedentaria** (Montgomery) 1904. Tennessee, Texas bis Mexico

Pirata s. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 312 T. 19 F. 28—29 (D ♂♀).

♂♀ **seminola** (Gertsch & Wallace) 1935. Florida

Pirata s. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 7 TF. 33, 35 (D ♂♀).

Gen. **Prolycosides** Mello-Leitao 1942.

♀ **amblygyna** Mello-Leitao 1942. Argentinien

Lycosa (P.) a. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. p. 392 f. 5 (D ♀).

Gen. **Pterartoria** Purcell 1903.

Aethiopische Arten:

♂♀ **arbuscula** (Purcell) 1903. – * Süd-Afrika

Lycosa a. Purcell 1903, Ann. S. Afr. Mus. 3 (1) p. 38 (D ♂♀).
P. a. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 113 (N).

♀ **fissivittata** Purcell 1903. Capland

P. f. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 117 T. 8 F. 10 (D ♀).

♂♀ **flavolimbata** Purcell 1903. Capland

P. f. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 115 T. 8 F. 7—8 (D ♂♀).

♀ **polysticta** Purcell 1903. Capland

P. p. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 116 T. 8 F. 9 (D ♀).

Orientalische Arten:

♀ **masarangi** (Merian) 1911. Celebes

Trochosa inops m. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 296 f. L (D ♀).

Gen. **Pterartoriola** gen. nov.

Aethiopische Arten:

♀ **caldaria** (Purcell) 1903. Capland

Pterartoria c. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 114 T. 8 F. 5 (D ♀).

♂♀ **lativittata** (Purcell) 1903. Süd-Afrika

Lycosa l. Purcell 1903, Ann. S. Afr. Mus. 3 (1) p. 38 (D ♂♀).
Pterartoria c. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 113 (N).

♀ **sagae** (Purcell) 1903. – * Capland
Pterartoria s. Purcell 1903, Ann. S. Afr. Mus 3 (4) p. 115 T. 8 F. 6 (D ♀).

♂♀ **subcrucifera** (Purcell) 1903. Capland
Pterartoria s. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 113 T. 8 F. 4 (D ♂♀).

Orientalische Arten:

♂♀ **lompobattangi** (Merian) 1911. Celebes
Trochosa inops l. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 296 (D ♂♀).

Gen. **Rabidosa** gen. nov.

♂♀ **rabida** (Walckenaer) 1837. U. St. Amerika, Mexico
Lycosa r. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 320 (D ♀).
Lycosa scutulata Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 491 T. 48 F. 2 F. 1—2 (D ♂♀).
Lycosa scutalata Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 491 T. 48 F. 2 (D ♀).
Lycosa scutata Simon 1898, Hist. Nat. Araign. 2 (2) p. 346 (N, err. **scutulata**).
Lycosa scutulata Emerton 1902, Common Spiders p. 76 f. 183 (D ♂♀).
Lycosa scutulata Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 553 T. 29 F. 15—16 (D ♂♀).
Lycosa scutulata Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 253 T. 17 F. 9; T. 18 F. 1 (D ♂♀).
Lycosa r. Kaston 1948, State Connect, Publ. Decum. 47, Bull. 70 p. 324 T. 55 F. 1077—79; T. 108 F. 2006 (D ♂♀).

Gen. **Saitocosa** gen. nov.

♀ **flavitibia** (Saito) 1934. Japan
Tarentula f. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 355 T. 13 F. 31; T. 15 F. 84 (D ♀).

Gen. **Scaptocosa** Banks 1904.

Aethiopische Arten:

♀ **hectoria** (Pocock) 1900. Süd-Afrika
Lycosa h. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 327 (D ♀) (nec = **capensis** Simon 1898).

♀ **kijabica** (Strand) 1916. Ost-Afrika
Tarentula k. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 110 (D ♀).

♂♀ **lindneri** (Karsch) 1879. West- u. Centr.-Afrika
Lycosa l. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 351 f. 3 (D ♂♀).
Lycosa l. Simon 1910, Ann. Mus. Civ. Genova 44 p. 391 (D ♀).
Tarantula l. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 436 (N ♂♀).

♂♀ **subvittata** (Pocock) 1900. Süd-Afrika
Lycosa s. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 327 (D ♂♀) (nec = **darlingi** Pocock 1898).
Tarentula s. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 704 (D ♂).

Orientalische Arten:

♂♀ **carli** (Reimoser) 1934. Dekan
Hogna c. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 472 f. 5—6 (D ♂♀).

Australische Arten:

♀ **egena** (L. Koch) 1877. Queensland

Lycosa e. L. Koch 1877, Arachn. Austral. 1 (2) p. 935 T. 81 F. 2 (D ♀).

o **infensa** (L. Koch) 1877. Queensland, Neu-Süd-Wales

Lycosa i. L. Koch 1877, Arachn. Austral. 1 (2) p. 932 T. 80 F. 7 (D o).

♂♀ **leuckartii** (Thorell) 1870. Queensland

Tarentula l. Thorell 1870, Oefv. Vet. Ak. Förh. 27 (4) p. 388 (D ♀).
Lycosa l. L. Koch 1877, Arachn. Austral. 1 (2) p. 896 T. 77 F. 3; T. 81 F. 1 (D ♂♀).

♀ **tongatabuensis** (Strand) 1911. Neu-Guinea

Tarentula t. Strand 1911, Arch. Naturg. 77 (I; 2) p. 207 (D ♀).
Tarentula t. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 258 T. 14 F. 21; T. 19 F. 44 (D ♀).

Neotropische Arten:

♂♀ **albomarginata** (Badcock) 1932. Paraguay (Chaco)

Lycosa a. Badcock 1932, Journ. Linn. Soc. London (Zool.) 38 (257) p. 37 F. 28 (D ♂♀).

♂♀ **escambiensis** (Wallace) 1942. Florida

Geolycosa e. Wallace 1942, Amer. Midland Natural. 27 (1) p. 34 TF. 9, 10, 39, 71, 83, 94, 104, 114 (D ♂♀).

♂♀ **hubbelli** (Wallace) 1942. Florida

Geolycosa h. Wallace 1942, Amer. Midland Natural. 27 (1) p. 37 TF. 17, 18, 37, 64, 65, 77, 90, 98, 108 (D ♂♀).

♀ **impudica** (Mello-Leitao) 1944. Buenos Aires

Lycosa i. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 344 f. 33 (D ♀).

♀ **incertula** (Mello-Leitao) 1941. Argentinien

Lycosa i. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 127 T. 5 F. 20; f. 24 (D ♀).

♂♀ **micanopy** (Wallace) 1942. Florida

Geolycosa m. Wallace 1942, Amer. Midland Natural. 27 (1) p. 40 TF. 19—24, 40, 72, 73 (D ♂♀).

♂♀ **ornatipes** (Bryant) 1935. Florida

Lycosa o. Bryant 1935, Psyche 42 (2) p. 78 T. 5 F. 9—10 (D ♂♀).
Geolycosa o. Wallace 1942, Amer. Midland Natural. 27 (1) p. 32 TF. 11, 12, 34, 69, 70, 84, 93, 105, 112 (D ♂♀).

♂♀ **patellonigra** (Wallace) 1942. Florida

Geolycosa p. Wallace 1942, Amer. Midland Natural. 27 (1) p. 23 TF. 25, 26, 44, 60, 61, 78, 88, 102, 115 (D ♂♀).

♂ **poliostoma** (C. L. Koch) 1848. Argentinien, Patagonien, Paraguay, Uruguay

Tarentula p. C. L. Koch 1848, Die Arachniden 14 p. 152 TF. 1379 (D ♂).
Tarentula p. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 643 T. 7 F. 24 (D ♂).

Tarentula p. Bertkau 1880, Mém. Class. Sci. 43 p. 67 (N ♂).
Lycosa p. Simon 1902, Erg. Hambg. Magal. Sammelr. 2 (Arachn.) p. 40 (N).
Lycosa p. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 28 (N).

♂♀ **raptatorides** (Strand) 1909. Uruguay

Tarentula r. Strand 1909, Zeitschr. f. Naturw. 81 (4) p. 282 (D ♂♀).

♂♀ **raptoria** (Walckenaer) 1837. Argentinien, Uruguay, Paraguay, Brasilien, Haiti

? Lycosa erythrognatha Lucas 1836, Mag. Zool. Cl. 5 p. 522 (D) (typ. perd.).
Lycosa r. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 338 (D ♂).
Lycosa r. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 452 (D ♀).
Lycosa erythrostoma C. L. Koch 1848, Die Arachniden 14 p. 150 TF. 1378 (D ♂).
Lycosa rufimana C. L. Koch 1848, Die Arachniden 14 p. 160 TF. 1385 (D ♀).
Tarentula erythrostoma Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Tarentula rufimana Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 350 (C).
Leimonia r. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 352 (C).
Tarentula r. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 645 T. 7 F. 25 (D ♀).
Lycosa erythrognatha Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 (N).

♂♀ **rogersi** (Wallace) 1942. Florida

Geolycosa r. Wallace 1942, Amer. Midland Natural. 27 (1) p. 17 TF. 29, 30, 41, 66, 67, 81, 95, 99, 109 (D ♂♀).

♀ **sangilia** nom. nov.

Lycosa inornata Mello-Leitao 1941, An. Ac. Bras. Ci. 13 (4) p. 272 f. 6 (D ♀) (in f. 6: **Pardosa tristis**) (praeocc. Blackwall 1862, Giebel 1863, L. Koch 1877; **tristis** praeocc. Keyserling 1887).

♀ **sanogastensis** (Mello-Leitao) 1944. Argentinien

Lycosa s. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 2, Zool. p. 133 T. 6 F. 25; f. 31 (D ♀).

Nearktische Arten:

♂♀ **fatifera** (Hentz) 1842. Östl. U. St. Amerika

Lycosa f. Hentz 1842, Boston Journ. Nat. Hist. Soc. 4 p. 229 T. 8 F. 8 (D ♀).
Lycosa missouriensis Banks 1900, Proc. Ac. Nat. Sci. Philad. p. 538 (D ♀).
Lycosa latifrons Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 241 T. 20 F. 8 (D ♀).
Lycosa f. Chamberlin 1910, Canad. Ent. 42 (1) p. 17 (N, part.).
Lycosa missouriensis Emerton 1912, Psyche 19 p. 32 T. 4 F. 3 (N).
Lycosa f. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 (4) p. 230 (N).
Geolycosa f. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 205 (N ♂♀).
Geolycosa f. Wallace 1942, Amer. Midland Natural. 27 (1) p. 9 TF. 3, 4, 33, 46—49, 75, 85, 96, 106 (D ♂♀).

♀ **gosoga** (Chamberlin) 1925. Californien

Lycosa nidifex Chamberlin 1910, Canad. Ent. 42 p. 17 f. 3—4 (D ♀).
Lycosa g. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 230 (D ♀, part.).
Lycosa g. Chamberlin 1936, Proc. Biol. Soc. Wash. 49 p. 15 (N).
Geolycosa g. Wallace 1942, Amer. Midland Natural. 27 (1) p. 47 TF. 31, 68 (D ♀).

♂♀ **huberti** (Chamberlin) 1924. Louisiana

Lycosa h. Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 28 T. 6 F. 44 (D ♀).
Lycosa h. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 22 TF. 40, 43 (D ♂♀).

♂♀ **missouriensis** (Banks) 1895. – * Canada, U. St. Amerika

Lycosa m. Banks 1895, Ent. News 6 p. 206 (D ♀).
Lycosa domifex Hancock 1899, Ent. News 10 p. 23 f. 1—2 u. p. 168 (D).
Lycosa arenicola Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 550 (D ♀, part.).
Geolycosa arenicola Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 299 (D ♀, part.).
S. m. Banks 1904, Journ. N. York Ent. Soc. 12 p. 113 (N).
Lycosa arenicola u. **fatifera** Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 239—243 (♀, part.).
Lycosa m. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 205 (N).
Lycosa nidifex u. **fatifera** Chamberlin 1910, Canad. Ent. 42 (1) p. 17—22 (N).
Lycosa m. Emerton 1912, Psyche 19 (2) p. 25 —36 T. 4 F. 3—3c; f. 1c, 4 (N).
Lycosa fatifera Comstock 1912, Spider Book p. 636 (N, part.).
Lycosa fatifera Crosby & Bishop 1928, Mem. Cornell. Univ. Agr. Exper. Stat. 101 p. 1067 (N).
Geolycosa m. Banks 1932, Newport and Bird. Univ. Oklah. Biol. Surv. 4 (2) p. 30 f. 6 (N).
Lycosa fatifera Chamberlin 1936, Proc. Biol. Soc. Wash. 49 p. 15 (N).
Geolycosa fatifera Kurata 1939, Canad. Field-Natural. 53 (6) p. 80—83 (N).
Lycosa m. Kurata 1939, Canad. Field-Natural. 53 (6) p. 84 (N).
Geolycosa m. Wallace 1942, Amer. Midland Natural. 27 (1) p. 13 TF. 1, 2, 34, 50, 51, 76, 86, 97, 107 (D ♂♀).

♂♀ **pulchra** (Keyserling) 1876. Texas, Florida, Georgia

Tarentula p. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 628 T. 7 F. 13—14 (D ♂♀).
Lycosa insopita Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 280 T. 18 F. 3—4 (D ♂♀).
Lycosa p. Gertsch 1934, Amer. Mus. Novit. 726 p. 8 (N).
Lycosa p. Gertsch & Wallace 1935, Amer. Mus. Novit. 794, p. 21 TF. 38, 41 (N ♂♀).

♂♀ **rafaelana** (Chamberlin) 1928. Utah, Neu-Mexico, Colorado

? Lycosa fatifera Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 241 (N, part.).
? Lycosa fatifera Chamberlin 1910, Canad. Ent. 42 (1) p. 17 (N, part.).
? Lycosa fatifera Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 554 (part.).
? Lycosa missouriensis Emerton 1912, Psyche 19 (2) p .34 (N, part.).
Lycosa r. Chamberlin 1928, Proc. Biol. Soc. Wash. 41 p. 186 (D ♀).
Geolycosa r. Wallace 1942, Amer. Midland Natural. 27 (1) p. 48 TF. 57—58 (D ♂♀).

♂♀ **retrorsa** (Banks) 1911. Nord-Carolina, Georgia

Pardosa r. Banks 1911, Proc. Ac. Nat. Sci. Philad. 63 p. 453 T. 34 F. 3, 6 (D ♂♀).
Schizocosa r. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 20 TF. 12 (D ♂).

♂♀ **riograndae** (Wallace) 1942. Texas

Geolycosa r. Wallace 1942, Amer. Midland Natural. 27 (1) p. 49 TF. 15, 16, 35, 52, 82, 92, 100, 110 (D ♂♀).

♂♀ **wrightii** (Emerton) 1912. Manitoba, Dakota, Oklahoma

Lycosa nidifex Chamberlin 1910, Canad. Ent. 42 (1) p. 17—22 f. 3—4 (N, part.).
Lycosa w. Emerton 1912, Psyche 19 (2) p. 25—36 T. 4 F. 4—4 d; f. 1 d (D ♀).
? Lycosa pikei Comstock 1913, Spider Book p. 635 (N, part.).
Lycosa nidifex Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 (4) p. 230 (N).
Geolycosa w. Banks 1932, Newport and Bird Univ. Oklahoma Biol. Surv. 4 (2) p. 30 (N).
Geolycosa w. Wallace 1942, Amer. Midland Natural. 27 (1) p. 29 TF. 7, 8, 43, 55, 56, 80, 91, 101, 111 (D ♂♀).

Gen. **Schizocosa** Chamberlin 1904.

Palaearktische Arten:

♀ **ursina** (Schenkel) 1936. Szechuan, Süd-Kansu

Lycosa u. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 198 f. 65 (D ♀).

Aethiopische Arten:

♂♀ **patricki** (Purcell) 1903. Mashonaland

Lycosa p. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 118 T. 8 F. 11 (D ♂♀).

Orientalische Arten:

♂ **lupina** (Karsch) 1879. Ceylon

Lycosa l. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 551 (D ♂).

Australische Arten:

♀ **obscoena** (Rainbow) 1899. Santa Cruz

Lycosa o. Rainbow 1899, Proc. Linn. Soc. N. S. Wales 24 (2) p. 316 T. 25 F. 7 (D ♀).

Neotropische Arten:

♂ **chelifasciata** (Mello-Leitao) 1943. Rio Grande do Sul

Lycosa c. Mello-Leitao 1943, Arch. Mus. Nac. R. d. Jan. 37 p. 164 TF. 7 (D ♂).

♀ **coahuilana** (Gertsch & Davis) 1940. Mexico

Lycosa c. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 11 TF. 14 (D ♀).

♂♀ **incerta** (Bryant) 1934. Florida

Arctosa i. Bryant 1934, Psyche 41 (1) p. 39 f. 2—3 (D ♂♀).
S. i. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 18 (N).

♂ **semiargentea** (Simon) 1898. Peru

Lycosa s. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 27 (D ♂).
Lycosa s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 348 (N).

♀ **tamae** (Gertsch & Davis) 1940. Mexico

Lycosa t. Gertsch & Davis 1940, Amer. Mus. Novit. 1059, p. 11 TF. 13 (D ♀).

Nearktische Arten:

♂♀ **crassipalpata** Roewer 1951. U. St. Amerika

Lycosa crassipalpis Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 206 T. 6 F. 3 (D ♂) (praeocc. Purcell 1903).
S. crassipalpis Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 18 (N).
S. crassipalpis Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 315 T. 51 F. 1020—21; T. 52 F. 1033 (D ♂♀).
S. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 440 (nom. nov.).

♂ **perplexa** Bryant 1936. Texas
S. p. Bryant 1936, Psyche 43 (4) p. 91 T. 3 F. 2 (D ♂).

♂ **puebla** Chamberlin 1925. Neu-Mexico
S. p. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 231 (D ♂).

♂♀ **saltatrix** (Hentz) 1844. – * U. St. Amerika
Lycosa s. Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 387 T. 17 F. 7 (D ♂♀).
Lycosa venustula Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 392 T. 18 F. 6—7 (D ♂♀).
Lycosa humilis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 65 T. 3 F. 36 (D ♀).
Lycosa gracilis Banks 1892, Proc. Ac. Nat. Philad. p. 70 T. 1 F. 43, 50 (D ♀).
Lycosa relucens Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 542 T. 29 F. 5—6 (D ♂♀).
Lycosa charonoides Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 544, T. 29 F. 8 (D ♀).
Lycosa verisimilis Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 548 T. 29 F. 11—12 (D ♂♀).
Lycosa charonoides Montgomery 1903, Proc. Ac. Nat. Sci. Philad. p. 646 T. 29 F. 7 (D ♂).
S. venustula Chamberlin 1904, Canad. Ent. 36 (5) p. 176 (N).
Lycosa charonoides Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 286 (D ♂♀).
Lycosa relucens Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 292 (D ♂♀).
S. s. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 215 T. 16 F. 2, 4 (D ♂♀).
Lycosa relucens Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 206 T. 6 F. 1 (D ♂♀).
S. s. Comstock 1912, Spider Book p. 648 f. 726 (N).
S. s. Bishop & Crosby 1926, Journ. Elisha Mitch Sci. Soc. 41 (3—4) p. 210 (N ♂).
S. s. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 17 (N).
S. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 315 T. 51 F. 1018—19; T. 52 F. 1032 (D ♂♀).

Gen. **Solicosa** gen. nov.

Palaearktische Arten:

♂♀ **solitaria** (Herman) 1879. – * Südost-Europa
Tarentula s. Herman 1879, Ungarns Spinn. Faun. 3 p. 263, 377 T. 8 F. 183 (D ♀).
Tarentula s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 71 T. 3 F. 3 (D ♂♀).
Tarentula s. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 434 T. 22 F. 7 (N ♀).
Tarentula s. Kolosvary 1936, Folia Zool. Hydrobiol. 9 (1) p. 99 f. 1, 5 (N ♂♀).

♂♀ **strandi** (Rosca) 1936. Bukowina
Tarentula s. Rosca 1936, Festschr. Strand 1 p. 261 f. 1—3 (D ♂♀).
Tarentula s. Rosca 1937, Bul. Fac. Stiinte Cernauti 11 p. 231 f. 1—3 (D ♂♀).

♂♀ **teschleri** (Kolosvary) 1934. Ungarn
Tarentula t. Kolosvary 1934, Folia Zool. Hydrobiol. 6 (1) p. 15 f. 13 (D ♂).
Tarentula t. Kolosvary 1934, Folia Zool. Hydrobiol. 7 (1) p. 41 f. 2 (N ♂).
Tarentula solitaria t. Kolosvary 1936, Folia Zool. Hydrobiol. 9 (1) p. 111 f. 2, 6, 11, 12 (D ♂♀).

Neotropische Arten:

♀ **andesina** (Berland) 1913. Ecuador

Lycosa a. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 111 (D ♀).

Gen. **Sosilaus** Simon 1898.

Palaearktische Arten:

♀ **timidus** (Lucas) 1846 (incert. sed.). Algier

Lycosa t. Lucas 1846, Explor. Sci. Algér. Zool. 1 Arachn. p. 117 T. 3 F. 8 (D ♂) (D inutil.; typ. perd.).

Aethiopische Arten:

♀ **fabella** (Karsch) 1879. West- u. Centr.-Afrika

Lycosa f. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 354 f. 5 (D ♀).
Tarentula f. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 434 (D ♀).

Neotropische Arten:

♀ **abalosi** (Mello-Leitao) 1942. Nord-Argentinien

Lycosa a. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. p. 391 f. 4 (D ♀).

♂ **sagitta** (Mello-Leitao) 1941. Nord-Argentinien

Lycosa s. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 133 f. 30; T. 6 F. 24 (D ♂).

♀ **soukupi** (Mello-Leitao) 1942. Peru

Lycosa s. Mello-Leitao 1942, Rev. Bras. Biol. Rio d. Jan. 2 (4) p. 431 f. 4 (D ♀).

Nearktische Arten:

♂ **spiniger** Simon 1898. – * Louisiana

S. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 350 f. 340—341 (D ♂).
S. s. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 298 T. 12 F. 5—6 (D ♂).
S. s. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 182 T. 12 F. 19 (N ♂).

Gen. **Syroloma** Simon 1900.

♂♀ **major** Simon 1900. Hawai

S. m. Simon 1900, Faun. Hawaiiens. 2 (5) p. 509 T. 18 F. 1 (D ♂♀).

♂♀ **minor** Simon 1900. Hawai

S. m. Simon 1900, Faun. Hawaiiens. 2 (5) p. 510 T. 18 F. 2 (D ♂♀).

Gen. **Tetrarctosa** gen. nov.

♀ **brevispina** (Kulczynski) 1908. – * Cypern

Tarentula b. Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 80 T. 2 F. 24 (D ♀) (nec = **Lycosa b.** Lessert 1915, 1926).

♀ **subcoelestis** (Fox) 1935. Szechuan, Yünnan

Lycosa s. Fox 1935, Journ. Wash. Ac. Sci. 25 (10) p. 455 f. 1 (D ♀).

Gen. **Tetralycosa** gen. nov.

♂ **meracula** (Simon) 1909. West-Australien

Lycosa m. Simon 1909, Faun. S. W. Austral. 2 (12) p. 190 (D ♂).

Gen. **Trabaeosa** gen. nov.

Aethiopische Arten:

♂♀ **heteroculata** (Strand) 1913. – * Centr.-Afrika
Trabaea h. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 456 (D ♀).
Trabaea h. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 346 f. 10 (D ♂♀).

♂ **nigriceps** (Purcell) 1903. Capland
Trabaea n. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 132 (D ♂).

♀ **purcelli** (Roewer) 1951. Capland
Trabaea lineata Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 130 T. 8 F. 20 (D ♀) (praeocc. L. Koch 1877).
Trabaea p. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.).

♀ **rubriceps** (Lawrence) 1952. Natal
Trabaea r. Lawrence 1952, Ann. Natal. Mus. 12 (2) p. 221 f. 73 (D ♀).

♂ **unicolor** (Purcell) 1903. Capland
Trabaea u. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 132 (D ♂).

♂♀ **varia** (Purcell) 1903. Capland
Trabaea v. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 131 (D ♂♀).

Australische Arten:

australiensis (L. Koch) 1877 (incert. sed.). Neu-Süd-Wales
Trabea a. L. Koch 1877, Arachn. Austral. 1 (2) p. 968 T. 84 F. 6 (D).

♂ **lineata** (L. Koch) 1877. Neu-Süd-Wales
Trabea l. L. Koch 1877, Arachn. Austral. 1 (2) p. 970 T. 84 F. 7 (D ♂).

Gen. **Tricca** Simon 1888.

O **japonica** Simon 1888. – * Japan
T. j. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 250 (D O).

♀ **lutetiana** (Simon) 1876. Frankreich
Lycosa l. Simon 1876, Arachn. de France 3 p. 293 (D o) (nec 1937!).
T. l. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 250 (N).
Lycosa l. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 116 T. 9 F. 5 (? part.).
T. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 348 (N).

Gen. **Triccassa** Simon 1910.

Palaearktische Arten:

♂♀ **subterranea** (L. Koch) 1882. Balearen
Lycosa s. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 656 T. 21 F. 30—31 (D ♂♀).

Aethiopische Arten:

♀ **deserticola** Simon 1910. – * Südwest-Afrika
T. d. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 214 (D ♀).

Gen. **Triccosta** gen. nov.

Palaearktische Arten:

♂♀ **japonica** (Bösenberg & Strand) 1906. – * Japan

Tarentula j. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 318, 370 T. 8 F. 103, 110; T. 13 F. 319, 335, 346 (D ♂♀) (nec = **Tricca japonica** Simon!).

o **kansuensis** (Schenkel) 1936. Nord-Kansu

Tricca k. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 286 (D o).

♂♀ **lucorum** (L. Koch) 1877. Mitteleuropa bis Ungarn

Lycosa l. L. Koch 1877, Abh. Nat. Ges. Nürnbg. 6 p. 193 TF. 21—22 (D ♂♀).
Trochosa l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (2) p. 298 T. 10 F. 63 (D ♂).
Lycosa l. Bösenberg 1903, Zoologica 14 (5—6) p. 403 T. 38 F. 593 (D ♂♀).
Tricca lutetiana Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 325 f. 43 (N ♀).
Lycosa l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 491 (D ♂♀).
Tricca lutetiana Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 578 (D ♂♀).
Tricca lutetiana F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 10 f. 14—17 (D ♂♀).
Lycosa lutetiana Simon 1937, Arachn. de France 6 (5) p. 1122, 1141 (D ♂♀) (nec Simon 1876, 1888!).

♂♀ **strandi** (Caporiacco) 1940. Oberitalien

Tricca s. Caporiacco 1940, Folia Zool. Hydrobiol. 10 (1) p. 13 f. 1 (D ♂♀).

Australische Arten:

♂♀ **phegeia** (Simon) 1909. West-Australien

Lycosa p. Simon 1909, Faun. S. W. Austral. 2 (12) p. 190 f. 8 (D ♂♀).

Neotropische Arten:

♀ **humicola** (Bertkau) 1880. Brasilien, Guiana

Trochosa h. Bertkau 1880, Mém. Class. Sci. 43 p. 65 T. 1 F. 20 (D ♀).
Lycosa h. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 262 (N).

Gen. **Trochosa** C. L. Koch 1846.

Palaearktische Arten:

§ 11 ♂, 12 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 62—66 (**part**).
§ 4 ♂, 4 ♀: Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 267—271 (part.).
§ 4 ♂, 4 ♀: F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 53—58.
§ 4 ♂, 4 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 129—130 (part.).
§ 5 ♂, 5 ♀: Simon 1937, Arachn. de France 6 (5) p. 1109—1114 (sub. **Lycosa**, part.).
§ 3 ♂, 3 ♀: Holm 1947, Svensk Spindelfauna 3 p. 12—13 (part.).

♀ **adjacens** Cambridge 1885. Turkestan

T. a. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 83 (D ♀).

♂ **corporaali** (Reimoser) 1935. Yarkand

Hogna c. Reimoser 1935, Wiss. Erg. Niederl. Exped. Karakorum (Zool.) p. 170 f. 1 (D ♂).

♂♀ **hispanica** Simon 1870. Frankreich, Corsica, Spanien, Italien, Algier

T. h. Simon 1870, Mém. Soc. Liège 2 (3) p. 357 (89) (D ♂♀).
T. manicata Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 170 (D ♂).

Lycosa caliginosa Simon 1876, Arachn. de France 3 p. 287 (D ♂♀).
Lycosa manicata Simon 1937, Arachn. de France 6 (5) p. 1112, 1137 f. 1744 (D ♂♀).

♂♀ **hungarica** Herman 1879. Ungarn

T. h. Herman 1879, Ungarns Spinn. Faun. 3 p. 279, 380 T. 8 F. 184 (D ♂♀).

♂♀ **insularum** Kulczynski 1899. Madeira

T. i. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 429 T. 9 F. 122, 126 (D ♂♀).

♂ **lugubris** Cambridge 1885. Pamir

T. l. Cambridge 1885, Sci. Res. Sec. Yarkand Miss. Aran. p. 85 (D ♂).

♀ **raptor** (Kulczynski) 1885. Kamtschatka

Pirata r. Kulczynski 1885, Denkschr. Ak. Wiss. Krakau 11 p. 55 T. 11 F. 61 (D ♀).
Pirata r. Schenkel 1930, Ark. Zool. 21 (15) p. 32 f. 13 (D ♀).

♂♀ **robusta** (Simon) 1876. Europa, Kurilen (Sibirien?)

T. ruricola C. L. Koch 1848, Die Arachniden 14 p. 138 TF. 1369, 1370 (D ♂♀ part.).
T. trabalis C. L. Koch 1848, Die Arachniden 14 p. 141 TF. 1373 (D ♂♀, part.).
Lycosa r. Simon 1876, Arachn. de France 3 p. 286 (D ♂♀).
Lycosa r. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 114 T. 9 F. 4 (D ♂♀).
T. r. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 73 T. 3 F. 7 (D ♂♀).
Lycosa r. F. Cambridge 1895, Ann. Mag. Nat. Hist. (6) 15 p. 30 T. 3 F. 3, 8, 11, 12 (D ♂♀).
T. r. Bösenberg 1903, Zoologica 14 (5—6) p. 400 T. 38 F. 588 (D ♂♀).
? T. lapidicola Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 278 f. 25 (D ♂♀).
T. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 493 (D ♂♀).
T. lapidicola F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 57 f. 151—152 (D ♂♀).
Lycosa r. Simon 1937, Arachn. de France 6 (5) p. 1110, 1137 f. 1742—43 (D ♂♀).

♂♀ **ruricola** (De Geer) 1778. – * Palaearktis

Aranea r. De Geer 1778, Mém. p. s. Hist. Ins. 7 p. 282 T. 11 F. 13—14; T. 17 F. 1—2 (D ♀).
Aranea r. Olivier 1789, Encycl. Méthod. 4 p. 216 (D).
Aranea agretyca Walckenaer 1805, Tabl. Aran. p. 13 (N).
Lycosa lapidicola Hahn 1829, Monogr. d. Spinn. 5 p. 1 T. 16 F. B (N ♀).
Lycosa agretyca Walckenaer 1825 (1820), Arachn. in: Faun. Franc. p. 18 (D).
Lycosa r. Hahn 1831, Die Arachniden 1 p. 103 TF. 77 (D ♂♀).
? Lycosa alpina Hahn 1834, Die Arachniden 2 p. 57 TF. 146 (D ♂♀).
Lycosa agretyca Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 308 (D ♂♀).
T. trabalis C. L. Koch 1848, Die Arachniden 14 p. 141 TF. 1371, 1372, 1374 (D ♂♀, part.).
T. r. C. L. Koch 1850, Übers. Arachn. Syst. 5 p. 33 (N).
T. r. Thorell 1856, Rec. Crit. Aran. p. 101 (N).
Lycosa campestris Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 18 T. 1 F. 3 (D ♂♀).
Lycosa r. Westring 1862, Aran. Svec. p. 526 (D ♂♀).
T. r. Ohlert 1867, Aran. Prov. Preussen p. 143 (D ♂♀).
T. r. Thorell 1872, Rem. Syn. Europ. Spid. p. 336 (N).
Lycosa r. Simon 1876, Arachn. de France 3 p. 284 (D ♂♀).
T. r. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 535 T. 87 F. 303 (D ♂♀).
T. terricola Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4: nur T. 87 F. 304.
T. r. Cambridge 1881, Proc. Dorset. F. Cl. 2 p. 361 (D ♂♀).
Lycosa r. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 113 T. 9 F. 3 (D ♂♀).

T. r. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 64 (D ♂♀).
T. r. Hansen 1885, in: Schiödte, Zool. Danica p. 152 T. 5 F. 3 (D ♂♀).
T. r. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 73 T. 3 F. 8 (D ♂♀).
Lycosa r. F. Cambridge 1898, Ann. Mag. Nat. Hist. (6) 15 p. 30 T. 3 F. 1, 6, 10, 13 (N ♂♀).
T. r. Bösenberg 1903, Zoologica 14 (5—6) p. 399 T. 37 F. 586 (D ♂♀).
T. r. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 277 f. 24 (D ♂♀).
T. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 493 (D ♂♀).
T. r. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 580 (D ♂♀).
T. r. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 54 f. 142—144 (D ♂♀).
Lycosa r. Simon 1937, Arachn. de France 6 (5) p. 1109, 1112, 1136 f. 1736—37 (D ♂♀).
T. r. Holm 1947, Svensk Spindelfauna 3 p. 13 f. 9—10; T. 2 F. 17—18; T. 9 F. 7 (D ♂♀).
T. r. Locket & Millidge 1951, Brit. Spiders I p. 279 f. 134 A, F; 136 A (D ♂♀).

♂♀ **ruricola rustica** Thorell 1875. Süd-Russland, Italien
T. r. r. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 169 (D ♂♀).

♂♀ **spinipalpis** (F. Cambridge) 1895. England, Polen, Russland, Skandinavien
Lycosa s. F. Cambridge 1895, Ann. Mag. Nat. Hist. (6) 15 p. 28 T. 3 F. 4, 5, 9, 11, 14 (D ♂♀).
T. s. Kulczynski 1898, Symbol. Faun. Aran. Austr. Infer. p. 104 (N ♂).
T. s. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 280 f. 26 (D ♂♀).
T. s. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 581 (D ♂♀).
T. s. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 55 f. 145—147 (D ♂♀).
Lycosa s. Simon 1937, Arachn. de France 6 (5) p. 1110, 1137 f. 1740—41 (D ♂♀).
T. s. Palmgren 1939, Act. Zool. Fenn. 25 p. 65 f. 97—98 (D ♂♀).
T. s. Holm 1947, Svensk Spindelfauna 3 p. 14 T. 2 F. 15—16; T 9 F. 9 (D ♂♀).
T. s. Locket & Millidge 1951, Brit. Spiders I p. 282 f. 134 D; 136 D (D ♂♀).

Aethiopische Arten:

♂♀ **bruneipes** (Purcell) 1903. Capland
Lycosa b. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 39 (D ♂♀).

♀ **bukobae** (Strand) 1916. Am Ukrewe-See
Tarentula b. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 111 (D ♀).

♀ **entebbensis** (Lessert) 1915. Uganda
Lycosa e. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 66 T. 3 F. 68, 75 (D ♀).

Orientalische Arten:

♀ **moluccensis** Thorell 1878. Amboina
T. m. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 206 (D ♀).

♀ **propinqua** Cambridge 1885. Nordwest-Indien
T. p. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 82 (D ♀).

♂ **reimoseri** Bristowe 1931. Krakatau
T. r. Bristowe 1931, Proc. Zool. Soc. London p. 1397 f. 6 (D ♂).

♂ **semoni** Simon 1896. Java
T. s. Simon 1896, Denkschr. Med. Nat. Ges. Jena 8 p. 350 (D ♂).

Australische Arten:

♂♀ **bruta** (Karsch) 1880. Australien
Lycosa b. Karsch 1880, S. B. Ges. Naturf. Frd. Berlin (5) p. 83 (D ♂♀).

♀ **bruta filicum** (Karsch) 1880. Australien
Lycosa b. f. Karsch 1880, S. B. Ges. Naturf. Frd. Berlin (5) p. 83 (D ♀).

♀ **caduca** (Karsch) 1880. Australien
Lycosa c. Karsch 1880, S. B. Ges. Naturf. Frd. Berlin (5) p. 82 (D ♀).

♀ **calvata** (Karsch) 1880. Australien
Lycosa c. Karsch 1880, S. B. Ges. Naturfr. Frd. Berlin (5) p. 82 (D ♀).

♀ **kalukanai** (Simon) 1900. Hawai
Lycosa k. Simon 1900, Faun. Hawaiiens. 2 (5) p. 506 T. 18 F. 4 (D ♀).

♂♀ **virgata** (Karsch) 1880. Australien
Lycosa v. Karsch 1880, S. B. Naturf. Frd. Berlin (5) p. 82 (D ♂♀).

Neotropische Arten:

♀ **albopunctata** (Mello-Leitao) 1941. Argentinien
Diapontia a. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 123 T. 4 F. 15; f. 20 (D ♀).

♀ **beltran** (Mello-Leitao) 1942. Argentinien
Lycosa b. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. p. 393 f. 6 (D ♀).

♂♀ **fernandezi** F. Cambridge 1899. Juan Fernandez
T. f. F. Cambridge 1899, Journ. Linn. Soc. London (Zool.) 27 p. 21 T. 2 F. 11—12 (D ♂♀).
Lycosa f. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 558 (C).

♀ **guatemala** Chamberlin & Ivie 1942. Guatemala
T. g. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 36 T. 7 F. 77 (D ♀).

♂♀ **guaquiensis** (Strand) 1908. Peru
Tarentula g. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 252 (D ♂♀).
Lycosa g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 559 (C).

♀ **infausta** (Mello-Leitao) 1941. Argentinien
Diapontia i. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 124 f. 21; T. 4 F. 16 (D ♀).

♂ **insignis** Cambridge 1898. Costa Rica
T. i. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 272 T. 38 F. 7 (D ♂).
Lycosa i. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 324 T. 31 F. 9 (N ♂).

♀ **magdalenensis** (Strand) 1914. Columbien
Tarentula m. Strand 1914, Mém. Soc. Neuchât. Sci. Nat. 5 p. 817 (D ♀).
Lycosa m. Mello-Leitao 1941, Ann. Ac. Bras. Ci. 13 (4) p. 273 (N).

♀ **melloi** Roewer 1951. Brasilien
Lycosa leucostigma Mello-Leitao 1937, Ann. Ac. Bras. Sci. 11 (2) p. 90 (D ♀) (praeocc. Simon 1885).
T. m. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.).

♂ **niveopilosa** (Mello-Leitao) 1938. Rio Negro

Lycosa n. Mello-Leitao 1938, Rev. Mus. La Plata (N. S.) 1, Zool. p. 96 f. 8—9 (D ♂).

♂♀ **oblonga** (C. L. Koch) 1848. Uruguay, Buenos Aires

Dolomedes o. C. L. Koch 1848, Die Arachniden 14 p. 114 TF. 1350 (D ♀).
Diapontia kochii Keyserling 1878, Verh. Zool. Bot. Ges. Wien 28 p. 614 T. 14 F. 29—30 (D ♂♀).
Sosippus o. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 206 (N).
Lycosa (Pirata) o. Simon 1898, Hist. Nat. Araign. 2 (2) p. 334 (N).
Diapontia o. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 28 (C).

♀ **paranaensis** (Mello-Leitao) 1937. Brasilien

Lycosa p. Mello-Leitao 1937, Ann. Ac. Bras. Sci. 9 (2) p. 87 f. 1—2 (D ♀).

♂ **pardaloides** (Mello-Leitao) 1937. Brasilien

Lycosa p. Mello-Leitao 1937, Ann. Ac. Bras. Sci. 9 (2) p. 88 f. 3—4 (D ♂).

♂ **praesumptuosa** (Holmberg) 1876. Buenos Aires

Lycosa p. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 26 (D).
Lycosa p. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 28 f. 28—30 (D ♂).

♀ **tenebrosa** Keyserling 1876. Columbien

T. t. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 665 T. 8 F. 41 (D ♀).
Lycosa t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 568 (C).

♂ **tenella** Keyserling 1876. Columbien

T. t. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 667 T. 8 F. 42—43 (D ♂).
Lycosa t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 568 (C).

♀ **thoas** (Mello-Leitao) 1934. Süd-Brasilien

Lycosa t. Mello-Leitao 1934, Mem. Inst. Butantan 11 p. 314 f. 2 (D ♀).

Nearktische Arten:

♀ **cherokee** Chamberlin & Ivie 1942. Oklahoma

T. c. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 35 T. 7 F. 76 (D ♀).

Gen. **Trochosina** Simon 1885.

Palaearktische Arten:

♂♀ **terricola** (Thorell) 1856. – * Palaearktis

Lycosa ruricola Sundevall 1832, Vet. Ak. Handl. p. 192 (D ♂♀).
Trochosa t. Thorell 1856, Rec. Crit. Aran. p. 101 (D).
Lycosa agretyca Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 14 T. 1 F. 1 (D ♂♀).
Lycosa t. Westring 1862, Aran. Svec. p. 529 (D ♂♀).
Trochosa trabalis Ohlert 1867, Aran. Prov. Preussen p. 142 (D ♂♀).
Lycosa t. Thorell 1872, Rem. Syn. Europ. Spid. p. 339 (N).
Lycosa t. Simon 1876, Arachn. de France 3 p. 283 (D ♂♀).
Trochosa t. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 536 (nec TF.) (D ♂♀).
Lycosa lugubris Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 548 T. 89 F. 312 (D ♀, nec ♂).
Trochosa t. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 362 (D ♂♀).
Lycosa t. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 110 T. 9 F. 2; T. 27 F. 4 (D ♂♀).
Trochosa t. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 64 (D ♂♀).

T. t. Simon 1885, Explor. Sci. Tunis.; Arachn. p. 10 (N: genotypus).
Trochosa t. Hansen 1885, in: Schiödte, Zool. Danica p. 152 (D ♂♀).
Trochosa t. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 73 T. 3 F. 6 (D ♂♀).
Lycosa t. F. Cambridge 1895, Ann. Mag. Nat. Hist. (6) 15 p. 30 T. 3 F. 2, 11, 14 (N ♂♀).
T. t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 348 (N).
Trochosa t. Bösenberg 1903, Zoologica 14 (5—6) p. 399 T. 37 F. 587 (D ♂♀).
Trochosa t. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 271 f. 5, 27 (D ♂♀).
Lycosa t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 492 (D ♂♀).
Trochosa t. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 581 (D ♂♀).
Trochosa t. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 56 f. 148—150 (D ♂♀).
T. t. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 233 (N).
Lycosa t. Simon 1937, Arachn. de France 6 (5) p. 1109, 1137 f. 1738—39 (D ♂♀).
Trochosa t. Palmgren 1939, Act. Zool. Fenn. 25 p. 63 f. 99—100 (D ♂♀).
Trochosa t. Holm 1947, Svensk Spindelfauna 3 p. 14 T. 2 F. 19—20; T. 9 F. 8 (D ♂♀).
Trochosa t. Locket & Millidge 1951, Brit. Spiders I p. 281 f. 134C; 136C (D ♂♀).

Gen. **Trochosippa** gen. nov.

Aethiopische Arten:

♀ **eugeni** (Roewer) 1951. Südwest-Afrika

Lycosa purcelli Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 209 (D ♀) (praeocc. Montgomery 1901 u. 1904).
Trochosa e. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.).

♂♀ **meruensis** (Lessert) 1926. – * Ost-Afrika (Meru)

Lycosa urbana m. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 341 f. 6B; 7B (D ♂♀) (nec = **urbana** Cambr.!).

♂ **pardosella** (Strand) 1906. Abessinien

Tarentula p. Strand 1906, Zool. Anz. 30 (19—20) p. 674 (D ♂).
Tarentula p. Strand 1907, Arch. Naturg. 73 (*I*; 3) p. 323 T. 8 F. 33 (D ♂).

Orientalische Arten:

♂♀ **malayana** (Doleschall) 1859. Amboina

Lycosa m. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 8 T. 7 F. 4 (D ♂).
Tarentula m. Giltay 1935, Bull. Mus. Hist. Nat. Belg. 11 (20) p. 10 f. 5 (D ♀).

Neotropische Arten:

♀ **anomala** (Mello-Leitao) 1945. Argentinien

Alopecosa a. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 246 f. 29 (D ♀).

♀ **minor** (Mello-Leitao) 1941. Argentinien

Alopecosa m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 122 f. 18 (D ♀).

♀ **obscura** (Mello-Leitao) 1943. Ost-Argentinien

Alopecosa o. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. p. 108 f. 8 (D ♀).

♂♀ **ohlini** (Tullgren) 1901. Feuerland, Patagonien

Lycosa o. Tullgren 1901, Svensk Exped. Magell. 2 (10) p. 254 T. 5 F. 11 (D ♂♀).
Lycosa o. Simon 1902, Erg. Hambg. Magalh. Sammelr. 2, Arachn. p. 41 (D ♂♀).

Gen. **Trochosomma** gen. nov.

Aethiopische Arten:

♀ **annulipes** (L. Koch) 1875. – * Aegypten, Abessinien
Trochosa a. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 77 T. 7 F. 4 (D ♀).
Tarentula a. Strand 1907, Arach. Naturg. 73 (1; 3) p. 319 (D ♀).

Australische Arten:

♀ **versicula** (Karsch) 1880. Olinda
Lycosa v. Karsch 1880, S. B. Ges. Naturf. Frd. Berlin (5) p. 81 (D ♀).

Gen. **Trochosula** gen. nov.

Palaearktische Arten:

♀ **conspersa** (L. Koch) 1882. – * Balearen
Lycosa c. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 661 T. 2 F. 33 (D ♀).

♀ **ipsa** (Karsch) 1879. Japan
Lycosa i. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 101 T. 1 F. 20 (D ♀).

♂♀ **lacernata** (Karsch) 1879. Japan
Lycosa l. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 100 T. 1 F. 19 (D ♀).

Aethiopische Arten:

O♀ **grazianii** (Caporiacco) 1939. Aethiopien
Trochosa g. Caporiacco 1939, Miss. Biol. . . . Borana p. 325 f. 6 (D O ♀).

Australische Arten:

♂♀ **candicans** (L. Koch) 1876. Neu-Süd-Wales
Lycosa c. L. Koch 1876, Arachn. Austral. 1 (2) p. 888 T. 76 F. 5—6 (D ♀ ♂).

♀ **tristicula** (L. Koch) 1877. Neu-Süd-Wales
Lycosa t. L. Koch 1877, Arachn. Austral. 1 (2) p. 892 T. 77 F. 2 (D ♀).

Neotropische Arten:

♀ **luctuosa** (Mello-Leitao) 1947. Brasilien
Lycosa l. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 265 T. 36 F. 19 (D ♀).

Gen. **Varacosa** Chamberlin & Ivie 1942.

Palaearktische Arten:

♂♀ **hsinglungshanensis** (Saito) 1936. Jehol
Tarentula h. Saito 1936, Rep. 1. Sci. Exped. Manchoukuo (5) 1 (3; 11) p. 65, 84 f. 22; T. 1 F. 1 (D ♂ ♀).

♀ **takahaschii** (Saito) 1936. Japan
Lycosa t. Saito 1936, Trans. Sapporo Nat. Hist. Soc. 14 (4) p. 250 TF. A (D ♀).

Aethiopische Arten:

♀ **hoggi** (Lessert) 1926. Ost-Afrika
Lycosa h. Lessert 1926, Rev. Suisse Zool. 33 (7) p. 340 f. 5 (D ♀).

♂♀ **masumbica** (Strand) 1916. Ost-Afrika
Tarentula m. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 115 (D ♀).
Trochosa m. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 338 (N ♂).

♀ **pseudofurva** (Strand) 1906. Camerun
Lycosa furva (= ? **p.**) Strand 1906, Jahrb. Nassau. Ver. Nat. 59 p. 295 (D ♀).
Tarentula p. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 280 (N ♀).

♀ **pseudofurva charmina** (Strand) 1916. Camerun
Tarentula p. c. Strand 1916, Jahrb. Nassau. Ver. Nat. 69 p. 108 (D ♀).

Australische Arten:

♀ **arenaris** (Hogg) 1905. Centr.-Australien
Lycosa a. Hogg 1905, Proc. Zool. Soc. London (2) p. 586 f. 88 (D ♀).

♀ **hickmani** nom. nov. Australien (nördl. Territ.)
Lycosa fletcheri Hickman 1944, Trans. R. Soc. S. Austral. 68 (1) p. 32 T. 2 F. 19 (D ♀) (praeocc. Gravely 1924).

♂ **papakula** (Strand) 1911. Aru-Ins.
Tarentula p. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 171 T. 5 F. 70 (D ♂).

♀ **phyllis** (Hogg) 1905. Süd-Australien
Lycosa p. Hogg 1905, Proc. Zool. Soc. London (2) p. 573 f. 81 (D ♀).

♀ **pulveresparsa** (L. Koch) 1877. Australien
Lycosa p. L. Koch 1877, Arachn. Austral. 1 (2) p. 941 T. 81 F. 6 (D ♀).

♂♀ **tanna** (Strand) 1913. Neue Hebriden
Tarentula t. Strand 1913, Arch. Naturg. 79 (A; 6) p. 121 (D ♀).
Tarentula t. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 260 T. 19 F. 96 (D ♀).
Lycosa t. Berland 1936, Ann. Soc. Ent. France 107 p. 182 f. 147—149 (D ♂, N ♀).

Neotropische Arten:

♀ **auroguttata** (Keyserling) 1891. Süd-Brasilien
Tarentula a. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 259 T. 10 F. 195 (D ♀).
Lycosa a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 555 (C).

♂♀ **carrana** (Bryant) 1934. Florida
Lycosa c. Bryant 1934, Psyche 41 (1) p. 38 f. 1 (D ♂).
Lycosa c. Gertsch & Wallace 1936, Amer. Mus. Novit. 794 p. 18 TF. 37 (D ♀).

♂ **cerrofloresiana** (Petrunkevitch) 1926. Portorico
Lycosa c. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 181 f. 98 (D ♂).

♂♀ **floridana** (Bryant) 1934. Florida, Georgia
Schizocosa f. Bryant 1934, Psyche 41 (1) p. 40 f. 4 (D ♂).
Schizocosa f. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 15 (D ♀).
Schizocosa f. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 154 (N ♂♀).

♀ **iviei** (Gertsch & Wallace) 1937. Mexico
Lycosa i. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 12 TF. 4 (D ♀).

♀ **kaieteurensis** (Gertsch & Wallace) 1937. Brit. Guiana
Schizocosa k. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 21 TF. 16 (D ♀).

♂♀ **parthenus** (Chamberlin) 1925. Florida

Lycosa p. Chamberlain 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 228 (D ♀).
Lycosa p. Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 12 TF. 28—29 (D ♂♀).
Lycosa p. Wallace 1947, Florida Entomolog. 30 (3) p. 37 (N ♂♀).

♂♀ **reichardtiana** (Strand) 1915. Haiti

Tarentula r. Strand 1915, Arch. Naturg. 81 (A; 9) p. 141 (D ♂♀).

♀ **sanlorenziana** (Petrunkevitch) 1925. Panama

Lycosa s. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 184 f. 99 (D ♀).

♂♀ **segregata** (Gertsch & Wallace) 1937. Florida

Schizocosa s. Gertsch & Wallace 1937, Amer. Mus. Novit. 919 p. 19 TF. 11, 15 (D ♂♀).

Nearktische Arten:

♂♀ **acompa** (Chamberlin) 1924. Texas, Louisiana, Florida

Lycosa a. Chamberlin 1924, Proc. U. St. Nat. Mus. 63 (13) p. 29 T. 6 F. 45 (D ♀).
Lycosa (Gertsch & Wallace) 1935, Amer Mus. Novit. 794 p. 11 TF. 31 (D ♂).
Lycosa a. Wallace 1947, Florida Entomolog. 30 (3) p. 36 (N ♂♀).

♂♀ **apothetica** (Wallace) 1937. Florida

Lycosa a. Wallace 1947, Florida Entomolog. 30 (3) p. 33 f. 1—2 (D ♂♀).

♂♀ **avara** (Keyserling) 1876. – * U. St. Amerika

Trochosa a. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 661 T. 8 F. 38—39 (D ♂♀).
Lycosa rufiventris Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 65 T. 3 F. 35 (D ♀).
Lycosa a. Montgomery 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 650 T. 29 F. 2 (D ♀).
Trochosa a. Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 304 T. 20 F. 42; T. 18 F. 12 (D ♂♀).
Lycosa a. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 279 T. 20 F. 1—3 (D ♂♀).
Lycosa a. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 202 T. 7 F. 2 (D ♀).
Lycosa a. Comstock 1912, Spider Book p. 640 f. 720a (D).
V. a. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 36 (N).
Lycosa a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 329 T. 56 F. 1091; T. 57 F. 1114—16 (D ♂♀).

♀ **gosiuta** (Chamberlin) 1909. Arizona

Lycosa avara g. Chamberlin 1909, Proc. Ac. Nat. Sci. Philad. p. 281 T. 20 F. 14 (D ♀).
Lycosa g. Gertsch 1935 Amer. Mus. Novit. 792 p. 20 (N).

♂♀ **gulosa** (Walckenaer) 1837. U. St. Amerika

Lycosa g. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 338 (D ♀).
Leimonia g. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 352 (C).
Lycosa kochii Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 485 T. 46 F. 6 (D ♂♀).
Lycosa kochii Stone 1896, Proc. Ac. Nat. Sci. Philad. p. 426 T. 15 F. 3 (N ♀).
Lycosa kochii Emerton 1902, Common Spiders p. 74 f. 178—180 (D ♀).
Lycosa nigraurata Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 564 T. 30 F. 53 (D ♂).
Lycosa purcelli Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 566 T. 30 F. 30—31 (D ♂♀).
Trochosa purcelli Montgomery 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 305 (D ♀).

Lycosa g. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 265 T. 21 F. 6—7 (D ♂♀).
Lycosa g. Comstock 1912, Spider Book p. 639 f. 720 (D).
Lycosa kochii Gertsch & Wallace 1935, Amer. Mus. Novit. 794 p. 21 TF. 21, 39, 42 (N ♂♀).
Lycosa g. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 328 T. 57 F. 1106—09 (D ♂♀).

♂♀ **shenandoa** Chamberlin & Ivie 1942. Virginia, Maryland, Nord-Carolina

Lycosa (V.) s. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 37 T. 7 F. 78 (D ♀).
Lycosa s. Muma 1944, Amer. Mus. Novit. 1257 p. 5 (N ♀).
Trochosa s. Barnes 1953, Amer. Mus. Novit. 1632 p. 14 f. 10 (D ♂, N ♀).

Gen. **Venator** Hogg 1900.

♀ **marginatus** Hogg 1900. Victoria

V. m. Hogg 1900, Proc. Soc. Victoria (N. S.) 13 (1) p. 120 T. 17 F. 4 (D ♀).

♀ **spenceri** Hogg 1900. – * Victoria

V. s. Hogg 1900, Proc. Soc. Victoria (N. S.) 13 (1) p. 116 T. 17 F. 2 (D ♀).

Gen. **Venatrix** gen. nov.

♀ **fusca** (Hogg) 1900.

Venator f. Hogg 1900, Proc. Soc. Victoria (N. S.) 13 (1) p. 118 T. 17 F. 3 (D ♀).

Gen. **Venonia** Thorell 1894.

Orientalische Arten:

♂♀ **coruscans** Thorell 1894. – * Singapore

V. c. Thorell 1894, Bull. Soc. Ent. Ital. 26 (3) p. 333 (D ♂).
V. c. Workman 1896, Malays. Spid. p. 96 T. 96 (D ♂♀).
V. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 351 (N).

♂♀ **himalayensis** Gravely 1924. Himalaya

V. h. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 608 f. 4L (D ♂♀).

Australische Arten:

♀ **gilberta** (Hogg) 1905. Australien

Lycosa g. Hogg 1905, Proc. Zool. Soc. London (2) p. 582 f. 86 (D ♀).

♂♀ **micarioides** (L. Koch) 1877. Queensland

Aulonia m. L. Koch 1877, Arachn. Austral. 1 (2) p. 961 T. 83 F. 6; T. 84 F. 1 (D ♂♀).

Gen. **Vesubia** Simon 1909.

Palaearktische Arten:

♂ **gertschi** (Fox) 1935. China

Arctosa g. Fox 1935, Journ. Wash. Ac. Sci. 25 (10) p. 452 f. 2 (D ♂).

♀ **jugorum** (Simon) 1881. – * Meeralpen

Trabaea j. Simon 1881, Bull. Soc. Zool. France 6 p. 83 (D ♀).
Lycosa j. Simon 1898, Hist. Nat. Araign. 2 (2) p. 248 (N).
V. j. Simon 1909, Ann. Mus. Civ. Genova 44 p. 402 (N) (gen. nov.)
V. j. Simon 1937, Arachn. de France 6 (5) p. 1122, 1141 f. 1775 (D ♀).

♂♀ **vivax** (Thorell) 1875. Russland bis Turkestan

Tarentula v. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 102 (D ♀).
Tarentula v. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 154 (D ♀).
Lycosa v. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 457 (D ♂).

Aethiopische Arten:

♂♀ **ligata** (Cambridge) 1869. St. Helena

Lycosa l. Cambridge 1869, Proc. Zool. Soc. London p. 540 T. 42 F. 8 (D ♂♀).

Neotropische Arten:

♀ **magallanica** (Karsch) 1880. Feuerland

Lycosa m. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 378 T. 12 F. 6 (D ♀).
Alopecosa m. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 263 (N).

Gen. **Xerolycosa** Dahl 1908.

Palaearktische Arten:

♂♀ **albofasciata** (Brullé) 1832. Mediterranea bis Turkestan

Lycosa a. Brullé 1832, Expéd. Sci. Morée, Zool. 3 p. 54 T. 28 F. 7 (D ♀).
Lycosa numida Lucas 1846, Explor. Sci. Algér., Zool. 1, Arachn. p. 114 T. 3 F. 5 (D ♂).
Lycosa sagittata C.L. Koch 1848, Die Arachniden 14 p. 177 TF. 1395 (D ♂).
Lycosa ocellaris Doleschall 1852, S. B. Ak. Wiss. Wien 9 p. 628 (C).
Lycosa punctiventris Doleschall 1852, S. B. Ak. Wiss. Wien 9 p. 641 (D ♂♀).
Tarentula sagitta Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 351 (C).
Tarentula punctiventris Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 809 (N).
Tarentula ocellaris Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 809 (N).
Tarentula numida Lucas 1869, Ann. Soc. Ent. France (4) 9 Bull. p. 75 (N).
Lycosa albicincta Blackwall 1870, Ann. Mag. Nat. Hist. (4) 5 p. 394 T. 8 F. 1 (D ♂).
Lycosa a. Simon 1876, Arachn. de France 3 p. 253 (D ♂♀).
Tarentula a. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 372 (N).
Lycosa (Alopecosa) a. Simon 1885, Explor. Sci. Tunis., Arachn. p. 10 (N).
Tarentula a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 70 T. 2 F. 33 (D ♂♀).
Lycosa a. Schmidt 1895, Zool. Jahrb. Syst. 8 (4) p. 548 (D ♂).
Lycosa a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 484 (D ♂♀).
Tarentula a. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 14 f. 8—9 (N ♂♀).
Lycosa a. Simon 1937, Arachn. de France 6 (5) p. 1095, 1134 f. 1702—1703 (D ♂♀).
Alopecosa a. Caporiacco 1948, Redia 33 p. 44 (N ♂♀).

♀ **albofasciata rufa** (Franganillo) 1918. Spanien

Lycosa a. r. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 120 (D ♀).

♂ **edax** (Thorell) 1875. Polen

Tarentula e. Thorell 1875, Tijdschr. Ent. 18 p. 107 (D ♂).
Tarentula e. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 150 (D ♂).

♂ **incompta** (Kulczynski) 1908. Sibirien

Tarentula i. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 81 **T. 3** F. 90—93 (D ♂).

♂♀ **miniata** (C. L. Koch) 1834. Europa, Sibirien, Turkestan

Lycosa m. C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 123 T. 13—14.
Lycosa m. C. L. Koch 1848, Die Arachniden 14 p. 196 TF. 1406—1408 (D ♂♀).
Lycosa m. Simon 1876, Arachn. de France 3 p. 272 (D ♂♀).
Lycosa m. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 104 T. 8 F. 5 (D ♂♀).
Tarentula m. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 69 T. 2 F. 35 (D ♂♀).
Tarentula m. Bösenberg 1903, Zoologica 14 (5—6) p. 396 T. 37 F. 584 (D ♂♀).
Tarentula m. Smith 1907, Journ. Quekett Micr. Cl. (2) 10 p. 184 T. 14 F. 1 (N ♂).
X. m. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 361, 364 f. 58 (D ♂♀).
Tarentula m. Cambridge 1909, Proc. Dorset F. Cl. 30 p. 112 T. A F. 27—28 (N ♂♀).
Lycosa m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 481 (D ♂♀).
X. m. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 583 (D ♂♀).
X. m. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 28 f. 65—68 (D ♂♀).
Lycosa m. Simon 1937, Arachn. de France 6 (5) p. 1108, 1136 f. 1732—1733 (D ♂♀).
X. m. Palmgren 1939, Act. Zool. Fenn. 25 p. 29 f. 28—29 (D ♂♀).
X. m. Holm 1947, Svensk Spindelfauna 3 p. 24 T. 4 F. 34—35; T. 10 F. 26 (D ♂♀).
X. m. Locket & Millidge 1951, Brit. Spiders I p. 273 f. 132C, D (D ♂♀).

♂♀ **nemoralis** (Westring) 1862. –* Europa, Vorderasien, Turkestan, Sibirien, Kamtschatka

? **Lycosa aculeata** Sundevall 1832, Vet. Ak. Handl. p. 188 (D ♂♀).
Lycosa pulverulenta C. L. Koch 1835, in: Herrich-Schäffer, Deutschl. Ins. 131 T. 14—15.
Lycosa nivalis C. L. Koch 1848, Die Arachniden 14 p. 199 TF. 1409—10 (D ♂♀).
Lycosa alpica C. L. Koch 1848, Die Arachniden 14 p. 194 TF. 1405 (D ♀).
Lycosa n. Westring 1862, Aran. Svec. p. 472 (D ♂♀).
Tarentula nivalis Ohlert 1867, Aran. Prov. Preussen p. 142 (D ♂♀).
Tarentula meridiana Thorell 1872, Rem. Syn. Europ. Spid. p. 274 (N).
Lycosa n. Simon 1876, Arachn. de France 3 p. 271 (D ♂♀).
Lycosa meridiana L. Koch 1877, Abh. Nat. Ges. Nürnberg 6 p. 66 (N).
Tarentula meridiana Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 531 T. 86 F. 300 (D ♂♀).
Lycosa n. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 102 T. 8 F. 4 (D ♂♀).
Tarentula n. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 68 T. 2 F. 34 (D ♂♀).
Tarentula n. Bösenberg 1903, Zoologica 14 (5—6) p. 397 T. 37 F. 585 (D ♂♀).
Tarentula n. Smith 1907, Journ. Quekett Micr. Cl. (2) 10 p. 185 T. 14 F. 2 (N ♂♀).
X. n. Dahl 1908, Nov. Act. Leopoldina 88 (3) p. 361, 362 f. 57 (D ♂♀).
Tarentula meridiana Cambridge 1909, Proc. Dorset F. Cl. 30 p. 112 T. A F. 29—30 (N ♂♀).
Lycosa n. Lessert 1910, Catal. Invert. Suisse; Araign. p. 479 (D ♂♀).
X. n. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 583 (D ♂♀).
X. n. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 27 f. 63—64 (D ♂♀).
Tarentula n. Bristowe 1933, Ann. Mag. Nat. Hist. (10) 11 p. 284 f. 1, 4, 5 (N ♂♀).
Lyscosa n. Simon 1937, Arachn. de France 6 (5) p. 1106, 1136 f. 1730—1731 (D ♂♀).
X. n. Holm 1947, Svensk Spindelfauna 3 p. 23 T. 4 F. 36—37; T. 10 F. 25 (D ♂♀).
X. n. Locket & Millidge 1951, Brit. Spiders I p. 271 f. 132A, B (D ♂♀).

Aethiopische Arten:

o **sanctae-helenae** (Strand) 1909. St. Helena

Tarentula s. Strand 1909, in: Drygalsky, Dt. Südpol-Exped. 10 (5), Zool. 2 p. 588 (D o).

Gen. **Zantheres** Thorell 1887.

♂ **gracillimus** Thorell 1887. Burma

Z. g. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 318 (D ♂).
Z. g. Simon 1898, Hist. Nat. Araign. 2 (2) p. 351 (N).

3. *Subfam. Hippasinae*

Gen. **Amblyothele** Simon 1910.

♂ **albocincta** Simon 1910. Kalahari

A. a. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 207 (D ♂).

Gen. **Anomalomma** Simon 1890.

Orientalische Arten:

♂♀ **harishi** Dyal 1935. Panjab

A. h. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 148 T. 13—14 F. 53—56 (D ♂♀).

♀ **lycosinum** Simon 1890. – * Java

A. l. Simon 1890, in: Hasselt, Zool. Erg. Reise Niederl. Ind. (Weber) p. 200 (D ♀).
A. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 326 (N).

♀ **micans** Simon 1898. Philippinen

A. m. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 24 (D ♀).

♀ **pygmaeum** (Thorell) 1890. Ins. Pinang

Lysania p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 313 (D ♀).

Australische Arten:

♀ **cinctipes** Simon 1898. Queensland

A. c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 24 (D ♀).

♂♀ **kochi** Simon 1898. Queensland

A. k. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 23 (D ♂♀).

Gen. **Birabenia** Mello-Leitao 1941.

♂♀ **birabenae** Mello-Leitao 1941. – * Nord-Argentinien

B. b. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 137 T. 6 F. 27; f. 33—34 (D ♂♀).

♀ **taeniata** Mello-Leitao 1943. Argentinien

B. t. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. 20 p. 108 f. 9 (D ♀).

Gen. **Chaleposa** Simon 1910.

♂♀ **albiventris** (Simon) 1898. Capland

Anomalomma a. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 24 (D ♂♀).

♂♀ **bisinuata** (Purcell) 1903. Capland
Anomalomma b. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 110 T. 8 F. 2 (D ♂♀).

♂♀ **coccineoplumosa** (Simon) 1898. – * Süd-Afrika
Anomalomma c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 24 (D ♀).
C. c. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 207 (D ♀).
C. c. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 253 (D ♂, N ♀).

♂♀ **schreineri** (Purcell) 1903. Capland
Anomalomma s. Purcell 1903, Ann. S. Afr. Mus. 3 (4) p. 109 T. 8 F. 1 (D ♂♀).

Gen. **Hippasa** Simon 1885.

Palaearktische Arten:

♂♀ **deserticola** Simon 1889. Transkaspien
H. d. Simon 1889, Verh. Zool. Bot. Ges. Wien 39 p. 377 (D ♂♀) (nec = **H. partita** Cambr.).

o **flavicoma** Caporiacco 1935. Karakorum
H. f. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 230 (D o).

♀ **innesi** Simon 1889. Aegypten
H. i. Simon 1889, Verh. Zool. Bot. Ges. Wien 39 p. 378 (D ♀).

Transgredierende Arten:

♂♀ **partita** (Cambridge) 1876. Aegypten, Abessinien, Arabien, Indien
Trochosa p. Cambridge 1876, Proc. Zool. Soc. London p. 599 (D ♂♀).
H. p. Pavesi 1895, Ann. Mus. Civ. Genova 35 p. 521 (N ♂♀).
H. p. Strand 1907, Arch. Naturg. 73 (I; 3) p. 293 (N ♀).

Aethiopische Arten:

♀ **affinis** Lessert 1933. Angola
H. a. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 133 f. 53 (D ♀).

♂♀ **albopunctata** Thorell 1899. Camerun, Span. Guinea
H. a. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 84 (D ♂♀).

O♀ **australis** Lawrence 1927. Südwest-Afrika, Zululand
H. a. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 47 T. 2 F. 35 (D O ♀).
H. a. Lawrence 1949, Göteborgs Vet. Handl. (13) 5 (9) p. 35 (N).

♂ **cinerea** Simon 1898. Congo
H. c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 25 (D ♂).

♀ **decemnotata** Simon 1910. Portug. Guinea
H. d. Simon 1910, Ann. Mus. Civ. Genova 44 p. 390 (D ♀).

♂♀ **foveifera** Strand 1913. Centr.-Afrika, Abessinien, Portug. Ost-Afrika
H. f. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 424 (D ♂♀).
H. f. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 54 T. 2 F. 34—36 (N ♂♀).

♀ **funerea** Lessert 1925. Natal
H. f. Lessert 1925, Rev. Suisse Zool. 32 (21) p. 334 f. 6 (D ♀).

Orientalische Arten:

§ 10 Arten: Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 592—593.

♂♀ **agelenoides** (Simon) 1884. – * Indien, Burma

Pirata a. Simon 1884, Ann. Mus. Civ. Genova 20 p. 334 (D ♀).
H. a. Simon 1885, Bull. Soc. Zool. France 10 p. 31 (N).
Diapontia a. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 300 (D ♂).
H. a. Thorell 1895, Descr. Catal. Spid. Burma p. 218 (D ♀).
H. a. Simon 1898, Hist. Nat. Arain. 2 (2) p. 326 f. 334 (N).
H. a. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 594 f. 1G (D ♀).
H. a. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 142 T. 13 F. 49—52 (D ♂♀).

♂♀ **greenalliae** (Blackwall) 1867. Ceylon, Indien

Lycosa g. Blackwall 1867, Ann. Mag. Nat. Hist. (3) 19 p. 387 (D ♀).
H. g. Simon 1889, Verh. Zool. Bot. Ges. Wien 39 p. 378 (N).
H. g. Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 296 (N ♂♀).

♀ **himalayensis** Gravely 1924. Himalaya

H. h. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 593 f. 1A (D ♀).

♂♀ **holmerae** Thorell 1895. Indien, Burma, Singapore

H. h. Thorell 1895, Descr. Catal. Spid. Burma p. 218 (D ♂♀).
H. h. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 251 (D ♀).
H. h. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 595 f. 1I (N ♀).

♀ **loundesi** Gravely 1924. Indien

H. l. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 594 f. 1E (D ♀).

♀ **lycosina** Pocock 1900. Indien

H. l. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 250 (D ♀).
H. l. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 593 f. 1B (N ♀).

♂♀ **madraspatana** Gravely 1924. Dekan

H. m. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 595 f. 1J (D ♂♀).

♀ **nilgiriensis** Gravely 1924. Süd-Dekan

H. n. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 593 f. 1D (D ♀).
H. n. Sinha 1951, Rec. Ind. Mus. Calcutta 48 (2) p. 12 f. . . . (N).

♀ **olivacea** (Thorell) 1887. Burma

Diapontia o. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 297 (o).
H. o. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 250 (D ♀).
H. o. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 593 f. 1C (N ♀).

♂♀ **pantherina** Pocock 1899. Ceylon, Indien

H. greenalliae Simon 1885, Bull. Soc. Zool. France 10 p. 31 T. 10 F. 6 (D ♂♀).
H. p. Pocock 1899, Journ. Bombay Nat. Hist. Soc. 12 p. 752 (D ♀).
H. p. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 250 (D ♂♀).
H. p. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 63 (N ♀).
H. p. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 594 f. 1F (N ♀).

♀ **pisaurina** Pocock 1900. Indien

H. p. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 250 (D ♀).
H. p. Gravely 1924, Rec. Ind. Mus. Calcutta 26 (6) p. 595 f. 1H (N ♀).
H. p. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 143 T. 13 F. 48 (D ♀).

♀ **simoni** (Thorell) 1887. Burma

Diapontia s. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 301 (D ♀) (nec = **D. olivacea** Thorell).

Gen. **Hippasella** Mello-Leitao 1944.

♂ **nitida** Mello-Leitao 1944. Buenos Aires
H. n. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. p. 343 f. 32 (D ♂).

Gen. **Porrima** Simon 1898.

♀ **castanea** Mello-Leitao 1942. Peru
P. c. Mello-Leitao 1942, Rev. Bras. Biol. Rio d. Jan. 2 (4) p. 432 f. 6 (D ♀).

♂o **diversa** (Cambridge) 1877. – * Brasilien, Ecuador, Venezuela, Guiana
Podophthalma d. Cambridge 1877, Proc. Zool. Soc. London p. 572 T. 57 F. 9 (D o).
Tetragonophthalma d. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 255 (N).
P. d. Simon 1898, Hist. Nat. Araign. 2 (2) p. 327 f. 332—333 (N ♂).

♀ **glieschi** Mello-Leitao 1926. Süd-Brasilien
P. g. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Jan. 2 (6) p. 2 (D ♀).

♀ **granadensis** (Keyserling) 1876. Columbien
Diapontia g. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 673 T. 8 F. 47 (D ♀).
Tetragonophthalma g. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 255 (N).
P. g. Mello-Leitao 1941, An. Ac. Bras. Ci. 13 (4) p. 278 (N).

♂♀ **harknessi** Chamberlin 1916. Peru
P. h. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 280 T. 23 F. 2—6 (D ♂♀).

♀ **lagotis** (Holmberg) 1876. Paraguay, Argentinien
Ocyale l. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 26 (D ♀).
P. l. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 138 T. 6 F. 28; f. 35 (D ♀).

Gen. **Porrimula** gen. nov.

♀ **callipoda** (Mello-Leitao) 1933. Brasilien
Porrima c. Mello-Leitao 1933, Mem. Inst. Butantan 8 p. 405 f. 5—6 (D ♀).

Gen. **Sosippinus** gen. nov.

Neotropische Arten:

♀ **pragmaticus** (Chamberlin) 1924. Nieder-Californien
Sosippus p. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 674 f. 117 (D ♀).

Nearktische Arten:

♀ **californicus** (Simon) 1898. – * Californien
Sosippus c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 25 (D ♀).
Sosippus c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 324 f. 331 (N).
Sosippus c. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 182 T. 11 F. 15 (N ♀).

♀ **mimus** (Chamberlin) 1924. Louisiana
Sosippus m. Chamberlin 1924, Proc. U. St. Nat. Mus. 63 (13) p. 27 T. 6 F. 43 (D ♀).

Gen. **Sosippus** Simon 1888.

♀ **agalenoides** Banks 1909. Costa Rica

S. a. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 217 T. 6 F. 33 (D o).

♂♀ **floridanus** Simon 1898. Florida, Georgia

S. f. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 25 (D ♀).
Lycosa loenbergi Tullgren 1901, Bih. Svensk. Ak. Handl. 27 (4; 1) p. 19 T. 1 F. 10 (D ♀).
Lycosa transversolineata Tullgren 1901, Bih. Svensk. Ak. Handl. 27 (4; 1) p. 20 T. 1 F. 11 (D ♀).
S. f. Chamberlin 1908, Proc. Ac. Nat. Sci. Philad. 60 p. 292 T. 11 F. 1—6; T. 23 F. 1—2 (D ♂♀).
S. f. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 155 (N).
S. f. Wallace 1950, Florida Entomolog. 33 (2) p. 76 T. 2 F. 8 (N ♂♀).

♀ **insularis** Bryant 1923. Barbados

S. i. Bryant 1923, Univ. Iova Stud. Nat. Hist. 10 (3) p. 14 T. 1 F. 5 (D ♀).

♂♀ **mexicanus** Simon 1888. – * Mexico, Guatemala, Costa Rica

S. m. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 206 (D ♀).
? S. m. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 332 T. 31 F. 30—31 (D ♂, N ♀).

4. Subfam. Cycloctenin ae

Gen. **Cycloctenus** L. Koch 1878.

♂♀ **abyssinus** Urquhart 1889. Neu-Süd-Wales

C. a. Urquhart 1889, Trans. N. Zeal. Inst. 22 p. 237 T. 16 F. 1 (D ♂♀).
C. a. Rainbow 1893, Proc. Linn. Soc. N. S. Wales (2) 7 (4) p. 473 T. 22 F. 6—12 (D ♂♀).
C. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 352 (N).

♂♀ **flaviceps** L. Koch 1878. – * Australien, Neu-Seeland

C. f. L. Koch 1878, Arachn. Austral. 1 (2) p. 988 T. 86 F. 3 (D ♀).
C. fugax Goyen 1889, Trans. N. Zeal. Inst. 22 p. 267 (D ♂♀).
C. lepidus Urquhart 1889, Trans. N. Zeal. Inst. 22 p. 261 T. 17 F. 1 (D ♀).
C. pulcher Urquhart 1890, Trans. N. Zeal. Inst. 23 p. 183 (D ♀).
C. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 353 (N).
C. f. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 426 (D o).

♀ **vittatus** Rainbow 1920. Lord Howe-I.

C. v. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 262 T. 30 F. 96—99 (D ♀).

Gen. **Galliena** Simon 1898.

♀ **montigena** Simon 1898. Java

G. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 353 f. 345 (D ♀).

5. Subfam. Bradystichin ae

Gen. **Bradystichus** Simon 1884.

♀ **calligaster** Simon 1884. Neu-Caledonien

B. c. Simon 1884, Ann. Soc. Ent. Belg. 28 C. R. p. 299 (D ♀).
B. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 365 f. 358, 359 (N).

♀ **crispatus** Simon 1884. Neu-Caledonien

B. c. Simon 1884, Ann. Soc. Ent. Belg. 28 C. R. p. 299 (D ♀).

37. Fam. OXYOPIDAE

Gen. Hamataliwa Keyserling 1887.

§ 5 ♀: Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 514.

♀ **argyrescens** Mello-Leitao 1929. Brasilien
H. a. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 517 T. 2 F. 32 (D ♀).

♀ **buelowae** Mello-Leitao 1945. Argentinien
H. b. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 252 f. 35—36 (D ♀).

♀ **caudata** Mello-Leitao 1929. Brasilien
H. c. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 516 T. 2 F. 31 (D ♀).

♀ **facilis** (Cambridge) 1894. Mexico
Oxyopeidon f. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 140 T. 16 F. 6 (D ♀).
H. f. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 349 T. 32 F. 36 (N ♀).

♀ **grisea** Keyserling 1887. – * Californien, Arizona, Florida, Neu-Mexico
H. g. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 458 T. 6 F. 24 (D ♀).

♂♀ **haytiana** (Chamberlin) 1925. Haiti, San Domingo
Oxyopeidon h. Chamberlin 1925, Proc. Calif. Ac. Sci. (4) 14 p. 127 f. 29 (D ♀).
H. grisea Banks 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 341 (N).
H. h. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 358 T. 3 F. 23—24 (D ♂♀).

♀ **nigrescens** Mello-Leitao 1929. Brasilien
H. n. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 515 T. 2 F. 33 (D ♀).

♂♀ **nigritarsus** Bryant 1948. San Domingo
H. n. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 360 T. 3 F. 28—29 (D ♂♀).

♀ **penicillata** Mello-Leitao 1948. Brit. Guiana
H. p. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 154 f. 2 (D ♀).

♀ **perdita** Mello-Leitao 1929. Brasilien
H. p. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 515 T. 2 F. 36 (D ♀).

♂♀ **porcata** (Simon) 1898. Brasilien
Emmenophyrs p. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 33 (D ♀).
Emmenophyrs p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 380 f. 382—384 (N).
Hamataliva p. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1048 (N).
H. p. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 514 T. 2 F. 30, 34, 35 (D ♂♀).

♀ **positiva** Chamberlin 1924. Nieder-Californien
H. p. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 677 f. 118 (D ♀).

♀ **schmidti** Reimoser 1939. Costa Rica
H. s. Reimoser 1939, Ann. Naturh. Mus. Wien 50 p. 342 f. 5 (D ♀).

♀ **tristani** Reimoser 1939. Costa Rica
H. t. Reimoser 1939, Ann. Naturh. Mus. Wien 50 p. 343 f. 6 (D ♀).

Gen. **Hostus** Simon 1898.

♂ **paroculus** Simon 1898. Madagascar
H. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 379 f. 375 (D ♂).

Gen. **Laestrigones** Urquhart 1893.

♀ **albiceres** Urquhart 1893. – * Neu-Seeland
L. a. Urquhart 1893, Trans. N. Zeal. Inst. 26 p. 217 (D ♀).
L. a. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 7 T. 3 F. 25; T. 4 F. 43 (D ♀).

♂♀ **urquhartii** Bryant 1933. Neu-Seeland
Lycosa proxima Urquhart 1885, Trans. N. Zeal. Inst. 18 p. 201 T. 8 F. 7 (D ♂♀).
L. u. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 7 T. 2 F. 18; T. 4 F 32, 38 (D ♂♀).

Gen. **Megullia** Thorell 1897.

♀ **truncata** Thorell 1897. Indochina
M. t. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4; 6) p. 31 (D ♀).

Gen. **Oxyopeidon** Cambridge 1894.

Aethiopische Arten:

♀ **fronticornis** Lessert 1927. Congo
O. f. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 423 f. 13 (D ♀).

♂♀ **kulczynskii** Lessert 1915. O.-Afrika, Transvaal, Abessinien
O. k. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 485 f. 53 (D ♀).
O. k. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 66 f. 20 (D ♂).

♀ **rostrifrons** Lawrence 1928. SW.-Afrika, Natal
O. r. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 257 T. 22 F. 37 (D ♀).
O. r. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 34 (N ♀).

♀ **rufocaligatum** (Simon) 1898. Abessinien, Somaliland
Hamataliva r. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 33 (D ♀).
Hamataliva r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 380 f. 374, 379 (N).
O. r. Simon 1904, Bull. Mus. Hist. Nat. Paris 10 p. 443 (N).

♀ **strandi** Lessert 1923. Transvaal
O. s. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 209 f. 58 (D ♀).

Neotropische Arten:

§ 6 ♀: F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 346.
§ 6 ♀: Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 506—507.

♀ **absolutum** Chamberlin 1924. Nieder-Californien
O. a. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 676 (D ♀).

♀ **absolutum obliquum** Chamberlin 1924. Nieder-Californien
O. a. o. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 676 (D ♀).

♀ **albibarbis** Mello-Leitao 1947. Brasilien
O. a. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 267 T. 36 F. 22 (D ♀).

♀ **bicolor** Mello-Leitao 1929. Brasilien
O. b. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 507 T. 1 F. 19 (D ♀).

♀ **bituberculatum** Mello-Leitao 1929. Brasilien, Guiana
O. b. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 511 T. 1 F. 24 (D ♀).

♀ **communicans** Chamberlin 1925. Haiti
O. c. Chamberlin 1925, Proc. Calif. Ac. Sci. (4) 14 p. 128 f. 40 (D ♀).

♀ **cubanum** Chamberlin 1925. Cuba
O. c. Chamberlin 1925, Proc. Calif. Ac. Sci. (4) 14 p. 128 f. 41 (D ♀).

♀ **difficile** Cambridge 1894. Mexico
O. d. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 142 T. 16 F. 13 (D ♀).
O. d. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 348 (N).

♂ **dimidiatum** Soares & Camargo 1948. Brasilien
O. d. Soares & Camargo 1948, Bol. Mus. Paraens. Goeldi 10 p. 361 f. 9—10 (D ♂).

♀ **dubium** Mello-Leitao 1929. Brasilien
O. d. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 510 T. 1 F. 22 (D ♀).

♂♀ **flebile** Cambridge 1894. Panama
O. f. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 141 T. 16 F. 9 (D ♂♀).
O. f. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 347 T. 32 F. 32 (N ♂♀).

♀ **laetum** Cambridge 1894. Mexico
O. l. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 142 T. 16 F. 10 (D ♀).
O. l. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 347 T. 32 F. 33 (N ♀).

♀ **maculipes** Bryant 1923. Antigua
O. m. Bryant 1923, Univ. Jova Stud. Nat. Hist. 10 (3) p. 15 T. 1 F. 6 (D ♀).

♂♀ **marmoratum** (Simon) 1898. Brasilien, Paraguay
Hamataliva m. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 33 (D ♀).
O. m. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 508 T. 1 F. 20; T. 2 F. 26, 27 (D ♂♀).

♂♀ **micropunctatum** Mello-Leitao 1929. Pernambuco
O. m. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 510 T. 1 F. 23; T. 2 F. 28, 29 (D ♂♀).

♀ **molestum** Cambridge 1894. Mexico, Arizona
O. m. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 141 T. 16 F. 15 (D ♀).
O. m. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 348 T. 32 F. 35 (N ♀).

♀ **nigriventris** Mello-Leitao 1929. Brasilien
O. n. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 509 T. 1 F. 21 (D ♀).

♂♀ **putum** Cambridge 1894. – * Panama, Costa Rica
O. p. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 140 T. 16 F. 7, 8 (D ♂♀).
O. p. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 347 T. 32 F. 30, 31 (N ♂♀).

♀ **quadrimaculatum** Mello-Leitao 1929. Brasilien
O. q. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 512 T. 1 F. 25 (D ♀).

♂♀ **rana** Simon 1897. St. Vincent, Portorico, Cuba
O. r. Simon 1897, Proc. Zool. Soc. Lond. p. 889 (D ♂♀).
Hamataliwa grisea Banks 1909, Sec. Rep. Centr. Exper. Stat. Cuba p. 167 (N).

O. r. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 103 f. 84—88 (D ♂♀).
O. r. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 286 (N ♂♀).

♀ **subfacile** Cambridge 1894. Mexico

O. s. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 141 T. 16 F. 5 (D ♀).
O. s. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 348 T. 32 F. 34 (N ♀).

♀ **tuberculatum** Chamberlin 1925. Cuba

O. t. Chamberlin 1925, Proc. Calif. Ac. Sci. (4) 14 p. 129 f. 42, 43 (D ♀).

Gen. **Oxyopes** Latreille 1804.

Palaearktische Arten:

§ 3 ♂, 3 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 47—48.
§ 3 ♂, 3 ♀: Simon 1937, Arachn. de France 6 (5) p. 1142—1144.

♀ **algerianus** (Walckenaer) 1841. Algier, Marokko

Sphasus a. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 459 (D ♀).
Sphasus a. Lucas 1846, Explor. Sci. Algér. Zool. 1 Aran. p. 132 (D ♀).
Sphasus a. C. Koch 1873, Ber. Senckenbg. Ges. p. 115 (N).

♂ **attica** Hadjissarandos 1940. Attika

O. a. Hadjissarandos 1940, Araign. de l'Attique p. 42 f. 12 (D ♂, griech.).

o **bilineatus** Cambridge 1876. Unter-Aegypten

O. l. Cambridge 1876, Proc. Zool. Soc. Lond. p. 609 (D o).

♀ **carvajali** Franganillo 1918. Spanien

O. c. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 121 (D ♀).

♂ **globifer** Simon 1876. Spanien, Nord-Afrika

O. g. Simon 1876, Arachn. de France 3 p. 222 (D ♂).

♂♀ **heterophthalmus** (Latreille) 1804. – * Europa, Nord-Afrika, Turkestan

Aranea h. Latreille 1804, Hist. Nat. Crust. Ins. 7 p. 280 (D).
O. h. Latreille 1804, Nouv. Dict. Hist. Nat. 24 p. 135 (N).
Sphasus h. Walckenaer 1805, Tabl. Aran. p. 19 (N).
O. variegatus Latreille 1806, Gen. Crust. Ins. 1 p. 116 (D).
Sphasus alexandrinus Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 361 T. 4 F. 1 (D ♀).
Sphasus lineatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 375 (D ♀).
O. alexandrina Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 387 (C).
O. dentatus Thorell 1872, Rem. Syn. Europ. Spid. p. 354 (D ♂).
O. h. Simon 1876, Arachn. de France 3 p. 220 (D ♂♀).
O. lineatus Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 376 (N).
O. h. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 154 T. 12 F. 6 (D ♂♀).
O. lineatus Pavesi 1884, Ann. Mus. Civ. Genova 20 p. 453 (N).
O. h. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 6 (D ♀).
O. h. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 48 T. 2 F 6 (D ♂♀).
O. h. Simon 1899, Bull. Mus. Hist. Nat. Paris 5 p. 85 (N).
O. h. Simon 1908, Araign. in: Gadeau Kerville, Voy. Zool. Khroumirie p. 55 (N).
O. h. Berland 1927, Arch. Zool. Expér. Gén. 66 Not. & Rev. 2 p. 20 f. 14, 15 (N ♀).
O. h. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 306 f. 107 (D ♂).
O. h. Simon 1937, Arachn. de France 1 (5) p. 1144 f. 1777 bis, e, f (D ♂♀).
O. h. Locket & Millidge 1951, Brit. Spider I. p. 244 f. 11 A, B; 119; 120 A B (D ♂♀).

♂♀ **jubilans** Cambridge 1885. Karakorum, Sindh-Tal

O. j. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 96 (D ♂♀).

♂♀ **kraepelinorum** Bösenberg 1895. Canaren

O. k. Bösenberg 1895, Abh. Nat. Ver. Hambg. 13 p. 9 TF. 9 (D ♂♀).

♂♀ **lineatus** Latreille 1806. Mittelmeergebiet, Süd-Russland, Turkestan, Karakorum, Mesopotamien

Sphasus transalpinus (?) Walckenaer 1805, Tabl. Aran. p. 20 (N).
O. l. Latreille 1806, Gen. Crust. Ins. 1 p. 117 T. 5 F. 5 (D).
Sphasus l. C. L. Koch 1836, Die Arachniden 3 p. 12 TF. 171, 172 (D ♂♀).
Sphasus italicus Walckenaer 1837, Hist. Nat. Ins. Ant. 1 p. 374 (D ♀).
Sphasus gentilis C. L. Koch 1839, Die Arachniden 5 p. 97 TF. 404 (D ♀).
Sphasus l. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 43 T. 8 F. 22 (D ♂♀).
O. transalpinus Simon 1866, Ann. Soc. Ent. France (4) 6 p. 290 (D ♂♀).
Sphasus italicus Blackwall 1869, Journ. Linn. Soc. Lond. 10 p. 409 (D ♀).
O. italicus Thorell 1872, Rem. Syn. Europ. Spid. p. 354 (N ♂).
O. l. Simon 1876, Arachn. de France 3 p. 217 T. 12 F. 1 (D ♂♀).
O. l. Becker 1882, Ann. Mus. Nat. Hist. Belg. 10 p. 149 T. 12 F. 5 (D ♂♀).
O. l. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 48 (D ♂♀).
O. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 372 f. 376 (N).
O. l. typicus Kulczynski 1907, Bull. Ac. Sci. Cracov. p. 577 T. 21 F. 3, 7 (N ♂).
O. l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 536 (D ♂♀).
O. l. Simon 1937, Arachn. de France 6 (5) p. 1142, 1145 f. 1777 bis (a, b) (D ♂♀).

lineatus gentilis Simon 1885. Tunis

O. l. g. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 6 (N).
O. l. g. Simon 1908, Arachn. in: Gadeau Kerville, Voy. Zool. en Khroumirie p. 55 (N).

♂♀ **lineatus nigripalpis** Kulczynski 1907. S.-Frankreich, Spanien, Italien, N.-Afrika

O. l. o. Kulczynski 1907, Bull. Ac. Sci. Cracov. p. 577 T. 21 F. 6 (D ♂).
O. l. n. Simon 1937, Arachn. de France 6 (5) p. 1144, 1145 (D ♂♀).

♂ **lineatus occidentalis** Kulczynski 1907. Diomedes-I. (Adria)

O. l. o. Kulczynski 1907, Bull. Ac. Sci. Cracov. p. 576 T. 21 F. 4, 5 (D ♂).

♂ **optabilis** Cambridge 1872. Syrien, Palästina

O. o. Cambridge 1872, Proc. Zool. Soc. Lond. p. 315 (D ♂).
O. o. Caporiacco 1934, Boll. Mus. Zool. Torino (3) 44 (47) p. 21 f. 8 (N ♂).

♀ **oranicola** Strand 1906. Algier

O. o. Strand 1906, Zool. Anz. 30 (19—20) p. 658 (D ♀).
O. o. Strand 1908, Societ. Ent. 23 p. 69 (D ♀).

♂o **pennatus** Schenkel 1936. Süd-Kansu

O. p. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 239 f. 79 (D ♂o).

♂♀ **ramosus** (Panzer) 1804. Europa

Aranea r. Panzer 1804, Syst. Nomencl. p. 165: Schäffer, Icon. Ins. Ratisb. 2 T. 189 F. 4.
O. variegatus Hahn 1834, Die Arachniden 2 p. 36 TF. 121 (D ♀).
Sphasus variegatus C. L. Koch 1839, Die Arachniden 5 p. 95 TF. 403 (D ♂).
Sphasus lineatus Westring 1862, Aran. Svec. p. 539 (D ♀).
O. candidus L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 866 (D ♀).
Sphasus lineatus Ohlert 1867, Aran. Prov. Preussen p. 123 (D ♂♀).

O. variegatus Simon 1869, Ann. Soc. Ent. France (4) 6 p. 240 (D ♂♀).
O. lineatus Thorell 1872, Rem. Syn. Europ. Spid. p. 350 (N).
O. r. Simon 1876, Arachn. de France 3 p. 219 (D ♂♀).
O. r. Menge 1879, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 504 T. 82 F. 286 (D ♂♀).
O. r. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 151 T. 12 F. 7 (D ♂♀).
O. r. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 68 (D ♂♀).
O. r. Hansen 1885, in: Schiödte, Zool. Danica p. 156 T. 5 F. 9 (D ♂♀).
O. r. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 48 T. 2 F. 5 (D ♂♀).
O. r. Bösenberg 1903, Zoologica 14 (5—6) p. 450 T. 43 F. 659 (D ♂♀).
O. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 537 (D ♂♀).
O. r. Reimoser 1930, Die Natur (Wien) 6 (3) p. 56 f. 12 (N ♂♀).
O. r. Simon 1937, Arachn. de France 6 (5) p. 1144, 1145 f. 1777 bis, c, d (D ♂♀).
O. candidus Hadjissarandos 1940, Araign. de l'Attique p. 43 f. 13—14 (D ♂♀, griech.).
O. r. Holm 1947, Svensk Spindelfauna 3 p. 3 f. 1—2, T. 1 F. 1—2 (D ♂♀).
O. r. Wiehle 1953, in: Dahl, Tierw. Deutschl. 42 p. 67 f. 149—154 (D ♂♀).

♂ **saganus** Bösenberg & Strand 1906. Japan

O. s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 327 T. 13 F. 331 (D ♂).

♂♀ **sertatus** L. Koch 1878. Japan, China

O. s. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 779 (D o).
O. s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 327 T. 8 F. 117; T. 15 F. 435 (D ♂♀).
O. s. Strand 1918, Arch. Naturg. 82 (A; 11) p. 100 (D ♀).
O. s. Saito 1933, Trans. Sapporo Nat. Hist. Soc. 13 (1) p. 59 T. 3 F. 19 (N ♀).

♂ **sobrinus** Cambridge 1872. Palästina, Tripolis

O. s. Cambridge 1872, Proc. Zool. Soc. Lond. p. 314 (D ♂).

o **transitus** Schenkel 1936. Süd-Kansu

O. t. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 242 (D o).

Aethiopische Arten:

♀ **abebae** Strand 1906. Abessinien, Ost-Afrika

O. a. Strand 1906, Zool. Anz. 30 (19—20) p. 661 (D ♀).
O. a. Strand 1908, Societ. Ent. 23 p. 110 (D ♀).
O. a. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 132 (N ♀).

♂ **aculeatus** Bösenberg & Lenz 1894. Ost-Afrika

O. a. Bösenberg & Lenz 1894, Mitt. Nat. Mus. Hambg. 12 p. 37 T. 1 F. 15 (D ♂).

♂♀ **affinis** Lessert 1915. Ost-Afrika

O. a. Lessert 1925, Rev. Suisse Zool. 23 (11) p. 445 f. 6, 9 (D ♂♀).
O. a. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 133 (N ♀).

♂ **africanus** Strand 1906. Abessinien

O. a. Strand 1906, Zool. Anz. 30 (19—20) p. 657 (D ♂).
O. a. Strand 1908, Societ. Ent. 22 p. 186 (D ♂).

♀ **akakensis** Strand 1906. Abessinien, Ost-Afrika

O. a. Strand 1906, Zool. Anz. 30 (19—20) p. 659 (D ♀).
O. a. Strand 1908, Societ. Ent. 23 p. 84 (D ♀).
O. a. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 135 (N).

♀ **albertianus** Strand 1913. Am Albert-See

O. a. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 469 (D ♀).

♀ **allectus** Simon 1910. Gabun, Portug. Guinea
O. a. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 405 (D ♀).

♂ **angulitarsis** Lessert 1915. Uganda
O. a. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 475 f. 42, 43 (D ♂).

♂ **argentosus** Simon 1910. Portug. Guinea
O. a. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 411 (D ♂).

♀ **arushae** Caporiacco 1947. Ost-Afrika
O. a. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 136 T. 1 F. 15 (D ♀).

♂♀ **asterion** Simon 1910. Portug. Guinea
O. a. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 410 (D ♂♀).

♂♀ **aureolus** Thorell 1899. Camerun
O. a. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 88 (D ♂♀).

♂ **auriculatus** Lawrence 1927. Südwest-Afrika
O. a. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 57 T. 4 F. 85 (D ♂).

♂♀ **baccatus** Simon 1897. Abessinien
O. b. Simon 1897, Aran. in: Smith, Through Unkn. Afr. Countr. p. 390 (D ♂♀).

♀ **bedoti** Lessert 1915. Ost-Afrika
O. b. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 477 f. 44 (D ♀).

♂♀ **berlandorum** Lessert 1915. Ost-Afrika
O. b. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 461 f. 27—30 (D ♂♀).

♂ **bonneti** Lessert 1933. Angola
O. b. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 143 f. 61, 62 (D ♂).

♀ **bothai** Lessert 1915. Ost-Afrika, Süd-Abessinien
O. b. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 474 f. 40, 41 (D ♀).
O. b. Caporiacco 1941, Miss. Biol. Sagan-Omo 12; Zool. 6 p. 62 (N ♀).

♂♀ **bouvieri** Berland 1922. Abessinien
O. b. Berland 1922, Voy. Rothschild Ethiop. Res. Sci. Anim. Artic. 1 p. 82 f. 25—27; T. A 2 F. 6 (D ♂♀).

♂♀ **brachiatus** Simon 1910. Span. Guinea, Congo, Fernando Poo
O. b. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 409 (D ♂♀).

♂♀ **campestratus** Simon 1910. Portug. Guinea, Fernando Poo, San Thomé
O. c. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 408 (D ♂♀).

♀ **camponis** Strand 1915. Camerun
O. c. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 99 (D ♀).

O **caporiaccoi** Roewer 1951. Abessinien
O. incertus Caporiacco 1939, Real. Accad. Ital. p. 334 (D O) (praeocc. Mello-Leitao 1929).
O. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.)

♂ **castaneus** Lawrence 1927. Südwest-Afrika
O. c. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 56 T. 4 F. 84 (D ♂).

♀ **chapini** Lessert 1927. Congo
O. c. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 418 f. 8 (D ♀).

♀ **coccineoventris** Lessert 1946. Belg. Congo
O. c. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 222 f. 29—30 (D ♀).

O **concoloratus** Roewer 1951. Abessinien
O. concolor Caporiacco 1939, Real. Accad. Ital. p. 339 (D O) (praeocc. Simon 1872).
O. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.).

♀ **cornifrons** (Thorell) 1899. Camerun, Portug. Guinea
Tapponia c. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 89 (D ♀).
O. c. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 406 (N).

♂♀ **cornifrons avakubensis** Lessert 1927. Congo
O. c. a. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 422 f. 12 (D ♂♀).
O. c. a. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 65 (N ♂).

♂♀ **delesserti** Caporiacco 1947. Abessinien, Ost-Afrika
O. d. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 137 T. 1 F. 16 (D ♂).
O. d. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 339 (N ♂).

♂ **dubourgi** Simon 1904. Nil-Sudan, Congo
O. d. Simon 1904, Bull. Mus. Nist. Nat. Paris 10 (7) p. 443, 446 (D ♂).

♂♀ **dumonti** (Vinson) 1863. Madagascar, Mauritius, Réunion, Seychellen, Nubien, Ost-Afrika
Sphasus d. Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 31, 399 T. 13 F. 2 (D ♂♀).
O. d. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 131 (N).

♀ **embriki** Roewer 1951. Abessinien
O. variabilis Strand 1906, Zool. Anz. 30 (19—20) p. 661 (D ♀) (praeocc. L. Koch 1878).
O. variabilis Strand 1909, Societ. Ent. 23 p. 155 (D ♀).
O. e. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 442 (nom. nov.).

♀ **embriki dorsivittatus** (Strand) 1906. Abessinien
O. variabilis d. Strand 1906, Zool. Anz. 30 (19—20) p. 661 (D ♀).
O. variabilis d. Strand 1909, Societ. Ent. 23 p. 156 (D ♀).

♀ **embriki nigriventris** (Strand) 1906. Abessinien
O. variabilis n. Strand 1906, Zool. Anz. 30 (19—20) p. 661 (D ♀).
O. variabilis n. Strand 1909, Societ. Ent. 23 p. 156 (D ♀).

♀ **extensipes** (Butler) 1876. Ins. Rodriguez
Sphasus e. Butler 1876, Ann. Mag. Nat. Hist. (4) 17 p. 439 (D ♀).

♂ **erlangeri** Strand 1906. Abessinien
O. e. Strand 1906, Zool. Anz. 30 (19—20) p. 657 (D ♂).
O. e. Strand 1908, Societ. Ent. 23 p. 49 (D ♂).

♂♀ **falconeri** Lessert 1915. Ost-Afrika
O. f. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 453 f. 16—20 (D ♂♀).

♂♀ **flavipalpis** (Lucas) 1858. West-Afrika, Abessinien, Somaliland
Sphasus f. Lucas 1858, Arch. Ent. 2 p. 388 T. 13 F. 3 (D ♀).
O. f. Pavesi 1895, Ann. Mus. Civ. Genova 35 p. 526 (D ♂, N ♀).

O. f. Pavesi '897, Ann. Mus. Civ. Genova 38 p. 180 (D ♂).
O. dorsualis Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 87 (D ♀).
O. f. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 413 f. 4, 5 (D ♂♀).
O. f. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 133 (N ♂♀).

♂♀ **galla** Caporiacco 1941. Gallaländer

O. g. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 62 f. 18 (D ♂♀).

♂♀ **hastifer** Simon 1910. Portug. Guinea

O. h. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 406 (D ♂♀).

♂♀ **hoggi** Lessert 1915. Ost-Afrika, Angola

O. h. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 449 f. 12—15 (D ♂♀).

♂ **hostides** Strand 1906. Abessinien

O. h. Strand 1906, Zool. Anz. 30 (19—20) p. 662 (D ♂).
O. h. Strand 1909, Societ. Ent. 23 p. 173 (D ♂).

♂♀ **hova** Strand 1908. Nossibé

O. dumonti (= ? hova) Strand 1908, Nyt. Mag. Naturvid. 46 (2) p. 179 (D ♂♀).

♀ **idoneus** Simon 1910. Portug. Guinea

O. i. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 405 (D ♀).

♀ **inconspicuus** Strand 1906. Abessinien

O. i. Strand 1906, Zool. Anz. 30 (19—20) p. 659 (D ♀).
O. i. Strand 1908, Societ. Ent. 23 p. 85 (D ♀).

♀ **infidelis** Strand 1906. Abessinien

O. i. Strand 1906, Zool. Anz. 30 (19—20) p. 661 (D ♀).
O. i. Strand 1908, Societ. Ent. 23 p. 117 (D ♀).
O. i. Caporiacco 1947, Ann. Mus .Nat. Hungar. 40 (3) p. 132 (N).

♂♀ **jacksoni** Lessert 1915. Ost-Afrika

O. j. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 470 f. 37—39 (D ♂♀).
O. j. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 61 (N).

♂ **kovacsi** Caporiacco 1947. Abessinien

O. k. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 135 T. 1 F. 14 (D ♂).

♂♀ **lenzi** Strand 1907. Capland

O. l. Strand 1907, Zool. Anz. 31 (17—18) p. 545 (D ♂♀).
O. l. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 705 (D ♂♀).

♀ **lineatifemur** Strand 1906. Abessinien

O. l. Strand 1906, Zool. Anz. 30 (19—20) p. 660 (D ♀).
O. l. Strand 1908, Societ. Ent. 23 p. 91 (D ♀).

♀ **longespina** Caporiacco 1940. Abessinien

O. l. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 804 f. 19 (D ♀).

♂ **longipalpis** Lessert 1946. Belg. Congo

O. l. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 223 f. 31—32 (D ♂).

♂♀ **longispinosus** Lawrence 1938. Natal

O. l. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 518 f. 37 (D ♂).
O. l. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 35 f. 20 (N ♀).

♂♀ **longitibiatus** Caporiacco 1941. Süd-Abessinien
O. l. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 64 f. 19 (D ♂♀).

♀ **luteoaculeatus** Strand 1906. Abessinien
O. l. Strand 1906, Zool. Anz. 30 (19—20) p. 658 (D ♀).
O. l. Strand 1908, Societ. Ent. 23 p. 59 (D ♀).

♂ **mathias** Strand 1913. Uganda
O. m. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 471 (D ♂).

♀ **megalops** Caporiacco 1947. Ost-Afrika
O. m. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 132 T. 1 F. 12 (D ♀).

♀ **modestus** Simon 1876. Congo
O. m. Simon 1876, Bull. Soc. Zool. France 1 p. 216 (D ♀).

♀ **notivittatus** Strand 1906. Abessinien
O. n. Strand 1906, Zool. Anz. 30 (19—20) p. 659 (D ♀).
O. n. Strand 1908, Societ. Ent. 23 p. 76 (D ♀).

♀ **obscurifrons** Simon 1910. San Thomé
O. o. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 403 (D ♀).

♀ **ornatus** (Blackwall) 1868. Trop. Afrika
Sphasus o. Blackwall 1868, Ann. Mag. Nat. Hist. (4) 2 p. 403 (D ♀).
O. o. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 511 (N).

♂♀ **pallidecoloratus** Strand 1906. Abessinien, O.-Afrika, Congo, Nossibé
O. p. Strand 1906, Zool. Anz. 30 (19—20) p. 660 (D ♀).
O. p. Strand 1908, Societ. Ent. 23 p. 90 (D ♀).
O. p. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 175 (D ♂♀).
O. p. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 456 f. 21—26 (D ♂♀).
O. p. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 131 (N).

♂ **pallidecoloratus nigrescens** Caporiacco 1947. Ost-Afrika
O. p. n. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 131 (D ♂).

♀ **personatus** Simon 1896. Matebeleland
O. p. Simon 1896, Bull. Soc. Zool. France 21 p. 222 (D ♀).

♂♀ **pigmentatus** Simon 1890. Yemen
O. p. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 114 (D ♂♀).

♀ **pulchellus** (Lucas) 1858. Congo
Sphasus p. Lucas 1858, Arch. Ent. 2 p. 387 T. 13 F. 2 (D ♀).
Sphasus p. Blackwall 1866, Ann. Mag. Nat. Hist. (3) 18 p. 452 (D ♀).
O. p. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 830 (N ♀).

♀ **purpurissatus** Simon 1910. Congo
O. p. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 404 (D ♀).

♂♀ **reimoseri** Caporiacco 1947. Ost-Afrika
O. r. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 138 T. 1 F. 17 (D ♂♀).

♂ **rubriventer** Caporiacco 1941. Süd-Abessinien
O. r. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 57 f. 16 (D ♂).

♂ **rubriventer poecilus** Caporiacco 1941. Süd-Abessinien
O. r. p. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 58 (D ♂).

♀ **rubriventer typicus** Caporiacco 1947. Ost-Afrika
O. r. t. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 135 T. 1 F. 13 (D ♀).

♀ **rufovittatus** Simon 1885. Senegambien
O. r. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 354 (D ♀).
O. r. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 411 (N).

♀ **russoi** Caporiacco 1940. Somaliland
O. r. Caporiacco 1940, Boll. Lab. Zool. Agr. Portici 31 p. 296 f. 1 (D ♀).

o **rutilius** Simon 1890. Yemen
O. r. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 114 (D o).

♀ **ruwenzoricus** Strand 1913. Uganda
O. r. Strand 1913, Aradın. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool.) (11) p. 470 (D ♀).

♂♀ **schenkeli** Lessert 1927. Congo
O. s. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 419 f. 9—11 (D ♂♀).

♂♀ **singularis** Lessert 1927. Congo
O. s. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 416 f. 6, 7 (D ♂♀).

♂ **sjöstedti** Lessert 1915. Ost-Afrika, Süd-Abessinien
O. s. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 468 f. 11, 35, 36 (D ♂).
O. s. Caporiacco 1941, Miss. Biol. Sagan-Omo 12; Zool. 6 p. 61 (N ♂).

♂♀ **squamosus** Simon 1885. Senegambien
O. s. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 353 (D ♂♀).

♂♀ **sternimaculatus** Strand 1907. Capland
O. s. Strand 1907, Zool. Anz. 31 (17—18) p. 545 (D ♂♀).
O. s. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 709 (D ♂♀).

♂ **strandi** Caporiacco 1939. Abessinien
O. s. Caporiacco 1939, Real Accad. Ital. p. 336 f. 10 (D ♂).

♂♀ **subabebae** Caporiacco 1941. Süd-Abessinien
O. s. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 59 f. 17 (D ♂♀).

♂♀ **toschii** Caporiacco 1949. Kenya
O. t. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 340 f. 11, a, b (D ♂♀).

♂♀ **tuberculatus** Lessert 1915. O.-Afrika
O. t. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 479 f. 45—49 (D ♂♀).

♂ **tuberculatus mombensis** Lessert 1915. O.-Afrika
O. t. m. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 484 f. 50—52 (D ♂).

♀ **ubensis** Strand 1906. Abessinien
O. u. Strand 1906, Zool. Anz. 30 (19—20) p. 686 (D ♀).
O. u. Strand 1908, Arch. Naturg. 74 (I; 1) p. 60 T. 2 F. 17 (D ♀).

♂♀ **uncinatus** Lessert 1915. Ost-Afrika
O. u. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 465 f. 31—34 (D ♂♀).

♂ **vanderysti** Lessert 1946. Belg. Congo
O. v. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 221 f. 27—28 (D ♂).

♂♀ **vogelsangeri** Lessert 1946. Belg. Congo
O. v. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 219 f. 23—26 (D ♂♀).

♀ **zavattarii** Caporiacco 1939. Abessinien
O. z. Caporiacco 1939, Real Accad. Ital. p. 337 f. 11 (D ♀).

Orientalische Arten:

o **annulipes** Thorell 1890. Sumatra
O. a. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 141 (D o).
O. a. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 200 (D o).

♂ **armatipalpis** Strand 1912. Indien
O. a. Strand 1912, Arch. Naturg. 77 (A; 8) p. 145 (D ♂).

♂ **auratus** Thorell 1890. Singapore, Sumatra
O. a. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 39 (D ♂).
O. a. Workman 1896, Malays. Spid. p. 101 T. 101 (D ♂).

♀ **bantaengi** Merian 1911. Celebes
O. b. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 301 (D ♀).

♂♀ **birmanicus** Thorell 1887. Burma, Malakka, Sumatra, Simalur, Mentawei
O. b. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 325 (D ♂♀).
O. b. Workman 1896, Malays. Spid. p. 100 T. 100 (D ♀).
O. b. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (Hors Ser.) 3 (19) p. 13 f. 6 (N ♀).
O. b. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 654 f. 2—7 (D ♂♀).

♂♀ **calcaratus** Schenkel 1944. Ins. Timor
O. c. Schenkel 1944, Rev. Suisse Zool. 51 (4) p. 193 f. 10 (D ♂♀).

♂ **ceylonicus** Karsch 1891. Ceylon
O. c. Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 298 T. 12 F. 22 (D ♂).

♀ **cochinchinensis** (Walckenaer) 1837. Cochinchina
Sphasus c. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 375 (D ♀).
O. c. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 366 (C).

♂ **concolor** Simon 1877. Philippinen
O. c. Simon 1877, Ann. Soc. Ent. France (5) 7 p. 62 (D ♂).

♀ **exsiccatus** Strand 1907. Java
O. e. Strand 1907, Zool. Anz. 31 (17—18) p. 567 (D ♀).
O. e. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 94 (D ♀).

♂ **gemellus** Thorell 1891. Ins. Pinang, Nicobaren
O. g. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 71 (D ♂).
O. g. Workman 1896, Malays. Spid. p. 2 T. 2 (D ♂).

♀ **hilaris** Thorell 1881. Timor
O. h. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 403 (D ♀).

♂♀ **hindostanicus** Pocock 1901. Ceylon, Indien
O. h. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 482 (D ♂♀).
O. h. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 151 T. 14 F. 66 (D ♀).
O. h. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 657 f. 8—13 (D ♂♀).

♀ **imbellis** Thorell 1890. Ins. Pinang
O. i. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 316 (D ♀).

♂ **indiculus** Thorell 1897. Burma
O. i. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4; 6) p. 28 (D ♂).

♀ **indicus** (Walckenaer) 1805. Indien
Sphasus i. Walckenaer 1805, Tabl. Aran. p. 19 T. 3 F. 23, 24 (N ♀).
Sphasus i. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 376 (D ♀).
O. i. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 366 (C).

♂♀ **javanus** Thorell 1887. Burma, Malakka, Sunda-Ins.
O. j. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 329 (N ♀).
O. lineatipes Simon 1885, Bull. Soc. Zool. France 10 p. 441 (N ♂♀).
O. j. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 71 (N).
O. j. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 195 (D ♂♀).
O. j. Workman 1896, Malays. Spid. p. 99 T. 99 (D ♂).
O. j. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 659 f. 14—19 (D ♂♀).

♀ **javanus nicobaricus** Strand 1907. Nicobaren
O. j. n. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 447 (D ♀).

o **juvencus** Strand 1907. Ceylon
O. j. Strand 1907, Zool. Anz. 31 (17—18) p. 567 (D o).
O. j. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 90 (D o).

♂ **kochii** Thorell 1897. Burma
O. k. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4; 6) p. 26 (D ♂).

♀ **lagarus** Thorell 1895. Burma
O. l. Thorell 1895, Descr. Catal. Spid. Burma p. 248 (D ♀).

♂♀ **lepidus** (Blackwall) 1864. Indien
Sphasus l. Blackwall 1864, Ann. Mag. Nat. Hist. (3) 14 p. 36 (D ♀).
Sphasus similaris Stoliczka 1869, Journ. Asiat. Soc. Bengal. 38 p. 222 T. 20 F. 2 (D ♂♀).
O. similaris Sherriffs 1951, Proc. Zool. Soc. London 120 p. 668 f. 34—39 (D ♂♀).

♂♀ **lineatipes** (C. L. Koch) 1848. Malakka, Burma, Java, Sumatra, Borneo
Sphasus l. C. L. Koch 1848, Die Arachniden 15 p. 55 TF. 1455 (D ♂).
O. l. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 387 (C).
O. l. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 71 (D ♂♀).
O. l. Workman 1896, Malays. Spid. p. 1 T. 1 (D ♂♀).
O. l. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 661 f. 20—25 (D ♂♀).

♂♀ **longinquus** Thorell 1891. Burma, Nicobaren
O. l. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 73, 75 (D ♂♀).
O. l. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 198 (D ♂).

♂ **patalongensis** Simon 1901. Malakka
O. p. Simon 1901, Proc. Zool. Soc. Lond. (2; 4) p. 70 (D ♂).

♂ **praedictus** Cambridge 1885. Nordwest-Indien
O. p. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 97 (D ♂).

♂ **providens** Thorell 1890. Sumatra
O. p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 141 (D ♂).
O. p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 202 (D ♂).

♀ **pupulus** Thorell 1890. Nias
O. p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 42 (D ♀).

♂ **quadridentatus** Thorell 1895. Burma
O. q. Thorell 1895, Descr. Catal. Spid. Burma p. 250 (D ♂).

♀ **raviensis** Dyal 1935. Panjab
O. r. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 150 (D ♀).

♂ **rejectus** Cambridge 1885. Nordwest-Indien
O. r. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 98 (D ♂).

♂ **rufisternis** Pocock 1901. Ceylon
O. r. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 483 (D ♂).
O. r. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 666 f. 29—31 (D ♂).

♂ **russulus** Thorell 1895. Burma
O. r. Thorell 1895, Descr. Catal. Spid. Burma p. 252 (D ♂).

♀ **ryvesii** Pocock 1901. Indien
O. r. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 482 (D ♀).
O. r. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 151 T. 14 F. 65 (D ♀).
O. r. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 667 f. 32—33 (D ♀).

♀ **setipes** Thorell 1890. Borneo
O. s. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 142 (D ♀).
O. s. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 204 (D ♀).

♀ **subjavanus** Strand 1907. Java
O. s. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 446 (D ♀).

♂♀ **taeniatus** Thorell 1877. Sumatra, Java, Celebes
O. t. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 534 (D ♂♀).
O. t. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 673 f. 46—48 (D ♂♀).

♀ **timorensis** Schenkel 1944. Ins. Timor
O. t. Schenkel 1944, Rev. Suisse Zool. 51 (4) p. 197 f. 11 (D ♀).

♀ **timorianus** (Walckenaer) 1837. Ins. Timor
Sphasus t. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 376 (D ♀).
O. t. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 366 (C).
O. t. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 399 (D ♀).

♀ **travancoricola** Strand 1912. Travancore
O. t. Strand 1912, Arch. Naturg. 77 (A; 8) p. 147 (D ♀).

♀ **versicolor** Thorell 1887. Burma
O. v. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 330 (D ♀).

♂♀ **wroughtoni** Pocock 1901. Indien

O. w. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 483 (D ♂♀).
O. w. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 150 T. 14 F. 57—60 (D ♂♀).
O. w. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 674 f. 49—54 (D ♂♀).

Transgredierende Arten:

♂♀ **striatus** (Doleschall) 1857. Burma, Malakka, Sunda-Archip. bis Neu-Guinea

Sphasus s. Doleschall 1857, Naturk. Tijdschr. Ned. Ind. 13 p. 430 (D ♀).
Sphasus s. Doleschall 1859, Act. Soc. Ind. Neerl. 5 T. 5 F. 9 (♀).
Sphasus striolatus Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 11 T. 6 F. 4 (D ♀).
O. s. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 211 (D ♂).
O. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 372 f. 373 (N).
O. s. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 300 (N ♀).
O. s. Sherriffs 1939, Hong Kong Natural. 9 (4) p. 194 T. 24 F. 1 (N ♂♀).
O. s. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 671 f. 40—45 (D ♂♀).

Australische Arten:

♂♀ **amoenus** L. Koch 1878. Queensland

O. a. L. Koch 1878, Arachn. Austral. 1 (2) p. 1017 T. 89 F. 4, 5 (D ♂♀).

♀ **attenuatus** L. Koch 1878. Queensland, Centr.-Australien

O. a. L. Koch 1878, Arachn. Austral. 1 (2) p. 1002 T. 87 F. 6 (D ♀).

♂ **brevis** Thorell 1881. Ins. Wokan

O. b. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 404 (D ♂).

♀ **dingo** Strand 1913. Centr.-Australien

O. d. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 623 (D ♀).

♂♀ **elegans** L. Koch 1878. Queensland, Neu-S.-Wales

O. e. L. Koch 1878, Arachn. Austral. 1 (2) p. 1008 T. 88 F. 5, 6 (D ♂♀).

♀ **gracilipes** (White) 1849. Neu-Seeland

Sphasus g. White 1849, Proc. Zool. Soc. Lond. p. 5 (D ♀).
Sphasus g. White 1850, Ann. Mag. Nat. Hist. (2) 5 p. 52 (D ♀).

♂♀ **gratus** L. Koch 1878. Queensland, Centr.-Australien

O. g. L. Koch 1878, Arachn. Austral. 1 (2) p. 1006 T. 88 F. 3, 4 (D ♂♀).

♂♀ **gregarius** (Urquhart) 1884. Neu-Seeland, Loyality-I., Neu-Caledonien

Sphasus g. Urquhart 1884, Trans. N. Zeal. Inst. 17 p. 51 T. 11 F. 20 (D ♂♀).
O. g. Urquhart 1891, Trans. N. Zeal. Inst. 24 p. 229 (N).

♂♀ **keyserlingii** Thorell 1881. Neu-Guinea

O. k. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 390 (D ♂♀).

♂♀ **kobrooricus** Strand 1911. Aru-Ins.

O. k. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 172 T. 6 F. 74 (D ♂♀).

♂ **lautus** L. Koch 1878. Queensland, Centr.-Australien

O. l. L. Koch 1878, Arachn. Austral. 1 (2) p. 1015 T. 89 F. 3 (D ♂).

♂♀ **macilentus** L. Koch 1878. Queensland, Neu-Guinea

O. m. L. Koch 1878, Arachn. Austral. 1 (2) p. 1000 T. 87 F. 4, 5 (D ♂♀).
O. m. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 393 (D ♂♀).

O. m. Giltay 1935, Bull. Mus. Hist. Nat. Belg. 11 (20) p. 10 f. 6 (N ♀).
O. m. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (Hors Ser.) 3 (19) p. 14 f. 7 (N ♀).

♂♀ **molarius** L. Koch 1878. Queensland
O. m. L. Koch 1878, Arachn. Austral. 1 (2) p. 1004 T. 88 F. 1, 2 (D ♂♀).

♀ **mundulus** L. Koch 1878. Neu-Süd-Wales
O. m. L. Koch 1878, Arachn. Austral. 1 (2) p. 1025 T. 90 F. 3 (D ♀).
O. m. ? Hogg 1914, Proc. Zool. Soc. London (1) p. 88 (N ♀).

♂ **palliventer** Strand 1911. Aru-Ins.
O. p. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 175 T. 6 F. 76 (D ♂).

♂♀ **papuanus** Thorell 1881. Neu-Guinea, Queensland, Halmahera, Kei-Ins., Salomonen
O. p. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 395 (D ♂♀).
O. p. (= ? **halmaherensis**) Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 92 (D ♂♀).
O. p. Kulczynski 1910, Denkschr. Ak. Wiss. Wien 85 p. 401 (C).
O. p. Kolosvary 1932, Zool. Anz. 100 (7—8) p. 193 f. 2 (N ♂).
O. p. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (Hors Ser.) 3 (19) p. 15 f. 8 (N ♀).
O. p. Sherriffs 1951, Proc. Zool. Soc. London 120 p. 664 f. 26—28 (D ♀).

♂♀ **punctatus** L. Koch 1878. Queensland
O. p. L. Koch 1878, Arachn. Austral. 1 (2) p. 1011 T. 88 F. 7, 8 (D ♂♀).

♀ **quadrifasciatus** L. Koch 1878. Queensland
O. q. L. Koch 1878, Arachn. Austral. 1 (2) p. 1020 T. 89 F. 6 (D ♀).

♀ **rouxi** Strand 1911. Aru-Ins.
O. r. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 173 T. 6 F. 77 (D ♀).

♂♀ **rubicundus** L. Koch 1878. Neu-S.-Wales
O. r. L. Koch 1878, Arachn. Austral. 1 (2) p. 1013 T. 89 F. 1, 2 (D ♂♀).

♀ **tapponiformis** Strand 1911. Aru-Ins.
O. t. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 176 T. 6 F. 73 (D ♀).

♂♀ **variabilis** L. Koch 1878. Queensland, Centr.-Australien
O. v. L. Koch 1878, Arachn. Austral. 1 (2) p. 1021 T. 90 F. 1, 2 (D ♂♀).

♀ **wokamanus** Strand 1911. Aru-Ins.
O. w. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 174 T. 6 F. 78 (D ♀).

Neotropische Arten:

§ 8 ♂, 8 ♀: F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 341.
§ 8 ♂, 11 ♀: Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 494—496.

♀ **acleistus** Chamberlin 1929. Florida
O. a. Chamberlin 1929, Ent. News 40 (1) p. 19 f. 3 (D ♀).

♀ **actophilus** Chamberlin 1924. Nieder-Californien
O. a. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 675 (D ♀).

O o **acutus** Banks 1898. Mexico
O. a. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 279 T. 17 F. 27 (D O o).

♀ **altifrons** Mello-Leitao 1940. Rio Negro
O. a. Mello-Leitao 1940, Arqu. Inst. Biol. S. Paulo 11 (30) p. 248 (D ♀).

♀ **argyrotrichus** Mello-Leitao 1929. Manaos
O. a. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 502 T. 1 F. 9 (D ♀).

♀ **banksi** Mello-Leitao 1928. Mexico
O. brevis Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 278 T. 17 F. 26 (D ♀).
O. b. Mello-Leitao 1928, Bol. Mus. Nac. R. d. Jan. 4 (3) p. 44 (nom. nov.).

♀ **barroanus** (Chamberlin & Ivie) 1936. Panama
Lycosa b. Chamberlin & Ivie 1936, Bull. Univ. Utah 27 (5), Biol. 3 (5) p. 18 T. 4 F. 27 (D ♀).

♂ **bifidus** F. Cambridge 1902. Mexico
O. b. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 344 T. 32 F. 20 (D ♂).

♂♀ **bifissus** F. Cambridge 1902. Mexico
O. b. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 344 T. 32 F. 21, 22 (D ♂♀).

♀ **birabeni** Mello-Leitao 1941. Santa Fe
O. b. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 210 f. 13—14 (D ♀).

♀ **bolivianus** Tullgren 1905. Bolivien
O. b. Tullgren 1905, Ark. Zool. 2 (19) p. 69 T. 9 F. 35 (D ♀).

♀ **brunneus** F. Cambridge 1902. Mexico
O. b. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 346 T. 32 F. 29 (D ♀).

♂ **calcarifer** F. Cambridge 1902. Costa Rica
O. c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 344 T. 32 F. 24 (D ♂).

♀ **cambridgei** Mello-Leitao 1928. Mexico
O. annulipes F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 345 T. 32 F. 27 (D ♀).
O. c. Mello-Leitao 1928, Bol. Mus. Nac. R. d. Janeiro 4 (3) p. 44 (nom. nov.).

♂♀ **carvalhoi** Mello-Leitao 1947. Minas Geraes
O. c. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan. 80, Zool. p. 9 T. 3 F. 29; T. 6 F. 44 (D ♂♀).
O. c. Mello-Leitao 1949, Bol. Mus. Nac. R. d. Jan. 92, Zool. p. 5 f. 1—3 (D ♂♀).

♀ **classicus** Chamberlin 1925. Florida
O. c. Chamberlin 1925, Proc. Calif. Ac. Sci. (4) 14 p. 126 f. 38 (D ♀).

♀ **clypeatus** F. Cambridge 1902. Panama
O. c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 345 T. 32 F. 26 (D ♀).

♂♀ **constrictus** Keyserling 1891. Brasilien, Guiana
O. c. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 268 T. 10 F. 202 (D ♂♀).
O. c. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 505 T. 1 F. 7 (D ♂♀).

♂ **cornutus** F. Cambridge 1902. Mexico
O. c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 343 T. 32 F. 16 (D ♂).

♂♀ **crewi** Bryant 1948. Haiti
O. salticus Banks 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 341 (N).
O. c. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 361 T. 3 F. 21, 26, 27 (D ♂♀).

♀ **flavus** Banks 1898. Mexico
O. f. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 278 T. 17 F. 28 (D ♀).

♀ **fluminensis** Mello-Leitao 1929. Brasilien
O. f. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 503 T. 1 F. 8 (D ♀).

♂♀ **globosus** F. Cambridge 1902. Panama
O. g. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 343 T. 32 F. 18, 19 (D ♂♀).

♂♀ **hemorrhous** Mello-Leitao 1929. Brasilien
O. h. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 504 T. 1 F. 2, 18 (D ♂♀).

♂ **holmbergi** Soares & Camargo 1948. Mato Grosso
O. h. Soares & Camargo 1948, Bol. Mus. Paraens. Goeldi 10 p. 361 f. 11—12 (D ♂).

♂♀ **incertus** Mello-Leitao 1929. Brasilien, Peru
O. i. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 499 T. 1 F. 6, 14 (D ♂♀).

♀ **inversus** Mello-Leitao 1949. Brasilien
O. i. Mello-Leitao 1949, Bol. Mus. Nac. R. d. Jan. 92, Zool. p. 6 f. 4—5 (D ♀).

♂♀ **lingulifer** F. Cambridge 1902. Costa Rica
O. l. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 345 T. 32 F. 25 (D ♀).
O. l. Gertsch & Davis 1940, Amer. Mus. Novit. 1059 p. 14 (N ♂♀).

♂♀ **macroscelides** Mello-Leitao 1929. Paraguay, Brasilien
O. m. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 498 T. 1 F. 5, 13 (D ♂♀).

♂ **m-fasciatus** Piza 1938. Süd-Brasilien
O. m-f. Piza 1938, Bol. Biol. S. Paulo (N. S.) 3 (2) p. 47 f. 1 (D ♂).

♂♀ **nelsoni** Bryant 1945. Florida
O. n. Bryant 1945, Psyche 52 (3—4) p. 180 T. 15 F. 5, 7 (D ♂♀).

♀ **nigrolineatus** Mello-Leitao 1941. Nord-Argentinien
O. n. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 140 T. 1 F. 4; T. 7 F. 29 (D ♀).

♀ **niveosigillatus** Mello-Leitao 1945. Argentinien
O. n. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 253 f. 37—38 (D ♀).

♀ **pallidus** (C. L. Koch) 1839. Westindien
Sphasus p. C. L. Koch 1839, Die Arachniden 5 p. 98 TF. 405 (D ♀).
Sphasus p. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 460 (D ♀).
O. p. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 387 (C).

♂♀ **pugilator** Mello-Leitao 1929. Brasilien
O. p. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 500 T. 1 F. 3, 16 (D ♂♀).

♂♀ **rubrosignatus** Keyserling 1891. Brasilien
O. r. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 270 T. 10 F. 203 (D ♀).
O. r. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 504 T. 1 F. 11, 17 (D ♂♀).

♂ **sectus** Mello-Leitao 1929. S.-Brasilien
O. s. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 500 T. 1 F. 15 (D ♂).

♀ **sexmaculatus** Mello-Leitao 1929. Brasilien, Peru
O. s. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 502 T. 1 F. 10 (D ♀).

♀ **stephanurus** Mello-Leitao 1929. Mato Grosso
O. s. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 501 T. 1 F. 4 (D ♀).

♀ **taeniatulus** nom. nov. Brasilien
O. taeniatus Mello-Leitao 1949, Bol. Mus. Nac. R. d. Jan. 92, Zool. p. 7 f. 6—7 (D ♀) (praeocc. Thorell 1879).

♂ **tibialis** F. Cambridge 1902. Guatemala
O. t. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 344 T. 32 F. 23 (D ♂).

♀ **transversus** F. Cambridge 1902. Mexico
O. t. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 345 T. 32 F. 28 (D ♀).

♂ **tricuspidatus** F. Cambridge 1902. Panama
O. t. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 343 T. 32 F. 17 (D ♀).

Transgredierende Arten:

♂♀ **salticus** Hentz 1845. U. St. Amerika bis Brasilien u. Bolivien
O. s. Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 196 T. 16 F. 10 (D ♀).
O. astutus Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 197 T. 17 F. 1 (D ♂).
Sphasus luteus Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 350 (D ♀).
O. varians Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 95 (D ♂♀).
O. gracilis Keyserling 1877, Verh. Zool. Bot. Ges. Wien 26 p. 698 T. 2 F. 63, 64 (D ♀).
O. luteus Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 271 (N).
O. s. Simon 1897, Proc. Zool. Soc. Lond. p. 889 (D ♂♀).
O. gracilis F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 342 T. 32 F. 14, 15 (D ♂♀).
O. s. Emerton 1902, Common Spid. p. 88 f. 218, 219 (D ♂♀).
O. s. Montgomery 1902, Proc. Ac. Nat. Sci. Philad. p. 590 T. 30 F. 52 (D ♀).
O. gracilis Tullgren 1905, Ark. Zool. 2 (19) p. 69 T. 8 F. 34 (N ♀).
O. s. Comstock 1912, Spider Book p. 660 (N).
O. s. Chamberlin 1929, Ent. News 40 (1) p. 18 f. 5 (N ♀).
O. s. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 496 T. 1 F. 1, 12 (D ♂♀).
O. s. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 102 f. 82, 83 (N ♂♀).
O. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 339 T. 59 F. 1147—48 (D ♂♀).

Nearktische Arten:

§ 4 Arten: Banks 1893, Journ. N. York Ent. Soc. 1 p. 134.
§ 6 Arten: Chamberlin 1929, Ent. News 40 (1) p. 17.

♂♀ **aglossus** Chamberlin 1929. Südöstl. U. St. Amerika
O. a. Chamberlin 1929, Ent. News 40 (1) p. 17 f. 1, 2 (D ♂♀).

♀ **arcuatus** (Walckenaer) 1837. Georgia
Sphasus a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 378 (D ♀).
O. a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 387 (C).
O. a. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 132 (D ♀).

♀ **cinereus** Banks 1893. New-Hampshire
O. c. Banks 1893, Journ. N. York Ent. Soc. 1 p. 133 (D ♀).

♂♀ **compactus** Banks 1896. Colorado, Arizona

O. c. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 72 (D ♀).
O. c. Banks 1902, Proc. U. Stat. Nat. Mus. 25 p. 217 T. 7 F. 5, 6 (N ♂♀).

♀ **fossanus** (Walckenaer) 1837. Carolina

Sphasus f. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 377 (D ♀).
O. f. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 387 (C).

♂♀ **helius** Chamberlin 1929. Georgia, Texas

O. h. Chamberlin 1929, Ent. News 40 (1) p. 19 f. 4 (D ♀).
O. h. Bryant 1936, Psyche 43 p. 91 T. 3 F. 7 (D ♂).

♀ **lanceolatus** (Walckenaer) 1837. Georgia

Sphasus l. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 377 (D ♀).
O. l. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 387 (C).
O. l. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 132 TF. 180—181 (D ♂♀).

pictipes Banks 1901. Neu-Mexico

O. p. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 587 (D).

♂♀ **rufipes** Banks 1893. Californien, Washington-St., Canada

O. r. Banks 1893, Journ. N. York Ent. Soc. 1 p. 133 (D ♂♀).

♀ **scalaris** Hentz 1845. U. St. Amerika

O. s. Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 196 T. 17 F. 4 (D ♀).
O. s. Emerton 1885, Trans. Connect. Ac. Sci. 6 p. 502 T. 49 F. 11 (D ♀).
O. laminatus Tullgren 1901, Bih. Svensk. Vet. Ak. Handl. 27 (4; 1) p. 26 T. 1 F. 14 (D ♀).
O. s. Chamberlin 1929, Ent. News 40 (1) p. 18 f. 6 (D ♀).
O. s. Comstock 1912, Spider Book p. 660 (N).
O. s. Chamberlin 1929, Ent. News 40 (1) p. 18 f. 6 (D ♀).
O. s. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 134 (N ♂♀).
O. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 340 T. 59 F. 1149 (D ♂♀).

♀ **tanneri** Chamberlin 1928. Utah

O. t. Chamberlin 1928, Canad. Ent. 60 (4) p. 95 (D ♀).

Gen. **Peucetia** Thorell 1869.

Palaearktische Arten:

♀ **rubra** Franganillo 1925. Andalusien

P. r. Franganillo 1925, Bol. Soc. Ent. Espan. 8 p. 37 (D ♀).
P. r. Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 79 (D ♀).

♀ **viridissima** Franganillo 1925. Andalusien

P. v. Franganillo 1925, Bol. Soc. Ent. Espan. 8 p. 37 (D ♀).
P. v. Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 73 (D ♀).

Transgredierende Arten:

§ 3 ♂: Simon 1884, Ann. Soc. Ent. France (6) 4 p. 184.

♂♀ **arabica** Simon 1882. Aegypten, Abessinien, Sudan, Yemen, Oase Siwah

P. a. Simon 1882, Ann. Mus. Civ. Genova 18 p. 216 (D ♂♀).
P. a. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 113 (N).
P. a. Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 179 (N ♀).

P. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 376 f. 371 (N ♂).
P. a. Simon 1904, Bull. Mus. Hist. Nat. Paris 10 p. 443 (N).
P. a. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 39 T. 1 F. 15 (N ♀).

♂♀ **virescens** (Cambridge) 1872. Palästina, Arabien

Pasithea v. Cambridge 1872, Proc. Zool. Soc. Lond. p. 314 (D o).
P. v. Simon 1882, Ann. Mus. Civ. Genova 18 p. 217 (D ♀).
P. v. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 183 (D ♂).

♂♀ **viridis** (Blackwall) 1858. – * Spanien, Nord-Afrika, Sinai, Senegambien

Pasithea v. Blackwall 1858, Ann. Mag. Nat. Hist. (3) 1 p. 428 (D ♂).
Oxyopes littoralis Simon 1866, Ann. Soc. Ent. France (4) 6 p. 287 T. 4 F. 13—18 (D ♂♀).
P. v. Thorell 1869, On Europ. Spid. p. 37 (N).
Pasithea v. Cambridge 1870, Proc. Zool. Soc. Lond. p. 819 (N).
P. v. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 101 (N).
P. v. Simon 1899, Bull. Mus. Hist. Nat. Paris 5 p. 419 f. B (N ♂).

Aethiopische Arten:

♂♀ **casseli** Simon 1899. Abessinien, Sudan, Congo

P. c. Simon 1899, Bull. Mus. Hist. Nat. Paris 5 p. 418 f. A (D ♂♀).
P. c. Simon 1904, Bull. Mus. Hist. Nat. Paris 10 p. 443 (N).
P. c. (= ? **purpureofasciata**) Strand 1908, Societ. Ent. 22 p. 146 (D ♀).

♂♀ **crucifera** Lawrence 1927. Südwest-Afrika

P. c. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 56 T. 2 F. 43; T. 4 F. 81 (D ♂♀).

♂♀ **fasciiventris** Simon 1890. Abessinien, Portug. Ost-Afrika, Congo, Kalahari, St. Helena

P. f. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 113 (D ♀).
P. f. Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 179 (D ♂).
P. f. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 440 f. 1, 3—5 (D ♂♀).
P. f. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 285 f. 81 (N ♀).
P. f. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 130 (N).

♂♀ **fasciiventris kunenensis** (Lawrence) 1927. Südwest-Afrika

P. kunenensis Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 55 T. 2 F. 42: T. 4 F. 80 (D ♂♀).
P. f. k. Lawrence 1936, Ann. Transv. Mus. 17 (2) p. 158 (N ♀).

♀ **fasciiventris longistriga** Strand 1913. Centr.-Afrika

P. f. l. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 469 (D ♀).

♀ **foliifera** (Butler) 1879. Nyassa, Comoren

Pasithea f. Butler 1879, Ann. Mag. Nat. Hist. (5) 4 p. 41 T. 1 F. 1 (D ♀).
P. f. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 439 (N ♀).

♂ **lampei** Strand 1906. Südwest-Afrika

P. l. Strand 1906, Jahrb. Nassau. Ver. Nat. 59 p. 42 (D ♂).

♀ **langi** Lessert 1927. Congo

P. l. Lessert 1927, Rev. Suisse Zool. 34 (17) p. 412 f. 3 (D ♀).

♀ **longipes** Pocock 1899. Angola, Loango, Centr.-Afrika, Congo

P. l. Pocock 1899, Proc. Zool. Soc. Lond. p. 861 T. 57 F. 17 (D ♀).
P. l. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 218 f. 19—22 (D ♂♀).

♂♀ **lucasii** (Vinson) 1863. Madagascar, Ost-Afrika, Süd-Abessinien

Sphasus l. Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 35, 300 T. 13 F. 3 (D ♀).
P. l. Thorell 1875, Proc. Zool. Soc. Lond. p. 148 (N ♀).
P. l. Simon 1884, Bull. Soc. Zool. France 9 p. 6 T. 1 F. 12 (N ♀).
P. l. Lenz 1886, Zool. Jahrb. Syst. 1 (2) p. 406 (N).
P. madagascariensis Lenz 1886, Zool. Jahrb. Syst. 1 (2) p. 406 (N).
P. madagascariensis Lenz 1891, Mitt. Nat. Mus. Hambg. 9 (1) p. 171 (N).
P. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 376 f. 368—370 (N).
P. l. Strand 1905, Arch. Naturg. 81 (A; 9) p. 76 (N syn.).
P. l. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 704 (N ♀).
P. l. Strand 1908, Nyt. Mag. Naturvid. 46 (2) p. 174 (D ♂♀).
P. l. Strand 1908, Zool. Jahrb. Syst. 26 (4) p. 482 (N).
P. l. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 286 f. 82, 83 (D ♂♀).
P. l. Caporiacco 1941, Miss. Biol. Sagan-Omo 12; Zool. 6 p. 54 (N ♂).

♂ **luteiceps** Simon 1897. Abessinien, Somaliland

P. l. Simon 1897, Aran. in: Smith, Through Unkn. Afr. Countr. p. 391 (D ♂).
P. l. Caporiacco 1941, Miss. Biol. Sagan-Omo 12; Zool. 6 p. 55 (N ♀).

♀ **maculifera** Pocock 1900. Capland

P. m. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 329 (D ♀).

♀ **madagascariensis** (Vinson) 1863. Madagascar

Sphasus m. Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 38, 300 (D ♀).
P. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 370 f. 367, 377 (N ♀).

♀ **minima** Strand 1906. Abessinien

P. m. Strand 1906, Zool. Anz. 30 (19—20) p. 657 (D ♀).
P. m. Strand 1908, Societ. Ent. 22 p. 180 (D ♀).
P. m. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 339 (N).

♀ **pulchra** (Blackwall) 1865. Süd- u. Ost-Afrika, Sudan, Abessinien, Seychellen, St. Helena

Pasithea p. Blackwall 1865, Ann. Mag. Nat. Hist. (3) 16 p. 338 (D ♀).
Pasithea p. Cambridge 1869, Proc. Zool. Soc. Lond. p. 540 T. 42 F. 7 (N ♀).
P. p. Pavesi 1881, Ann. Mus. Civ. Genova 16 p. 554 (N).
P. p. Simon 1884, Bull. Soc. Zool. France 9 p. 6 T. 1 F. 10 (C ♀).
P. p. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 215 (C).

♂♀ **rubrosignata** Strand 1906. Abessinien

P. r. Strand 1906, Zool. Anz. 30 (19—20) p. 656 (D O ♀).
P. r. Strand 1908, Societ. Ent. 22 p. 156, 163, 164 (D ♂♀).

♀ **striata** Karsch 1878. Sansibar

P. s. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 317 T. 8 F. 6 (D ♀).
P. s. Simon 1884, Bull. Soc. Zool. France 9 p. 6 T. 1 F. 11 (C ♀).

♀ **striata kibonotensis** Lessert 1915. Ost-Afrika

P. s. k. Lessert 1915, Rev. Suisse Zool. 23 (11) p. 444 f. 2 (D ♀).

♀ **transvaalica** Simon 1896. Transvaal

P. t. Simon 1896, Bull. Soc. Zool. France 21 p. 221, 223 (D ♀).

♀ **uncivulva** Caporiacco 1941. Süd-Abessinien
P. u. Caporiacco 1941, Miss. Biol. Sagan-Omo 12; Zool. 6 p. 55 f. 15 (D ♀).

Orientalische Arten:

♀ **elegans** (Blackwall) 1864. Indien
Pasithea e. Blackwall 1864, Ann. Mag. Nat. Hist. (3) 14 p. 39 (D ♀).

♂♀ **graminea** Pocock 1900. Indien
P. g. Pocock 1900, Faun. Brit. Ind. Arachn. p. 256 (D ♂♀).

♂♀ **procera** Thorell 1887. Burma
P. p. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 321 (D ♂♀).
P. p. Pocock 1900, Faun. Brit. Ind; Arachn. p. 256 (D ♀).

♂♀ **viridana** (Stoliczka) 1869. Indien, Ceylon, Burma
Sphasus v. Stoliczka 1869, Journ. Asiat. Soc. Bengal. 38 p. 220 T. 20 F. 1 (D ♀).
P. v. Simon 1884, Ann. Mus. Civ. Genova 20 p. 326 (D ♂♀).
P. nigropunctata Simon 1884, Ann. Mus. Civ. Genova 20 p. 365 (D ♂♀).
P. prasina Thorell 1887, Ann. Mus. Civ. Genova 25 p. 321 (nom. nov.).
P. v. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 255 f. 86 (D ♂♀).
P. v. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 152 (N ♀).

Australische Arten:

♀ **albescens** L. Koch 1878. Queensland
P. a. L. Koch 1878, Arachn. Austral. 1 (2) p. 998 T. 87 F. 3 (D ♀).

♀ **margaritata** Hogg 1914. Montebello-I.
P. m. Hogg 1914, Proc. Zool. Soc. Lond. (1) p. 89 T. 2 F. 11 (D ♀).

Neotropische Arten:

§ 8 Arten: Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 520—522.

♂♀ **amazonica** Mello-Leitao 1929. Amazonas, Peru
P. a. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 525 T. 3 F. 45, 46, 50 (D ♂♀).

♂♀ **bibranchiata** F. Cambridge 1902. Mexico, Guatemala, Costa Rica, Panama
P. thalassina Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 702 T. 2 F. 67, 68 (D ♂, nec ♀).
P. b. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 340 T. 32 F. 12, 13 (D ♂♀).

♀ **duplovittata** Mello-Leitao 1941. Columbien
P. d. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (2) p. 122 f. 6—7 (D ♀).

♂♀ **flava** Keyserling 1876. Brasilien
P. f. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 700 T. 8 F. 65, 66 (D ♀).
P. f. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 526 T. 3 F. 47, 48, 51 (D ♂♀).

♂ **heterochroma** Mello-Leitao 1929. Brasilien
P. h. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 111 TF. 22—24 (D ♂).

♂ **longipalpis** F. Cambridge 1902. Mexico
P. l. F. Cambridge 1902, Biol. Centr. Amar. Aran. 2 p. 340 T. 32 F. 11 (D ♂).

♀ **macroglossa** Mello-Leitao 1929. Brasilien
P. m. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 327 T. 3 F. 49 (D ♀).

maculipedes Piza 1938. S.-Brasilien
P. m. Piza 1938, Bol. Biol. S. Paulo (N. S.) 3 (2) p. 48 f. 2 (D).

♀ **melloleitaoi** Caporiacco 1947. Brit.-Guiana
P. m. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 23 (D ♀).
P. m. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 641 TF. 44 (D ♀).

♂ **meridionalis** Mello-Leitao 1929. Brasilien
P. m. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 524 T. 2 F. 43; T. 3 F. 44 (D ♂).

♂ **poeyi** (Lucas) 1857. Cuba
Sphasus p. Lucas 1857, Arachn. in: Sagra, Hist. phys. pol. nat. d. Cuba p. 76 T. 4 F. 3 (D ♂).

♀ **quadrilineata** Simon 1891. Costa Rica
P. q. Simon 1891, Bull. Soc. Zool. France 16 p. 111 (D ♀).

♀ **roseonigra** Mello-Leitao 1943. Chile
P. r. Mello-Leitao 1943, Rev. Bras. Biol. R. d. Jan. 3 (4) p. 408 f. 5 (D ♀).

♀ **rubricapilla** Petrunkevitch 1925. Panama
P. r. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 170 f. 90—92 (D ♀).

♂♀ **rubrigastra** Mello-Leitao 1929. Brasilien, Argentinien
P. r. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 528 T. 3 F. 60—62 (D ♂♀).
P. r. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 165 TF. 3 (N).

♂♀ **rubrolineata** Keyserling 1876. Columbien
P. r. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 704 T. 8 F. 70, 71 (D ♂♀).

♀ **similis** Keyserling 1876. Brasilien
P. s. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 705 T. 8 F. 72 (D ♀).
P. s. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 524 T. 3 F. 52 (D ♀).

♀ **smaragdina** Mello-Leitao 1941. Columbien
P. s. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 278 f. 11 (D ♀) (in f. **P. amagdina**).

♀ **thalassina** (C. L. Koch) 1848. Mexico, Centr.-Amerika
Sphasus t. C. L. Koch 1848, Die Arachniden 15 p. 57 TF. 1456 (D ♀).
Oxyopa t. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 387 (C).
P. t. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 702 T. 8 F. 69 (D ♀, nec ♂).

♂ **tranquilini** Mello-Leitao 1922. Brasilien
P. t. Mello-Leitao 1922, Ann. Soc. Ent. France 91 p. 214 f. 12, 13 (D ♂).
P. t. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 522 T. 2 F. 40 (D ♂).

♀ **trivittata** Mello-Leitao 1940. Brasilien
P. t. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 200 (D ♀).

♂ **villosa** Mello-Leitao 1929. Brasilien
P. v. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 523 T. 2 F. 41 (D ♂).

♀ **viridisternis** Mello-Leitao 1945. Argentinien
P. v. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. p. 255 f. 39 (D ♀).

Transgredierende Arten:

♂♀ **viridans** (Hentz) 1845. U. St. Amerika, Centr.-Amerika, Mexico, Westind. Ins.

? Clastes abbotii Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 579 (D ♀).
? Clastes roseus Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 476 (D).
? Clastes viridis Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 475 (D).
Oxyopes v. Hentz 1845, Boston Journ. Nat. Hist. Soc. 5 p. 195 T. 17 F. 2 (D ♀).
? Clastes abbotii Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 394 (N).
P. aurora Mc Cook 1883, Proc. Ac. Nat. Sci. Philad. p. 277 (D ♀).
P. v. Emerton 1902, Common Spiders p. 89 f. 220 (D ♀).
P. v. Petrunkevitch 1929, Trans. Connect. Ac. Sci. 30 p. 106 f. 89—91 (D ♂♀).
P. abboti Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 134 (N ♂♀).

Gen. **Pseudohostus** Rainbow 1915.

♀ **squamosus** Rainbow 1915. Süd-Australien

P. s. Rainbow 1915, Trans. Soc. S. Austral. 39 p. 789 T. 68 F. 18—21 (D ♀).

Gen. **Schaenioscelis** Simon 1898.

§ 4 Arten: Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 530—531.

♀ **concolor** Simon 1898. Amazonas

S. c. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 32 (D ♀).
S. c. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 532 (D ♀).

♂♀ **elegans** Simon 1898. – * Brasilien

S. e. Simon 1898, Ann. Soc. Ent. Belg. 42 p. 32 (D ♂♀).
S. e. Simon 1898, Hist. Nat. Araign. 2 (2) p. 378 f. 372 (N ♂).
S. e. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 531 T. 3 F. 53—55 (D ♂♀).

♂ **exilis** Mello-Leitao 1930. Amazonas

S. e. Mello-Leitao 1930, Rev. Chilen. Hist. Nat. 34 p. 367 f. 74 a, b; T. 11 F. 1 (D ♂).
Schenicoscelis e. Mello-Leita 1930, Arch. Mus. Nac. R. d. Janeiro 32 p. 59 (D ♂).

♀ **guianensis** Caporiacco 1947. Brit. Guiana

S. g. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 23 (D ♀).
S. g. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 642 TF. 45 (D ♀).

♂ **leucochlorus** Mello-Leitao 1929. Brasilien

S. l. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 533 T. 3 F. 58, 59 (D ♂).

♂ **luteolus** Mello-Leitao 1929. Mato Grosso

S. l. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 532 T. 3 F. 56, 57 (D ♂).

♀ **viridis** Mello-Leitao 1927. Süd-Brasilien

S. v. Mello-Leitao 1927, Rev. Mus. Paulista 15 p. 410 T. 15 F. 8 (D ♀).

Gen. **Tapinillus** Simon 1898.

♀ **argentinus** Mello-Leitao 1941. Nord-Argentinien

T. a. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 140 T. 1 F. 3; T. 7 F. 30 (D ♀).

♂♀ **longipes** (Taczanowski) 1872. – * Amazonas, Guiana Venezuela, Trinidad, Peru, Panama

Isopus l. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 105 T. 4 F. 9 (D ♂♀)
Peucetia l. Keyserling 1880, Verh. Zool. Bot. Ges. Wien 30 p. 581 (D ♂).
T. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 379 (N).
T. l. Mello-Leitao 1929, Rev. Mus. Paulista 16 p. 518 T. 2 F. 37—39 (D ♂♀).

♀ **purpuratus** Mello-Leitao 1940. Brasilien

T. p. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 201 (D ♀).

♀ **roseisterni** Mello-Leitao 1930. Amazonas

T. r. Mello-Leitao 1930, Rev. Chilen. Hist. Nat. 34 p. 368 f. 74c; T. 11 F. 2 (D ♀).

Gen. **Tapponia** Simon 1885.

♂ **austera** Thorell 1894. Singapore

T. a. Thorell 1894, Bull. Soc. Ent. Ital. 26 (3) p. 336 (D ♂).
T. a. Workman 1896, Malays. Spid. p. 98 T. 98 (D ♂).

o **cornuta** Thorell 1895. Burma

T. c. Thorell 1895, Descr. Catal. Spid. Burma p. 258 (D o).

♀ **fronto** (Thorell) 1890. Sumatra

Oxyopes f. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 142 (D ♀).
Oxyopes f. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 209 (D ♀).

♀ **heterosticta** Pocock 1897. Celebes, Molukken

T. h. Pocock 1897, Abh. Senckenbg. Ges. 23 p. 607 T. 25 F. 13 (D ♀).
T. h. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 305 (N ♀).

♀ **hieroglyphica** (Thorell) 1887. Burma, Sumatra

Oxyopes h. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 332 (D ♀).

♀ **incompta** Thorell 1895. Burma

T. i. Thorell 1895, Descr. Catal. Spid. Burma p. 259 (D ♀).

♀ **insulana** Thorell 1891. Nicobaren

T. i. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 73 (D ♀).

♀ **latifrons** (Thorell) 1890. Sumatra

Oxyopes l. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 143 (D ♀).
Oxyopes l. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 211 (D ♀).

♀ **micans** Simon 1885. – * Ins. Bodjo bei Sumatra

T. m. Simon 1885, Ann. Soc. Ent. Belg. 29 C. R. p. 37 (D ♀).
T. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 380 f. 381 (N).

♂ **obtusa** (Thorell) 1892. Sumatra

Oxyopes o. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 207 (D ♂).

♂♀ **severa** Thorell 1895. Burma

T. s. Thorell 1895, Descr. Catal. Spid. Burma p. 255 (D ♂♀).

♀ **signifera** (Doleschall) 1859. Java

Sphasus s. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 12 T. 16 F. 4 (D ♀).

♂♀ **superba** (Thorell) 1887. Burma

Oxyopes s. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 335 (D ♂♀).

38. Fam. SENOCULIDAE

Gen. **Senoculus** Taczanowski 1872.

§ 6 Arten: Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 90 (sub **Labdacus**).
§ 5 ♂, 9 ♀: F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 167.
§ 11 ♂, 19 ♀: Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (2) p. 164—166.
§ 3 ♂, 6 ♀: Chickering 1941, Pap. Michig. Ac. Sci. 26 p. 196—197.

♀ **albidus** (F. Cambridge) 1897. Brasilien

Labdacus a. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 91 (D ♀).
S. a. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 168 T. 14 F. 14 (D ♀).

♂♀ **barroanus** Chickering 1941. Panama

S. b. Chickering 1941, Pap. Michig. Ac. Sci. 26 p. 197 f. 1—3 (D ♂♀).

♂♀ **bucolicus** Chickering 1941. Panama

S. b. Chickering 1941, Pap. Michig. Ac. Sci. 26 p. 203 f. 4—6 (D ♂♀).

♂ **cambridgei** Mello-Leitao 1927. Amazonas

Labdacus monastoides Cambridge 1896, Proc. Zool. Soc. Lond. p. 1009 T. 52 F. 3 (D ♂, nec ♀).
S. c. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (2) p. 168 (nom. nov.).

♂♀ **canaliculatus** F. Cambridge 1902. Panama, Guatemala, Mexico

S. c. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 350 T. 33 F. 3, 4 (D ♂♀).
S. valentinei Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 192 f. 105—111 (D ♂).
S. c. Chickering 1941, Pap. Michig. Ac. Sci. 26 p. 207 f. 7—9 (D ♂♀)

♀ **carminatus** Mello-Leitao 1927. Mato Grosso

S. c. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (2) p. 170 (D ♀).

♀ **darwini** (Holmberg) 1883. Argentin. Chaco

Neothereutes d. Holmberg 1883, Bol. Ac. Nac. Argent. Cordoba 5 p. 42 (D ♀).
S. d. Simon 1898, Hist. Nat. Araign. 2 (2) p. 369 (N).
S. d. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 166 (C).

♂ **fimbriatus** Mello-Leitao 1927. Brasilien

S. f. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (3) p. 250 f. 20 (D ♂).

♂♀ **gracilis** (Keyserling) 1879. Amazonas, Peru, Guiana

Stenoctenus g. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 341 T. 4 F. 29 (D ♀).
Labdacus parallelus Simon 1880, Bull. Soc. Zool. France 5 p. 156 (D ♀).
Stenoctenus pallidus F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 92 T. 4 F. 5 (D ♂).
S. g. Simon 1898, Hist. Nat. Araign. 2 (2) p. 369 (N).
S. g. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 166 (N).
S. pallidus F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 166 (N).
S. parallelus F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 166 (N).
S. parallelus = **gracilis** Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (2) p. 166 f. 1—3 (N ♂♀).

♀ **guianensis** Caporiacco 1947. Brit. Guiana

S. g. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 23 (D ♀).
S. g. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 643 (D ♀).

♂♀ **iricolor** (Simon) 1880. Amazonas
Labdacus i. Simon 1880, Bull. Soc. Zool. France 5 p. 153 (D ♂♀).
S. i. Simon 1898, Hist. Nat. Araign. 2 (2) p. 367 f. 366 (N ♂).
S. i. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 166 (N).
S. i. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (2) p. 168 f. 4—6 (N ♂♀).

♂♀ **maronicus** Taczanowski 1872. – * Guiana
S. m. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 108 T. 3 F. 4 (D ♀).
S. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 369 f. 360—364 (N).
S. m. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (2) p. 170 f. 10—12 (D ♂♀).

♂ **minutus** Mello-Leitao 1927. Brasilien
S. m. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (3) p. 248 f. 14, 15 (D ♂).

♂♀ **monastoides** (Cambridge) 1873. Süd-Brasilien
Labdacus m. Cambridge 1873, Proc. Zool. Soc. Lond. p. 118 T. 12 F. 3 (D ♀).
S. m. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 166 (N).

♀ **nigropurpureus** Mello-Leitao 1927. Paraguay
S. n. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (2) p. 168 (D ♀).

♂♀ **penicillatus** Mello-Leitao 1927. Mato Grosso, Paraguay, Trinidad
S. p. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (3) p. 250 f. 21—23 (D ♂♀).

♀ **planus** Mello-Leitao 1927. Brasilien
S. p. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (3) p. 251 f. 24 (D ♀).

♀ **plumosus** (Simon) 1880. Brasilien
Labdacus p. Simon 1880, Bull. Soc. Zool. France 5 p. 155 (D o).
S. p. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 166 (N).

♂♀ **prolatus** (Cambridge) 1896. Guatemala, Mexico
Labdacus p. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 218 T. 28 F. 3 (D ♂).
S. p. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 350 T. 33 F. 1, 2 (D ♂♀).

♀ **proximus** Mello-Leitao 1927. Pernambuco
S. p. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (3) p. 249 f. 16 (D ♀).

♂♀ **purpureus** (Simon) 1880. Panama, Venezuela, Brasilien
Labdacus p. Simon 1880, Bull. Soc. Zool. Farnce 5 p. 155 (D o).
S. p. F. Cambridge 1902, Biol. Centr. Amer. Aran. 2 p. 350 (N).
S. p. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (3) p. 249 f. 17—19 (D ♂♀).

♀ **robustus** Chickering 1941. Panama
S. r. Chickering 1941, Pap. Michig. Ac. Sci. 26 p. 210 f. 10 (D ♀).

♀ **rubicundus** Chickering 1953. Panama
S. r. Chickering 1953, Trans. Amer. Microsc. Soc. 72 (3) p. 285 f. 3 (D ♀).

♀ **rubromaculatus** Keyserling 1879. Peru
S. r. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 339 T. 4 F. 30 (D ♀).

♂♀ **ruficapillus** (Simon) 1880. Brasilien
Labdacus r. Simon 1880, Bull. Soc. Zool. France 5 p. 154 (D ♂♀).
S. r. F. Cambridge 1903, Proc. Zool. Soc. Lond. (1) p. 166 (N).
S. r. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (2) p. 169 f. 7—9 (N ♂♀).

♀ **silvaticus** Chickering 1941. Panama
S. s. Chickering 1941, Pap. Michig. Ac. Sci. 26 p. 213 f. 11 (D ♀).

♀ **tigrinus** Chickering 1941. Panama
S. t. Chickering 1941, Pap. Michig. Ac. Sci. 26 p. 216 f. 12 (D ♀).

♀ **uncatus** Mello-Leitao 1927. Brasilien
S. u. Mello-Leitao 1927, Bull. Mus. Hist. Nat. Paris 33 (3) p. 247 f. 13 (D ♀).

♂ **zeteki** Chickering 1953. Panama
S. z. Chickering 1953, Trans. Amer. Microsc. Soc. 72 (3) p. 283 f. 1—2 (D ♂).

2. Subcohors **Dionycha**

1. Superfam. GNAPHOSAEFORMIA

39. Fam. PRODIDOMIDAE

1. Subfam. Prodidominae

Gen. **Austrodomus** Lawrence 1949.

♀ **zuluensis** Lawrence 1949. Zululand
A. z. Lawrence 1949, Göteborg. Vet. Handl. (B) 5 (9) p. 10 f. 3 (D ♀).

Gen. **Cryptoerithus** Rainbow 1915.

♀ **occultus** Rainbow 1915. Centr. Australien
C. o. Rainbow 1915, Trans. Soc. S. Austral. 39 p. 778 T. 67 F. 3—5 (D ♀).

Gen. **Eleleis** Simon 1893.

♀ **crinita** Simon 1893. Capland
E. c. Simon 1893, Hist. Nat. Araign. 1 (2) p. 337 f. 301, 302 (D ♀).
E. c. Dalmas 1918, Ann. Soc. Ent. France 87 p. 338 f. 21, 35 (D ♀).

Gen. **Hyltonia** Biraben 1954.

♂ **scottae** Biraben 1954. Argentinien
H. s. Biraben 1954, Neotropica, Not. Zool. Sudamer. 1 (1) p. 13 f. 1—7 (D ♂).

Gen. **Prodida** Dalmas 1918.

♀ **longiventris** Dalmas 1918. Philippinen
P. l. Dalmas 1918, Ann. Soc. Ent. France 87 p. 324 f. 31 (D ♀).

Gen. **Prodidomus** Hentz 1847.

§ 23 Arten: Dalmas 1918, Ann. Soc. Ent. France 87 p. 296.

Palaearktische Arten:

♂♀ **amaranthinus** (Lucas) 1846. Spanien, N.-Afrika, Palästina, Syrien

Enyo a. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 231 T. 14 F. 7 (D ♀).
Clotho a. Walckenaer 1847, Hist. Nat. Ins. Apt. p. 454 (D ♀).
Miltia a. Simon 1870, Rev. Mag. Zool. (2) 22 p. 148 (16) (N).
Miltia a. Cambridge 1872, Proc. Zool. Soc. Lond. p. 218 (D ♂).
Miltia a. L. Koch 1872, Arachn. Austral. 1 (1) p. 300 (N).
P. a. Simon 1892, Rev. Biol. Nord-France 2 p. 82 (3) (N).
P. a. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 80 (N).
P. a. Dalmas 1918, Ann. Soc. Ent. France 87 p. 301 f. 1, 6, 8, 18, 22 (D ♂♀).

♂ **diversus** (Cambridge) 1872. Syrien

Miltia d. Cambridge 1872, Proc. Zool. Soc. Lond. p. 219 (D ♂).
P. d. Dalmas 1918, Ann. Soc. Ent. France 87 p. 303 (D ♂).

♂♀ **flavidus** (Simon) 1884. Algier

Miltia f. Simon 1884, Ann. Soc. Ent. Belg. 28 C. R. p. 140 (D ♂♀).
P. f. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 83 (N).
P. f. Dalmas 1918, Ann. Soc. Ent. France 87 p. 309 f. 11, 24 (D ♂♀).

♀ **geniculosus** Dalmas 1918. Tunis

P. g. Dalmas 1918, Ann. Soc. Ent. France 87 p. 319 f. 27 (D ♀).

♀ **hispanicus** Dalmas 1918. Spanien

P. h. Dalmas 1918, Ann. Soc. Ent. France 87 p. 318 (D ♀).

♂♀ **letourneuxi** (Simon) 1880. Unteraegypten

Miltia l. Simon 1880, Ann. Soc. Ent. France (5) 10 Bull. p. 56 (D o).
P. l. Simon 1907, Res. Swed. Zool. Exped. Egypt. Wh. Nile (Arachn.) 21 p. 3 (N).
P. l. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 82 (N).
P. l. Dalmas 1918, Ann. Soc. Ent. France 87 p. 304 f. 9, 10 (D ♂♀).

♀ **redikorzevi** Spassky 1940. Turkestan

P. r. Spassky 1940, Folia Zool. Hydrobiol. Riga 10 p. 362 T. 7 F. 14, 15 (D ♀).

Aethiopische Arten:

§ 5 ♂, 7 ♀: Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 76.

♂♀ **aurantiacus** Simon 1890. Arabien

P. au. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 89 (D ♂).
P. au. Simon 1893, Hist. Nat. Araign. 1 (2) p. 335 f. 303 (N ♂).
P. au. Dalmas 1918, Ann. Soc. Ent. France 37 p. 313 f. 12, 25 (D ♂♀).

♀ **capensis** Purcell 1904. Capland

P. c. Purcell 1904, Trans. S. Afr. Phil. Soc. 15 (3) p. 170 T. 11 F. 39 (D ♀).
P. c. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 84 (N ♀).
P. c. Dalmas 1918, Ann. Soc. Ent. France 87 p. 320 (D ♀).

♂ **dalmasi** Berland 1919. O.-Afrika

P. d. Berland 1919, Ann. Soc. Ent. France 88 Bull. p. 347 f. 1 (D ♂).
P. d. Berland 1920, Aran. II in: Voy. Alluaud & Jeannel Afr. Centr. p. 98 f. 113, 114 (D ♂).

♂ **djibutensis** Dalmas 1918. Djibuti
P. d. Dalmas 1918, Ann. Soc. Ent. France 87 p. 314 f. 13 (D ♂).

♂♀ **domesticus** Lessert 1938. Belg. Congo
P. d. Lessert 1938, Rev. Zool. Bot. Afr. 30 (4) p. 429 f. 7—9 (D ♂♀).

♀ **flavipes** Lawrence 1952. Zululand
P. f. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 192 f. 17 (D ♀).

♂ **hirsutus** Lawrence 1927. SW.-Afrika
P. h. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 10 T. 3 F. 58 (D ♂).

♀ **lampei** Strand 1915. SW.-Afrika
P. l. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 78 (D ♀).

♀ **maximus** Lessert 1936. Portug. O.-Afrika
P. m. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 215 f. 9 (D ♀).

♀ **nigellus** Simon 1890. Arabien
P. n. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 90 (D ♀).
P. n. Dalmas 1918, Ann. Soc. Ent. France 87 p. 310 f. 28 (D ♀).

♀ **purpurascens** Purcell 1904. Capland
P. p. Purcell 1904, Trans. S. Afr. Phil. Soc. 15 (3) p. 171 T. 11 F. 40 (D ♀).
P. p. Strand 1915, Jahrb. Nassau, Ver. Nat. 68 p. 85 (N ♀).
P. p. Dalmas 1918, Ann. Soc. Ent. France 87 p. 307 (D ♀).

♂ **purpureus** Simon 1907. Portug. Guinea
P. p. Simon 1907, Ann. Mus. Civ. Genova 43 p. 233 (D ♂).
P. p. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 84 (N ♂).
P. p. Dalmas 1918, Ann. Soc. Ent. France 87 p. 305 (D ♂).

♀ **reticulatus** Lawrence 1927. SW.-Afrika
P. r. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 9 T. 1 F. 3 (D ♀).

♀ **robustus** Dalmas 1918. Erythraea
P. r. Dalmas 1918, Ann. Soc. Ent. France 87 p. 311 (D ♀).

♀ **rodolphianus** Dalmas 1918. O.-Afrika
P. r. Dalmas 1918, Ann. Soc. Ent. France 87 p. 305 f. 23 (D ♀).

♂♀ **scaber** Purcell 1904. Capland
P. sc. Purcell 1904, Trans. S. Afr. Phil. Soc. 15 (3) p. 172 T. 11 F. 41, 42 (D ♂♀).
P. sc. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 86 (N).
P. sc. Dalmas 1918, Ann. Soc. Ent. France 87 p. 308 (D ♂♀).

♂o **simoni** Dalmas 1918. Transvaal
P. s. Dalmas 1918, Ann. Soc. Ent. France 87 p. 315 f. 14 (D ♂o).

Oo **tigrinus** Dalmas 1918. W.-Afrika
P. t. Dalmas 1918, Ann. Soc. Ent. France 87 p. 306 (D Oo).

Orientalische Arten:

♀ **birmanicus** Thorell 1897. Burma
P. b. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 203 (D ♀).
P. b. Dalmas 1918, Ann. Soc. Ent. France 87 p. 312 (D ♀).

O **chaperi** (Simon) 1884. Indien

Miltia ch. Simon 1884, Ann. Soc. Ent. Belg. 28 C. R. p. 141 (D O).
P. ch. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 21 (C).
P. ch. Dalmas 1918, Ann. Soc. Ent. France 87 p. 321 (D O).

Australische Arten:

♀ **gulosus** (Simon) 1884. Neu-Caledonien

Miltia g. Simon Ann. Soc. Ent. Belg. 28 C. R. p. 141 (D ♀).
P. g. Simon 1893, Hist. Nat. Araign. 1 (2) p. 333 f. 296—299 (N).
P. g. Dalmas 1918, Ann. Soc. Ent. France 87 p. 318 f. 26 (D ♀).

Neotropische Arten:

♀ **nigricauda** Simon 1892. Venezuela

P. n. Simon 1892, Ann. Soc. Ent. France 61 p. 450 (D ♀).
P. n. Dalmas 1918, Ann. Soc. Ent. France 87 p. 322 f. 29 (D ♀).

♀ **opacithorax** Simon 1892. Venezuela

P. o. Simon 1892, Ann. Soc. Ent. France 61 p. 451 (D ♀).
P. o. Dalmas 1918, Ann. Soc. Ent. France 87 p. 323 f. 30 (D ♀).

Nearktische Arten:

♂♀ **rufus** Hentz 1847. – * U. St. Amerika

P. r. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 466 T. 30 F. 4 (D ♀).
P. r. Hentz 1866, Boston Journ. Nat. Hist. Soc. 11 p. 108 T. 18 F. 9 (N ♀).
P. r. Banks 1892, Proc. Ent. Soc. Wash. 2 p. 259 f. 12 (N o).
P. r. Simon 1893, Hist. Nat. Araign. 1 (2) p. 337 (N).
P. r. Dalmas 1918, Ann. Soc. Ent. France 87 p. 316 (N o).
P. r. Bryant 1935, Psyche 42 (3) p. 163 f. 1 (D ♀).
P. r. Bryant 1949, Psyche 56 (1) p. 22 f. 1 (D ♂).

2. Subfam. Zimirinae

Gen. **Pericuris** Chamberlin 1924.

♀ **insularis** Chamberlin 1924. – * Nieder-Californien

P. i. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 609 f. 42—45 (D ♀).

o **pallida** Chamberlin & Ivie 1935. Californien

P. p. Chamberlin & Ivie 1935, Bull. Univ. Utah 2 (8) Biol. 26 (4) p. 11 T. 5 F. 35 (D o).

Gen. **Zimirina** Dalmas 1918.

§ 4 Arten: Dalmas 1918, Ann. Soc. Ent. France 87 p. 326.

Palaearktische Arten:

♂ **deserticola** Dalmas 1918. Algier

Z. d. Dalmas 1918, Ann. Soc. Ent. France 87 p. 327 f. 16 (D ♂).

♀ **lepida** (Blackwall) 1859. Madeira

Clotho l. Blackwall 1859, Ann. Mag. Nat. Hist. (3) 4 p. 257 (D ♀).
Z. l. Dalmas 1918, Ann. Soc. Ent. France 87 p. 328 (D ♀).

♂♀ **penicillata** (Simon) 1893. – * Algier

Prodidomus p. Simon 1893, Ann. Soc. Ent. France 62 p. 308 (D ♂).
Prodidomus p. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 83 (N ♂).
Z. p. Dalmas 1918, Ann. Soc. Ent. France 87 p. 326 f. 15, 19, 32 (D ♂♀).

Aethiopische Arten:

♂ **transvaalica** Dalmas 1918. Transvaal
Z. t. Dalmas 1918, Ann. Soc. Ent. France 87 p. 328 f. 17 (D ♂).

Gen. **Zimiris** Simon 1882.

§ 6 Arten: Dalmas 1918, Ann. Soc. Ent. France 87 p. 331.

Aethiopische Arten:

♀ **doriae** Simon 1882. – * Yemen
Z. d. Simon 1882, Ann. Mus. Civ. Genova 18 p. 240 T. 8 F. 12—15 (D o).
Z. d. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 90 (C).
Z. dorirai Simon 1893, Hist. Nat. Araign. 1 (2) p. 333 f. 300 (N).
Z. dorirai Dalmas 1918, Ann. Soc. Ent. France 87 p. 332 (D ♀).

Orientalische Arten:

♀ **indica** Simon 1884. Indien
Z. i. Simon 1884, Ann. Soc. Ent. Belg. 28 C. R. p. 141 (D ♀).
Z. i. Dalmas 1918, Ann. Soc. Ent. France 87 p. 333 f. 33 (D ♀).
Z. i. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 197 T. 16 F. 127 (D ♀).

♀ **mammillana** Thorell 1890. Java
Z. m. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 384 (D ♀).
Z. m. Dalmas 1918, Ann. Soc. Ent. France 87 p. 334 (D ♀).

Neotropische Arten:

o **grisea** Banks 1898. Mexico
Z. g. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 214 T. 13 F. 4 (D o).
Neozimiris g. Simon 1903, Hist. Nat. Araign. 2 (4) p. 984 (N).
Z. g. Dalmas 1918, Ann. Soc. Ent. France 87 p. 336 (D o).

♀ **guianensis** Dalmas 1918. Guiana
Z. g. Dalmas 1918, Ann. Soc. Ent. France 87 p. 335 f. 20, 34 (D ♀).

♀ **pubescens** Banks 1898. Mexico
Z. p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 214 T. 13 F. 3 (D ♀).
Neozimiris p. Simon 1903, Hist. Nat. Araign. 2 (4) p. 984 (N).
Z. p. Dalmas 1918, Ann. Soc. Ent. France 87 p. 336 (D ♀).

40. Fam. GNAPHOSIDAE

47 Gattungen: Chamberlin 1922, Biol. Soc. Wash. 35 p. 146—148.
22 Gattungen: Mello-Leitao 1940, Rev. Mus. La Plata (N.S.) 2 Zool. p. 49—51.

1. Subfam. Hemicloeinae

Gen. **Corimaethes** Simon 1908.

♀ **campestris** Simon 1908. W.-Australien
C. c. Simon 1908, Faun. S. W. Austral. 1 (12) p. 385 (D ♀).

Gen. **Hemicloea** Thorell 1870.

§ 12 Arten: L. Koch 1875, Arachn. Austral. 1 (2) p. 617 u. 834 (part.).
§ 11 Arten: Simon 1880, Act. Soc. Linn. Bord. 34 p. 239.
§ 5 Arten: Simon 1908, Faun. S. W. Austral. 1 (12) p. 381.
§ 4 Arten: Dalmas 1917, Ann. Soc. Ent. France 86 p. 341.

♂ **affinis** L. Koch 1875. Neu-S.-Wales
H. a. L. Koch 1875, Arachn. Austral. 1 (2) p. 632 T. 50 F. 4 (D ♂).

♀ **alacris** Dalmas 1917. Neu-Seeland
H. a. Dalmas 1917, Ann. Soc. Ent. France 86 p. 343 f. 15 (D ♀).

♂♀ **celerrima** Dalmas 1917. Neu-Seeland
H. c. Dalmas 1917, Ann. Soc. Ent. France 86 p. 343 f. 14, 18 (D ♂♀).

♀ **cineracea** L. Koch 1876. Queensland
H. c. L. Koch 1876, Arachn. Austral. 1 (2) p. 843 T. 72 F. 5 (D ♀).

♂♀ **crocolita** Simon 1908. W.-Australien
H. c. Simon 1908, Faun. S. W. Austral. 1 (12) p. 384 f. 5 (D ♂♀).

O **fumosa** L. Koch 1876. Queensland
H. f. L. Koch 1876, Arachn. Austral. 1 (2) p. 840 T. 72 F. 3 (D O).

♀ **insidiosa** Simon 1908. W.-Australien
H. i. Simon 1908, Faun. S. W. Austral. 1 (12) p. 382 (D ♀).

♂♀ **limbata** L. Koch 1875. Neu-S.-Wales
H. l. L. Koch 1875, Arachn. Austral. 1 (2) p. 634 T. 50 F. 5, 6 (D ♂♀).
H. l. Simon 1893, Hist. Nat. Araign. 1 (2) p. 342 f. 307 (N).

♂ **longipes** Hogg 1896. Centr. Australien
H. l. Hogg 1896, Aran. in: Rep. Horn Exped. 2 (Zool.) p. 343 (D ♂).

♂♀ **major** L. Koch 1875. Neu-S.-Wales
H. m. L. Koch 1875, Arachn. Austral. 1 (2) p. 624 T. 49 F. 5 (D ♀).
H. m. L. Koch 1876, Arachn. Austral. 1 (2) p. 841 T. 72 F. 4 (D ♂).

♀ **michaelseni** Simon 1908. W.-Australien
H. m. Simon 1908, Faun. S. W. Austral. 1 (12) p. 383 (D ♀).

♂♀ **murina** L. Koch 1875. Queensland
H. m. L. Koch 1875, Arachn. Austral. 1 (2) p. 639 T. 51 .F 2, 3 (D ♂♀).

♀ **pacifica** Berland 1924. Loyalty-I.
H. p. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 187 f. 44 (D ♀).

♀ **plagusia** (Walckenaer) 1805. Australien
Thomisus p. Walckenaer 1805, Tabl. Aran. p. 29 (N).
Delena p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 492 (D ♀).
Delena p. C. L. Koch 1845, Die Arachniden 12 p. 50 TF. 987 (D ♀).

♂♀ **plana** L. Koch 1875. Queensland, Neu-S.-Wales
H. p. L. Koch 1875, Arachn. Austral. 1 (2) p. 626 T. 49 F. 6 (D ♀).
H. p. L. Koch 1876, Arachn. Austral. 1 (2) p. 845 T. 72 F. 6 (D ♂).

♂♀ **plauta** Urquhart 1885. Neu-Seeland
H. p. Urquhart 1885, Trans. N. Zeal. Inst. 18 p. 199 T. 8 F. 6 (D ♀).
H. p. Urquhart 1886, Trans. N. Zeal. Inst. 19 p. 110 T. 8 F. 9 (D ♂).
H. p. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 1 T. 1 F. 1, 2; T. 4 F. 35 (D ♂).

♂♀ **plumea** L. Koch 1875. Queensland, Neu-S.-Wales, Lord Howe-I.
H. p. L. Koch 1875, Arachn. Austral. 1 (2) p. 627 T. 50 F. 1 (D ♀).
H. p. Simon 1893, Hist. Nat. Araign. 1 (2) p. 342 f. 304 (N ♂).

♀ **rogenhoferi** L. Koch 1875. Queensland, Neu-S.-Wales, Neu-Seeland

H. r. L. Koch 1875, Arachn. Austral. 1 (2) p. 637 T. 51 F. 1 (D ♀).
H. r. Dalmas 1917, Ann. Soc. Ent. France 86 p. 342 f. 16 (D ♀).

♂♀ **semiplumosa** Simon 1908. W.-Australien

H. s. Simon 1908, Faun. S. W. Austral. 1 (12) p. 384 f. 5 (D ♂♀).

♀ **sublimbata** Simon 1908. W.-Australien

H. s. Simon 1908, Faun. S. W. Austral. 1 (12) p. 383 f. 6 (D ♀).

♀ **sundevallei** Thorell 1870. – * Queensland, Neu-S.-Wales, Neu-Seeland

H. s. Thorell 1870, Oefers. Vet. Ak. Förh. 27 (4) p. 381 (D ♀).
H. s. L. Koch 1875, Arachn. Austral. 1 (2) p. 629 T. 50 F. 2 (D ♀).
H. s. Simon 1893, Hist. Nat. Araign. 1 (2) p. 346 f. 308, 309 (N).

♀ **tasmani** Dalmas 1917. Neu-Seeland

H. t. Dalmas 1917, Ann. Soc. Ent. France 86 p. 344 f. 17 (D ♀).

♀ **tenera** L. Koch 1876. Queensland, Neu-S.-Wales

H. t. L. Koch 1876, Arachn. Austral. 1 (2) p. 847 T. 73 F. 1 (D ♀).

Gen. **Hemicloeina** Simon 1893.

o **somersetensis** (Thorell) 1881. Queensland

Hemicloea s. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 307 (D o).
H. s. Simon 1895, Hist. Nat. Araign. 1 (2) p. 346 (N).

Gen. **Oltacloea** Mello-Leitao 1940.

♂ **mutilata** Mello-Leitao 1940. – * Argentinien

O. m. Mello-Leitao 1940, Notas Mus. La Plata 5 (Zool. 43) p. 255 (D ♂).
O. m. Mello-Leitao 1943, Rev. Mus. La Plata (N.S.) 3 (Zool. 20) p. 113 f. 14 (C ♂).

♀ **major** Mello-Lateio 1942. Argentinien

O. m. Mello-Leitao 1942, Rev. Mus. La Plata (N.S.) 2 (Zool. 16) p. 404 f. 28 (D ♀).

Gen. **Platyoides** Cambridge 1890.

§ 4 Arten: Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 20.
§ 10 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 254.

♀ **abrahami** Cambridge 1890. – * S.-Afrika

P. a. Cambridge 1890, Proc. Zool. Soc. Lond. p. 624 T. 58 F. 4 (D ♀).
P. a. Simon 1893, Hist. Nat. Araign. 1 (2) p. 347 f. 310 (N).
P. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 255 (D ♀).

♂ **alpha** Lawrence 1928. SW.-Afrika

P. a. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 226 T. 21 F. 6 (D ♂).

♀ **beta** Lawrence 1928. SW.-Afrika

P. b. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 226 T. 21 F. 7 (D ♀).

o **bidentatus** Strand 1906. Abessinien

P. b. Strand 1906, Zool. Anz. 30 (19—20) p. 607 (D o).
P. (Pseudoplatyoides) b. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 34 (D o).

♂♀ **bidentifer** Strand 1908. S.-Afrika

P. bidentatus Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 298 T. 13 F. 1, 2 (D ♂♀).
P. b. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 267 (N).
P. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 255 (D ♂♀).
P. b. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 223 (N).

♀ **bottegi** Pavesi 1895. Abessinien

P. b. Pavesi 1895, Ann. Mus. Civ. Genova 35 p. 509 (D ♀).

♀ **costeri** Tucker 1923. S.-Afrika

P. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 256 T. 8 F. 1 (D ♀).

♀ **fitzsimonsi** Lawrence 1938. S.-Afrika

P. f. Lawrence 1938, Ann. Transv. Mus. 19 (2) p. 216 f. 2 (D ♀).

♀ **grandidieri** Simon 1903. Madagascar

P. g. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 139 (D ♀).
P. (Pseudoplatycides) g. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 36 (N).

♀ **laterigradus** Pocock 1898. Capland

P. l. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 219 T. 8 F. 12 (D ♀).
P. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 257 (D ♀).

♂♀ **lawrencei** Lessert 1936. Portug. O.-Afrika, Zululand

P. l. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 217 f. 10, 11 (D ♂).
P. l. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 223 (N ♂♀).

♂♀ **leppanae** Pocock 1902. S.-Afrika

P. l. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 19 T. 3 F. 8 (D ♂♀).
P. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 258 (D ♂♀).

♀ **pictus** Pocock 1902. S.-Afrika

P. p. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 19 T. 3 F. 7 (D ♀).
P. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 259 T. 8 F. 2 (D ♀).

♀ **pusilliformis** Tucker 1923. S.-Afrika

P. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 260 T. 8 F. 3 (D ♀).

♀ **pusillus** Pocock 1898. Natal

P. p. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 220 T. 8 F. 13 (D o).
P. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 260 (D ♀).

♀ **quinquedentatus** Purcell 1907. S.-Afrika

P. qu. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 299 T. 13 F. 3 (D ♀).
P. qu. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 261 (D ♀).

♀ **separatus** Cambridge 1907. Capland

P. s. Cambridge 1907, Proc. Zool. Soc. Lond. p. 819 T. 50 F. 7—12 (D ♀).
P. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 261 (D ♀).

♂ **simonii** Cambridge 1907. S.-Afrika

P. s. Cambridge 1907, Proc. Zool. Soc. Lond. p. 820 T. 30 F. 13—17 (D ♂).
P. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 262 (D ♂).

♀ **unidentatus** Lawrence 1927. SW.-Afrika
P. u. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 10 T. 2 F. 55 (D ♀).

♀ **walteri** (Karsch) 1886. S.-Afrika
Hemicloea w. Karsch 1886, Berlin. Ent. Zeitschr. 30 (2) p. 151 (D ♀).
Hemicloea w. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 254 (D ♀).

Gen. **Pyrnus** Simon 1880.

§ 2 Arten: L. Koch 1875, Arachn. Austral. 1 (2) p. 617 (sub **Hemicloea,** part.).
§ 2 Arten: Simon 1880, Act. Soc. Linn. Bord. 34 p. 238.

♀ **flavitarsis** (L. Koch) 1875. Australien
Hemicloea f. L. Koch 1875, Arachn. Austral. 1 (2) p. 620 T. 49 F. 2 (D o).
P. f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 238 (N).
P. f. Rainbow 1904, Proc. Linn. Soc. N. S. Wales 5 (5) p. 320 f. 38, 39 (D ♀).

♀ **fulvus** (L. Koch) 1875. – * Australien
Hemicloea f. L. Koch 1875, Arachn. Austral. 1 (2) p. 618 T. 49 F. 1 (D ♀).
P. f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 238 (N).
P. f. Simon 1893, Hist. Nat. Araign. 1 (2) p. 347 (N).

Gen. **Rebilus** Simon 1880.

§ 12 Arten: L. Koch 1875, Arachn. Austral. 1 (2) p. 617, 834 (sub **Hemicloea,** part.).
§ 3 Arten: Simon 1880, Act. Soc. Linn. Bord. 34 p. 238.

♀ **castaneus** Simon 1908. W.-Australien
R. c. Simon 1908, Faun. S. W. Austral. 1 (12) p. 382 (D ♀).

♀ **diversus** (L. Koch) 1875. Queensland
Hemicloea d. L. Koch 1875, Arachn. Austral. 1 (2) p. 622 T. 49 F. 4 (D ♀).
R. d. Simon 1880, Act. Soc. Linn. Bord. 34 p. 239 (N).

♂♀ **lugubris** (L. Koch) 1875. – * Queensland, Neu-S.-Wales
Hemicloea l. L. Koch 1875, Arachn. Austral. 1 (2) p. 621 T. 49 F. 3 (D ♀).
Hemicloea l. L. Koch 1876, Arachn. Austral. 1 (2) p. 835 T. 71 F. 4 (D ♂).
R. l. Simon 1880, Act. Soc. Linn. Bord. 34 p. 238 (N).
R. l. Simon 1893, Hist. Nat. Araign. 1 (2) p. 346 f. 305, 306 (N).
R. l. Rainbow 1904, Proc. Linn. Soc. N. S. Wales 5 (5) p. 319 f. 37 (D ♂♀).

O♀ **obscurus** Berland 1924. Neu-Caledonien
R. o. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 188 f. 45 (D O♀).

♂♀ **praesignis** (L. Koch) 1876. Queensland
Hemicloea p. L. Koch 1876, Arachn. Austral. 1 (2) p. 837 T. 72 F. 1 (D ♂♀).
R. p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 239 (N).

♀ **swarbrecki** Dunn & Dunn 1946. Victoria
P. s. Dunn & Dunn 1946, Victoria Natural. 63 (4) p. 90 f. (D ♀).

Gen. **Trochanteria** Karsch 1878.

♂♀ **gomezi** Canals 1933. Argentinien
T. g. Canals 1933, Physis 11 p. 234 f. 1—6 (D ♂).
T. g. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 165 f. 55 (N ♀).

♀ **ranuncula** Karsch 1878. – * Westindien
T. r. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 817 (D).
T. r. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 537 T. 7 F. 3 (D ♀).
T. r. Simon 1893, Hist. Nat. Araign. 1 (2) p. 348 (N).

♀ **rugosa** Mello-Leitao 1938. Argentinien
T. r. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 108 f. 25—27 (D ♀).

2. *Subfam. Anagraphinae*

Gen. **Anagraphis** Simon 1893.

Palaearktische Arten:

♀ **pluridentata** Simon 1896. Syrien
A. p. Simon 1896, Ann. Soc. Ent. France 65 p. 465 (D ♀).

♀ **vitellina** Simon 1896. Palästina, Tripolis
A. v. Simon 1896, Ann. Soc. Ent. France 65 p. 465 (D ♀).

Aethiopische Arten:

♂♀ **incerta** Caporiacco 1941. Süd-Abessinien
A. i. Caporiacco 1941, Miss. Biol. Sagan-Omo 12 Zool. 6 p. 89 f. 31, 32 (D ♂♀).

♀ **minima** Caporiacco 1947. Ost-Afrika
A. m. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 188 T. 2 F. 39 (D ♀).

♂♀ **pallens** Simon 1893. – * Capland
A. p. Simon 1893, Ann. Soc. Ent. France 42 p. 308 (D ♂).
A. p. Simon 1893, Hist. Nat. Araign. 1 (2) p. 352 (N).
A. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 430 (D).
A. p. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 11 (N ♂♀).

Gen. **Anagrina** Berland 1920.

♂o **alticola** Berland 1920. O.-Afrika
A. a. Berland 1920, Aran. II in: Voy. Alluaud & Jeannel Afr. Orient. p. 100 f. 115—119 (D ♂o).
A. a. Caporiacco 1949, Comment. Pontif. Ac. Sci. 13 (6) p. 427 f. 63 (D ♀).

Gen. **Lygromma** Simon 1892.

♂♀ **chamberlini** Gertsch 1941. Panama
L. c. Gertsch 1941, Amer. Mus. Novit. 1146 p. 12 TF. 23—25 (D ♂♀).

♂♀ **senoculatum** Simon 1892. – * Venezuela
L. s. Simon 1892, Ann. Soc. Ent. France 61 p. 451 T. 9 F. 16, 17 (D ♂♀).
L. s. Simon 1893, Hist. Nat. Araign. 1 (2) p. 353 f. 314 (N).

♂ **valencianum** Simon 1892. Venezuela
L. v. Simon 1892, Ann. Soc. Ent. France 61 p. 452 T. 9 F. 18 (D ♂).
L. v. Simon 1893, Hist. Nat. Araign. 1 (2) p. 352 f. 315 (N).

Gen. **Lygrommatoides** Strand 1918.

♀ **problematica** Strand 1918. Japan
L. p. Strand 1918, Arch. Naturg. 82 (A; 11) p. 92 (D ♀).

Gen. **Paratheuma** Bryant 1940.

♀ **insulana** (Banks) 1902. – * Bermudas, Haiti, Cuba

Eutichurus i. Banks 1902, Trans. Connect. Ac. Sci. 11 p. 270 f. 3 (D ♀).
P. i. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 387 T. 11 F. 148 (D ♀).

♂ **isolata** Bryant 1940. Cuba

P. i. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 388 T. 12 F. 170 (D ♂).

Gen. **Pseudolygromma** Berland 1913.

♀ **simoni** Berland 1913. Ecuador

Ps. s. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 85 T. 7 F. 12—15 (D ♀).

Gen. **Theuma** Simon 1893.

Palaearktische Arten:

♂ **walteri** (Simon) 1889. – * Transkaspien

Scylax w. Simon 1889, Verh. Zool. Bot. Ges. Wien 39 p. 384 (D ♂).
Th. w. Simon 1893, Hist. Nat. Araign. 1 (2) p. 350 (N).

Aethiopische Arten:

§ 6 ♂, 12 ♀: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 418.

♂ **abalensis** Tucker 1923. S.-Afrika

Th. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 419 T. 11 F. 116 (D ♂).

o **andonea** Lawrence 1927. SW.-Afrika

Th. a. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 20 (D o).

♀ **aprica** Simon 1893. S.-Afrika

Th. a. Simon 1893, Hist. Nat. Araign. 1 (2) p. 351 D ♀).
Th. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 419 (D ♀).

♂♀ **capensis** Purcell 1907. S.-Afrika

Th. c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 299 (D ♂♀).
Th. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 420 T. 11 F. 105, 115 (D ♂♀).

♀ **cedri** Purcell 1907. S.-Afrika

Th. c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 302 (D ♀).
Th. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 421 T. 11 F. 106 (D ♀).

♀ **elucubata** Tucker 1923. S.-Afrika

Th. e. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 421 T. 11 F. 101 (D ♀).

♀ **foveolata** Tucker 1923. S.-Afrika

Th. f. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 422 T. 11 F. 102 (D ♀).

♀ **funerea** Lawrence 1928. SW.-Afrika

Th. f. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 235 T. 21 F. 18 (D ♀).

♂♀ **fusca** Purcell 1907. S.-Afrika

Th. f. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 300, 304 (D ♀).
Th. f. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 234 (N ♂♀).
Th. f. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 423 T. 11 F. 104, 111 (D ♂♀).

♂ **intermedia** Strand 1915. SW.-Afrika
Th. i. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 92 (D ♂).

♂♀ **longipes** Lawrence 1927. SW.-Afrika
Th. l. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 19 T. 3 F. 59 (D ♂).
Th. l. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 234 T. 21 F. 6 (D ♀).

♂♀ **maculata** Purcell 1907. S.-Afrika
Th. m. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 302 (D ♂♀).
Th. m. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 234 (N ♂♀).
Th. m. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 424 T. 11 F. 109, 112 (D ♂♀).

♀ **microphthalma** Lawrence 1928. SW.-Afrika
Th. m. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 234 T. 21 F. 17 (D ♀).

♀ **mutica** Purcell 1907. S.-Afrika
Th. m. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 303 (D ♀).
Th. m. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 426 T. 11 F. 103 (D ♀).

o **ovambica** Lawrence 1927. SW.-Afrika
Th. o. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 20 (D o).

♂ **parva** Purcell 1907. S.-Afrika
Th. p. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 303 (D ♂).
Th. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 426 T. 11 F. 113 (D ♂).

♀ **purcelli** Tucker 1923. S.-Afrika
Th. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 426 T. 11 F. 110 (D ♀).

♀ **pusilla** Purcell 1908. S.-Afrika
Th. p. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 232 T. 10 F. 11 (D ♀).
Th. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 427 (D ♀).

♀ **recta** Lawrence 1927. SW.-Afrika
Th. r. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 21 (D ♀).

♂♀ **schreineri** Purcell 1907. S.-Afrika
Th. sch. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 301 (D ♂♀).
Th. sch. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 428 T. 11 F. 108, 114 (D ♂♀).

♀ **schultzei** Purcell 1908. S.-Afrika
Th. sch. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 234 (D ♀).
Th. sch. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 429 T. 11 F. 107 (D ♀).

♂ **trägardti** Lawrence 1949. Zululand
T. t. Lawrence 1949, Göteborg. Vet. Handl. (B) 5 (9) p. 11 f. 4 (D ♂).

♀ **velox** Purcell 1908. S.-Afrika
Th. v. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 233 T. 11 F. 12 (D ♀).
Th. v. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 429 (D ♀).

♀ **xylina** Simon 1893. S.-Afrika
Th. x. Simon 1893, Hist. Nat. Araign. 1 (2) p. 351 f. 312, 313 (D ♀).
Th. x. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 430 (D ♀).

♀ **zuluensis** Lawrence 1949. Zululand
T. z. Lawrence 1949, Göteborg. Vet. Handl. (B) 5 (9) p. 12 f. 5 (D ♀).

Gen. **Theumella** Strand 1906.

♀ **penicillata** Strand 1906. Abessinien
Th. p. Strand 1906, Zool. Anz. 30 (19—20) p. 608 (D ♀).
Th. p. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 41 (D ♀).

♂ **typica** Strand 1906. – * Abessinien
Th. t. Strand 1906, Zool. Anz. 30 (19—20) p. 608 (D ♂).
Th. t. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 37 (D ♂).

Gen. **Zimiromus** Banks 1913.

♀ **fragilis** Banks 1913. Costa Rica
Z. f. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 676 T. 28 F. 9, 12 (D ♀).

3. Subfam. Gnaphosinae

1. Gr. Gnaphoseae

Gen. **Aneplasa** Tucker 1923.

§ 6 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 279.

♀ **balnearia** Tucker 1923. – * S.-Afrika
A. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 280 T. 8 F. 15 (D ♀).

♀ **horlei** Lessert 1933. Angola
A. b. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 96 f. 11, 12 (D ♀).

♀ **facies** Tucker 1923. S.-Afrika
A. f. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 281 T. 8 F. 16 (D ♀).

♂♀ **interrogationis** Tucker 1923. Natal
A. i. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 278 T. 8 F. 14 (D ♂♀).

♀ **nigra** Tucker 1923. S.-Afrika
A. n. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 282 T. 8 F. 17 (D ♀).

♂ **primaris** Tucker 1923. S.-Afrika
A. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 283 T. 10 F. 18 (D ♂).

♀ **sculpturata** Tucker 1923. S.-Afrika
A. sc. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 284 T. 8 F. 19 (D ♀).

♀ **strandi** Caporiacco 1947. Ost-Afrika
A. s. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 192 (D ♀).

Gen. **Asemesthes** Simon 1887.

§ 17 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 285.

♀ **affinis** Lessert 1933. Angola
A. a. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 99 f. 14 (D ♀).

♂♀ **albovittatus** Purcell 1908. S.-Afrika
A. a. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 245 T. 11 F. 35 (D ♀).
A. a. Dalmas 1921, Ann. Soc. Ent. France 89 p. 322 f. 123 (D ♀).
A. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 286 T. 8 F. 20 (D ♂♀).

♀ **ales** Tucker 1923. S.-Afrika
A. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 287 T. 8 F. 21 (D ♀).

♀ **alternatus** Lawrence 1928. SW.-Afrika
A. **a.** Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 228 T. 21 F. 8 (D ♀).

♂♀ **ceresicola** Tucker 1923. S.-Afrika
A. **c.** Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 288 T. 8 F. 22 (D ♂♀).

♀ **decoratus** Purcell 1908. S.-Afrika
A. **d.** Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 243 T. 11 F. 30 (D ♀).
A. **d.** Dalmas 1921, Ann. Soc. Ent. France 89 p. 320 f. 125 (D ♀).
A. **d.** Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 289 (D ♀).

♀ **flavipes** Purcell 1908. S.-Afrika
A. **f.** Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 244 T. 11 F. 32 (D ♀).
A. **f.** Dalmas 1921, Ann. Soc. Ent. France 89 p. 321 f. 127 (D ♀).
A. **f.** Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 290 (D ♀).

♂ **fodinus** Tucker 1923. S.-Afrika
A. **f.** Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 291 T. 8 F. 23 (D ♂).

♀ **hertigi** Lessert 1933. Angola
A. **h.** Lessert 1933, Rev. Suisse Zool. 40 (4) p. 98 f. 13 (D ♀).

♀ **kunenensis** Lawrence 1927. SW.-Afrika
A. **k.** Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 12 T. 1 F. 7 (D ♀).

♀ **lamberti** Tucker 1923. S.-Afrika
A. **l.** Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 292 T. 8 F. 25 (D ♀).

♂♀ **lineatus** Purcell 1908. S.-Afrika
A. **l.** Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 244 T. 11 F. 33, 34 (D ♂♀).
A. **l.** Dalmas 1921, Ann. Soc. Ent. France 89 p. 319 f. 124, 130 (D ♂♀).
A. **l.** Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 292 (D ♂♀).
A. **l.** Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 11 T. 1 F. 6 (N ♀).

♂ **modestus** Dalmas 1921. Transvaal
A. **m.** Dalmas 1921, Ann. Soc. Ent. France 89 p. 318 f. 129 (D ♂).

♂♀ **montanus** Tucker 1923. S.-Afrika
A. **m.** Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 294 T. 8 F. 26 (D ♂♀).

♀ **nigristernum** Dalmas 1921. Capland
A. **n.** Dalmas 1921, Ann. Soc. Ent. France 89 p. 319 f. 123 (D ♀).

♂♀ **numismus** Tucker 1925. S.-Afrika
A. **n.** Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 295 T. 8 F. 27 (D ♂♀).

♂♀ **o'connori** Tucker 1923. S.-Afrika
A. **o'c.** Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 297 T. 8 F. 28 (D ♂o).

♀ **pallidus** Purcell 1908. S.-Afrika
A. p. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 243 T. 11 F. 31 (D ♀).
A. **p.** Dalmas 1921, Ann. Soc. Ent. France 89 p. 321 f. 126 (N ♀).

♀ **paynteri** Tucker 1923. S.-Afrika
A. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 298 T. 8 F. 29 (D ♀).

♀ **perdignus** Dalmas 1921. SW.-Afrika
A. p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 317 f. 122 (D ♀).

♀ **purcelli** Tucker 1923. S.-Afrika
A. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 298 T. 9 F. 30 (D ♀).

♂♀ **reflexus** Tucker 1923. S.-Afrika
A. r. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 299 T. 10 F. 31 (D ♂♀).

♀ **septentrionalis** Caporiacco 1940. Abessinien
A. s. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 836 (D ♀).

♀ **sinister** Lawrence 1927. SW.-Afrika
A. s. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 13 T. 1 F. 8 (D ♀).

♂♀ **subnubilus** Simon 1887. – * S.-Afrika
A. s. Simon 1887, Ann. Soc. Ent. France (6) 7 p. 373 (D o).
A. s. Simon 1893, Hist. Nat. Araign. 1 (2) p. 384 f. 340 (N).
A. aureus Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 242 (D ♂♀).
A. s. Dalmas 1921, Ann. Soc. Ent. France 89 p. 317 f. 4 (D o).
A. aureus Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 288 (D ♀).
A. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 301 (D o).

♀ **windhukensis** Tucker 1923. SW.-Afrika
A. w. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 301 T. 9 F. 32 (D ♀).

Gen. **Berlandina** Dalmas 1926.

Palaearktische Arten:

§ 7 Arten: Simon 1914, Arachn. de France 6 (1) p. 188—191 (sub **Pterotricha,** part.)

♀ **asiatica** (Bösenberg & Strand) 1906. Japan
Callilepis a. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 124 T. 16 F. 488 (D ♀).
Berlandia a. Dalmas 1921, Ann. Soc. Ent. France 89 p. 276 (N).

♂♀ **cinerea** (Menge) 1872. W.-, Mittel-, SO.-Europa, Turkestan
Pythonissa exornata Ohlert 1867, Aran. Proc. Preussen p. 97 (D ♂♀).
Gnaphosa c. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 319 T. 57 F. 183 (D O ♀).
Gnaphosa c. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 414 T. 70 F. 183 (D ♂).
Pythonissa silacea Simon 1878, Arachn. de France 4 p. 198 (D ♂).
Gnaphosa c. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 58 (D ♂♀).
Pterotricha c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (a) p. 191 T. 7 F. 29 (D ♂♀).
Callilepis nubivaga Simon 1898, Feuille Jeun. Natural. 28 p. 172 (1) (N).
Pterotricha c. Simon 1914, Arachn. de France 6 (1) p. 190, 222 f. 409, 410 (D ♂♀).
Berlandia c. Dalmas 1921, Ann. Soc. Ent. France 89 p. 275 f. 51, 60 (D ♂♀).
B. c. Palmgren 1943, Act. Zool. Fenn. 36 p. 81 f. (N).

♂♀ **corcyrea** (Cambridge) 1874. Corfu, Cephalenia
Gnaphosa c. Cambridge 1874, Proc. Zool. Soc. Lond. p. 376 T. 51 F. 5 (D ♂).
Pythonissa c. Simon 1878, Arachn. de France 4 p. 205 (C).

Pterotricha c. Kulczynski 1915, Bull. Ac. Sci. Cracov. p. 917 T. 66 F. 25—29 (D ♂♀).
Berlandia c. Dalmas 1921, Ann. Soc. Ent. France 89 p. 274 f. 39 (D ♂).

♂♀ **deserticola** (Dalmas) 1921. Algier, Fessan
Berlandia d. Dalmas 1921, Ann. Soc. Ent. France 89 p. 273 f. 49, 58 (D ♂♀).
B. d. Caporiacco 1936, Atti Soc. Ital. Sci. Nat. 75 p. 77 (C).

♂ **drassodea** (Caporiacco) 1934. Karakorum
Berlandia d. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 140 T. 2 F. 5 (D ♂).

♀ **jovia** Denis 1947. Oase Siwah
B. j. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 63 T. 3 F. 11 (D ♀).

♀ **nubivaga** (Simon) 1878. Franz. Hochalpen
Pythonissa n. Simon 1878, Arachn. de France 4 p. 197 (D ♀).
Pterotricha n. Simon 1914, Arachn. de France 6 (1) p. 190, 222 (D ♀).
Berlandia n. Dalmas 1921, Ann. Soc. Ent. France 89 p. 274 f. 50 (D ♀).
Berlandia n. Schenkel 1926, Rev. Suisse Zool. 33 (5) p. 305 (N ♀).

♂♀ **punica** (Dalmas) 1921. Algier, Tunis, Fessan
Berlandia p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 270 f. 46, 54, 55 (D ♂♀).
B. p. Caporiacco 1936, Atti Soc. Ital. Sci. Nat. 75 p. 77 (C).

♂♀ **venatrix** (Cambridge) 1874. Aegypten
Gnaphosa v. Cambridge 1874, Proc. Zool. Soc. Lond. p. 375 T. 51 F. 4 (D ♂).
Gnaphosa v. Cambridge 1876, Proc. Zool. Soc. Lond. p. 551 (N).
Pythonissa v. Simon 1878, Arachn. de France 4 p. 205 (C).
Berlandia v. Dalmas 1921, Ann. Soc. Ent. France 89 p. 272 f. 48, 56, 57 (D ♂♀).

Transgredierende Arten:

♂♀ **plumalis** (Cambridge) 1872. – * Mittelmeer-Geb., Sudan, O.-Afrika, Arabien, Indien, Burma, Turkestan, Mongolei
Gnaphosa p. Cambridge 1872, Proc. Zool. Soc. Lond. p. 225 T. 15 F. 3 (D ♂).
Gnaphosa rhodopis L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 40 T. 4 F. 4 (D ♀).
Pythonissa p. Simon 1878, Arachn. de France 4 p. 203 (D ♂♀).
Pythonissa cinereoplumosa Simon 1878, Arachn. de France 4 p. 203 (D ♀).
Gnaphosa cinereoplumosa Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 358 (N).
Pythonissa passerina Simon 1884, Ann. Mus. Civ. Genova 20 p. 350 f. 7 (D ♀).
Callilepis p. Simon 1897, Bull. Mus. Hist. Nat. Paris 2 p. 25, 289 (N).
Pythonissa p. Kulczynski 1901, Bull. Ac. Sci. Cracov. p. 65 T. 1 F. 8, 9, 11 (D ♀).
Pythonissa passerina Simon 1905, Ann. Soc. Ent. France 74 p. 170 (N).
Pythonissa p. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 110 T. 1 F. 26 (N ♀, part.).
Pterotricha p. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 24 f. 19, 20 (N ♂).
Pterotricha p. Simon 1914, Arachn. de France 6 (1) p. 190, 222 f. 406—408 (D ♂♀).
Berlandia p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 268 f. 45, 52, 53 (D ♂♀).
B. p. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 85 (nom. nov. gen.).
Berlandia p. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 264 f. 86 (D ♀).

Aethiopische Arten:

♀ **atlantica** (Dalmas) 1921. Cap Verde-I.
Pythonissa nigromaculata Simon 1883, Ann. Soc. Ent. France (6) 3 p. 304 T. 8 F. 22 (D ♀).
Berlandia a. Dalmas 1921, Ann. Soc. Ent. France 89 p. 271 f. 47 (D ♀).

o **kolosvaryi** Caporiacco 1947. Ost-Afrika
B. k. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 190 (D o).

♀ **meruana** (Dalmas) 1921. O.-Afrika
Pythonissa plumalis Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 110 T. 1 F. 26a (part.).
Berlandia m. Dalmas 1921, Ann. Soc. Ent. France 89 p. 270 (D ♀).

♀ **nigromaculata** (Blackwall) 1865. Cap Verde-I.
Drassus n. Blackwall 1865, Ann. Mag. Nat. Hist. (3) 16 p. 86 (D ♂♀).
B. n. Berland 1936, Rev. Franc. Ent. 3 (1) p. 73 f. 9—11 (N ♂♀).

♀ **obscurata** Caporiacco 1947. Ost-Afrika
B. o. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 191 T. 2 F. 41 (D ♀).

Gen. **Cabanadrassus** Mello-Leitao 1941.

♂ **bifasciatus** Mello-Leitao 1941. Argentinien
C. b. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 166 f. 56 (D ♂).

Gen. **Crosbyellum** Strand 1934.

Palaearktische Arten:

♂♀ **creticum** (Roewer) 1928. Creta
Minosia c. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 113 T. 1 F. 23—24 (D ♂♀).

♂♀ **pharao** (Dalmas) 1921. Aegypten
Minosia ph. Dalmas 1921, Ann. Soc. Ent. France 89 p. 303 f. 102, 108 (D ♂♀).

♀ **pharao occidentalis** (Dalmas) 1921. Algier
Minosia ph. o. Dalmas 1921, Ann. Soc. Ent. Franc. 89 p. 304 (D ♀).

♂♀ **santschii** (Dalmas) 1921. Tunis, Tripolis
Gnaphosa spinosissima Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 357 (D ♂♀).
Pterotricha conspersa Simon 1908, Zool. Jahrb. Syst. 26 (4) p. 425 (N).
Minosia s. Dalmas 1921, Ann. Soc. Ent. France 89 p. 302 f. 101, 106 (D ♂♀).

♂♀ **spinosissimum** (Simon) 1878. – * Spanien, Frankreich, Algier
Pythonissa sp. Simon 1878, Arachn. de France 4 p. 202 (D ♀).
Pterotricha sp. Simon 1914, Arachn. de France 6 (1) p. 191, 222 f. 411, 412 (D ♂♀).
Minosia sp. Dalmas 1921, Ann. Soc. Ent. France 89 p. 301 f. 100 (D ♀).
C. sp. Strand 1934, Folia Hydrobiol. Zool. 6 (2) p. 272 (nom. nov. gen.).

Aethiopische Arten:

♂ **assimilis** (Caporiacco) 1941. Süd-Abessinien, Uganda
Minosia (Prominosia) a. Caporiacco 1941, Miss. Biol. Sagan-Omo 12 Zool. 6 p. 96 f. 35 (D ♂).
Minosia a. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 190 (N ♂).

♂♀ **berlandi** (Lessert) 1929. Congo
Minosia b. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 107 f. 4 (D ♂♀).

♂ **bicalcaratum** (Simon) 1882. Yemen
Pythonissa b. Simon 1882, Ann. Mus. Civ. Genova 43 p. 235 T. 8 F. 7 (D ♂).
Pythonissa b. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 91 (N).
Minosia b. Dalmas 1921, Ann. Soc. Ent. France 89 p. 309 f. 112 (D ♂).

♂ **clypeolarium** (Simon) 1907. Portug. Guinea
Pterotricha c. Simon 1907, Ann. Mus. Civ. Genova 43 p. 239 (D ♂).
Minosia c. Dalmas 1921, Ann. Soc. Ent. France 89 p. 306 f. 110 (D ♂).

♂o **irrugatum** (Simon) 1907. Portug. Guinea
Pythonissa cinereoplumosa Simon 1885, Ann. Soc. Ent. France (6) 5 p. 384 (C).
Pterotricha i. Simon 1907, Ann. Mus. Civ. Genova 43 p. 240 (D ♂).
Minosia i. Dalmas 1921, Ann. Soc. Ent. France 89 p. 305 (D Oo).

♀ **lynx** (Simon) 1885. Senegambien
Pythonissa l. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 384 (D ♀).
Pterotricha l. Simon 1907, Ann. Mus. Civ. Genova 43 p. 240 (N).
Minosia l. Dalmas 1921, Ann. Soc. Ent. France 89 p. 306 f. 103 (D ♀).

♂♀ **senegalense** (Dalmas) 1921. Senegambien
Minosia s. Dalmas 1921, Ann. Soc. Ent. France 89 p. 307 f. 104, 111 (D ♂♀).

Gen. **Cylphosa** Chamberlin 1939.

Transgredierende Arten:

♂♀ **bicolor** (Hentz) 1847. New York, Colorado, Mexico
Herpyllus b. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 456 T. 24 F. 4 (D ♀).
Pythonissa sericata L. Koch 1866, Arachn. Fam. Drassid. p. 31 T. 2 F. 21, 22 (D ♂).
Gnaphosa sericata Banks 1895, Journ. N.York Ent. Soc. 3 p. 78 (D).
C. sericata Chamberlin 1935, Amer. Mus. Novit. 841 p. 14 (C ♂♀).
Gnaphosa spiralis F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 55 T. 4 F. 18 (D ♂).
Gnaphosa sericata Comstock 1912, Spider Book p. 321 (N).
Gnaphosa simplex Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 49 (D).
C. sericata Chamberlin 1935, Amer. Mus. Novit. 841 p. 14 (C ♂♀).
Gnaphosa sericata Kaston 1948, State Connect. Publ. Docum. 47; Bull. 70 p. 346 T. 61 F. 1181—83 (D ♂♀).

Nearktische Arten:

♂ **gosoga** (Chamberlin & Gertsch) 1928. – * Utah
Gnaphosa g. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 178 (D ♂).
C. g. Chamberlin 1933, Amer. Mus. Novit. 631 p. 2 (D ♂).

Gen. **Gnaphosa** Latreille 1804.

Palaearktische Arten:

§ 14 ♂, 21 ♀: Simon 1878, Arachn. de France 4 p. 164—167.
§ 6 ♂, 11 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 181—183.
§ 20 (♂♀): Simon 1914, Arachn. de France 6 (1) p. 191—203.
§ 9 ♂, 11 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 16—18 TF. 162—183.
§ 5 ♂, 7 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 4—8.
§ 9 Arten: Palgren 1943, Act. Zool. Fenn. 36 p. 81.
§ 9 ♂, 10 ♀: Tullgren 1946, Svensk Spindelfauna 3 p. 77—78.

♀ **adriatica** Kulczynski 1897. Dalmatien
G. a. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 186 T. 7 F. 26 (D ♀).

♂♀ **alacris** Simon 1878. Frankreich, Corsica, Dalmatien
G. a. Simon 1878, Arachn. de France 4 p. 191 (D ♂♀).
G. kulczynskii Damin 1896, Glasnik. Hrv. 9 p. 343 (D ♀).

G. a. Simon 1914, Arachn. de France 6 (1) p. 194, 202, 225 f. 421, 449 (D ♂♀).
G. a. Denis 1935, Bull. Soc. Hist. Nat. Toulon 19 p. 114 TF. 6 (N ♀).

♀ **alpica** Simon 1878. Savoyen, Dauphiné, Wallis

G. a. Simon 1878, Arachn. de France 4 p. 183 (D ♀).
G. molesta Cambridge 1898, Proc. Zool. Soc. Lond. p. 489 f. 1, 2 (D ♀).
G. a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 79 f. 66 (D ♀).
G. a. Simon 1914, Arachn. de France 6 (1) p. 203, 224 f. 452 (D ♀).

♂♀ **atramentaria** Simon 1878. S.-Frankreich

G. a. Simon 1878, Arachn. de France 4 p. 169 (D ♂♀).
G. a. Simon 1914, Arachn. de France 6 (1) p. 196, 202, 223 f. 424—426, 448 (D ♂♀).

♂♀ **badia** (L. Koch) 1866. Franz. Alpen, Schweiz, Tirol

Pythonissa b. L. Koch 1866, Arachn. Fam. Drassid. p. 22 T. 1 F. 15 (D ♀).
G. b. L. Koch 1872, Zeitschr. Ferdinand. Tirol (3) 17 p. 305 (D ♂♀).
G. plebeja Thorell 1875, Tijdschr. Ent. 18 p. 100 (D ♀).
G. plebeja Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 100 (D ♀).
G. b. Simon 1878, Arachn. de France 4 p. 178 (D ♂♀).
G. b. Kulczynski 1898, Smbol. Faun. Aran. Austr. Infer. p. 61 T. 1 F. 13 (N ♀).
G. b. Lessert 1910, Catal. Invert. Suisse; Araign. p. 76 f. 67, 68 (D ♂♀).
G. b. Simon 1914, Arachn. de France 6 (1) p. 194, 198, 224 f. 422, 436 (D ♂♀).
G. b. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 10 f. 10, 14 (D ♂♀).

♀ **balearicola** Strand 1942. Balearen

G. spinosa Simon 1914, Arachn. de France 6 (1) p. 200 (D ♀) (praeocc. Kulcz. 1897).
G. b. Strand 1942, Folia Zool. Hydrobiol. Riga 11 (2) p. 395 (nom. nov.)

♂♀ **barroisi** Simon 1892. Cypern, Syrien

G. b. Simon 1892, Rev. Biol. Nord-France 5 (2) p. 81 (D ♀).
G. b. Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 53 T. 2 F. 8 (D ♂).

♀ **basilicata** Simon 1882. Calabrien

G. b. Simon 1882, Bull. Soc. Ent. Ital. 14 p. 37 (D ♀).

♂♀ **bicolor** (Hahn) 1831. Europa

Drassus b. Hahn 1831, Die Arachniden 1 p. 123 TF. 94 (D ♀).
Drassus nocturnus Sundevall 1831, Vet. Ak. Handl. p. 136 (part.).
Filistata femoralis Wider 1834, Mus. Senckenbg. 2 p. 206 T. 14 F. 5 (D ♂).
Pythonissa fuliginea C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 16 (D).
Pythonissa tricolor C. L. Koch 1839, Die Arachniden 6 p. 67 TF. 479 (D ♀).
Drassus tricolor Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 486 (D).
Pythonissa fuliginea C. L. Koch 1843, Die Arachniden 10 p. 120 TF. 834 (D ♀).
Pythonissa b. C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 28 (N).
Drassus femoralis Westring 1851, Göteborg. Vet. Handl. 2 p. 47 (C).
Pythonissa femoralis Westring 1862, Aran. Svec. p. 352 (D ♀).
Pythonissa tricolor L. Koch 1866, Arachn. Fam. Drassid. p. 24 T. 1 F. 16—18 (D ♂♀).
Pythonissa tricolor Ohlert 1867, Aran. Prov. Preussen p. 96 (D ♂♀).
G. b. Thorell 1870, Rem. Syn. Europ. Spid. p. 191 (N).
G. b. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 301 T. 54 F. 173 (D ♂♀).
G. b. Simon 1878, Arachn. de France 4 p. 182 (D ♂♀).
G. b. Dahl 1833, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 58 (D ♂♀).
G. b. Simon 1893, Hist. Nat. Araign. 1 (4) p. 381 (N).
G. b. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 184 T. 7 F. 17 (D ♂♀).
G. b. Bösenberg 1902, Zoologica 14 (2—4) p. 316 T. 30 F. 468 (D ♂♀).

G. b. Lessert 1910, Catal. Invert. Suisse; Araign. p. 78 (D ♂♀).
G. b. Simon 1914, Arachn. de France 6 (1) p. 192, 198, 224 f. 413, 435 (D ♂♀).
G. b. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 9 f. 8, 13 (D ♂♀).
G. b. Palmgren 1943, Act. Zool. Fenn. 36 p. 86 f. (N).
G. b. Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 83 f. 25, 26A; T. 13 F. 166—169 (D ♂♀).

♀ **bilineata** L. Koch 1879. Sibirien
G. b. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (3) p. 86 T. 3 F. 5 (D ♀).
G. b. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 3 T. 1 F. 2 (D ♀).

♂♀ **bithynica** Kulczynski 1903. Kleinasien
G. b. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 641 T. 1 F. 6, 7, 9, 10 (D ♂♀).

♀ **borea** Kulczynski 1908. Sibirien
G. b. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 9 T. 1 F. 6 (D ♀).

♀ **canaricola** Strand 1911. Canaren
G. c. Strand 1911, Arch. Naturg. 77 (I; 2) p. 191 (D ♀).

♂♀ **cantabrica** Simon 1914. Cantabrien
G. c. Simon 1914, Arachn. de France 6 (1) p. 197, 203 f. 454 (D ♂♀).

♀ **compirensis** Bösenberg & Strand 1906. Japan
G. c. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 123 T. 16 F. 481 (D ♀).
G. c. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 5 f. 2 (1) (N ♀).

♀ **corticola** Simon 1914. SW.-Frankreich
G. c. Simon 1914, Arachn. de France 6 (1) p. 199, 225 f. 438 (D ♀).

o **crassipes** Schenkel 1936. Mongolei
G. c. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 262 (D o).

♂♀ **dolosa** Herman 1879. S.-Ungarn, Balkanländer
G. d. Herman 1879, Ungarns Spinn. Faun. 3 p. 191, 362 T. 7 F. 167 (D ♂♀).
G. d. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 186 T. 7 F. 24 (D ♀).

♀ **explicatrix** Drenski 1929. Macedonien
G. explicator (!) Drenski 1929, Zeitschr. Bulgar. Ak. Wiss. 39 p. 12, 64 T. 1 F. 10, 11 (D ♀).

♀ **fallax** Herman 1879. S.-Ungarn
G. f. Herman 1879, Ungarns Spinn. Faun. 3 p. 196, 364 T. 8 F. 173 (D ♀).

♂♀ **fumosa** (C. L. Koch) 1843. N.- u. Mitteleuropa
Pythonissa f. C. L. Koch 1843, Die Arachniden 10 p. 118 TF. 832 (D ♀).
Drassus f. Westring 1851, Göteborg. Vet. Handl. 2 p. 47 (C).
Pythonissa f. Westring 1862, Aran. Svec. p. 353 (D ♂♀).
G. f. Thorell 1870, Rem. Syn. Europ. Spid. p. 192 (N).

♀ **gracilior** Kulczynski 1901. Mongolei
G. g. Kulczynski 1901, in: Horvath, Zool. Erg. 3. Reis. Zichy 2 p. 325 T. 12 F. 2 (D ♀).

♀ **hastata** Fox 1937. Yünnan
G. h. Fox 1937, Journ. Lingan Sci. 16 (2) p. 247 f. 1 (D ♀).

♂♀ **holmi** Lohmander 1942. Lappland

G. hunilis Holm 1939, Ark. Zool. 31 (A, 8) p. 7 f. 3a—c (D ♂).
G. h. Lohmander 1942, Meddel. Göteborg Mus. Zool. 98 p. 47 (nom. nov.).
G. h. Palmgren 1943, Act. Zool. Fenn. 36 p. 88 f. (N).
G. (Oreognaphosa) h. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 11 (N ♂).
G. h. Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 89 f. 27C; T. 14 F. 179—181 (D ♂♀).

♀ **hortula** Fox 1937. Yünnan

G. h. Fox 1937, Journ. Lingan Sci. 16 (2) p. 247 f. 1 (D ♀).

♂♀ **iberica** Simon 1878. O.-Pyrenäen

G. i. Simon 1878, Arachn. de France 4 p. 176 (D ♂♀).
G. i. Simon 1914, Arachn. de France 6 (1) p. 194, 201, 224 f. 418—420, 444 (D ♂♀).

o **immatura** Strand 1942. England

G. suspecta Cambridge 1879, Ann. Mag. Nat. Hist. (5) 5 p. 191 (D o) (praeocc. Herman 1879).
G. suspecta Cambridge 1881, Proc. Dorset F. Cl. 2 p. 419 (D o).
G. i. Strand 1942, Folia Zool. Hydrobiol. Riga 11 (2) p. 336 (nom. nov.).

♂ **inconspecta** Simon 1878. O.-Pyrenäen

G. i. Simon 1878, Arachn. de France 4 p. 187 (D ♂).
G. i. Simon 1914, Arachn. de France 6 (1) p. 196, 202, 225 f. 427, 428, 447 (D ♂♀).

♀ **intermedia** Holm 1939. Lappland

G. i. Holm 1939, Ark. Zool. 31 (A; 3) p. 11 f. 5 (D ♀).
G. i. Palmgren 1943, Act. Zool. Fenn. 36 p. 88 f. (N).
G. i. Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 83 f. 24C; T. 13 F. 165 (D ♀).

♀ **kansuensis** Schenkel 1936. Süd-Kansu

G. k. Schenkel 1936, Ark. Zool. (A, 1) p. 26 f. 6 (D ♀).

♀ **koreae** Strand 1907. Korea

G. k. Strand 1907, Abh. Naturf. Ges. Görlitz 25 p. 16 (D ♀).

♀ **laeta** Kulczynski 1897. Ungarn

G. l. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 185 T. 7 F. 19 (D ♀).

♂♀ **leporina** (L. Koch) 1866. N.-, NW.- u. Mitteleuropa

Drassus lucifugus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 105 T. 6 F. 62 (D ♂♀, part.).
Pythonissa l. L. Koch 1866, Arachn. Fam. Drassid. p. 27 T. 2 F. 19 (D ♀).
Pythonissa helvetica L. Koch 1866, Arachn. Fam. Drassid. p. 29 T. 2 F. 20 (D ♀).
Drassus anglicus Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 410 T. 54 F. 12 (D ♂♀).
G. l. Thorell 1870, Rem. Syn. Europ. Spid. p. 193 (N).
G. l. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 101 (D ♂♀).
G. borealis Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 102 (D o).
G. helvetica Simon 1878, Arachn. de France 4 p. 184 (D ♀).
G. anglica Simon 1878, Arachn. de France 4 p. 188 (D ♂♀).
G. l. Simon 1878, Arachn. de France 4 p. 189 (D ♀).
G. anglica Cambridge 1879, Proc. Dorset F. Cl. 1 p. 14 (D ♂).
G. anglica Cambridge 1881, Proc. Dorset F. Cl. 2 p. 419 (N).

G. l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 186 T. 7 F. 22 (D ♀).
G. anglica aculeata Strand 1900, Norske Vid. Selsk. Skrift. (2) p. 38 (D).
G. l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 81 f. 73—75 (D ♂♀).
G. l. Simon 1914, Arachn. de France 6 (1) p. 197, 203, 225 f. 431, 453 (D ♂♀).
G. borealis Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 219, 229 (N).
G. l. Palmgren 1943, Act. Zool. Fenn. 36 p. 87 f. (N).
G. (Oreognaphosa) l. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 11 (N).
G. l. Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 86 f. 27A; T. 14 F. 173—175 (D ♂♀).
G. l. Locket & Millidge 1953, Brit. Spiders 1 p. 118 f. 60C, D, u. 61C (D ♂♀).

o **limbata** Strand 1900. Norwegen

G. l. Strand 1900, Norske Vid. Selsk. Skrift. (2) p. 45 (D o).

♀ **lonai** Caporiacco 1949. Sizilien

G. l. Caporiacco 1949, Ann. Mus. Civ. Trieste 17 (9) p. 19 f. 2 (D ♀).

♂♀ **lucifuga** (Walckenaer) 1802. – * Europa, Turkestan, Sibirien

Aranea l. Walckenaer 1802, Faun. Paris. 2 p. 221 (D).
Aranea melanogaster Latreille 1804, Hist. Nat. Crust. Ins. 7 p. 222 (D).
Drassus l. Walckenaer 1805, Tabl. Aran. p. 45 (N).
Drassus melanogaster Latreille 1806, Gen. Crust. Ins. 1 p. 87 T. 3 F. 10 (D).
Drassus fuscus Latreille 1806, Gen. Crust. Ins. 1 p. 87 (D).
Drassus l. Walckenaer 1825, Faun. Franc. 3 (2) p. 155 T. 2 F. 1 (D ♂♀).
Drassus l. Sundevall 1831, Vet. Ak. Handl. p. 138 (D ♀) (part.).
Drassus melanogaster Hahn 1834, Die Arachniden 2 p. 11 TF. 102 (D ♀).
Pythonissa fusca C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 16 (D).
Pythonissa nigra C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 16 (D).
Drassus l. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 613 (D ♂♀).
Pythonissa l. C. L. Koch 1839, Die Arachniden 6 p. 54 TF. 468—470 (D ♂♀).
Pythonissa fusca C. L. Koch 1839, Die Arachniden 6 p. 56 TF. 471 (D ♀).
Pythonissa occulta C. L. Koch 1839, Die Arachniden 6 p. 58 TF. 472 (D ♀).
Drassus l. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 105 T. 6 F. 62 (D ♂♀) (part.).
Pythonissa l. Westring 1862, Aran. Svec. p. 350 (D ♀) (part.).
Pythonissa l. L. Koch 1866, Arachn. Fam. Drassid. p. 10 T. 1 F. 5—8 (D ♂♀).
Pythonissa femoralis L. Koch 1866, Arachn. Fam. Drassid. p. 36 T. 2 F. 26 (D ♀).
Thysa pythonissaeformis Kempelen 1867, Verh. Zool. Bot. Ges. Wien 17 p. 607 T. 14 F. 1—6 (D ♀).
Pythonissa l. Ohlert 1867, Aran. Prov. Preussen p. 96 (D ♂♀).
Pythonissa occulta Ohlert 1867, Aran. Prov. Preussen p. 97 (D ♀).
G. l. Thorell 1868, Oefv. Vet. Ak. Förh. 25 p. 379 (N).
G. l. Thorell 1871, Rem. Syn. Europ. Spid. p. 187 (N).
G. l. Simon 1878, Arachn. de France 4 p. 167 (D ♂♀).
G. l. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 58 (D ♂♀).
G. l. Simon 1893, Hist. Nat. Araign. 1 (2) p. 383 f. 336—338 (N).
G. l. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 263 T. 17 F. 24 (D ♂♀).
G. l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 186 T. 7 F. 27 (D ♂♀).
G. l. Bösenberg 1902, Zoologica 14 (2—4) p. 315 T. 29 F. 465 (D ♂♀).
G. l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 73 f. 61, 62 (D ♂♀)
G. l. Simon 1914, Arachn. de France 6 (1) p. 193, 199, 223 f. 414, 415, 439 (D ♂♀).
G. l. Reimoser 1931, Die Natur (Wien) 7 (2) p. 41 f. 4 (N ♂♀).
G. l. Denis 1935, Bull. Soc. Hist. Nat. Toulon 19 p. 114 TF. 7 (N ♀).
G. l. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 8 f. 9, 15 (D ♂♀).
G. l. Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 78 f. 23A, B; T. 12 F. 154 bis 156 (D ♂♀).

♂ **lucifuga minor** Nosek 1905. Kleinasien

G. l. m. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 128 (D ♂).

♀ **luctifica** Simon 1879. S.-Frankreich

G. l. Simon 1879, Bull. Soc. Zool. France 4 p. 259 (D ♀).
G. l. Simon 1914, Arachn. de France 6 (1) p. 199, 225 f. 441 (D ♀).

♂♀ **lugubris** (C. L. Koch) 1839. Europa

Pythonissa l. C. L. Koch 1839, Die Arachniden 6 p. 60 TF. 473 (D ♀).
Pythonissa l. L. Koch 1866, Arachn. Fam. Drassid. p. 8 T. 1 F. 4 (D ♀).
G. l. Simon 1878, Arachn. de France 4 p. 174 (D ♂♀).
G. l. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 418 (D ♀).
G. pittierii Getaz 1889, Bull. Soc. Vaud (3) 25 p. 63 (D ♀).
G. l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 187 T. 7 F. 23 (D ♂♀).
G. l. Bösenberg 1902, Zoologica 14 (2—4) p. 315 T. 30 F. 466 (D ♂♀).
G. l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 76 (D ♂♀).
G. l. Simon 1914, Arachn. de France 6 (1) p. 197, 200, 223 f. 434, 443 (D ♂♀).
G. krogerusi Schenkel 1934, Rev. Suisse Zool. 41 (3) p. 102 f. 6 (D ♂).
G. l. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 9 f. 12, 18 (D ♂♀).
G. krogerusi Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 220, 230 (N).
G. l. Locket & Millidge 1951, Brit. Spiders 1 p. 117 f. 60A, G u. 61A (D ♂♀).

♂♀ **lugubris occidentalis** (Simon) 1878. Frankreich, England

G. occidentalis Simon 1878, Arachn. de France 4 p. 177 T. 15 F. 11 (D ♂♀).
G. l. o. Simon 1914, Arachn. de France 6 (1) p. 194, 201, 224 f. 417, 445 (D ♂♀).
G. l. o. Jackson 1924, Proc. Dorset F. Cl. 45 p. 118 (D ♂♀).
G. o. Locket & Millidge 1951, Brit. Spiders 1 p. 117 f. 60B, E, F u. 61B (D ♂♀).

♂♀ **microps** Holm 1939. Lappland

G. m. Holm 1939, Ark. Zool. 31 (A; 8) p. 9 f. 4 (D ♀).
G. m. Palmgren 1943, Act. Zool. Fenn. 36 p. 88 f. (N).
G. m. Holm 1945, Ark. Zool. 36 (A, 15) p. 64 f. 21 (D ♂).
G. m. Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 90 T. 15 F. 182—184 (D ♂♀).

♂♀ **modestior** Kulczynski 1897. SO.-Europa, Balkanländer

G. m. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 184 T. 7 T. 18 (D ♂♀).

♂ **moesta** Thorell 1875. Krim

G. m. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 84 (D ♂).
G. m. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 99 (D ♂).

♀ **mongolica** Simon 1895. Mongolei

G. m. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 334 (D ♀).

♂♀ **montana** (L. Koch) 1866. Mittel-, N.- u. O.-Europa, Balkanländer

Drassus lucifugus Sundevall 1831, Vet. Ak. Handl. p. 138 (D ♂♀, part.).
Pythonissa m. L. Koch 1866, Arachn. Fam. Drassid. p. 18 T. 1 F. 11 (D ♀).
Pythonissa lucifuga Westring 1862, Aran. Svec. p. 350 (D ♀, ad max. part.).
G. m. Thorell 1870, Rem. Syn. Europ. Spid. p. 188 (N ♂).
G. m. Simon 1878, Arachn. de France 4 p. 171 (D ♀).
G. m. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 187 T. 7 F. 25 (D ♀).
G. m. Bösenberg 1902, Zoologica 14 (2—4) p. 316 T. 30 F. 467 (D ♀).
G. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 74 (D ♀).
G. m. Simon 1914, Arachn. de France 6 (1) p. 199, 223 f. 440 (D ♀).

G. m. Kulczynski 1915, Bull. Ac. Sci. Cracov. p. 916 T. 66 F. 22—24 (D ♀).
G. lucifuga Charitonow 1926, Bull. Inst. Biol. Univ. Perm 4 p. 259 TF. 1 (N ♀).
G. m. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 8 f. 16 (N ♂).
G. m. Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 218 T. 1 F. 1 (N ♂).
G. m. Palmgren 1943, Act. Zool. Fenn. 36 p. 85 f. (N).
G. m. Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 85 f. 26B; T. 14 F. 170—172 (D ♂♀).

o **multispinosa** Schenkel 1936. Mongolei

G. m. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 261 (D o).

♂♀ **muscorum** (L. Koch) 1866. W.-, N.-, O.-, Mitteleuropa, Sibirien

Pythonissa lugubris Westring 1862, Aran. Svec. p. 359 (D ♀).
Pythonissa m. L. Koch 1866, Arachn. Fam. Drassid. p. 14 T. 1 F. 9, 10 (D ♂♀).
G. m. Thorell 1870, Rem. Syn. Europ. Spid. p. 190 (N).
G. m. Simon 1878, Arachn. de France 4 p. 172 (D ♂♀).
G. tigrina Simon 1878, Arachn. de France 4 p. 181 (D ♀, nec ♂).
G. m. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 58 (D ♂♀).
G. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 75 f. 63—65 (D ♂♀).
G. m. Simon 1914, Arachn. de France 6 (1) p. 197, 200, 223 f. 433, 442 (D ♂♀).
G. m. Charitonow 1926, Bull. Inst. Biol. Univ. Perm 4 p. 260 (N).
G. m. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 8 f. 11, 19 (D ♂♀).
G. m. Palmgren 1943, Act. Zool. Fenn. 36 p. 86 f. (N).
G. m. Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 80 f. 24A; T. 12 F. 157, 158; T. 13 F. 159, 160 (D ♂♀).

♀ **muscorum gaunitzi** Tullgren 1948. Schweden

G. punctata Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 220, 229 (D ♀).
G. m. punctata Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 81 T. 13 F. 161 (D ♀).
G. m. g. Tullgren 1948 Ent. Tidskr. . . . (3) p. . . . (nom. nov.).

♀ **nana** (C. L. Koch) 1843. Deutschland, Böhmen, Mähren

Pythonissa n. C. L. Koch 1843, Die Arachniden 10 p. 119 TF. 833 (D ♀).

♂ **nigella** L. Koch 1878. Transkaukasien

G. n. L. Koch 1878, Jahresb. Isis p. 39 T. 1 F. 1 (D ♀).

♂♀ **nigerrima** L. Koch 1877. Mittel- u. Nord-Europa

G. n. L. Koch 1877, Abh. Nat. Ges. Nürnberg 6 p. 185 TF. 11 (D ♀).
G. n. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 588 (D ♀).
G. n. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 9 f. 17 (D ♀).
G. n. Lohmander 1942, Meddel. Göteborg Mus. Zool. 98 p. 34, 37 (D ♂, N ♀).
G. n. Tullgren 1946. Svensk Spindelfauna 3 Aran. p. 88 f. 27B; T. 14 F. 176—178 (D ♂♀).
G. n. Schenkel 1947, Rev. Suisse Zool. 54 (1) p. 1 (N).

♀ **nigra** Kulczynski 1926. Kamtschatka

G. n. Kulczynski 1926, Ann. Mus. Zool. Leningrad 27 p. 40 T. 2 F. 5 (D ♀).

♀ **nordlandica** Strand 1900. Norwegen

G. n. Strand 1900, Norsk. Vid. Selsk. Skrift. (2) p. 41 f. b (D ♀).

♀ **norvegica** Strand 1900. Norwegen

G. n. Strand 1900, Norsk. Vid. Selsk. Skrift. (2) p. 43 f. a (D ♀).

♀ **oceanica** Simon 1878. Frankreich, Thracien
G. o. Simon 1878, Arachn. de France 4 p. 179 (D ♀).
G. o. Simon 1914, Arachn. de France 6 (1) p. 198, 224 f. 437 (D ♀).

♂♀ **opaca** Herman 1879. Ungarn, Ostmark, Don-Gebiet
G. o. Herman 1879, Ungarns Spinn. Faun. 3 p. 195, 364 T. 7 F. 171 (D ♂).
G. molesta Herman 1879, Ungarns Spinn. Faun. 3 p. 195, 363 T. 7 F. 170 (D ♀).
G. fusca Herman 1879, Ungarns Spinn. Faun. 3 p. 362 (N).
G. o. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 189 T. 7 F. 20 (D ♂♀).

♂♀ **orychmonti** Giltay 1932. Morea
G. o. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 31 f. 20, 21 (D ♂♀).
G. o. Giltay 1933, Act. Faun. Flor. Univ. Bucuresti 1 (3—5) p. 7 T. 4 F. 2, 3 (D ♂♀).

♂♀ **petrobia** L. Koch 1872. Alpen
G. p. L. Koch 1872, Zeitschr. Ferdinand. Tirol 3 (17) p. 302 (D ♂♀).
G. p. Simon 1878, Arachn. de France 4 p. 185 (D ♂♀).
G. hospitalis Simon 1878, Arachn. de France 4 p. 186 (D ♀).
G. p. Müller & Schenkel 1895, Verh. Nat. Ver. Basel 10 p. 772 T. 14 F. 8 (N ♂).
G. p. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 643 T. 1 F. 8 (N ♀).
G. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 80 f. 71, 72 (D ♂♀).
G. p. Simon 1914, Arachn. de France 6 (1) p. 197, 203, 224 f. 432, 450 (D ♂♀).
G. p. Holm 1939, Ark. Zool. 31 (A; 8) p. 9 f. 3d, e (N ♂).
G. (Oreognaphosa) p. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 11 (N ♂).

♀ **porrecta** Strand 1900. Norwegen
G. p. Strand 1900, Norsk. Vid. Selsk. Skrift. (2) p. 39 f. c (D ♀).

♀ **potanini** Simon 1895. Mongolei
G. p. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 333 (D ♀).

♀ **prosperi** Simon 1878. N.-Spanien
G. p. Simon 1878, Arachn. de France 4 p. 175 (D ♀).

♀ **proxima** Kulczynski 1908. Sibirien
G. p. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 9 T. 1 F. 5 (D ♀).

♀ **pseudolapponica** Strand 1904. Norwegen
G. ps. Strand 1904, Christian. Vid. Selsk. Forh. (5) p. 6 (D ♀).

♂♀ **punctata** Kulczynski 1901. Mongolei, Transbaikalien
G. p. Kulczynski 1901, in: Horvath, Zool. Erg. 3. Reis. Zichy 2 p. 323 T. 12 F. 1 (D ♂♀).

♂♀ **rhenana** Müller & Schenkel 1895. Schweiz
G. rh. Müller & Schenkel 1895, Verh. Nat. Ver. Basel 10 p. 772 T. 14 F. 9 (D ♂♀).
G. rh. Lessert 1910, Catal. Invert. Suisse; Araign. p. 82 f. 76—78 (D ♂♀).

♂♀ **rufula** (L. Koch) 1866. S.-Russland, Macedonien, Turkestan
Pythonissa r. L. Koch 1866, Arachn. Fam. Drassid. p. 20 T. 1 F. 12—14 (D ♂♀).
G. r. (-? subrufula) Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 394 (D ♂).

♀ **secreta** Simon 1878. O.-Pyrenäen
G. s. Simon 1878, Arachn. de France 4 p. 190 (D ♀).
G. s. Simon 1914, Arachn. de France 6 (1) p. 203, 224 f. 451 (D ♀).

♀ **similis** Kulczynski 1926. Kamtschatka
G. s. Kulczynski 1926, Ann. Mus. Zool. Leningrad 27 p. 42 T. 2 F. 6 (D ♀).

♂♀ **sinensis** Simon 1880. Peking
G. s. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 121 T. 3 F. 22—24 (D ♂♀).
G. s. Saito 1936, Rep. 1. Sci. Exp. Manchoukuo (5) 1 (3; 11) p. 5, 74 T. 5 (N ♀).

♀ **soror** Herman 1879. Ungarn
G. s. Herman 1879, Ungarns Spinn. Faun. 3 p. 190, 362, T. 7 F. 169 (D ♀).

♂ **spadicea** Simon 1914. Frankreich, Turkestan
G. sp. Simon 1914, Arachn. de France 6 (1) p. 193, 223 f. 416 (D ♂).

♂♀ **spinosa** Kulczynski 1897. Ungarn
G. sp. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 187 T. 7 F. 16 (D ♂♀).

♂ **sticta** Kulczynski 1908. Sibirien, Kamtschatka
G. st. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 7 T. 1 F. 4 (D ♀).

♂♀ **stoliczkae** Cambridge 1885. Yarkand, Sirikol, Karakorum
G. st. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 16, T. 2 F. 12 (D ♂♀).
G. st. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 259 f. 85 (D ♂).

♂♀ **stussineri** Simon 1885. Griechenland
G. st. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 213 (D ♂♀).

♀ **suchuana** Chamberlin 1924. China
G. s. Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 4 T. 1 F. 1 (D ♀).

♀ **suspecta** Herman 1879. Ungarn, Bulgarien
G. s. Herman 1879, Ungarns Spinn. Faun. 3 p. 194, 363 T. 7 F. 168 (D ♀).
G. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 189 T. 7 F. 21 (D ♀).

♂ **taurica** Thorell 1875. SO.-Russland, Krim, Bulgarien, Turkestan
G. t. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 84 (D ♂).
G. t. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 98 (D ♂).

♂♀ **tetrica** Simon 1878. O.-Pyrenäen, Macedonien
G. t. Simon 1878, Arachn. de France 4 p. 170 (D ♂♀).
G. t. Simon 1914, Arachn. de France 6 (1) p. 196, 224 (D ♂).

♂♀ **thorelli** (Lebert) 1877. Wallis
Pythonissa th. Lebert 1877, Neu. Denkschr. Schweiz. Nat. Ges. 26 p. 236 (D ♂♀).

♂♀ **tigrina** Simon 1878. O.-Pyrenäen, Schweiz
G. t. Simon 1878, Arachn. de France 4 p. 180 (D ♂, nec ♀).
G. t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 78 f. 69, 70 (D ♂).
G. t. Simon 1914, Arachn. de France 6 (1) p. 201, 224 f. 429, 430, 446 (D ♂♀).

♂♀ **zeugitana** Pavesi 1880. Marokko, Algier, Tunis
G. z. Pasevi 1880, Ann. Mus. Civ. Genova 15 p. 352 (D ♂♀).
G. z. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 77 (N ♀).

Transgredierende Arten:

♂♀ **lapponum** (L. Koch) 1866. Nord-Europa, Island, Grönland

Pythonissa l. L. Koch 1866, Arachn. Fam. Drassid. p. 33 T. 2 F. 22—25 (D ♂♀).
G. l. Thorell 1870, Rem. Syn. Europ. Spid. p. 193 (N).
G. l. Simon 1887, Bull. Soc. Zool. France 12 p. 460 (N ♂♀).
G. islandica Soerensen 1898, Vid. Meddel. Nat. (5) 10 p. 222 (D ♂♀).
G. l. Schenkel 1928, Rev. Suisse Zool. 35 (2) p. 18 f. 1 (D ♂♀).
G. islandica Schenkel 1931, Naturw. Unterschg. Sarekgebiet Zool. 4 (10) p. 957, 979 (N ♀).
G. pseudolapponica Schenkel 1931, Naturw. Unterschg. Sarekgebiet 4 (10) p. 957 (N ♀).
G. l. Palmgren 1943, Act. Zool. Fenn. 36 p. 87 f. (N).
G. l. Tullgren 1946, Svensk Spindelfauna 3 Aran. p. 82 f. 24 B; T. 13 F. 162 bis 164 (D ♂♀).
G. islandica Braendegaard 1946, Medd. Grönland 121 (15) p. 54 (N).

♀ **lapponum inermis** Strand 1899. Norwegen

G. l. i. Strand 1899, Arch. Nat. Christiania 21 (6) p. 49 (D ♀).
G. l. i. Strand 1906, Faun. Artica 4 (3) p. 439 (N).

Aethiopische Arten:

♂ **funerea** Dalmas 1921. St. Helena

G. lugubris Cambridge 1873, Proc. Zool. Soc. Lond. p. 212 T. 24 F. 2 (D ♂).
G. f. Dalmas 1921, Ann. Soc. Ent. France 89 p. 326 (N ♂).

Orientalische Arten:

♀ **annamita** Simon 1909. Annam

G. a. Simon 1909, Bull. Sci. France Belg. 42 p. 78 (D ♀).

♀ **pumila** Dyal 1935. Panjab

G. p. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 195 (D ♀).

Neotropische Arten:

♀ **abnormis** Banks 1898. Mexico

G. a. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 222 T. 13 F. 15 (D ♀).

♀ **decepta** Banks 1898. Mexico

G. d. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 221 T. 13 F. 14 (D ♀).
G. d. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 56 (C ♀).

♀ **peon** Chamberlin 1925. Mexico

G. p. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 213 (D ♀).

♀ **sandersi** Gertsch & Davis 1940. Mexico

G. s. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 8 TF. 14 (D ♀).

♂ **scutata** Mello-Leitao 1939. S.-Brasilien

G. sc. Mello-Leitao 1939, Mem. Inst. Butantan 12 p. 529 TF. 14, 15 (D ♂).

Transgredierende Arten:

♀ **distincta** Banks 1898. Nieder-Californien, Neu-Mexico

G. d. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 222 T. 13 F. 13 (D ♀).

Nearktische Arten:

5 ♂, ♀: Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 343—344.

♀ **altudona** Chamberlin 1922. Texas

G. a. Chamberlin 1933. Proc. Biol. Soc. Wash. 35 p. 167 (D ♀).

♂♀ **antipola** Chamberlin 1933. Utah

G. a. Chamberlin 1933, Amer. Mus. Novit. 631 p. 4 TF. 5—7 (D ♂♀).

♂♀ **brumalis** Thorell 1875. U. St. Amerika, Canada, Labrador

G. b. Thorell 1875, Proc. Boston Soc. Nat. Hist. 17 p. 497 (D ♀).
G. scudderi Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 491 (D ♀).
G. b. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 175 T. 4 F. 5 (D ♂♀).
G. humilis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 19 T. 1 F. 9 (D ♀).
G. b. Chamberlin 1933, Amer. Mus. Novit. 631 p. 3 TF. 1, 2 (N ♂).
G. b. Kaston 1948, Stat. Connect. Publ. Docum. 47, Bull. 70 p. 346 T. 59 F. 1156 bis 1157 T. 61 F. 1185 (D ♂♀).

♀ **californica** Banks 1904. Californien, Utah

G. c. Banks 1904, Proc. Calif. Ac. Sci. Zool. (3) 3 (13) p. 335 T. 38 F. 10 (D ♀).

♂♀ **fontinalis** Keyserling 1887. Kentucky, Connecticut

G. f. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 426 T. 6 F. 4 (D ♀).
G. americana Banks 1896, Trans. Amer. Ent. Soc. 23 p. 61 (D ♀).
G. f. Kaston 1938, Bull. Brookl. Ent. Soc. 33 (4) p. 180 T. 8 F. 15—17 (D ♂♀).
G. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 345 T. 61 F. 1178 bis 1180 (D ♂♀).

♂♀ **gigantea** Keyserling 1887. U. St. Amerika, Canada

G. conspersa Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 489 (D ♀).
G. muscorum Emerton 1877, Proc. Boston Soc. Nat. Hist. 19 p. 71 (N).
G. g. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 424 T. 6 F. 3 (D ♀).
G. conspersa Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 176 T. 4 F. 4 (D ♂♀).
G. conspersa Emerton 1902, Common Spid. p. 2 f. 3—5 (D ♀).
G. g. Comstock 1922, Spider Book p. 320 f. 311, 312 (D).
G. muscorum Gertsch 1935, Amer. Mus. Novit. 792 p. 28 (C).
G. muscorum Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 344 T. 59 F. 1178—1180 (D ♂♀).

♂♀ **hirsutipes** Banks 1901. Neu-Mexico, Utah, Colorado, Californien

G. h. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 573 T. 23 F. 4 (D ♀).
G. h. Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 228 T. 1 F. 9 (D ♂).

♂ **labradorensis** Fox 1938. Labrador

G. l. Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 231 T. 1 F. 1 (D ♂).

♂ **mima** Chamberlin 1933. Canada

G. m. Chamberlin 1933, Amer. Mus. Novit. 631 p. 2 TF. 3, 4 (D ♂).

♀ **mulaiki** Chamberlin 1936. Texas

G. m. Chamberlin 1936, Amer. Mus. Novit. 853 p. 6 f. 24 (D ♀).

♂ **orites** Chamberlin 1922. Maine, New Hampshire

G. o. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 158 (D ♂).

♂♀ **parvula** Banks 1896. U. St. Amerika, Canada

G. p. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 61 (D ♀).
G. p. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 218 T. 9 F. 3 (D ♂♀).
G. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 346 T. 60 F. 1161—1162; T. 61 F. 1184 (D ♂♀).

♂♀ **septentrionalis** Fox 1938. Alaska
G. s. Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 228 T. 1 F. 2, 8 (D ♂♀).

♀ **subparvula** Fox 1938. Labrador
G. s. Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 230 T. 2 F. 5 (D ♀).

♀ **tenebrosa** Fox 1938. Labrador
G. t. Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 229 T. 2 F. 6 (D ♀).

♂ **texana** Chamberlin 1922. Texas
G. t. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 157 (D ♂).

♀ **utahana** Banks 1904. Utah
G. u. Banks 1904, Journ. N. York Ent. Soc. 12 p. 110 T. 6 F. 26 (D ♀).

Gen. **Minosiella** Dalmas 1921.

Palaearktische Arten:

♂♀ **mediocris** Dalmas 1921. – * Aegypten, Algier, Tunis
M. m. Dalmas 1921, Ann. Soc. Ent. France 89 p. 311 f. 113, 118 (D ♂♀).

♀ **pharia** Dalmas 1921. Aegypten
M. ph. Dalmas 1921, Ann. Soc. Ent. France 89 p. 313 f. 115 (D ♀).

Aethiopische Arten:

♂♀ **pallida** (L. Koch) 1875. Somaliland, Yemen
Gnaphosa p. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 42 T. 4 F. 5 (D ♀).
Pythonissa arenicolor Simon 1882, Ann. Mus. Civ. Genova 18 p. 237 T. 8 F. 10, 11 (D ♂♀).
Callilepis spinigera Simon 1897, Bull. Mus. Hist. Nat. Paris p. 95 (N).
M. p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 313 f. 116, 119 (D ♂♀).

♀ **perimensis** Dalmas 1921. Yemen
M. p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 312 f. 114 (D ♀).

♂♀ **spinigera** (Simon) 1882. Yemen
Pythonissa sp. Simon 1882, Ann. Mus. Civ. Genova 18 p. 236 T. 8 F. 8, 9 (D ♂♀).
M. sp. Dalmas 1921, Ann. Soc. Ent. France 89 p. 314 f. 117, 120, 121 (D ♂♀).

Gen. **Nomisia** Dalmas 1921.

Palaearktische Arten:

♂♀ **aussereri** (L. Koch) 1872. Mittelmeergebiet, Krim, Kaukasus, Turkestan
Gnaphosa au. L. Koch 1872, Zeitschr. Ferdinand. Tirol (3) 17 p. 298 (D ♂♀).
Pythonissa au. Simon 1878, Arachn. de France 4 p. 200 (D ♂♀).
Pythonissa au. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 191 T. 7 F. 28 (D ♂♀).
Pterotricha au. Simon 1914, Arachn. de France 6 (1) p. 189, 222 f. 402, 403 (D ♂♀).
N. au. Dalmas 1921, Ann. Soc. Ent. France 89 p. 298 f. 8, 9, 13, 81, 99 (D ♂♀).

♂♀ **castanea** Dalmas 1921. Algier, Tunis, Tripolis
N. c. Dalmas 1921, Ann. Soc. Ent. France 89 p. 284 f. 57 (D ♀).
N. c. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 89 f. 5 (D ♂).

♂♀ **celerrima** (Simon) 1914. S.-Frankreich

Pterotricha c. Simon 1914, Arachn. de France 6 (1) p. 188, 222 f. 401 (D ♂).
N. c. Dalmas 1921, Ann. Soc. Ent. France 89 p. 279 f. 84 (D ♂).
N. c. Denis 1937, Proc. Zool. Soc. Lond. 107 (B; 4) p. 588 T. 1 F. 10, 11 (D ♂♀).

♂♀ **excerpta** (Cambridge) 1872. Palästina

Gnaphosa e. Cambridge 1872, Proc. Zool. Soc. Lond. p. 266 T. 15 F. 4 (D ♂).
Gnaphosa palaestina Cambridge 1872, Proc. Zool. Soc. Lond. p. 231 T. 15 F. 8 (D ♀).
Pythonissa experta Simon 1878, Arachn. de France 4 p. 205 (C).
Pythonissa palaestina Simon 1878, Arachn. de France 4 p. 205 (C).
N. e. Dalmas 1921, Ann. Soc. Ent. France 89 p. 288 f. 70 (D ♀).

♂♀ **exornata** (C. L. Koch) 1839. – * Mittelmeergb., Krim, Turkestan

Pythonissa e. C. L. Koch 1839, Die Arachniden 6 p. 63 TF. 476, 477 (D ♀).
Drassus e. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 486 (D ♀).
Pythonissa e. L. Koch 1866, Arachn. Fam. Drassid. p. 44 T. 2 F. 32, 33 (D ♀).
Gnaphosa e. Thorell 1873, Rem. Syn. Europ. Spid. p. 502 (N).
Pythonissa e. Simon 1878, Arachn. de France 4 p. 199 (D ♂♀).
Callilepis e. Kulczynski 1887, Rozpraw. Ak. Umiej. Krakow. 16 p. 278 (C).
Pythonissa e. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 190 T. 7 F. 30 (D ♂♀).
Callilepis e. Simon 1898, Bull. Mus. Hist. Nat. Paris p. 83 (N).
Pythonissa e. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 79 (D ♂♀).
Pterotricha e. Lessert 1910, Catal. Invert. Suisse; Araign. p. 83 (D ♂♀).
Pterotricha e. Simon 1914, Arachn. de France 6 (1) p. 189, 222 f. 404, 405 (D ♂♀).
N. e. Dalmas 1921, Ann. Soc. Ent. France 89 p. 278 f. 61, 83 (D ♂♀).

♀ **fagei** Dalmas 1921. S.-Frankreich, Portugal

N. f. Dalmas 1921, Ann. Soc. Ent. France 89 p. 287 f. 69 (D ♀).
N. f. Machado 1941, Mem. Mus. Zool. Univ. Coimbra (1) 117 p. 21 (N).

♂ **flavimana** Denis 1937. Algier

N. f. Denis 1937, Proc. Zool. Soc. Lond. p. 1037 T. 3 F. 8 (D ♂).

♀ **fortis** Dalmas 1921. Canaren

N. f. Dalmas 1921, Ann. Soc. Ent. France 89 p. 283 f. 65 (D ♀).

♂♀ **henryi** Denis 1934. SW.-Frankreich

N. h. Denis 1934, Ann. Soc. Hist. Nat. Toulon 18 p. 148 T. 2 F. 1 (D ♂♀).

♂♀ **marginata** (Cambridge) 1874. Aegypten, Algier

Gnaphosa m. Cambridge 1874, Proc. Zool. Soc. Lond. p. 374 T. 51 F. 3 (D ♀).
Pythonissa m. Simon 1878, Arachn. de France 4 p. 205 (C).
Pythonissa recepta Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 39 (C).
N. m. Dalmas 1921, Ann. Soc. Ent. France 89 p. 296 f. 79, 98 (D ♂♀).
N. m. Denis 1944, Bull. Soc. Hist. nat. Toulouse 79 (1) p. 48 (N ♀).

♂♀ **mauretanica** Dalmas 1921. Marokko, Tripolis

Pterotricha aussereri Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 p. 19 (D ♀).
Pterotricha aussereri Simon 1911, Ann. Soc. Ent. France 80 p. 416 (N).
N. m. Dalmas 1921, Ann. Soc. Ent. France 89 p. 299 f. 82 (D ♀).
N. m. Caporiacco 1932, Boll. Zool. Napoli 3 (5) p. 235 f. 7 (D ♂).

♂ **molendinaria** (L. Koch) 1866. Dalmatien, Transkaukasien

Pythonissa m. L. Koch 1866, Arachn. Fam. Drassid. p. 47 T. 2 F. 34, 35 (D ♂).
Gnaphosa m. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 86 (N).
N. m. Dalmas 1921, Ann. Soc. Ent. France 89 p. 286 f. 89 (D ♂).

♂ **montenegrina** Giltay 1932. Montenegro
N. m. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 30 f. 19 (D ♂).
N. m. Giltay 1933, Act. Faun. Flor. Univ. Bucuresti 1 (3—5) p. 6 T. 4 F. 1 (D ♂).

♂♀ **musiva** (Simon) 1889. Canaren
Pythonissa m. Simon 1889, Bull. Soc. Zool. France 14 (7) p. 303 (D ♀).
Callilepis moebi Bösenberg 1895, Abh. Nat. Ver. Hambg. 13 p. 5 f. 8 (D ♂♀).
N. m. Dalmas 1921, Ann. Soc. Ent. France 89 p. 281 (D ♂♀).

♂♀ **orientalis** Dalmas 1921. Kleinasien
N. o. Dalmas 1921, Ann. Soc. Ent. France 89 p. 289 f. 72, 91 (D ♂♀).

♀ **perpusilla** Dalmas 1921. Spanien
N. p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 280 f. 62 (D ♀).

♀ **pulchra** (Nosek) 1905. Kleinasien
Pterotricha p. Nosek 1905, Ann. Nat. Hist. Hofmus. Wien 20 p. 127 T. 4 F. 9 (D ♀).
N. p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 289 f. 71 (N ♀).

♂♀ **recepta** (Pavesi) 1880. Tunis
Gnaphosa r. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 355 (D ♂).
N. r. Dalmas 1921, Ann. Soc. Ent. France 89 p. 283 f. 86, 87 (D ♂♀).

♂♀ **ripariensis** (Cambridge) 1872. Palästina, Rhodos, Griechenland, Creta
Gnaphosa r. Cambridge 1872, Proc. Zool. Soc. Lond. p. 244 T. 15 F. 1 (D ♂♀).
Pythonissa r. Simon 1878, Arachn. de France 4 p. 205 (N).
Pterotricha r. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 25 T. 1 F. 21, 22 (N ♂).
Callilepis r. Strand 1915, Arch. Naturg. 81 (A; 2) p. 145 (D ♀).
Pterotricha r. Simon 1916, Ann. Soc. Ent. France 85 p. 274 (N).
N. r. Dalmas 1921, Ann. Soc. Ent. France 89 p. 285 f. 68, 88 (D ♂♀).

♂ **soror** Dalmas 1921 Syrien
N. s. Dalmas 1921, Ann. Soc. Ent. France 89 p. 290 f. 92, 93 (D ♂).

♂ **tingitana** Dalmas 1921. Marokko
N. t. Dalmas 1921, Ann. Soc. Ent. France 89 p. 280 f. 85 (D ♂).

♀ **verneaui** (Simon) 1889. Canaren
Pythonissa v. Simon 1889, Bull. Soc. Zool. France 14 (7) p. 303 (D ♀).
N. v. Dalmas 1921, Ann. Soc. Ent. France 89 p. 281 f. 64 (D ♀).

Aethiopische Arten:

§ 5 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 265 (sub **Callilepis,** part.).

♂ **australis** Dalmas 1921. Capland
N. au. Dalmas 1921, Ann. Soc. Ent. France 89 p. 293 f. 94, 95 (D ♂).

♀ **chordivulvata** (Strand) 1906. Somaliland, Süd-Abessinien
Pythonissa ch. Strand 1906, Zool. Anz. 30 (19—20) p. 613 (D ♀).
Pythonissa ch. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 81 (D ♀).
N. ch. Dalmas 1921, Ann. Soc. Ent. France 89 p. 292 (D ♀).

♂ **dalmasi** Lessert 1929. Congo
N. d. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 107 f. 2A, 3A (D ♂).

♀ **frenata** (Purcell) 1908. S.-Afrika
Callilepis f. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 241 T. 11 F. 28 (D ♀).
N. f. Dalmas 1921, Ann. Soc. Ent. France 89 p. 294 f. 78 (D ♀).
Callilepis f. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 267 (D ♀).

♀ **monardi** Lessert 1933. Angola
N. m. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 95 f. 10 (D ♀).

♀ **notia** Dalmas 1921.
N. n. Dalmas 1921, Ann. Soc. Ent. France 89 p. 292 f. 76 (D ♀).

♂♀ **poecilipes** Caporiacco 1939. Aethiopien
N. p. Caporiacco 1939, Real Accad. Ital. p. 351 f. 15 (D ♂♀).

♀ **punctata** (Kulczynski) 1901. Erythraea
Pythonissa p. Kulczynski 1901, Bull. Ac. Sci. Cracov. p. 11 T. 1 F. 7, 10 (D ♀).
N. p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 291 f. 75 (D ♀).

♂♀ **satulla** (Simon) 1909. Abessinien
Pterotricha s. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 35 (D ♀).
N. s. Dalmas 1921, Ann. Soc. Ent. France 89 p. 290 f. 73 (D ♀).
Pterotricha s. Berland 1922, Voy. Rothschild Ethiop. Bes. 10 Anim. Artic. 1 p. 50 T. A1 F. 3 (D ♀).
Pterotricha s. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 104 f. 2B, 3B (D ♂).

♀ **scioana** (Pavesi) 1883. Abessinien
Gnaphosa sc. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 52 (D ♀).
Pterotricha sc. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 36 (N ♀).
N. sc. Dalmas 1921, Ann. Soc. Ent. France 89 p. 291 f. 74 (D ♀).

O♀ **simplex** (Kulczynski) 1901. Erythraea
Pythonissa s. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 16 T. 1 F. 12, 13 (D O♀).
N. s. Dalmas 1921, Ann. Soc. Ent. France 89 p. 297 f. 80 (D ♀).

♀ **transvaalica** Dalmas 1921. Transvaal
N. t. Dalmas 1921, Ann. Soc. Ent. France 89 p. 294 f. 77 (D ♀).

♂ **tubula** (Tucker) 1923. S.-Afrika, Angola
Callilepis t. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 268 T. 1 F. 6 (D ♂).
N. t. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 93 f. 8, 9 (D ♂).

Orientalische Arten:

♂ **harpax** (Cambridge) 1874. Indien
Gnaphosa h. Cambridge 1874, Proc. Zool. Soc. Lond. p. 371 T. 51 F. 1 (D ♂).
N. h. Dalmas 1921, Ann. Soc. Ent. France 89 p. 295 f. 97 (D ♂).

Gen. **Prionosternum** Dunn 1951.

♂ **scutatum** Dunn 1951. West-Australien
P. s. Dunn 1951, Mem. Nat. Mus. Melbourne 17 p. 14 f. (D ♂).

Gen. **Pterotricha** Kulczynski 1903.

Palaearktische Arten:

♂♀ **adspersa** (Grube) 1861. Sibirien, Amur-Gebiet
Drassus a. Grube 1861, Bull. Ak. Sci. St. Petersbg. 4 p. 170 (D ♂♀).

♂♀ **aegyptiaca** Dalmas 1921. Aegypten
P. ae. Dalmas 1921, Ann. Soc. Ent. France 89 p. 258 f. 23, 41 (D ♂♀).

♂♀ **algerica** Dalmas 1921. Algier, Fezzan
P. a. Dalmas 1921, Ann. Soc. Ent. France 89 p. 262 f. 29 (D ♂♀).

♂♀ **cambridgii** (Cambridge) 1872. Palästina, Tripolis
Gnaphosa c. Cambridge 1872, Proc. Zool. Soc. Lond. p. 227 T. 13 F. 3; T. 15 F. 2 (D ♂♀).
Pythonissa c. Simon 1878, Arachn. de France 4 p. 205 (N).
P. c. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 20 T. 1 F. 11, 15 (N ♂♀).
Callilepis c. Strand 1915, Arch. Naturg. 81 (A; 2) p. 144 (N).
P. c. Dalmas 1921, Ann. Soc. Ent. France 89 p. 253 f. 18, 36 (D ♂♀).

♂ **conigera** Spassky 1941. Tadzhikistan
P. c. Spassky 1941, Folia Zool. Hydrobiol. Riga 11 p. 22 f. (D ♂).
P. c. Spassky & Luppova 1945, Rev. Ent. U. S. S. R. 28 (1—2) p. 49 (D ♂).

♂♀ **conspersa** (Cambridge) 1872. Palästina, Aegypten, Tripolis
Gnaphosa c. Cambridge 1872, Proc. Zool. Soc. Lond. p. 230 T. 15 F. 5 (D ♂♀).
Pythonissa c. Simon 1878, Arachn. de France 4 p. 205 (N).
P. c. Dalmas 1921, Ann. Soc. Ent. France 89 p. 257 f. 22, 41 (D ♂♀).

♀ **cyrenaica** Caporiacco 1949. Cyrenaica
P. c. Caporiacco 1949, Ann. Mus. Civ. Trieste 17 (6) p. 118 f. 4 (D ♀).

♀ **extitiabilis** Drenski 1929. Macedonien
P. e. Drenski 1929, Zeitschr. Bulgar. Ak. Wiss. 39 p. 10, 63 T. 1 F. 8, 9 (D ♀).

♂ **insolita** Dalmas 1921. Algier
P. i. Dalmas 1921, Ann. Soc. Ent. France 89 p. 264 (D ♂).

♂♀ **isiaca** Dalmas 1921. Aegypten, Oase Siwah
P. i. Dalmas 1921, Ann. Soc. Ent. France 89 p. 259 f. 24 (D O♀).
P. i. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 63 T. 4 F. 5 (D ♂, N ♀).

o **jaffana** (Strand) 1915. Palästina
Callilepis j. Strand 1915, Arch. Naturg. 81 (A; 2) p. 144 (D o).
Minosia j. Dalmas 1921, Ann. Soc. Ent. France 89 p. 304 (N).

♀ **jucunda** (Thorell) 1875. Krim
Gnaphosa j. Thorell 1875, Tijddschr. Ent. 18 p. 85 (D ♀).
Gnaphosa j. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 104 (D ♀).
Pythonissa j. Simon 1878, Arachn. de France 4 p. 205 (N).

♀ **karakumensis** Spassky 1939. Turkmenien
P. k. Spassky 1939, Festschr. Strand 5 p. 142 f. 5 (D ♀).

♂♀ **kochii** (Cambridge) 1872. Libanon
Gnaphosa k. Cambridge 1872, Proc. Zool. Soc. Lond. p. 229 T. 15 F. 6 (D ♂).
Pythonissa k. Simon 1878, Arachn. de France 4 p. 205 (N).
P. k. Dalmas 1921, Ann. Soc. Ent. France 89 p. 252 f. 2, 16 (D ♂♀).

♂♀ **lentiginosa** (C. L. Koch) 1837. – * Balkanländer, Kleinasien, Creta, Cypern, Krim, Tripolis
Aranea l. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 14 (N).
Drassus l. C. L. Koch 1839, Die Arachniden 6 p. 39 TF. 459 (D ♀).
Drassus l. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 484 (D ♀).

Pythonissa l. L. Koch 1866, Arachn. Fam. Drassid. p. 41 T. 2 F. 31 (D O♀).
Gnaphosa l. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 85 (N).
P. l. Kulczynski 1903, Bull. Ac. Sci. Cracov. p. 44 T. 1 F. 11 (D ♀).
P. l. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 20 T. 1 F. 10 (N ♂).
P. l. Dalmas 1921, Ann. Soc. Ent. France 89 p. 249 f. 15, 32 (D ♂♀).

♀ **lentiginosoides** Nosek 1905. Kleinasien
P. l. Nosek 1905, Ann. Nat. Hist. Hofmus. Wien 20 p. 127 T. 4 F. 8 (D ♀).
P. l. Dalmas 1921, Ann. Soc. Ent. France 89 p. 256 f. 21 (D ♀).

♂ **lesserti** Dalmas 1921. Palästina
P. l. Dalmas 1921, Ann. Soc. Ent. France 89 p. 252 f. 33 (D ♂).

♀ **linnaei** (Audouin) 1827. Aegypten
Drassus l. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 384 T. 5 F. 7 (D ♀).
Pythonissa l. Simon 1878, Arachn. de France 4 p. 205 (C).

♂♀ **lutata** (Cambridge) 1872. Syrien
Gnaphosa l. Cambridge 1872, Proc. Zool. Soc. Lond. p. 228 T. 15 F. 7 (D ♂).
Pythonissa l. Simon 1878, Arachn. de France 4 p. 205 (N).
P. l. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 22 T. 1 F. 16—18 (D ♂♀).
P. l. Dalmas 1921, Ann. Soc. Ent. France 89 p. 255 f. 19, 37, 38 (D ♂♀).

♀ **mauritanica** Denis 1944. Mauretanien
P. m. Denis 1944, Bull. Soc. Hist. Nat. Toulouse 79 (1) p. 47 T. 2 F. 16 (D ♀).

♂♀ **moerens** (Cambridge) 1885. Yarkand
Gnaphosa m. Cambridge 1885, Sci. Res. Sec. Yarkand. Miss.: Aran. p. 17 T. 2 F. 13 (D ♂♀).

♂ **nomas** (Thorell) 1875. SO.-Russland
Gnaphosa n. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 84 (D ♂).
Gnaphosa n. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 103 (D ♂).
Pythonissa n. Simon 1878, Arachn. de France 4 p. 205 (N).

♀ **peregrina** Denis 1948. Sahara
P. p. Denis 1948, Bull. Soc. Hist. Nat. Alger. 39 p. 146 f. 1 (D ♀).

♂♀ **procera** (Cambridge) 1874. Aegypten
Gnaphosa p. Cambridge 1874, Proc. Zool. Soc. Lond. p. 373 T. 51 F. 2 (D ♂♀).
Pythonissa p. Simon 1878, Arachn. de France 4 p. 205 (N).
P. p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 256 f. 20, 39, 40 (D ♂♀).

♂ **saga** (Dönitz & Strand) 1906. Japan
Callilepis s. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 377 T. 7 F. 80 (D ♂).

♂♀ **shnitnikovi** Spassky 1934. Turkestan
P. sh. Spassky 1934, Rev. Fr. d'Ent. 1 (2) p. 137 f. 4, 5 (D ♂♀).

♂♀ **simoni** Dalmas 1921. Spanien
P. s. Dalmas 1921, Ann. Soc. Ent. France 89 p. 261 f. 28 (D ♂♀).

♂♀ **strandi** Spassky 1936. Turkmenien
P. st. Spassky 1936, Festschr. Strand 1 p. 37 f. 1—3 (D ♂♀).

♂♀ **syriaca** Dalmas 1921. Syrien
P. s. Dalmas 1921, Ann. Soc. Ent. France 89 p. 253 f. 34, 35 (D ♂♀).

♀ **thressa** (Pavesi) 1876. Türkei, Griechenland, Calabrien
Gnaphosa th. Pavesi 1876, Atti Soc. Ital. Sci. Nat. 19 (1) p. 65 (18) (D ♀).
Gnaphosa th. Pavesi 1878, Ann. Mus. Civ. Genova 11 p. 346 (N).
Pythonissa th. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 342 (N).

♀ **trebax** (Thorell) 1873. Krim
Gnaphosa t. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 85 (D ♀).
Gnaphosa t. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 104 (D ♀).
Pythonissa t. Simon 1878, Aradın. de France 4 p. 205 (N).

♀ **vicina** Dalmas 1921. Algier, Fezzan
P. v. Dalmas 1921, Ann. Soc. Ent. France 89 p. 262 f. 30 (D ♀).

Transgredierende Arten:

♂♀ **schaefferi** (Audouin) 1827. N.-Afrika, Syrien, Sudan, Arabien
Drassus sch. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 383 T. 5 F. 5 (D ♀).
Drassus sch. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 626 (D ♀).
Macaria sch. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
Pythonissa sch. Simon 1878, Arachn. de France 4 p. 205 (N).
P. sch. Simon 1907, Arachn. in: Res. Swed. Zool. Exped. Egypt. Wh. Nile 21 p. 4 (N).
Callilepis sch. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 78 (D ♀).
P. sch. Dalmas 1921, Ann. Soc. Ent. France 89 p. 260 f. 26, 42 (D ♂♀).

Aethiopische Arten:

§ 5 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 265 (part.).

♂ **aethiopica** (L. Koch) 1875. Abessinien
Gnaphosa ae. L. Koch 1875, Aegypt. Abyss. Aradın. Jickeli p. 44 T. 5 F. 1 (D ♂).

O o **arcifera** (Simon) 1882. Yemen
Pythonissa a. Simon 1882, Ann. Mus. Civ. Genova 18 p. 238 (D o).
Pythonissa a. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 91 (N).
P. a. Dalmas 1921, Ann. Soc. Ent. France 89 p. 263 (D O o).

♂♀ **auris** (Tucker) 1923. S.-Afrika
Callilepis au. Tucker 1923, Ann. S.-Afr. Mus. 19 (2) p. 265 T. 8 F. 4 (D ♂♀).

♂♀ **chazaliae** (Simon) 1895. W.-Afrika
Callilepis ch. Simon 1895, Ann. Soc. Ent. France 64 Bull. p. 376 (D ♀).
P. ch. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 20 (N).
P. ch. Dalmas 1921, Ann. Soc. Ent. France 89 p. 264 f. 31 (D ♂♀).

♂ **dalmasi** Fage 1929. S.-Sahara, Sudan
P. d. Fage 1929, Bull. Mus. Hist. Nat. Paris (2) 1 (4) p. 252 f. 5 (D ♂).

♀ **djibutensis** Dalmas 1921. Somaliland
P. d. Dalmas 1921, Ann. Soc. Ent. France 89 p. 259 f. 25 (D ♀).

♀ **fanatica** Dalmas 1921. Arabien
P. f. Dalmas 1921, Ann. Soc. Ent. France 89 p. 261 f. 27 (D ♀).

♀ **marginalis** (Tucker) 1923. S.-Afrika
Callilepis m. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 267 T. 8 F. 5 (D ♀).

O o **punctifera** Dalmas 1921. Yemen
P. p. Dalmas 1921, Ann. Soc. Ent. France 89 p. 261 (D O o).

♂ **quagga** (Pavesi) 1884. Abessinien
Gnaphosa qu. Pavesi 1884, Ann. Mus. Civ. Genova 20 p. 468 (D ♂).

♂ **somaliensis** Dalmas 1921. Somaliland
P. s. Dalmas 1921, Ann. Soc. Ent. France 89 p. 263 f. 43 (D ♂).

♀ **varia** (Tucker) 1923. S.-Afrika
Callilepis v. Tucker 1923, Ann. S.-Afr. Mus. 19 (2) p. 269 T. 8 F. 7 (D ♀).

Neotropische Arten:

♀ **grisea** (Banks) 1914. Cuba
Callilepis g. Banks 1914, Bull. Amer. Mus. Nat. Hist. 33 (41) p. 639 T. 43 F. 2 (D ♀).

Transgredierende Arten:

♀ **insularis** (Banks) 1900. Guadaloupe, Californien
Callilepis i. Banks 1900, Canad. Ent. 32 p. 97 (D ♀).

♂♀ **munda** (Chamberlin) 1935. Arkansas, Mexico
Callilepis m. Chamberlin 1935, Amer. Mus. Novit. 841 p. 16 f. 22—24 (D ♂♀).
Callilepis m. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 9 (C ♀).

Nearktische Arten:

♂♀ **altitudonis** (Chamberlin) 1935. Colorado
Callilepis a. Chamberlin 1935, Amer. Mus. Novit. 841 p. 14 f. 25 (D ♀).
Callilepis a. Levi 1951, Zoologica, New York 36 (4) p. 226 f. 19 (D ♂).

♂ **clara** (Keyserling) 1887. Utah
Pythonissa c. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 429 T. 6 F. 6 (D ♂).
Callilepis c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 776 (C).

♂ **eremella** (Chamberlin & Gertsch) 1928. Utah
Callilepis e. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 177 (D ♂).

♀ **femoralis** (Banks) 1911. N.-Carolina
Callilepis f. Banks 1911, Proc. Ac. Nat. Sci. Philad. 63 p. 441 T. 35 F. 11 (D ♀).

♂ **gosoga** (Chamberlin & Gertsch) 1940. Californien
Callilepis g. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1069 p. 10 TF. 13 14 (D ♂).

♂♀ **imbecilla** (Keyserling) 1887. U. St. Amerika, Canada
Pythonissa i. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 427 T. 6 F. 5 (D ♀).
Pythonissa i. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 177 T. 4 F. 6 (D ♂♀).
Callilepis pluto Banks 1896, Trans. Amer. Ent. Soc. 23 p. 60 (D ♂).
Pythonissa i. Emerton 1902, Common Spid. p. 3 f. 6—8 (D ♀).
Callilepis i. Comstock 1912, Spider Book p. 322 f. 313 (N).
Callilepis i. Chamberlin 1933, Amer. Mus. Novit. 631 p. 1 (C).
Callilepis i. Chamberlin 1935, Amer. Mus. Novit. 841 p. 14 (C ♂♀).
Callilepis i. Kaston 1948, State Connect. Publ. Docum. 48, Bull. 70 p. 343 T. 59 F. 1150—51; T. 60 F. 1158—59 (D ♂♀).

♂ **zionis** (Chamberlin & Woodbury) 1929. Utah
Callilepis z. Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 133 T. 2 F. 1, 2 (D ♂).

Gen. **Pterotrichina** Dalmas 1921.

♀ **elegans** Dalmas 1921. – * Algier, Tunis
P. e. Dalmas 1921, Ann. Soc. Ent. France 89 p. 266 f. 44 (D ♀).

o **nova** Caporiacco 1934. Karakorum
P. n. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 141 (D o).

Gen. **Scotognapha** Dalmas 1920.

♂o **atomaria** Dalmas 1920. Canaren
Sc. a. Dalmas 1920, Bull. Mus. Hist. Nat. Paris (2) p. 121 (D ♂ o).

♂♀ **convexa** (Simon) 1883. – * Canaren
Pythonissa c. Simon 1885, Ann. Soc. Ent. France (6) 3 p. 291 (D ♀).
Pythonissa c. Simon 1889, Bull. Soc. Zool. France 14 (7) p. 302 (N).
Callilepis c. Simon 1893, Hist. Nat. Araign. 1 (1) p. 382 (N).
Callilepis c. Bösenberg 1895, Abh. Nat. Ver. Hambg. 13 p. 5 (C).
Sc. c. Dalmas 1920, Bull. Mus. Hist. Nat. Paris (2) p. 120 (D ♂).

♂ **gravieri** Dalmas 1920. Syrien
Sc. g. Dalmas 1920, Bull. Mus. Hist. Nat. Paris (2) p. 121 (D ♂).

Gen. **Smionia** Dalmas 1920.

♀ **capensis** Dalmas 1920. Capland
S. c. Dalmas 1920, Bull. Mus. Hist. Nat. Paris (2) p. 123 (D ♀).
S. c. Dalmas 1921, Ann. Soc. Ent. France 89 p. 323 f. 131 (D ♀).

Gen. **Trephopoda** Tucker 1923.

♀ **hanoveria** Tucker 1923. S.-Afrika
T. h. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 271 T. 8 F. 8 (D ♀).

Gen. **Upognampa** Tucker 1923.

§ 5 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 273.

♀ **aplanita** Tucker 1923. – * S.-Afrika
U. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 273 T. 8 F. 9 (D ♀).

♀ **biamenta** Tucker 1923. S.-Afrika
U. b. Tucker 1923, Ann. S. Afr. Mus. 10 (2) p. 274 T. 8 F. 10 (D ♀).

♀ **ctenipalpis** Lawrence 1927. SW.-Afrika
U. ct. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 11 T. 1 F. 5 (D ♀).

♀ **kannemeyeri** Tucker 1923. S.-Afrika
U. k. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 274 T. 8 F. 11 (D ♀).

♂♀ **lineatipes** (Purcell) 1908. S.-Afrika
Callilepis l. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 242 T. 11 F. 29 (D ♀).
U. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 275 T. 8 F. 12 (D ♂♀).
Smionia l. Dalmas 1921, Ann. Soc. Ent. France 89 p. 324 f. 132 (D ♀).

♂ **parvipalpa** Tucker 1923. S.-Afrika
U. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 277 T. 10 F. 13 (D ♂).

2. Gr. Laronieae

Gen. **Callilepis** Westring 1874.

Palaearktische Arten:

♂♀ **cabriolata** Franganillo 1925. Andalusien

C. c. Franganillo 1925, Bol. Soc. Ent. Espan. 8 p. 32 (D ♂♀).
C. c. Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 69 (D ♂♀).

♀ **flavitarsis** (Simon) 1880. Peking

Pythonissa f. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 120 T. 3 F. 25 (D ♀).

♂♀ **schuszteri** (Herman) 1879. Österreich, Kroatien, Bulgarien, Portugal

Gnaphosa sch. Herman 1879, Ungarns Spinn. Faun. 3 p. 199, 365 T. 8 F. 172 (D ♂♀).
C. sch. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 191 T. 7 F. 31 (D ♂♀).
C. s. Machado 1949, Publ. Inst. Zool. Porto 38 p. 18 f. 13 (N ♀).

♂♀ **wiehlei** Bristowe 1935. Rhodos

C. w. Bristowe 1935, Proc. Zool. Soc. Lond. (4) p. 780 f. 7—12 (D ♂♀).

Transgredierende Arten:

♂♀ **nocturna** (Linné) 1758. – * Europa, Transkaukasien, Canada

Aranea n. Linné 1758, Syst. Nat. (10. Ed.) p. 621 (D).
Aranea n. Olivier 1789, Encycl. Méthod. 4 p. 231 (D).
Drassus gnaphosus Walckenaer 1805, Tabl. Aran. p. 46 (N).
Drassus n. Sundevall 1831, Vet. Ak. Handl. p. 136 (D, var. b).
Filistata maculata Wider 1834, Mus. Senckenbg. 1 (3) p. 205 T. 14 F. 4 (D ♀).
Pythonissa holobera C. L. Koch 1839, Uebers. Arachn. Syst. 2 p. 16 (D).
Drassus gnaphosus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 616 (D ♂♀).
Pythonissa maculata C. L. Koch 1839, Die Arachniden 6 p. 61 TF. 474, 475 (D ♂♀).
Drassus maculatus Westring 1851, Göteborg. Vet. Handl. 2 p. 47 (N).
Pythonissa n. Thorell 1856, Rec. Crit. Aran. p. 87 (N).
Melanophora n. Westring 1862, Aran. Svec. p. 357 (D ♀).
Pythonissa n. L. Koch 1866, Arachn. Fam. Drassid. p. 37 T. 2 F. 27—30 (D ♂♀).
Gnaphosa n. Thorell 1871, Rem. Syn. Europ. Spid. p. 199 (N).
Gnaphosa maculata Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 317 T. 56 F. 182 (D ♂♀).
C. maculata Westring 1874, Göteborg. Vet. Handl. 14 p. 43 (N).
Pythonissa n. Simon 1878, Arachn. de France 4 p. 195 (D ♂♀).
C. n. Simon 1893, Hist. Nat. Araign. 1 (2) p. 384 f. 339 (N).
Pythonissa n. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 264 (D ♂♀).
C. n. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 191 T. 7 F. 32 (D ♂♀).
C. n. Bösenberg 1902, Zoologica 14 (2—4) p. 317 T. 30 F. 469 (D ♂♀).
Callilepis n. Lessert 1910, Catal. Invert. Suisse; Araign. p. 84 (D ♂♀).
C. n. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 136 (C).
C. n. Simon 1914, Arachn. de France 6 (1) p. 187, 222 (D ♂♀).
C. n. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 3 f. 4, 5 (D ♂♀).
C. n. Palmgren 1943, Act. Zool. Fenn. 36 p. 80 f. (N ♂♀).
C. n. Tullgren 1946, Svensk Spindelfauna 3 p. 91 f. 28, T. 15 F. 185, 186 (D ♂♀).
C. n. Machado 1949, Publ. Inst. Zool. Porto 38 p. 17 f. 12 (N ♀).

♀ **nocturna concolor** Simon 1914. Süd-Frankreich, Portugal
Pythonissa c. (var. **gamma**) Simon 1878, Arachn. de France 4 p. 196 (D ♀).
C. n. c. Simon 1914, Arachn. de France 6 (1) p. 187, 222 (D ♀).
C. c. Machado 1941, Mem. Mus. Zool. Univ. Coimbra (1) 117 p. 19 f. (N).

Gen. **Laronia** Simon 1892.

Aethiopische Arten:

♀ **cincta** Simon 1893. Sierra Leone
L. c. Simon 1893, Ann. Soc. Ent. France 62 p. 312 (D ♀).

Neotropische Arten:

♂♀ **maculipes** Vellard 1925. S.-Brasilien
L. m. Vellard 1925, Mem. Inst. Butantan 2 (1) p. 80, 83 T. 16 (D ♂♀).

♀ **purpusi** Roewer 1933. Mexico
L. p. Roewer 1933, Zool. Anz. 102 (7—8) p. 185 f. 1 (D ♀).

♀ **reynosana** Gertsch & Davis 1940. Mexico
L. r. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 9 TF. 7 (D ♀).

♂ **rufithorax** Simon 1892. – * Venezuela
L. r. Simon 1892, Ann. Soc. Ent. France 61 p. 457 (D ♂).
L. r. Simon 1893, Hist. Nat. Araign. 1 (2) p. 379 f. 335 (N).

♀ **trilineata** Mello-Leitao 1941. Nord-Argentinien
L. t. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 173 f. 63 (D ♀).

♀ **uniformis** Schiapelli & Gerschman 1942. Argentinien
L. u. Schiapelli & Gerschman 1942, An. Mus. Argent. B. Aires 40 p. 330 f. 17 bis 19 (D ♀).

♀ **variegata** Simon 1892. Uruguay
L. v. Simon 1892, Ann. Soc. Ent. France 61 p. 458 T. 9 F. 30 (D ♀).

4. Subfam. Drassodinae

1. Gr. Tricongieae

Gen. **Tricongius** Simon 1892.

♂♀ **collinus** Simon 1892. – * Venezuela
T. c. Simon 1892, Ann. Soc. Ent. France 61 p. 453 T. 9 F. 19, 20 (D ♂♀).
T. c. Simon 1893, Hist. Nat. Araign. 1 (2) p. 354 (N).

granadensis Mello-Leitao 1941. Columbien
T. g. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 283 f. 13 (D ♀).

2. Gr. Drassodeae

Gen. **Adelphodrassus** Rainbow 1920.

♀ **inornatus** Rainbow 1920. Norfolk-I.
A. i. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 236 T. 28 F. 16—18 (D ♀).

Gen. **Allodrassus** Strand 1906.

♀ **pavesii** Simon 1909. — Abessinien
A. p. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 34 (D ♀).
A. p. Berland 1922, Voy. Rothschild Ethiop., Res. Sci. Anim. Artic. 1 p. 48 (D ♀).

♀ **strandi** Caporiacco 1940. — Abessinien
A. st. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 833 f. 35 (D ♀).

♀ **tridentatus** Strand 1906. – * — Abessinien
A. t. Strand 1906, Zool. Anz. 30 (19—20) p. 610 (D ♀).
A. t. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 54 (D ♀).

Gen. **Amusia** Tullgren 1910.

♂♀ **cataracta** Tucker 1923. – * — Natal
A. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 278 T. 8 F. 14 (D ♂♀).

♀ **murina** Tullgren 1910. — O.-Afrika
A. m. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 111 T. 1 F. 27 (D ♀).
A. m. Dalmas 1921, Ann. Soc. Ent. France 89 p. 325 f. 133 (D ♀).

Gen. **Anzacia** Dalmas 1919.

♂ **brunneola** (Urquhart) 1893. — Tasmanien
Drassus b. Urquhart 1893, Pap. Proc. Soc. Tasman. (for 1892) p. 98 (D ♂).

♂♀ **debilis** (Hogg) 1900. — Victoria
Drassus d. Hogg 1900, Proc. Soc. Victoria (N. S.) 31 (1) p. 90 T. 14 F. 1 (D ♂♀).

♂ **dimota** (Simon) 1908. — Victoria
Drassodes d. Simon 1908 Faun. S. W. Austral. 1 (12) p. 391 f. 8 (D ♂).
A. d. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 249 (N).

♀ **excavata** (Rainbow) 1920. — Norfolk-I.
Drassodes e. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 235 T. 28 F. 14, 15 (D ♀).

♂♀ **gemmea** (Dalmas) 1917. — Neu-Seeland
Drassodes g. Dalmas 1917, Ann. Soc. Ent. France 86 p. 345 f. 19—22 (D ♂♀).
A. g. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 249 (N).

♀ **invenusta** (L. Koch) 1872. — Neu-S.-Wales
Drassus i. L. Koch 1872, Arachn. Austral. 1 (1) p. 382 T. 33 F. 1 (D ♀).

♀ **micaea** (Simon) 1908. — W.-Australien
Drassodes m. Simon 1908, Faun. S. W. Austral. 1 (12) p. 390 f. 7 C (D ♀).

♀ **mustecula** (Simon) 1908. — W.-Australien
Drassodes m. Simon 1908, Faun. S. W. Austral. 1 (12) p. 390 f. 7 D (D ♀).

♀ **pella** (Urquhart) 1893. — Tasmanien
Drassus p. Urquhart 1893, Pap. Proc. Soc. Tasman. (for 1892) p. 97 (D ♀).

♀ **perelegans** (Rainbow) 1894. — Neu-S.-Wales
Drassus p. Rainbow 1894, Proc. Linn. Soc. N. S. Wales (2) 9 (1) p. 153 T. 10 F. 1 (D ♀).

♂ **perexigua** (Simon) 1880. – * Neu-Caledonien
Drassus p. Simon 1880, Ann. Soc. Ent. Belg. 23 C. R. p. 173 (D ♂).
A. p. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 249 (N).

♂ **petila** (Simon) 1908. W.-Australien
Drassodes p. Simon 1908, Faun. S. W. Austral. 1 (12) p. 388 (D ♂).

♂♀ **respersa** (Simon) 1908. W.-Australien
Drassodes r. Simon 1908, Faun. S. W. Austral. 1 (12) p. 387 f. 7 A (D ♂♀).

♂ **sarrita** (Simon) 1908. Tasmanien
Drassodes s. Simon 1908, Faun. S. W. Austral. 1 (12) p. 391 (D ♂).
A. s. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 249 (N).

O♀ **scitula** (Urquhart) 1892. Neu-Seeland
Drassus sc. Urquhart 1892, Trans. N. Zeal. Inst. 25 p. 165 (D O ♀).

♂ **signata** (Rainbow) 1920. Norfolk-I.
Drassodes s. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 234 T. 28 F. 11—13 (D ♂).

o **silacea** (L. Koch) 1872. Neu-S.-Wales
Drassus s. L. Koch 1872, Arachn. Austral. 1 (1) p. 383 T. 30 F. 2 (D o).

♂♀ **simoni** Roewer 1951. W.-Australien, Victoria
Drassodes nugatoria Simon 1908, Faun. S. W. Austr. 1 (12) p. 389 f. 7 B (D ♂♀).
A. s. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 443 (nom. nov.).

♂♀ **viridicoma** (Urquhart) 1891. Neu-Seeland
Clubiona v. Urquhart 1891, Trans. N. Zeal. Inst. 24 p. 233 (D ♀).
A. v. Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 62 T. 8 F. 5, 7; T. 9 F. 12, 16 (D ♂♀).

Gen. **Apodrassodes** Vellard 1924.

♂ **singularis** Vellard 1924. Brasilien
A. s. Vellard 1924, Arch. Inst. Vital. Brazil. 2 (2) p. 166 T. 14 F. 50 (D ♂).

Gen. **Apodrassus** Chamberlin 1916.

♀ **andinus** Chamberlin 1916. – * Peru
A. a. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 221 T. 12 F. 3—8 (D ♀).

♂♀ **rouxi** (Mello-Leitao) 1939. Paraguay, N.-Argentinien
Drassodes r. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 79 f. 65 (D ♀).
A. r. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 167 (N).

Gen. **Battalus** Karsch 1878.

♀ **spinipes** Karsch 1878. N.-Australien
B. sp. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 817 (D ♀).

Gen. **Berinda** Roewer 1928.

♂ **amabilis** Roewer 1928. Creta
B. a. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 106 T. 1 F. 11—13 (D ♂).

Gen. **Cryptodrassus** Miller 1943.

♀ **pulchellus** Miller 1943. Mähren
C. p. Miller 1943, Ent. Listy, Brno 6 p. 12 f. (D ♀).

Gen. **Drassina** Grube 1861.

♂ **ochracea** Grube 1861. Sibirien
D. o. Grube 1861, Bull. Ac. Sci. St. Petersbg. 4 p. 171 (D ♂).

Gen. **Drassinella** Banks 1904.

♀ **modesta** Banks 1904. Californien
D. m. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 335 T. 39 F. 33 (D ♀).

Gen. **Drassodella** Hewitt 1916.

§ 3 ♂, 6 ♀: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 309.

♀ **melana** Tucker 1923. S.-Afrika
D. m. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 310 T. 10 F. 38 (D ♀).
D. m. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 475 (C ♀).

♀ **purcelli** Tucker 1923. S.-Afrika
D. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 311 T. 9 F. 39 (D ♀).

♂♀ **quinquelabecula** Tucker 1923. S.-Afrika
D. qu. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 311 T. 9 F. 40 (D ♂♀).

♂♀ **salisburii** Hewitt 1916. – * S.-Afrika
D. s. Hewitt 1916, Ann. Transv. Mus. 5 (3) p. 210 f. 9 A—E (D ♂♀).
D. salisburyi Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 313 (D ♂♀).

♂♀ **septemmaculata** (Strand) 1909. S.-Afrika
Prosthesima s. Strand 1909, Spinn. in: Dt. Südpol. Exped. 1901—03 10 (Zool. 2) p. 554 (D ♀).
D. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 314 T. 9 F. 41 (D ♂♀).

♀ **tenebrosa** Lawrence 1938. Natal
D. t. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 474 f. 11 (D ♀).

♀ **vasivulva** Tucker 1923. S.-Afrika
D. v. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 316 T. 9 F. 42 (D ♀).

Gen. **Drassodes** Westring 1851.

Palaearktische Arten:

§ 27 ♂, 37 ♀: Simon, 1878, Arachn. de France 4 p. 102—107 (sub **Drassus**).
§ 15 ♂, 15 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 209—213 (sub **Drassus**, part.).
§ 11 ♂, 12 ♀: Soerensen 1904, Ent. Meddel. (2) 1 p. 265—269 (sub **Drassus**, part.).
§ 28 (♂, ♀) : Simon 1914, Arachn. de France 6 (1) p. 120—140.
§ 13 (♂, ♀) : Roewer 1928, Tierw. Mitteleurop. 3 (4) p. 11—12 TF. 65—94.
§ 4 ♂, 4 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 11—13.
§ 3 ♂, 3 ♀: Tullgren 1946, Svensk Spindelfauna 3 p. 93—94.

♀ **acrotirius** Roewer 1928. Creta
D. a. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 102 T. 1 F. 8 (D ♀).

♂ **aegyptius** (Cambridge) 1874. Aegypten, Palästina
Drassus ae. Cambridge 1874, Proc. Zool. Soc. Lond. p. 394 T. 52 F. 19 (D ♂).
Drassus ae. Simon 1878, Arachn. de France 4 p. 124 (C).
D. aegyptus Simon 1914, Arachn. de France 6 (1) p. 206 (C).

♀ **albicans** (Simon) 1878. Frankreich, Corsica, Creta, Kos
Drassus a. Simon 1878, Arachn. de France 4 p. 112 (D ♀).
D. a. Simon 1914, Arachn. de France 6 (1) p. 128, 205 f. 203 (D ♀).

♂ **alexandrinus** (Cambridge) 1874. Aegypten
Drassus a. Cambridge 1874, Proc. Zool. Soc. Lond. p. 393 T. 51 F. 18 (D ♂).

♀ **andorranus** Denis 1937. Andorra
D. a. Denis 1937, Proc. Zool. Soc. Lond. 107 (B 4) p. 586 T. 1 F. 9 (D ♀).

♂♀ **assimilatus** (Blackwall) 1865. Cap Verde-I., Canaren
Drassus a. Blackwall 1865, Ann. Mag. Nat. Hist. (3) 16 p. 88 (D ♂).
Drassus a. Simon 1885, Ann. Soc. Ent. France (6) 3 p. 304 (D ♀).

♂♀ **bewickii** (Blackwall) 1865. Canaren, Teneriffa, Salvages
Drassus b. Blackwall 1865, Ann. Mag. Nat. Hist. (3) 14 p. 176 (D ♀).
Drassus b. Blackwall 1868, Ann. Mag. Nat. Hist. (4) 2 p. 407 (D ♂).

♂♀ **bidentatus** (Menge) 1875. O.-Preussen
Drassus b. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 386 T. 66 F. 221 (D ♂♀).

♀ **breviceps** (Kroneberg) 1875. Turkestan
Drassus b. Kroneberg 1875, Nachr. Ges. Moskau p. 21 T. 5. F. 43 (D ♀).

♀ **canaglensis** Caporiacco 1926. Carnische Alpen
D. c. Caporiacco 1926, Mem. Soc. Ent. Ital. 5 p. 80 f. 1 (D ♀).

♂♀ **carinivulvus** Caporiacco 1934. Karakorum
D. c. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 128 T. 2 F. 3 (D ♂♀).

cephalotes (Doleschall) 1852. Wien
Drassus c. Doleschall 1852, S. B. Ak. Wiss. Wien 9 p. 640 (D).

♂♀ **cervinus** Simon 1914. Frankreich
D. c. Simon 1914, Arachn. de France 6 (1) p. 133, 208 (D ♂♀).

♂ **charcoviae** (Thorell) 1875. S.-Russland
Drassus cinereus Krynicki 1837, Bull. Soc. Nat. Moscou 10 p. 74 (D ♂).
Drassus ch. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 118 (N).

♀ **citipes** Simon 1893. Aegypten
D. c. Simon 1893, Hist. Nat. Araign. 1 (2) p. 362 (D ♀).

♀ **cofiniotes** Roewer 1928. Creta
D. c. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 105 T. 1 F. 10 (D ♀).

♀ **corticalis** (Lucas) 1846. Algier
Drassus c. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 216 T. 13 F. 3 (D ♂).

♂ **crassipes** (Lucas) 1846. Algier
Drassus c. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 217 T. 13 F. 4 (D ♂).

♂ **creticus** Roewer 1928. Creta
D. c. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 104 T. 1 F. 9 (D ♂).

♀ **cyrenaicus** Caporiacco 1933. Cyrenaica
D. c. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 316 f. 2 (D ♀).

♀ **denotatus** (Cambridge) 1874. Aegypten
Drassus d. Cambridge 1874, Proc. Zool. Soc. Lond. p. 398 T. 52 F. 24 (D ♀).

♀ **depilosus** Dönitz & Strand 1906. Japan
D. d. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 376 T. 7 F. 83 (D ♀).

♂ **deserticola** Simon 1893. Algier, Tripolis
D. d. Simon 1893, Hist. Nat. Araign. 1 (2) p. 360 (D ♂).

♂♀ **difficilis** (Simon) 1878. S.-Frankreich
Drassus d. Simon 1878, Arachn. de France 4 p. 110 (D ♂♀).
D. d. Simon 1914, Arachn. de France 6 (1) p. 124, 130, 206 f. 211 (D ♂♀).

♀ **distinctus** (Lucas) 1846. Algier
Drassus d. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 218 T. 13 F. 5 (D ♀).

♂♀ **ensiger** (Cambridge) 1874. Aegypten
Drassus e. Cambridge 1874, Proc. Zool. Soc. Lond. p. 389 T. 51 F. 14 (D ♂♀).

♀ **fedtschenkoi** (Kroneberg) 1875. Turkestan
Drassus f. Kroneberg 1875, Nachr. Soc. Moskau p. 22 T. 1 F. 8 (D ♀).

♀ **ferrugineus** (Blackwall) 1861. England, Irland
Drassus f. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 117 T. 6 F. 71 (D ♀).

♂ **flavomaculatus** (L. Koch) 1878. Transkaspien
Drassus f. L. Koch 1878, Jahresber. Isis. p. 40 T. 1 F. 2 (D ♂).

♂♀ **fritillifer** Simon 1914. O.-Pyrenäen
D. f. Simon 1914, Arachn. de France 6 (1) p. 131, 207 f. 215 (D ♂♀).

♂♀ **fugax** (Simon) 1878. S.-Frankreich, Spanien, Turkestan, China
Drassus f. Simon 1878, Arachn. de France 4 p. 114 (D ♂♀).
D. f. Simon 1914, Arachn. de France 6 (1) p. 124, 128, 206 f. 194, 204 (D ♂♀).
D. f. Denis 1950, Bull. Soc. Hist. Nat. Toulouse 85 (1—2) p. 78 f. 1, 2 (N ♀).

♂♀ **heerii** (Pavesi) 1873. Frankreich, W.-Deutschl., Schweiz, Tirol
Drassus h. Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 126 f. 4—6 (D ♂♀).
Drassus hispanus Simon 1878, Arachn. de France 4 p. 121 T. 15 F. 7 (D ♂♀).
Drassus h. Müller & Schenkel 1895, Verh. Naturf. Ges. Basel 10 p. 763 (N).
Drassus h. Bösenberg 1902, Zoologica 14 (2—4) p. 295 T. 27 F. 433 (D ♂♀).
D. h. Lessert 1904, Rev. Suisse Zool. 12 (2) p. 283 T. 5 F. 5. (N).
D. h. Lessert 1905, Rev. Suisse Zool. 13 (1) p. 186 f. 1—3 (D ♂♀).
D. h. Lessert 1910, Catal. Invert. Suisse; Araign. p. 50 f. 41—43 (D ♂♀).
D. h. Simon 1914, Arachn. de France 6 (1) p. 133, 207, f. 219—222 (D ♂♀).

♂♀ **hispanus** (L. Koch) 1866. Spanien, Frankreich, Schweiz
Drassus h. L. Koch 1866, Arachn. Fam. Drassid. p. 90 T. 4 F. 60 (D ♀).
Drassus h. Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 26 p. 223 (D ♂♀).
D. h. Simon 1893, Hist. Nat. Araign. 1 (2) p. 360 f. 317, 320 (N ♂).

D. h. Lessert 1905, Rev. Suisse Zool. 13 (1) p. 189 f. 4—6 (D ♂♀).
D. h. Lessert 1910, Catal. Invert. Suisse; Araign. p. 49 f. 38—40 (D ♂♀).
D. h. Simon 1914, Arachn. de France 6 (1) p. 134, 208 f. 223—226 (D ♂♀).
D. validior Simon 1914, Arachn. de France 6 (1) p. 134, 208 c f. 227 (D ♂♀).

♂ **hispanus lesserti** Schenkel 1936. Schweiz

D. hispanus Lessert 1905, Rev. Suisse Zool. 13 (1) p. 189 f. 6 (N, part.).
D. h. l. Schenkel 1936, Rev. Suisse Zool. 43 (10) p. 315 f. 1 (D ♂).

♂♀ **hypocrita** (Simon) 1878. S.-Frankreich, Sardinien, Italien, S.-Deutschland, Serbien

Drassus h. Simon 1878, Arachn. de France 4 p. 120 T. 15 F. 8 (D ♂♀).
Drassus h. (?) Bösenberg 1902, Zoologica 13 (2—4) p. 296 T. 28 F. 434 (D ♂♀).
D. h. Lessert 1905, Rev. Suisse Zool. 13 (1) p. 191 f. 7—9 (D ♂♀).
D. h. Simon 1914, Arachn. de France 6 (1) p. 121, 132, 207 f. 216—218 (D ♂♀).
D. h. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 15 f. 27, 31 (D ♂♀).

♀ **infletus** (Cambridge) 1885. Yarkand, Mongolei, Sibirien

Drassus i. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 7 T. 1 F. 4 (D ♀).
D. i. Ermolajew 1937, Festschr. Strand 3 p. 605 f. 6 (N ♀).

♂♀ **infumatus** (Cambridge) 1872. Aegypten, Palästina

Drassus i. Cambridge 1872, Proc. Zool. Soc. Lond. p. 238 T. 15 F. 16 (D ♂♀).

♂♀ **interlisus** (Cambridge) 1885. Yarkand

Drassus i. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 12 T. 1 F. 9 (D ♂♀).

♂ **interpolator** (Cambridge) 1885. Yarkand

Drassus i. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 10 T. 1 F. 7 (D ♂).

♂ **interremptor** (Cambridge) 1885. Tibet

Drassus i. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 8 T. 1 F. 5 (D ♂).

♀ **involutus** (Cambridge) 1885. Sind-Tal

Drassus i. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 14 T. 1 F. 10 (D ♀).

♀ **kwantungensis** Saito 1937. Mandschurei

D. k. Saito 1937, Annot. Zool. Japon. 16 (2) p. 148 f. 1 (D ♀).

♂♀ **lacertosus** (Cambridge) 1872. Palästina

Drassus l. Cambridge 1872, Proc. Zool. Soc. Lond. p. 235 T. 15 F. 12 (D ♂).
D. l. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 16 T. 1 F. 5, 6 (N ♀).

♂ **lancearius** Simon 1893. N.-China

D. l. Simon 1893, Hist. Nat. Araign. 1 (2) p. 362 f. 324 (D ♂).

♂♀ **lapidosus** (Walckenaer) 1802. – * Palaearktis, (Macronesien)

Aranea l. Walckenaer 1802, Faun. Paris. 2 p. 222 (D).
Clubiona lapidicolens Walckenaer 1805, Tabl. Aran. p. 44 T. 5 F. 48 (N).
Clubiona lapidicola Latreille 1806, Gen. Crust. Ins. 1 p. 91 T. 3 F. 98 (D).
Clubiona lapidicolens Walckenaer 1825, Faun. Franc. 3 (2) p. 129 (D ♂♀).
Drassus cinereus Hahn 1831, Die Arachniden 1 p. 124 TF. 95 (D ♀).
Clubiona lapidicola Sundevall 1831, Vet. Ak. Handl. p. 139 (D ♂♀).

Clubiona lapidaria Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 24 F. C (D ♀).
Clubiona lapidicola Hahn 1834, Die Arachniden 2 p. 9 TF. 100 (D ♀).
Filistata incerta Wider 1834, Mus. Senckenbg. 1 (3) p. 203 T. 14 F. 7 (D ♀).
Drassus lapidicola C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 18 (N).
Drassus incanus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 18 (N ♀).
Clubiona lapidicolens Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 598 (D ♂♀).
Drassus lapidicola C. L. Koch 1839, Die Arachniden 6 p. 28 TF. 450, 451 (D ♂♀).
Clubiona lapidicola Lucas 1846, Explr. Sci. Alger.; Zool. 1 Arachn. p. 207 (N).
Clubiona oblonga Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 207 T. 12 F. 3 (D ♂).
Agelena juniperina Bremi-Wolff 1849, in: Menzel, Kurz. Abr. Naturg. Spinn.
D. lapidicola Westring 1851, Göteborg Vet. Handl. 2 p. 48 (N).
Drassus lapidicolens Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 116 T. 6 F. 70 (part.) (D ♂♀).
D. lapidicola Westring 1862, Aran. Svec. p. 361 (D ♂♀).
Drassus lapidicola L. Koch 1866, Arachn. Fam. Drassid. p. 126 T. 5 F. 80, 81 (D ♂♀).
Drassus lapidicola Ohlert 1867, Aran. Prov. Preussen p. 94 (D ♂♀).
D. incanus Thorell 1870, Rem. Syn. Europ. Spid. p. 202 (N ♀).
Drassus lapidicola Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 384 T. 66 F. 220 (D ♂♀).
Drassus l. Simon 1878, Arachn. de France 4 p. 108 T. 15 F. 9 (D ♂♀).
Drassus oblongus Simon 1878, Arachn. de France 4 p. 124 (C).
Drassus lapidicola Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 56 (D ♂♀).
Drassus l. Hansen 1885, in: Schiödte, Zool. Danica p. 137 (D ♂♀).
D. l. Simon 1893, Hist. Nat. Araign. 1 (2) p. 359 f. 316, 318, 319, 321 (N).
Drassus l. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 253 T. 16 F. 10 (D ♂♀).
Drassus lapidicola Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 220 T. 8 F. 40, 51 (D ♂♀).
Drassus lapidicola Bösenberg 1902, Zoologica 14 (2—4) p. 294 T. 27 F. 431 (D ♂♀).
D. l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 46 (D ♂♀).
D. l. Simon 1914, Arachn. de France 6 (1) p. 121, 126, 129, 206 f. 199, 207 (D ♂♀).
D. l. Reimoser 1931, Die Natur (Wien) 7 (2) p. 40 f. 3 (N ♂♀).
D. l. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 13 f. 22, 26, 29 (D ♂♀).
D. l. Palmgren 1943, Act. Zool. Fenn. 36 p. 92 f. (N).
D. l. Tullgren 1946, Svensk Spindelfauna 3 p. 94 f. 29 A, T. 15 F. 187—190 (D ♂♀).
D. l. Locket & Millidge 1951, Brit. Spiders I. p. 98 f. 7 A, b; 49, 50 H, 51 A, B, E; 52 A (D ♂♀).

♂ **lapidosus bidens** (Simon) 1878. Frankreich

Drassus bidens Simon 1878, Arachn. de France 4 p. 110 (D ♂).
Drassus bidens Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 212 (D ♂).
D. l. b. Simon 1914, Arachn. de France 6 (1) p. 127, 206 f. 199, 201 (D ♂).

♂♀ **lapidosus cupreus** (Blackwall) 1834. England, Frankreich, Ungarn

Drassus cupreus Blackwall 1834, Lond. Edinbg. Phil. Mag. (3) 5 p. 52 (D ♂♀).
Drassus cupreus Blackwall 1834, Research in Zool. p. 345 (D ♀).
Drassus cupreus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 114 T. 6 F. 69 (D ♂♀).
D. l. c. Simon 1914, Arachn. de France 6 (1) p. 127, 206 f. 199, 202 (D ♂).
D. l. c. Locket & Millidge 1951, Brit. Spiders I. p. 101 f. 52 C (D ♂).

♂ **lapidosus macer** (Thorell) 1875. Europa, Algier
Drassus macer Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 95 (D ♂).
Drassus macer Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 220 (D ♂).
D. l. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 47 (D ♂).
D. l. m. Simon 1914, Arachn. de France 6 (1) p. 128, 206 f. 199, 200 (D ♂).
D. l. m. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 14 f. 23 (D ♂).
D. l. m. Locket & Millidge 1951, Brit. Spiders I p. 101 f. 52 B (D ♂).

♀ **lapsus** (Cambridge) 1885. Yarkand
Drassus l. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 15 T. 2 F. 11 (D ♀).
D. l. Hogg 1912, Aran. in: Clarck & Sowerby, The Shen Kan p. 205 TF. 5 (D ♀).

♂ **lesserti** Schenkel 1936. Mongolei
D. l. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 254 f. 83 (D ♂).

♀ **lithobius** Roewer 1928. Creta
D. l. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 101 T. 1 F. 7 (D ♀).

♂♀ **luteomicans** (Simon) 1878. S.-Europa
Drassus l. Simon 1878, Arachn. de France 4 p. 112 (D ♀).
Drassus portator Simon 1878, Arachn. de France 4 p. 116 (D ♀).
D. l. Simon 1914, Arachn. de France 6 (1) p. 125, 128, 207 f. 205 (D ♂♀).
D. l. Machado 1941, Mem. Mus. Zoll. Univ. Coimbra (1) 117 p. 5 (N).

♂♀ **lutescens** (C. L. Koch) 1839. Mittelmeergebiet, S.-Russland
Drassus l. C. L. Koch 1839, Die Arachniden 6 p. 21 TF. 445 (D ♀).
Drassus l. C. L. Koch 1843, Die Arachniden 10 p. 127 TF. 839 (D ♂).
Drassus l. L. Koch 1866, Arachn. Fam. Drassid. p. 120 T. 5 F. 75, 76 (D ♂♀).
Drassus l. Simon 1878, Arachn. de France 4 p. 113 (D ♂♀).
D. l. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 19 T. 1 F. 7 (N ♀).
D. l. Simon 1914, Arachn. de France 6 (1) p. 125, 129, 206 f. 196, 206 (D ♂♀).

♀ **mandibularis** (L. Koch) 1866. Südost-Russland
Drassus m. L. Koch 1866, Arachn. Fam. Drassid. p. 134 T. 6 F. 85 (D ♀).

♂♀ **mauritanicus** Denis 1947. Mauretanien
D. m. Denis 1947, Bull. Soc. Hist. Nat. Toulouse 79 (1) p. 45 T. 1 F. 10—11 (D ♂♀).

♂ **montandonii** (Becker) 1879. Moldau
Drassus m. Becker 1879, Ann. Soc. Ent. Belg. 22 C. R. p. 195 (D ♂).
Drassus m. Becker 1881, Ann. Soc. Ent. Belg. 25 C. R. p. 44 T. 1 F. 3 (N ♂).

♀ **montenegrinus** (Kulczynski) 1897. Dalmatien, Montenegro
Drassus m. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 214 T. 8 F. 37 (D ♀).

♀ **monticola** (Kroneberg) 1875. Turkestan
Drassus m. Kroneberg 1875, Nachr. Ges. Moskau p. 22 T. 5 F. 44 (D ♀).

♂o **morosus** (Cambridge) 1872. Palästina
Drassus m. Cambridge 1872, Proc. Zool. Soc. Lond. p. 232 T. 15 F. 9 (D ♂♀).

♂♀ **murinus** (Hahn) 1834. Schweiz, Deutschl., Livland, Oberitalien
Drassus m. Hahn 1834, Die Arachniden 2 p. 54 TF. 141 (D ♂♀).
Drassus m. C. L. Koch 1843, Die Arachniden 10 p. 122 TF. 836 (D ♀).
Pythonissa fusca C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 28 (N).
Drassus m. Ohlert 1867, Aran. Prov. Preussen p. 93 (D ♂♀).

♀ **myogaster** (Bertkau) 1880. Rheinland
Drassus m. Bertkau 1880, Verh. Nat. Ver. Rheinl. Westf. 37 p. 267 T. 6 F. 5 (D ♀).

♀ **nanus** (Cambridge) 1872. Palästina
Drassus n. Cambridge 1872, Proc. Zool. Soc. Lond. p. 237 T. 15 F. 15 (D ♀).

♂♀ **nigroscriptus** Simon 1909. Marokko
D. n. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 16 (D ♂♀).

♂♀ **nigroscriptus deminutus** Simon 1909. Marokko
D. n. d. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 17 (D ♂♀).

♀ **nox** Dönitz & Strand 1906. Japan
D. n. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 376 T. 7 F. 82 (D ♀).

♀ **nugatorius** (Karsch) 1881. Tripolis, Arabien
Drassus n. Karsch 1881, Arch. Naturg. 47 (I) p. 12 T. 1 F. 10 (D ♀).

♀ **obscurus** (Lucas) 1846. Algier
Drassus o. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 214 T. 13 F. 1 (D ♀).
Amaurobius o. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 139 (C).

♀ **oculinotatus** Bösenberg & Strand 1906. Japan
D. o. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 119 T. 16 F. 480 (D ♀).

♂♀ **omalosis** Roewer 1928. Creta
D. o. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 100 T. 1 F. 4—6 (D ♂♀).

♀ **orientalis** (L. Koch) 1866. S.-Russland
Drassus o. L. Koch 1866, Arachn. Fam. Drassid. p. 106 T. 5 F. 68 (D ♀).

♀ **paivani** (Blackwall) 1865. Salvages
Drassus p. Blackwall 1865, Ann. Mag. Nat. Hist. (3) 14 p. 175 (D ♀).

♂ **palaestinensis** Strand 1915. Palästina
D. p. Strand 1915, Arch. Naturg. 81 (A; 2) p. 137 (D ♂).

♂ **paroculus** Simon 1893. S.-Spanien
D. p. Simon 1893, Hist. Nat. Araign. 1 (2) p. 360 (D ♂).

♂♀ **parvidens** Caporiacco 1934. Karakorum
D. p. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 126 T. 1 F. 7 (D ♂♀).

♂ **parvicorpus** Roewer 1951. Mallorca
Drassus parvulus L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 632 T. 1 F. 10—11 (D ♂).
D. p. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 443 (nom. nov.).

♂ **pater** Bösenberg & Strand 1906. Japan
D. p. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 119 T. 16 F. 483 (D ♂).

♀ **pavesii** (Lebert) 1877. Wallis
Drassus p. Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 26 p. 230 (D ♀).

♂ **pectinifer** Schenkel 1936. S.-Kansu
D. p. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 28 f. 7 (D ♂).

♀ **persimilis** Denis 1937. Algier
D. p. Denis 1937, Proc. Zool. Soc. Lond. p. 1035 T. 1 F. 2 (D ♀).

♀ **pirini** Drenski 1921. O.-Macedonien
D. p. Drenski 1921, Zeitschr. Bulgar. Ac. Wiss. 23 p. 51, 78 T. 2 F. 13—15 (D ♀).

♂ **placidulus** Simon 1914. S.-Frankreich
D. p. Simon 1914, Arachn. de France 6 (1) p. 126, 207 f. 198 (D ♂).

♂♀ **pseudomorosus** Strand 1915. Palästina, Aegypten
D. morosus Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 54 T. 2 F. 55 (D ♀).
D. aegyptius Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 19 T. 1 F. 9 (N ♂♀).
D. ps. Strand 1915, Arch. Naturg. 81 (A; 2) p. 137 (D ♂♀).

♂♀ **pubescens** (Thorell) 1856. Europa
Drassus p. Thorell 1856, Rem. Crit. Aran. Suec. p. 110 (D).
D. p. Westring 1862, Aran. Svec. p. 365 (D ♂♀).
D. gracilis Westring 1862, Aran. Svec. p. 366 (D ♀).
Drassus p. L. Koch 1866, Arachn. Fam. Drassid. p. 123 T. 5 F. 77—79 (D ♂♀).
Drassus p. Simon 1878, Arachn. de France 4 p. 118 (D ♂♀).
Drassus gracilis Simon 1878, Arachn. de France 4 p. 121 (C).
Drassus p. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 56 (D ♂♀).
Drassus p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 14 (2—4) p. 295 T. 27 F. 432 (D ♂♀).
Drassus p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 220 T. 8 F. 43, 50 (D ♂♀).
Drassus p. Bösenberg 1902, Zoologica 13 (2—4) p. 295 T. 27 F. 432 (D ♂♀).
D. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 49 (D ♂♀).
D. p. Simon 1914, Arachn. de France 6 (1) p. 124, 130, 207 f. 195, 210 (D ♂♀).
D. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 14 f. 20, 24, 28 (D ♂♀).
D. gracilis Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 221, 230, 234 (N).
D. p. Palmgren 1943, Act. Zool. Fenn. 36 p. 92 f. (N).
D. p. Tullgren 1946, Svensk Spindelfauna 3 p. 96 f. 29C; T. 16 F. 194—196 (D ♂♀).
D. p. Locket & Millidge 1951, Brit. Spiders I. p. 101 f. 51C, D, F u. 52D (D ♂♀).

♂♀ **pudridicola** (Menge) 1873. O.-Preussen
Drassus p. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 382 T. 66 F. 219 (D ♂♀).

♂♀ **pugnans** (Simon) 1880. Peking
Drassus p. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 118 T. 3 F. 20, 21 (D ♂♀).

♀ **rehobothicus** Strand 1915. Palästina
D. r. Strand 1915, Arch. Naturg. 81 (A; 2) p. 135 (D ♀).

♀ **reimoseri** Bristowe 1935. Rhodos
D. r. Bristowe 1935, Proc. Zool. Soc. Lond. (4) p. 779 f. 4—6 (D ♀).

♀ **reticulatus** (Blackwall) 1852. England
Drassus r. Blackwall 1852, Ann. Mag. Nat. Hist. (2) 10 p. 97 (D ♀).
Drassus r. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 112 (D ♀).

♂ **rhodanicus** Simon 1914. S.-Frankreich
D. rh. Simon 1914, Arachn. de France 6 (1) p. 122, 134, 208 (D ♂).

♀ **rotundifoveatus** Bösenberg & Strand 1906. Japan
D. r. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 120 T. 16 F. 484 (D ♀).

♀ **rubicundulus** Caporiacco 1934. Karakorum
D. (Brachydrassodes) r. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 130 T. 1 F. 9 (D ♀).

♂♀ **rubidus** (Simon) 1878. S.-Frankreich, Spanien, Sardinien
Drassus r. Simon 1878, Arachn. de France 4 p. 115 (D ♀).
D. r. Simon 1914, Arachn. de France 6 (1) p. 123, 129, 206 f. 191, 209 (D ♂♀).

♀ **rufipes** (Lucas) 1846. Algier
Drassus r. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 215 T. 13 F. 2 (D ♀).

♂♀ **rufus** (C. L. Koch) 1839. Deutschland
Drassus r. C. L. Koch 1839, Die Arachniden 6 p. 33 TF. 453, 454 (D ♂♀).

♂♀ **rugulosus** Hull 1951. England
D. r. Hull 1951, Ann. Mag. Nat. Hist. (12) 4 p. 93 f. (D ♂♀).

♀ **saganus** Strand 1918. Japan
D. s. Strand 1918, Arch. Naturg. 82 (A; 11) p. 91 (D ♀).

♀ **saussurei** (Lebert) 1877. Wallis
Drassus s. Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 26 p. 227 T. 6 F. 43 (D ♀).

♂♀ **shumakovi** Spassky 1934. S.-Russland
D. sh. Spassky 1934, Journ. N. York Ent. Soc. 42 (1) p. 1 T. 1 F. 1, 2 (D ♂♀).

♀ **similis** Nosek 1905. Kleinasien
D. s. Nosek 1905, Ann. Nat. Hist. Hofmus. Wien 20 p. 125 (D ♀).
D. kariae Strand 1926, Arch. Naturg. 82 (A; 2) p. 72 (N).

♀ **simplex** Kulczynski 1926. Kamtschatka
D. s. Kulczynski 1926, Ann. Mus. Zool. Leningrad 27 p. 39 T. 2 F. 4 (D ♀).

♀ **singulariformis** Roewer 1951. Karakorum
D. (Brachydrassodes) singularis Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 129 T. 1 F. 8 (D ♀).
D. s. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 443 (nom. nov.).

♀ **sockniensis** (Karsch) 1881. Tripolis
Drassus s. Karsch 1881, Arch. Naturg. 47 (I) p. 12 T. 1 F. 9 (D ♀).

♀ **sollers** Simon 1895. Mongolei
D. s. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 333 (D ♀).

♂ **speculator** Kulczynski 1899. Madeira
D. sp. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow (2) 16 p. 348 T. 6 F. 31 (D ♂).

♂ **spinicrus** Caporiacco 1928. Tripolis
D. sp. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 84 (D ♂).

♀ **striatus** (L. Koch) 1866. Dalmatien
Drassus st. L. Koch 1866, Arachn. Fam. Drassid. p. 114 T. 5 F. 72 (D ♀).

♀ **stuxbergi** (L. Koch) 1879. Sibirien
Drassus st. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 87 T. 3 F. 6 (D ♀).
D. st. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 2 T. 1 F. 1 (N ♀).

♀ **tarrhunensis** (Karsch) 1881. Tripolis
Drassus t. Karsch 1881, Arch. Naturg. 47 (I) p. 12 T. 1 F. 11 (D ♀).

♂ **thimei** (L. Koch) 1878. Turkestan
Drassus th. L. Koch 1878, Jahresb. Isis p. 66 T. 2 F. 5 (D ♂).

♂ **unci-insignitus** Bösenberg & Strand 1906. Japan
D. u.—i. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 120 T. 16 F. 500 (D ♂).

♂♀ **unicolor** (Cambridge) 1872. Libanon, Cyrenaica
Drassus u. Cambridge 1872, Proc. Zool. Soc. Lond. p. 240 T. 15 F. 18 (D ♀).
D. u. Caporiacco 1934, Bol. Mus. Zool. Torino (3) 44 (47) p. 9 f. 2 (D ♂♀).

♂♀ **villosus** (Thorell) 1856. N.-, O.-, SO.-, Mitteleuropa, Turkestan, Sibirien, Karakorum
D. severus Westring 1851, Göteborg Vet. Handl. 2 p. 48 (D ♂).
Drassus v. Thorell 1856, Rec. Crit. Aran. Suec. p. 109 (N).
D. v. Westring 1862, Aran. Svec. p. 363 (D ♂♀).
Drassus v. L. Koch 1866, Arachn. Fam. Drassid. p. 136 T. 6 F. 86 (D ♀).
Drassus lapidorus inermis Simon 1878, Arachn. de France 4 p. 109 (D ♂).
Drassus v. Simon 1878, Arachn. de France 4 p. 117 T. 15 F. 10 (D ♂♀).
Drassus v. Bösenberg 1902, Zoologica 14 (2—4) p. 294 T. 27 F. 430 (D ♀).
D. v. Lessert 1910, Catal. Invert. Suisse; Araign. p. 47 f. 36, 37 (D ♂♀).
D. v. Simon 1914, Arachn. de France 6 (1) p. 125, 129, 207 f. 197, 208 (D ♂♀).
D. v. Ermolajew 1928, Arch. Naturg. 92 (A, 7) p. 101 f. 4 (D ♀).
D. v. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 14 f. 21, 25, 30 (D ♂♀).
D. v. Palmgren 1943, Act. Zool. Fenn. 36 p. 91 f. (N).
D. v. Tullgren 1946, Svensk Spindelfauna 3 p. 95 f. 29B; T. 15 F. 191—193 (D ♂♀).

♂♀ **vinosus** (Simon) 1878. Franz. u. Schweizer Hochalpen
Drassus v. Simon 1878, Arachn. de France 4 p. 123 (D ♀).
D. v. Lessert 1910, Catal. Invert. Suisse; Araign. p. 52 f. 44 (D ♀).
D. v. Simon 1914, Arachn. de France 6 (1) p. 130, 207 f. 212—214 (D ♂♀).

♀ **voigtii** (Bösenberg) 1899. S.-Deutschland, Macedonien
Drassus v. Bösenberg 1899, Verh. Nat. Ver. Rheinl. Westf. 56 p. 117 T. 1 F. 5 (D ♀).
Drassus v. Bösenberg 1902, Zoologica 14 (2—4) p. 300 T. 28 F. 444 (D ♀).

♀ **volidis** Roewer 1928. Attika
D. v. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 99 T. 1 F. 3 (D ♀).

Aethiopische Arten:

§ 12 ♀: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 302.

♀ **adisensis** Strand 1906. Abessinien
D. a. Strand 1906, Zool. Anz. 30 (19—20) p. 681 (D ♀).
D. a. Strand 1908, Arch. Naturg. 74 (I; 1) p. 19 (D ♀).

♀ **bechuanicus** Tucker 1923. S.-Afrika
D. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 306 T. 10 F. 33 (D ♀).

♂ **braendegaardi** Caporiacco 1949. Kenya
D. b. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 427 f. 64 (D ♂).

♂ **caffrerianus** Purcell 1907. S.-Afrika
D. c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 308 T. 13 F. 10 (D ♂).

♀ **calceatus** Purcell 1907. S.-Afrika
D. c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 309 T. 13 F. 11 (D ♀).

♂♀ **carinatus** Strand 1906. Abessinien
D. c. Strand 1906, Zool. Anz. 30 (19—20) p. 609 (D ♂♀).
D. c. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 49 (D ♂♀).

♀ **dregei** Purcell 1907. S.-Afrika
D. d. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 310 T. 13 F. 15 (D ♀).

♂♀ **ereptor** Purcell 1907. S.-Afrika
D. e. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 310 T. 13 F. 16, 17 (D ♂♀).

♀ **gilvus** Tullgren 1910. O.-Afrika
D. g. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 104 T. 1 F. 14 (D ♀).

♀ **gooldi** Purcell 1907. S.-Afrika
D. g. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 309 T. 13 F. 12 (D ♀).

♂ **helenae** Purcell 1907. S.-Afrika
D. h. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 309 T. 13 F. 14 (D ♂).

♂♀ **imbecillus** (L. Koch) 1875. Abessinien
Drassus i. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 52 T. 5 F. 6 (D ♀).
D. i. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 32 (D ♂♀).

♀ **kibonotensis** Tullgren 1910. O.-Afrika
D. k. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 103 T. 1 F. 13 (D ♀).

♂♀ **lophognathus** Purcell 1907. S.-Afrika
D. l. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 305 T. 13 F. 4—6 (D ♂♀).
D. l. Tucker 1923, Ann . S. Afr. Mus. 19 (2) p. 303 (N ♂♀).

♀ **lyratus** Purcell 1907. S.-Afrika
D. l. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 309 T. 13 F. 13 (D ♀).

♂ **malagassicus** (Butler) 1879. Madagascar
Drassus m. Butler 1879, Proc. Zool. Soc. Lond. p. 730 T. 58 F. 3 (D ♂).

♂ **masculus** Tucker 1923. S.-Afrika
D. m. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 306 T. 9 F. 34 (D ♂).

♀ **prosthesimiformis** Strand 1906. Abessinien
D. p. Strand 1906, Zool. Anz. 30 (19—20) p. 608 (D ♀).
D. p. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 48 (D ♀).

♀ **sanctae-helenae** Strand 1909. St. Helena
D. s.-h. Strand 1909, Dt. Südpol. Exped. 1901—03 10 (5) Zool. 2 p. 551 (D ♀).

♂♀ **sesquidentatus** Purcell 1908. S.-Afrika
D. s. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 235 T. 11 F. 13, 14 (D ♂♀).
D. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 306 (C ♂♀).

♀ **simplicivulva** Caporiacco 1940. Abessinien
D. s. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 835 f. 37 (D ♀).

♀ **solitarius** Purcell 1907. S.-Afrika
D. s. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 308 T. 13 F. 19 (D ♀).

♀ **splendens** Tucker 1923. S.-Afrika
D. sp. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 307 T. 10 F. 35 (D ♀).

♂ **stationis** Tucker 1923. S.-Afrika
D. st. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 308 T. 9 F. 36 (D ♀).

♀ **sternatus** Strand 1906. Abessinien
D. st. Strand 1906, Zool. Anz. 30 (19—20) p. 681 (D ♀).
D. st. Strand 1908, Arch. Naturg. (74) (I; 1) p. 17 T. 2 F. 3 (D ♀).

♂♀ **subviduatus** Strand 1906. Abessinien
D. s. Strand 1906, Zool. Anz. 30 (19—20) p. 608 (D ♂♀).
D. s. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 44 (D ♂♀).

♂♀ **tesselatus** Purcell 1907. S.-Afrika
D. t. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 307 T. 13 F. 7, 8 (D ♂♀).
D. t. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 304 (N ♂♀).

♀ **tortuosus** Tucker 1923. S.-Afrika
D. t. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 308 T. 10 F. 37 (D ♀).

♀ **vorax** Strand 1906. Abessinien
D. v. Strand 1906, Zool. Anz. 30 (19—20) p. 609 (D ♀).
D. v. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 96 (D ♀).

Orientalische Arten:

♀ **astrologus** (Cambridge) 1874. Dekan
Drassus a. Cambridge 1874, Proc. Zool. Soc. Lond. p. 395 T. 52 F. 20 (D ♀).

♀ **brachythelis** (Thorell) 1890. Sumatra
Drassus b. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 356 (D ♀).

♀ **cambridgei** Roewer 1951. Dekan
Drassus ferrugineus Cambridge 1874, Proc. Zool. Soc. Lond. p. 398 T. 52 F. 23 (D ♀).
D. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) 9. 443 (nom. nov.).

♀ **cerinus** Simon 1897. Indien
D. c. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 254 (D ♀).

♂ **delicatus** (Blackwall) 1867. Indien
Drassus d. Blackwall 1867, Ann. Mag. Nat. Hist. (3) 19 p. 391 (D ♂).

♂ **drydeni** Petrunkevitch 1914. Burma
D. d. Petrunkevitch 1914, Ann. Ent. Soc. Amer. 7 (3) p. 170 T. 26 F. 1, 2 (D ♂).

♂ **hamiger** (Thorell) 1877. Celebes
Drassus h. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 478 (D ♂).

♂ **heterophthalmus** Simon 1905. Indien
D. h. Simon 1905, Ann. Soc. Ent. France 74 p. 168 (D ♂).

♀ **ingnobilis** Petrunkevitch 1914. Burma
D. i. Petrunkevitch 1914, Ann. Ent. Soc. Amer. 7 (3) p. 171 T. 26 F. 3 (D ♀).

♀ **insidiator** (Thorell) 1897. Burma
Drassus i. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 205 (D ♀).

♂♀ **luridus** (Cambridge) 1874. Dekan
Drassus l. Cambridge 1874, Proc. Zool. Soc. Lond. p. 396 T. 52 F. 21 (D ♂♀).

♀ **macilentus** (Cambridge) 1874. Dekan
Drassus m. Cambridge 1874, Proc. Zool. Soc. Lond. p. 392 T. 51 F. 16 (D ♀).

♂ **maindroni** Simon 1897. Maskat
D. m. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (3) p. 98 (D ♂).

♀ **manducator** (Thorell) 1897. Burma
Drassus m. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 220 (D ♀).

♂♀ **russulus** (Thorell) 1890. Java
Drassus r. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 358 (D ♂♀).
D. r. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 463 T. 21 F. 14—16 (N ♂♀).

Australische Arten:

♂♀ **ciusi** Berland 1924. Neu-Caledonien
D. c. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 192 f. 54—56 (D ♂).
D. c. Berland 1929, Bull. Soc. Zool. France 54 (5) p. 393 f. 3, 4 (D ♀).

Neotropische Arten:

♀ **affinis** (Nicolet) 1849. Chile
Drassus a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 458 (D ♀).

♀ **agelasius** (Keyserling) 1891. Brasilien
Drassus a. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 35 T. 1 F. 14 (D ♀).
D. a. Petrunkevitch 1911, Bull. Amer. Nat. Hist. 29 p. 137 (C).

♀ **arapensis** Strand 1908. Peru
D. a. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 227 (D ♀).

♀ **araucanius** Chamberlin 1916. Peru
D. au. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 219 T. 11 F. 4—8; T. 12 F. 1, 2 (D ♀).

♀ **cacahuamilpensis** (Herrera) 1891. Mexico
Drassus c. Herrera 1891, Mem. Soc. Ant. Alzate 5 p. 230 T. 3 F. 7 (D ♀).

♀ **centralis** F. Cambridge 1899. Mexico
D. c. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 60 T. 4 F. 13 (D ♀).

♀ **ferrum-equinum** F. Cambridge 1899. Mexico
D. f.—e. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 60 T. 4 F. 12 (D ♀).

♂ **insignis** (Blackwall) 1862. Brasilien
Drassus i. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 425 (D ♂).

♀ **mirandus** (Nicolet) 1849. Chile
Drassus m. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 457 (D ♀).

♀ **orizaba** (Banks) 1898. Mexico
Drassus o. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 215 T. 13 F. 11 (D ♀).
D. o. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 61 (C ♀).

O **pallidipalpis** (Bilimek) 1867. Mexico
Drassus p. Bilimek 1867, Verh. Zool. Bot. Ges. Wien 27 p. 906 (D O).
D. p. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 61 (C).

♂♀ **perditus** Banks 1898. Mexico
D. p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 215 T. 13 F. 7 (D ♂♀).
D. p. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 61 (C ♀).

♀ **rouxi** Mello-Leitao 1939. Paraguay
D. r. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 79 f. 65 (D ♀).

♀ **singularis** (Banks) 1898. Mexico
Drassus s. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 215 T. 13 F. 8 (D ♀).
D. s. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 61 (C).

♀ **venustus** (Nicolet) 1849. Chile
Drassus v. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 457 (D ♀).

Nearktische Arten:

§ 3 (♂, ♀): Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 351

♂♀ **auriculoides** Barrows 1919. Ohio, Connecticut, Wisconsin
D. a. Barrows 1919, Ohio Journ. Sci. 19 p. 355 T. 15 F. 4 (D ♀).
Geodrassus a. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 160 (N).
D. robinsoni Kaston 1938, Bull. Brooklyn Ent. Soc. 33 (4) p. 178 (part.) T. 8 F. 12—14 (D ♀).
D. a. Kaston 1945, Amer. Mus. Novit. 1290 p. 1 TF. 1, 2 (N ♂♀).
D. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 352 T. 61 F. 1190, 1191; T. 62 F. 1196—1197 (D ♂♀).

♂ **californicus** Banks 1904. Californien
D. c. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 338 T. 39 F. 28 (D ♂).

♀ **celes** Chamberlin 1920. Californien, Utah
D. c. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 5 T. 2 F. 2 (D ♀).

O **diversus** (Blackwall) 1871. Canada
Drassus d. Blackwall 1871, Ann. Mag. Nat. Hist. (4) 8 p. 433 (D O).

♀ **humilis** (Banks) 1892. New York, Canada
Drassus h. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 20 T. 1 F. 60 (D ♀).
D. h. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 138 (C).

O♀ **hunterae** (Blackwall) 1871. Canada
Drassus h. Blackwall 1871, Ann. Mag. Nat. Hist. (4) 8 p. 432 (D O♀).

♂♀ **neglectus** (Keyserling) 1887. U. St. Amerika, Canada
Drassus n. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 434 T. 6 F. 10 (D ♀).

Drassus saccatus Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 178 T. 4 F. 7 (D ♂♀).
Drassus inornatus Bank 1895, Ann. N. York Ac. Sci. 8 p. 420 (D ♀).
Drassus saccatus Emerton 1902, Common Spid. p. 6 f. 19 (D ♀).
D. n. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 138 (C).
Drassus n. Comstock 1912, Spider Book p. 312 f. 300—302 (N).
D. n. Chamberlin 1935, Amer. Mus. Novit. 841 p. 17 (C ♀).
D. n. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 351 T. 60 F. 1176; T. 61 F. 1188—89; T. 62 F. 1195 (D ♂♀).

♀ **ocellatus** (Walckenaer) 1837. Georgia

Drassus o. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 621 (D o).

♂♀ **robinsoni** Chamberlin 1919. U. St. Amerika

D. r. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 245 T. 16 F. 2 (D ♀).
D. r. Kaston 1938, Bull. Brooklyn Ent. Soc. 33 (4) p. 179 (D ♀).
D. r. Muma 1944, Amer. Mus. Novit. 1257 p. 9 (C ♀).
D. r. Kaston 1945, Amer. Mus. Novit. 1290 p. 1 TF. 3 (N ♀).
D. r. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 352 T. 62 F. 1198 (D ♂♀).

Gen. **Geodrassus** Chamberlin 1922.

♀ **gosiutus** (Chamberlin) 1919. – * Utah

Drassodes g. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 245 T. 16 F. 3 (D ♀).
G. g. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 160 (N).
G. auriculoides Kaston 1938, Bull. Brooklyn Ent. Soc. 33 (4) p. 175 T. 8 F. 5—8 (D ♂♀).
G. auriculoides Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 192 (N).
G. g. Kaston 1945, Amer. Mus. Novit. 1290 p. 1 TF. 5 (N ♀).
G. g. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 353 T. 61 F. 1192; T. 62 F. 1199—1201 (D ♂♀).

♂♀ **phanus** (Chamberlin) 1922. Utah, Connecticut

Drassodes p. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 160 (D ♀).
G. p. Kaston 1938, Bull. Brooklyn Ent. Soc. 33 (4) p. 177 T. 8 F. 9—11 (D ♀)
G. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 353 T. 61 F. 1193—94; T. 62 F. 1202 (D ♂♀).

♀ **yavapainus** Chamberlin 1925. Arizona

G. y. Chamberlin 1925, Bull. Mus. Zool. Harvard 67 (4) p. 213 (D ♀).

Gen. **Haplodrassus** Chamberlin 1922.

Palaearktische Arten:

§ 15 ♂, 15 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 209—213 (sub. **Drassus**, part.).
§ 7 ♂, 6 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 15—19.
§ 5 Arten: Palmgren 1943, Act. Zool. Fenn. 36 p. 93.
§ 7 ♂, 7 ♀: Tullgren 1946, Svensk Spindelfauna 3 p. 97—98.

♂♀ **capnodes** (Thorell) 1875. Deutschland

Drassus c. Thorell 1875, Tijdschr. Ent. 18 p. 96 (D ♂).
Drassus c. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 92 (D ♂).
Drassus buddebergi Simon 1887, Ann. Soc. Ent. France (6) 7 Bull. p. 142 (D ♀).
Drassus c. Bösenberg 1902, Zoologica 14 (2—4) p. 296 T. 28 F. 435 (D ♀).
H. c. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 17 f. 38 (D ♂).

♂♀ **cognatus** (Westring) 1862. Europa

Drassus fuscus C. L. Koch 1843, Die Arachniden 10 p. 123 TF. 837 (D ♀).
Drassus c. Westring 1862, Aran. Svec. p. 343 (D ♀).
Drassus fuscus L. Koch 1866, Arachn. Fam. Drassid. p. 86 T. 4 F. 58 (D ♀).
Drassus c. Thorell 1871, Rem. Syn. Europ. Spid. p. 182 (N).
Drassus c. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 56 (D ♂♀).
Drassus c. Simon 1878, Arachn. de France 4 p. 143 (D ♀, nec ♂).
Drassus c. Chyzer & Kuczynski 1897, Aran. Hungar. 2 (b) p. 215 T. 8 F. 53 (D ♂♀).
Drassus c. Bösenberg 1902, Zoologica 14 (2—4) p. 297 T. 28 F. 436 (D ♂♀).
Drassodes c. Simon 1914, Arachn. de France 6 (1) p. 136, 208 f. 231—233 (D ♂♀).
H. c. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 16 f. 34, 35 (D ♂♀).
H. c. Palmgren 1943, Act. Zool. Fenn. 36 p. 95 f. (N).
H. (Phaeodrassus) c. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 13 (N).
H. c. Tullgren 1946, Svensk Spindelfauna 3 p. 106 f. 31 C; T. 17 F. 221—224 (D ♂♀).

♀ **cognatus ermolajewi** Lohmander 1942. W.-Sibirien

Drassus c. Ermolajew 1928, Arch. Naturg. 92 (A, 7) p. 98 f. 1 (D ♀).
H. c. e. Lohmander 1942, Meddel. Göteborg Mus. Zool. Afd. 98 p. 86 (D ♀)

♂♀ **concertor** (Simon) 1878. O.-Pyrenäen

Drassus c. Simon 1878, Arachn. de France 4 p. 129 T. 16 F. 24 (D ♂♀).
Drassodes c. Simon 1914, Arachn. de France 6 (1) p. 140, 210 f. 249, 251 (D ♂♀).

♂♀ **dalmatensis** (L. Koch) 1866. Europa

Drassus d. L. Koch 1866, Arachn. Fam. Drassid. p. 89 T. 4 F. 59 (D ♀).
Drassus minusculus L. Koch 1866, Arachn. Fam. Drassid. p. 110 T. 5 F. 70 (D ♀).
Drassus delinquens Cambridge 1875, Ann. Mag. Nat. Hist. (4) 16 p. 245 T. 8 F. 4 (D ♀).
Drassus minusculus L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 302 (D ♂).
Drassus minusculus Simon 1878, Arachn. de France 4 p. 134 (D ♂♀).
Drassus delinquens Cambridge 1879, Proc. Dorset F. Cl. 1 p. 21 (D ♀).
Drassus minusculus Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 217 T. 8 F. 58, 63 (D ♂♀).
Drassodes d. Simon 1914, Arachn. de France 6 (1) p. 137, 209 f. 237—239 (D ♂♀).
H. d. Tullgren 1946, Svensk Spindelfauna 3 p. 100 T. 16 F. 201—203 (D ♂♀).
Drassodes d. Locket & Millidge 1951, Brit. Spiders I. p. 103 f. 53 C, F, H; 54 B (D ♂♀).

♂♀ **dalmatensis pictus** (Thorell) 1875. Spanien, Madeira

Drassus pictus Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 90 (D ♂♀).
Drassus pictus Thorell 1875, Tijdschr. Ent. 18 p. 97 (D ♂♀).
Drassides minusculus pictus Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 349 T. 6 F. 29 (D ♂♀).

♀ **grazianoi** Caporiacco 1948. Rhodos

H. g. Caporiacco 1948, Redia 33 p. 59 f. 10 (D ♀).

♀ **gridellii** Caporiacco 1949. Cyrenaica

H. g. Caporiacco 1949, Ann. Mus. Civ. Trieste 17 (6) p. 7 f. 3 (D ♀).

♂♀ **invalidus** (Cambridge) 1872. Palästina, Sizilien, Corsica, Spanien

Drassus i. Cambridge 1872, Proc. Zool. Soc. Lond. p. 237 T. 15 F. 14 (D ♂).
Drassus i. Simon 1878, Arachn. de France 4 p. 135 (D ♂♀).
Drassodes i. Simon 1914, Arachn. de France 6 (1) p. 138, 210, f. 243, 244 (D ♂♀).

♂♀ **kulczynskii** Lohmander 1942. Europa

Drassus microps Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 217 T. 8 F. 57 (D ♂♀).
Drassus microps Bösenberg 1902, Zoologica 14 (2—4) p. 300 T. 28 F. 64, 442 (D ♂♀).
Drassodes microps Lessert 1910. Catal. Invert. Suisse; Araign. p. 54 (D ♀).
Drassodes microps Simon 1914, Arach. de France 6 (1) p. 138, 209 f. 240, 241 (D ♂♀).
Drassodes microps Reimoser 1937 in: Dahl, Tierw. Deutschl. 33 p. 18 f. 41, 42 (D ♂♀).
H. k. Lohmander 1942, Meddel. Göteborg Mus. Zool. Afd. 98 p. 101 (N).

♂♀ **macellinus** (Thorell) 1870. Westl. Mediterran.

Drassus m. Thorell 1870, Rem. Syn. Europ. Spid. p. 185 (D ♂♀).
Drassus nyctelius Thorell 1870, Rem. Syn. Europ. Spid. p. 185 (D ♀).
Drassus occidentalis Thorell 1870, Rem. Syn. Europ. Spid. p. 184 (D ♀).
Drassus typhon Simon 1878, Arachn. de France 4 p. 128 T. 16 F. 20 (D ♂♀).
Drassus m. Simon 1878, Arachn. de France 4 p. 138 (D ♂♀).
Drassodes m. Simon 1914, Arachn. de France 6 (1) p. 139, 209 f. 248 (D ♂♀).

♂♀ **macellinus hebes** (Cambridge) 1874. SO.-Frankreich, Corsica

Drassus hebes Cambridge 1874, Proc. Zool. Soc. Lond. p. 371 T. 51 f. 15 (D ♂).
Drassus vicarius Simon 1878, Arachn. de France 4 p. 132 (D ♀).
Drassodes m. h. Simon 1914, Arachn. de France 6 (1) p. 140, 209 f. 248 (D ♂♀).

♂♀ **minor** (Cambridge) 1879. Europa

Drassus m. Cambridge 1879, Ann. Mag. Nat. Hist. (5) 4 p. 192 T. 12 F. 1 (D ♀).
Drassus m. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 422 (D ♀).
Drassus m. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 219 T. 8 F. 55, 65 (D ♂♀).
Drassus m. Bösenberg 1902, Zoologica 14 (2—4) p. 300 T. 28 F. 443 (D ♂♀).
Drassodes m. Simon 1914, Arachn. de France 6 (1) p. 138 f. 242 (D ♀).
H. m. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 18 f. 39, 40 (D ♂♀).
Drassodes m. Locket & Millidge 1951, Brit. Spiders I. p. 103 f. 54 C (D ♂♀).

♂♀ **modestus** (Kulczynski) 1897. Ungarn, Finnland, Schweden

Drassus m. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 216 T. 8 F. 60 (D ♀).
Drassus m. Odenwall & Järvi 1901, Act. Soc. Faun. Flor. Fenn. 20 (4) p. 11 (N ♀).
H. m. Lohmander 1942, Meddel. Göteborg Mus. Zool. Afd. 98 p. 82, 85 (D ♂, N ♀).
H. m. Palmgren 1943, Act. Zool. Fenn. 36 p. 96 f. (N).
H. m. Tullgren 1946, Svensk Spindelfauna 3 p. 104 f. 31 A; T. 17 F. 214—216 (D ♂♀).

♀ **omissus** (Cambridge) 1872. Palästina, Karakorum

Drassus o. Cambridge 1872, Proc. Zool. Soc. London p. 239 T. 15 F. (D ♀).
H. o. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 131 (D ♀).

♂♀ **seditiosus** (Caporiacco) 1928. Tripolis, Cyrenaica

Drassodes s. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 83 f. 1 (D ♀).
H. s. Caporiacco 1934, Boll. Mus. Zool. Torino (3) 44 (47) p. 9 f. 3 (D ♂).

♂♀ **severus** (C. L. Koch) 1839. Mittelmeer-Gebiet

Drassus s. C. L. Koch 1839, Die Arachniden 6 p. 22 TF. 446 (D ♀).
Clubiona s. Walckenaer 1841, Hist. Nat. Ins. Ant. 2 p. 479 (D ♀).
Drassus s. C. L. Koch 1843, Die Arachniden 10 p. 126 TF. 838 (D ♂).

Drassus similis L. Koch 1866, Arachn. Fam. Drassid. p. 103 T. 4 F. 67 (D ♂♀).
Drassus s. L. Koch 1866, Arachn. Fam. Drassid. p. 108 T. 5 F. 69 (D ♀).
Drassus s. Ohlert 1867, Aran. Prov. Preussen p. 94 (D ♂♀).
Drassus s. Simon 1878, Arachn. de France 4 p. 125 (D ♂♀).
Drassodes s. Simon 1893: Hist. Nat. Araign. 1 (2) p. 361, f. 322 (N ♂).
Drassodes s . Simon 1914, Arachn. de France 6 (1) p. 136, 210 f. 234—236 (D ♂♀).

♂♀ **soerenseni** (Strand) 1900. Skandinavien, N.-Russland

Drassus s. Strand 1900, Nyt Mag. Naturvid. 38 p. 98 f. (D ♀).
H. lapponicus Holm 1939, Ark. Zool. 31 (A, 8) p. 4 f. 1a—d, 2 (D ♂♀).
H. s. Lohmander 1942, Meddel. Göteborg Mus. Zool. Afd. 98 p. 101 (N).
H. s. Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 221, 230 T. 1 F. 3 (D ♂♀).
H. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 97 f. (N).
H. s. Holm 1945, Ark. Zool. 36 (A, 15) p. 63 (N).
H. s. Tullgren 1946, Svensk Spindelfauna 3 p. 102 f. 30 C; T. 17 F. 209—213 (D ♂♀).

♂♀ **sylvestris** (Blackwall) 1833. W.-, N.- u. Mitteleuropa, Macedonien

Drassus s. Blackwall 1833, Lond. Edinbg. Phil. Mag. (3) 3 p. 440 (D ♀).
Drassus s. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 113 T. 6 F. 68 (D ♂♀).
Drassus infuscatus Westring 1862, Aran. Svec. p. 347 (D ♀).
Drassus infuscatus L. Koch 1866, Arachn. Fam. Drassid. p. 99 T. 4 F. 64 (D ♂♀).
Drassus criminalis Cambridge 1875, Ann. Mag. Nat. Hist. (4) 16 p. 244 T. 8 F. 3 (D ♀).
Drassus infuscatus Menge 1875, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 381 T. 66 F. 218 (D ♂♀).
Drassus infuscatus Simon 1878, Arachn. de France 4 p. 126 (D ♂♀).
Drassus infuscatus Cambridge 1881, Proc. Dorset F. Cl. 2 p. 423 (D ♂♀).
Drassus infuscatus Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 56 (D ♂♀).
Drassus infuscatus Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 256 T. 16 F. 12 (D ♂♀).
Drassus silvestris Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 216 T. 8 F. 45, 54 (D ♂♀).
Drassus infuscatus Bösenberg 1902, Zoologica 14 (2—4) p. 299 T. 28 F. 440 (D ♂♀).
Drassodes silvestris Simon 1914, Arachn. de France 6 (1) p. 135, 208 f. 228—230 (D ♂♀).
H. silvestris Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 15 f. 32, 33 (D ♂♀).
H. silvestris Tullgren 1946, Svensk Spindelfauna 3 p. 105 f. 31 B; T. 17 F. 217 bis 220 (D ♂♀).
Drassodes s. Locket & Millidge 1951, Brit. Spiders I. p. 103 f. 53 B, E; 54 D (D ♂♀).

♂♀ **umbratilis** (L. Koch) 1866. Europa

Drassus u. L. Koch 1866, Arachn. Fam. Drassid. p. 113 T. 5 F. 71 (D ♀).
? Drassus microps Menge 1875, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 380 T. 65 F. 217 (D ♂♀).
Drassus u. Simon 1878, Arachn. de France 4 p. 133 (D ♀).
Drassus u. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 217 T. 8 F. 59, 62 (D ♂♀).
Drassus u. Bösenberg 1902, Zoologica 14 (2—4) p. 299 T. 28 F. 441 (D ♂♀).
Drassodes u. Simon 1914, Arachn. de France 6 (1) p. 138, 209 f. 240—247 (D ♂♀).

H. u. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 19 f. 43, 44 (D ♂♀).
H. u. Holm 1939, Ark. Zool. 31 (A, 8) p. 5 f. 10 (N ♂).
H. u. Palmgren 1943, Act. Zool. Fenn. 36 p. 96 f. (N).
H. u. Tullgren 1946, Svensk Spindelfauna 3 p. 101 f. 30B; T. 16 F. 204—208 (D ♂♀).

♀ **umbratilis gothicus** Lohmander 1942. S.-Schweden

H. u. g. Lohmander 1942, Meddel. Göteborg Mus. Zool. Afd. 98 p. 101 (D ♀).

Transgredierende Arten:

♂♀ **signifer** (C. L. Koch) 1839. Palaearktis u. Nearktis

Drassus s. C. L. Koch 1839, Die Arachniden 6 p. 31 TF. 452 (D ♀).
Drassus troglodytes C. L. Koch 1839, Die Arachniden 6 p. 35 TF. 455, 456 (D ♂♀).
Clubiona troglodytes Waldkenaer 1841, Hist. Nat. Ins. Apt. 2 p. 480 (D ♂).
Drassus clavator Cambridge 1860, Ann. Mag. Nat. Hist. (3) 5 p. 171 (D ♂♀).
Drassus clavator Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 109 T. 6 F. 66 (D ♂).
Drassus troglodytes Westring 1862, Aran. Svec. p. 345 (D ♂♀).
Drassus troglodytes L. Koch 1866, Arachn. Fam. Drassid. p. 116 T. 5 F. 73, 74 (D ♂♀).
Drassus troglodytes Ohlert 1867, Aran. Prov. Preussen p. 94 (D ♂♀).
Drassus troglodytes Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 378 T. 65 F. 216 (D ♂♀).
Drassus troglodytes Simon 1878, Arachn. de France 4 p. 130 (D ♂♀).
Drassus troglodytes Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 56 (D ♂♀).
Drassus robustus Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 179 T. 4 F. 8 (D ♂♀).
Drassus mysticus Cambridge 1894, Proc. Dorset F. Cl. 15 p. 104 (D).
Teminius nigriceps Banks 1895, Ann. N. York Ac. Sci. 8 p. 421 (D ♀).
Drassus placidus Banks 1896, Trans. Amer. Ent. Soc. 23 p. 63 (D ♀).
Drassus troglodytes Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 257 T. 16 F. 13 (D ♂♀).
Drassus troglodytes Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 217 T. 8 F. 56, 61 (D ♂♀).
Drassus troglodytes Soerensen 1898, Vidensk. Meddel. (5) 10 p. 222 (N).
Prosthesima decepta Banks 1900, Proc. Ac. Nat. Sci. Philad. 52 p. 531 (D ♀).
Drassus troglodytes Bösenberg 1902, Zoologica 14 (2—4) p. 298 T. 28 F. 439 (D ♂♀).
Zelotes pacifica Banks 1904, Proc. Calif. Ac. Sci. (Zool.) (3) 3 (12) p. 336 T. 39 F. 15 (D ♂).
Drassodes robustus Bryant 1908, Occ. Pap. Boston Soc. Nat. Hist. 7 p. 7 (N).
Drassodes troglodytes Lessert 1910, Catal. Invert. Suisse; Araign. p. 52 (D ♂♀).
Zelotes decepta Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 149 (C).
Syrisca nigriceps Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 514 (C).
Drassodes s. Comstock 1912, Spider Book p. 313 f. 303—304 (N).
Drassodes troglodytes Simon 1914, Arachn. de France 6 (1) p. 122, 140, 209 f. 249, 250 (D ♂♀).
Drassodes robustus (= ? beaufortensis) Strand 1915, Arch. Naturg. 81 (A; 9) p. 95 (D ♀).
H. s. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 163 (N).
H. s. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 178 (N).
H. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 17 f. 36, 37 (D ♂♀).
H. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 95 f. (N).
H. s. Tullgren 1946, Svensk Spindelfauna 3 p. 98 f. 30A; T. 16 F. 197—200 (D ♂♀).

Drassodes s. Braendegaard 1946, Medd. Grönland 121 (15) p. 55 f. (N).
H. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 350 T. 60 F. 1170—72; T. 61 F. 1186 (D ♂♀).
Drassodes s. Locket & Millidge 1951, Brit. Spiders I. p. 101 f. 53A.D.G; 54A (D ♂♀).

Nearktische Arten:

♀ **admes** Chamberlin 1922. Arizona, Neu-Mexico
H. a. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 162 (D ♀).

♂♀ **altanus** Chamberlin 1933. Canada
H. a. Chamberlin 1933, Amer. Mus. Novit. 631 p. 5 TF. 8—10 (D ♂♀).

♀ **barberi** (Banks) 1902. Arizona
Prosthesima b. Banks 1902, Proc. U. Stat. Nat. Mus. 25 p. 212 T. 7 F. 7, 11 (D ♀).
Zelotes b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 148 (C).
H. b. Chamberlin 1923, Proc. Biol. Soc. Wash. 35 p. 161 (N).

♂♀ **bicornis** (Emerton) 1909. New Hampshire, Wisconsin
Drassus b. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 218 T. 9 F. 2 (D ♂♀).
H. b. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 161 (N).

♀ **dixiensis** Chamberlin & Woodbury 1929. Utah
H. d. Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 134 T. 1 F. 6 (D ♀).

♂♀ **dystactus** Chamberlin & Gertsch 1940. Utah
H. d. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 8 TF. 6, 9, 10 (D ♂♀).

♀ **eunis** Chamberlin 1922. Arizona
H. eu. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 162 (D ♀).

♂♀ **hiemalis** (Emerton) 1909. – * New Hampshire, Massachusets
Drassus h. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 218 T. 9 F. 1 (D ♂♀).
H. h. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 161 (N).
H. h. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 350 T. 60 F. 1173—75; T. 61 F. 1187 (D ♂♀).

♂ **maculatus** (Banks) 1904. Californien
Zelotes m. Banks 1904, Proc. Calif. Ac. Sci. (Zool.) (3) 3 (13) p. 336 T. 40 F. 38 (D ♂).
H. m. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 161 (N).

♂ **magister** Chamberlin 1933. Minnesota
H. m. Chamberlin 1933, Amer. Mus. Novit. 631 p. 6 TF. 11, 12 (D ♀).

♀ **mimus** Chamberlin 1922. Virginia
H. m. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 161 (D ♀).

♀ **taibo** (Chamberlin) 1920. Californien
Zelotes t. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 6 T. 2 F. 5 (D ♀).
H. t. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 161 (N).

♂♀ **uncifer** Chamberlin 1935. Utah
H. u. Chamberlin 1935, Amer. Mus. Novit. 841 p. 18 f. 17—19 (D ♂♀).

♂♀ **utus** Chamberlin 1946. Westl. U. St. Amerika
H. u. Chamberlin 1946, Bull. Univ. Utah 36 (13), Biol. 9 (5) p. 8 TF. 9—11 (D ♂♀).

Gen. **Homoeothele** Simon 1908.

♂♀ **micans** Simon 1908. W.-Australien
H. m. Simon 1908, Faun. S. W. Austral. 1 (12) p. 392 f. 9 (D ♂♀).
H. m. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 249 (N).

Gen. **Hypodrassodes** Dalmas 1919.

♂♀ **canacus** Berland 1924. Neu-Caledonien
H. c. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 190 f. 46—50 (D ♂♀).

♀ **cockerelli** Berland 1932. Neu-Caledonien
H. c. Berland 1932, Rec. Austral. Mus. 18 (6) p. 296 f. 1—3 (D ♀).

♀ **ignambensis** Berland 1924. Neu-Caledonien
H. i. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 191 f. 51 (D ♀).

♂ **insulanus** (Rainbow) 1901. Neue Hebriden
Leptodrassus i. Rainbow 1901, Proc. Linn. Soc. N. S. Wales (2) 16 p. 523 T. 28 F. 1 (D ♀).
Anzazia i. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 249 (N).

♀ **maoricus** (Dalmas) 1917. – * Neu-Seeland
Drassodes m. Dalmas 1917, Ann. Soc. Ent. France 86 p. 346 f. 23—25 (D ♀).
H. m. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 250 (N).

Gen. **Leptodrassus** Simon 1878.

Palaearktische Arten:

§ 3 (♂♀): Simon 1914, Aradın. de France 6 (1) p. 141—142.
§ 11 Arten: Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 243.

♂♀ **albidus** Simon 1914. Spanien
L. a. Simon 1914, Aradın. de France 6 (1) p. 142, 210 f. 255, 256 (D ♂♀).
L. a. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 244 f. 3, 4 (D ♂♀).

♂♀ **algericus** Dalmas 1919. Algier
L. a. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 245 f. 7 (D ♂♀).

♀ **croaticus** Dalmas 1919. Dalmatien
L. femineus Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 221 T. 8 F. 35 (D ♀).
L. c. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 244 (N).

♂♀ **femineus** (Simon) 1873. – * Corsica
Drassus f. Simon 1873, Mém. Soc. Sci. Liège (2) 5 p. 347 (163) (D ♂♀).
L. f. Simon 1878, Arachn. de France 4 p. 209 T. 15 F. 3 (D ♂♀).
L. f. Simon 1893, Hist. Nat. Araign. 1 (2) p. 355 f. 323 (N).
L. f. Simon 1914, Arachn. de France 6 (1) p. 142, 210 f. 254, 257 (D ♂♀).
L. f. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 243 f. 1, 2 (D ♂♀).

♂ **fragilis** Dalmas 1919. Algier, Tripolis
L. f. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 426 (D ♂).

♀ **hylaestomachi** Berland 1934. Canaren
L. h. Berland 1934, Proc. Zool. Soc. Lond. (2) p. 423 f. 1—4 (D ♀).
L. h. Denis 1941, Ann. Soc. Ent. France 110 p. 109 f. 1 (D ♀).

♂♀ **memorialis** Spassky 1940. Ukraine
L. m. Spassky 1940, Folia Zool. Hydrobiol. Riga 10 p. 355 T. 7 F. 2—5 (D ♂♀).

♀ **punicus** Dalmas 1919. Tunis
L. p. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 247 f. 8 (D ♀).

♂♀ **pupa** Dalmas 1919. Suez
L. p. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 248 f. 9 (D ♂♀).

♂♀ **simoni** Dalmas 1919. S.-Frankreich, Spanien, Portugal
L. tenerrimus Simon 1914, Arachn. de France 6 (1) p. 141, 210 f. 252, 353 (D ♂♀).
L. s. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 245 f. 5, 6 (D ♂♀).
L. masculinus Strand 1942, Folia Zool. Hydrobiol. 11 (2) p. 397 (nom. nov. superfl.).

♂ **tenerrimus** (Cambridge) 1872. Palästina
Drassus t. Cambridge 1872, Proc. Zool. Soc. Lond. p. 233 T. 15 F. 10 (D ♂).
L. t. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 247 (N).

Aethiopische Arten:

♀ **bergensis** Tucker 1923. S.-Afrika
L. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 317 T. 9 F. 43 (D ♀).

♀ **licentiosus** Dalmas 1919. Capland
L. l. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 248 f. 10 (D ♀).

♀ **strandi** Caporiacco 1947. Aethiopien
L. s. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 180 T. 2 F. 36 (D ♀).

O **tropicus** Dalmas 1919. Sierra Leone
L. t. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 247 (D O).

Gen. **Microdrassus** Dalmas 1919.

♀ **inaudax** (Simon) 1897. Seychellen
Drassodes i. Simon 1897, Ann. Soc. Ent. France 66 p. 373 (D ♀).
M. i. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 249 (N).

Gen. **Morenilia** Mello-Leitao 1942.

♀ **nigripes** Mello-Leitao 1942. Argentinien
M. n. Mello-Leitao 1942, Rev. Mus. La Plata (N.S.) 2 (Zool. 16) p. 412 f. 38 (D ♀).

Gen. **Moreno** Mello-Leitao 1940.

♀ **morenoi** Mello-Leitao 1940. Buenos Aires
M. m. Mello-Leitao 1940, Rev. Mus. La Plata (N.S.) 2 Zool. p. 47 f. 46—49 (D ♀).

Gen. **Notiodrassus** Bryant 1935.

♂ **distinctus** Bryant 1935. Neu-Seeland
N. d. Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 85 T. 10 F. 7, 8; T. 11 F. 11 (D ♂).

Gen. **Orodrassus** Chamberlin 1922.

♂ **assimilis** (Banks) 1895. Colorado
Drassus a. Banks 1895, Ann. N. York Ac. Sci. 8 p. 420 (D ♂).
O. a. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 164 (N).

♂♀ **coloradensis** (Emerton) 1877. – * Colorado, Montana, Utah, Arizona, Canada, Alaska
Drassus c. Emerton 1877, Bull. U. stat. Geol. Surv. 3 p. 528 (D ♂♀).
Teminius continentalis Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 423 T. 6 F. 2 (D ♀).
Drassus c. Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 413 T. 2 F. 7 (D ♂♀).
Syrisca continentalis Simon 1897, Hist. Nat. Araign. 2 (1) p. 129 (N).
Drassodes melius Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 245 T. 16 F. 4, 5 (D ♂♀).
O. c. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 164 (N).
O. c. Chamberlin 1932, Amer. Mus. Novit. 631 p. 1 (C).
O. c. Gertsch 1935, Amer. Mus. Novit. 792 p. 28 (C).
O. c. Chamberlin 1936, Amer. Mus. Novit. 853 p. 7 f. 23 (D ♀).

♀ **durranti** Chamberlin 1936. Californien
O. d. Chamberlin 1936, Amer. Mus. Novit. 853 p. 7 f. 22 (D ♀).

♀ **orites** Chamberlin & Gertsch 1940. Washington St.
O. o. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 10 TF. 7 (D ♀).

♀ **vastus** (Banks) 1896. Washington-St.
Drassus v. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 62 (D ♀).
O. v. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 164 (N).

Gen. **Rachodrassus** Chamberlin 1922.

♀ **chera** Chamberlin 1922. Kentucky
R. ch. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 161 (D ♀).

♂ **echinus** Chamberlin 1922. – * Kentucky
R. e. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 160 (D ♀).

♂♀ **flavus** Chamberlin & Woodbury 1929. Utah
R. f. Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 134 T. 1 F. 1, 2 (D ♂♀).

Gen. **Talanites** Simon 1893.

Palaearktische Arten:

♀ **dorsilineatus** Dönitz & Strand 1906. Japan
T. d. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 377 T. 7 F. 84 (D ♀).

♂♀ **fagei** Spassky 1938. Turkmenien, Kaukasus
T. f. Spassky 1938, Festschr. Strand 4 p. 577 f. 3, 4 (D ♂♀).

♂♀ **fervidus** Simon 1893. – * Syrien
T. f. Simon 1893, Hist. Nat. Araign. 1 (2) p. 363 (D ♂♀).

o **ornatus** (Cambridge) 1874. Aegypten
Drassus o. Cambridge 1874, Proc. Zool. Soc. Lond. p. 388 (D o).

♂ **santschii** Dalmas 1918. Tunis
T. s. Dalmas 1918, Bull. Soc. Ent. France (11) p. 179 (D ♂).

♂ **strandi** Spassky 1940. Ukraine
T. s. Spassky 1940, Folia Zool. Hydrobiol. Riga 10 p. 353 T. 7 F. 1 (D ♂).

♂ **tibialis** Caporiacco 1934. Karakorum
T. t. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 132 T. 2 F. 4 (D ♂).

Orientalische Arten:

♀ **cavernicola** Thorell 1897. Burma
T. c. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 207 (♀).

Gen. **Teminius** Keyserling 1887.

♂♀ **affinis** Banks 1897. Texas, Mexico
T. a. Banks 1897, Canad. Ent. 29 p. 193 (D ♀).
Syrisca a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 513 (C).
Syrisca a. Gertsch 1935, Amer. Mus. Novit. 805 p. 11 TF. 31—33 (D ♂♀).

♂♀ **brasiliana** Keyserling 1891. S.-Brasilien
T. b. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 40 T. 1 F. 17 (D ♂♀).
Syrisca b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 513 (C).

♀ **clarissa** (Franganillo) 1926. Cuba
T. insularis Banks 1909, Rep. Centr. Exper. Stat. Cuba p. 156 (C).
Syrisca c. Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 60 (D).
Syrisca c. Franganillo 1936, Los Aracnidos de Cuba hasta 1936 p. 122 (D).
T. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 397 (D ♀).

♀ **conjuncta** Banks 1914. Costa Rica
T. c. Banks 1914, Proc. Ac. Nat. Sci. Philad. 65 p. 676 T. 28 F. 2 (D ♀).

♂♀ **insularis** Keyserling 1887. – * Haiti, Virgin-Isl. Portorico, Panama
T. i. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 422 T. 6 F. 1 (D ♀).
Syrisca keyserlingi Simon 1897, Hist. Nat. Araign. 2 (1) p. 129 (nom. nov.).
Syrisca hirsuta Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 171 f. 71—76 (D ♂♀).
Eutichuroides fusca Petrunkevitch 1926, Trans. Connect. Ac. Sci. 28 p. 28 f. 57 (D ♂).
Syrisca hirsuta Petrunkevitch 1926, Trans. Connect. Ac. Sci. 28 p. 63 f. 20, 21 (D ♂).
Syrisca hirsuta Petrunkevitch 1930, Trans. Connect. Ac. Sci. 30 p. 92 (N).
T. i. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 398 (N).
T. i. Bryant 1942, Bull. Mus. Comp. Zool. Harvard 89 (7) p. 348 (N ♂♀).
T. i. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 409 T. 10 F. 92, 93 (D ♂♀).

♀ **monticola** Bryant 1948. San Domingo
T. m. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 411 T. 10 F. 94 (D ♀).

♀ **pulcher** (Petrunkevitch) 1925. Panama, Portorico
Syrisca p. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 148 f. 70—73 (D ♀).
Syrisca p. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 92 f. 77 (D ♀).
Syrisca p. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 348 (N).

Gen. **Tivodrassus** Chamberlin & Ivie 1936.

♀ **ethophor** Chamberlin & Ivie 1936. Mexico
T. e. Chamberlin & Ivie 1936, Bull. Univ. Utah; Biol. 27 (5) p. 13 T. 3 F. 17—21 (D ♀).

Gen. **Trachycosmus** Simon 1893.

♂♀ **sculptilis** Simon 1893. Tasmanien
T. sc. Simon 1893, Hist. Nat. Araign. 1 (2) p. 347 f. 311 (D ♂♀).

Gen. **Trachytrema** Simon 1909.

♀ **castaneum** Simon 1909. W.-Australien
T. c. Simon 1909, Faun. S. W. Austral. 2 (12) p. 157 (D ♀).

3. Gr. Echemeae

Gen. **Aphantaulax** Simon 1878.

Palaearktische Arten:

§ 3 ♂, 3 ♀: Simon 1878, Arachn. de France 4 p. 33.

♀ **albini** (Audouin) 1827. – * Aegypten, Abessinien
Clubiona a. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 385 T. 5 F. 8 (D ♀).
A. a. Simon 1878, Arachn. de France 4 p. 360 (C).
A. a. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 339 (N).
A. a. Simon 1893, Hist. Nat. Araign. 1 (2) p. 373 (N).
A. a. Simon 1914, Arachn. de France 6 (1) p. 373 (N).

♂♀ **cinctus** (L. Koch) 1866. Spanien, Frankreich, Algier, Kroatien, Dalmatien
Micaria c. L. Koch 1866, Arachn. Fam. Drassid. p. 53 T. 3 F. 36—38 (D ♂♀).
A. c. Simon 1878, Arachn. de France 4 p. 35 (D ♂♀).
A. c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 193 T. 7 F. 33, 43 (D ♂♀).
A. c. Simon 1914, Arachn. de France 6 (1) p. 181, 220 f. 389, 390 (D ♂♀).
A. c. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 218 f. 12 (N ♀).

♂ **corvinus** (Simon) 1878. Algier, Tunis
Micaria c. Simon 1878, Arachn. de France 4 p. 23 (D ♂).

♂♀ **seminiger** Simon 1878. Mittelmeer-Geb., Krim, Don-Geb., Ungarn
Micaria albini L. Koch 1866, Arachn. Fam. Drassid. p. 55 T. 3 F. 39—41 (D ♂♀).
A. s. Simon 1878, Arachn. de France 4 p. 34 (D ♂♀).
A. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (2) p. 194 T. 7 F. 34, 36 (D ♂♀).
A. s. Simon 1914, Arachn. de France 6 (1) p. 181, 220 f. 391, 392 (D ♂♀).

♂♀ **seminiger trimaculatus** (Simon) 1878. S.-Frankreich
A. trimaculatus Simon 1878, Arachn. de France 4 p. 36 (D ♂♀).
A. s. t. Simon 1914, Arachn. de France 6 (1) p. 181, 220 f. 389, 390 (D ♂♀).

♀ **trifasciatus** (Cambridge) 1872. Syrien
Micaria t. Cambridge 1872, Proc. Zool. Soc. Lond. p. 249 T. 16 F. 31 (D ♀).
A. t. Simon 1878, Arachn. de France 4 p. 36 (C).

♀ **troxochroides** Strand 1915. Palästina
A. t. Strand 1915, Arch. Naturg. 81 (A; 2) p. 143 (D ♀).

Aethiopische Arten:

§ 3 ♂: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 328.

♂ **australis** Simon 1893. S.-Afrika
A. au. Simon 1893, Ann. Soc. Ent. France 62 p. 309 (D ♂).
A. au. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 328 (D ♂).

♂ **ensifer** Simon 1907. San Thomé
A. e. Simon 1907, Ann. Mus. Civ. Genova 43 p. 236 (D ♂).

♂♀ **flavidus** Caporiacco 1940. Abessinien
A. f. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 834 f. 36 (D ♂♀).

♂ **inornatus** Tucker 1923. S.-Afrika
A. i. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 329 T. 9 F. 50 (D ♂).

♀ **signicollis** Tucker 1923. S.-Afrika
A. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 329 T. 10 F. 51 (D ♀).

♂♀ **stationis** Tucker 1923. S.-Afrika
A. st. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 330 T. 9 F. 52 (D ♂♀).

♀ **voiensis** Berland 1920. O.-Afrika
A. v. Berland 1920, Aran. II in: Voy. Alluaud & Jeannel Afr. Orient. p. 106 f. 123, 124 (D ♀).
A. vojensis Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 834 (N ♀).

Orientalische Arten:

♀ **fasciatus** Kulczynski 1911. Java
A. f. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 476 T. 21 F. 18, 27 (D ♀).

♀ **univittatus** Thorell 1897. Burma
A. u. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 222 (D o).
A. u. Reimoser 1925, Suppl. Ent. 10 p. 94 (N ♀).

o **zonatus** Thorell 1895. Burma
A. z. Thorell 1895, Descr. Catal. Spid. Burma p. 34 (D o).

Australische Arten:

♀ **scotophaeus** Simon 1908. W.-Australien
A. sc. Simon 1908, Faun. S. W. Austral. 1 (12) p. 397 (D ♀).

Gen. **Aracus** Thorell 1887.

♂ **captator** Thorell 1887. – * Burma
A. c. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 36 (D ♂).
A. captor Simon 1893, Hist. Nat. Araign. 1 (2) p. 375 (N).

♀ **nigropunctatus** Rainbow 1920. Lord Howe-I.
A. n. Rainbow 1920, Rec. Austral. Mus. 13 p. 248 T. 29 F. 55, 56 (D ♀).

Gen. **Bonna** Cambridge 1898.

♀ **fidelis** Cambridge 1898. Mexico
B. f. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 250 T. 33 F. 1 (D ♀).

Gen. **Boreoechemus** Lohmander 1942.

♂♀ **angustifrons** (Westring) 1862. – * Schweden
Drassus a. Westring 1862, Aran. Svec. p. 349 (D O).
Drassus a. Thorell 1871, Rem. Syn. Europ. Spid. p. 185 (D ♂).
Echemus a. Holm 1940, Zool. Bidr. Uppsala 19 p. 88 (N).
B. a. Lohmander 1942, Meddel. Göteborg. Mus. Zool. Afd. 98 p. 114 (N ♂♀).

♂♀ **angustifrons balticus** Lohmander 1942. W.-Schweden
B. a. b. Lohmander 1942, Meddel. Göteborg. Mus. Zool. Afd. 98 p. 115 (D ♂♀).

♂♀ **rhenanus** (Bertkau) 1883. Mittel- u. S.O.-Europa
Drassus angustifrons Herman 1879, Ungarns Spinn. Faun. 3 p. 172, 359 (N).
Echemus r. Bertkau 1883, Verh. Nat. Ver. Rheinl. Westf. 40 p. 222 T. 3 F. 1 (D ♂♀).
Echemus r. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 209 T. 8 F. 38, 44 (D ♂♀).
Echemus r. Bösenberg 1902, Zoologica 14 (2—4) p. 301 T. 28 F. 446 (D ♂♀).
Echemus r. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 23 f. 54, 55 (D ♂♀).
B. r. Lohmander 1942, Meddel. Göteborg. Mus. Zool. Afd. 98 p. 114, 115 (N).

Gen. **Camillina** Berland 1919.

Palaearktische Arten:

♂♀ **algerica** Dalmas 1926. Algier
C. a. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 83 (D ♂♀).

♀ **berlandi** Denis 1944. Unter-Ägypten
C. b. Denis 1944, Bull. Soc. Hist. Nat. Toulouse 79 (1) p. 47 T. 1 F. 13, 14 (D ♀).

O♀ **europaea** Dalmas 1926. I. Giglio
C. eu. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 83 (D O♀).

Aethiopische Arten:

§ 12 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 334.

♀ **acanthognatha** (Purcell) 1907. S.-Afrika
Melanophora a. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 333 T. 15 F. 66 (D ♀).
C. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 335 (D ♀).

♀ **aesta** Tucker 1923. S.-Afrika

♂♀ **amnicola** Tucker 1923. S.-Afrika
C. aestus Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 335 T. 9 F. 55 (D ♀).
C. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 336 T. 10 F. 56 (D ♂♀).

♀ **arida** (Purcell) 1907. S.- u. O.-Afrika
Melanophora a. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 333 T. 15 F. 65 (D ♀).
C. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 338 (D ♀).

♀ **atlantica** Berland 1936. Cap Verde-I.
C. a. Berland 1936, Rev. Franc. Ent. 3 (1) p. 72 f. 4, 5 (D ♀).

♂♀ **biplagia** Tucker 1923. S.-Afrika
C. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 339 T. 9 F. 57 (D ♂♀).

♀ **browni** Tucker 1923. S.-Afrika
C. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 341 T. 9 F. 58 (D ♀).

♂♀ **cordifera** (Tullgren) 1910. – * O.-Afrika
Camilla c. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 105 T. 1 F. 16 (D ♂♀).
C. c. Berland 1919, Bull. Mus. Hist. Nat. Paris (6) p. 458 (nom. nov. gen.).
C. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 341 (D ♂♀).
Camillana c. Strand 1926, Arch. Naturg. 92 (A; 8) p. 43 (nom. nov.).

♂♀ **corrugata** (Purcell) 1907. S.-Afrika
Melanophora c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 332 T. 15 F. 63, 64 (D ♂♀).
C. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 342 (D ♂♀).

♂ **fibulata** Berland 1936. Cap Verde-I.
C. f. Berland 1936, Rev. Franc. Ent. 3 (1) p. 72 f. 6—8 (D ♂).

♀ **lutea** Tucker 1923. S.-Afrika
C. luteus Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 343 T. 9 F. 60 (D ♀).

♀ **lutoria** (Tullgren) 1910. O.-Afrika
Drassodes l. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 104 T. 1 F. 15 (D ♀).
C. lutorius Berland 1920, Aran. II. in: Voy. Alluaud & Jeannel Afr. Orient p. 108 f. 125—127 (D ♀).

♂ **natalensis** Lawrence 1938. Natal
C. n. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 476 f. 12 (D ♂).

♂ **postrema** Tucker 1923. S.-Afrika
C. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 344 T. 9 F. 61 (D ♂).

♂♀ **procurva** (Purcell) 1908. S.-Afrika
Melanophora p. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 239 T. 11 F. 24, 25 (D ♂♀).
C. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 345 (D ♂♀).

♂♀ **setosa** Tucker 1923. S.-Afrika
C. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 346 T. 9 F. 62 (D ♂♀).

Gen. **Caridrassus** Bryant 1940.

♂ **magnus** Bryant 1948. Haiti
C. m. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 406 T. 10 F. 90 (D ♂).

♀ **wheeleri** Bryant 1940. – * Cuba
C. w. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 392 T. 12 F. 166, 167 (D ♀).

Gen. **Cesonia** Simon 1893.

Neotropische Arten:

♀ **cincta** Banks 1929. Panama
C. c. Banks 1929, Bull. Mus. Zool. Harvard 69 (3) p. 58 T. 4 F. 79 (D ♀).

♀ **cingulata** Roewer 1933. Mexico
C. c. Roewer 1933, Zool. Anz. 102 (7—8) p. 136 f. 2 (D ♀).

♀ **classica** Chamberlin 1924. Nieder-Californien
C. c. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 619 f. 57 (D ♀).

♀ **fugax** Cambridge 1898. Mexico
C. f. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 281 T. 32 F. 5 (D ♀).

♂ **lacertosa** Chickering 1949. Panama
C. l. Chickering 1949, Trans. Amer. Microsc. Soc. 68 (4) p. 314 f. 1, 2 (D ♂).

♀ **lugubris** (Cambridge) 1896. Mexico
Helvidius l. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 221 T. 27 F. 1 (D ♀).
C. l. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 56 T. 4 F. 17 (N ♀).

♂♀ **mexicana** Banks 1898. Mexico
C. m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 221 T. 13 F. 24 (D ♂♀).
C. m. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 57 (C ♂♀).

♂ **nigra** Chickering 1949. Panama
C. n. Chickering 1949, Trans. Amer. Microsc. Soc. 68 (4) p. 316 f. 3—5 (D ♂).

♂♀ **notata** Chickering 1949. Panama
C. n. Chickering 1949, Trans. Amer. Microsc. Soc. 68 (4) p. 319 f. 6—8 (D ♂♀).

♂ **pudica** Chickering 1949. Panama
C. p. Chickering 1949, Trans. Amer. Microsc. Soc. 68 (4) p. 323 f. 9—10 (D ♂).

♀ **synthetica** Chamberlin 1924. Nieder-Californien
C. s. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 620 f. 59, 60 (D ♀).

♀ **trivittata** Banks 1898. Nieder-Californien
C. t. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 220 T. 13 F. 23 (D ♀).

Nearktische Arten:

♀ **bilineata** (Hentz) 1847. – * U. St. Amerika
Herpyllus b. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 456 T. 24 F. 5 (D ♀).
Poecilochroa b. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 175 T. 4 F. 3 (N ♀).
C. b. Simon 1893, Hist. Nat. Araign. 1 (2) p. 375 (N).
Poecilochroa b. Emerton 1902, Common Spid. p. 4 f. 12, 13 (D ♀).
C. b. Comstock 1912, Spider Book p. 320 f. 309 (N).
C. b. Crosby & Bishop 1928, Mem. Cornell Univ. Agr. Exp. Stat. 1010 p. 1036 (C).
C. b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 348 T. 60 F. 1163, 1164 (D ♂♀).

♂♀ **sincera** Gertsch & Mulaik 1936. Texas
C. s. Gertsch & Mulaik 1936, Amer. Mus. Novit. 851 p. 10 TF. 12, 16 (D ♂♀).

♀ **trilineata** (Hentz) 1847. U. St. Amerika
Herpyllus t. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 460 T. 24 F. 18 (D ♀).

Gen. **Diaphractus** Purcell 1907.

♀ **assimilis** Tullgren 1910. O.-Afrika
D. a. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 109 T. 1 F. 22 (D ♀).

♀ **leipoldti** Purcell 1907. – * S.-Afrika
D. l. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 313 T. 13 F. 19 (D ♀).
D. kalaharicus Hewitt 1915, Rec. Albany Mus. Grahamst. 3 (2) p. 99 f. 7 (D ♀).
D. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 384 (D ♀).

♀ **muticus** Lawrence 1927. SW.-Afrika
D. m. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 17 T. 1 F. 13 (D ♀).

Gen. **Drassyllus** Chamberlin 1922.

Neotropische Arten:

♀ **coahuilanus** Gertsch & Davis 1940. Mexico
D. c. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 7 TF. 15 (D ♀).

♂ **dentelifer** Chamberlin 1936. Florida
D. d. Chamberlin 1936, Amer. Mus. Novit. 853 p. 13 TF. 1, 2 (D ♂).

♂ **ostegae** Chamberlin 1935. Florida
D. o. Chamberlin 1935, Amer. Mus. Novit. 841 p. 29 TF. 42, 43 (D ♂).
D. o. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 173 (C ♂♀).

♂ **pullus** Bryant 1936. Florida
D. p. Bryant 1936, Psyche 43 p. 95 T. 3 F. 4, 5 (D ♂).

♀ **seminolus** Chamberlin & Gertsch 1940. Florida
D. s. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 16 TF. 31 (D ♀).

♀ **wallacei** Bryant 1935. Florida
D. w. Bryant 1935, Psyche 42 (2) p. 77 T. 5 F. 7, 8 (D ♀).

Nearktische Arten:

♂ **abdalbus** Chamberlin 1936. Arizona
D. a. Chamberlin 1936, Amer. Mus. Novit. 853 p. 15 TF. 31, 32 (D ♂).

♀ **adocetus** Chamberlin 1935. Long Island, Nord-Carolina
D. a. Chamberlin 1935, Amer. Mus. Novit. 841 p. 21 TF. 27 (D ♀).
D. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 361 T. 64 F. 1228—1230 (D ♂♀).

♀ **apachus** Chamberlin 1922. Arizona, Utah
D. a. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 168 (D ♀).
D. a. Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 139 T. 1 F. 3, 4 (N).

♀ **aprilinus** (Banks) 1904. Maryland, Nord-Carolina
Zelotes a. Banks 1904, Journ. N. York Ent. Soc. 12 p. 110 T. 5 F. 7 (D ♀).
D. a. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 170 (N).
D. frigidus Chamberlin 1935, Amer. Mus. Novit 841 p. 24 TF. 40—41 (D ♂).
D. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 360 T. 63 F. 1217—1219 (D ♂♀).

♀ **arizonensis** (Banks) 1901. Arizona

Prosthesima a. Banks 1901, Proc. U. Stat. Nat. Mus. 23 p. 582 T. 22 F. 3 (D ♀).
Zelotes a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 198 (C).
Zelotes a. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 166 (N).
D. a. Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 234 T. 2 F. 3 (N).

♂♀ **blandus** (Banks) 1892. New York, Neu-Mexico

Prosthesima b. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 18 T. 1 F. 57 (D ♂).
Prosthesima minima Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 19 T. 4 F. 69 (D ♀).
Zelotes b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 148 (C).
D. b. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 167 (N).

♀ **conformans** Chamberlin 1935. Californien

D. c. Chamberlin 1935, Amer. Mus. Novit. 841 p. 22 TF. 30 (D ♀).

♂♀ **creolus** Chamberlin & Ivie 1940. Louisiana, Connecticut, Maryland

D. c. Chamberlin & Ivie 1940, Amer. Mus. Novit. 1068 p. 13 TF. 26, 27 (D ♂♀).
D. c. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 360 T. 63 F. 1214 bis 1216 (D ♂♀).

♂♀ **depressus** (Emerton) 1889. U. St. Amerika, Canada

Prosthesima d. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 173 T. 3 F. 8 (D ♀).
Prosthesima d. Banks 1904, Proc. Ac. Nat. Sci. Philad. p. 123 (N).
Melanophora d. Bryant 1908, Occ. Pap. Boston Soc. Nat. Hist. 7 (9) p. 8 (N).
Zelotes d. Banks 1911, Proc. Ac. Nat. Sci. Philad. 63 p. 441 T. 34 F. 1 (N ♂).
Prosthesima d. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 406 T. 5 F. 8 (D ♂).
Zelotes d. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 148 (C).
D. d. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 166 (N).
D. d. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 359 T. 62 F. 1209 bis 1210 (D ♂♀).

♀ **devexus** Chamberlin 1936. Utah

D. d. Chamberlin 1936, Amer. Mus. Novit. 853 p. 13 TF. 7 (D ♀).

♀ **diximus** Chamberlin 1922. Georgia, Louisiana

D. d. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 169 (D ♀).

♂ **dromeus** Chamberlin 1922. Texas

D. d. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 169 (D ♂).

♂ **ellipes** Chamberlin & Gertsch 1940. Alabama, Georgia

D. e. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 14 TF. 34 (D ♂).

♂ **empiricus** Chamberlin 1924. Californien

D. e. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 628 f. 66 (D ♂).

♀ **eremitus** Chamberlin 1922. Tennessee

D. e. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 167 (D ♀).

♂ **eremophilus** Chamberlin & Gertsch 1940. Michigan

D. e. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 15 TF. 18, 19 (D ♂).

♂ **ethops** (Chamberlin) 1920. Californien

Zelotes e. Chamberlin 1920, Journ. Ent. Soc. Claremont 12 p. 7 (D ♂).
D. e. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 170 (N).

♂♀ **fallens** Chamberlin 1922. – * U. St. Amerika

Prosthesima depressa Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 406 T. 5 F. 8 (D ♂ part.).
D. f. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 166 (D ♂♀).
D. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 361 T. 63 F. 1223 bis 1224 (D ♂♀).

♂♀ **femoralis** (Banks) 1904. Californien, Arizona, Connecticut, Maryland

Zelotes f. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 336 T. 38 F. 1 (D ♀).
D. f. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 170 (N).
D. f. Muma 1944, Amer. Mus. Novit. 1257 p. 9 (C).
D. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 360 T. 63 F. 1220 bis 1222 (D ♂♀).

♂ **finium** Chamberlin 1936. Texas

D. f. Chamberlin 1936, Amer. Mus. Novit. 853 p. 15 TF. 33, 34 (D ♂).

♀ **fractus** Chamberlin 1936. Californien

D. f. Chamberlin 1936, Amer. Mus. Novit. 853 p. 14 TF. 6 (D ♀).

♂♀ **fratrellus** Chamberlin 1935. Arizona

D. f. Chamberlin 1935, Amer. Mus. Novit. 841 p. 23 TF. 31, 32 (D ♂♀).

♂♀ **frigidus** (Banks) 1892. New York, Arizona, Maryland

Prosthesima f. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 17 T. 1 F. 56 (D ♀).
Prosthesima nova Banks 1895, Journ. N. York Ent. Soc. 3 p. 78 (D ♂).
Zelotes novus Banks 1910, Bull. U. Stat. Nat. Mus 72 p. 8 (C).
Zelotes novus Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 150 (C).
Zelotes f. Comstock 1912, Spider Book p. 317 f. 307 (N).
D. f. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 167 (N).
D. amissus Chamberlin 1935, Amer. Mus. Novit. 841 p. 22 TF. 28—29 (D ♂).
D. f. Muma 1944, Amer. Mus. Novit. 1257 p. 9 (C ♂).
D. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 359 T. 63 F. 1211 bis 1213 (D ♂♀).

♂ **gertschi** Chamberlin 1935. Californien

D. g. Chamberlin 1935, Amer. Mus. Novit. 841 p. 25 TF. 33, 34 (D ♂).

♂♀ **gynosaphes** Chamberlin 1936. Texas

D. g. Chamberlin 1936, Amer. Mus. Novit. 853 p. 16 TF. 26—28 (D ♂♀).

♂ **hubbelli** Chamberlin & Gertsch 1940. Arizona

D. h. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 15 TF. 28, 29 (D ♂).

♂ **inanus** Chamberlin & Gertsch 1940. Utah

D. i. Chamberlin & Gertsch 1936, Amer. Mus. Novit. 1068 p. 17 TF. 24, 25 (D ♂).

♂ **irritans** (Chamberlin) 1920. Californien

Zelotes i. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 6 T. 2 F. 6 (D ♂).
D. i. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 170 (N).

♀ **lamprus** (Chamberlin) 1920. Utah
Zelotes l. Chamberlin 1920, Canad. Ent. 52 p. 193 f. 19 (D ♀).
D. l. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 170 (N).

♀ **lasalus** Chamberlin & Gertsch 1940. Utah
D. l. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 13 TF. 30 (D ♀).

♀ **lepidus** (Banks) 1899. Louisiana
Megamyrmecion l. Banks 1899, Proc. Wash. Ent. Soc. 4 p. 190 (D ♀).
Drassinella l. Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 8 (C).
D. l. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 167 (N).

♂ **liopus** Chamberlin 1922. Tennessee, Virginia
D. l. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 170 (D ♂).

♀ **louisianus** Chamberlin 1922. Louisiana
D. l. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 167 (D ♀).

♀ **lutzi** Chamberlin 1935. Colorado
D. l. Chamberlin 1935, Amer. Mus. Novit. 841 p. 25 TF. 39 (D ♀).

♂♀ **mephisto** Chamberlin 1936. Texas, Washington-St.
D. m. Chamberlin 1936, Amer. Mus. Novit. 853 p. 14 TF. 3—5 (D ♂♀).

♀ **monicus** Chamberlin 1935. Californien
D. m. Chamberlin 1935, Amer. Mus. Novit. 841 p. 27 TF. 35 (D ♀).

♂♀ **monteriensis** Schenkel 1950. Californien
D. m. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 38 f. 6a, b—7 (D ♂♀).

♂♀ **mormon** Chamberlin 1935. Utah
D. m. Chamberlin 1935, Amer. Mus. Novit. 841 p. 27 TF. 36—38 (D ♂♀).

♀ **nannellus** Chamberlin & Gertsch 1940. Utah
D. n. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 11 TF. 33 (D ♀).

♂♀ **niger** (Banks) 1896. Washington-St., Alaska
Prosthesima n. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 62 (D ♀).
Prosthesima rufula Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 217 T. 9 F. 6a, 6d (D ♀, part.).
Zelotes n. Banks 1922, Bull. U. St. Nat. Mus. 72 p. 8 (N).
D. n. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 170 (N).
D. n. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 359 T. 62 F. 1206—1208 (D ♂♀).

♀ **notonus** Chamberlin & Gertsch 1928. Utah
D. n. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 179 (D ♀).

♀ **orgilus** Chamberlin 1922. Texas
D. o. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 169 (D ♀).

♂ **proclesis** Chamberlin 1922. Californien
D. p. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 170 (D ♂)

♂ **prosaphes** Chamberlin 1936. Texas
D. p. Chamberlin 1936, Amer. Mus. Novit 853 p. 16 TF. 29, 30 (D ♂).

♀ **rationalis** Chamberlin 1922. Californien
D. r. Chamberlin 1922, Proc. Calif. Ac. Sci. 12 p. 629 f. 67 (D ♀).

♂♀ **rufulus** (Banks) 1892. New York, Connecticut, Maryland

Prosthesima r. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 17 T. 1 F. 55 (D ♀).
Prosthesima immaculata Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 18 T. 1 F. 58 (D ♂).
Prosthesima r. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 217 T. 9 F. 6 (N ♂♀).
Prosthesima r. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 406 T. 5 F. 7 (D ♂).
Melanophora r. Petrunkevitch 1910, Ann. N. York. Ac. Sci. 19 p. 207 T. 21 F. 4 (N ♀).
Zelotes r. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 151 (C).
Zelotes r. Comstock 1912, Spider Book p. 316 f. 305 (N).
D. r. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 167 (N).
D. r. Muma 1944, Amer. Mus. Novit. 1257 p. 10 (C ♀).
D. r. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 358 T. 62 F. 1203—1205 (D ♂♀).

♀ **saphes** Chamberlin 1935. Californien

D. s. Chamberlin 1935, Amer. Mus. Novit. 841 p. 29 TF. 44 (D ♀).

♂ **socius** Chamberlin 1922. Massachusets

D. s. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 167 (D ♂).
D. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 361 T. 64 F. 1231—1232 (D ♂).

♂ **sporadicus** Muma 1944. Maryland

D. s. Muma 1944, Amer. Mus. Novit. 1257 p. 10 TF. 11, 12 (D ♂).

♀ **texamans** Chamberlin 1936. Texas

D. t. Chamberlin 1936, Amer. Mus. Novit. 853 p. 17 TF. 25 (D ♀).

♂ **tonaquintus** Chamberlin & Gertsch 1940. Utah

D. t. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 17 TF. 20, 21 (D ♂).

♂ **transversus** (Emerton) 1911. New-England

Prosthesima t. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 406 T. 5 F. 9 (D ♂).
D. t. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 169 (N).
D. t. Kaston 1939, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 192 (N).

♀ **viduus** Chamberlin 1935. Arizona

D. v. Chamberlin 1935, Amer. Mus. Novit. 841 p. 30 TF. 45 (D ♀).

♂♀ **virginianus** Chamberlin 1922. Virginia, New York, Connecticut, Wisconsin

Prosthesima rufula Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 217 T. 9 F. 6 (D ♀, nec ♂).
D. v. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 168 (D ♀).
D. v. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 360 T. 64 F. 1225—1227 (D ♂♀).

Gen. **Echemella** Strand 1906.

♂♀ **aldabrae** Strand 1906. I. Aldabra

E. a. Strand 1906, Zool. Anz. 31 (23) p. 726 (D ♂♀).
E. a. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 14 (D ♂♀).

♀ **quinquedentata** Strand 1906. – * Abessinien
E. q. Strand 1906, Zool. Anz. 30 (19—20) p. 610 (D ♀).
E. q. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 57 (D ♀).

Gen. **Echemoides** Mello-Leitao 1938.

♂ **giganteus** Mello-Leitao 1938. – * Argentinien
E. g. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 112 f. 31 (D ♂).
E. g. Mello-Leitao 1941, Rev. Mus. La Plata (N.S.) 2 (Zool.) p. 172 T. 10 F. 44; f. 62 (D o).

♂ **uncinatus** Mello-Leitao 1943. West-Argentinien
E. u. Mello-Leitao 1943, Rev. Mus. La Plata (N.S.) 3 (Zool. 20) p. 111 f. 12 (D ♂).

Gen. **Echemus** Simon 1878.

Palaearktische Arten:

♀ **alberti** Schenkel 1925. Schweiz
E. a. Schenkel 1925, Rev. Suisse Zool. 32 (19) p. 282 f. 3 (D ♀).

♂♀ **ambiguus** Simon 1878. – * S.-Frankreich, Bulgarien
E. a. Simon 1878, Arachn. de France 4 p. 100 T. 15 F. 1 (D ♂).
E. a. Simon 1893, Hist. Nat. Araign. 1 (2) p. 370 (N).
E. a. Simon 1914, Arachn. de France 6 (1) p. 150, 212 f. 276, 277 (D ♂♀).

O♀ **babunaensis** Drenski 1929. Macedonien, Bulgarien
E. b. Drenski 1929, Zeitschr. Bulgar. Ac. Wiss. 39 p. 5, 59 T. 1 F. 3, 4 (D O♀).

♂♀ **canariensis** Simon 1883. Canaren
E. c. Simon 1883, Ann. Soc. Ent. France (6) 3 p. 292 T. 8 F. 16 (D ♀).
E. c. Bösenberg 1895, Abh. Nat. Ver. Hambg. 13 p. 6 TF. 10 (D ♂♀).

♀ **escalerai** Simon 1909. Marokko
E. e. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 18 (D ♀).

♂♀ **fuscipes** Simon 1885. N.-Afrika
E. f. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 36 (D ♂♀).

♂ **hamipalpis** (Kroneberg) 1875. Turkestan
Melanophora h. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 24 T. 2 F. 3 (D ♂).

♂♀ **modestus** Kulczynski 1899. Madeira
E. m. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 352 T. 6 F. 34, 35 (D ♂♀).

♀ **mollis** (Cambridge) 1874. Aegypten
Prosthesima m. Cambridge 1874, Proc. Zool. Soc. Lond. p. 381 T. 51 F. 9 (D ♀).

♀ **pharetratus** Karsch 1881. Tripolis
E. p. Karsch 1881, Arch. Naturg. 47 (I) p. 11 T. 1 F. 8 (D ♀).

o **scutatus** (Simon) 1879. S.-Europa, N.-Afrika
Leptodrassus s. Simon 1879, Bull. Soc. Zool. France 4 p. 262 (D o).
E. s. Dalmas 1919, Bull. Mus. Hist. Nat. Paris (4) p. 249 (N).

♀ **simplex** Simon 1885. Tunis
E. s. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 36 (D ♀).

♂ **tener** (Soerensen) 1904. Dänemark
Prosthesima t. Soerensen 1904, Ent. Meddel. (2) 1 p. 280 (D ♂).

Aethiopische Arten:

♀ **erutus** Tucker 1923. S.-Afrika
E. e. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 350 T. 9 F. 65 (D ♀).

♀ **incinctus** Simon 1907. Portug. Guinea
E. i. Simon 1907, Ann. Mus. Civ. Genova 43 p. 233 (D ♀).

♀ **lacertosus** Simon 1907. I. Principe
E. l. Simon 1907, Ann. Mus. Civ. Genova 43 p. 233 (D ♀).

♂ **pavesii** Simon 1897. Aethiopien
E. p. Simon 1897, in: Smith, Through unkn. Afric. Countr. p. 387 (D ♂).
E. p. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 32 (N).

Orientalische Arten:

♀ **chaetognathus** (Thorell) 1887. Burma
Drassus ch. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 32 (D ♀).

♀ **chaperi** Simon 1885. Indien
E. ch. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 22 T. 10 F. 21 (D ♀).

♀ **chebanus** (Thorell) 1897. Burma
Drassus ch. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 215 (D ♀).

♀ **chialanus** Thorell 1897. Burma
E. ch. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 209 (D ♀).

♂ **ghecuanus** (Thorell) 1897. Burma
Drassus g. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 210 (D ♂).

♀ **orinus** (Thorell) 1897. Burma
Drassus o. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 212 (D ♀).

♂♀ **pictus** Kulczynski 1911. Java
E. p. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 467 T. 21 F. 17, 19, 20, 23 (D ♂♀).

♀ **plapoensis** (Thorell) 1897. Burma
Drassus p. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 216 (D ♀).

♀ **rangunensis** (Thorell) 1895. Burma
Drassus r. Thorell 1895, Descr. Catal. Spid. Burma p. 32 (D ♀).

♀ **smythiesi** Simon 1897. Indien
E. sm. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 255 (D ♀).

♀ **spinibarbis** Simon 1897. Oman
E. s. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (3) p. 97 (D ♀).

Australische Arten:

o **dilutus** (L. Koch) 1873. Queensland
Drassus d. L. Koch 1873, Aradn. Austral. 1 (1) p. 389 T. 30 F. 6 (D o).

♂♀ **griseus** (L. Koch) 1873. Australien
Drassus g. L. Koch 1873, Arachn. Austral. 1 (1) p. 391 T. 30 F. 8 (D ♀).
E. g. Rainbow 1912, Mem. Queensl. Mus. 1 p. 190 (N).
E. g. Rainbow 1915, Trans. Soc. S. Austral. 39 p. 779 T. 67 F. 6 (D ♂).

Neotropische Arten:

♂♀ **argentinus** Mello-Leitao 1940. Buenos Aires
E. a. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 44 f. 42 (D ♀).
E. a. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 167 T. 9 F. 43; f. 57 (D ♂).

♀ **argutus** Simon 1902. Chile
E. a. Simon 1902, Erg. Hambg. Magealh. Sammelreise; 2 Arachn. p. 13 (D ♀).
E. a. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 89 (N).

♂ **banksi** Chickering 1949. Panama
E. b. Chickering 1949, Trans. Amer. Microsc. Soc. 68 (4) p. 326 f. 11—13 (D ♂)

♀ **chilensis** Simon 1902. Chile
E. c. Simon 1902, Erg. Hambg. Magealh. Sammelr.; 2 Arachn. p. 12 (D ♀).
E. c. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 28 (N).

♂ **giaii** Gerschman & Schiapelli 1948. Argentinien
E. g. Gerschman & Schiapelli 1948, Com. Mus. Argent. Ci. Nat. (Ci. Zool.) 4 p. 19 f. 28, 29 (D ♂).

♂ **inermis** Mello-Leitao 1939. San Paulo
E. i. Mello-Leitao 1939, Bol. Biol. S. Paulo (N. S.) 4 (2) p. 288 f. 5 (D ♂).

♂♀ **iotus** Banks 1929. Panama
E. i. Banks 1929, Bull. Mus. Comp. Zool. Harvard 69 (3) p. 57 T. 4 F. 58 (D ♀).
E. i. Chickering 1949, Trans. Amer. Microsc. Soc. 68 (4) p. 327 f. 14—16 (D ♂, N ♀).

♂♀ **lubricus** Simon 1892. Venezuela
E. l. Simon 1892, Ann. Soc. Ent. France 61 p. 456 T. 9 F. 28, 29 (D ♂♀).

♀ **major** Keyserling 1891. S.-Brasilien
E. m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 32 T. 1 F. 11 (D ♀).

♀ **medius** Keyserling 1891. Brasilien
E. m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 33 T. 1 F. 12 (D ♀).

♀ **minutus** Mello-Leitao 1941. Nord-Argentinien
E. m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 168 f. 58 (D ♀).

♂ **montanus** Chickering 1949. Panama
E. m. Chickering 1949, Trans. Amer. Microsc. Soc. 68 (4) p. 329 f. 17—19 (D ♂).

♂ **ochraceus** F. Cambridge 1899. Mexico
E. o. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 59 T. 4 F. 11 (D ♂).

♀ **pallas** Mello-Leitao 1918. Brasilien
E. p. Mello-Leitao 1918, Arch. Escol. Sup. Agric. 2 p. 69 f. 38, 39 (D ♀).

♂ **pampeanus** Mello-Leitao 1940. Argentinien
E. p. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 45 f. 43 (D ♂).

♀ **pedestris** Cambridge 1898. Mexico
E. p. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 273 T. 32 F. 13 (D ♀).

♀ **penicillatus** Mello-Leitao 1942. Argentinien
E. p. Mello-Leitao 1942, Rev. Mus. La Plata (N S.) 2 (Zool. 16) p. 411 f. 37 (D ♀).

♂♀ **pulcher** Keyserling 1891. S.-Brasilien
E. p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 31 T. 1 F. 10 (D ♂♀).
E. p. Mello-Leitao 1918, Arch. Escol. Sup. Agric. 2 p. 70 f. 40, 41 (D ♂♀).

♂♀ **relucens** Simon 1892. Venezuela
E. r. Simon 1892, Ann. Soc. Ent. France 61 p. 455 T. 9 F. 26, 27 (D ♂♀).

♀ **tropicalis** Banks 1909. Costa Rica
E. t. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 197 T. 6 F. 36 (D ♀).

Gen. **Eilica** Keyserling 1891.

♂ **bicolor** Banks 1896. Florida
E. b. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 60 (D ♂).

♂ **modesta** Keyserling 1891. – * S.-Brasilien
E. m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 30 T. 1 F. 9 (D ♂).

Gen. **Eilicina** Bryant 1940.

♀ **cincta** (Banks) 1909. – * Cuba
Eilica c. Banks 1909, II. Rep. Centr. Exper. Stat. Republ. Cuba p. 157 T. 15 F. 8 (D ♀).
E. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 390 T. 12 F. 168; T. 13 F. 172 (D ♀).

♀ **elegans** Bryant 1940. Cuba
E. e. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 391 T. 12 F. 165—169 (D ♀).

Gen. **Epicharitus** Rainbow 1916.

♀ **leucosemus** Rainbow 1916. Queensland
E. l. Rainbow 1916, Rec. Austral. Mus. 11 (3) p. 41 T. 14 F. 9, 10 (D ♀).

Gen. **Epikurtomma** Tucker 1923.

♀ **beaufortis** Tucker 1923. S.-Afrika
E. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 333 T. 10 F. 54 (D ♀).

Gen. **Herpyllus** Hentz 1832.

Neotropische Arten:

♂♀ **australis** (Holmberg) 1881. Patagonien
Drassus a. Holmberg 1881, Exped. Roca Rio Negro; Zool. p. 136 T. 3 F. 4 (D ♂).
H. a. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 46 f. 45, 46 (D ♂♀).

♂♀ **coahuilanus** Gertsch & Davis 1940. Mexico
H. c. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 5 TF. 1, 2 (D ♂♀).

♂♀ **emertoni** Bryant 1935. Florida
H. e. Bryant 1935, Psyche 42 (2) p. 73 T. 5 F. 1, 2 (D ♀).
H. e. Chamberlin 1936, Amer. Mus. Novit. 853 p. 1 TF. 8 (D ♂).

♀ **faxoni** Bryant 1936. Florida
H. f. Bryant 1936, Psyche 43 p. 96 T. 3 F. 6 (D ♀).

♀ **floridanus** (Banks) 1893. Florida
Prosthesima f. Banks 1893, Trans. Amer. Ent. Soc. 23 p. 61 (D ♀).
H. f. Banks 1910, Bull. U. Sta. Nat. Mus. 72 p. 8 (N).
H. f. Bryant 1935, Psyche 42 (2) p. 74 T. 5 F. 3 (D ♀).

♀ **irvingi** Mello-Leitao 1944. Florida
H. australis Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 232 T. 2 F. 1 (D ♀).
H. i. Mello-Leitao 1944, Com. Zool. Mus. Hist. Nat. Montevideo 1 (21) p. 4 (nom. nov.).

♀ **itamus** Chamberlin 1936. Florida
H. i. Chamberlin 1936, Amer. Mus. Novit. 853 p. 2 TF. 10 (D ♀).

♀ **longipes** (Nicolet) 1849. Chile
Drassus l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 458 (D ♀).
H. l. Simon 1893, Hist. Nat. Araign. 1 (2) p. 373 (N).

♀ **suavis** Simon 1892. Venezuela
H. s. Simon 1892, Ann. Soc. Ent. France 61 p. 455 T. 9 F. 25 (D ♀).

Transgredierende Arten:

♀ **cratus** Chamberlin 1922. Florida, Texas, Georgia
H. c. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 150 (D ♀).

Nearktische Arten:

♂ **angustus** Banks 1904. Californien
H. a. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 337 T. 40 F. 43 (D ♂).

♂ **atrophysis** Chamberlin & Gertsch 1928. Utah
H. a. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 176 (D ♂).

♂ **bensonae** Fox 1938. Washington-St.
H. b. Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 232 T. 1 F. 7 (D ♂).

♀ **bryophilus** Chamberlin 1936. Louisiana
H. b. Chamberlin 1936, Amer. Mus. Novit. 853 p. 1 TF. 9 (D ♀).

♀ **bubulcus** Chamberlin 1922. Texas
H. b. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 150 (D ♀).

♀ **cepeus** Chamberlin 1936. Colorado
H. c. Chamberlin 1936, Amer. Mus. Novit. 853 p. 2 TF. 13 (D ♀).

♂♀ **cockerelli** (Banks) 1901. Neu-Mexico
Prosthesima c. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 571 T. 23 F. 2 (D ♂♀).
H. c. Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 8 (N).

♂♀ **convallis** Chamberlin 1935. Arizona
H. c. Chamberlin 1935, Amer. Mus. Novit. 841 p. 2 TF. 1—3 (D ♂♀).

♀ **excelsus** Fox 1938. Arizona
H. e. Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 232 T. 2 F. 8 (D ♀).

♂ **piedicus** Chamberlin & Woodbury 1929. Utah
H. p. Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 132 T. 2 F. 6—8 (D ♂).

♀ **pius** Chamberlin 1920. Californien
H. p. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 6 T. 2 F. 4 (D ♀).

♀ **propinquus** (Keyserling) 1887. Californien
Prosthesima p. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 430 T. 6 F. 7 (D ♀).
H. californicus Banks 1904, Journ. N. York Ent. Soc. 12 p. 110 T. 5 F. 11 (D ♀).
H. p. Chamberlin 1935, Amer. Mus. Novit. 841 p. 1 (N).

♀ **regnans** Chamberlin 1936. Texas
H. r. Chamberlin 1936, Amer. Mus. Novit. 853 p. 2 TF. 14 (D ♀).

♀ **reservatus** Chamberlin 1936. Arizona
H. r. Chamberlin 1936, Amer. Mus. Novit. 853 p. 3 TF. 15 (D ♀).

♂ **sabus** Chamberlin 1919. Utah
H. s. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 246 T. 16 F. 6 (D ♂).

♂ **scholasticus** Chamberlin 1922. Californien
H. s. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 149 (D ♂).

♀ **schwarzi** (Banks) 1901. Arizona
Prosthesima s. Banks 1901, Proc. U. Stat. Nat. Mus. 23 p. 582 T. 22 F. 7 (D ♀).
H. s. Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 8 (N).

♂♀ **validus** (Banks) 1896. Californien, Utah
Prosthesima v. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 62 (D ♂♀).
H. v. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 337 T. 39 F. 25, 29 (N ♂♀).
H. hesperolus Chamberlin 1928, Proc. Biol. Soc. Wash. 41 p. 176 (nom. nov.).

♂♀ **vasifer** (Walckenaer) 1805. – * U. St. Amerika, Canada
Drassus v. Walckenaer 1805, Tabl. Aran. p. 46 (N).
Drassus v. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 620 (D ♀).
H. ecclesiasticus Hentz 1832, Sillimans Journ. Arts & Sci. 21 p. 102 (D ♀).
H. ecclesiasticus Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 455 T. 24 F. 2 (D ♀).
Prosthesima ecclesiastica Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 173 T. 3 F. 7 (D ♂♀).
Posthesima eccesiastica Emerton 1902, Common Spid. p. 5 f. 17, 18 (D ♀).
H. v. Comstock 1912, Spider Book p. 318 f. 308 (N).
H. v. Kaston 1948, State Connect. Publ. Docum 47, Bull. 70 p. 349 T. 60 F. 1165—1169 (D ♂♀).

♀ **vespa** Hentz 1847. U. St. Amerika
H. v. Hentz 1847, Boston. Journ. Nat. Hist. Soc. 5 p. 458 T. 24 F. 13 (D ♀).

Gen. **Ladissa** Simon 1907.

Aethiopische Arten:

♂ **africana** Simon 1907. Sierra Leone
L. a. Simon 1907, Ann. Mus. Civ. Genova 43 p. 237 (D ♂).

o **semirufa** Simon 1907. Dahomey
L. s. Simon 1907, Ann. Mus. Civ. Genova 43 p. 238 (D o).

Orientalische Arten:

♀ **inda** (Simon) 1897. – * Indien
Aphantaulax i. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 291 (D ♀).

♀ **latecingulata** Simon 1907. Indien
L. l. Simon 1907, Ann. Mus. Civ. Genova 43 p. 238 (D ♀).

♀ **tenuicincta** Simon 1909. Tonking
L. t. Simon 1909, Bull. Soc. Franc. Belg. 42 p. 78 (D ♀).

Gen. **Latonigena** Simon 1893.

Aethiopische Arten:

♀ **africana** Tucker 1923. S.-Afrika
L. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 383 T. 11 F. 83 (D ♀).

Neotropische Arten:

♀ **auricomus** Simon 1893. – * Buenos Aires
L. a. Simon 1893, Ann. Soc. Ent. France 62 p. 310 (D ♀).
L. a. Simon 1893, Hist. Nat. Araign. 1 (2) p. 372 (N).

Gen. **Liodrassus** Chamberlin 1935.

Neotropische Arten:

♀ **floridicolens** Chamberlin 1936. Florida
L. f. Chamberlin 1936, Amer. Mus. Novit. 853 p. 3 TF. 16 (D ♀).

Nearktische Arten:

♂♀ **arizonicus** Chamberlin 1935. – * Arizona
L. a. Chamberlin 1935, Amer. Mus. Novit. 841 p. 4 TF. 4—6 (D ♂♀).

♂ **carrvillus** Chamberlin & Ivie 1941. Californien
L. c. Chamberlin & Ivie 1941, Bull. Univ. Utah, Biol. 6 (3) p. 21 TF. 27—29 (D ♂).

♂♀ **deceptus** Gertsch & Mulaik 1936. Texas
L. d. Gertsch & Mulaik 1936, Amer. Mus. Novit. 851 p. 3 TF. 22—24 (D ♂♀).

♂ **florissantus** Chamberlin 1935. Colorado
L. f. Chamberlin 1935, Amer. Mus. Novit. 841 p. 5 TF. 7—9 (D ♂).

♀ **metalleus** Chamberlin & Gertsch 1940. Utah
L. m. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 5 TF. 5 (D ♀).

♀ **petersoni** Chamberlin & Gertsch 1940. S.-Dacota
L. p. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 7 TF. 8 (D ♀).

♀ **utus** Chamberlin 1935. Utah
L. u. Chamberlin 1935, Amer. Mus. Novit. 841 p. 7 TF. 10 (D ♀).

Gen. **Litopyllus** Chamberlin 1922.

Neotropische Arten:

♀ **inconspicuus** Bryant 1940. Cuba

L. i. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 393 T. 13 F. 176 (D ♀).

♂♀ **liber** Chamberlin & Gertsch 1940. Florida, Georgia

L. l. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 2 TF. 11, 12 (D ♂♀).
L. l. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 174 (C ♂♀).

Nearktische Arten:

♂ **ambiguus** Fox 1938. Neu-Mexico

L. a. Fox 1938, Iowa Stat. Coll. Journ. Sci. 12 (2) p. 235 T. 1 F. 4 (D ♂).

♂♀ **paludis** Chamberlin & Gertsch 1940. Georgia

L. p. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 4 TF. 22, 23 (D ♂♀).

♂♀ **rupicolens** Chamberlin 1922. Ohio, New York, Maryland

Prosthesima lutea Barrows 1919, Ohio Journ. Sci. 19 p. 356 T. 15 F. 5 (D ♂).
L. r. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 155 (D ♀).
L. luteus Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 155 (N).
L. r. Muma 1944, Amer. Mus. Novit. 1257 p. 10 (C ♀).
L. r. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 365 T. 67 F. 1268—1272 (D ♂♀).
L. barrowsi Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 443 (n. n. superfl.).

♂ **temporarius** Chamberlin 1922. – * Kentucky

L. t. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 155 (D ♂).

Gen. **Maniana** Strand 1906.

♀ **defecta** Strand 1906. Abessinien

M. d. Strand 1906, Zool. Anz. 30 (19—20) p. 614 (D ♀).
M. d. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 84 (D ♀).

Gen. **Megamyrmaekion** Reuss 1834.

Palaearktische Arten:

♂o **algericum** (Simon) 1885. Algier, Tunis

Megamyrmecion a. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 37 (D ♂ o).

♀ **caudatum** Reuss 1834. – * Aegypten

M. c. Reuss 1834, in: Wider, Mus. Senckenbg. 1 p. 217 T. 18 F. 12 (D ♀).
Dyction reussi Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 380 (D ♀).
Megamyrmecion c. Simon 1893, Hist. Nat. Araign. 1 (2) p. 370 f. 325, 330 (N).
M. c. Strand 1915, Arch. Naturg. 81 (A; 9) p. 26 (N ♀).

♀ **holosericeum** (Simon) 1882. Aegypten

Megamyrmecion h. Simon 1882, Ann. Mus. Civ. Genova 18 p. 257 T. 8 F. 21, 22 (D ♀).

♂ **pumilum** (Simon) 1885. N.-Afrika

Megamyrmecion p. Simon 1885, Arachn. in: Explr. Sci. Tunis. p. 38 (D ♂).

Aethiopische Arten:

§ 3 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 347.

♂ **nairobii** (Berland) 1920. O.-Afrika

Megamyrmeceon n. Berland 1920, Aran. II. in: Voy. Alluaud & Jeannel Afr. Orient. p. 103 f. 120 (D ♂).

♂ **schreineri** (Tucker) 1923. S.-Afrika

Megamyrmeceon s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 347 T. 10 F. 63 (D ♂).

♀ **transvaalense** (Tucker) 1923. Transvaal

Megamyrmeceon t. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 348 T. 10 F. 64 (D ♀).

♀ **velox** (Simon) 1887. S.-Afrika

Megamyrmecion v. Simon 1887, Ann. Soc. Ent. France (6) 7 p. 372 (D ♀).
Megamyrmeceon v. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 349 (D ♀).

Australische Arten:

♀ **austrinum** (Simon) 1908. W.-Australien

Megamyrmecion a. Simon 1908, Faun. S. W. Austral. 1 (12) p. 396 f. 12 (D ♀).

♀ **echemophthalmum** (Simon) 1908. W.-Australien

Megamyrmecion e. Simon 1908, Faun. S. W. Austral. 1 (12) p. 396 f. 13 (D ♀).

♂♀ **erebum** (L. Koch) 1873. Neu-Seeland

Drassus e. L. Koch 1873, Arachn. Austral. 1 (1) p. 387 T. 30 F. 5 (D ♂).
Drassus ochropus L. Koch 1873, Arachn. Austral. 1 (1) p. 390 T. 30 F. 7 (D ♀).
Megamyrmecion e. Dalmas 1917, Ann. Soc. Ent. France 86 p. 348 f. 26, 27 (N ♂♀).

♂♀ **penicillatum** (Simon) 1908. W.-Australien

Megamyrmecion p. Simon 1908, Faun. S. W. Austral. 1 (12) p. 394 f. 10 (D ♂♀).

♀ **perpusillum** (Simon) 1908. W.-Australien

Megamyrmecion p. Simon 1908, Faun. S. W. Austral. 1 (12) p. 397 f. 14 (D ♀).

♂ **vestigator** (Simon) 1908. W.-Australien

Megamyrmecion v. Simon 1908, Faun. S. W. Austral. 1 (12) p. 395 f. 11 (D ♂).

Neotropische Arten:

♂ **ascenticum** (Chamberlin) 1924. Nieder-Californien

Megamyrmecion a. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 615 f. 52 (D ♂).

♂♀ **californicum** (Simon) 1893. Californien

Megamyrmecion c. Simon 1893, Hist. Nat. Araign. 1 (2) p. 370 (N).
Megamyrmecion c. Simon 1893, Ann. Soc. Ent. France 62 p. 308 (D ♀).
Megamyrmecion c. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 220 T. 13 F. 25 (D ♂♀).
Megamyrmecion c. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 335 T. 40 F. 48 (N ♀).
Megamyrmecion c. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 181 T. 11 F. 13 (N ♀).

♂o **cambridgei** (Gertsch & Davis) 1940. Mexico

Megamyrmecium c. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 11 TF. 3, 4 (D ♂♀).

♀ **gayi** (Simon) 1904. Chile
Megamyrmecion g. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 89 (D ♀).

♂♀ **naturalisticum** (Chamberlin) 1924. Nieder-Californien
Megamyrmecion n. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 617 f. 54, 55 (D ♂♀).

♀ **nesiotes** (Chamberlin) 1924. Nieder-Californien
Megamyrmecion n. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 618 f. 56 (D ♀).

♂ **pessimisticum** (Chamberlin) 1924. Nieder-Californien
Megamyrmecion p. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 616 f. 53 (D ♂).

Gen. **Mesklia** Roewer 1928.

♀ **serratichelis** Roewer 1928. Creta
M. s. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 112 T. 1 F. 19—21 (D ♀).

Gen. **Micythus** Thorell 1897.

♂ **pictus** Thorell 1897. Burma
M. p. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 224 (D ♂).

Gen. **Melicymnis** Simon 1885.

§ 3 Arten: Simon 1905, Ann. Soc. Ent. France 74 p. 170.

o **bicolor** Simon 1885. – * Indien
M. b. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 23 T. 10 F. 22 (D o).
Mulicymnis b. Simon 1893, Hist. Nat. Araign. 1 (2) p. 370 (N).

♀ **lubrica** (Simon) 1905. Indien
Mulicymnis l. Simon 1905, Ann. Soc. Ent. France 74 p. 169 (D ♀).

♀ **subtilis** (Simon) 1897. Oman
Mulicymnis s. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (3) p. 97 (D ♀).

Gen. **Nodocion** Chamberlin 1922.

♂ **agilis** Bryant 1936. Texas
N. a. Bryant 1936, Psyche 43 p. 93 T. 3 F. 3 (D ♂).

♀ **barbaranus** Chamberlin 1922. Californien, Arizona
N. b. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 154 (D ♀).
N. b. Chamberlin 1935, Amer. Mus. Novit. 841 p. 12 TF. 16 (D ♀).

♀ **chamberlini** Roewer 1951. Texas
N. zelotoides Chamberlin 1936, Amer. Mus. Novit. 853 p. 6 TF. 20 (D ♀).
N. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 443 (nom. nov.).

♂ **electicus** Chamberlin 1924.
N. e. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 613 f. 48 (D ♂).

♂ **iugans** Chamberlin 1922. Californien, Mexico
N. i. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 154 (D ♂).
N. i. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 7 (N ♂).

♀ **mateonus** Chamberlin 1922. – * Californien
N. m. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 154 (D ♀).

♂♀ **melanie** Levi 1951. Wisconsin
N. m. Levi 1951, Amer. Mus. Novit. 1501 p. 23 TF. 20—22 (D ♂♀).

♀ **moronius** Chamberlin 1936. Utah
N. m. Chamberlin 1936, Amer. Mus. Novit. 853 p. 5 TF. 21 (D ♀).

♀ **pragmaticus** Chamberlin 1924. Californien
N. p. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 612 f. 47 (D ♀).

♀ **realisticus** Chamberlin 1924. Californien
N. r. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 613 f. 49 (D ♀).

♀ **rufithorax** Worley 1928. Nebraska
N. r. Worley 1928, Ann. Ent. Soc. Amer. 21 (4) p. 620 f. 3 (D ♀).

♂♀ **syntheticus** Chamberlin 1924. Californien
N. s. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 614 f. 50, 51 (D ♂♀).

♀ **zelotoides** Worley 1928. Nebraska
N. z. Worley 1928, Ann. Ent. Soc. Amer. 21 (4) p. 621 f. 4 (D ♀).

Gen. **Parabona** Mello-Leitao 1947.

♂ **goffergei** Mello-Leitao 1947. Brasilien
P. g. Mello-Leitao 1947, Pap. Avuls. S. Paulo 8 (11) p. 134 f. 8 (D ♂).

Gen. **Paramyrmecion** Bryant 1940.

♀ **cubanum** Bryant 1940. Cuba
P. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 395 T. 13 F. 173, 175 (D ♀).

Gen. **Phaeocedus** Simon 1893.

♂♀ **braccatus** (L. Koch) 1866. – * Europa
Drassus b. L. Koch 1866, Arachn. Fam. Drassid. p. 97 T. 4 F. 63 (D ♀).
Drassus bulbifer Cambridge 1874, Proc. Zool. Soc. Lond. p. 386 T. 51 F. 13 (D ♂).
Drassus affinis Pavesi 1875, Atti Soc. Ital. Sci. Nat. 18 p. 124 (D ♂).
Drassus amaryi Pavesi 1875, Atti Soc. Ital. Sci. Nat. 18 p. 303 (nom. nov.).
Drassus b. Simon 1878, Arachn. de France 4 p. 136 (D ♂♀).
Drassus bulbifer Cambridge 1879, Proc. Dorset F. Cl. 1 p. 18 T. 3 F. 1 (D ♂).
Ph. b. Simon 1893, Hist. Nat. Araign. 1 (2) p. 370 f. 327 (N).
Ph. b. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 220 T. 8 F. 39 (D ♂♀).
Ph. b. Bösenberg 1902, Zoologica 14 (2—4) p. 302 T. 28 F. 447 (D ♂♀).
Ph. b. Simon 1914, Arachn. de France 6 (1) p. 144, 210 (D ♂♀).
Ph. b. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 19 f. 45, 46 (D ♂♀).
P. b. Palmgren 1943, Act. Zool. Fenn. 36 p. 97 f. (N).
P. b. Tullgren 1946, Svensk Spindelfauna 3 p. 127 f. 36, 37; T. 21 F. 269—271 (D ♂♀).
P. b. Locket & Millidge 1951, Brit. Spiders I. p. 106 f. 50D; 55B, D, E (D ♂♀).

♀ **braccatus jugorum** Simon 1914. O.-Pyrenäen
Ph. b. j. Simon 1914, Arachn. de France 6 (1) p. 144, 211 (D ♀).

Gen. **Poecilochroa** Westring 1874.

Palaearktische Arten:

§ 3 (♂, ♀): Simon 1878, Aracdın. de France 4 p. 159.
§ 7 (♂, ♀): Simon 1914, Aradın. de France 6 (1) p. 182—185.
§ 2 ♂, 2 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 16 TF. 151—153.
§ 2 ♂, 2 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 37—38.

♀ **albomaculata** (Lucas) 1846. Westl. Mittelmeergebiet

Drassus a. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 224 T. 13 F. 8 (D ♀).
Macaria a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
Prosthesima pulchra Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 11 (D ♀).
P. picta Simon 1878, Arachn. de France 4 p. 160 T. 14 F. 2 (D ♂♀).
P. a. Simon 1914, Arachn. de France 6 (1) p. 183, 221 (D ♂♀).

♂ **antineae** Fage 1929. Aegypten

P. a. Fage 1929, Bull. Mus. Hist. Nat. Paris (2) 1 (4) p. 248 f. 1 (D ♂).

♂ **campestrata** (Cambridge 1874). Tripolis, Aegypten, Arabien

Drassus c. Cambridge 1874, Proc. Zool. Soc. Lond. p. 392 T. 51 F. 17 (D ♂).

♂♀ **conspicua** (L. Koch) 1866. Mittel- u. S.-Europa, S.-Rußland, Turkestan

Aranea nocturna Walckenaer 1802, Faun. Paris. 2 p. 221 (D ♀).
Drassus nocturnus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 615 (D ♀).
Melanophora c L. Koch 1866, Arachn. Fam. Drassid. p. 149 T. 6 F. 90, 92 (D ♂).
Pythonissa comata Ohlert 1867, Aran. Prov. Preussen p. 98 (D ♂♀).
Melanophora nocturna Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 314 T. 56 F. 181 (D ♂♀).
P. c. Simon 1878, Arachn. de France 4 p. 159 (D ♂♀).
Prosthesima c. Herman 1879, Ungarns Spinn. Fauna 3 p. 183, 360 (N).
P. c. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 261 T. 16 F. 14 (D ♂♀).
P. c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 192 T. 7 F. 35 (D ♂♀).
P. c. Bösenberg 1902, Zoologica 14 (2—4) p. 318 T. 30 F. 470 (D ♂♀).
P. c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 58 (D ♂♀).
P. c. Simon 1914, Arachn. de France 6 (1) p. 183, 220 (D ♂♀).
P. c. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 37 f. 89, 90 (D ♂♀).

♂♀ **dimidiata** (Simon) 1878. Westl. Mittelmeergebiet

Drassus d. Simon 1878, Arachn. de France 4 p. 153 (D ♂♀).
P. d. Simon 1914, Arachn. de France 6 (1) p. 185, 221 f. 347, 400 (D ♂♀).

♂♀ **dimidiata auspex** (Simon) 1878. S.-Frankreich, Spanien

Drassus auspex Simon 1878, Arachn. de France 4 p. 154 (D ♂♀).
P. d. a. Simon 1914, Arachn. de France 6 (1) p. 185, 221 f. 398 (D ♂).
P. d. a. Bacelar 1940, Bull. Soc. Portug. Sci. Nat. 13 (20) p. 107 (N).

♂ **furcata** Simon 1914. Franz. Provence

P. f. Simon 1914, Arachn. de France 6 (1) p. 184, 221 f. 393, 394 (D ♂).

♀ **hungarica** Kolosvary 1934. Ungarn

P. h. Kolosvary 1934, Folia Zool. Hydrobiol. 6 (1) p. 15 f. 10 (D ♀).
P. h. Kolosvary 1935, Act. Biol. 3 (3) p. 139 f. 4 (N ♀).

♀ **incompta** (Pavesi) 1880. Tunis

Prosthesima i. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 350 (D ♀).
P. i. (? = subincompta) Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 63 (D ♀).

♂♀ **lesserti** Denis 1947. Oase Siwah
P. l. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 62 T. 3 F. 8—10 (D ♂♀).

♂♀ **monodi** Fage 1929. Algier, Unter-Aegypten
P. m. Fage 1929, Bull. Mus. Hist. Nat. Paris (2) 1 (4) p. 249 f. 2, 3 (D ♂♀).

♂ **ochridana** Drenski 1929. Macedonien
P. o. Drenski 1929, Zentschr. Bulgar. Ak. Wiss. 39 p. 9, 62 T. 1 F. 5—7 (D ♂).

♀ **patricia** (Simon) 1878. Corsica
Drassus p. Simon 1878, Arachn. de France 4 p. 156 (D ♀).
P. p. Simon 1914, Arachn. de France 6 (1) p. 185, 221 f. 399 (D ♀).

♂ **perversa** Simon 1914. Franz. Provence
P. p. Simon 1914, Arachn. de France 6 (1) p. 184, 221 f. 395, 396 (D ♂).

phyllobia (Thorell) 1870. Italien
Drassus bicolor Costa 1834, Cenni Zool. in: Ann. Zool. p. 64 (D).
Gnaphosa p. Thorell 1870, Rem. Syn. Europ. Spid. p. 201 (nom. nov.).

♀ **tescorum** Simon 1914. SW.-Frankreich
P. t. Simon 1914, Arachn. de France 6 (1) p. 182, 221 (D ♀).

♂♀ **variana** (C. L. Koch) 1839. – * Europa, Turkestan
Drassus nocturnus Sundevall 1831, Vet. Ak. Handl. p. 136 (part.).
Pythonissa v. C. L. Koch 1839, Die Arachniden 6 p. 65 TF. 478 (D ♀).
Drassus v. Westring 1851, Göteborg Vet. Handl. 2 p. 48 (C).
Melanophora v. Westring 1862, Aran. Svec. p. 359 (D ♂).
Pythonissa v. Ohlert 1867, Aran. Prov. Preussen p. 96 (D ♂♀).
Gnaphosa v. Thorell 1870, Rem. Syn. Europ. Spid. p. 201 (N).
Drassus nigrofemoratus Cambridge 1874, Proc. Zool. Soc. Lond. p. 385 T. 51 F. 12 (D ♂).
P. (Melanophora) v. Westring 1874, Göteborg Vet. Handl. 14 p. 44, 45 (N).
P. v. Simon 1878, Arachn. de France 4 p. 161 (D ♂♀).
P. v. Simon 1893, Hist. Nat. Araign. 1 (2) p. 371 (N).
P. v. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 192 (D ♂♀).
P. v. Bösenberg 1902, Zoologica 14 (2—4) p. 318 T. 30 F. 471 (D ♂♀).
P. v. Simon 1914, Arachn. de France 6 (1) p. 183, 221 (D ♂♀).
P. v. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 38 f. 91, 92 (D ♂♀).
P. v. Palmgren 1943, Act. Zool. Fenn. 36 p. 99 f. (N).
P. v. Tullgren 1946, Svensk Spindelfauna 3 p. 129 T. 21 F. 272—274 (D ♂♀).

Transgredierende Arten:

♂♀ **pugnax** (Cambridge) 1874. Aegypten, Tripolis, Abessinien
Drassus p. Cambridge 1874, Proc. Zool. Soc. Lond. p. 399 T. 52 F. 25 (D ♀).
P. p. Simon 1908, Zool. Jahrb. Syst. 26 (4) p. 423 (D ♂♀).
Scotophaeus p (? = subpugnax) Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 62 (D ♂).

Aethiopische Arten:

§ 3 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 379.

♀ **anomala** (Hewitt) 1915. S.-Afrika
Xerophaeus a. Hewitt 1915, Rec. Albany Mus. Grahamst. 3 (2) p. 98 f. 6 (D ♀).
P. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 381 T. 10 F. 81 (D ♀).

♀ **capensis** Strand 1909. S.-Afrika
P. c. Strand 1909, Deutsch. Südpol. Exped. 1901—03 10 (5) Zool. (2) p. 552 (D o).
P. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 380 (D ♀).

♀ **carinata** Caporiacco 1947. Uganda
P. c. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 186 T. 2 F. 38 (D ♀).

♀ **faradjensis** Lessert 1929. Congo
P. f. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 103 f. 1 (D ♀).

♂ **haplostylus** Simon 1907. I. Principe
P. h. Simon 1907, Ann. Mus. Civ. Genova 43 p. 235 (D ♂).

♀ **involuta** Tucker 1923. S.-Afrika
P. i. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 382 T. 10 F. 82 (D ♀).

♂ **malagassa** Strand 1907. Madagascar
P. m. Strand 1907, Zool. Anz. 31 (23) p. 727 (D ♂).
P. m. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 19 (D ♂).

o **pauciaculeis** Caporiacco 1947. Ost-Afrika
P. p. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 187 (D o).

♀ **viduata** (Pavesi) 1883. Abessinien
Drassus v. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 49 (D ♀).

Orientalische Arten:

♀ **behnii** Thorell 1891. Nicobaren
P. b. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 19 (D ♀).

♀ **insularis** Kulczynski 1911. Java
P. i. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 478 T. 21 F. 28 (D ♀).

♀ **seduba** (Simon) 1897. Indien
Callilepis s. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 255 (D ♀).

♀ **vittata** Kulczynski 1911. Java
P. v. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 480 T. 21 F. 29 (D ♀).

Australische Arten:

♀ **rollini** Berland 1933. Marquesas-I.
P. r. Berland 1933, Pacif. Ent. Surv. Publ. 7 (3) p. 46 f. 7—12 (D ♀).

Neotropische Arten:

♂ **bifasciata** Banks 1902. Galapagos-I.
P. b. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 57 T. 1 F. 4 (D ♂).

convictrix Simon 1909. Mexico
P. c. Simon 1909, C. R. Ac. Sci. Paris 148 p. 737 (D).

o **latefasciata** Simon 1893. Peru
P. l. Simon 1893, Ann. Soc. Ent. France 42 p. 309 (D o).

♀ **trifasciata** Mello-Leitao 1918. Brasilien
P. t. Mello-Leitao 1918, Arch. Escol. Sup. Agric. 2 p. 71 (D ♀).

Nearktische Arten:

♂ **abjecta** Chamberlin 1935. Arizona
P. a. Chamberlin 1935, Amer. Mus. Novit. 841 p. 7 TF. 11, 12 (D ♂).

♀ **concinna** Simon 1895. Californien
P. c. Simon 1895, Bull. Mus. Hist. Nat. Paris 1 (3) p. 107 (D ♀).

♀ **inconspicua** Bryant 1948. Haiti, San Domingo
P. i. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 408 T. 10 F. 91 (D ♀).

♀ **josephus** Chamberlin & Gertsch 1940. Californien
P. j. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 4 TF. 32 (D ♀).

♂ **minuta** Banks 1898. Texas, Cuba
P. m. Banks 1898, Canad. Ent. 30 p. 186 (D ♂).
P. m. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 396 T. 13 F. 171 (D ♂).

♂♀ **montana** Emerton 1889. Californien, Utah, Canada, Georgia
P. m. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 175 T. 4 F. 2 (D ♀).
P. pacifica Banks 1896, Journ. N. York Ent. Soc. 4 p. 89 (D ♀).
P. pacifica Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 334 T. 39 F. 14 (N ♀).
Sergiolus m. Bryant 1908, Occ. Pap. Boston Soc. Nat. Hist. 7 p. 8 (N).
P. m. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 217 T. 9 F. 4 (D ♂).
P. columbiana Emerton 1917, Canad. Ent. 49 p. 269 f. 21 (D ♂♀).

♀ **montanoides** Schenkel 1950. Oregon
P. m. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 41 f. 8 (D ♀).

Gen. **Pseudodrassus** Caporiacco 1935.

♀ **desertorum** (Caporiacco) 1928. Tripolis
Scotophaeus d. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 86 f. 3 (D ♀).
Ps. d. Caporiacco 1935, Monit. Zool. Ital. 46 (9) p. 286 (N).

♀ **quadridentatus** (Caporiacco) 1928. Tripolis
Scotophaeus q. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 85 f. 2 (D ♀).
Ps. q. Caporiacco 1935, Monit. Zool. Ital. 46 (9) p. 286 (N).

O o **ricasolii** Caporiacco 1935. – * Kleinasien
Ps. r. Caporiacco 1935, Monit. Zool. Ital. 46 (9) p. 286 (D O o).

♂ **scorteccii** Caporiacco 1936. Fezzan
Ps. s. Caporiacco 1936, Atti Soc. Ital. Sci. Nat. 75 p. 73 f. 1 (D ♂).

Gen. **Scopodes** Chamberlin 1928.

♂ **catharinus** Chamberlin 1922. – * Californien
S. c. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 156 (D ♂).

Gen. **Scotocesonia** Caporiacco 1947.

♀ **demerarae** Caporiacco 1947. Brit. Guiana
S. d. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 26 (D ♀).
S. d. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 670 TF. 83 (D ♀).

Gen. **Scotophaeus** Simon 1893.

Palaearktische Arten:

§ 15 ♂, 15 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 209—213 (sub **Drassus**, part.).
§ 10 (♂, ♀): Simon 1914, Arachn. de France 6 (1) p. 144—150.
§ 5 (♂, ♀): Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 12—13 TF. 97—105.

§ 4 ♂, 4 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 20—22.
§ 3 ♂, 3 ♀: Tullgren 1946, Svensk Spindelfauna 3 p. 108.

♀ **aculeatus** Simon 1914. Hoch-Pyrenäen

S. a. Simon 1914, Arachn. de France 6 (1) p. 149, 212 f. 271 (D ♀).

♂♀ **blackwallii** (Thorell) 1871. Europa (Makronesien)

Drassus sericeus Blackwall 1843, Trans. Linn. Soc. Lond. 19 p. 113 (D ♀).
Drassus sericeus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 111 T. 6 F. 67 D ♀, part.).
Drassus gotlandicus Thorell 1870, Rem. Syn. Europ. Spid. p. 180 (D ♀).
Drassus b. Thorell 1870, Rem. Syn. Europ. Spid. p. 179 und 430 (N ♀).
Drassus ravidus Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 119 f. 2 (D ♂).
Drassus gotlandicus Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 378 T. 65 F. 215 (D ♂♀).
Drassus b. Simon 1878, Arachn. de France 4 p. 148 (D ♂♀).
Drassus b. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 259 T. 16 F. 26 (D ♂♀).
Drassus immundus Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 213 T. 8 F. 46 (D ♀).
S. b. Kulczynski 1898, Symb. Faun. Aran. Austr. Infer. p. 55 (N).
Drassus b. Bösenberg 1902, Zoologica 14 (2—4) p. 298 T. 28 F. 438 (D ♂♀).
Drassodes (S.) b. Lessert 1910, Catal. Invert. Suisse; Araign. p. 56 f. 49, 50 (D ♂♀).
S. b. Simon 1914, Arachn. de France 6 (1) p. 147, 150, 212 f. 266, 275 (D ♂♀).
S. b. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 22 f. 51 (D ♂♀).
S. b. Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 222, 230 (D ♂♀).
S. b. Tullgren 1946, Svensk Spindelfauna 3 p. 110 f. 32C; T. 18 F. 231—233 (D ♂♀).
S. b. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 38 f. 5a, b (C ♂, Californien!).
S. b. Locket & Millidge 1951, Brit. Spiders I. p. 104 f. 50F, 55A, C (D ♂♀).

♂♀ **blackwallii isabellinus** (Simon) 1873. Corsica, Italien, Dalmatien

Drassus isabellinus Simon 1873, Mém. Soc. Sci. Liège (2) 5 p. 348 (164) (D ♂).
Drassus isabellinus Simon 1878, Arachn. de France 4 p. 150 (D ♂♀).
S. isabellinus Lessert 1904, Rev. Suisse Zool. 12 (2) p. 286 T. 5 F. 6 (N).
S. b. i. Simon 1914, Arachn. de France 6 (1) p. 150, 212 (D ♀).

♀ **blackwallii politus** (Simon) 1878. Frankreich

Drassus politus Simon 1878, Arachn. de France 4 p. 142 T. 14 F. 5 (D ♀).
S. b. p. Simon 1914, Arachn. de France 6 (1) p. 150, 212 (D ♀).

♂ **blepharotrichus** Strand 1915. Palästina

S. b. Strand 1915, Arch. Naturg. 81 (A; 2) p. 139 (D ♂).

♀ **brolemanni** Simon 1914. Meeralpen

S. b. Simon 1914, Arachn. de France 6 (1) p. 146, 211 f. 261 (D ♀).

♀ **cultior** Kulczynski 1899. Madeira

S. c. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow (2) 16 p. 350 T. 6 F. 30 (D ♀).

♂♀ **dispulsus** (Cambridge) 1885. Turkestan, Karakorum, Mongolei

Drassus d. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 11 T. 1 F. 8 (D ♂♀).
Drassodes d. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 252 f. 82 (D ♀).

♂♀ **furtadoi** (Simon) 1893. Azoren
Drassus f. Simon 1893, Ann. Soc. Ent. France (6) 3 p. 275 T. 8 F. 8, 9 (D ♂♀).

♂♀ **gridellii** Caporiacco 1928. Canaren
S. g. Caporiacco 1928, Mem. Soc. Ent. Ital. 6 p. 240 (D ♂♀).

♀ **invisus** (Cambridge) 1885. Sirikol
Drassus i. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 9 T. 1 F. 6 (D ♀).

♂♀ **loricatus** (L. Koch) 1866. Europa, Turkestan, Sibirien
Drassus l. L. Koch 1866, Arachn. Fam. Drassid. p. 131 T. 5 F. 82—84 (D ♂♀).
Drassus navaricus Simon 1878, Ann. Soc. Ent. France (5) 8 Bull. p. 159 (D ♀).
Drassus corcyreus Simon 1884, Ann. Soc. Ent. France (6) 4 p. 340 (D ♀).
Drassus l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 215 T. 8 F. 36, 52 (D ♂♀).
Drassus l. Bösenberg 1902, Zoologica 14 (2—4) p. 301 T. 28 F. 445 (D ♀).
S. l. Strand 1907, Abh. Nat. Ges. Görlitz 25 p. 13 (D ♂♀).
S. l. Simon 1914, Arachn. de France 6 (1) p. 145, 211 f. 258 (D ♂♀).
S. l. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 21 f. 47, 48 (D ♂♀).
S. l. Palmgren 1943, Act. Zool. Fenn. 36 p. 98 f. (N).

♀ **mengei** (Simon) 1878. O.-Preussen
Drassus rubens Menge 1850, Neu. Schrift. Nat. Ges. Danzig 4 (3) p. 62 (D ♀).
Drassus m. Simon 1878, Arachn. de France 4 p. 157 (nom. nov.)

♀ **microdon** Caporiacco 1933. Tripolis
S. m. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 317 f. 2 (D ♀).

♀ **mundulus** (Cambridge) 1872. Palästina, Aegypten, Tripolis, Karakorum
Drassus m. Cambridge 1872, Proc. Zool. Soc. Lond. p. 234 T. 15 F. 11 (D ♀).
S. m. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 85 (N).
S. m. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 134 T. 1 F. 10 (D ♀).

♂♀ **musculus** (Simon) 1878. S.-Frankreich, Madeira
Drassus m. Simon 1878, Arachn. de France 4 p. 152 (D ♀).
S. m. Simon 1914, Arachn. de France 6 (1) p. 148, 212 f. 269, 270 (D ♂♀).
S. m. Schenkel 1938, Ark. Zool. 30 (A; 7) p. 4 f. 1 (D ♂).

♂♀ **nigrosegmentatus** (Simon) 1895. Mongolei, Karakorum
Drassodes n. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 332 (D ♀).
S. n. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 133 T. 1 F. 11 (D ♂♀).

♀ **peninsularis** Roewer 1928. Morea
S. p. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 108 T. 1 F. 14 (D ♀).

♂♀ **quadripunctatus** (Linné) 1758. – * N.-, O.-, SO.- u. Mitteleuropa
Aranea q. Linné 1758, Syst. Nat. (10. Ed.) p. 622 (D).
Drassus sericeus Sundevall 1831, Vet. Ak. Handl. p. 136 (D ♂♀).
Filistata sericea Wider 1834, Mus. Senckenbg. 1 (3) p. 204 T. 14 F. 3 (D ♀).
Drassus sericeus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 619 (D ♂♀).
Drassus sericeus C. L. Koch 1839, Die Arachniden 6 p. 37 TF. 457, 458 (D ♂♀).
Drassus sericeus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 111 T. 6 F. 67 (D ♀, part.).
Drassus sericeus Westring 1862, Aran. Svec. p. 340 (D ♂♀).
Drassus rubrens Westring 1862, Aran. Svec. p. 339 (D ♀).

Drassus rubrens L. Koch 1866, Arachn. Fam. Drassid. p. 79 T. 4 F. 55 (D ♀).
Drassus medius L. Koch 1866, Arachn. Fam. Drassid. p. 82 T. 4 F. 56 (D ♀).
Drassus medius Ohlert 1867, Aran. Prov. Preussen p. 93 (D ♂♀).
Drassus q. Thorell 1870, Rem. Syn. Europ. Spid. p. 176 (N).
Drassus q. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 376 T. 65 F. 214 (D ♂♀).
Drassus q. Simon 1878, Arachn. de France 4 p. 144 (D ♂♀).
Drassus ruber Simon 1878, Arachn. de France 4 p. 157 (nom. nov.).
Drassus q. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 56 (D ♂♀).
S. q. Simon 1893, Hist. Nat. Araign. 1 (2) p. 371 f. 326 (N).
Drassus q. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 213 T. 8 F. 41, 49 (D ♂♀).
Drassus q. Bösenberg 1902, Zoologica 14 (2—4) p. 293 T. 27 F. 429 (D ♂♀).
Drassodes (Sc.) q. Lessert 1910, Catal. Invert. Suisse; Araign. p. 54 f. 45, 47 (D ♂♀).
S. q. Simon 1914, Arachn. de France 6 (1) p. 148, 150, 212 f. 267, 268, 274 (D ♂♀).
S. q. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 22 f. 52, 53 (D ♂♀).
S. q. Tullgren 1946, Svensk Spindelfauna 3 p. 108 f. 32A; T. 18 F. 225—227 (D ♂♀).

♂ **rebellatus** (Simon) 1880. Peking

Drassus r. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 119 T. 3 F. 18, 19 (D ♂).

♀ **retusus** (Simon) 1878. Frankreich

Drassus r. Simon 1878, Arachn. de France 4 p. 151 (D ♀).
S. r. Simon 1914, Arachn. de France 6 (1) p. 149, 212 f. 273 (D ♀).

♀ **rufescens** (Kroneberg) 1875. Turkestan

Drassus r. Kroneberg 1875, Nachr. Ges. Moskau p. 20 T. 1 F. 7 (D ♀).

♂♀ **scrutatus** (Cambridge) 1872. Palästina

Drassus s. Cambridge 1872, Proc. Zool. Soc. London p. 239 T. 15 F. 16a (D ♂♀).
Drassus scutatus Simon 1878, Arachn. de France 4 p. 156 (N).
Drassus scutatus Simon 1893, Hist. Nat. Araign. 1 (2) p. 371 (N).

♂♀ **scutulatus** (L. Koch) 1866. Europa, N.-Afrika

Drassus fuscus Sundevall 1831, Vet. Ak. Handl. p. 134 (D ♂♀).
? Drassus tibialis Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 25 F. B (D ♀).
Drassus fuscus Westring 1862, Aran. Svec. p. 342 (D ♂♀).
Drassus s. L. Koch 1866, Arachn. Fam. Drassid. p. 93 T. 4 F. 61, 62 (D ♂♀).
Drassus s. Thorell 1870, Rem. Syn. Europ. Spid. p. 181 (N).
Drassus fulvus Thorell 1875, Tijdschr. Ent. 18 p. 96 (D ♀).
Drassus fulvus Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 89 (D ♀).
Drassus s. Simon 1878, Arachn. de France 4 p. 146 (D ♂♀).
Drassus s. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 56 (D ♂♀).
Drassus s. Hansen 1885, in: Schiödte, Zool. Danica p. 137 T. 4 F. 4 (D ♂♀).
Drassus s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 213 T. 8 F. 42, 48 (D ♂♀).
Drassus s. Bösenberg 1902, Zoologica 14 (2—4) p. 293 T. 27 F. 428 (D ♂♀).
Drassodes (Sc.) s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 55 f. 46, 48 (D ♂♀).
S. s. Simon 1914, Arachn. de France 6 (1) p. 147, 149, 211 f. 262, 263 (D ♂♀).
S. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 21 f. 49, 50 (D ♂♀).
S. s. Tullgren 1946, Svensk Spindelfauna 3 p. 109 f. 32B; T. 18 F. 228—230 (D ♂♀).

♀ **senilis** (Cambridge) 1872. Palästina, Aegypten

Drassus s. Cambridge 1872, Proc. Zool. Soc. Lond. p. 236 T. 15 F. 13 (D ♀).

♂♀ **validus** (Lucas) 1846. S.-Europa, Algier, Marokko
Drassus v. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 213 T. 12 F. 10 (D ♀).
Macaria v. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
Drassus viator L. Koch 1866, Arachn. Fam. Drassid. p. 84 T. 4 F. 57 (D ♀).
Drassus brevipes Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 93 (D ♀).
Drassus viator Simon 1878, Arachn. de France 4 p. 147 (D ♀).
S. v. Simon 1914, Arachn. de France 6 (1) p. 147, 149, 211 f. 264, 265, 273 (D ♂♀).

♂ **varius** Simon 1893. Teneriffa
S. v. Simon 1893, Hist. Nat. Araign. 1 (2) p. 371 (N ♀).
S. v. Denis 1941, Ann. Soc. Ent. France 110 f. 2 (D ♀).

♀ **vulpinus** (Cambridge) 1874. Aegypten
Drassus v. Cambridge 1874, Proc. Zool. Soc. Lond. p. 397 T. 52 F. 22 (D ♀).

♀ **walteri** Roewer 1928. Attika
S. w. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 107 T. 1 F. 18 (D ♀).

♂♀ **westringi** Simon 1914. Frankreich
Drassus cognatus Simon 1878, Arachn. de France 4 p. 143 (D ♂, nec ♀).
S. w. Simon 1914, Arachn. de France 6 (1) p. 146, 211 f. 259, 260 (D ♂♀).

Aethiopische Arten:

§ 4 ♀: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 385.

♀ **affinis** Caporiacco 1949. Kenya
S. a. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 429 f. 66 (D ♀).

♀ **bersebaensis** Strand 1915. S.W.-Afrika
S. b. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 90 (D ♀).

♂ **insularis** Berland 1936. Cap Verde-I.
S. i. Berland 1936, Rev. Franc. Ent. 3 (1) p. 75 f. 14—16 (D ♂).

♂ **jacksoni** Berland 1936. Cap Verde-I.
S. j. Berland 1936, Rev. Franc. Ent. 3 (1) p. 74 f. 12, 13 (D ♂).

o **lamperti** Strand 1906. Centr. Afrika
S. l. Strand 1906, Jahrb. Nassau. Ver. Nat. 59 p. 28 (D o).
S. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 385 (D o).

♀ **marleyi** Tucker 1923. S.-Afrika
S. m. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 386 T. 10 F. 84 (D ♀).

♀ **meruensis** Tullgren 1910. O.-Afrika
S. m. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 106 T. 1 F. 17 (D ♀).

♀ **natalensis** Lawrence 1938. Natal
S. **n.** Lawrence 1938, Ann. Natal Mus. 8 (3) p. 477 f. 13 (D ♀).

♀ **nossibeensis** Strand 1907. Madagascar
S. n. Strand 1907, Zool. Anz. 31 (23) p. 727 (D ♀).
S. n. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 17 (D ♀).

♀ **nyrensis** Simon 1909. O.-Afrika
S. n. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 34 (D ♀).
S. n. Berland 1922, Araign. in: Voy. Rothschild Ethiop. Res. Sci. Anim. Artic. 1 p. 51 (D ♀).

♀ **parvioculis** Strand 1906. Abessinien
S. p. Strand 1906, Zool. Anz. 30 (19—20) p. 611 (D ♀).
S. p. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 60 (D ♀).

♀ **purcelli** Tucker 1923. S.-Afrika
S. p. Tucker 1925, Ann. S. Afr. Mus. 19 (2) p. 387 T. 10 F. 85 (D ♀).

♂ **regularis** Tullgren 1910. O.-Afrika
S. r. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 106 T. 1 F. 18 (D ♂).

♂♀ **relegatus** Purcell 1907. S.-Afrika
S. r. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 312 T. 13 F. 18 (D ♂).
S. r. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 235 (N ♂♀).
S. r. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 387 (D ♂♀).

♂ **schenkeli** Caporiacco 1949. Kenya
S. s. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 428 f. 65 (D ♂).

♀ **semitectus** (Simon) 1885. Senegambien
Drassus s. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 381 (D ♀).

♂ **strandi** Caporiacco 1940. Abessinien
S. s. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 832 f. 34 (D ♂).

Orientalische Arten:

♀ **merkaricola** Strand 1907. Indien
S. m. Strand 1907, Abh. Nat. Ges. Görlitz 25 p. 14 TF. 48 (D ♀).

Australische Arten:

♂♀ **pretiosus** (L. Koch) 1873. Neu-Seeland
Drassus p. L. Koch 1873, Arachn. Austral. 1 (1) p. 385 T. 30 F. 3, 4 (D ♂♀).
Drassodes p. Dalmas 1917, Ann. Soc. Ent. France 86 p. 349 f. 28 (N ♂♀).

Neotropische Arten:

♀ **correntinus** Mello-Leitao 1945. Argentinien
S. c. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) Zool. 4 (29) p. 258 f. 43 (D ♀).

♀ **guatemalensis** F. Cambridge 1899. Guatemala
S. g. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 58 T. 5 F. 1 (D ♀).

♀ **pictus** F. Cambridge 1899. Mexico
S. p. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 59 T. 4 F. 14 (D ♀).

♀ **quilpuensis** Simon 1902. Chile
S. q. Simon 1902, Erg. Hambg. Magalh. Sammelreise 2 Arachn. p. 12 (D ♀).
S. q. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 89 (N).

Nearktische Arten:

♀ **voluntarius** Chamberlin 1920. Californien
S. v. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 5 T. 2 F. 3 (D ♀).

Gen. **Scotophinus** Simon 1905.

♀ **maindroni** Simon 1905. Indien

S. m. Simon 1905, Ann. Soc. Ent. France 74 p. 169 (D ♀).

Gen. **Sergiolus** Simon 1891.

Australische Arten:

o **australianus** Simon 1908. W.-Australien

S. a. Simon 1908, Faun. S. W. Austral. 1 (12) p. 398 (D o).

Neotropische Arten:

♀ **atomisticus** Chamberlin 1924. Nieder-Californien

S. a. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 610 f. 46 (D ♀).

♂♀ **cyaneiventris** Simon 1893. Florida

S. c. Simon 1893, Ann. Soc. Ent. France 62 p. 311 (D ♀).
S. c. Banks 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 122 T. 7 F. 3, 4; T. 8 F. 14 (N ♂).
S. c. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 181 T. 11 F. 8 (N ♀).

♀ **elegans** Simon 1891. St. Vincent

S. e. Simon 1891, Proc. Zool. Soc. Lond. p. 574 (D ♀).

♂♀ **tribolus** Chamberlin 1922. Florida

S. t. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 153 (D ♂).
S. t. Bryant 1935, Psyche 42 (2) p. 73 T. 5 F. 6 (D ♀).
S. t. Chamberlin 1935, Amer. Mus. Novit. 841 p. 10 TF. 15 (D ♂).

Transgredierende Arten:

♂♀ **decipiens** Chamberlin 1922. Texas, Florida, Georgia, Californien

? Drassus ocellatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 621 (D ♀).
S. d. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 151 (D ♂).
S. d. Chamberlin 1936, Amer. Mus. Novit. 841 p. 10 f. 14 (N).
Poecilochroa d. Bryant 1935, Psyche 42 (2) p. 75 T. 5 F. 4—5 (D ♀).
S. ocellatus Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 175 (N ♀).
S. d. Kaston 1945, Amer. Mus. Novit. 1290 p. 3 TF. 10 (N ♀).

Nearktische Arten:

§ 4 (♂, ♀): Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 362.

♀ **amphilogus** Chamberlin 1936. Texas

S. a. Chamberlin 1936, Amer. Mus. Novit. 853 p. 4 TF. 18 (D ♀).

♀ **bebius** Chamberlin 1935. Colorado

S. b. Chamberlin 1935, Amer. Mus. Novit. 841 p. 9 TF. 13 (D ♀).

♀ **bellior** Chamberlin 1936. Texas

S. b. Chamberlin 1936, Amer. Mus. Novit. 853 p. 4 TF. 17 (D ♀).

♀ **bicolor** Banks 1900. Louisiana

S. b. Banks 1900, Canad. Ent. 32 p. 96 (D ♀).

♀ **clericus** Chamberlin 1922. U. St. Amerika

S. c. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 153 (D ♀).

♂♀ **decoratus** Kaston 1945. U. St. America

S. d. Kaston 1945, Amer. Mus. Novit. 1290 p. 2 TF. 8, 17—19 (D ♂♀).
S. d. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 363 T. 66 F. 1264—65; T. 142 F, 2121—22 (D ♂♀).

♂♀ **famulus** Chamberlin 1922. U. St. America

Poecilochroa montana Emerton 1909, Trans. Connect. Ac. Sci. 14 p. 217 T. 9 F. 4 (D ♂).
S. f. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 152 (D ♀).
S. f. Kaston 1945, Amer. Mus. Novit. 1290 p. 4 TF. 12, 20, 21 (D ♂♀).
S. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 363 T. 66 F. 1257—59 (D ♂♀).

♂ **fruitanus** Chamberlin & Gertsch 1928. Utah

S. f. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 177 (D ♂).

♀ **lesserti** Schenkel 1950. Californien

S. l. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 42 f. 9 (D ♀).

♂ **lowelli** Chamberlin & Woodbury 1929. Utah

S. l. Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 133 T. 1 F. 7, 8 (D ♂).

♂♀ **meretrix** Chamberlin 1922. Nord-Carolina, Alabama

S. m. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 153 (D ♂).
S. m. Bryant 1945, Psyche 52 (3—4) p. 185 T. 15 F. 3 (D ♂♀).
S. m. Kaston 1945, Amer. Mus. Novit. 1290 p. 4 TF. 13, 22—24 (N ♂♀).

♂♀ **segregatus** Chamberlin 1936. Texas

S. s. Chamberlin 1936, Amer. Mus. Novit. 853 p. 5 TF. 11, 12 (D ♂♀).

♀ **stella** Chamberlin 1922. Texas

S. s. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 152 (D ♀).

♀ **tennesseensis** Chamberlin 1922. Tennessee

S. t. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 152 (D ♀).

♂♀ **unimaculatus** Emerton 1915. U. St. America

S. u. Emerton 1915, Trans. Connect. Ac. Sci. 20 p. 142 T. 1 F. 9 (D ♂♀).
S. clericus Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 153 (D ♀).
S. u. Kaston 1945, Amer. Mus. Novit. 1290 p. 3 TF. 11, 25, 26 (N ♂♀).
S. u. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 363, T. 66 F. 1260—62 (D ♂♀).
Poecilochroa u. Barnes 1953, Amer. Mus. Novit. 1632 p. 15 (C).

♂♀ **variegatus** (Hentz) 1847. – * U. St. America, Canada

? Drassus capulatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 621 (D ♀).
Herpyllus v. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 458 T. 24 F. 12 (D ♀).
Poecilochroa v. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 174 T. 4 F. 1 (D ♂♀).
S. v. Simon 1891, Proc. Zool. Soc. London p. 573 (C).
Poecilochroa k. Simon 1892, Ann. Soc. Ent. France 62 p. 311 (D ♀).
S. v. Simon 1893, Hist. Nat. Araign. 1 (2) p. 374 f. 329 (N).
Poecilochroa v. Emerton 1902, Common Spiders p. 4 f. 9—11 (D ♀).
Poecilochroa v. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. . . . T. 9 F. 5 (D ♂).

S. v. Comstock 1912, Spider Book p. 319 (N).
S. capulatus Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 174 C ♀).
S. v. Kaston 1945, Amer. Mus. Novit. 1290 p. 3 TF. 9, 14—16 (N ♂♀).
S. v. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 362 T. 66 F. 1252—56 (D ♂).

Gen. **Setaphis** Simon 1893.

Palaearktische Arten:

♂♀ **bicolor** Simon 1908. Marokko
S. b. Simon 1908, Zool. Jahrb. Syst. 26 (4) p. 424 (D ♂♀).

♂ **lucasi** Roewer 1951. Algier
Drassus parvulus Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 219 T. 13 F. 6 (D ♂) (praeocc. Blackwall 1934).
Melanophora parvula Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 117 (C).
Prosthesima parvula Pavesi 1884, Ann. Mus. Civ. Genova 20 p. 467 (N).
S. parvula Simon 1893, Hist. Nat. Araign. 1 (2) p. 374 (N).
S. l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 443 (nom. nov.).

♂♀ **suavis** (Simon) 1878. – * S.-Frankreich, Algier
Prosthesima s. Simon 1872, Arachn. de France 4 p. 76 T. 14 F. 6 (D ♂♀).
S. s. Simon 1893, Hist. Nat. Araign. 1 (2) p. 374 (N).
S. s. Simon 1914, Arachn. de France 6 (1) p. 180, 220 (D ♂♀).

Aethiopische Arten:

§ 7 Arten: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 320.

♀ **anchoralis** Purcell 1908. S.-Afrika
S. a. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 240 T. 11 F. 27 (D ♀).
S. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 320 (D ♀).

♀ **arcus** Tucker 1923. S.-Afrika
S. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 321 T. 9 F. 44 (D ♀).

♂♀ **bechuanica** Purcell 1908. S.-Afrika
S. b. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 240 T. 11 F. 26 (D ♀).
S. b. Tucker 1913, Ann. S. Afr. Mus. 19 (2) p. 322 T. 9 F. 45 (D ♂♀).

♀ **bilinearis** Tucker 1923. S.-Afrika
S. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 323 T. 9 F. 46 (D ♀).

♀ **bulawayensis** Tucker 1923. S.-Afrika
S. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 324 T. 9 F. 48 (D ♀).

♂♀ **calviniensis** Tucker 1923. S.-Afrika
S. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 325 T. 9 F. 47 (D ♂♀).

♀ **hessei** Lawrence 1928. SW.-Afrika
S. h. Lawrenve 1928, Ann. S. Afr. Mus. 25 (2) p. 231 T. 21 F. 13 (D ♀).

♂♀ **kaokoensis** Lawrence 1928. SW.-Afrika
S. k. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 229 T. 21 F. 9, 10 (D ♂♀).

♂♀ **lapidaria** Lawrence 1928. SW.-Afrika
S. l. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 230 T. 21 F. 11, 12 (D ♂♀).

♂ **lightfooti** Tucker 1923. S.-Afrika
S. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 326 T. 10 F. 49 (D ♂).

♀ **omuramba** Lawrence 1927. SW.-Afrika
S. o. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 14 T. 1 F. 12 (D ♀).

♀ **quadrativulva** Lawrence 1927. SW.-Afrika
S. q. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 14 T. 1 F. 11 (D ♀).

♂♀ **sexmaculata** Simon 1903. S.-Afrika
S. s. Simon 1903, Ann. Soc. Ent. France 62 p. 310 (D ♂♀).
S. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 327 (D ♂♀).

Gen. **Sillemia** Reimoser 1935.

♂ **clavifemur** Reimoser 1935. Tibet
S. c. Reimoser 1935, Wiss. Erg. Niederl. Exped. Karakorum (Zool.) p. 174 f. 3 (D ♂).

Gen. **Sosticus** Chamberlin 1922.

♀ **continentalis** Chamberlin 1922. – * Iowa
S. c. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 160 (D ♀).

♀ **insularis** (Banks) 1895. New York, Wisconsin
Prosthesima i. Banks 1895, Journ. N. York Ent. Soc. 3 p. 78 (D ♀).
Herpyllus i. Banks 1910, Bull. U. stat. Nat. Mus. 72 p. 8 (N).
S. **i.** Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 160 (N).
S. i. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 364 T. 66 F. 1266—1268 (D ♂♀).

♂♀ **projectus** Fox 1938. Indiana
S. **p.** Fox 1938, Iowa St. Coll. Journ. Sci. 12 (2) p. 236 T. 1 F. 3, 5 (D ♂♀).

Gen. **Sostogeus** Chamberlin & Gertsch 1940.

♂♀ **zygethus** Chamberlin & Gertsch 1940. U. St. America
S. z. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 1 TF. 1—4 (D ♂♀).

Gen. **Titus** Cambridge 1901.

♀ **lugens** Cambridge 1901. Mashonaland
T. l. Cambridge 1901, Proc. Zool. Soc. Lond. p. 13 T. 5 F. 3 (D ♀).

Gen. **Trichothyse** Tucker 1923.

♂ **fontensis** Lawrence 1928. SW.-Afrika
T. f. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 232 T. 21 F. 14 (D ♂).

♀ **hortensis** Tucker 1923. – * S.-Afrika
T. h. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 332 T. 9 F. 53 (D ♀).

♀ **subtropica** Lawrence 1927. SW.-Afrika
T. s. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 15 T. 1 F. 15 (D ♀).

Gen. **Urozelotes** Mello-Leitao 1938.

♀ **cardiogynus** Mello-Leitao 1938. Argentinien
U. c. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 111 f. 30 (D ♀).

Gen. **Xerophaeus** Purcell 1907.

§ 21 ♂, 25 ♀: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 388—391.

♀ **ahenus** Purcell 1908. S.-Afrika

X. a. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 237 T. 11 F. 19 (D ♀).
X. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 391 (D ♀).

♀ **anthropoides** Hewitt 1916. Transvaal

X. a. Hewitt 1916, Ann. Transv. Mus. 5 (3) p. 211 f. 10 (D ♀).
X. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 392 (D ♀).

♂♀ **appendiculatus** Purcell 1907. S.-Afrika

X. a. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 326 T. 15 F. 41, 42 (D ♂♀).
X. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 393 T. 11 F. 86 (D ♂♀).

♂♀ **aridus** Purcell 1907. S.-Afrika

X. a. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 319 T. 15 F. 26 (D ♀).
X. a. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 236 T. 11 F. 18 (D ♂).
Prosthesima a. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 109 T. 1 F. 23 (N ♀).
X. poweri Hewitt 1915, Rec. Albany Mus. Grahamst. 3 (2) p. 94 f. 4 (D ♂♀).
X. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 394 T. 11 F. 87 (D ♂).

♂♀ **aurarium** Purcell 1907. S.-Afrika

X. a. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 324 T. 15 F. 35, 36 (D ♂♀).
X. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 396 (D ♂♀).

♂♀ **bicavus** Tucker 1923. S.-Afrika

X. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 397 T. 10 F. 88 (D ♂♀).

♀ **biplagiatus** Tullgren 1910. O.-Afrika

X. b. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 108 T. 1 F. 21 (D ♀).

♂♀ **capensis** Purcell 1907. – * S.-Afrika

X. c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 314 T. 13 F. 20 (D ♂♀).
X. delphinurus Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 316 T. 13 F. 21 (D ♂).
X. interrogator Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 316 T. 14 F. 22 (D ♂).
X. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 397 T. 11 F.89 (D ♂♀).

♂♀ **communis** Purcell 1907. S.-Afrika

X. c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 322 T. 14 F. 33, 34 (D ♂♀).
X. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 399 (D ♂♀).
X. c. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 479 (N ♀).

♂♀ **coruscus** (L. Koch) 1875. Abessinien, O.-Afrika, Yemen

Drassus c. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 50 T. 5 F. 5 (D ♀).
Scotophaeus c. Strand 1908, Arch. Naturg. 74 (I; 1) p. 20 (N ♀).
Scotophaeus c. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 59 (N ♀).
X. c. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 35 (N).
X. c. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 107 T. 1 F. 19 (D ♂♀).
X. c. Berland 1920, Aran. II. in: Voy. Alluaud & Jeannel Afr. Orient. p. 105 f. 121, 122 (N ♂♀).

♀ **coruscus kibonotensis** Tullgren 1910. O.- u. S.-Afrika
X. c. k. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 108 T. 1 F. 20 (D ♀).
X. c. k. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 399 (D ♀).

♂♀ **crusculus** Tucker 1923. S.-Afrika
X. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 400 T. 11 F. 90 (D ♂♀).

♂ **crustosus** Purcell 1907. S.-Afrika
X. c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 325 T. 15 F. 40 (D ♂).
X. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 402 (D ♂).

♂ **druryi** Tucker 1923. S.-Afrika
X. d. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 402 T. 11 F. 91 (D ♂).

♂♀ **exiguus** Purcell 1907. S.-Afrika
X. e. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 324 T. 14 F. 37 (D ♂).
X. e. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 403 (D ♂♀).

♀ **flammeus** Tucker 1923. S.-Afrika
X. f. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 404 T. 10 F. 92 (D ♀).

♂ **flavescens** Purcell 1907. S.-Afrika
X. f. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 317 T. 14 F. 23 (D ♂).
X. f. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 404 (D ♂).

♀ **hottentottus** Purcell 1908. S.-Afrika
X. h. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 236 T. 11 F. 17 (D ♀).
X. gordonicus Hewitt 1915, Rec. Albany Mus. Grahamst. 3 (2) p. 97 f. 5 (D ♀).
X. h. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 405 (D ♀).

♂ **kiwuensis** Strand 1913. Centr.-Afrika
X. k. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 334 (D ♂).

♂♀ **lightfooti** Purcell 1907. S.-Afrika
X. l. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 321 T. 14 F. 31, 32 (D ♂♀).
X. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 406 (D ♂♀).

♂♀ **longispina** Purcell 1908. S.-Afrika
X. l. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 235 T. 11 F. 15, 16 (D ♂♀).
X. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 406 (D ♂♀).

♂♀ **lunulifer** Purcell 1907. S.-Afrika
X. l. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 319 T. 14 F. 27, 28 (D ♂♀).
X. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 407 (D ♂♀).

♀ **maritimus** Lawrence 1938. Natal
X. m. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 480 f. 15 (D ♀).

♀ **matroosbergensis** Tucker 1923. S.-Afrika
X. m. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 408 T. 11 F. 93 (D ♀).

♂ **occiduus** Tucker 1923. S.-Afrika
X. o. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 409 T. 11 F. 94 (D ♂).

♂ **pallidus** Tucker 1923. S.-Afrika
X. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 409 T. 10 F. 95 (D ♂).

♂ **patricki** Purcell 1907. S.-Afrika
X. p. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 327 T. 15 F. 43 (D ♂).
X. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 410 (D ♂).

♀ **phaseolus** Tucker 1923. S.-Afrika
X. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 411 T. 10 F. 96 (D ♀).

♀ **robustus** Lawrence 1936. Kalahari
X. r. Lawrence 1936, Ann. Transv. Mus. 17 (2) p. 147 f. 1 (D ♀).

♂♀ **rostratus** Purcell 1907. S.-Afrika
X. r. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 321 T. 14 F. 38, 39 (D ♂♀).
X. r. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 411 (D ♂♀).

♂ **ruandanus** Strand 1913. Ruanda
X. r. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 333 (D ♂).

♀ **rubeus** Tucker 1923. S.-Afrika
X. r. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 412 T. 10 F. 97 (D ♀).

♀ **silvaticus** Tucker 1923. S.-Afrika
X. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 413 T. 11 F. 98 (D ♀).

♂♀ **spiralifer** Purcell 1907. S.-Afrika
X. sp. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 318 T. 14 F. 24, 25 (D ♂♀).
X. sp. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 413 (D ♂♀).

♂♀ **spoliator** Purcell 1907. S.-Afrika
X. s. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 321 T. 14 F. 29, 30 (D ♂♀).
X. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 414 (D ♂♀).

♀ **tenebrosus** Tucker 1923. S.-Afrika
X. t. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 415 T. 10 F. 99 (D ♀).

♂♀ **vickermani** Tucker 1923. S.-Afrika
X. v. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 416 T. 10 F. 100 (D ♂♀).

♀ **zuluensis** Lawrence 1938. Zululand
X. z. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 479 f. 14 (D ♀).

Gen. **Zelotes** Gistel 1848.

Palaearktische Arten:

§ 36 ♂, 41 ♀: Simon 1878, Arachn. de France 4 p. 39—45 (sub **Prosthesima**).
§ 24 ♂, 26 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 194—200 (sub **Prosthesima**).
§ 13 ♂, 11 ♀: Soerensen 1904, Ent. Meddel. (2) 1 p. 274—278.
§ 54 (♂, ♀): Simon 1914, Arachn. de France 6 (1) p. 151—180.
§ 22 (♂, ♀): Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 13—16 TF. 108—150.
§ 17 ♂, 17 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 24—31.
§ 8 Arten: Palmgren 1943, Act. Zool. Fenn. 36 p. 99.
§ 10 ♂, 10 ♀: Tullgren 1946, Svensk Spindelfauna 3 p. 113—114.
§ 10 Arten: Denis 1952, Rev. Franc. Ent. 19 (2) p. 114.

♂ **abditus** (Menge) 1872. Preussen
Melanophora a. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 310 T. 55 F. 178 (D ♂, nec ♀).

♂o **adolescentulus** Denis 1952. Marokko
Z. a. Denis 1952, Rev. Franç. Ent. 19 (2) p. 118 f. 9—10 (D ♂o).

♀ **agilis** (C. L. Koch) 1837. Bayern
Melanophora a. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 17 (D ♀).

♂♀ **antiope** (Simon) 1878. S.-Frankreich
Prosthesima a. Simon 1878, Arachn. de France 4 p. 64 (D ♂).
Z. a. Simon 1914, Arachn. de France 6 (1) p. 174, 216 f. 364 (D ♀).

♂♀ **apricorum** (L. Koch) 1876. Mittel-, O.- u. SO.-Europa
Prosthesima a. L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 307 (D ♀).
Prosthesima a. Kulczynski 1887, Rozpraw. Ak. Umiej. Krakow 16 p. 344 T. 8 F. 66 (N ♀).
Prosthesima a. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 200 T. 8 F. 18, 20 (D ♂♀).
Prosthesima a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 59 (D ♂♀).
Z. a. Simon 1914, Arachn. de France 6 (1) p. 165, 179, 215 f. 334, 335, 385 (D ♂♀).
Z. a. Locket & Millidge 1951, Brit. Spiders I. p. 114 f. 58E; 59C, F (D ♂♀).

♀ **argoliensis** (C. L. Koch) 1839. Griechenland
Melanophora a. C. L. Koch 1839, Die Arachniden 6 p. 72 TF. 483 (D ♀).
Melanophora a. L. Koch 1866, Arachn. Fam. Drassid. p. 174 T. 7 F. 113 (D ♀).

♀ **asiaticus** (Bösenberg & Strand) 1906. Japan
Prosthesima a. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 121 T. 6 F. 78; T. 16 F. 487 (D ♀).

♀ **atlanticus** (Simon) 1909. Marokko
Melanophora a. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 18 (D ♀).
Z. a. Denis 1952, Rev. Franç. Ent. 19 (2) p. 118 (C).

♂♀ **atrocoeruleus** (Simon) 1878. Frankreich, Alpen, Dalmatien, Kleinasien
Prosthesima a. Simon 1878, Arachn. de France 4 p. 73 T. 14 F. 16 (D ♂♀).
Prosthesima pilipes Kulczynski 1898, Symb. Faun. Aran. Austr. Infer. p. 56 T. 1 F. 9, 10 (D ♂).
Prosthesima a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 66 f. 57 (D ♂).
Z. a. Simon 1914, Arachn. de France 6 (1) p. 161, 173, 214 f. 314, 315, 359 (D ♂♀).
Z. a. Denis 1936, Ann. Soc. Hist. Nat. Toulon 20 p. 2 (N ♂).

♀ **baltistanus** Caporiacco 1934. Karakorum
Z. b. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 136 T. 1 F. 12 (D ♀).

♀ **baltoroi** Caporiacco 1934. Karakorum
Z. b. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 137 T. 1 F. 15 (D ♀).

♂♀ **barbarus** (Simon) 1885. Algier, Tunis, Marokko
Prosthesima b. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 35 (D ♂♀).

♂♀ **barbatus** (L. Koch) 1866. S.-Europa, Algier, Tunis, Tripolis
Melanophora b. L. Koch 1866, Arachn. Fam. Drassid. p. 161 T. 6 F. 101—103 (D ♂♀).
Prosthesima b. Simon 1878, Arachn. de France 4 p. 45 (D ♂♀).
Prosthesima b. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 208 T. 7 F. 46; T. 8 F. 23 (D ♂♀).

Z. b. Simon 1914, Arachn. de France 6 (1) p. 153, 213 f. 282, 283 (D ♂♀).
Z. b. Denis 1952, Rev. Franç. Ent. 19 (2) p. 115 f. 1—3 (D ♂♀).

♂ **bardiae** Caporiacco 1928. Cyrenaica
Z. b. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 87 f. 4 (D ♂).

♂ **berytensis** (Simon) 1884. Syrien
Prosthesima b. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 188 f. 1, 2 (D ♂).

♀ **bimaculatus** (C. L. Koch) 1837. Italien, Ungarn, Griechenland
Melanophora b. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 17 (D ♀).
Melanophora b. C. L. Koch 1839, Die Arachniden 6 p. 81 TF. 488 (D ♀).
Prosthesima b. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 208 (N).

♂♀ **bitolensis** (Drenski) 1929. Macedonien, Bulgarien
Prosthesima b. Drenski 1929, Zeitschr. Bulgar. Ak. Wiss. 39 p. 7, 60 T. 1 F. 1, 2 (D ♀).
Prosthesima b. Drenski 1935, Mitt. Nat. Instit. Sofia 8 p. 109 f. 7 (D ♂).

♂ **brachialis** (Garneri) 1902. Sardinien
Prosthesima b. Garneri 1902, Bull. Soc. Zool. Ital. (2) 3 (4—6) p. 67 (D ♂).

♀ **bursarius** Miller 1943. Mähren
Z. b. Miller 1943, Ent. Listy, Brno 6 p. 18 f. (D ♀).

♂♀ **callidus** (Simon) 1878. Corsica
Prosthesima c. Simon 1878, Arachn. de France 4 p. 91 T. 14 F. 23 (D ♂♀).
Z. c. Simon 1914, Arachn. de France 6 (1) p. 157, 172, 219 f. 297, 298, 354 (D ♂♀).

♂♀ **caporiaccoi** nom. nov. Roewer 1951. Fezzan
Z. longestylus Caporiacco 1936, Atti Soc. Ital. Sci. Nat. 75 p. 75 f. 2, 3 (D ♂♀) (praeocc. Simon 1914).
Z. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 443 (nom. nov.).

♀ **caprearum** (Pavesi) 1875. I. Capri
Prosthesima c. Pavesi 1875, Atti Soc. Ital. Sci. Nat. 18 p. 124 (D ♀).

♂ **carbonarius** (Cambridge) 1872. Palästina
Melanophora c. Cambridge 1872, Proc. Zool. Soc. Lond. p. 242 T. 16 F. 21 (D ♂).
Prosthesima c. Simon 1878, Arachn. de France 4 p. 98 (C).

♂♀ **carmeli** (Cambridge) 1872. Mittelmeergebiet
Melanophora c. Cambridge 1872, Proc. Zool. Soc. Lond. p. 248 T. 16 F. 29 (D ♂♀).
Melanophora latipes Canestrini 1873, Atti Soc. Venet. Trent. 2 (1) p. 45 (1) (D ♂♀).
Melanophora latipes Canestrini 1874, Atti Soc. Padova 3 (2) p. 207 (4) T. 10 F. 3 (N ♂).
Prosthesima latipes Simon 1878, Arachn. de France 4 p. 78 (D ♂♀).
Prosthesima c. Simon 1878, Arachn. de France 4 p. 99 (C).
Prosthesima c. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 342 (N).
Z. c. Simon 1914, Arachn. de France 6 (1) p. 180, 219 f. 386—388 (D ♂♀).
Z. c. Denis 1952, Rev. Franc. Ent. 19 (2) p. 123 f. 21—24 (D ♂♀).

♂♀ **caucasicus** (L. Koch) 1866. Frankreich, Ungarn, Balkanländer, Creta, S.-Russland, Kaukasus, Portugal
Melanophora c. L. Koch 1866, Arachn. Fam. Drassid. p. 144 T. 6 F. 87 (D ♀).
Melanophora c. Cambridge 1872, Proc. Zool. Soc. Lond. p. 247 T. 16 F. 27 (N ♂♀).

Prosthesima tarsalis Simon 1878, Arachn. de France 4 p. 92 T. 14 F. 25 (D ♀).
Prosthesima allionica Herman 1879, Ungarns Spinn. Faun. 3 p. 185, 360 T. 7 F. 164 (D ♂).
Prosthesima c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 204, T. 8 F. 1, 21 (D ♂♀).
Z. c. Simon 1914, Arachn. de France 6 (1) p. 158, 172, 218 f. 299, 300, 355 (D ♂♀).
Z. c. Machado 1949, Publ. Inst. Zool. Porto 38 p. 11 f. 8 (N ♀).

♂♀ **cingarus** (Cambridge) 1874. Corfu, Turkestan

Prosthesima c. Cambridge 1874, Proc. Zool. Soc. Lond. p. 382 T. 51 F. 10 (D ♀).
Prosthesima c. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 19 (D ♂♀).

♂♀ **circumspectus** (Simon) 1878. N.-Mediterranea, Frankreich, Corsica, Italien, Dalmatien, Macedonien

Prosthesima c. Simon 1878, Arachn. de France 4 p. 94 T. 14 F. 26 (D ♂♀).
Prosthesima c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 205 T. 8 F. 2, 20 (D ♂♀).
Z. c. Simon 1914, Arachn. de France 6 (1) p. 157, 168, 219 f. 295, 296, 342, 343 (D ♂♀).
Z. c. Denis 1952, Rev. Franç. Ent. 19 (2) p. 123 f. 20 (N ♂).

♂♀ **civicus** (Simon) 1878. Frankreich, Schweiz, Portugal

Prosthesima c. Simon 1878, Arachn. de France 4 p. 80 T. 14 F. 20 (D ♂♀).
Prosthesima fortuita Simon 1878, Arachn. de France 4 p. 81 (D ♂♀).
Prosthesima fortuita Lessert 1904, Rev. Suisse Zool. 12 (2) p. 290 T. 5 F. 4 (N ♀).
Prosthesima fortuita Lessert 1910, Catal. Invert. Suisse; Araign. p. 68 f. 58 (D ♂♀).
Z. c. Simon 1914, Arachn. de France 6 (1) p. 158, 170, 217 f. 301—303, 347 (D ♂♀).
Z. c. Machado 1949, Publ. Inst. Zool. Porto 38 p. 13 f. 9 (N o).

♂♀ **clivicola** (L. Koch) 1870. Europa

Melanophora c. L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 26 (D ♂♀).
Prosthesima c. Simon 1878, Arachn. de France 4 p. 54 (D ♂♀, part.).
Prosthesima c. Kulczynski 1887, Rozpraw. Ak. Umiej. Krakow 16 p. 276 T. 8 F. 65 (N ♀).
Prosthesima c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 201 T. 8 F. 11, 29 (D ♂♀).
Prosthesima c. Bösenberg 1902, Zoologica 14 (2—4) p. 312 T. 29 F. 461C, D (D ♂, nec ♀).
Prosthesima subterranea Bösenberg 1902, Zoologica 14 (2—4) p. 308 T. 29 F. 454A, B (D ♀, nec ♂).
Prosthesima c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 60 (D ♂♀).
Z. c. Simon 1914, Arachn. de France 6 (1) p. 165, 179, 215 f. 332, 333, 382 (D ♂♀).
Z. c. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 33 f. 70, 86 (D ♂♀).
Z. c. Tullgren 1946, Svensk Spindelfauna 3 p. 117 f. 33C; T. 19 F. 243—245 (D ♂♀).

♀ **collinus** (Kulczynski) 1898. Österreich

Prosthesima c. Kulczynski 1898, Symb. Faun. Aran. Austr. Infer. p. 58 T. 1 F. 11 (D ♀).

♀ **costatus** Denis 1952. Marokko

Z. c. Denis 1952, Rev. Franç. Ent. 19 (2) p. 118 f. 4 (D ♀).

♀ **creticus** (Kulczynski) 1903. Creta
Prosthesima c. Kulczynski 1903, Bull. Ac. Sci. Cracov. p. 42 T. 1 F. 4 (D ♀).

♂ **criniger** Denis 1937. Algier
Z. c. Denis 1937, Proc. Zool. Soc. Lond. p. 1036 T. 2 F. 4 (D ♂).

♂ **curinus** (Cambridge) 1874. Aegypten
Prosthesima c. Cambridge 1874, Proc. Zool. Soc. Lond. p. 379 (D ♂).

♂♀ **cyanescens** Simon 1914. S.-Frankreich
Z. c. Simon 1914, Arachn. de France 6 (1) p. 166, 179, 215 f. 339, 383 (D ♂♀).

♀ **davidi** (Simon) 1884. Syrien, Tripolis
Prosthesima d. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 189 f. 3 (D ♀).

♂♀ **declinans** (Kulczynski) 1897. Oesterreich, Ungarn, Don-Gebiet
Prosthesima d. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 205 T. 8 F. 3 (D ♀).
Prosthesima d. Kulczynski 1898, Symb. Faun. Aran. Austr. Infer. p. 60 T. 1 F. 12 (D ♂).

♂ **dentatidens** Simon 1914. S.-Frankreich, Spanien
Z. d. Simon 1914, Arachn. de France 6 (1) p. 156, 217 f. 293 (D ♂).

♀ **desioi** Caporiacco 1934. Karakorum
Z. d. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 136 T. 1 F. 14 (D ♀).

♂ **distinctissimus** Caporiacco 1929. I. Aghios, Isidoros, Rhodos
Z. d. Caporiacco 1929, Arch. Zool. Ital. 13 (1—2) p. 228 (D ♂).
Z. d. Caporiacco 1948, Redia 33 p. 61 (N ♂).

♀ **egregius** Simon 1914. O.-Pyrenäen
Z. e. Simon 1914, Arachn. de France 6 (1) p. 174, 217 f. 361 (D ♀).

♂♀ **electus** (C. L. Koch) 1839. Europa
Melanophora e. C. L. Koch 1839, Die Arachniden 6 p. 83 f. 490 (D ♀).
Drassus pumilus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 108 T. 6 F. 65 (D ♀).
Melanophora bicolor L. Koch 1866, Arachn. Fam. Drassid. p. 151 T. 6 F. 93—95 (D ♂).
Drassus e. Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 413 (N).
Melanophora e. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 303 T. 54 F. 174 (D ♂♀).
Prosthesima e. Thorell 1873, Rem. Syn. Europ. Spid. p. 430 (N).
Prosthesima e. Simon 1878, Arachn. de France 4 p. 87 (D ♂♀).
Prosthesima e. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 57 (D ♂♀).
Echemus castrodunensis Getaz 1889, Bull. Soc. Vaud (3) 25 p. 63 (D ♂♀).
Prosthesima e. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 202 T. 8 F. 5, 6 (D ♀).
Z. e. Simon 1914, Arachn. de France 6 (1) p. 162, 173, 217 f. 360 (D ♂♀).
Z. e. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 35 f. 65, 77 (D ♂♀) (f. 77 err. für **exiguus** Müller-Schenkel).
Z. e. Palmgren 1943, Act. Zool. Fenn. 36 p. 102 f. (N).
Z. e. Tullgren 1946, Svensk Spindelfauna 3 p. 116 f. 33B; T. 19 F. 240—242 (D ♂♀).
Z. e. Locket & Millidge 1951, Brit. Spiders I. p. 112 f. 58A—C (D ♂♀).

♂♀ **erebeus** (Thorell) 1870. Frankreich, SO.- u. Mitteleuropa, Kaukasus

Melanophora e. Thorell 1870, Rem. Syn. Europ. Spid. p. 198 (D ♀).
Prosthesima vespertina Canestrini 1874, Atti Soc. Padova 3 (2) p. 207 (N ♀).
Prosthesima e. Simon 1878, Arachn. de France 4 p. 74 (D ♀).
Prosthesima e. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 201 T. 8 F. 9 (D ♀).
Prosthesima e. Bösenberg 1902, Zoologica 14 (2—4) p. 306 T. 28 F. 449 (D ♂♀).
Prosthesima e. Lessert 1910, Catal. Invert. Suisse; Araign. p. 65 (D ♀).
Z. e. Simon 1914, Arachn. de France 6 (1) p. 161, 173, 214 f. 316, 358 (D ♂♀).
Z. e. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 32 f. 68, 88 (D ♂♀).
Z. e. Denis 1946, Rev. Franç. Ent. 13 (1) p. 36 f. 1 (N ♀).

♂♀ **erythrocephalus** (Lucas) 1846. Algier

Drassus e. Lucas 1846, Explr. Sci. Alger.; Zool. 1 Arachn. p. 223 T. 13 F. 7 (D ♂♀).
Macaria e. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
Prosthesima e. Simon 1878, Arachn. de France 4 p. 98 (C).
Drassodes e. Denis 1937, Proc. Zool. Soc. Lond. p. 1037 T. 2 F. 5 (C ♂).

♂♀ **exiguus** (Müller & Schenkel) 1895. Savoyèn, Schweiz, Elsass

Prosthesima e. Müller & Schenkel 1895, Verh. Nat. Ver. Basel 10 p. 770 T. 14 F. 7 (D ♂♀).
Prosthesima electa Bösenberg 1902, Zoologica 14 (2—4) p. 313 T. 29 F. 464 (D ♂♀).
Prosthesima e. Lessert 1904, Rev. Suisse Zool. 12 (2) p. 291 T. 5 F. 3 (D ♂♀).
Prosthesima e. Lessert 1910, Catal. Invert. Suisse; Araign. p. 72 f. 59, 60 (D ♂♀).
Z. e. Simon 1914, Arachn. de France 6 (1) p. 159, 171, 218 f. 309, 310, 351 (D ♂♀).
Z. e. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 36 f. 63, 79 (D ♂♀) (f. 79 err. pro **electus**).

♀ **femellus** (L. Koch) 1866. Corsica, Italien, Dalmatien, Krim

Melanophora f. L. Koch 1866, Arachn. Fam. Drassid. p. 176 T. 7 F. 114 (D ♀).
Prosthesima f. Simon 1878, Arachn. de France 4 p. 60 (D ♀, nec ♂).
Z. f. Simon 1914, Arachn. de France 6 (1) p. 174, 216 f. 362, 363 (D ♀).

♂ **flagellans** (L. Koch) 1882. Mallorca

Prosthesima f. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 635 T. 20 F. 14 (D ♂).

♂ **flavimanus** (C. L. Koch) 1839. Griechenland

Melanophora f. C. L. Koch 1839, Die Arachniden 6 p. 73 TF. 484 (D ♂).
Prosthesima f. Pavesi 1877, Rendic. Ist. Lombard. (2) 10 (11) p. 327 (C).

♀ **foveolatus** (Simon) 1880. Peking

Prosthesima f. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 117 T. 3 F. 17 (D ♀).

♀ **fulvaster** (Simon) 1878. Corsica

Prosthesima f. Simon 1878, Arachn. de France 4 p. 96 T. 14 F. 30 (D ♀).
Z. f. Simon 1914, Arachn. de France 6 (1) p. 168, 219 f. 345 (D ♀).

♂♀ **fulvopilosus** (Simon) 1878. S.-Frankreich, Spanien, Balearen

Prosthesima f. Simon 1878, Arachn. de France 4 p. 61 T. 14 F, 14 (D ♂♀).
Z. f. Simon 1914, Arachn. de France 6 (1) p. 162, 178, 214 f. 317, 318, 375 (D ♂♀).
Z. f. Machado 1949, Publ. Inst. Zool. Porto 38 p. 15 f. 10 (N ♀).

♂ **fuscimanus** (Kroneberg) 1875. Turkestan
Melanophora f. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 23 T. 2 F. 2 (D ♂).

♂♀ **fuscipes** (L. Koch) 1866. Spanien, Corsica, Sizilien
Melanophora f. L. Koch 1866, Arachn. Fam. Drassid. p. 189 T. 8 F. 127—129 (D ♂♀).
Prosthesima f. Simon 1878, Arachn. de France 4 p. 51 (D ♀).
Z. f. Simon 1914, Arachn. de France 6 (1) p. 175, 216 f. 365 (D ♀).

♂♀ **fuscomicans** (Simon) 1878. Frankreich
Prosthesima f. Simon 1878, Arachn. de France 4 p. 72 (D ♀).
Z. f. Simon 1914, Arachn. de France 6 (1) p. 154, 171, 219 f. 285, 350 (D ♂♀).

♂♀ **fuscorufus** (Simon) 1878. Corsica
Prosthesima f. Simon 1878, Arachn. de France 4 p. 95 T. 14 F. 28 (D ♂♀).
Z. f. Simon 1914, Arachn. de France 6 (1) p. 156, 171, 218 f. 291, 292, 352 (D ♂♀).

♀ **fuscotestaceus** (Simon) 1878. Frankreich
Prosthesima f. Simon 1878, Arachn. de France 4 p. 97 T. 14 F. 31 (D ♀).
Z. f. Simon 1914, Arachn. de France 6 (1) p. 168, 218 f. 344 (D ♀).
Z. f. Denis 1952, Rev. Franç. Ent. 19 (2) p. 123 f. 19 (D ♀).

♂♀ **fuscus** (Thorell) 1875. S.-Russland
Prosthesima f. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 82 (D ♂♀).
Prosthesima f. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 109 (D ♂♀).

♂♀ **gallicus** Simon 1914. Frankreich, Dänemark
Prosthesima clivicola Simon 1878, Arachn. de France 4 p. 54 (D ♂♀, part.).
Z. g. Simon 1914, Arachn. de France 6 (1) p. 166, 179, 215 f. 338, 381 (D ♂♀).
Z. g. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 38 (C ♂, Canada!).

♂ **gattefossei** Denis 1952. Marokko
Z. g. Denis 1952, Rev. Franç. Ent. 19 (2) p. 120 f. 11 (D ♂).

♂ **glossus** (Strand) 1915. Palästina
Prosthesima g. Strand 1915, Arch. Naturg. 81 (A; 2) p. 140 (D ♂).

♂♀ **gracilis** (Canestrini) 1868. Modena, Dalmatien
Melanophora g. Canestrini 1868, Atti Soc. Ital. Soc. Nat. 11 p. 850 (D ♂).
Melanophora g. Canestrini 1868, Annuar. Soc. Nat. Modena 3 p. 194 (D ♂♀).
Prosthesima g. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 204 T. 7 F. 40 (D ♂♀).

♂ **gracillimus** (Cambridge) 1872. Palästina
Melanophora g. Cambridge 1872, Proc. Zool. Soc. Lond. p. 247 T. 16 F. 28 (D ♂).
Prosthesima g. Simon 1878, Arachn. de France 4 p. 99 (C).

♀ **graecus** (L. Koch) 1867. I. Tinos, Rhodos
Melanophora g. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 863 (D ♀).
Prosthesima g. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 341 (N).
Z. g. Caporiacco 1948, Redia 33 p. 61 (C).

♂ **helvolus** (Cambridge) 1872. Palästina
Melanophora h. Cambridge 1872, Proc. Zool. Soc. Lond. p. 243 T. 16 F. 23 (D ♂).
Prosthesima h. Simon 1878, Arachn. de France 4 p. 98 (C).

♂♀ **hermanii** (Chyzer) 1897. Ungarn, Balkanländer
Prosthesima tragica Herman 1879, Ungarns. Spinn. Faun. 3 p. 185, 361 T. 7 F. 165 (D ♀).
Prosthesima h. Chyzer 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 202 T. 8 F. 10 (D ♂♀).

♂♀ **hirtus** (Thorell) 1875. Franz. Riviera
Prosthesima h. Thorell 1875, Tijdschr. Ent. 18 p. 99 (D ♂).
Prosthesima h. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 106 (D ♂).
Prosthesima h. Simon 1878, Arachn. de France 4 p. 47 (D ♀).

♂♀ **holosericeus** (Simon) 1878. O.-Pyrenäen, Spanien, Portugal
Prosthesima h. Simon 1878, Arachn. de France 4 p. 47 T. 14 F. 10 (D ♂♀).
Z. h. Simon 1914, Arachn. de France 6 (1) p. 153, 213 f. 280, 281 (D ♂♀).

♂♀ **hummeli** Schenkel 1936. Mongolei
Z. h. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 255 f. 84 (D ♂♀).

♀ **ilotarum** (Simon) 1884. Attika, Naxos
Prosthesima i. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 341 (D ♀).

♂ **inauratus** (Cambridge) 1872. Palästina, Aegypten, Tripolis
Melanophora i. Cambridge 1872, Proc. Zool. Soc. Lond. p. 246 T. 16 F. 26 (D ♂).
Prosthesima i. Simon 1878, Arachn. de France 4 p. 99 (C).

♂ **incertissimus** Caporiacco 1934. Fezzan
Z. i. Caporiacco 1934, Boll. Mus. Zool. Torino (3) 44 (47) p. 10 f. 4 (D ♂).

♀ **insulanus** (L. Koch) 1867. I. Tinos
Melanophora i. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 863 (D ♀).
Prosthesima i. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 341 (N).
Z. i. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 84 (D ♀).

♀ **intricatus** Denis 1947. Oase Siwah
Z. i. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 61 T. 4 F. 4 (D ♀).

♀ **jaxartensis** (Kroneberg) 1875. Turkestan, SO.-Russland
Melanophora j. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 23 T. 2 F. 1 (D ♀).
Prosthesima iaxartensis Kulczynski 1901, in: Zool. Erg. 3. Reis. Zichy 2 p. 323 (N ♀).

♂♀ **kerimii** (Pavesi) 1880. Tunis
Prosthesima k. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 348 (D ♂♀).

♀ **kochi** (Canestrini) 1868. Oberitalien
Melanophora k. Canestrini 1868, Atti Soc. Ital. Sci. Nat. 11 p. 850 (D ♀).
Melanophora k. Canestrini 1868, Annuar. Soc. Nat. Modena 3 p. 193 (D ♀).

♀ **kulczynskii** (Bösenberg) 1902. SW.-Deutschland
Prosthesima k. Bösenberg 1902, Zoologica 14 (2—4) p. 313 T. 29 F. 463 (D ♀).

♀ **labilis** Simon 1914. O.-Pyrenäen
Z. l. Simon 1914, Arachn. de France 6 (1) p. 167, 219 (D ♀).

♂o **laetus** (Cambridge) 1872. Palästina, Aegypten
Melanophora l. Cambridge 1872, Proc. Zool. Soc. Lond. p. 241 T. 15 F. 19 (D ♂♀).
Prosthesima l. Simon 1878, Arachn. de France 4 p. 98 (C).

♂♀ **latreillei** (Simon) 1878. Europa

Drassus ater Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 25 F. C (D ♀).
Drassus ater Hahn 1834, Die Arachniden 2 p. 54 TF. 142 (D ♀).
Drassus ater Waldkenaer 1837, Hist. Nat. Ins. Apt. 1 p. 618 (D ♂♀).
Melanophora atra C. L. Koch 1839, Die Arachniden 6 p. 88 TF. 493 (D ♀).
Melanophora atra L. Koch 1866, Arachn. Fam. Drassid. p. 182 T. 7 F. 120—122 (D ♂♀).
Prosthesima atra L. Koch 1877, Abh. Nat. Ges. Nürnberg 6 p. 152 (N).
Prosthesima l. Simon 1878, Arachn. de France 4 p. 62 (D ♂♀).
Prosthesima l. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 421 (D ♂♀).
Prosthesima l. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 246 T. 16 F. 6 (D ♂♀).
Prosthesima l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 201 T. 8 F. 15, 27 (D ♂♀).
Prosthesima petiverii Bösenberg 1902, Zoologica 14 (2—4) p. 309 T. 29 F. 455 (D ♂♀).
Prosthesima atra Bösenberg 1902, Zoologica 14 (2—4) p. 309 T. 29 F. 456 (D ♂♀).
Prosthesima l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 64 (D ♂♀).
Z. l. Simon 1914, Arachn. de France 6 (1) p. 165, 177, 214 f. 330, 331, 371 (D ♂♀).
Z. l. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 32 f. 66, 81 (D ♂♀).
Z. l. Palmgren 1943, Act. Zool. Fenn. 36 p. 103 f. (N).
Z. (Archizelotes) l. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 14 (N).
Z. l. Tullgren 1946, Svensk Spindelfauna 3 p. 119 f. 34B; T. 19 F. 249—252 (D ♂♀).
Z. l. Machado 1949, Publ. Inst. Zool. Porto 38 p. 16 f. 11 (N ♀).
Z. l. Locket & Millidge 1951, Brit. Spiders I. p. 114 f. 58D, 59A, D (D ♂♀).

♀ **listeri** (Audouin) 1827. Aegypten

Drassus l. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 382 T. 5 F. 4 (D ♀).
Drassus l. Waldkenaer 1837, Hist. Nat. Ins. Apt. 1 p. 625 (D ♀).
Macaria l. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
Prosthesima l. Simon 1878, Arachn. de France 4 p. 98 (C).

♂ **longestylus** Simon 1914. Niedere Pyrenäen

Z. l. Simon 1914, Arachn. de France 6 (1) p. 158, 218 f. 301, 305 (D ♂).

♀ **longinquus** (L. Koch) 1866. Algier

Melanophora l. L. Koch 1866, Arachn. Fam. Drassid. p. 153 T. 6 F. 96 (D ♀).

♂♀ **longipes** (L. Koch) 1866. Europa, Sibirien, (Makronesien)

Melanophora l. L. Koch 1856, Arachn. fam. Drassid. p. 147 T. 6 F. 88 (D ♂).
Prosthesima femella Simon 1878, Arachn. de France 4 p. 60 (D ♂, nec ♀).
Prosthesima aenea Simon 1878, Arachn. de France 4 p. 79 T. 14 F. 18 (D ♂♀).
Prosthesima l. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 422 (D ♂♀).
Prosthesima setifera Simon 1883, Ann. Soc. Ent. France (6) 3 p. 274 T. 8 F. 7 (D ♂).
Prosthesima l. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 248 T. 16 F. 8 (D ♂♀).
Prosthesima l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 201 T. 8 F. 14, 32 (D ♂♀).
Prosthesima setifera Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 356 T. 6 F. 20, 21 (D ♂♀).
Prosthesima l. Bösenberg 1902, Zoologica 14 (2—4) p. 307 T. 29 F. 452 (D ♂♀).
Prosthesima aenea Lessert 1910, Catal. Invert. Suisse; Araign. p. 61 f. 51, 52 (D ♂♀).

Prosthesima l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 65 f. 56 (D ♂).
Z. l. Simon 1914, Arachn. de France 6 (1) p. 161, 178, 216 f. 316, 376, 378 (D ♂♀).
Z. l. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 34 f. 64, 83 (D ♂♀).
Z. (Heterozelotes) l. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 14 (N).
Z. l. Tullgren 1946, Svensk Spindelfauna 3 p. 122 f. 35A; T. 20 F. 257—259 (D ♂♀).

♂♀ **lugubris** (Cambridge) 1874. Salzkammergut

Prosthesima l. Cambridge 1874, Proc. Zool. Soc. Lond. p. 378 T. 51 F. 7 (D ♂♀).

♂♀ **lutetianus** (L. Koch) 1866. Europa (außer N.-)

Melanophora l. L. Koch 1866, Arachn. Fam. Drassid. p. 157 T. 6 F. 100 (D ♀).
Prosthesima l. Simon 1878, Arachn .de France 4 p. 78 (D ♂♀).
Prosthesima l. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 249 T. 16 F. 9 (D ♂♀).
Prosthesima l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 202 T. 7 F. 39, 48 (D ♂♀).
Prosthesima l. Bösenberg 1902, Zoologica 14 (2—4) p. 314 T. 29 F. 464½ (D ♂♀).
Prosthesima l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 67 (D ♂♀).
Z. l. Simon 1914, Arachn. de France 6 (1) p. 158, 170, 217 f. 306, 343 (D ♂♀).
Z. l. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 35 f. 61, 75 (D ♂♀).
Z. l. Palmgren 1943, Act. Zool. Fenn. 36 p. 104 f. (N).
Z. (Epizelotes) l. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 14 (N).
Z. l. Tullgren 1946, Svensk. Spindelfauna 3 p. 124 f. 35C; T. 20 F. 263—265 (D ♂♀).
Z. l. Locket & Millidge 1951, Brit. Spiders I. p. 110 f. 56C, D, H (D ♂♀).

♂♀ **lyonnetii** (Audouin) 1827. S.-Europa, Aegypten, Azoren, (Makronesien)

Drassus l. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 383 T. 5 F. 6 (D ♂).
Drassus lyonnetti Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 626 (D ♂).
Drassus secretus Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 92 (D ♀).
Prosthesima l. Simon 1878, Arachn. de France 4 p. 98 (C).
Prosthesima oceanica Simon 1883, Ann. Soc. Ent. France (6) 3 p. 273 T. 8 F. 6 (D ♀).
Prosthesima l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 208 T. 7 F. 34, 45 (D ♂♀).

♂♀ **manius** (Simon) 1878. S.-Frankreich, Spanien, Portugal, Macedonien

Prosthesima m. Simon 1878, Arachn. de France 4 p. 59 T. 14 F. 12 (D ♂♀).
Z. m. Simon 1914, Arachn. de France 6 (1) p. 163, 177, 214 f. 323, 372 (D ♂♀).

♀ **manzae** (Strand) 1908. Teneriffa

Melanophora atra C. Koch 1872, Bericht. Senckenbg. Ges. p. 96 (C).
Prosthesima m. Strand 1908, Zool. Anz. 32 (25) p. 772 (D ♀).
Prosthesima m. Strand 1915, Arch. Naturg. 81 (A; 9) p. 27 (D ♀).

♂♀ **medianus** Denis 1935. S.-Frankreich

Z. m. Denis 1935, Bull. Soc. Hist. Nat. Toulon 19 p. 118 TF. 3—5 (D ♂♀).

♀ **metellus** Roewer 1928. Creta

Z. m. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 110 T. 1 F. 16, 17 (D ♀).

♀ **minimus** Caporiacco 1936. Libysche Wüste

Z. m. Caporiacco 1936, Mem. Soc. Ent. Ital. 15 p. 114 f. 11 (D ♀).

♂ **mundus** (Kulczynski) 1897. Ungarn, Macedonien
Prosthesima m. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 207 T. 8 F. 19 (D ♂).

♀ **murcidus** Simon 1914. S.-Frankreich
Z. m. Simon 1914, Arachn. de France 6 (1) p. 178, 216 f. 374 (D ♀).

♂♀ **mutabilis** (Simon) 1878. Corsica
Prosthesima m. Simon 1878, Arachn. de France 4 p. 46 T. 14 F. 7 (D ♂♀).
Z. m. Simon 1914, Arachn. de France 6 (1) p. 153, 213 f. 282, 284 (D ♂♀).

♂ **nanus** (Thorell) 1875. Moldau
Prosthesima n. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 107 (D ♂).
Prosthesima n. Thorell 1875, Tijdschr. Ent. 18 p. 99 (D ♂).

♀ **napaeus** (L. Koch) 1876. Tirol
Prosthesima n. L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 304 (D ♀).

♂ **nilicola** (Cambridge) 1874. Aegypten
Prosthesima n. Cambridge 1874, Proc. Zool. Soc. Lond. p. 380 T. 5 F. 8 (D ♂).
Prosthesima tantula Simon 1878, Arachn. de France 4 p. 88 T. 14 F. 21 (D ♂).
Prosthesima nilotica Simon 1878, Arachn. de France 4 p. 99 (C).
Z. tantulus Simon 1914, Arachn. de France 6 (1) p. 160, 217 f. 312 (D ♂).
Melanophora nilotica Simon 1893, Hist. Nat. Araign. 1 (2) p. 366 (C).
Z. n. Dalmas 1928, Ann. Mus. Civ. Genova 50 p. 84 (N).

♂ **nitidus** (Thorell) 1875. S.-Russland
Prosthesima n. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 83 (D ♂).
Prosthesima n. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 107 (D ♂).

♂♀ **oblongus** (C. L. Koch) 1839. Europa (außer N.-)
Melanophora o. C. L. Koch 1839, Die Arachniden 6 p. 80 TF. 487 (D ♀).
Melanophora o. L. Koch 1866, Arachn. Fam. Drassid. p. 164 T. 7 F. 104—106 (D ♂♀).
Prosthesima o. Simon 1878, Arachn. de France 4 p. 55 (D ♀).
Prosthesima o. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 202 T. 8 F. 8, 24 (D ♂♀).
Prosthesima o. Bösenberg 1902, Zoologica 14 (2—4) p. 311 T. 29 F. 460 (D ♂♀).
Prosthesima o. Lessert 1910, Catal. Invert. Suisse; Araign. p. 66 (D ♀).
Z. o. Simon 1914, Arachn. de France 6 (1) p. 177, 215 f. 373 (D ♀).
Z. o. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 33 f. 72, 87 (D ♂♀).
Z. o. Kolosvary 1939, Festschr. Strand 5 p. 135 f. 6 (N).

♀ **olmypi** (Kulczynski) 1903. Kleinasien
Prosthesima o. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 639 T. 1 F. 4 (D ♀).

♂♀ **oryx** (Simon) 1879. Algier, Marokko
Prosthesima o. Simon 1879, Bull. Soc. Zool. France 4 p. 260 (D ♂♀).
Z. o. Denis 1952, Rev. Franç. Ent. 19 (2) p. 124 f. 13—14 (D ♂).

♀ **pallidepatellis** (Bösenberg & Strand) 1906. Japan
Prosthesima p. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 123 T. 16 F. 490 (D ♀).

♂♀ **pallidus** (Cambridge) 1874. Aegypten
Prosthesima p. Cambridge 1874, Proc. Zool. Soc. Lond. p. 383 T. 51 F. 11 (D ♂♀).

♂ **paroculus** Simon 1914. S.-Frankreich

Z. p. Simon 1914, Arachn. de France 6 (1) p. 159, 217 f. 309 (D ♂).

♂♀ **pedestris** (C. L. Koch) 1837. Europa

Melanophora p. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 17 (D).
Melanophora p. C. L. Koch 1839, Die Arachniden 6 p. 82 TF. 489 (D ♂).
Drassus p. Blackwall 1861, Ann. Mag. Nat. Hist. (3) 8 p. 442 (D ♂♀).
Drassus p. Cambridge 1861, Zoologist 19 p. 7558 (N).
Melanophora p. L. Koch 1866, Arachn. Fam. Drassid. p. 178 T. 7 F. 115, 116 (D♀).
Melanophora p. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 312 T. 56 F. 180 (D ♂♀).
Prosthesima p. Simon 1878, Arachn. de France 4 p. 50 (D ♂♀).
Prosthesima p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 242 T. 16 F. 3 (D ♂♀).
Prosthesima p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 208 T. 7 F. 47, 49 (D ♂♀).
Prosthesima p. Bösenberg 1902, Zoologica 14 (2—4) p. 310 T. 29 F. 453 (D ♂♀).
Prosthesima p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 71 (D ♂♀).
Z. p. Simon 1914, Arachn. de France 6 (1) p. 152, 213 f. 279 (D ♀).
Z. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 31 f. 56, 73 (D ♂♀).
Z. (Trachyzelotes) p. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 13 (N).
Z. p. Tullgren 1946, Svensk Spindelfauna 3 p. 118 f. 34A; T. 19 F. 246—248 (D ♂♀).
Z. p. Locket & Millidge 1951, Brit. Spiders I. p. 107 f. 56A, B, G (D ♂♀).

♂♀ **petrensis** (C. L. Koch) 1839. Frankreich, Mitteleuropa, Balkanländer, Krim

Melanophora p. C. L. Koch 1839, Die Arachniden 6 p. 89 TF. 494, 495 (D ♂♀).
Melanophora p. L. Koch 1866, Arachn. Fam. Drassid. p, 167 T. 7 F. 107—109 (D ♂♀).
Melanophora p. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 308 T. 55 F. 177 (D ♂, nec ♀).
Melanophora abdita Menge 1872, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 310 T. 55 F. 178 (D ♀, nec ♂).
Prosthesima p. Simon 1878, Arachn. de France 4 p. 57 (D ♂♀).
Prosthesima p. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 57 (D ♂♀).
Prosthesima p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 245 T. 16 F. 5 (D ♂♀).
Prosthesima p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 201 T. 8 F. 13, 28 (D ♂♀).
Prosthesima p. Bösenberg 1902, Zoologica 14 (2—4) p. 310 T. 29 F. 457 (D ♂♀).
Prosthesima p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 62 (D ♂♀).
Z. p. Simon 1914, Arachn. de France 6 (1) p. 164, 175, 216 f. 323, 324, 366 (D ♂♀).
Z. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 34 f. 67, 84 (D ♂♀).
Z. p. Palmgren 1943, Act. Zool. Fenn. 36 p. 103 f. (N).
Z. (Heterozelotes) p. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 14 (N).
Z. p. Tullgren 1946, Svensk Spindelfauna 3 p. 120 f. 34C; T. 20 F. 254—256 (D ♂♀).

♂ **piceus** (Kroneberg) 1875. Turkestan

Melanophora p. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 24 T. 2 F. 4 (D ♂).

♀ **picinus** (Cambridge) 1872. Syrien, Aegypten

Melanophora p. Cambridge 1872, Proc. Zool. Soc. Lond. p. 242 T. 16 F. 20 (D ♀).
Prosthesima p. Simon 1878, Arachn. de France 4 p. 98 (C).

♂ **plumigerus** (L. Koch) 1882. Mallorca

Prosthesima p. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 633 T. 20 F. 12 (D ♀).

♂♀ **poecilochroaeformis** Denis 1937. Algier

Z. p. Denis 1937, Proc. Zool. Soc. Lond. p. 1037 T. 2 F. 6, 7 (D ♂♀).

♂♀ **praeficus** (L. Koch) 1866. Europa, Turkestan

Melanophora petrensis Westring 1862, Aran. Svec. p. 356 (D ♀).
Melanophora p. L. Koch 1866, Arachn. Fam. Drassid. p. 155 T. 6 F. 97—99 (D ♂♀).
Melanophora latitans L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 28 (D ♂♀).
Melanophora moerens Thorell 1871, Rem. Syn. Europ. Spid. p. 197 (N ♀).
Prosthesima anauniensis Canestrini 1874, Atti Soc. Padova 3 (2) p. 208 (5) T. 10 F. 6, 9 (D ♀).
Prosthesima p. Simon 1878, Arachn. de France 4 p. 70 (D ♀).
Prosthesima latitans Simon 1878, Arachn. de France 4 p. 70 (D ♂♀).
Prosthesima latitans Cambridge 1881, Proc. Dorset. F. Cl. 2 p. 420 (D ♂).
Prosthesima p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 202 T. 8 F. 7, 22 (D ♂♀).
Prosthesima p. Bösenberg 1902, Zoologica 14 (2—4) p. 308 T. 29 F. 453 (D ♂♀).
Prosthesima p. Lessert 1904, Rev. Suisse. Zool. 12 (2) p. 289 T. 5 F. 17 (N ♀).
Prosthesima p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 67 (D ♂♀).
Z. p. Simon 1914, Arachn. de France 6 (1) p. 158, 172, 213 f. 307, 356 (D ♂♀).
Z. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 32 f. 62, 82 (D ♂♀).
Z. (Epizelotes) p. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 14 (N).
Z. p. Tullgren 1946, Svensk Spindelfauna 3 p. 126 f. 35D; T. 20 F. 266; T. 21 F. 267, 268 (D ♂♀).
Z. p. Locket & Millidge 1951, Brit. Spiders I. p. 112 f. 57C, D, F (D ♂♀).

♂♀ **prognathus** (Canestrini) 1874. S.-Tirol

Prosthesima p. Canestrini 1874, Atti Soc. Padova 3 (2) p. 209 (6) T. 10 F. 8 (D ♂♀).

♀ **pseudopusillus** Caporiacco 1934. Karakorum

Z. ps. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 135 T. 1 F. 13 (D ♀).

♂♀ **pumilus** (C. L. Koch) 1839. Frankreich, SO.- u. Mitteleuropa

Melanophora p. C. L. Koch 1839, Die Arachniden 6 p. 69 TF. 480, 481 (D ♂♀).
Melanophora p. Ohlert 1867, Aran. Prov. Preussen p. 96 (D ♂♀).
Prosthesima vernalis L. Koch 1872, Abh. Nat. Ges. Nürnberg 5 p. 140 T. 1 F. 17, 19 (D ♂♀).
Prosthesima vernalis Simon 1878, Arachn. de France 4 p. 85 (D ♂♀).
Prosthesima p. Simon 1878, Arachn. de France 4 p. 98 (N).
Prosthesima p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 203 T. 7 F. 38 (D ♂♀).
Prosthesima p. Bösenberg 1902, Zoologica 14 (2—4) p. 305 T. 28 F. 448 (D ♂♀).
Prosthesima p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 69 (D ♂♀).
Z. p. Simon 1914, Arachn. de France 6 (1) p. 155, 171, 218 f. 286, 353 (D ♂♀).
Z. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 36 f. 57, 78 (D ♂♀).
Z. p. Palmgren 1943, Act. Zool. Fenn. 36 p. 105 f. (N).

♂♀ **pusillus** (C. L. Koch) 1833. Europa

? Aranea nigrita Fabricius 1775, Syst. Ent. p. 432 (D).
Melanophora p. C. L. Koch 1833, in: Herrich-Schäffer Deutschl. Ins. 120 T. 22
Melanophora p. C. L. Koch 1839, Die Arachniden 6 p. 90 TF. 496 (D ♀).
Melanophora p. C. L. Koch 1843, Die Arachniden 10 p. 121 TF. 835 (D ♂).

Drassus p. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 107 T. 6 F. 64 D (♂♀).
Melanophora p. Westring 1862, Aran. Svec. p. 357 (D ♂).
Melanophora p. L. Koch 1866, Arachn. Fam. Drassid. p. 179 T. 7 F. 117—119 (D ♂♀).
Melanophora p. Ohlert 1867, Aran. Prov. Preussen p. 95 (D ♂♀).
Melanophora nigrita Thorell 1870, Rem. Syn. Europ. Spid. p. 199 (N).
Melanophora nigrita Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 311 T. 56 F. 179 (D ♂♀).
Prosthesima p. Simon 1878, Arachn. de France 4 p. 82 (D ♂♀).
Prosthesima nigrita Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 57 (D ♂♀).
Prosthesima p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 250 T. 16 F. 25 (D ♂♀).
Prosthesima p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 202 T. 7 F. 50 (D ♂♀).
Prosthesima nigrita Bösenberg 1902, Zoologica 14 (2—4) p. 306 T. 28 F. 450 (D ♂♀).
Prosthesima p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 69 (D ♂♀).
Z. p. Simon 1914, Arachn. de France 6 (1) p. 155, 170, 217 f. 289, 290, 349 (D ♂♀).
Z. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 35 f. 59, 76 (D ♂♀).
Z. p. Palmgren 1943, Act. Zool. Fenn. 36 p. 104 f. (N).
Z. (Epizelotes) p. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 14 (N).
Z. p. Tullgren 1946, Svensk Spindelfauna 3 p. 123 f. 35B; T. 20 F. 260—262 (D ♂♀).
Z. p. Locket & Millidge 1951, Brit. Spiders I. p. 110 f. 56E, F. I (D ♂♀).

♂♀ **pygmaeus** Miller 1943. Mähren

Z. p. Miller 1943, Ent. Listy, Brno 6 p. 16 f. (D ♂♀).

♂ **pyrethri** (Strand) 1915. Palästina

Prosthesima p. Strand 1915, Arch. Naturg. 81 (A; 2) p. 141 (D ♂).

♀ **quadridentatus** (Strand) 1906. Tunis

Prosthesima q. Strand 1906, Zool. Anz. 30 (19—20) p. 613 (D ♀).
Prosthesima q. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 75 (D ♀).

♀ **reconditus** Simon 1914. O.-Pyrenäen

Z. r. Simon 1914, Arachn. de France 6 (1) p. 179, 215 f. 379 (D ♀).

♀ **reconditus mediocris** Simon 1914. Hoch-Pyrenäen

Z. r. m. Simon 1914, Arachn. de France 6 (1) p. 179, 215 (D ♀).
Z. r. m. Denis 1950, Bull. Soc. Hist. Nat. Toulouse 85 (1—2) p. 80 f. 3—5 (D ♂, N ♀).

♂ **reimoseri** Roewer 1951. Süd-Frankreich

Z. piceus Simon 1914, Arachn. de France 6 (1) p. 162, 217 f. 319 (D ♂).
Z. simoni Charitonow 1928, Bull. Inst. Biol. Univ. Perm 6 (1) p. 56 (nom. nov.).
Z. r. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 443 (nom. nov.).

♂♀ **rubicundulus** (Simon) 1878. S.-Frankreich, Spanien, Portugal, Italien, Rhodos

Prosthesima r. Simon 1878, Arachn. de France 4 p. 89 (D ♂♀).
Z. r. Simon 1914, Arachn. de France 6 (1) p. 159, 166, 216 f. 311, 340 (D ♂♀).
Z. r. Caporiacco 1948, Redia 33 p. 10 (C).

♀ **rufipes** (Thorell) 1875. Krim

Prosthesima r. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 82 (D ♀).
Prosthesima r. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 110 (D ♀).

♂♀ **ruscinensis** Simon 1914. O.-Pyrenäen, Spanien
Z. r. Simon 1914, Arachn. de France 6 (1) p. 157, 169, 219 f. 295, 346 (D ♂♀).
Z. r. Denis 1935, Bull. Soc. Hist. Nat. Toulon 19 p. 117 TF. 1 (N ♀).

♂♀ **sardus** (Canestrini) 1873. Frankreich, Corsica, Sardinien, Italien
Melanophora s. Canestini 1873, Atti Soc. Veneto Trent. 2 (1) p. 46 (2) (D ♀).
Prosthesima s. Canestrini 1874, Atti Soc. Padova 3 (2) p. 206 (3) T. 10 F. 5 (N ♂♀).
Prosthesima s. Paveri 1876, Ann. Mus. Civ. Genova 8 p. 437 (D ♂).
Prosthesima s. Simon 1878, Arachn. de France 4 p. 67 (D ♂♀).
Prosthesima s. Kulczynski 1887, Rozpraw. Ak. Umiej. Krakow. 16 p. 276 T. 8 F. 62, 63 (N ♂).
Z. s. Simon 1914, Arachn. de France 6 (1) p. 164, 176, 216 f. 325, 326, 363 (D ♂♀).

♀ **schmitzii** (Kulczynski) 1899. Madeira
Prosthesima sch. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 359 T. 6 F. 32 (D ♀).

♂ **scutatus** (Cambridge) 1872. Palästina, Tripolis
Melanophora sc. Cambridge 1872, Proc. Zool. Soc. Lond. p. 244 T. 16 F. 24 (D ♂).
Prosthesima sc. Simon 1878, Arachn. de France 4 p. 98 (C).
Prosthesima sc. (? = jaffana) Strand 1915, Arch. Naturg. 81 (A; 2) p. 142 (D ♂).

♂ **segrex** (Simon) 1878. SO.-Frankreich: niedere Alpen
Prosthesima s. Simon 1878, Arachn. de France 4 p. 49 T. 14 F. 9 (D ♂).
Z. s. Simon 1914, Arachn. de France 6 (1) p. 160, 217 f. 313 (D ♂).

♀ **semibadius** (L. Koch) 1878. Baku
Prosthesima s. L. Koch 1878, Jahresber. Isis p. 42 T. 1 F. 3 (D ♀).

♂♀ **semirufus** (L. Koch) 1882. Menorca
Prosthesima s. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 636 T. 20 F. 15 (D ♀).

♂♀ **serotinus** (L. Koch) 1866. Europa, Kaukasus, Turkestan
Melanophora s. L. Koch 1866, Arachn. Fam. Drassid p. 185 T. 8 F. 123—125 (D ♂♀).
Melanophora petiverii Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 305 T. 55 F. 175 (D ♀, nec ♂).
Melanophora s. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 307 T. 55 F. 176 (D ♂).
Prosthesima tridentina Canestrini 1874, Atti Soc. Padova 3 (2) p. 207 (4) T. 10 F. 7 (D ♀).
Prosthesima s. Simon 1878, Arachn. de France 4 p. 64 (D ♂, nec ♀).
Prosthesima longipes Simon 1878, Arachn. de France 4 p. 66 (D ♀).
Prosthesima s. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 57 (D ♂♀).
Prosthesima s. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 247 T. 16 F. 7 (D ♂♀).
Prosthesima s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 201 T. 8 F. 12, 25 (D ♂♀).
Prosthesima s. Bösenberg 1902, Zoologica 14 (2—4) 311 T. 29 F. 459 (D ♂♀).
Prosthesima s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 62 (D ♂♀).
Z. s. Simon 1914, Arachn. de France 6 (1) p. 164, 175, 216 f. 367, 368 (D ♂♀).

Z. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 34 f. 71, 80 (D ♂♀).
Z. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 104 f. (N).
Z. s. Locket & Millidge 1951, Brit. Spiders I. p. 114 f. 58F; 59B, E (D ♂♀).

♂ **siculus** (Simon) 1878. Sizilien
Prosthesima s. Simon 1878, Arachn. de France 4 p. 86 (D ♂).

♂♀ **similis** (Kulczynski) 1887. Tirol, Ungarn, Bulgarien
Prosthesima s. Kulczyniki 1887, Rozpraw. Ak. Umiej. Krakow. 16 p. 343 T. 8 F. 64 (D ♀).
Prosthesima s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 200 T. 8 F. 16, 31 (D ♂♀).

♀ **similis hungaricus** Kolosvary 1944. Ungarn
Z. s. h. Kolosvary 1944, Ann. Mus. Nat. Hung. p. 27 f. 2 (D ♀).

♂♀ **simplex** Denis 1937. Algier, Oase Siwah
Z. s. Denis 1937, Proc. Zool. Soc. London p. 1036 T. 1 F. 3 (D ♂♀).
Z. s. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 59 (N ♀).

♀ **sindi** Caporiacco 1934. Karakorum
Z. s. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 138 (D ♀).

♀ **spadix** (L. Koch) 1866. Algier, Tunis, Marokko
Melanophora s. L. Koch 1866, Arachn. Fam. Drassid. p. 187 T. 8 F. 126 (D ♀).
Z. s. Denis 1952, Rev. Franç. Ent. 19 (2) p. 118 f. 5—8 (D ♂♀).

♂ **spiribulbis** Denis 1952. Marokko
Z. s. Denis 1952, Rev. Franç. Ent. 19 (2) p. 125 f. 25, 26 (D ♂).

♀ **stolidus** (Simon) 1879. Algier, Tripolis
Prosthesima st. Simon 1879, Bull. Soc. Zool. France 4 p. 261 (D ♀).

♀ **strandi** (Nosek) 1905. I. Prinkipo
Prosthesima s. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 126 T. 4 F. 7 (D ♀).

♂♀ **talpinus** (L. Koch) 1872. Tirol, Frankreich, Schweiz
Prosthesima t. L. Koch 1872, Zeitschr. Ferdinand. Tirol (3) 17 p. 307 (D ♂♀).
Prosthesima t. Simon 1878, Arachn. de France 4 p. 56 T. 14 F. 32 (D ♂♀).
Prosthesima t. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 640 T. 1 F. 5 (N ♀).
Prosthesima t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 63 f. 53—55 (D ♂♀).
Z. t. Simon 1914, Arachn. de France 6 (1) p. 176, 214 f. 370 (D ♀).

♂ **tarsalis** Fage 1929. N.-Sahara
Z. t. Fage 1929, Bull. Mus. Hist. Nat. Paris (2) 1 (4) p. 251 f. 4 (D ♂).

♂ **tenuis** (L. Koch) 1866. Italien, Dalmatien
Drassus t. L. Koch 1866, Arachn. Fam. Drassid. p. 101 T. 4 F. 65, 66 (D ♂).

♂♀ **thorelli** Simon 1914. Spanien, Frankreich, Italien, Rhodos
Prosthesima vespertina Simon 1878, Arachn. de France 4 p. 69 (D ♀).
Z. t. Simon 1914, Arachn. de France 6 (1) p. 163, 172, 214 f. 320, 321, 357 (D ♂♀).
Z. t. Caporiacco 1948, Redia 33 p. 60 (N ♂♀).

♂ **tragicus** (Cambridge) 1872. Palästina
Melanophora t. Cambridge 1872, Proc. Zool. Soc. Lond. p. 243 T. 16 F. 22 (D ♂).
Prosthesima t. Simon 1878, Arachn. de France 4 p. 98 (C).

♀ **trichopus** Roewer 1928. Creta
Z. t. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 110 T. 1 F. 15 (D ♀).

♂ **tristiculus** (Cambridge) 1874. Aegypten
Prosthesima t. Cambridge 1874, Proc. Zool. Soc. Lond. p. 377 T. 51 F. 6 (D ♂).

♂♀ **tristis** (Thorell) 1870. Schweden
Drassus subterraneus Westring 1851, Göteborg Vet. Handl. 2 p. 47 (N).
Melanophora subterranea Westring 1862, Aran. Svec. p. 355 (D ♂♀).
Melanophora t. Thorell 1870, Rem. Syn. Europ. Spid. p. 196 (D ♀).

♀ **ursinus** (Cambridge) 1872. Palästina
Melanophora u. Cambridge 1872, Proc. Zool. Soc. Lond. p. 245 T. 16 F. 25 (D ♀).
Prosthesima u. Simon 1878, Arachn. de France 4 p. 99 (C).

♀ **vespertinus** (Thorell) 1875. Frankreich, Italien, Bulgarien, Macedonien
Prosthesima v. Thorell 1875, Tijdschr. Ent. 18 p. 98 (D ♀).
Prosthesima v. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 105 (D ♀).
Z. v. Simon 1914, Arachn. de France 6 (1) p. 178, 215 f. 380 (D ♀).

♂ **villicoides** Giltay 1932. Morea
Z. v. Giltay 1932, Bull. Mus. Hist. Nat. Belg. 8 (22) p. 28 f. 18 (D ♂).
Z. v. Giltay 1933, Act. Faun. Flor. Univ. Bucuresti 1 (3—5) p. 6 T. 3 F. 4 (D ♂).

♂♀ **villicus** (Thorell) 1875. Frankreich, Mitteleuropa, Balkanländer
Prosthesima v. Thorell 1875, Tijdschr. Ent. 18 p. 100 (D ♀).
Prosthesima v. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 108 (D ♀).
Prosthesima violacea Simon 1878, Arachn. de France 4 p. 84 (D ♂).
Prosthesima calceolata Herman 1879, Ungarns Spinn. Faun. 3 p. 180, 359 T. 7 F. 163 (D ♂).
Prosthesima accepta Herman 1879, Ungarns Spinn. Faun. 3 p. 186, 361 T. 7 F. 166 (D ♀).
Prosthesima accepta Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 204 T. F. 37, 44 (D ♂♀).
Prosthesima accepta Bösenberg 1902, Zoologica 14 (2—4) p. 307 T. 28 F. 451 (D ♂♀).
Prosthesima v. Lessert 1910, Catal. Invert. Suisse; Araign. p. 70 (D ♂♀).
Z. v. Simon 1914, Arachn. de France 6 (1) p. 155, 218 f. 287, 288 (D ♂).
Z. v. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 36 f. 58 (D ♂♀).

♂♀ **vinealis** (Kulczynski) 1897. Ungarn, Dongebiet
Prosthesima v. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 203 T. 7 F. 41, 51 (D ♂♀).

♀ **violaceus** (C. L. Koch) 1839. Deutschland, Böhmen, Mähren
Melanophora v. C. L. Koch 1839, Die Arachniden 6 p. 71 TF. 482 (D ♀).
Melanophora v. L. Koch 1866, Arachn. Fam. Drassid. p. 159 (D ♀).
Prosthesima v. L. Koch 1877, Abh. Nat. Ges. Nürnberg 6 p. 152 (N).

♀ **x-notatus** (Bösenberg & Strand) 1906. Japan
Prosthesima x-n. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 122 T. 16 F. 489 (D ♀).

Transgredierende Arten:

♂♀ **ater** (Hentz) 1832. – * Palaearktis, Nearktis

Aranea petiverii Scopoli 1763, Ent. Carniol. p. 398 (D, part.).
Drassus a. Latreille 1806, Gen. Crust. Ins. 1 p. 87 (D, part.).
Drassus nocturnus Sundevall 1831, Vet. Ak. Handl. p. 136 (D, part.).
Herpyllus a. Hentz 1832, Sillimans Journ. Sci. Arts 21 p. 102 (D ♀).
Melanophora subterranea C. L. Koch 1833, in: Herrich-Schäffer, Deutschl. Ins. 120 T. 20, 21.
Filistata a. Wider 1834, Mus. Senckenbg. 1 (3) p. 202 T. 14 F. 2 (D ♂).
Melanophora subterranea C. L. Koch 1839, Die Arachniden 6 p. 85 TF. 491, 492 (D ♂♀).
Herpyllus a. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 455 T. 24 F. 2 (D ♀).
Drassus a. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 106 T. 6 F. 63 (D ♂♀).
Z. subterraneus Gistel 1848, Naturg. d. Tierreich.; Aran. p. 155 (N).
Melanophora subterranea L. Koch 1866, Arachn. Fam. Drassid. p. 170 T. 7 F. 110—112 (D ♂♀).
Melanophora subterranea Ohlert 1867, Aran. Prov. Preussen p. 95 (D ♂♀).
Melanophora petiverii Thorell 1868, Oefv. Vet. Ak. Förh. 25 p. 379 (N).
Melanophora petiverii Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 305 T. 55 F. 175 (D ♂, nec ♀).
Melanophora petrensis Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 308 T. 55 F. 177 (D ♀, nec ♂).
Prosthesima subterranea Simon 1878, Arachn. de France 4 p. 52.
Prosthesima petiverii Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 57 (D ♂♀).
Prosthesima petiverii Hansen 1885, in: Schiödte, Zool. Danica p. 138 T. 4 F. 5 (D ♂♀).
Prosthesima a. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 172 T. 3 F. 6 (D ♂♀).
Melanophora subterranea Simon 1893, Hist. Nat. Araign. 1 (2) p. 373 f. 328 (N).
Prosthesima subterranea Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 243 T. 16 F. 4 (D ♂♀).
Prosthesima subterranea Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 200 T. 8 F. 17, 30 (D ♂♀).
Prosthesima subterranea Bösenberg 1902, Zoologica 14 (2—4) p. 308 T. 29 F. 454 C, D (D ♂, nec ♀).
Prosthesima clivicola Bösenberg 1902, Zoologica 14 (2—4) p. 312 T. 29 F. 461 AB (D ♀, nec ♂).
Prosthesima subterranea Lessert 1910, Catal. Invert. Suisse; Araign. p. 59 (D ♂♀).
Z. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 148 (C).
Z. a. Comstock 1912, Spider Book p. 316 (D ♂♀).
Z. subterraneus Simon 1914, Arachn. de France 6 (1) p. 166, 179, 214 f. 336, 337, 384 (D ♂♀).
Z. fratis Chamberlin 1920, Canad. Ent. 52 p. 193 f. 19 (1) (D ♂).
Z. subterraneus Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 33 f. 69, 85 (D ♂♀).
Z. subterraneus Palmgren 1943, Act. Zool. Fenn. 36 p. 102 f. (N).
Z. subterraneus Tullgren 1946, Svensk Spindelfauna 3 p. 114 f. 33 A; T. 18 F. 237—239 (D ♂♀).
Z. subterraneus Denis 1947, Rev. Franç. Ent. 14 (2) p. 149 f. 5 (N o).
Z. subterraneus Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 356 T. 65 F. 1248—1251 (D ♂♀).

♂♀ **rusticus** (L. Koch) 1872. Palaearktis, Tonking

Prosthesima r. L. Koch 1872, Zeitschr. Ferdinand. Tirol (3) 17 p. 309 (D ♀).
Drassus razoumowskyi Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 123 f. 3 (D ♂).

Melanophora r. Canestrini 1870, Arch. Zool. Anat. Fis. Bologna 2 p. 27 (C).
Drassus cerdo Thorell 1875, Tijdschr. Ent. 18 p. 97 (D ♂).
Drassus cerdo Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 90 (D ♂).
Prosthesima larifuga Simon 1878, Arachn. de France 4 p. 90 T. 14 F. 22 (D ♂).
Prosthesima r. Simon 1878, Arachn. de France 4 p. 93 (D ♂♀).
Prosthesima r. Bertkau 1880, Verh. Nat. Ver. Rheinl. Westf. 37 p. 263 T. 6 F. 3 (N ♂♀).
Prosthesima r. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 207 T. 8 F. 4 (D ♀).
Prosthesima r. Bösenberg 1902, Zoologica 14 (2—4) p. 313 T. 29 F. 462 (D ♀♂).
Prosthesima r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 71 (D ♂♀)
Z. razoumowskyi Simon 1914, Arachn. de France 6 (1) p. 156, 167, 218 f. 294, 341 (D ♂♀).
Z. r. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 36 f. 60, 74 (D ♂♀).
Z. razoumovskyi Denis 1947, Bull. Soc. Fouad I. Ent. 31p. 60 T. 3 F. 7 (D ♀).
Z. r. Locket & Millidge 1951, Brit. Spiders I. p. 112 f. 57 A, B, E (D ♂♀).
Z. razoumovskyi Denis 1952, Rev. Franc. Ent. 19 (2) p. 121 f. 16—18 (D ♂♀).

♀ **rusticus orientalis** (Simon) 1909. Tonking
Melanophora r. o. Simon 1909, Bull. Soc. Franc. Belg. 42 p. 77 (D ♀).

Aethiopische Arten:

§ 11 ♂, 31 ♀: Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 351—353.

♀ **abbajensis** (Strand) 1906. Abessinien
Prosthesima a. Strand 1906, Zool. Anz. 30 (19—20) p. 611 (D ♀).
Prosthesima a. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 68 (D ♀).

♂♀ **aculeatus** (Purcell) 1908. S.-Afrika
Melanophora a. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 237 T. 11 F. 20 (D ♂♀).
Z. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 353 (D ♂♀).

♀ **albanicus** (Hewitt) 1915. S.-Afrika
Melanophora a. Hewitt 1915, Rec. Albany Mus. Grahamst. 3 (2) p. 100 f. 8 b (D ♀).
Z. a. Tucker 1923, Ann. S. Arf. Mus. 19 (2) p. 378 (D ♀).

♂♀ **albobivittatus** (Strand) 1906. Abessinien
Prosthesima a. Strand 1906, Zool. Anz. 30 (19—20) p. 612 (D ♂♀).
Prosthesima a. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 73 (D ♂♀).

♀ **albomaculatus** (Cambridge) 1901. Mashonaland
Prosthesima a. Cambridge 1901, Proc. Zool. Soc. Lond. p. 11 T. 5 F. 2 (D ♀).

♀ **anchora** Tucker 1923. S.-Afrika
Z. a. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 378 (D ♀).

♀ **andreinii** Reimoser 1937. Erythraea
Z. a. Reimoser 1937, Mem. Soc. Ent. Ital. 16 (1) p. 18 f. 1 (D ♀).

o **ascensionis** (Strand) 1909. I. Ascension
Prosthesima a. Strand 1909, in: Drygalsky, Dt. Südpolar-Exped. Zool. 2 p. 553 (D o).

♀ **bastardi** (Simon) 1896. Madagascar
Melanophora b. Simon 1896, Bull. Mus. Hist. Nat. Paris 2 (7) p. 334 (D ♀).

♀ **broomi** (Purcell) 1907. S.-Afrika
Melanophora b. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 329 T. 15 F. 52 (D ♀).
Z. b. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 355 (D ♀).

♂♀ **caldarius** (Purcell) 1907. S.-Afrika
Melanophora c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 330 T. 15 F. 56, 57 (D ♂♀).
Z. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 355 (D ♂♀).

♂♀ **capsula** Tucker 1923. S.-Afrika
Z. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 356 T. 9 F. 67 (D ♂♀).

♀ **comparilis** (Simon) 1885. Senegambien
Prosthesima c. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 383 (D ♀).

♀ **cordigerus** (L. Koch) 1875. Abessinien
Prosthesima c. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 45 T. 5 F. 2 (D ♀).

♂♀ **cronwrighti** (Purcell) 1907. S.-Afrika
Melanophora c. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 330 T. 15 F. 55 (D ♂♀).
Z. c. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 357 (D ♂♀).

♀ **dalotensis** (Strand) 1906. O.-Afrika
Prosthesima d. Strand 1906, Zool. Anz. 30 (19—20) p. 682 (D ♀).
Prosthesima d. Strand 1908, Arch. Naturg. 74 (I; 1) p. 23 T. 2 F. 4 (D ♀).

♀ **demonaicus** Lawrence 1927. SW.-Afrika
Z. d. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 16 T. 1 F. 9 (D ♀).

♂♀ **dorsiscutatus** (Strand) 1906. Abessinien
Prosthesima d. Strand 1906, Zool. Anz. 30 (19—20) p. 612 (D ♂♀).
Prosthesima d. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 69 (D ♂♀).

♂o **elolensis** Caporiacco 1941. Süd-Abessinien
Z. e. Caporiacco 1941, Miss. Biol. Sagan-Omo 12 Zool. 6 p. 92 f. 33 (D ♂♀).

♀ **flavitarsis** (Purcell) 1908. S.-Afrika
Melanophora f. Purcell, Denksch. Med. Nat. Ges. Jena 13 p. 238 T. 11 F. 21 (D ♀).
Z. f. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 358 (D ♀).

♀ **frenchi** Tucker 1923. S.-Afrika
Z. f. Tucker 1923, Ann. S.Afr. Mus. 19 (2) p. 358 T. 10 F. 68 (D ♀).

♂♀ **fuligineus** (Purcell) 1907. S.-Afrika
Melanophora f. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 327 T. 15 F. 44—46 (D ♂♀).
Z. f. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 359 (D ♂♀).

♀ **fuliginoides** (Hewitt) 1915. S.-Afrika
Melanophora f. Hewitt 1915, Rec. Albany Mus. Grahamst. 3 (2) p. 101 f. 8 a (D ♀).
Z. f. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 379 (D ♀).

♀ **gooldi** (Purcell) 1907. S.-Afrika
Melanophora g. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 330 T. 15 F. 53 (D ♀).
Z. g. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 360 (D ♀).

♀ **guineanus** (Simon) 1907. Portug. Guinea
Melanophora g. Simon 1907, Ann. Mus. Civ. Genova 43 p. 235 (D ♀).

♀ **hewitti** Tucker 1923. S.-Afrika
Z. h. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 360 T. 9 F. 69 A (D ♀).

♂♀ **humilis** (Purcell) 1907. S.-Afrika
Melanophora h. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 331 T. 15 F. 60, 61 (D ♂♀).
Z. h. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 361 (D ♂♀).

♀ **impexus** (Simon) 1885. Senegambien
Prosthesima i. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 383 (D ♀).

♂♀ **insipiens** (Simon) 1885. Senegambien
Prosthesima i. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 382 (D ♂♀).

♀ **invidus** (Purcell) 1907. S.-Afrika
Melanophora i. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 328 T. 15 F. 47 (D o).
Z. i. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 362 (D ♀).

♂ **katangae** Giltay 1935. Belg. Congo
Z. k. Giltay 1935, Bull. Mus. Hist. Nat. Belg. 11 (16) p. 14 f. 7—9 (D ♂).

♀ **lavus** Tucker 1923. S.-Afrika
Z. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 363 T. 9 F. 69 B (D ♀).

♀ **lightfooti** (Purcell) 1907. S.-Afrika
Melanophora l. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 329 T. 15 F. 48 (D ♀).
Z. l. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 363 (D ♀).

♂ **madagascaricus** (Strand) 1907. Madagascar
Prosthesima m. Strand 1907, Zool. Anz. 31 (23) p. 727 (D ♂).
Prosthesima m. Strand, 1907, Nyt Mag. Naturvid. 46 (1) p. 21 (D ♂).

♀ **mediocris** (Kulczynski) 1901. Erythraea
Prosthesima m. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 9 T. 1 F. 6 (D ♀).

♀ **montanus** (Purcell) 1907. O.- u. S.-Afrika
Melanophora m. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 329 T. 15 F. 51 (D ♀).
Prosthesima m. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 110 T. 1 F. 24 (D ♀).
Z. m. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 364 (D ♀).
Z. m. Kauri 1950, Fysiogr. Sällsk. Lund Förh. 20 (6) p. 12 f. 9 (D ♀).

♀ **montivagus** Tucker 1923. S.-Afrika
Z. m. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 366 T. 11 F. 71 (D ♀).

♀ **multidentatus** (Strand) 1906. Abessinien
Prosthesima m. Strand 1906, Zool. Anz. 30 (19—20) p. 611 (D ♀).
Prosthesima m. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 66 (D ♀).

♂♀ **natalensis** Tucker 1923. S.-Afrika, Zululand
Z. n. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 367 T. 11 F. 72 (D ♀).
Z. n. Lawrence 1938, Ann. S. Afr. Mus. 8 (3) p. 477 (C ♀).
Z. n. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 11 (C ♂♀).

♀ **neumanni** (Strand) 1906. Abessinien
Prosthesima n. Strand 1906, Zool. Anz. 30 (19—20) p. 681 (D ♀).
Prosthesima n. Strand 1908, Arch. Naturg. 74 (I; 1) p. 21 T. 2 F. 1 (D ♀).

♀ **o'neili** (Purcell) 1907. S.-Afrika
Melanophora o. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 332 T. 15 F. 62 (D ♀).
Z. o. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 367 (D ♀).

♀ **ornatus** Tucker 1923. S.-Afrika
Z. o. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 368 T. 11 F. 73 (D ♀).

♀ **ovambensis** Lawrence 1927. SW.-Afrika
Z. o. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 17 T. 1 F. 4 (D ♀).

♀ **pallidipes** Tucker 1923. S.-Afrika
Z. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 368 T. 11 F. 74 (D ♀).

♀ **pedimaculosus** Tucker 1923. S.-Afrika
Z. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 369 T. 11 F. 75 (D ♀).

♂♀ **pulchripes** (Purcell) 1908. S.-Afrika
Melanophora p. Purcell 1908, Denkschr. Med. Nat. Ges. Jena 13 p. 238 T. 11 F. 22, 23 (D ♂♀).
Z. p. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 370 (D ♂♀).

♀ **radiatus** Lawrence 1928. SW.-Afrika
Z. r. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 233 T. 21 F. 15 (D ♀).

♀ **ravidus** (L. Koch) 1875. Abessinien
Prosthesima r. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 48 T. 5 F. 4 (D ♀).

♀ **reduncus** (Purcell) 1907. S.-Afrika
Melanophora r. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 329 T. 15 F. 50 (D ♀).
Z. r. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 371 (D ♀).

♀ **rothschildi** (Simon) 1909. Abessinien
Melanophora r. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 31 (D ♀).
Z. r. Berland 1922, Voy. Rothschild Ethiop.; Res. Sci. Anim. Artic 1 p. 49 (D♀).

♀ **salensis** Berland 1936. Cap Verde-I.
Z. s. Berland 1936, Rev. Franc. Ent. 3 (1) p. 70 f. 3 (D ♀).

♂♀ **schoaensis** (Strand) 1906. Abessinien
Prosthesima s. Strand 1906, Zool. Anz. 30 (19—20) p. 682 (D ♀).
Prosthesima s. Strand 1908, Arch. Naturg. 74 (I; 1) p. 25 T. 2 F. 2 (D ♀).
Z. s. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 834 (D ♂).

♀ **sclateri** Tucker 1923. S.-Afrika
Z. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 373 T. 10 F. 77 (D ♀).

♀ **setigerus** (L. Koch) 1875. Abessinien
Prosthesima s. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 47 T. 5 F. 3 (D ♀).

♂ **sidama** Caporiacco 1941. Süd-Abessinien
Z. s. Caporiacco 1941, Miss. Biol. Sagan-Omo 12 Zool. 6 p. 93 f. 34 (D ♂).

♀ **simoni** (Purcell) 1907. S.-Afrika
Melanophora s. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 329 T. 15 F. 49 (D ♀).
Z. s. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 374 (D ♀).

♀ **solitarius** Lawrence 1936. Kalahari
Z. s. Lawrence 1936, Ann. Transv. Mus. 17 (2) p. 148 f. 2 (D ♀).

♀ **sorex** Denis 1944. Ober-Aegypten
Z. s. Denis 1944, Bull. Soc. Hist. Nat. Toulouse 79 (1) p. 46 T. 1 F. 12 (D ♀).

♀ **subaeneus** (Simon) 1885. Senegambien
Prosthesima s. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 382 (D ♀).

♂ **thomasi** Caporiacco 1949. Kenya
Z. t. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 430 f. 67 a, b (D ♂).

♂♀ **tristellus** (Tullgren) 1910. Ost-Afrika
Prosthesima t. Tullgren 1910, Aran. in: Sjöstedt Kilimandj. Exped. 3 (20; 6) p. 110 T. 1 F. 25 (D ♂♀).

♂♀ **tuckeri** Roewer 1951. Süd-Afrika
Z. rufipes Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 372 T. 11 F. 76 (D ♂♀).
Z. t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 444 (nom. nov.).

♂o **tullgreni** Caporiacco 1947. Ost-Afrika
Z. t. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 183 T. 2 F. 37 (D ♂♀).

♂♀ **ungula** Tucker 1923. S.-Afrika
Z. u. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 374 T. 11 F. 78 (D ♂♀).

♂♀ **vespertilionis** Tucker 1923. S.-Afrika
Z. v. Tucker 1923, Ann. S. Afr. Mus 19 (2) p. 376 T. 11 F. 79 (D ♂♀).

♀ **vryburgensis** Tucker 1923. S.-Afrika
Z. v. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 377 T. 11 F. 80 (D ♀).

♂♀ **zonognathus** (Purcell) 1907. S.-Afrika
Melanophora z. Purcell 1907, Ann. Mag. Nat. Hist. (7) 20 p. 331 T. 15 F. 58, 59 (D ♂♀).
Z. z. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 378 (D ♂♀).

Orientalische Arten:

♀ **birmanicus** (Simon) 1884. Burma
Prosthesima b. Simon 1884, Ann. Mus. Civ. Genova 20 p. 351 f. 8 (D ♀).

♀ **hospitus** (Simon) 1897. Indien
Melanophora h. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 291 (D ♀).

♀ **javanus** (Kulczynski) 1911. Java
Scotophaeus j. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 470 T. 20 F. 21, 24 (D ♀).

♂♀ **justus** (Kulczynski) 1911. Java
Prosthesima j. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 473 T. 21 F. 22, 25, 26 (D ♂♀).

♀ **nilgirinus** Reimoser 1934. Indien
Z. n. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 483 f. 8 (D ♀).

♂♀ **pexus** (Simon) 1885. Indien
Prosthesima p. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 21 T. 10 F. 20 (D ♂♀).

♀ **sarawakensis** (Thorell) 1890. Sarawak
Prosthesima s. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 362 (D ♀).

♀ **univittatus** (Simon) 1897. Indien
Melanophora u. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 291 (D ♀).

Australische Arten:

♂ **flavens** (L. Koch) 1873. W.-Australien
Prosthesima f. L. Koch 1873, Arachn. Austral. 1 (1) p. 393 T. 30 F. 9 (D ♂).

♀ **pacificus** (Simon) 1899. Hawai
Melanophora p. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 412 (D ♀).

♀ **samoensis** Berland 1934. Samoa
Z. s. Berland 1934, Ann. Soc. Ent. France 103 p. 325 f. 7, 8 (D ♀).

Neotropische Arten:

♀ **acapulcoanus** Gertsch & Davis 1940. Mexico
Z. a. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 8 TF. 13 (D ♀).

♂♀ **brasilianus** (Keyserling) 1891. Süd-Brasilien
Drassus b. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 34 T. 1 F. 13 (D ♀.
Latonigena b. Mello-Leitao 1918, Achr. Escol. Sup. Agric. 2 p. 72 f. 42 (D ♂).
Z. b. Mello-Leitao 1943, Arq. Mus. Nac. R. d. Jan. 37 p. 216 TF. 42 (♂♀).

♀ **calvinisticus** Chamberlin 1924. Nieder-Californien
Z. c. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 623 f. 63 (D ♀).

♂♀ **caracassanus** (Simon) 1892. Venezuela
Melanophora c. Simon 1892, Ann. Soc. Ent. France 61 p. 454 T. 9 F. 23, 25 (D ♂♀).
Z. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 148 (C).

♀ **catholicus** Chamberlin 1924. Nieder-Californien
Z. c. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 622 f. 62 (D ♀).

♀ **coeruleus** (Holmberg) 1876. Buenos Aires
Pythonissa c. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 133 (10) f. 9 (D ♀).

♂♀ **completus** (Banks) 1898. Mexico
Prosthesima c. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 219 T. 13 F. 22 (D ♂♀).
Z. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 148 (C).

♂♀ **desecheonis** Petrunkevitch 1930. Portorico
Z. d. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 10 f. 4—7 (D ♂♀).

♂ **directus** (Banks) 1898. Mexico
Prosthesima d. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 219 T. 13 F. 21 (D ♂).
Z. d. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 149 (C).

♂ **elytrogaster** Mello-Leitao 1944. Süd-Brasilien, Argentinien
Z. scutatus Mello-Leitao 1939, Mem. Inst. Butantan 12 p. 529 TF. 14, 15 (D ♂).
Z. scutatus Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 Zool. p. 170 f. 60 (D ♂).
Z. e. Mello-Leitao 1944, Com. Zool. Mus. Hist. Nat. Montevideo 1 (21) p. 4 (nom. nov.) (D ♂).
Z. paulistus Roewer 1951, Abh. Nat. Ver.-Bremen 32 (2) p. 444 (nom. nov. superfl.).

♂♀ **ernsti** (Simon) 1892. Venezuela
Melanophora e. Simon 1892, Ann. Soc. Ent. France 61 p. 454 T. 9 F. 21, 22 (D ♂♀).
Z. e. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 149 (C).

♀ **fidelis** (Banks) 1898. Mexico
Prosthesima f. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 219 T. 13 F. 19 (D ♀).
Z. f. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 149 (C).

♀ **galapagoensis** (Banks) 1902. Galapagos-I.
Prosthesima g. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 57 T. 1 F. 7 (D ♀).
Z. g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 149 (C).

♀ **gentilis** (Banks) 1898. Mexico
Prosthesima g. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 218 T. 13 F. 17 (D ♀).
Z. g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 149 (C).

♀ **griseus** (Banks) 1898. Nieder-Californien
Prosthesima g. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 217 T. 13 F. 33 (D ♀).
Z. g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 149 (C).

♀ **iheringi** Mello-Leitao 1943. Brasilien
Z. i. Mello-Leitao 1943, Ann. Ac. Bras. Sci. 15 (3) p. 262 (D ♀).

♂ **indecisus** (Banks) 1898. Mexico
Prosthesima i. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 220 T. 13 F. 20 (D ♂).
Z. i. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 150 (C).

♀ **keyserlingi** Roewer 1951. Uruguay, Argentinien
Prosthesima pallida Keyserling 1877, Verh. Zool. Bot. Ges. Wien 27 p. 602 T. 14 F. 22 (D ♀).
Z. pallidus Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 150 (C).
Z. k. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 444 (nom. nov.).

♀ **lividus** Mello-Leitao 1943. Argentinien
Z. l. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3 (Zool. 20) p. 111 (D ♀).

♀ **luteus** (F. Cambridge) 1899. Guatemala
Prosthesima l. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 57 T. 4 F. 16 (D ♀).
Z. l. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 150 (C).

♀ **marmoratus** Mello-Leitao 1943. West-Argentinien
Z. m. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3 (Zool. 20) p. 112 f. 13 (D ♀).

♀ **mayanus** Chamberlin & Ivie 1938. Yucatan (Höhlen)
Z. m. Chamberlin & Ivie 1938, Carnegie Inst. Wash. Publ. 491 p. 128 f. 7 (D ♀).

♂♀ **melanophorus** Mello-Leitao 1941. Nord-Argentinien
Z. m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 169 f. 59 (D ♂♀).

♀ **mexicanus** (Banks) 1898. Mexico
Prosthesima m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 217 T. 13 F. 18 (D ♀).
Z. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 150 (C).

♂♀ **moestus** (Cambridge) 1898. Mexico
Prosthesima m. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 245 T. 33 F. 2 (D ♀).
Prosthesima m. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 57 T. 4 F. 15 (N ♂♀).
Z. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 150 (C).

♂ **monachus** Chamberlin 1924. Nieder-Californien
Z. m. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 621 f. 61 (D ♂).

♀ **pallidenotatus** Mello-Leitao 1938. Argentinien
Z. p. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 113 f. 32, 33 (D ♀).

♀ **paranaensis** Mello-Leitao 1947. Brasilien
Z. p. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 279 T. 38 F. 36 (D ♀).

♀ **pauper** Mello-Leitao 1942. Argentinien
Z. p. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2 (Zool. 16) p. 413 f. 39 (D ♀).

♀ **peninsulanus** (Banks) 1898. Nieder-Californien
Prosthesima p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 217 T. 13 F. 16 (D ♀).
Z. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 150 (C).

♀ **porteri** (Simon) 1904. Chile
Melanophora p. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 89 (D ♀).
Z. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 151 (C).

♀ **protestans** Chamberlin 1924. Nieder-Californien
Z. p. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 624 f. 64 (D ♀).

♂ **pullus** (Bryant) 1936. Florida
Drassyllus p. Bryant 1936, Psyche 43 p. 95 T. 3 F. 4—5 (D ♂).
Z. p. Kaston 1945, Amer. Mus. Novit. 1290 p. 2 (N ♂).

♀ **reformans** Chamberlin 1924. Nieder-Californien
Z. r. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 625 f. 65 (D ♀).

♀ **silvestrii** (Simon) 1905. Argentinien, Patagonien
Melanophora s. Simon 1905, Boll. Mus. Torino 20 (511) p. 4 (D ♀).

Z. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 151 (C).
Z. s. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 49 (N).

♀ **tobasi** Mello-Leitao 1940. Chile
Z. t. Mello-Leitao 1940, Rev. Chil. Hist. Nat. 44 p. 234 f. 23 (D ♀).

♀ **trimaculatus** Mello-Leitao 1930. Amazonas
Z. t. Mello-Leitao 1930, Arch. Mus. R. d. Janeiro 32 p. 64 TF. 26 (D ♀).

♂ **tucumanus** Mello-Leitao 1941. Argentinien
Z. t. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 171 f. 61 (D ♂).

♀ **unanimus** Mello-Leitao 1947. Brasilien
Z. u. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 280 T. 38 F. 37 (D ♀).

♂ **uniformis** Mello-Leitao 1941. Santa Fé
Z. u. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 220 f. 31 (D ♂).

♂♀ **zonatus** (Holmberg) 1876. Buenos Aires
Pythonissa z. Holmberg 1876, An. Agr. Rep. Argent. 4 p. 133 (10) f. 10 (D ♂♀).

Nearktische Arten:

§ 6 (♂, ♀): Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 354—355.

♂ **adolescens** Chamberlin 1922. Californien
Z. a. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 166 (D ♂).

♂♀ **anthereus** Chamberlin 1936. Californien
Z. a. Chamberlin 1936, Amer. Mus. Novit. 853 p. 8 TF. 37—39 (D ♂♀).

♂ **bryantae** Roewer 1951. Massachusets, Maine
Prosthesima bimaculata Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 433 T. 6 F. 9 (D ♂).
Melanaphora bimaculata Bryant 1908, Occ. Pap. Boston Soc. Nat. Hist. 7 p. 7 (N).
Z. b. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 444 (nom. nov.).

♀ **discens** Chamberlin 1922. Californien
Z. d. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 164 (D ♀).

♂♀ **duplex** Chamberlin 1922. U. St. Amerika
Z. d. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 164 (D ♂♀).
Z. sylvanus Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 176 TF. 202, 203 (D ♂♀).
Z. d. Kaston 1945, Amer. Mus. Novit. 1290 p. 2 (N).
Z. d. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 355 T. 64 F. 1233—35 (D ♂♀).

♀ **funestus** (Keyserling) 1887. Californien
Prosthesima f. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 431 T. 6 F. 8 (D ♀).
Z. f. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 165 (N).

♀ **gynethus** Chamberlin 1920. Californien
Z. g. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 7 T. 3 F. 1 (D ♀).

♂ **inheritus** Kaston 1945. Connecticut, New York
Z. i. Kaston 1945, Amer. Mus. Novit. 1290 p. 1 TF. 6, 7, 42 (D ♂♀).
Z. i. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 356 T. 65 F. 1245—47 (D ♂♀).

♂ **laccus** (Barrows) 1919. Ohio

Prosthesima l. Barrows 1919, Ohio Journ. Sci. 19 p. 355 T. 15 F. 3 (D ♂).
Drassyllus l. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 166 (N).
Z. l. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 18 (N).
Z. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 355 T. 64 F. 1236 bis 1238 (D ♂♀).

♀ **lasalanus** Chamberlin 1928. Utah

Z. l. Chamberlin 1928, Canad. Ent. 60 (4) p. 93 (D ♀).

♀ **lymnophilus** Chamberlin 1936. Georgia, Florida

Z. l. Chamberlin 1936, Amer. Mus. Novit. 853 p. 9 TF. 47 (D ♀).
Z. cymbiolus Chamberlin 1936, Amer. Mus. Novit. 853 p. 12 TF. 40, 41 (D ♂).

♂♀ **melancholicus** (Thorell) 1877. Östl. U. St. America

Prosthesima m. Thorell 1877, Bull. U. St. Geol. Surv. 3 p. 493 (D ♀).
Prosthesima atra Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 172 T. 3 F. 6 a, d, g (D ♀, nec ♂).
Prosthesima atra Emerton 1902, Common Spiders p. 5 f. 14—16 (D ♀).
Z. hentzi Barrows 1945, Ann. Ent. Soc. Amer. 38 p. 75 T. 2 F. 5—6 (D ♂♀).
Z. hentzi Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 357 T. 65 F. 1242—1244 (D ♂♀).

♀ **monodens** Chamberlin 1936. Texas

Z. m. Chamberlin 1936, Amer. Mus. Novit. 853 p. 9 TF. 36 (D ♀).

♀ **montereus** Chamberlin 1922. Californien

Z. m. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 166 (D ♀).

♀ **nannodes** Chamberlin 1936. Utah

Z. n. Chamberlin 1936, Amer. Mus. Novit. 853 p. 10 TF. 35 (D ♀).

♂ **nannus** Chamberlin & Gertsch 1940. Utah

Z. n. Chamberlin & Gertsch 1940, Amer. Mus. Novit. 1068 p. 18 TF. 16, 17 (D ♂).

♀ **omissus** Chamberlin 1935. Californien

Z. o. Chamberlin 1935, Amer. Mus. Novit. 841 p. 19 TF. 26 (D ♀).

♀ **paludis** Chamberlin 1922. Georgia

Z. p. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 165 (D ♀).

♀ **pananus** Chamberlin 1936. Utah

Z. p. Chamberlin 1936, Amer. Mus. Novit. 853 p. 10 TF. 44 (D ♀).

♀ **perditus** Chamberlin 1922. Californien

Z. p. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 165 (D ♀).

♂o **petrophilus** Chamberlin 1936. Californien

Z. p. Chamberlin 1936, Amer. Mus. Novit. 853 p. 11 TF. 45, 46 (D ♂♀).

♂ ··**pseustes** Chamberlin 1922. Texas

Z. ps. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 164 (D ♂).

♀ **pullatus** Fox 1938. Brit. Columbia

Z. p. Fox 1938, Iowa Stat. Coll. Journ. Sci. 12 (2) p. 237 T. 2 F. 2 (D ♀).

♀ **puritanus** Chamberlin 1922. U. St. America
Z. p. Chamberlin 1922, Proc. Biol. Soc. Wash. 35 p. 164 (D ♀).
Z. shoshoneus Chamberlin 1936, Amer. Mus. Novit. 853 p. 11 TF. 42, 43 (D ♂).
Z. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 356 T. 65 F. 1239—1241 (D ♂♀).

♂♀ **tuobus** Chamberlin 1919. Utah
Z. t. Chamberlin 1919. Ann. Ent. Soc. Amer. 12 p. 247 T. 16 F. 7 (D ♂♀).
Z. t. Chamberlin 1920, Canad. Ent. 52 p. 193 f. 19 (2) (N ♂).

4. Gr. Lamponeae

Gen. **Lampona** Thorell 1870.

§ 11 Arten: L. Koch 1872, Arachn. Austral. 1 (1) p. 326.

♂ **asperrima** Hickman 1950. Reevesby-Isl.
L. a. Hickman 1950, Proc. R. Soc. Victoria 60 (N. S.) p. 11 TF. 11 (D ♂).

♀ **brevipes** L. Koch 1872. W.-Australien
L. b. L. Koch 1872, Arachn. Austral. 1 (1) p. 363 T. 28 F. 3 (D ♀).

♂♀ **cylindrata** (L. Koch) 1866. – * Australien, Neu-Seeland
Latona c. L. Koch 1866, Arachn. Fam. Drassid. p. 3 T. 1 F. 1—3 (D ♂♀).
L. sordida L. Koch 1873. Arachn. Austral. 1 (1) p. 372 T. 29 F. 3 (D ♀).
L. c. L. Koch 1873, Arachn. Austral. 1 (1) p. 373 T. 29 F. 4 (D ♂).
L. obscoena L. Koch 1873, Arachn. Austral. 1 (1) p. 376 T. 29 F. 6 (D ♀).
L. murina L. Koch 1873, Arachn. Austral. 1 (1) p. 378 T. 29 F. 7 (D ♀).
Drassus formicarius Urquhart 1886, Trans. N. Zeal. Inst. 19 p. 109 (D ♂♀).
Herpyllus formicarius Urquhart 1891, Trans. N. Zeal. Inst. 24 p. 221 (D ♀).
L. c. Simon 1893, Hist. Nat. Araign. 1 (2) p. 377 f. 331, 334 (N ♂).
L. c. Dalmas 1917, Ann. Soc. Ent. France 86 p. 350 (N).
L. murina Strand 1922, Arch. Naturg. 88 (A; 4) p. 143 (N ♀).

♀ **cylindrata herculanea** Dalmas 1917. Neu-Seeland
L. c. h. Dalmas 1917, Ann. Soc. Ent. France 86 p. 351 (D ♀).

o **fasciata** L. Koch 1872. Australien
L. f. L. Koch 1872, Arachn. Austral. 1 (1) p. 366 T. 28 F. 5 (D o).
L. f. Simon 1893, Hist. Nat. Araign. 1 (2) p. 376 f. 332, 333 (N).

♀ **flavipes** L. Koch 1872. Australien
L. f. L. Koch 1872, Arachn. Austral. 1 (1) p. 368 T. 28 F. 6 (D ♀).

♀ **foliifera** Simon 1908. W.-Australien
L. f. Simon 1908, Faun. S. W. Austral. 1 (12) p. 400 (D ♀).

♀ **macilenta** L. Koch 1873. Australien
L. m. L. Koch 1873, Arachn. Austral. 1 (1) p. 369 T. 28 F. 7 (D ♀).

♂ **obnubila** Simon 1908. W.-Australien
L. o. Simon 1908, Faun. S. W. Austal. 1 (12) p. 400 (D ♂).

♂ **paupercula** Simon 1908. W.-Australien
L. p. Simon 1908, Faun. S. W. Austral. 1 (12) p. 402 (D ♂).

♂♀ **pseudocylindrata** Strand 1922. W.-Australien
L. cylindrata Simon 1908, Faun. S. W. Austral. 1 (12) p. 401 (D ♂♀).
L. ps. Strand 1922, Arch. Naturg. 88 (A; 4) p. 143 (D ♂).

♀ **punctigera** Simon 1908. W.-Australien
L. p. Simon 1908, Faun. S. W. Austral. 1 (12) p. 399 (D ♀).

♀ **pusilla** L. Koch 1873. Australien
L. p. L. Koch 1873, Arachn. Austral. 1 (1) p. 371 T. 28 F. 8 (D ♀).

o **quadrimaculata** L. Koch 1872. Queensland
L. qu. L. Koch 1872, Arachn. Austral. 1 (1) p. 365 T. 28 F. 1 (D o).

♂o **quinqueplagiata** Simon 1908. W.-Australien
L. qu. Simon 1908, Faun. S. W. Austral. 1 (12) p. 403 (D ♂ o).

♀ **ruida** L. Koch 1873. Australien
L. r. L. Koch 1873, Arachn. Austral. 1 (1) p. 375 T. 29 F. 5 (D ♀).

♀ **scutata** Strand 1913. Centr. Australien
L. sc. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 605 (D ♀).

♀ **subaquila** Urquhart 1893. Tasmanien
L. s. Urquhart 1893, Pap. Proc. Soc. Tasman. (for 1892) p. 96 (D ♀).

5. Gr. Gnaphosoideae

Gen. **Gnaphosoides** Hogg 1896.

♂o **albopunctatus** Hogg 1896. – * Centr. u. W.-Australien
G. a. Hogg 1896, Aran. in: Rep. Horn Exped. 2 (Zool.) p. 332 (D ♂).
G. a. Simon 1908, Faun. S. W. Austral. 1 (12) p. 394 (D o).

♂♀ **signatus** Hogg 1900. Victoria
G. s. Hogg 1900, Proc. Soc. Victoria (N. S.) 13 (1) p. 93 T. 14 F. 2 (D ♂♀).

6. Gr. Symphanodeae

Gen. **Symphanodes** Rainbow 1916.

♀ **dianiphus** Rainbow 1916. Queensland
S. d. Rainbow 1916, Rec. Austral. Mus. 11 (3) p. 43 T. 14 F. 14, 15 (D ♀).

5. Subfam. Zavattaricinae

Gen. **Zavattarica** Caporiacco 1941.

♀ **bimamillata** Caporiacco 1941. – * Süd-Abessinien
Z. b. Caporiacco 1941, Miss. Biol. Sagan-Omo 12 Biol. 6 p. 98 f. 36 (D ♀).

♀ **tetramamillata** Caporiacco 1947. Ost-Afrika
Z. t. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 189 T. 2 F. 40 (D ♀).

41. Fam. PLATORIDAE

Gen. **Doliomalus** Simon 1897.

Aethiopische Arten:

♂♀ **berlandi** Lessert 1938. Belg. Congo

D. b. Lessert 1938, Rev. Zool. Bot. Afr. 30 (4) p. 453 f. 41—43 (D ♂♀).

Neotropische Arten:

♀ **cimicoides** (Nicolet) 1849. – * Chile

Delena c. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 381 T. 3 F. 6 (D ♀).
Plator c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 236 (C).
D. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 19 (N).

♀ **laminus** (Nicolet) 1849. Chile

Delena l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 381 (D ♀).
Plator l. Simon 1880, Act. Soc. Linn. Bord. 34 p. 236 (C).
D. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 18 (C).

Gen. **Plator** Simon 1880.

Palaearktische Arten:

♂♀ **insolens** Simon 1880. – * China, Manchoukuo

P. i. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 106 T. 3 F. 4, 5 (D ♀).
P. i. Simon 1880, Act. Soc. Linn. Bord. 34 p. 236 (C).
P. i. Simon 1897, Hist Nat. Araign. 2 (1) p. 18 f. 11—13 (N ♀).
P. i. Kulczynski 1901, Zool. Erg. 3 Reis. Zichy 2 p. 340 T. 13 F. 10—13 (D ♂).
P. i. Saito 1936, Rep. First Sci. Exped. Manchoukuo (5) 1 (3; 11) p. 72, 88 T. 32 (N ♀).

Orientalische Arten:

♂♀ **indicus** Simon 1897. Indien

P. i. Simon 1897, Ann. Soc. Zool. France 10 p. 256 (D ♂).
P. ixodinus Pocock 1899, Journ. Bombay Nat. Hist. Soc. 12 p. 753 (D ♀).
P. i. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 272 f. 89 (D ♂♀).

Gen. **Vectius** Simon 1897.

♂♀ **fraternus** (Mello-Leitao) 1915. S.-Brasilien

Selenops f. Mello-Leitao 1915, Broteria 13 p. 136. (D ♂♀).

♂♀ **niger** (Simon) 1880. – * Argentinien, Paraguay, Brasilien

Plator n. Simon 1880, Act. Soc. Linn. Bord. 34 p. 236 (D ♀).
V. n. Simon 1897, Hist. Nat. Araign. 2 (1) p. 19 f. 14, 15 (N ♂).
Plator n. Tullgren 1905, Ark. Zool. 2 (19) p. 40 T. 6 F. 16 (D ♂).

2. *Superfam. AMMOXENIFORMIA*

42. Fam. AMMOXENIDAE

Gen. **Ammoxenus** Simon 1893.

♂♀ **coccineus** Simon 1893. – * S.-Afrika

A. c. Simon 1893, Hist. Nat. Araign. 1 (2) p. 455 f. 432—438 (D ♂♀).

♂♀ **fallopius** Lawrence 1927. SW.-Afrika

A. f. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 26 T. 1 F. 18 (D ♂♀).

♀ **multosignatus** Simon 1910. Kalahari
A. m. Simon 1910, Denchschr. Med. Nat. Ges. Jena 16 p. 189 (D ♀).

♀ **pentheri** Simon 1896. S.-Afrika
A. p. Simon 1896, Bull. Soc. Zool. France 21 p. 222 (D ♀).

♀ **psammodromus** Simon 1910. Kalahari
A. ps. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 189 (D ♀).

3. Superfam. HOMALONYCHIFORMIA

43. Fam. HOMALONYCHIDAE

Gen. **Homalonychus** Marx 1891.

♀ **positivus** Chamberlin 1924. Nieder-Californien
H. p. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 630 f. 68 (D ♀).

♀ **selenopoides** Marx 1891. – * Nieder-Californien, Arizona
H. s. Marx 1891, Proc. Ent. Soc. Wash. 2 (1) p. 30 T. 1 F. 1 (D ♀).
H. s. Simon 1893, Hist. Nat. Araign. 1 (2) p. 413 f. 372—375 (N).

♀ **theologus** Chamberlin 1924. Nieder-Californien
H. selenopoides Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 214 (N).
H. th. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 631 f. 69 (D ♀).

Gen. **Megapyge** Caporiacco 1947.

♀ **rufa** Caporiacco 1947. Brit. Guiana
M. r. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 29 (D ♀).
M. r. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 690 TF. 108—112 (D ♀).

44. Fam. CITHAERONIDAE

Gen. **Cithaeron** Cambridge 1872.

Palaearktische Arten:

♂♀ **praedonius** Cambridge 1872. – * Syrien
C. p. Cambridge 1872, Proc. Zool. Soc. Lond. p. 273 (D ♀).
Tephlea agelenoides Simon 1878, Aradin. de France 4 p. 207 (D ♀).
C. p. Simon 1893, Hist. Nat. Araign. 1 (2) p. 386 f. 341—344 (N ♂♀).

Transgredierende Arten:

♂♀ **limbatus** (Simon) 1885. Tripolis, Aegypten, Indien
Tephlea l. Simon 1885, Bull. Soc. Zool. France 10 (4; 6) p. 36 (D ♂♀).
C. l. Simon 1893, Hist. Nat. Araign. 1 (2) p. 385 f. 345 (N ♂).

Aethiopische Arten:

o **delimbatus** Strand 1906. Abessinien, O.-Afrika
C. d. Strand 1906, Zool. Anz. 30 (19—20) p. 614 (D o).
C. d. Strand 1908, Jahresh. Ver. Nat. Württbg. 64 p. 86 (D o).
C. d. Simon 1909, Ann. Soc. Ent. Belg. 53 p. 36 (C).

♀ **semilimbatus** (Simon) 1890. Yemen
Tephlea s. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 91 (D ♀).

4. Superfam. CLUBIONAEFORMIA

45. Fam. CLUBIONIDAE

§ 9 Genera (neotrop.): Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 1—2.
§ 13 Genera (neotrop.): Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 281—282.

1. Subfam. Clubioninae

Gen. **Adcatomus** Karsch 1880.

♂ **ciudadus** Karsch 1880. Peru
A. c. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 387 T. 12 F. 13 (D ♂).

Gen. **Aysenia** Tullgren 1902.

♀ **elongata** Tullgren 1902. S.-Chile
A. e. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 54 T. 5 F. 5 (D ♀).

Gen. **Carteroniella** Strand 1907.

♂ **macroclava** Strand 1907. Capland
C. m. Strand 1907, Zool. Anz. 31 (17—18) p. 543 (D ♂).
C. m. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 688 (D ♂).

Gen. **Carteronius** Simon 1896.

♂ **argenticomus** (Keyserling) 1877. Madagascar
Chiracanthium a. Keyserling 1877, Verh. Zool. Bot. Ges. Wien 27 p. 88 T. 3 F. 3 (D ♂).
C. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 79 f. 85 (N ♂).

♀ **fuscus** Simon 1896. Mauritius
C. f. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 401 (D ♀).

♂ **helluo** Simon 1896. – * Sierra Leone
C. h. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 400 (D ♂).
C. h. Simon 1897, Hist. Nat. Araign. 2 (1) p. 88 (N).

♂ **scriptus** Simon 1896. Madagascar
C. sc. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 401 (D ♂).

♂ **vittiger** Simon 1896. Madagascar
C. v. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 401 (D ♂).

Gen. **Cheiracanthium** C. L. Koch 1839.

(Chiracanthium auct. sequ.)

Palaearktische Arten:

§ 13 ♂, 15 ♀: Simon 1878, Arachn. de France 4 p. 242—244.
§ 12 ♂, 11 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 229—232.
§ 8 ♂, 9 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 34—35 TF. 378—394.
§ 13 ♂, 12 ♀: Simon 1932, Arachn. de France 6 (4) p. 895—904.

§ 7 ♂, 7 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 71.
§ 5 ♂, 5 ♀: Tullgren 1946, Svensk Spindelfauna 3 p. 35—36.

♂♀ **abbreviatum** Simon 1878. SW.-Frankreich, Dänemark
C. a. Simon 1878, Arachn. de France 4 p. 262 (D ♀).
C. pelasgicum a. Simon 1932, Arachn. de France 6 (4) p. 904, 962 (D ♂♀).

♂♀ **adjacens** Cambridge 1885. NW.-Indien, Karakorum
C. a. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 24 T. 2 F. 17 (D ♂♀).
C. adiacens Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 219 (D ♂).

♂♀ **albidulum** (Blackwall) 1859. Madeira
Clubiona a. Blackwall 1859, Ann. Mag. Nat. Hist. (3) 4 p. 255 (D ♀).
C. fauveli Simon 1897, Ann. Soc. Ent. France 66 Bull. p. 112 (D ♂).
C. a. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 415 T. 9 F. 108—110 (N ♂).

♀ **anceps** Cambridge 1872. Syrien
C. a. Cambridge 1872, Proc. Zool. Soc. Lond. p. 255 T. 16 F. 37 (D ♀).

♂♀ **angulitarse** Simon 1878. Corsica, Algier, Ungarn
C. a. Simon 1878, Arachn. de France 4 p. 252 T. 16 F. 11 (D ♂♀).
C. gratum Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 236 T. 9 F. 53, 73 (D ♂).
C. a. Simon 1932, Arachn. de France 6 (4) p. 899, 901, 962 f. 1352, 1359 (D ♂♀).

♀ **annulipes** Cambridge 1872. Palästina, Aegypten, Spanien
C. a. Cambridge 1872, Proc. Zool. Soc. Lond. p. 254 T. 16 F. 36 (D ♀).

♀ **auenati** Caporiacco 1936. Libysche Wüste
C. au. Caporiacco 1936, Mem. Soc. Ent. Ital. 15 p. 118 f. 8 (D ♀).

♂♀ **barbarum** (Lucas) 1846. Algier
Clubiona b. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 210 T. 12 F. 8 (D ♂♀).
Anyphaena b. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 145 (C).

♂♀ **brevidens** Kroneberg 1875. Turkestan
C. b. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 18 T. 2 F. 6 (D ♂♀).

♂♀ **campestre** Lohmander 1944. Schweden
C. c. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 18 (D ♂♀).
C. c. Tullgren 1946, Svensk Spindelfauna 3 p. 40 T. 7 F. 78—80 (D ♂♀).

♀ **cretense** Roewer 1928. Creta
C. c. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 116 T. 1 F. 22 (D ♀).

♀ **cuniculum** Herman 1879. Ungarn
C. c. Herman 1879, Ungarns Spinn. Faun. 3 p. 159, 357 T. 7 F. 160 (D ♀).
C. c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 236 (D ♀).

♀ **digitivorum** Dönitz & Strand 1906. Japan
C. d. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 387 T. 7 F. 87 (D ♀).

♂ **dubium** Cambridge 1874. Aegypten
C. d. Cambridge 1874, Proc. Zool. Soc. Lond. p. 403 T. 52 F. 28 (D ♂).

♂♀ **dumetorum** (Hahn) 1833. Europa, Sibirien, Turkestan, Kamtschatka

Aranea erratica Walckenaer 1802, Faun. Paris 2 p. 219 (D) (praeocc. Oliver 1789).
Clubiona erratica Walckenaer 1805, Tabl. Aran. p. 43 (C).
Clubiona nutrix Latreille 1806, Gen. Crust. Ins. 1 p. 92 (D) (praeocc. Walckenaer 1805).
Clubiona d. Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 24 F. B (D ♀).
Clubiona nutrix Hahn 1831, Die Arachniden 2 p. 7 TF. 98 (D ♂♀).
Bolyphantes equestris C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 9 (D).
Clubiona erratica Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 602 (D ♂).
C. carnifex C. L. Koch 1839, Die Arachniden 6 p. 14 TF. 438, 439 (D ♂♀).
Clubiona nutrix Blackwall 1861, Spid. Gr. Brit. Irel. 1 T. 8 F. 85 (♀).
Clubiona erratica Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 135 T. 8 F. 86 (D ♂♀).
C. erraticum Westring 1862, Aran. Svec. p. 380 (D ♂♀).
Anyphaena erratica Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 145 (C).
C. carnifex L. Koch 1866, Arachn. Fam. Drassid. p. 258 T. 10 F. 164—166 (D ♂♀).
C. carnifex Ohlert 1867, Aran. Prov. Preussen p. 102 (D ♂♀).
C. carnifex Thorell 1870, Rem. Syn. Europ. Spid. p. 209 (N).
C. erroneum Cambridge 1873, Trans. Linn. Soc. Lond. 28 (4) 532 T. 46 F. 5 (D ♂).
C. carnifex Cambridge 1873, Trans. Linn. Soc. Lond. 28 (4) p. 529 T. 46 F. 3 (D ♂♀).
C. erraticum Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 348 T. 61 F. 198 (D ♂♀).
C. erroneum Simon 1878, Arachn. de France 4 p. 253 (D ♂♀).
C. erraticum Simon 1878, Arachn. de France 4 p. 254 (D ♂♀).
C. carnifex Dahl 1883, Schrift. Nat. Ver. Schlesw.-Holst. 5 (2) p. 55 (D ♂♀).
C. carnifex Hansen 1885, in: Schiödte, Zool. Danica p. 134 T. 4 F. 2 (D ♂♀).
C. orientale Kulczynski 1885, Denkschr. Ak. Wiss. Krakau 11 p. 45 T. 11 F. 25 (D ♂♀).
C. erroneum Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 286 T. 17 F. 26 (D ♂♀).
C. erraticum Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 287 T. 17 F. 5 (D ♂♀).
C. erraticum Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 233 T. 9 F. 65 (D ♂♀).
C. carnifex Bösenberg 1902, Zoologica 14 (2—4) p. 282 T. 26 F. 414 (D ♂♀).
C. erraticum Lessert 1910, Catal. Invert. Suisse; Araign. p. 413 (D ♂♀).
C. erraticum Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 585 (D ♂♀).
C. erraticum Reimoser 1932, Die Natur (Wien) 8 (3) p. 62 f. 8 (N ♂♀).
C. erraticum Simon 1932, Arachn. de France 6 (4) p. 902, 961, f. 1364, 1365 (D ♂♀).
C. erraticum Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 73 f. 48, 49 (D ♂♀).
C. erraticum Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 73 f. 48, 49 (D ♂♀).
C. erraticum Palmgren 1943, Act. Zool. Fenn. 36 p. 60 f. (N).
C. erraticum Tullgren 1946, Svensk Spindelfauna 3 p. 37 f. 11A; T. 6 F. 69—71 (D ♂♀).
C. erraticum Locket & Millidge 1951, Brit. Spiders I. p. 144 f. 74A, D (D ♂♀).

♂♀ **effosum** Herman 1879. Oesterreich, Ungarn, Dongebiet

C. e. Herman 1879, Ungarns Spinn. Faun. 3 p. 158, 356 T. 7 F. 159 (D ♀).
C. e. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 234 T. 9 F. 81 (D ♂♀).

♂♀ **elegans** Thorell 1875. Europa (außer N.-)

C. e. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 78 (D ♂).
C. e. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 88 (D ♂).
C. letochae L. Koch 1876, Zeitschr. Ferdiand. Tirol (3) 20 p. 309 (D ♂).
C. letochae Simon 1878, Arachn. de France 4 p. 249 (D ♂♀).
C. e. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 233 T. 9 F. 74 (D ♂♀).
C. e. Bösenberg 1902, Zoologica 14 (2—4) p. 281 T. 26 F. 411 (D ♂♀).
C. e. Simon 1932. Arachn. de France 6 (4) p. 897, 962 f. 1350, 1356 (D ♂♀).
C. e. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 74 f. 52, 53 (D ♂♀).

♂♀ **equestre** Cambridge 1874. Aegypten, Fezzan

C. e. Cambridge 1874, Proc. Zool. Soc. Lond. p. 404 T. 52 F. 29 (D ♂♀).

♀ **exilipes** (Lucas) 1846. Algier

Clubiona e. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 209 T. 12 F. 5 (D ♀).
Anyphaena e. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 139 (C).

♀ **eutittha** Bösenberg & Strand 1906. Japan

C. eu. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 289 T. 16 F. 496 (D ♀).

♂ **festae** Pavesi 1895. Palästina

C. f. Pavesi 1895, Boll. Mus. Zool. Torino 10 (216) p. 5 (D ♂).

♂♀ **fulvotestaceum** Simon 1878. S.-Frankreich

C. f. Simon 1878, Arachn. de France 4 p. 259 (D ♂♀).
C. f. Simon 1932, Arachn. de. France 6 (4) p. 899, 962 f. 1354, 1355 (D ♂♀).

♀ **gratiosum** Saito 1939. Japan

C. g. Saito 1939, Saito Ho—on Kai Mus. Res. Bull. 18 p. 28 f. 4 (1); T. 1 F. 21 (D ♀).

♂♀ **isiacum** Cambridge 1874. Aegypten, Tripolis, Fezzan, Oase Siwah

C. i. Cambridge 1874, Proc. Zool. Soc. Lond. p. 407 T. 52 F. 31 (D ♂♀).

♂♀ **japonicum** Bösenberg & Strand 1906. Japan

C. j. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 288 T. 16 F. 503 (D ♂♀).

♀ **jocohamae** Strand 1907. Japan

C. j. Strand 1907, Zool. Anz. 31 (17—18) p. 562 (D ♀).
C. j. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 43 T. 2 F. 23 (D ♀).

♀ **jovium** Denis 1947. Oase Siwah

C. j. Denis 1941, Bull. Soc. Fouad I. Ent. 31 p. 65 T. 4 F. 6 (D ♀).

♀ **kompiricola** Dönitz & Strand 1906. Japan

C. k. Dönitz & Strand 1906, in: Bösenberg & Strand, Abk. Senckenbg. Ges. 30 (1—2) p. 387 T. 7 F. 87 (D ♀).

♂♀ **lascivum** Karsch 1879. Japan

C. l. Karsch 1879, Verh. Nat. Ver. Rheinld. Westf. 36 p. 91 (D ♂♀).
C. l. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 287 T. 16 F. 502 (D ♂).
C. l. Saito 1934, Trans. Sapporo Nat. Hist. Soc. 13 (3) p. 329 f. 4 (N ♂).
C. l. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 291 T. 14 F. 48 (N ♀).

♀ **macedonicum** Drenski 1921. O.-Macedonien

C. m. Drenski 1921, Zeitschr. Bulgar. Ac. Wiss. 23 p. 49, 77 T. 1 F. 12—14 (D ♀).

♂♀ **mildei** L. Koch 1864. Mittelmeergebiet. Kaukasus

C. m. L. Koch 1864, Abh. Nat. Ges. Nürnbg. 3 (1) p. 144 (D ♂♀).
C. m. L. Koch 1866, Arachn. Fam. Drassid. p. 253 T. 10 F. 161—163 (D ♂♀).
C. m. Simon 1878, Arachn. de France 4 p. 244 (D ♂♀).
C. m. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 237 T. 9 F. 69, 80 (D ♂♀).
C. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 74 f. 81 (N ♂).
C. m. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 46 T. 2 F. 38 (N ♂).
C. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 417 (D ♂♀).
C. m. Simon 1932, Arachn. de France 6 (4) p. 897, 960 f. 1347, 1348 (D ♂♀).

♂♀ **montanum** L. Koch 1877. Bayern, Schweiz, Oesterreich, Ungarn

C. m. L. Koch 1877, Abh. Nat. Ges. Nürnbg. 6 p. 189 TF. 17, 18 (D ♂♀).
C. m. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 233 T. 9 F. 68 (D ♂♀).
C. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 414 (D ♂♀).
C. m. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 74 f. 50, 51 (D ♂♀).

♀ **occidentale** L. Koch 1881. Balearen

C. o. L. Koch 1881, Verh. Zool. Bot. Ges. Wien 31 p. 637 T. 20 F. 16 (D ♀).

♂♀ **oncognathum** Thorell 1871. Mittel- u. SO.-Europa

C. nutrix L. Koch 1864, Abh. Nat. Ges. Nürnberg 3 (1) p. 139 (D ♂♀).
C. nutrix L. Koch 1866, Arachn. Fam. Drassid. p. 248 T. 10 f. 158—160 (D ♂♀).
C. o. Thorell 1871, Rem. Syn. Europ. Spid. p. 208 (N).
C. o. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 343 T. 60 F. 196 (D ♂♀).
C. o. Simon 1878, Arachn. de France 4 p. 245 (D ♂♀).
C. o. Simon 1897, Hist. Nat. Araign. 2 (1) p. 79 f. 83 (N ♂).
C. o. Bösenberg 1902, Zoologica 14 (2—4) p. 281 T. 26 F. 412 (D ♂♀).
C. o. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 585 (D ♂♀).
C. o. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 71 f. 43—45 (D ♂♀).
C. o. Palmgren 1943, Act. Zool. Fenn. 36 p. 59 f. (N).
C. o. Tullgren 1946, Svensk Spindelfauna 3 p. 36 T. 5 F. 66—68 (D ♂♀).

♂♀ **pelasgicum** (C. L. Koch) 1837. Mittelmeergebiet, Madeira, Canaren, Krim, Karakorum

Bolyphantes p. C. L. Koch 1837, Übers. Arachn. Syst. 1 p. 9 (N),
C. p. C. L. Koch 1837, Die Arachniden 6 p. 12 TF. 436, 437 (D ♂♀).
Clubiona ornata Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 211 T. 12 F. 6 (D ♀).
C. p. L. Koch 1864, Abh. Nat. Ges. Nürnbg. 3 (1) p. 158 (D ♂♀).
Anyphaena p. Simon 1864, Hist. Nat. Aaraign. (1 Ed.) p. 145 (C.).
Anyphaena ornata Simon 1864, Hist. Nat. Araign. (1 Ed.) p. 145 (C).
C. p. L. Koch 1866, Arachn. Fam. Drassid. p. 243 T. 10 F. 156 (D ♂♀).
C. p. Simon 1878, Arachn. de France 4 p. 256 (D ♂♀).
C. p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 233 T. 9 F. 52 (D ♂♀).
C. p. Simon 1932, Arachn. de France 6 (4) p. 904, 962 f. 1368 (D ♂♀).

♂♀ **pennatum** Simon 1878. S.-Frankreich, Corsica

C. p. Simon 1878, Arachn. de France 4 p. 257 T. 16 F.10 (D ♂♀).
C. p. Simon 1932, Arachn. de France 6 (4) p. 904, 962 f. 1369, 1370 (D ♂♀).

♂♀ **pennyi** Cambridge 1873. Mittel-, W.- u. SO.-Europa, Kaukasus, Armenien, Sibirien

C. p. Cambridge 1873, Trans. Linn. Soc. Lond. 28 (4) p. 533 T. 46 F 6 (D ♂).
C. p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 233 T. 9 F. 71, 77 (D ♂♀).
C. p. Bösenberg 1902, Zoologica 14 (2—4) p. 283 T. 26 F. 415 (D ♂♀).
C. p. Ermolajew 1928, Arch. Naturg. 92 (A; 7) p. 99 f. 2 (D ♂).
C. p. Simon 1932, Arachn. de France 6 (4) p. 904. 961 f. 1366, 1367 (D ♂♀).
C. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 72 f. 46, 47 (D ♂♀).
C. p. Locket & Millidge 1951, Brit. Spiders I. p. 145 f. 74C (D ♂♀).

♂♀ **punctorium** (Villers) 1789. – * Europa, Turkestan

Aranea p. Villers 1789, Linn. Ent. Faun. Suec. Descr. 4 p. 128 T. 11 F. 9 (D ♂).
Aranea nutrix Walckenaer 1802, Faun. Paris. 2 p. 220 (D).
Clubiona nutrix Walckenaer 1805, Tabl. Aran. p. 43 (N).
Clubiona nutrix Walckenaer 1825, Aran. Franc. p. 135 (D).
Drassus maxillosus Wider 1834, Mus. Senckenbg. 1 (3) p. 209 T. 14 F. 8 (D ♀).
Clubiona nutrix Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 601 (D ♂♀).
C. nutrix C. L. Koch 1839, Die Arachniden 6 p. 9 TF. 434, 435 (D ♂♀, part.).
Anyphaena nutrix Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 145 (C).
C. nutrix Ohlert 1867, Aran. Prov. Preußen p. 102 (D ♂♀).
C. italicum Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 851 (D ♂).
C. italicum Canestrini & Pavesi 1870, Arch. Zool. An. Fis. Bologna 2 p. 114 (8) T. 4 F. 3 (C ♂).
C. nutrix Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 346 T. 60 F. 197 (D ♂♀).
C. p. Simon 1878, Arachn. de France 4 p. 247 (D ♂♀).
C. nutrix Dahl 1883, Schrift. Nat. Ver. Schlesw.-Holst. 5 (2) p. 55 (D ♂♀).
C. nutrix Hansen 1885, in: Schiödte, Zool. Danica p. 135 (D ♂♀).
C. p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 284 T. 17 F. 4 (D ♂♀).
C. p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 234 T. 9 F. 51 (D ♂♀).
C. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 88 f. 78 (N).
C. nutrix Bösenberg 1902. Zoologica 14 (2—4) p. 283 T. 26 F. 416 (D ♂♀).
C. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 415 (D ♂♀).
C. p. Simon 1932, Arachn. de France 6 (4) p. 897, 900, 961 f. 1349, 1357 (D ♂♀).
C. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 75 f. 54, 55 (D ♂♀).
C. p. Tullgren 1946, Svensk Spindelfauna 3 p. 38 T. 6 F. 72—74 (D ♂♀).

♀ **rehobothense** Strand 1915. Palästina

C. r. Strand 1915, Arch. Naturg. 81 (A; 2) p. 158 (D ♀).

♂♀ **rupestre** Herman 1879. Ungarn, Slavonien, Kroatien

C. r. Herman 1879, Ungarns Spinn. Faun. 3 p. 157, 356 T. 7 F. 158 (D ♀).
C. r. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 235 T. 9 F. 42, 62, 78 (D ♂♀).

♂ **salsicola** Simon 1932. S.-Frankreich

C. s. Simon 1932, Arachn. de France 6 (4) p. 899, 963 f. 1351 D ♂).

♂♀ **seidlitzii** L. Koch 1864. Mittelmeergebiet, Turkestan

C. s. L. Koch 1864, Abh. Nat. Ges. Nürnbg. 3 (1) p. 154 (D ♂♀).
C. s. L. Koch 1866, Arachn. Fam. Drassid. p. 264 T. 11 F. 169—171 (D ♂♀).
? C. fasciatum Thorell 1873, Rem. Syn. Europ. Spid. p. 432 (N).
C. s. Simon 1878, Arachn. de France 4 p. 250 T. 16 F. 10 (D ♂♀).
C. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 233 T. 9 F. 63 (D ♂).

C. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 79 f. 84 (N ♂).
C. siedlitzi Simon 1932, Arachn. de France 6 (4) p. 902, 961 f. 1362, 1363 (D ♂♀).

♀ **strasseni** Strand 1915. Palästina
C. st. Strand 1915, Arch. Naturg. 81 (A; 2) p. 156 (D ♀).

♀ **strasseni aharonii** Strand 1915. Palästina
C. st. a. Strand 1915, Arch. Naturg. 81 (A; 2) p. 157 (D ♀).

♀ **streblowii** L. Koch 1879. W.-Sibirien
C. st. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 93 T. 3 F. 10 (D ♀).

♂♀ **striolatum** Simon 1878. W.-Mittelmeergebiet
C. st. Simon 1878, Arachn. de France 4 p. 263 (D ♂♀).
S. st. Simon 1932, Arachn. de France 6 (4) p. 901, 962 f. 1360, 1361 (D ♂♀).

♂♀ **tenue** Denis 1947. Oase Siwah
C. t. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 66 T. 4 F. 7—8 (D ♂♀).

♂ **unicum** Bösenberg & Strand 1906. Japan
C. u. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 287 T. 16 F. 501 (D ♂).

♂♀ **virescens** (Sundevall) 1832. Europa (außer SW.-), Sibirien
Clubiona v. Sundevall 1832, Vet. Ak. Handl. p. 267 (D ♂♀).
C. nutrix Westring 1862, Aran. Svec. p. 378 (D ♂♀).
C. nutrix Cambridge 1873, Trans. Linn. Soc. Lond. 28 (4) p. 531 T. 46 F. 4 (D ♂♀).
C. candidum Simon 1878, Arachn. de France 4 p. 258 (D ♂♀).
C. lapidicolens Simon 1878, Arachn. de France 4 p. 261 (D ♂♀).
C. lapidicolens Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 289 T. 17 F. 6 (D ♂♀).
C. lapidicolens Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 234 T. 9 F 67 (D ♂♀).
C. lapidicolens Bösenberg 1902, Zoologica 14 (2—4) p. 282 T. 26 F. 413 (D ♂♀).
C. lapidicolens Lessert 1910, Catal. Invert. Suisse; Araign. p. 416 (D ♂♀).
C. v. Simon 1918, Ann. Soc. Ent. France 87 Bull. p. 201 (N).
C. lapidicolens Schenkel 1925, Rev. Suisse Zool. 32 (19) p. 307 (N ♀).
C. lapidicolens Ermolajew 1928, Arch. Naturg. 92 (A, 7) p. 105 f. 6 (D ♂♀).
C. v. Simon 1932, Arachn. de France 6 (4) p. 899, 901, 962 f. 1353, 1358 (D ♂♀).
C. lapidicolens Saito 1936, Rep. 1. Sci. Exped. Manschoukuo (5) 1 (3) p. 17, 76 T. 11 (N ♀).
C. v. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 76 f. 56, 57 (D ♂♀).
C. v. Palmgren 1943, Act. Zool. Fenn. 36 p. 60 f. (N).
C. nutrix Tullgren 1946, Svensk Spindelfauna 3 p. 39 f. 11B; T. 6 F. 75—77 (D ♂♀).
C. v. Locket & Millidge 1951, Brit. Spiders I. p. 146 f. 74B, E (D ♂♀).

Aethiopische Arten:

§ 3 ♂, 5 ♀: Simon 1910, Ann. Mus. Civ. Genova 44 p. 343.

♂♀ **abyssinicum** Strand 1906. Abessinien
C. a. Strand 1906, Zool. Anz. 30 (19—20) p. 633 (D ♂♀).
C. a. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 687 (D ♂).
C. a. Strand 1908, Arch. Naturw. Christiania 29 (2) p. 35 (D ♂♀).

♂♀ **aculeatum** Simon 1884. Nil-Sudan
C. a. Simon 1884, Bull. Soc. Zool. France 9 p. 26 T. 1 F. 5, 6 (D ♂♀).

♂ **affine** Kulczynski 1901. Erythraea
C. a. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 48 T. 2 F. 41, 43, 46 (D ♂).

♂♀ **africanum** Lessert 1921. O.-Afrika, Congo, Natal
C. a. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 411 f. 41—44 (D ♂♀).
C. a. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 137 f. 19 (N ♂♀).
C. a. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 32 (N ♀).

O♀ **agnosticum** Strand 1906. Abessinien
C. a. Strand 1906, Zool. Anz. 30 (19—20) p. 633 (D O ♀).
C. a. Strand 1908, Arch. Naturw. Christiania 29 (2) p. 38 (D O ♀).

♂ **akermani** Lawrence 1942. Natal
C. a. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 170 f. 21 (D ♂).

♀ **bibundicum** Strand 1908. Camerun
C. b. Strand 1908, Jahrb. Nassau, Ver. Nat. 61 p. 272 (D ♀).

♀ **camerunense** Strand 1906. Camerun
C. c. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 75 (D ♀).

♂ **castum** Lawrence 1927. SW.-Afrika
C. c. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 44 T. 3 F. 70 (D ♂).

♂♀ **clavigerum** Simon 1897. Natal
C. c. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 8 (D ♂♀).

♂♀ **debile** Simon 1890. Yemen
C. d. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 111 (D ♂♀).

♂ **denisi** Caporiacco 1939. Aethiopien
C. d. Caporiacco 1939, Real Accad. Ital. p. 354 f. 16 (D ♂).

♀ **escalerai** Simon 1903. Span. Guinea
C. e. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 103 (D ♀).

♂♀ **filipes** Simon 1898. Natal, Kalahari, Congo
C. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 206 (D ♂).
C. f. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 140 f. 21 (D ♂♀).

♀ **franganilloi** Caporiacco 1949. Kenya
C. f. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 438 f. 72 (D ♀).

♂ **furculatum** Karsch 1879. W.-Afrika
C. f. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 342 (D ♂).

♂ **geniculosum** Simon 1885. Senegambien
C. g. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 380 (D ♂).

♂ **hewitti** Lessert 1921. O.-Afrika
C. h. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 416 f. 51, 52 (D ♂).

♂ **hoggi** Lessert 1921. O.-Afrika, Kalahari, Abessinien
C. h. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 409 f. 39, 40 (D ♂).

o **hottentottum** Strand 1907. Capland
C. h. Strand 1907, Zool. Anz. 31 (17—18) p. 543 (D o).
C. h. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 685 (D o).

♀ **imbelle** Caporiacco 1947. O.-Afrika
C. i. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 195 T. 2 F. 42 (D ♀).

♀ **joculare** Simon 1910. I. Principe, SW.-Afrika
C. j. Simon 1910, Ann. Mus. Civ. Genova 44 p. 349 f. 7 (D ♀).

♂ **kibonotense** Lessert 1921. O.-Afrika
C. k. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 415 f. 48—50 (D ♂).
C. k. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 194 (N ♂).

♂ **kiwunum** Strand 1915. Am Kiwu-See
C. k. Strand 1915, Arch. Naturg. 81 (A, 11) p. 83 (D ♂).

♂♀ **lawrencei** Roewer 1951. SW.-Afrika, Kalahari
C. inornatum Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 43 T. 2 F. 31, 32; T 3 F. 69 (D ♂♀).
C. inornatum Lawrence 1936, Ann. Transv. Mus. 17 (2) p. 155 (N ♀).
C. l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♂ **leucophaeum** Simon 1896. Madagascar
C. l. Simon 1896, Ann. Soc. Ent. France 65 p. 502 (D ♂).

♂ **ludovici** Lessert 1921. O.-Afrika
C. l. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 413 f. 45—47 (D ♂).

♂♀ **mauense** Caporiacco 1949. Kenya
C. m. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 433 f. 68 a, b (D ♂♀).

♂♀ **melanostomellum** Roewer 1951. W.- u. SW.-Afrika
C. melanostoma Simon 1910, Ann. Mus. Civ. Genova 44 p. 346 f. 5 (D ♂♀).
C. m. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 444 (nom. nov.).

♂ **mellissii** Cambridge 1873. St. Helena
C. m. Cambridge 1873, Proc. Zool. Soc. Lond. p. 214 T. 24 F. 4 (D ♂).

♂♀ **mellitum** Simon 1910. Portug. Guinea
C. m. Simon 1910, Ann. Mus. Civ. Genova 44 p. 348 f. 6 (D ♂♀).

♂ **micheli** Simon 1901. Abessinien
C. m. Simon 1901, Ann. Soc. Ent. France 70 p. 23 (D ♂).

♀ **mohasicum** Strand 1915. O.-Afrika
C. m. Strand 1915, Arch. Naturg. 81 (A; 11) p. 85 (D ♀).

♂♀ **molle** L. Koch 1875. Abessinien
C. m. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 53 T. 5 F. 7 (D ♂♀).
C. m. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 45 T. 2 F. 39, 40, 45 (N ♂)

♀ **nairobii** Caporiacco 1949. Kenya
C. n. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 435 f. 69 (D ♀).

♂ **natalense** Lessert 1923. Natal
C. n. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 186 f. 34, 35 (D ♂).

♂♀ **pallicolor** Strand 1906. Abessinien, O.-Afrika
C. p. Strand 1906, Zool. Anz. 30 (19—20) p. 633 (D ♂♀).
C. p. Strand 1908, Arch. Naturw. Christiania 29 (2) p. 40 (D ♂♀).
C. p. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 195 (N ♀).

♀ **pauciaculeis** Strand 1906. Abessinien
C. p. Strand 1906, Zool. Anz. 30 (19—20) p. 634 (D ♀).

♀ **peregrinum** Thorell 1899. Camerun
C. p. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 17 (D ♀).
C. p. Simon 1910, Ann. Mus. Civ. Genova 44 p. 345 f. 4 (D ♀).

♀ **perincertum** Caporiacco 1940. Abessinien
C. p. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 839 f. 39 (D ♀).

♂ **planum** Cambridge 1873. St. Helena
C. p. Cambridge 1873, Proc. Zool. Soc. Lond. p. 215 T. 24 F. 5 (D ♂).

♂ **proximum** Kulczynski 1901. Erythraea
C. p. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 46 T. 2 F. 42, 44, 47 (D ♀).

♀ **punctipedellum** Caporiacco 1949. Kenya
C. p. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 437 f. 71 (D ♀).

♂ **reimoseri** Caporiacco 1940. Abessinien
C. r. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 838 f. 38 (D ♂).

♀ **ruwenzoricola** Strand 1915. O.-Afrika
C. r. Strand 1915, Arch. Naturg. 81 (A; 11) p. 84 (D ♀).

♀ **sansibaricum** Strand 1907. Sansibar
C. s. Strand 1907, Zool. Anz. 31 (23) p. 738 (D ♀).
C. s. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 115 (D ♀).

♀ **schenkeli** Caporiacco 1949. Kenya
C. s. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 436 f. 70 (D ♀).

♂♀ **silvicola** Lawrence 1938. Zululand
C. s. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 499 f. 25, 26 (D ♂♀).

♀ **simplex** Thorell 1899. Camerun
C. s. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 18 (D ♀).

♂♀ **simplicitarse** Simon 1910. SW.-Afrika
C. s. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 200 (D ♂♀).

♂ **socotrense** Pocock 1903. Sokotra
C. s. Pocock 1903, in: Forbes, Nat. Hist. Sokotra p. 195 (D ♂).

♂♀ **somalinum** Pavesi 1895. Somaliland
C. s. Pavesi 1895, Boll. Scient. 17 p. 41 (D ♂♀).

♀ **subyemenense** Caporiacco 1947. Aethiopien
C. s. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 196 T. 2 F. 43 (D ♀).

♂ **tetragnathoide** Caporiacco 1949. Kenya
C. t. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 438 f. 73 (D ♂).

♀ **vansoni** Lawrence 1936. Kalahari
C. v. Lawrence 1936, Ann. Transv. Mus. 17 (2) p. 155 f. 7 (D ♀).

♂ **verneti** Lessert 1929. Congo
C. v. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 138 f. 20 (D ♂).

♂ **yemenense** Simon 1882. Yemen, Somaliland
C. y. Simon 1882, Ann. Mus. Civ. Genova 18 p. 240 T. 8 F. 16 (D ♂).
C. y. Strand 1908, Arch. Naturw. Christiania 29 (2) p. 33 (D ♂).

Orientalische Arten:
§ 6 ♂, 5 ♀: Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 262.

♀ **approximatum** Cambridge 1885. NW.-Indien
C. a. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 26 T. 2 F. 18 (D ♀).

♂ **bantaengi** Merian 1911. Celebes
C. b. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 280 (D ♂).

O♀ **caudatum** (Thorell) 1887. Burma
Eutittha c. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 58 (D ♀).
Eutittha c. Thorell 1895, Descr. Catal. Spid. Burma p. 44 (N O).
C. c. Simon 1901, Proc. Zool. Soc. Lond. (2; 4) p. 67 (N).

♂ **conflexum** Simon 1906. Indien
C. c. Simon 1906, Ann. Soc. Ent. France 75 p. 297 (D ♂).

o **conspersum** (Thorell) 1891. Nicobaren
Eutittha c. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 27 (D o).

♂♀ **gracilipes** (Thorell) 1895. Burma
Eutittha g. Thorell 1895, Descr. Catal. Spid. Burma p. 47 (D ♂♀).

♂♀ **himalayense** Gravely 1931. N.-Indien
C. h. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 264 f. 17 E, F (D ♂♀).

♀ **incertum** Cambridge 1869. Ceylon
C. i. Cambridge 1869, Journ. Linn. Soc. Zool. Lond. 10 p. 375 T. 11 F. 9 (D ♀).

o **incomptum** (Thorell) 1891. Nicobaren
Eutittha i. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 29 (D o).

♂ **indicum** Cambridge 1874. Dekan, Ceylon
C. i. Cambridge 1874, Proc. Zool. Soc. Lond. p. 411 T. 52 F. 34 (D ♂).
C. i. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 265 f. 17 G (N ♂).

♂♀ **inornatum** Cambridge 1874. Indien
C. i. Cambridge 1874, Proc. Zool. Soc. Lond. p. 406, T. 52 F. 30 (D ♂♀).

♂♀ **insigne** Cambridge 1874. Indien, Ceylon
C. i. Cambridge 1874, Proc. Zool. Soc. Lond. p. 408 T. 52 F. 32 (D ♂♀).
C. i. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 266 f. 17 L—M (N ♂♀).

♀ **insulanum** (Thorell) 1878. Amboina
Eutittha i. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 179 (D ♀).

♂♀ **klabati** Merian 1911. Celebes
C. k. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 282 f. F 1 G 1 (D ♂♀).

♂ **lompobattangi** Merian 1911. Celebes
C. l. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 281 f. D 1, E 1 (D ♂).

♀ **longipes** (Thorell) 1890. Sumatra, Krakatau
Eutittha l. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 372 (D ♀).

♂♀ **mangiferae** Workman 1896. Singapore, Sumatra
C. m. Workman 1896, Malays. Spid. p. 80 T. 80 (D ♂♀).

♂♀ **melanostomum** (Thorell) 1895. Burma
Eutittha m. Thorell 1895, Descr. Catal. Spid. Burma p. 44 (D ♂♀).
C. m. Simon 1901, Proc. Zool. Soc. Lond. (2; 4) p. 67 (C).
C. m. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 261 f. 17 C, D (N ♂♀).

♂ **minahassae** Merian 1911. Celebes
C. m. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 281 (D ♂).

♂♀ **murinum** (Thorell) 1895. Burma
Eutittha m. Thorell 1895, Descr. Catal. Spid. Burma p. 50 (D ♀).
C. m. Gravely 1953, Rec. Ind. Mus. Calcutta 33 (3) p. 263 f. 17 A, B (N ♂♀).

♀ **rupicola** (Thorell) 1897. Burma, Pulu Berhala
Eutittha r. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 253 (D ♀).

♂ **soputani** Merian 1911. Celebes
C. s. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 282 (D ♂).

♂ **spectabile** (Thorell) 1887. Burma
Eutittha sp. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 61 (D ♂).

♂ **taprobanense** Strand 1907. Ceylon
C. t. Strand 1907, Zool. Anz. 31 (17—18) p. 563 (D ♂).
C. t. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 45 T. 2 F. 26 (D ♂).

♂♀ **triviale** (Thorell) 1895. Burma
Eutittha t. Thorell 1895, Descr. Catal. Spid. Burma p. 49 (D ♀).
C. t. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 265 f. 17 H, K (N ♂♀).

♂ **trivittatum** Simon 1906. Indien
C. t. Simon 1906, Ann. Soc. Ent. France 75 p. 297 (D ♂).

♂ **turiae** Strand 1916. Sumatra
Eutittha montana Thorell 1890, Ann. Mus. Civ. Genova 28 p. 368 (D ♂).
C. t. Strand 1916, Arch. Naturg. 82 (A; 2) p. 72 (N).

♂♀ **vorax** Cambridge 1874. Indien
C. v. Cambridge 1874, Proc. Zool. Soc. Lond. p. 410 T. 52 F. 33 (D ♂♀).

Australische Arten:

§ 9 ♂, 6 ♀: L. Koch 1873, Arachn. Austral. 1 (1) p. 395—396.

♂♀ **brevicalcaratum** L. Koch 1873. W.-Australien
C. b. L. Koch 1873, Arachn. Austral. 1 (1) p. 405 T. 31 F. 6, 7 (D ♂♀).

♀ **crucigerum** Rainbow 1920. Norfolk-I.
C. c. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 255 T. 30 F. 73, 74 (D ♀).

♀ **diversum** L. Koch 1873. Australien, Neue Hebriden, Fidji-I., Tonga-I.
C. d. L. Koch 1873, Arachn. Austral. 1 (1) p. 396 T. 32 F. 2 (D ♂).

♀ **excavatum** Rainbow 1920. Norfolk-I.
C. e. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 256 T. 30 F. 75—78 (D ♀).

♂♀ **furax** L. Koch 1873. Samoa
C. f. L. Koch 1873, Arachn. Austral. 1 (1) p. 400 T. 31 F. 3 (D ♂♀).
C. f. Berland 1929, Insect. Samoa 8 (2) p. 67 f. 63, 64 (D ♂♀).

♂♀ **gilvum** L. Koch 1873. Queensland, Lord Howe-I., Neue Hebriden, Samoa, Neu-Caledonien
C. g. L. Koch 1873, Arachn. Austral. 1 (1) p. 419 T. 32 F. 5, 6 (D ♂♀).

♂ **gracile** L. Koch 1873. Queensland
C. g. L. Koch 1873, Arachn. Austral. 1 (1) p. 402 T. 31 F. 4 (D ♂).
C. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 79 f. 80 (N ♂).

♂ **impressum** Thorell 1881. Queensland
C. i. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 219 (D ♂).

♀ **insulare** L. Koch 1866. Samoa
C. i. L. Koch 1866, Arachn. Fam. Drassid. p. 268 T. 11 F. 172 (D ♀).
C. i. L. Koch 1873, Arachn. Austral. 1 (1) p. 412 (D ♀).

♂♀ **longimanum** L. Koch 1873. Queensland, Tonga-I., Fidji-I., Neue Hebriden, Neu-Caledonien
C. l. L. Koch 1873, Arachn. Austral. 1 (1) p. 398 T. 31 F. 1, 2 (D ♂♀).

♂ **mertoni** Strand 1911. Aru-I.
C. m. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 163 T. 5 F. 62 (D ♂).

♂ **mordax** L. Koch 1866. Samoa
C. m. L. Koch 1866, Arachn. Fam. Drassid. p. 262 T. 11 F. 167 (D ♂).
C. m. L. Koch 1873, Arachn. Austral. 1 (1) p. 403 T. 31 F. 5 (D ♂).

♀ **nervosum** Simon 1909. W.-Australien
C. n. Simon 1909, Faun. S. W. Austral. 2 (12) p. 161 (D ♀).

♂♀ **pallidum** Rainbow 1920. Lord Howe-I.
C. p. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 257 T. 30 F. 79—82 (D ♂♀).

♂ **pennuliferum** Simon 1909. W.-Australien
C. p. Simon 1909, Faun. S. W. Austral. 2 (12) p. 162 (D ♂).

♂ **sakoemicum** Roewer 1938. Neu-Guinea
C. s. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (hors Ser.) 3 (19) p. 74 f. 50 D ♂).

♀ **silaceum** Rainbow 1897. Neu-S.-Wales
C. s. Rainbow 1897, Proc. Linn. Soc. N. S. Wales 22 (3) p. 524 T. 18 F. 1 (D ♀).

♂♀ **stratioticum** L. Koch 1873. Neu-Seeland
C. st. L. Koch 1873, Arachn. Austral. 1 (1) p. 408 T. 32 F. 3, 4 (D ♂♀).

♂ **tenue** L. Koch 1873. Queensland
C. t. L. Koch 1873, Arachn. Austral. 1 (1) p. 407 T. 32 F. 1 (D ♂).

♂ **torricellianum** Strand 1910. Neu-Guinea
C. t. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 15 (D ♂).

Neotropische Arten:

♂♀ **ferum** Cambridge 1897. Panama, Mexico, Cuba
C. f. Cambridge 1897, Biol. Centr. Amer. Aran. 1 p. 228 T. 29 F. 8 (D ♂).
C. debile Cambridge 1897, Biol. Centr. Amer. Aran. 1 p. 229 T. 29 F. 7 (D ♀).
C. f. Chickering 1937, Trans. Amer. Micr. Soc. 56 (1) p. 8 T. 1 F. 6 (N).
C. f. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 418 (D ♂).

o **lanipes** L. Koch 1866. Columbien
C. l. L. Koch 1866, Arachn. Fam. Drassid. p. 241 (D o).

♀ **leitaoi** Roewer 1951. Brasilien
C. gracilipes Mello-Leitao 1917, Broteria 15 p. 97 f. 13 (D ♀).
C. l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 444 (nom. nov.).

♂ **melloi** Roewer 1951. Argentinien
C. candidum Mello-Leitao 1901, Rev. Mus. La Plata (N. S.) 2 (Zool.) p. 174 T 10 F. 95; f. 64 (D ♂).
C. m. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 444 (nom. nov.).

♂ **parvulum** Banks 1898. Nieder-Californien
C. p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 224 T. 13 F. 36 (D ♂).

♀ **popayanense** Strand 1915. Columbien
C. p. Strand 1915, Arch. Naturg. 81 (A; 9) p. 127 (D ♀).

♂ **ragazzi** Boeris 1889. Peru
C. r. Boeris 1889, Atti Soc. Modena (3) 8 p. 127 (D ♂).

♂♀ **subflavum** (Blackwall) 1862. Argentinien, Brasilien, Mexico
Clubiona s. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 426 (D ♀).
C. edentulum L. Koch 1866, Arachn. Fam. Drassid. p. 247 T. 10 F. 157 (D ♀).
Clubiona melanostoma Holmberg 1876, An. Arg. Rep. Argent. 4 p. 134 (11) f. 12 (D ♀).
C. keyserlingi Becker 1878, Ann. Soc. Ent. Belg. 21 p. 79 T. 2 F. 11—14 (D ♂).
C. s. Bertkau 1880, Mém. Class. Sci. 43 p. 46 T. 1 F. 13 (D ♀).
C. s. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 37 T. 1 F. 15 (D ♂).

♀ **tropicum** L. Koch 1866. Columbien
C. t. L. Koch 1866, Arachn. Fam. Drassid. p. 239 T. 10 F. 155 (D ♀).

Transgredierende Arten:

♂♀ **inclusum** (Hentz) 1847. U. St. Amerika, Canada, Mexico, Westindien
Clubiona i. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 451 T 23 F. 18 (D ♀).
C. viride Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 184 T. 5 F. 12 (D ♂♀).
C. i. Simon 1897, Proc. Zool. Soc. Lond. p. 878 (D ♂♀).
C. i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 79 f. 82 (N ♂).
C. i. Comstock 1912, Spider Book p. 569 f. 648—650 (N).
C. i. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 53 f. 46—48 (N ♂♀).
C. i. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 369 T. 69, F. 1297 bis 1300 (D ♂♀).

Gen. **Chiracanthops** Mello-Leitao 1942.

♀ **mandibularis** Mello-Leitao 1942. Argentinien, Brasilien

C. m. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2 (Zool. 16) p. 416 f. 40 (D ♀).
C. m. Soares & Camargo 1948, Bol. Mus. Paraense Göldi 10 p. 388 f. 47—49 N ♀).

Gen. **Clubiona** Latreille 1804.

Palaearktische Arten:

§ 26 Arten: L. Koch 1866, Arachn. Fam. Drassid. p. 292—294.
§ 22 ♂, 24 ♀: Simon 1878, Arachn. de France 4 p. 211—214.
§ 20 ♂, 21 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 221—225.
§ 17 ♂, 16 ♀: Soerensen 1904, Ent. Meddel. (2) 1 p. 287.
§ 22 ♂, 26 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 31—34 TF. 332—377.
§ 26 ♂, 26 ♀: Simon 1932, Arachn. de France 6 (4) p. 904—930.
§ 21 ♂, 22 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 50—60.
§ 14 Arten: Palmgren 1943, Act. Zool. Fenn. 36 p. 43.
§ 21 ♂, 21 ♀: Tullgren 1946: Svensk Spindelfauna 3 p. 5—8.

♀ **abdita** L. Koch 1876. Tirol

C. a. L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 314 (D ♀).

♂o **aducta** Simon 1932. Spanien, Portugal

C. a. Simon 1932, Arachn. de France 6 (4) p. 913 (D ♂). (p. 965 **„adusta"**).
C. adusta Machado 1949, Publ. Inst. Zool. Porto 38 p. 49 f. 24 (N ♂♀).

♀ **alpica** L. Koch 1866. Schweiz, Tirol, Riesengebirge

C. a. L. Koch 1866, Arachn. Fam. Drassid. p. 347 T. 14 F. 227 (D ♀).
C. a. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 65 f. 34 (D ♀).

♂♀ **alpicola** Kulczynski 1882. Tatra, Babia Gora

C. a. Kulczynski 1882, Denkschr. Ak. Wiss. Krakau 8 p. 33 T. 3 F. 20 (D ♂♀).
C. a. Chyzer & Kulczyinski 1897, Aran. Hungar. 2 (b) p. 227 T. 9 F. 5, 29, 38 (D ♂♀).

♀ **alpicola affinis** Schenkel 1925. Schweiz

C. a. a. Schenkel 1925, Rev. Suisse Zool. 32 (19) p. 305 f. 12 (D ♀).

♂ **andreinii** Caporiacco 1936. Italien

C. a. Caporiacco 1936, Festschr. Strand 1 p 343 f. 2 (D ♂).

♀ **baborensis** Denis 1937. Algier

C. b. Denis 1937, Proc. Zool. Soc. Lond. p. 1050 T. 3 F. 12 (D ♀).

♀ **badia** Peelle & Saito 1932. Kurilen

C. b. Peelle & Saito 1932, Journ. Fac. Sci. Hokkaido Zool. (6) 2 (2) p. 85 f. 1 (D ♀).

♂♀ **brevipes** Blackwall 1841. Europa

C. b. Blackwall 1841, Trans. Linn. Soc. Lond. 18 p. 603 (D ♂♀).
C. b. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 127 T. 7 F. 80 (D ♂♀).
C. fuscula Westring 1862, Aran. Svec. f. 400 (D ♂♀).
C. paradoxa L. Koch 1866, Arachn. Fam. Drassid. p. 342 T. 14 F. 222, 223 (D ♂).
C. fuscula L. Koch 1866, Arachn. Fam. Drassid. p. 349 T. 14 F. 228 (D ♀).
C. b. Thorell 1870, Rem. Syn. Europ. Spid. p. 224 (N).
C. b. Simon 1878, Arachn. de France 4 p. 232 (D ♂♀).

C. b. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 59 (D ♂♀).
C. b. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 279 T. 16 F. 24 (D ♂♀).
C. b. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 228 T. 9 F. 18, 25 (D ♂♀).
C. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 75 f. 73 (N).
C. b. Bösenberg 1902, Zoologica 14 (2—4) p. 279 T. 26 F. 410 (D ♂♀).
C. b. Lessert 1910, Catal. Invert. Suisse; Araign. p. 408 (D ♂♀).
C. b. Simon 1932, Arachn. de France 6 (4) p. 926, 967 f. 1401, 1402 (D ♂♀).
C. b. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 63 f. 3, 10 (D ♂♀).
C. (Microclubiona) b. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. b. Tullgren 1946, Svensk Spindelfauna 3 p. 12 f. 3A; T. 1 F. 14, 15; T. 2 F. 16, 17 (D ♂♀).
C. b. Locket & Millidge 1951, Brit. Spiders I. p. 138 f. 71A, B, D (D ♂♀).

♂♀ **caerulescens** L. Koch 1866. Europa (außer SW.-), Sibirien, Saghalin

C. holosericea Hahn 1829, Monogr. d. Spinn. 5 p. 2 T. 19 F. A (D ♀).
C. holosericea Hahn 1831, die Arachniden 1 p. 112 TF. 84 (D ♂♀).
C. c. L. Koch 1866, Arachn. Fam. Drassid. p. 331 T. 13 F. 213—215 (D ♂♀).
C. holosericea Ohlert 1867, Aran. Prov. Preussen p. 99 (D ♂♀).
C. voluta Cambridge 1873, Journ. Linn. Soc. Lond. 11 (Zool.) p. 533 T. 14 F. 3 (D ♀).
C. c. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 362 T. 63 F. 206 (D ♂♀).
C. c. Simon 1878, Arachn. de France 4 p. 223 (D ♂♀).
C. c. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 59 (D ♂♀).
C. c. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 273 T. 16 F. 20 (D ♂♀).
C. c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 226 T. 9 F. 11, 27 (D ♂♀).
C. c. Bösenberg 1902, Zoologica 14 (2—4) p. 268 T. 25 F. 388 (D ♂♀).
C. c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 398 (D ♂♀).
C. c. Simon 1932, Arachn. de France 6 (4) p. 907, 936 f. 1373, 1374 (D ♂♀).
C. c. Saito 1934, Trans. Sapporo Nat. Hist. Soc. 13 (3) p. 328 f. 2 (N ♂).
C. c. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 70 f. 26, 40 (D ♂♀).
C. c. Palmgren 1943, Act. Zool. Fenn. 36 p. 57 f. (N).
C. (Gauroclubiona) c. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 21 (N).
C. c. Tullgren 1946, Svensk Spindelfauna 3 p. 32 f. 9B; T. 5 F. 61, 62 (D ♂♀).
C. c. Locket & Millidge 1951, Brit. Spiders I. p. 132 f. 66E, F (D ♂♀).

♀ **caerulescens saxatilis** (L. Koch) 1866. Mitteleuropa

C. saxatilis L. Koch 1866, Arachn. Fam. Drassid. p. 334 T. 13 F. 216 (D ♀).
C. c. s. Simon 1932, Arachn. de France 6 (4) p. 907 (D ♀).

♂♀ **comta** C. L. Koch 1839. Europa, N.-Afrika

C. c. C. L. Koch 1839, Die Arachniden 6 p. 16 TF. 440 (D ♀).
C. fucata Blackwall 1841, Trans. Linn. Soc. Lond. 18 p. 605 (D ♂♀).
C. compta Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 478 (D).
C. c. C. L. Koch 1843, Die Arachniden 10 p. 129 TF. 841 (D ♂).
C. pallipes Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 212 T. 12 F. 9 (D ♀).
C. c. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 128 T. 7 F. 81 (D ♂♀).
C. c. Westring 1862, Aran. Svec. p. 403 (D ♀).
C. c. L. Koch 1866, Arachn. Fam. Drassid. p. 294 T. 14 F. 237—239 (D ♂♀).
C. c. Ohlert 1867, Aran. Prov. Preussen p. 100 (D ♂♀).
C. rubropunctata Ohlert 1867, Aran. Prov. Preussen p. 101 (D ♀).
C. compta Thorell 1870, Rem. Syn. Europ. Spid. p. 225 (N).

C. compta Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 370 T. 64 F. 211 (D ♂♀).
C. compta Simon 1878, Arachn. de France 4 p. 237 (D ♂♀).
C. compta Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 60 (D ♂♀).
C. compta Hansen 1885, in: Schiödte, Zool. Danica p. 134 T. 3 F. 14 (D ♂♀).
C. compta Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 282 T. 17 F. 2 (D ♂♀).
C. compta Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 228 T. 9 F. 17, 26 (D ♂♀).
C. compta Bösenberg 1902, Zoologica 14 (2—4) p. 268 T. 25 F. 387 (D ♂♀).
C. compta Lessert 1910, Catal. Invert. Suisse; Araign. p. 409 (D ♂♀).
C. compta Simon 1932, Arachn. de France 6 (4) p. 922, 927, 967 f. 1403, 1414 (D ♂♀).
C. compta Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 63 f. 8 (D ♂♀).
C. (Hyloclubiona) compta Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. compta Tullgren 1946, Svensk Spindelfauna 3 p. 14 f. 3 B; T. 2 F. 18—20 (D ♂♀).
C. compta Locket & Millidge 1951, Brit. Spiders I. p. 138 f. 71 C, E (D ♂♀).

♂♀ **congentilis** Kulczynski 1913. Russland

C. c. Kulczynski 1913, Arachn. in: Velitchkovsky, Faun. Distr. Walouyki 10 p. 23 T. 1 F. 11—14 (D ♂♀).

♀ **contaminata** Cambridge 1872. Palästina

C. c. Cambridge 1872, Proc. Zool. Soc. Lond. p. 254 T. 16 F. 40 (D ♀).

♀ **corrugata** Bösenberg & Strand 1906. Japan

C. c. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 283 T. 16 F. 482 (D ♀).
C. c. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 31 f. 4 (3) (N ♀).

♂♀ **corticalis** (Walckenaer) 1802. Europa

Aranea c. Walckenaer 1802, Faun. Paris. 2 p. 429 (D).
C. c. Walckenaer 1805, Tabl. Aran. p. 42 (N).
C. c. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 593 (D).
C. c. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 126 T. 7 F. 79 (D ♂♀).
C. c. Westring 1862, Aran. Svec. p. 401 (D ♀).
C. c. L. Koch 1866, Arachn. Fam. Drassid. p. 301 T. 12 F. 192 (D ♀).
C. c. Thorell 1870, Rem. Syn. Europ. Spid. p. 225 (N).
C. c. Simon 1878, Arachn. de France 4 p. 231 (D ♂♀).
C. c. Dahl 1883, Schrift. Nat. Ver. Schlesw.-Holst. 5 (2) p. 60 (D ♂♀).
C. c. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 277 T. 16 F. 23 (D ♂♀).
C. c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 225 T. 8 F. 66 (D ♂♀).
C. c. Bösenberg 1902, Zoologica 14 (2—4) p. 269 T. 25 F. 389 (D ♂♀).
C. c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 398 (D ♂♀).
C. c. Simon 1932, Arachn. de France 6 (4) p. 905, 963 f. 1371, 1372 (D ♀♂).
C. c. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 60 f. 41, 42 (D ♂♀).
C. (Paraclubiona) c. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 19 (N).
C. c. Tullgren 1946, Svensk Spindelfauna 3 p. 33 f. 10; T. 5 F. 63—65 (D ♂♀).
C. c. Locket & Millidge 1951, Brit. Spiders I. p. 128 f. 64 D, E (D ♂♀).

♀ **corticalis concolor** Kulczynski 1897. Ungarn

C. c. c. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 221 (D ♀).
C. c. c. Simon 1932, Arachn. de France 6 (4) p. 963 (C).

♀ **corticalis nigra** Simon 1878. Europa

C. c. n. Simon 1878, Arachn. de France 4 p. 213 (D ♀).
C. c. n. Simon 1932, Arachn. de France 6 (4) p. 905, 963 (D ♀).

♂♀ **decora** Blackwall 1859. Madeira

C. d. Blackwall 1859, Ann. Mag. Nat. Hist. (3) 4 p. 256 (D ♂♀).
C. d. Warburton 1892, Ann. Mag. Nat. Hist. (6) 10 p. 223 T. 14 F. 11, 12 (N ♂).
C. d. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow (2) 16 p. 413 T. 8 F. 101 bis 104; T. 9 F. 105, 106 (N ♂♀).
C. d. Simon 1932, Arachn. de France 6 (4) p. 968 (N).

♂♀ **delectrix** Cambridge 1885. NW.-Indien, Szechuan

C. d. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 21 T. 2 F. 14 (D ♂♀).
C. d. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 169 (N).

♀ **deterrima** Strand 1904. Norwegen

C. d. Strand 1904, Christiania Vid. Selsk. Forh. (5) p. 10 (D ♀).

♂♀ **dinensis** Simon 1878. Frankreich, Spanien, Nassau

C. d. Simon 1878, Arachn. de France 4 p. 238 (D ♀).
C. stigmatica Bösenberg 1902, Zoologica 14 (2—4) p. 273 T. 25 F. 397 (D ♀).
C. d. Simon 1932, Arachn. de France 6 (4) p. 924, 929, 967 f. 1408, 1418 (D ♂♀).
C. d. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 62 f. 4 (D ♂♀).

♂♀ **diversa** Cambridge 1862. Europa

C. d. Cambridge 1862, Zoologist 20 p. 7959 (D ♂).
C. pallens L. Koch 1866, Arachn. Fam. Drassid. p. 294 T. 14 F. 234—236 (D ♂♀).
C. d. Simon 1878, Arachn. de France 4 p. 234 (D ♂♀).
C. d. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 280 T. 17 F. 1 (D ♂♀).
C. d. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 229 T. 9 F. 20 (D ♀).
C. d. Bösenberg 1902, Zoologica 14 (2—4) p. 274 T. 25 F. 399 (D ♂♀).
C. d. Lessert 1910, Catal. Invert. Suisse; Araign. p. 412 (D ♂).
C. d. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 585 (D ♂♀).
C. d. Simon 1932, Arachn. de France 6 (4) p. 924, 927, 967 f. 1407, 1416 (D ♂♀).
C. d. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 62 f. 7, 12 (D ♂♀).
C. (Microclubiona) d. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. d. Tullgren 1946, Svensk Spindelfauna 3 p. 11 f. 2 C; T. 1 F. 8—10 (D ♂♀).
C. d. Locket & Millidge 1951, Brit. Spiders I. p. 147 f. 72 E; 3 D (D ♂♀).

♂♀ **dvoraki** Miller 1943. Mähren

C. d. Miller 1943, Ent. Llisty, Brno 6 p. 25 f. (D ♂♀).

♀ **facilis** Cambridge 1910. England

C. f. Cambridge 1910, Proc. Dorset F. Cl. 31 p. 50, 68 T. A F. 1—3 (D ♀).

♂♀ **frutetorum** L. Koch 1866. Europa

C. f. L. Koch 1866, Arachn. Fam. Drassid. p. 344 T. 14 F. 224—226 (D ♂♀).
C. incompta Ohlert 1867, Aran. Prov. Preussen p. 100 (D ♀).
C. f. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 356 T. 62 F. 203 (D ♂♀).
C. f. Simon 1878, Arachn. de France 4 p. 218 (D ♂♀).
C. f. Dahl 1883, Schrift. Nat. Ver. Schlesw.-Holst. 5 (2) p. 60 (D ♂♀).
C. f. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 226 T. 9 F 19, 28, 39 (D ♂♀).
C. f. Bösenberg 1902, Zoologica 14 (2—4) p. 277 T. 26 F. 406 (D ♂♀).
C. f. Lessert 1910, Catal. Invert. Suisse; Aragn. p. 401 (D ♂♀).
C. f. Simon 1932, Arachn. de France 6 (4) p. 913, 919, 966 f. 1386, 1396 (D ♂♀).
C. f. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 66 f. 21, 31 (D ♂♀).
C. f. Palmgren 1943, Act. Zool. Fenn. 36 p. 51 f. (N).
C. (Heteroclubiona) f. Lohmander 1944, Ark Zool. 35 (A, 16) p. 20 (N).
C. f. Tullgren 1946, Svensk Spindelfauna 3 p. 20 f. 5 E; T. 3 F. 33—37 (D ♂♀).

♂♀ **genevensis** L. Koch 1866. Mitteleuropa, Italien, Balkanländer, Palästina

C. g. L. Koch 1866, Arachn. Fam. Drassid. p. 294 (D).
C. clandestina Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 373 T. 64 F. 213 (D ♂♀).
C. stigmatica Simon 1878, Arachn. de France 4 p. 236 (D ♂♀).
C. decora Bertkau 1880, Verh. Nat. Ver. Rheinl.-Westf. 37 p. 259 T. 6 F. 2 (N ♂♀).
C. lusatica L. Koch 1881, Abh. Nat. Ges. Görlitz 17 p. 58 T. 2 F. 9 (D ♀).
C. decora Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 229 T. 9 F. 21, 40 (D ♂♀).
C. decora Bösenberg 1902, Zoologica 14 (2—4) p. 267 T. 25 F. 386 (D ♂♀).
C. decora Lessert 1910, Catal. Invert. Suisse; Araign. p. 410 (D ♂♀).
C. g. Simon 1932, Arachn. de France 6 (4) p. 925, 930, 968 f. 1411, 1420 (D ♂♀).
C. g. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 61 f. 2, 13 (D ♂♀).
C. (Porrhoclubiona) clandestina Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. g. Tullgren 1946, Svensk Spindelfauna 3 p. 9 f. 2 B; T. 1 F. 4—7 (D ♂♀).
C. decora Hull 1950, Ann. Mag. Nat. Hist. (12) 3 p. 426 (C).
C. g. Locket & Millidge 1951, Brit. Spiders I. p. 142 f. 72 B, 73 C (D ♂♀).

♂♀ **germanica** Thorell 1870. Europa, Sibirien

C. holosericea L. Koch 1866, Arachn. Fam. Drassid. p. 311 T. 12 F. 200, 201 (D ♂, nec ♀).
C. g. Thorell 1870, Rem. Syn. Europ. Spid. p. 220 (N).
C. g. Simon 1878, Arachn. de. France 4 p. 216 (D ♂♀).
C. g. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 268 T. 16 F. 47 (D ♂♀).
C. g. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 227 T. 9 F. 10, 41 (D ♂♀).
C. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 75 f. 70 (N ♂).
C. g. Bösenberg 1902, Zoologica 14 (2—4) p. 270 T. 25 F. 391 (D ♂♀).
C. g. Lessert 1910, Catal. Invert. Suisse; Araign. p. 406 (D ♂♀).
C. g. Simon 1932, Arachn. de France 6 (4) p. 913, 918, 965 f. 1385, 1394 (D ♂♀).
C. g. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 67 f. 16, 30 (D ♂♀).
C. g. Palmgren 1943, Acta. Zool. Fenn. 36 p. 51 f. (N).

C. (Epiclubiona) g. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. g. Tullgren 1946, Svensk Spindelfauna 3 p. 21 f. 6A, B; T. 3 F. 38—41 (D ♂♀).

♀ **gilva** Cambridge 1872. Palästina

C. g. Cambridge 1872, Proc. Zool. Soc. Lond. p. 253 T. 16 F. 39 (D ♀).

♂ **glatiosa** Saito 1934. Japan

C. g. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 290 T. 12 F. 10; T. 14 F. 47 (D ♂).

♀ **governetonis** Roewer 1928. Creta

C. g. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 114 T. 1 F. 26 (D ♀).

♂♀ **hedini** Schenkel 1936. S.-Kansu

C. h. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 163 f. 57 (D ♂♀).

♂♀ **hilaris** Simon 1878. Europa (außer N.-)

C. h. Simon 1878, Arachn. de France 4 p. 220 (D ♂♀).
C. h. Bösenberg 1902, Zoologica 14 (2—4) p. 275 T. 25 F. 402 (D ♂).
C. h. Lessert 1910, Catal. Invert. Suisse; Araign. p. 402 f. 192—194 (D ♂♀).
C. h. Simon 1932, Arachn. de France 6 (4) p. 914, 919, 966 f. 1387, 1398 (D ♂♀).

♂♀ **hummeli** Schenkel 1936. S.-Kansu

C. h. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 159 f. 55 (D ♂♀).

♂♀ **interiecta** L. Koch 1879. Sibirien

C. i. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 89 T. 3 F. 7 (D ♂♀).
C. i. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 70 T. 3 F. 81—83 (D ♂).

♂ **japonica** L. Koch 1878. Japan

C. j. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 759 T. 16 F. 21 (D ♂).

♂♀ **japonicola** Bösenberg & Strand 1906. Japan

C. j. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 281 T. 16 F. 498 (D ♂♀).
C. j. Strand 1918, Arch. Naturg. 82 (A; 11) p. 97 T. 2 F. 8, 9 (N ♂♀).

♂♀ **jucunda** (Karsch) 1879. Japan

Liocranum j. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 92 (D).
C. j. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 279 T. 7 F. 88; T. 16 F. 495 (D ♂♀).
C. j. Strand 1918, Arch. Naturg. 82 (A; 11) p. 82, 96 T. 1 F. 11; T. 2 F. 1 (N).

♂♀ **juvenis** Simon 1878. Frankreich, Schweiz, Irland

C. j. Simon 1878, Arachn. de France 4 p. 227 (D ♂♀).
C. j. Lessert 1910, Catal. Invert. Suisse; Araign. p. 411 f. 195—197 (D ♂♀).
C. j. Jackson, Denis & Beresford 1913, Irish Naturalist 2 p. 205 T. 1 F. 1—4 (D ♂♀).
C. j. Simon 1932, Arachn. de France 6 (4) p. 924, 926, 966 f. 1404, 1412 (D ♂♀).
C. j. Locket & Millidge 1951, Brit. Spiders I. p. 141 f. 72C, 73B (D ♂♀).

♂♀ **kulczynskii** Lessert 1905. Schweiz, Schweden, Kamtschatka

C. k. Lessert 1905, Rev. Suisse Zool. 13 (3) p. 647 f. 13, 14 (D ♂).
C. k. Lessert 1910, Catal. Invert. Suisse; Araign. p. 400 f. 190, 191 (D ♂).
C. k. Schenkel 1923, Verh. Nat. Ges. Basel 34 p. 113 T. 7 F. 16 (D ♀).
C. k. Simon 1932, Arachn. de France 6 (4) p. 910, 915, 964 f. 1378, 1390 (D ♂♀).
C. k. Sytshevskaja 1935, Folia Zool. Hydrobiol. 8 (1) p. 97 f. 13 (N ♂♀).
C. k. Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 223 (N).
C. k. Palmgren 1943, Act. Zool. Fenn. 36 p. 55 (N).
C. (Euryclubiona) k. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 21 (N).
C. k. Tullgren 1946, Svensk Spindelfauna 3 p. 26 f. 8A, B; T. 4 F. 49—51 (D ♂♀).

♂ **kurilensis** Bösenberg & Strand 1906. N.-Japan, Kurilen

C. k. Bösenberg & Strand 1906, Abg. Senckenbg. Ges. 30 (1—2) p. 286 T. 13 F. 315 (D ♂).
C. k. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 39 (N ♂).
C. k. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 32 f. 4 (4) (N ♂).

♂♀ **lateritia** Kulczynski 1926. Kamtschatka

C. l. Kulczynski 1926, Ann. Mus. Zool. Leningrad 27 p. 67 T. 3 F. 27 (D ♀).
C. l. Sytshevskaja 1935, Folia Zool. Hydrobiol. 8 (1) p. 98 f. 14—16 (D ♂, N ♀).

♂ **laudata** Cambridge 1885. Yarkand

C. l. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 23 T. 2 F. 16 (D ♂).

♀ **lena** Bösenberg & Strand 1906. Japan

C. l. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 285 T. 16 F. 493 (D ♀).

♂♀ **leucaspis** Simon 1932. S.-Frankreich, Corsica, Spanien, Algier

C. l. Simon 1932, Arachn. de France 6 (4) p. 925, 929, 968 f. 1410, 1417 (D ♂♀).

♂♀ **lutescens** Westring 1851. Europa, Sibirien, Japan

C. l. Westring 1851, Göteborg Vet. Handl. 2 p. 49 (D ♂).
C. l. Westring 1862, Aran. Svec. p. 394 (D ♂).
C. assimilata Cambridge 1862, Zoologist 20 p. 7953 (D ♂).
C. l. L. Koch 1866, Arachn. Fam. Drassid. p. 336 T. 13 F. 217—219 (D ♂♀).
C. l. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 354 T. 61 F. 291 (D ♂♀).
C. l. Simon 1878, Arachn. de France 4 p. 219 (D ♂♀).
C. l. Dahl 1883, Schrift. Nat. Ver. Schlesw.-Holst. 5 (2) p. 60 (D ♂♀).
C. l. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 270 T. 16 F. 18 (D ♂♀).
C. l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 227 T. 9 F. 15, 30 (D ♂♀).
C. l. Bösenberg 1902, Zoologica 14 (2—4) p. 276 T. 26 F. 405 (D ♂♀).
C. l. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 283 T. 16 F. 485 (D ♀).
C. l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 405 (D ♂♀).
C. l. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 586 (D ♂♀).
C. l. Simon 1932, Arachn. de France 6 (4) p. 912, 921, 965 f. 1382, 1400 (D ♂♀).
C. l. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 289 T. 14 F. 46 (N ♂).
C. l. Saito 1934, Trans. Sapporo Nat. Hist. Soc. 13 (3) p. 328 f. 3 (N ♂).
C. l. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 65 f. 19, 35 (D ♂♀).
C. l. Palmgren 1943, Act. Zool. Fenn. 36 p. 50 f. (N).
C. (Heteroclubiona) l. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. l. Tullgren 1946, Svensk Spindelfauna 3 p. 19 f. 5 C, D; T 2 F. 30; T. 3 F. 31, 32 (D ♂♀).
C. l. Locket & Millidge 1951, Brit. Spiders I. p. 137 f. 68 C, 69 B, 70 B (D ♂♀).

♀ **mandibularis** Lucas 1846. Algier

C. m. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 212 T. 12 F. 7 (D ♀).
Amaurobius m. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 199 (C).

♂ **mantis** Bösenberg & Strand 1906. Japan

C. m. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 286 T. 16 F. 492 (D ♂).
C. m. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 288 T. 14 F. 45 (N ♂).

♂♀ **maracandica** Kroneberg 1875. Turkestan, Karakorum

C. m. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 16 T. 2 F. 8 (D ♀).
C. m. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 217 T. 6 F. 5 (D ♂).

♂♀ **marmorata** L. Koch 1866. W.- u. Mitteleuropa, Balkanländer, Krim

C. m. L. Koch 1866, Arachn. Fam. Drassid. p. 294 T. 14 F. 232, 233 (D ♂).
C. m. Simon 1878, Arachn. de France 4 p. 233 (D ♂♀).
C. m. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 228 T. 9 F. 16, 34 (D ♂♀).
C. m. Bösenberg 1902, Zoologica 14 (2—4) p. 271 T. 25 F. 394 (D ♂♀).
C. m. Simon 1932, Arachn. de France 6 (4) p. 922, 967 (D ♂♀).
C. m. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 64 f. 5, 9 (D ♂♀).

♀ **mutilata** Bösenberg & Strand 1906. Japan

C. m. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 285 T. 16 F. 491 (D ♀).

♂♀ **neglecta** Cambridge 1862. Europa, Sibirien, Turkestan

C. n. Cambridge 1862, Zoologist 20 p. 7955 (D ♂).
C. montana L. Koch 1866, Arachn. Fam. Drassid. p. 308 T. 12 F. 197 (D ♀).
C. n. Cambridge 1873, Trans. Linn. Soc. Lond. 28 (3) p. 440 T. 33 F. 5 (N ♂).
C. bifurca Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 365 T. 63 F. 208 (D ♂♀).
C. n. Simon 1878, Arachn. de France 4 p. 221 (D ♂♀).
C. n. Cambridge 1879, Proc. Dorset F. Cl. 1 p. 25 T. 3 F. 3 (N ♂♀).
C. n. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 272 T. 16 F. 19 (D ♂♀).
C. similis Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 227 T. 9 F. 4 (D ♀, nec. ♂).
C. n. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 227 T. 9 F. 32 (D ♂, nec ♀).
C. n. Bösenberg 1902, Zoologica 14 (2—4) p. 271 T. 25 F. 393 (D ♂♀).
C. n. Lessert 1910, Catal. Invert. Suisse; Araign. p. 404 (D ♂♀).
C. n. Simon 1932, Arachn. de France 6 (4) p. 913, 918, 965 f. 1383, 1395 (D ♂♀).
C. n. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 66 f. 22, 32 (D ♂♀).
C. n. Palmgren 1943, Act. Zool. Fenn. 36 p. 51 f. (N).
C. (Epiclubiona) n. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. n. Tullgren 1946, Svensk Spindelfauna 3 p. 24 f. 7 A, B; T. 3 F. 44, 45 (D ♂♀).

♂ **neglectoides** Bösenberg & Strand 1906. Japan

C. n. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 284 T. 16 F. 505 (D ♂).

♀ **ningpoensis** Schenkel 1944. China

C. n. Schenkel 1944, Rev. Suisse Zool. 51 (4) p. 205 f. 15 (D ♀).

♂♀ **norwegica** Strand 1900. Skandinavien, Finnland, England

C. n. Strand 1900, Norsk. Vid. Selsk. Skrift. (2) p. 30 f. e (D ♂).
C. humida Jackson 1915, Proc. Phys. Soc. Edinbg. 19 (7) p. 188 T. 5 F. 7—11 (D ♀).
C. n. Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 223 T. 1—2 F. 4 a—d (D ♂♀).
C. n. Palmgren 1943, Act. Zool. Fenn. 36 p. 56 f. (N).
C. (Euryclubiona) n. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 21 (N).
C. n. Tullgren 1946, Svensk Spindelfauna 3 p. 31 f. 9 A; T. 4 F. 58; T. 5 F. 59, 60 (D ♂♀).
C. humida Hull 1950, Ann. Mag. Nat. Hist. (12) 3 p. 427 (C).

♂♀ **pallidula** (Clerck) 1757. – * Europa, Sibirien

Araneus p. Clerck 1757, Aran. Svec. p. 81 T. 2 F. 7 (D ♂♀).
Aranea holosericea Linné 1758, Syst. Nat. (X. Ed.) p. 622 (D).
Aranea holosericea Olivier 1789, Encycl. Méthod. 4 p. 212 (D).
Aranea amarantha Walckenaer 1802, Faun. Paris. 2 p. 219 (D).
Aranea epimelas Walckenaer 1802, Faun. Paris. 2 p. 219 (D).
Aranea aloma Walckenaer 1802, Faun. Paris. 2 p. 219 (D).
C. amarantha Walckenaer 1805, Tabl. Aran. p. 43 (N).
C. epimelas Walckenaer 1905, Tabl. Aran. p. 43 (N).
C. aloma Walckenaer 1805, Tabl. Aran. p. 43 (N).
C. amarantha Hahn 1831, Die Arachniden 1 p. 113 TF. 85 (D ♀).
C. incomta C. L. Koch 1837, Die Arachniden 6 p. 18 TF. 442 (D ♀).
C. incomta C. L. Koch 1837, Übers. Arachn. Syst. 1 p. 19 (D).
C. amarantha Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 591 (D ♂♀).
C. epimelas Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 592 (D ♀).
C. epimelas Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 124 T. 7 F. 77 (D ♂♀).
C. formosa Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 125 T. 7 F. 78 (D ♀).

C. pallidula Westring 1862. Aran. Svec. p. 389 (D ♂♀).
C. amarantha Ohlert 1867, Aran. Prov. Preussen p. 99 (D ♂♀).
C. p. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 351 T. 61 F. 198 (D ♂♀).
C. holosericea Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 353 T. 61 F. 200 (D ♂♀).
C. p. Simon 1878, Arachn. de France 4 p. 224 (D ♂♀).
C. holosericea Dahl 1883, Schrift. Nat. Ver. Schlesw.-Holst. 5 (2) p. 60 (D ♂♀).
C. p. Dahl 1883, Schrift. Nat. Ver. Schlesw.-Holst. 5 (2) p. 60 (D ♂♀).
C. p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 279 T. 16 F. 21 (D ♂♀).
C. p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 228 T. 9 F. 12, 47, 49 (D ♂♀).
C. p. Hansen 1885, in: Schiödte, Zool. Danica p. 133 (D ♂♀).
C. p. Bösenberg 1902, Zoologica 14 (2—4) p. 275 T. 26 F. 403 (D ♂♀).
C. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 407 (D ♂♀).
C. holosericea Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 586 (D ♂♀).
C. holosericea Reimoser 1929, Die Natur (Wien) 5 (4) p. 89 f. 10 (N ♂♀).
C. p. Simon 1932, Arachn. de France 6 (4) p. 911, 915, 964 f. 1380, 1388 (D ♂♀).
C. holosericea Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 67 f. 1, 17, 28 (D ♂♀).
C. holosericea Palmgren 1943, Act. Zool. Fenn. 36 p. 52 (N).
C. holosericea Tullgren 1946, Svensk Spindelfauna 3 p. 15 f. 4 a; T. 2 F. 21—23 (D ♂♀).
C. p. Locket & Millidge 1951, Brit. Spiders I. p. 133 f. 66 A, B (D ♂♀).

♀ **papillata** Schenkel 1936. S.-Kansu

C. p. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 162 f. 56 (D ♀).

♀ **perforata** Peelle & Saito 1932. Kurilen

C. p. Peelle & Saito 1932, Journ. Fac. Sci. Hokkaido Zool. (6) 2 (2) p. 86 f. 2 (D ♀).

♂♀ **phragmitis** C. L. Koch 1843. Europa, Mittelmeergebiet, Saghalin

Aranea holosericea De Geer 1778, Mén. p. s. Hist. Nat. Ins. 7 p. 266 T. 15 F. 13—16 (D ♂♀).
C. holosericea Sundevall 1831, Vet. Ak. Handl. p. 142 (D, var c).
C. p. C. L. Koch 1843, Die Arachniden 10 p. 134 TF. 846, 847 (D ♂♀).
? C. pellucida C. L. Koch 1843, Die Arachniden 10 p. 135 TF. 848 (D ♀).
C. deinognatha Cambridge 1862, Zoologist 20 p. 7957 (D ♂).
C. holosericea Westring 1862, Aran. Svec. p. 393 (D ♂♀).
C. p. L. Koch 1866, Arachn. Fam. Drassid. p. 315 T. 13 F. 202—204 (D ♂♀).
? C. pellucida Ohlert 1867, Aran. Prov. Preußen p. 101 (D ♂♀).
C. grisea Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 355 T. 62 F. 202 (D ♂♀).
C. p. Simon 1878, Arachn. de France 4 p. 215 (D ♂♀).
C. holosericea Hansen 1885, in: Schiödte, Zool. Danica p. 133 T. 3 F. 13; T. 4 F. 1 (D ♂♀).
C. p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 266 T. 16 F. 16 (D ♂♀).
C. p. Chyzer & Kulczynski 1897, Aran. Hungar 2 (b) p. 228 T. 9 F. 8, 50 (D ♂♀).
C. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 75 f. 68 (N).
C. p. Bösenberg 1902, Zoologica 14 (2—4) p. 274 T. 25 F. 401 (D ♂♀).
C. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 407 (D ♂♀).
C. p. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 586 (D ♂♀).
C. p. Reimoser 1932, Die Natur (Wien) 8 (3) p. 62 f. 7 (N ♂♀).
C. p. Simon 1932, Arachn. de France 6 (4) p. 910, 916, 964 f. 1379, 1391 (D ♂♀).
C. pellucida Simon 1932, Arachn. de France 6 (4) p. 964 (N).
C. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 68 f. 15, 21 (D ♂♀).

C. p. Palmgren 1943, Act. Zool. Fenn. 36 p. 52 f. (N).
C. p. Tullgren 1946, Svensk Spindelfauna 3 p. 17 f. 1, 4 b; T. 2 F. 24—26 (D ♂♀).
C. p. Locket & Millidge 1951, Brit. Spiders I. p. 133 f. 67 C, D (D ♂♀).

♂♀ **picta** Kulczynski 1885. Sibirien, Kamtschatka

C. p. Kulczynski 1885, Denkschr. Ak. Wiss. Krakau 11 p. 44 T. 11 F. 23 (D ♀).
C. p. Sytshevskaja 1935, Folia Zool. Hydrobiol. 8 (1) p. 98 f. 17 (D ♂, N ♀).

♂ **propinqua** L. Koch 1879. Sibirien

C. p. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 90 T. 3 F. 8 (D ♂).

♂ **pseudogermanica** Schenkel 1936. S.-Kansu

C. p. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 155 f. 53 (D ♂).

♂ **pulchella** Canestrini 1868. Trentino

C. p. Canestrini 1868, Annuar. Soc. Nat. Modena 3 p. 195 (D ♂).
C. p. Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 853 (D ♂).

♂♀ **pyrifera** Schenkel 1936. S.-Kansu

C. p. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 156 f. 54 (D ♂♀).

♂♀ **reclusa** Cambridge 1863. Europa (außer S.-), Sibirien

? C. pallens Hahn 1834, Die Arachniden 2 p. 10 TF. 101 (D ♂♀).
? C. pallens C. L. Koch 1839, Die Arachniden 6 p. 19 TF. 443, 444 (D ♂♀).
C. rubicunda C. L. Koch 1843, Die Arachniden 10 p. 136 TF. 849 (D ♀).
C. holosericea Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 122 T. 7 F. 75 (D ♂♀).
C. r. Cambridge 1863, Zoologist 21 p. 8567 (D ♂♀).
C. grisea L. Koch 1866, Arachn. Fam. Drassid. p. 319 T. 13 F. 205—207 (D ♂♀).
C. phragmitis Ohlert 1867, Aran. Prov. Preussen p. 101 (D ♂, nec. ♀).
C. borealis Thorell 1870, Rem. Syn. Europ Spiders p. 223 (D ♀).
C. r. Cambridge 1873, Trans. Linn. Soc. Lond. 27 p. 440 T. 33 F. 6 (N ♀).
C. tridens Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 361 T. 62 F. 205 (D ♂♀).
C. r. Simon 1878, Arachn. de France 4 p. 225 (D ♂♀).
C. grisea Simon 1878, Arachn. de France 4 p. 226 (D ♂♀).
C. grisea Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 60 (D ♂♀).
C. r. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 276 T. 16 F. 22 (D ♂♀).
C. r. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 226 T. 9 F. 1, 22, 37 (D ♂♀).
C. grisea Bösenberg 1902, Zoologica 14 (2—4) p. 277 T. 26 F. 407 (D ♂♀).
C. r. Bösenberg 1902, Zoologica 14 (2—4) p. 278 T. 26 F. 408 (D ♂♀).
C. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 399 (D ♂♀).
C. grisea Jackson 1915, Proc. Phys. Soc. Edinbg. 19 (7) p. 190 T. 5 F. 12 (N ♀).
C. r. Bogoiavlensky 1928, Bull. Stat. Biol. Bolchevo 2 p. 39 TF. 7 (N ♀).
C. r. Simon 1932, Arachn. de France 6 (4) p. 910, 915, 964 f. 1377, 1389 (D ♂♀).
C. r. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 69 f. 24, 37 (D ♂♀).
C. r. Tullgren 1942, Ent. Tidskrift. 63 (3—4) p. 224, 232 (N).
C. r. Palmgren 1943, Act. Zool. Fenn. 36 p. 53 f. (N).
C. (Euryclubiona) r. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 21 (N).
C. r. Tullgren 1946, Svensk Spindelfauna 3 p. 25 f. 7 C; T. 3 F. 46; T. 4 F. 47, 48 (D ♂♀).
C. r. Locket & Millidge 1951, Brit. Spiders I. p. 128 f. 65 A, 66 A (D ♂♀).

♂ **reichlini** Schenkel 1944. China

C. r. Schenkel 1944, Rev. Suisse Zool. 51 (4) p. 203 f. 14 (D ♂).

♀ **rethymnonis** Roewer 1928. Creta
C. r. Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 155 T. 1 F. 27 (D ♀).

♀ **ruffoi** Caporiacco 1940. Oberitalien
C. r. Caporiacco 1940, Folia Zool. Hydrobiol. 10 (1) p. 27 f. 3 (D ♀).

♀ **sakatensis** Saito 1939. Japan
C. s. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 31 f. 4 (2); T. 1 F. 10 (D ♀).

♀ **saltuum** Kulczynski 1898. Unter-Oesterreich
C. s. Kulczynski 1898, Symbol. Faun. Aran. Austr. Infer. p. 95 T. 2 F. 74 (D ♀).

♂♀ **similis** L. Koch 1866. Europa
C. s. L. Koch 1866, Arachn. Fam. Drassid. p. 339 T. 14 F. 220, 221 (D ♂).
C. canestrinii Castelli 1893, Atti Soc. Venet. Trent. (2) 1 p. 205 f. 1, 2 (D).
C. neglecta Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 227 T. 9. F. 6 (D ♀, nec. ♂).
C. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 227 T. 9 F. 33, 44 (D ♂, nec. ♀).
C. montana Bösenberg 1902, Zoologica 14 (2—4) p. 272 T. 25 F. 395 (D ♀).
C. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 403 (D ♂).
C. s. Simon 1932, Arachn. de France 6 (4) p. 913, 919, 963 f. 1384, 1397 (D ♂♀).
C. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 66 f. 20, 33 (D ♂♀).
C. (Epiclubiona) s. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. s. Tullgren 1946, Svensk Spindelfauna 3 p. 28 f. 6 C, D; T. 3 F. 42, 43 (D ♂♀).

♂♀ **stagnatilis** Kulczynski 1897. N.-, O.- u. Mitteleuropa, Sibirien
C. grisea Thorell 1873, Rem. Syn. Europ. Spid. p. 431 (N).
C. s. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 226 T. 9 F. 3, 24, 36 (D ♂♀).
C. subalba Bösenberg 1902, Zoologica 14 (2—4) p. 272 T. 25 F. 396 (D ♀).
C. s. Bösenberg 1902, Zoologica 14 (2—4) p. 276 T. 26 F. 400 (D ♀).
C. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 400 (D ♂).
C. s. Bogoiavlensky 1928, Bull. Stat. Biol. Bolchevo 2 p. 39 TF. 8 (N ♀).
C. s. Simon 1932, Arachn. de France 6 (4) p. 909, 917, 964 f. 1376, 1392 (D ♂♀).
C. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 69 f. 25, 39 (D ♂♀).
C. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 53 f. (N).
C. (Euryclubiona) s. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 21 (N).
C. s. Tullgren 1946, Svensk Spindelfauna 3 p. 28 f. 8C; T. 4 F. 52—54 (D ♂♀).
C. s. Locket & Millidge 1951, Brit. Spiders I. p. 132 f. 65B, 66D (D ♂♀).

♂ **straminea** Cambridge 1872. Palästina
C. s. Cambridge 1872, Proc. Zool. Soc. Lond. p. 252 T. 16 F. 38 (D ♂).

O♀ **strandiana** Sytshevskaja 1935. Kamtschatka
C. s. Sytshevskaja 1935, Folia Zool. Hydrobiol. 8 (1) p. 98 f. 18 (D O♀).

♂♀ **subinteriecta** Strand 1907. Amurgebiet
C. s. Strand 1907, Zool. Anz. 31 (17—18) p. 562 (D ♂♀).
C. s. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 35 T. 2 F. 22 (D ♂♀).

♂♀ **subsultans** Thorell 1875. Europa (außer S.-), Sibirien, Japan
? C. putris C. L. Koch 1839, Die Arachniden 6 p. 17 TF. 441 (D ♀).
C. erratica C. L. Koch 1843, Die Arachniden 10 p. 131 TF. 842, 843 (D ♂♀).
C. erratica Westring 1862, Aran. Svec. p. 397 (D ♂♀).

C. erratica L. Koch 1866, Arachn. Fam. Drassid. p. 296 T. 12 F. 188—190 (D ♂♀).
C. erratica Ohlert 1867, Aran. Prov. Preussen p. 99 (D ♂♀).
C. corticalis Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 372 T. 64 F. 212 (D ♂).
C. erratica Menge 1873, Schrift. Nat. Ges. Danzig (N.F.) 3. p 358 T. 62 F. 204 (D ♂♀).
C. s. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 86 (N, nom. nov.).
C. ornata Thorell 1875, Svensk Vet. Ak. Handl. 13 (5) p. 86 (D ♀).
C. erratica Simon 1878, Arachn. de France 4 p. 229 (D ♂♀).
C. erratica Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. (5) 2 p. 60 (D ♂♀).
C. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 226 T. 9 F. 2, 23, 35 (D ♂♀).
C. erratica Simon 1897, Hist. Nat. Araign. 2 (1) p. 75 f. 71 (N ♂).
C. s. Bösenberg 1902, Zoologica 14 (2—4) p. 278 T. 20 F. 409 (D ♂♀).
C. erratica Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 585 (D ♂♀).
C. s. Jackson 1914, Proc. Phys. Soc. Edinbg. 19 (5) p. 125 T. 3 F. 3—5 (N ♂♀).
C. s. Bogoiavlensky 1928, Bull. Stat. Biol. Bolchevo 2 p. 41 TF. 9 (N ♀).
C. s. Simon 1932, Arachn. de France 6 (4) p. 908, 918, 963 f. 1375, 1393 (D ♂♀).
C. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 70 f. 23, 38 (D ♂♀).
C. ornata Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 224, 232 (N).
C. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 54 f. (N).
C. (Euryclubiona) s. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 21 (N).
C. s. Tullgren 1946, Svensk Spindelfauna 3 p. 29 f. 8D; T. 4 F. 55—57 (D ♂♀).
C. s. Locket & Millidge 1951, Brit. Spiders I. p. 130 f. 65C, 66C (D ♂♀).

♂♀ **subtilis** L. Koch 1866. Mitteleuropa (außer S.-)

C. pallens Blackwall 1861, Spid. Gr. Brit. Irel 1 p. 130 T. 8 F. 82 (D ♂♀).
C. s. L. Koch 1866, Arachn. Fam. Drassid. p. 351 T. 14 F. 229—231 (D ♂♀).
C. minutula Thorell 1870, Rem. Syn. Europ. Spid. p. 227 (N).
C. s. Menge 1873, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 369 T. 64 F. 210 (D ♂♀).
C. s. Thorell 1873, Rem. Syn. Europ. Spid. p. 431 (N).
C. s. Simon 1878, Arachn. de France 4 p. 239 (D ♂♀).
C. s. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 60 (D ♂♀).
C. s. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 281 T. 17 F. 3 (D ♂♀).
C. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 229 T. 9 F. 14, 45 (D ♂♀).
C. s. Bösenberg 1902, Zoologica 14 (2—4) p. 273 T. 25 F. 398 (D ♂♀).
C. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 410 (D ♂♀).
C. s. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 585 (D ♂♀).
C. s. Simon 1932, Arachn. de France 6 (4) p. 924, 927, 967 f. 1406, 1415 (D ♂♀).
C. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 62 f. 6, 11 (D ♂♀).
C. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 49 f. (N).
C. (Microclubiona) s. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. s. Tullgren 1946, Svensk Spindelfauna 3 p. 11 f. 2D; T. 1 F. 11—13 (D ♂♀).
C. s. Locket & Millidge 1951, Brit. Spiders I. p. 143 f. 72D, 73E (D ♂♀).

♂ **sulla** Bösenberg & Strand 1906. Japan

C. s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 282 T. 16 F. 486 (D ♂).

♂♀ **terrestris** Westring 1851. Europa

C. t. Westring 1851, Göteborg Vet. Handl. 2 p. 49 (D).
C. amarantha Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 123 T. 7 F. 76 (D ♂♀).
C. t. Westring 1862, Aran. Svec. p. 395 (D ♂♀).
C. t. L. Koch 1866, Arachn. Fam. Drassid. p. 328 T. 13 F. 211, 212 (D ♂).
C. t. Menge 1873, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 364 T. 63 F. 207 (D ♂♀).
C. t. Simon 1878, Arachn. de France 4 p. 217 (D ♂♀).

C. t. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 269 T. 16 F. 15 (D ♂♀).
C. t. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 227 T. 9 F. 9, 31 (D ♂♀).
C. t. Bösenberg 1902, Zoologica 14 (2—4) p. 270 T. 25 F. 292 (D ♂♀).
C. t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 405 (D ♂♀).
C. t. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 586 (D ♂♀).
C. t. Simon 1932, Arachn. de France 6 (4) p. 912, 920, 965 f. 1381, 1399 (D ♂♀).
C. t. Reimoser 1927, in: Dahl, Tierw. Deutschl. 33 p. 85 f. 18, 36 (D ♂♀).
C. (Heteroclubiona) t. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. t. Tullgren 1946, Svensk Spindelfauna 3 p. 18 f. 5 A, B; T. 2 F. 27—29 (D ♂♀).
C. t. Locket & Millidge 1951, Brit. Spiders I. p. 135 f. 68 A, 70 A (D ♂♀).

♂♀ **trivialis** C. L. Koch 1843. Europa (außer SW.-)

C. t. C. L. Koch 1843, Die Arachniden 10 p. 132 TF. 844, 845 (D ♂♀).
C. pallens Westring 1862, Aran. Svec. p. 404 (D ♂♀).
C. t. Westring 1862, Aran. Svec. p. 398 (D ♀).
C. t. L. Koch 1866, Arachn. Fam. Drassid. p. 305 T. 12 F. 194—196 (D ♂♀).
C. phragmitis Ohlert 1867, Aran. Prov. Preussen p. 101 (D ♀, nec. ♂).
C. pallens Ohlert 1867, Aran. Prov. Preussen p. 100 (D ♂♀).
C. t. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 366 T. 63 F. 209 (D ♂♀).
C. seideli Fickert 1874, Ueb. Schles. Arten d. Arachn. Gattg. Clubiona p. 2 (D ♂).
C. t. Simon 1878, Arachn. de France 4 p. 228 (D ♂♀).
C. t. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 60 (D ♂♀).
C. t. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) 229 T. 9 F. 13, 46 (D ♂♀).
C. t. Bösenberg 1902, Zoologica 14 (2—4) p. 274 T. 25 F. 400 (D ♂♀).
C. t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 411 (D ♂♀).
C. t. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 586 (D ♂♀).
C. t. Simon 1932, Arachn. de France 6 (4) p. 924, 926, 966 f. 1405, 1413 (D ♂♀).
C. t. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 64 f. 14, 27 (D ♂♀).
C. t. Palmgren 1943, Act. Zool. Fenn. 36 p. 49 f. (N).
C. (Microclubiona) t. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 20 (N).
C. t. Tullgren 1946, Svensk Spindelfauna 3 p. 8 f. 2 A; T. 1 F. 1—3 (D ♂♀).
C. t. Locket & Millidge 1951, Brit. Spiders I. p. 140 f. 72 A, 73 A (D ♂♀).

♀ **uralensis** Charitonow 1926. Russland

C. u. Charitonow 1926, Bull. Inst. Biol. Univ. Perm. 4 p. 57 TF. 5 (D ♀).

♂♀ **vegeta** Simon 1918. S.-Europa, Algier

C. parvula Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 205 T. 12 F. 2 (D ♂♀) (praeocc. Blackwall 1833).
C. parvula Simon 1878, Arachn. de France 4 p. 235 (D ♂♀).
C. v. Simon 1918, Ann. Soc. Ent. France 87 Bull. p. 202 (nom. nov.)
C. v. Simon 1932, Arachn. de France 6 (4) p. 925, 930, 967 f. 1409, 1419 (D ♂♀).

♀ **venusta** Pavesi 1880. Tunis

C. v. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 342 (D ♀).

O♀ **vigil** Karsch 1879. Japan

C. v. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 93 T. 1 F. 13 (D O♀).
C. v. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 280 T. 7 F. 89; T. 16 F. 499 (D O♀).
C. v. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 39 (N ♀).

♀ **vigillella** Strand 1918. Japan

C. v. Strand 1918, Arch. Naturg. 82 (A; 11) p. 81 (D ♀).

♀ **violaceovittata** Schenkel 1936. S.-Kansu
C. v. Schenkel 1936. Ark. Zool. 29 (A; 1) p. 167 f. 58 (D ♀).

♀ **zilla** Dönitz & Strand 1906. Japan
C. z. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 386 T. 7 F. 81 (D ♀).

Aethiopische Arten:

♀ **abbajensis** Strand 1906. Abessinien, Somaliland, O.- u. Centr.-Afrika
C. a. Strand 1906, Zool. Anz. 30 (19—20) p. 632 (D ♀).
C. a. Strand 1908, Arch. Naturvid. Christiania 29 (2) p. 29 (D ♀).
C. a. Strand 1915, Arch. Naturg. 81 (A; 11) p. 86 (D ♀).

♀ **abbajensis karisimbiensis** Strand 1915. O.-Afrika
C. a. k. Strand 1915, Arch. Naturg. 81 (A; 11) p. 86 (D ♀).

♂♀ **abbajensis kibonotensis** Lessert 1921. O.-Afrika
C. a. k. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 400 f. 23—26 (D ♂♀).

♂♀ **abbajensis maxima** Strand 1906. Abessinien, O.-Afrika
C. a. m. Strand 1906, Zool. Anz. 30 (19—20) p. 632 (D ♂♀).
C. a. m. Strand 1908, Arch. Naturvid. Christiania 29 (2) p. 31 (D ♂♀).

♂♀ **africana** Lessert 1921. O.-Afrika
C. a. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 401 f. 27—29 (D ♂♀).
C. a. Caporiacco 1947, Ann. Mus. Nat. Hung. 40 (3) p. 194 (N ♀).

♂ **alluaudi** Simon 1897. Mauritius
C. a. Simon 1897, Ann. Soc. Ent. France 66 p. 279 (D ♂).

♂♀ **annuligera** Lessert 1929. Congo, Portug. O.-Afrika
C. a. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 135 f. 18 (D ♂♀).

♂ **aspidiophora** Simon 1910. SW.-Afrika
C. a. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 200 (D ♂).

♂ **bevisi** Lessert 1923. Natal
C. b. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 182 f. 28—30 (D ♂).

♂ **biaculeata** Simon 1897. S.-Afrika
C. b. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 10 (D ♂).

♀ **capensis** Simon 1897. Capland
C. c. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 10 (D ♀).

♀ **caplandensis** Strand 1907. Capland
C. c. Strand 1907, Zool. Anz. 31 (17—18) p. 542 (D ♀).
C. c. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 684 (D ♀).

♀ **chevalieri** Berland 1936. Cap Verde-I.
C. ch. Berland 1936, Rec. Franç. Entom. 3 (1) p. 75 f. 17 (D ♀).

♂ **citricolor** Lawrence 1952. Zululand
C. c. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 216 f. 60 (D ♂).

♂♀ **collinita** Lawrence 1938. Natal
C. c. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 495 f. 22 (D ♀).
C. c. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 168 f. 19 (D ♂).

♂♀ **dubia** Cambridge 1869. St. Helena
C. d. Cambridge 1869, Proc. Zool. Soc. Lond. p. 532 T. 42 F. 1 (D ♀).
C. d. Cambridge 1873, Proc. Zool. Soc. Lond. p. 213 T. 24 F. 3 (D ♂).

♀ **durbana** Roewer 1951. Natal
C. hilaris Lawrence 1942, Ann. Natal Mus. 10 (2) p. 169 f. 20 (D ♀).
C. d. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 444 (nom. nov.).

♂ **godfreyi** Lessert 1921. O.-Afrika
C. g. Lessert 1921, Rev. Suisse Zool. 28 (7) p. 406 f. 34—36 (D ♂).

♂ **haplotarsus** Simon 1910. San Thomé
C. h. Simon 1910, Ann. Mus. Civ. Genova 44 p. 343 (D ♂).

♀ **helva** Simon 1897. Natal
C. h. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 9 (D ♀).

♀ **hoffmanni** Schenkel 1937. Madagascar
C. h. Schenkel 1937, Festschr. Strand 3 p. 388 f. 7 (D ♀).

♂ **kiboschensis** Lessert 1921. O.-Afrika
C. k. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 407 f. 37, 38 (D ♂).

♀ **kigabensis** Strand 1915. O.-Afrika
C. k. Strand 1915, Jahrb. Nassau Ver. Nat. 68 p. 98 (D ♀).

♂♀ **latitans** Pavesi 1883. Abessinien, Somaliland
C. l. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 47 (D ♂).
C. l. **(? = quadrispinosa)** Strand 1908, Arch. Naturvid. Christiania 29 (2) p. 27 (D ♂).
C. l. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 432 (N ♀).

♀ **lawrencei** Roewer 1951. Natal
C. pulchella Lawrence 1938, Ann. Natal Mus. 8 (3) p. 498 f. 24 (D ♀).
C. l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.).

♂♀ **limpida** Simon 1897. Natal
C. l. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 9 (D ♂♀).
C. l. **(? = sublimpida)** Strand 1909, in: Drygalski, Deutsch. Südpol. Exped.; Zool. 2 p. 583 (N ♀).

♀ **limpidella** Strand 1907. Capland
C. l. Strand 1907, Zool. Anz. 31 (17—18) p. 542 (D ♀).
C. l. Zool. Jahrb. Syst. 25 (5—6) p. 682 (D ♀).

♀ **luapalana** Giltay 1935. Belg. Congo
C. l. Giltay 1935, Bull. Mus. Hist. Nat. Belg. 11 (16) p. 18 f. 10 (D ♀).

♀ **mahensis** Simon 1893. Seychellen
C. m. Simon 1893, Bull. Soc. Zool. France 18 p. 207 (D ♀).

♂ **natalica** Simon 1897. Natal
C. n. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 9 (D ♂).

o **nigromaculosa** Blackwall 1877. Seychellen
C. n. Blackwall 1877, Proc. Irish Ac. Sci. (2) 3 p. 11 T. 2 F. 9 (D o).

♀ **nollothensis** Simon 1910. SW.-Afrika
C. n. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 199 (D ♀).

♂♀ **pongolensis** Lawrence 1952. Zululand
C. p. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 213 f. 58, 61 (D ♂♀).

♀ **pupillaris** Lawrence 1938. Natal
C. p. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 496 f. 23 (D ♀).

♀ **rava** Simon 1885. Senegambien
C. r. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 379 (D ♀).
C. r. Berland 1936, Rec. Franç. Entom. 3 (1) p. 76 f. 18 (N ♀).

♂♀ **revillioidi** Lessert 1936. Portug. O.-Afrika, Zululand
C. r. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 273 f. 70—72 (D ♂♀).
C. r. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 168 (N ♀).

♀ **rivalis** Pavesi 1883. Abessinien
C. r. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 45 (D ♀).

♂♀ **roeweri** Caporiacco 1940. Abessinien
C. r. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 840 f. 40 (D ♂♀).

♂♀ **rothschildi** Berland 1922. Abessinien
C. r. Berland 1922, Voy. Rothschild Ethiop.; Res. Anim. Artic. 1 p. 66 f. 11, 12; T. A 2 F. 4 (D ♂♀).

♀ **ruandana** Strand 1915. O.-Afrika
C. r. Strand 1915, Arch. Naturg. 81 (A; 11) p. 87 (D ♀).

♂ **rumpiana** Lawrence 1952. Natal
C. r. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 216 f. 62 (D ♂).

♂ **sigillata** Lawrence 1952. Natal
C. s. Lawrence 1952, Ann. Natal. Mus. 12 (2) p. 215 f. 59 (D ♂).

♂♀ **sjöstedti** Lessert 1921. O.-Afrika
C. s. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 404 f. 30—32 (D ♂).
C. s. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 432 (♀).

♂ **sjöstedti spinigera** Lessert 1921. O.-Afrika
C. s. s. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 405 f. 33 (D ♂).

o **sparassella** Strand 1909. Capland
C. sp. Strand 1909, in: Drygalski, Deutsch. Südpol. Exped.; Zool. 2 p. 582 (D o).

♂♀ **subtrivialis** Strand 1906. Abessinien, O.-Afrika
C. s. Strand 1906, Zool. Anz. 30 (19—20(p. 632 (D ♀).
C. s. Strand 1908, Arch. Naturvid. Christiania 29 (2) p. 25 (D ♀).
C. s. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 398 f. 19—22 (D ♂♀).

♂ **umbilensis** Lessert 1923. Natal
C. u. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 184 f. 32, 33 (D ♂).

♀ **vachoni** Lawrence 1952. Natal
C. v. Lawrence 1952, Ann. Natal. Mus. 12 (2) p. 213 f. 57 (D ♀).

♂♀ **valens** Simon 1897. Natal
C. v. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 10 (D ♂♀).

Orientalische Arten:
§ 2 ♂, 4 ♀: Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 260.

♂ **acanthocnemis** Simon 1906. Indien
C. a. Simon 1906, Ann. Soc. Ent. France 75 p. 298 (D ♂).

♀ **analis** Thorell 1895. Burma
C. a. Thorell 1895, Descr. Catal. Spid. Burma p. 41 (D ♀).
C. a. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 261 f. 16 C (N ♀).

♂♀ **concinna** (Thorell) 1887. Burma
Atalia c. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 55 (D ♂♀).
C. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 75 f. 72 (N ♂).
C. c. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 261 f. 16 A (N ♂).

♀ **distincta** Thorell 1887. Burma
C. d. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 48 (D ♀).

♂♀ **drassodes** Cambridge 1874. Indien
C. d. Cambridge 1874, Proc. Zool. Soc. Lond. p. 414 T. 52 F. 36 (D ♀).
C. d. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 262 f. 16 E, F (D ♂, N ♀).

♂♀ **elberti** Strand 1913 Lombok
C. e. Strand 1913, Arch. Naturg. 79 (A; 6) p. 119 (D ♂♀).
C. e. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 251 (D ♂♀).

♂ **esuriens** Thorell 1897. Burma
C. e. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 249 (D ♂).

♂♀ **filicata** Cambridge 1874. Indien
C. f. Cambridge 1874, Proc. Zool. Soc. Lond. p. 413 T. 52 F. 35 (D ♂♀).
C. f. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 261 f. 16 D (N ♀).

♀ **hundshageni** Strand 1907. Molukken
C. h. Strand 1907, Zool. Anz. 31 (17—18) p. 562 (D ♀).
C. h. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 41 T. 2 F. 25 (D ♀).

♀ **hysgina** Simon 1889. Indien
C. h. Simon 1889, Journ. Asiat. Soc. Bengal. (N. S.) 58 (2; 4) Suppl. p. 343 (D ♀).

♀ **laticeps** Cambridge 1885. NW.-Indien
C. l. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 22 T 2 F. 15 (D ♀).

♂♀ **melanosticta** Thorell 1890. Sumatra, Krakatau
C. m. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 374 (D ♂).
C. m. Thorell 1895, Descr. Catal. Spid. Burma p. 42 (D ♀).

♀ **melanothele** Thorell 1895. Burma
C. m. Thorell 1895, Descr. Catal. Spid. Burma p. 42 (D ♀).
C. m. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 261 f. 16 B (N ♀).

♀ **munda** Thorell 1887. Burma
C. m. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 51 (D ♀).

♂ **nilgherina** Simon 1906. Dekan
C. n. Simon 1906, Ann. Soc. Ent. France 75 p. 298 (D ♂).

♂♀ **pogonias** Simon 1906. Indien
C. p. Simon 1906, Ann. Soc. Ent. France 75 p. 312 (D ♂♀).

♂♀ **pupula** Thorell 1897. Burma
C. p. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 251 (D ♂♀).

♀ **swatowensis** Strand 1907. S.-China
C. s. Strand 1907, Zool. Anz. 31 (17—18) p. 562 (D ♀).
C. s. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 39 T. 2 F. 24 (D ♀).

♀ **tabupumensis** Petrunkevitch 1914. Burma
C. t. Petrunkevitch 1914, Ann. Ent. Soc. Amer. 7 (3) p. 171 T. 26 F. 5 (D ♀).

♀ **ternatensis** (Thorell) 1881. I. Ternate
Hirtia t. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 223 (D ♀).
C. t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 75 f. 69 (N).

♀ **thorelli** Roewer 1951. Sumatra
C. versicolor Thorell 1890, Ann. Mus. Civ. Genova 28 p. 378 (D ♀).
C. t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.).

Australische Arten:

§ 4 Arten: Simon 1909, Faun. S. W. Austral. 2 (12) p. 158

♀ **achilles** Hogg 1896. Centr.-Australien
C. a. Hogg 1896, Aran. in: Rep. Horn Exped. 2 (Zool.) p. 330 T. 24 F. 9 (D ♀).

♂♀ **alveolata** L. Koch 1873. Samoa, Funafuti, Marquesas-I.
C. a. L. Koch 1873, Arachn. Austral. 1 (1) p. 421 T. 33 F. 6, 7 (D ♂♀).

♀ **apiata** Urquhart 1893. Tasmanien
C. a. Urquhart 1893, Pap. Proc. Soc. Tasman. (for 1892) p. 102 (D ♀).

♀ **asbolodes** Rainbow & Pulleine 1920. Lord Howe-I.
C. a. Rainbow & Pulleine 1920, in: Rainbow, Rec. S. Austral. Mus. 1 p. 254 T. 29 F. 70 (D ♀).

♂♀ **australiaca** Kolosvary 1934. Neu-Guinea
C. au. Kolosvary 1934, Folia Zool. Hydrobiol. 7 (1) p. 46 f. 8—11 (D ♂♀).

♂♀ **cambridgei** L. Koch 1873. Neu-Seeland, Chatham-I.
C. c. L. Koch 1873, Arachn. Austral. 1 (1) p. 419 T. 33 F. 4, 5 (D ♂♀).

♂♀ **canaca** Berland 1930. Neu-Caledonien
C. c. Berland 1930, Bull. Mus. Hist. Nat. Paris (2) 2 p. 281 f. 17—23 (D ♂♀).

♂ **chathamensis** Simon 1905. Chatham-I.
C. ch. Simon 1905, Zool. Jahrb. Syst. 21 (4) p. 417 (D ♂).

♂♀ **chevronia** Urquhart 1891. Neu-Seeland
C. ch. Urquhart 1891, Trans. N. Zeal. Inst. 24 p. 231 (D ♂♀).

♂♀ **cycladata** Simon 1909. W.-Australien
C. c. Simon 1909, Faun. S. W. Austral. 2 (12) p. 160 (D ♂♀).

♀ **dysderiformis** (Guérin) 1830. Neu-Guinea
Drassus d. Guérin 1830, Arachn. in: Dupperey, Voy. aut. d. Monde 2 (1) p. 51 (D ♀).

♂♀ **elaphines** Urquhart 1893. Tasmanien
C. e. Urquhart 1893, Pap. Proc. Soc. Tasman. (for 1892) p. 100 (D ♂♀).

♂♀ **giulianetti** Rainbow 1898. Neu-Guinea
C. g. Rainbow 1898, Proc. Linn. Soc. N.S. Wales 23 (3) p. 348 T. 7 F. 11 (D ♂♀).

♂ **hatamensis** (Thorell) 1881. Neu-Guinea
Hirtia h. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 225 (D ♂).

♂♀ **hystrix** Berland 1938. Neue Hebriden
C. h. Berland 1938, Ann. Soc. Ent. France 107 p. 135 f. 18—20 (D ♂♀).

♀ **laudabilis** Simon 1909. W.-Australien
C. l. Simon 1909, Faun. S. W. Austral. 2 (12) p. 161 (D ♀).

♀ **maculata** Roewer 1951. Queensland
C. maculosa L. Koch 1873, Arachn. Austral. 1 (1) p. 423 T. 33 F. 8 (D ♀) (praeocc. Nicolet 1849).
C. m. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.).

♀ **modesta** L. Koch 1873. Queensland
C. m. L. Koch 1873, Arachn. Austral. 1 (1) p. 416 T. 33 F. 1 (D ♀).

♀ **munis** Simon 1909. W.-Australien
C. m. Simon 1909, Faun. S. W. Austral. 2 (12) p. 160 (D ♀).

♂♀ **neocaledonica** Berland 1924. Neu-Caledonien
C. n. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 234 f. 164—167 (D ♂♀).
C. n. Berland 1930, Bull. Mus. Hist. Nat. Paris (2) 2 p. 276 f. 1—7 (D ♂♀).

♀ **nitida** Urquhart 1892. Neu-Seeland
C. n. Urquhart 1892, Trans. N. Zeal. Inst. 25 p. 166 (D ♀).
C. n. Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 87 T. 13 F. 31 (D ♀).

♀ **notabilis** L. Koch 1873. Queensland
C. n. L. Koch 1873, Arachn. Austral. 1 (1) p. 424 T. 33 F. 9 (D ♀).

♂ **peculiaris** L. Koch 1873. Neu-Seeland, Chatham-I.
C. p. L. Koch 1873, Arachn. Austral. 1 (1) p. 427 T. 33 F. 11 (D ♂).

♀ **phansa** Strand 1911. Aru-I.
C. ph. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 164 (D ♀).

♂♀ **pruvotae** Berland 1930. Neu-Caledonien
C. p. Berland 1930, Bull. Mus. Hist. Nat. Paris (2) 2 p. 282 f. 24—28 (D ♂♀).

♀ **pseudomaxillata** Hogg 1915. Neu-Guinea
C. ps. Hogg 1915, Trans. Zool. Soc. Lond. 20 (14) p. 478 f. 36 (D ♀).

♀ **rainbowi** Roewer 1951. Lord Howe-I.
C. decora Rainbow & Pulleine 1920, in: Rainbow, Rec. S. Austral. Mus. 1 p. 255 T. 29 F. 71, 72 (D ♀) (praeocc. Blackwall 1859).
C. r. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.).

♀ **ramoiensis** (Thorell) 1881. Neu-Guinea
Hirtia r. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 227 (D ♀).

♂♀ **risbeci** Berland 1930. Neu-Caledonien
C. r. Berland 1930, Bull. Mus. Hist. Nat. Paris (2) 2 p. 278 f. 8—16 (D ♂♀).

♂♀ **robusta** L. Koch 1873. Australien
C. r. L. Koch 1873, Arachn. Austral. 1 (1) p. 417 T. 33 F. 2, 3 (D ♂♀).
C. r. Simon 1909, Faun. S. W. Austral. 2 (12) p. 159 (D ♀).

♂♀ **samoensis** Berland 1929. Samoa, Tahiti, Rapa
C. s. Berland 1929, Insect. Samoa 8 (2) p. 65 f. 56—62 (D ♂♀).

♀ **savesi** Berland 1930. Neu-Caledonien
C. s. Berland 1930, Bull. Mus. Hist. Nat. Paris (2) 2 p. 284 f. 29 (D ♀).

♀ **subnotabilis** Strand 1907. Australien
C. s. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 214 (D ♀).

♀ **vacuna** L. Koch 1873. Neu-Guinea, Queensland
C. v. L. Koch 1873, Arachn. Austral. 1(1) p. 426 T. 33 F. 10 (D ♀).

♀ **venatoria** Rainbow & Pulleine 1920. Lord Howe-I.
C. v. Rainbow & Pulleine 1920, in: Rainbow, Rec. S. Austral. Mus. 1 p. 254 T. 29 F. 69 (D ♀).

Neotropische Arten:

§ 6 ♂, 6 ♀: F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 88.
§ 4 ♂, 7 ♀: Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 8—9.

♀ **acies** Nicolet 1849. Chile
C. a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 446 (D ♀).
C. acris Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 132 (C).

♀ **affinis** Blackwall 1862. Brasilien
C. a. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 428 (D ♀).

♀ **aliceae** Chickering 1937. Panama
C. a. Chickering 1937, Trans. Amer. Microsc.. Soc. 56 (1) p. 10 T. 1 F. 17; T. 3 F. 36 (D ♀).

♂ **anomala** Taczanowski 1874. Guiana
C. a. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 77 T. 2 F. 5 (D ♂).

♂ **balboae** Chickering 1937. Panama
C. b. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 12 T. 1 F. 4; T. 6 F. 77—79 (D ♂).

♂ **barroana** Chickering 1937. Panama
C. b. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 13 T. 1 F. 13; T. 2 F. 30 (D ♂).

♀ **candefacta** Nicolet 1849. Chile
C. c. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 440 (D ♀).
C. caudefacta Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 459 (C).

♀ **carlota** Bryant 1940. Cuba
C. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 421 T. 15 F. 206 (D ♀).

♂ **complicata** Banks 1898. Nieder-Californien
C. c. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 226 T. 13 F. 39 (D ♂).

♀ **crinophora** Franganillo 1934. Cuba
C. c. Franganillo 1934, Mem. Soc. Cubana Hist Nat. 8 p. 32 (sep.) f. 17 (D).
C. c. Franganillo 1936, Los Aracnidos de Cuba hasta 1936 p. 114 f. 61 (D).
C. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 422 T. 14 F. 196 (D ♀).

♂♀ **crocota** Cambridge 1896. Mexico
C. c. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 168 T. 21 F. 2, 3 (D ♂♀).
C. c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 89 T. 6 F. 19 (N ♂♀).

♂♀ **cubana** Roewer 1951. Cuba
C. albicans Franganillo 1930, Mem. Inst. Nac. Invest. Ci. Habana 1 p. 30 (sep.) (D); (praeocc. Bösenberg 1902).
C. albicans Franganillo 1934. Mem. Soc. Cubana Hist. Nat. 8 p. 32 (sep.) f. 16 (D).
C. albicans Franganillo 1936, Los Aracnidos de Cuba hasta 1936 p. 113 f. 60 a (D).
C. albicans Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 420 T. 15 F. 199, 200, 202 (D ♂♀).
C. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.)

♀ **debilis** Nicolet 1849. Chile
C. d. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 440 (D ♀).

♂♀ **depuncta** (Cambridge) 1898. Mexico
Elaver d. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 240 T. 30 F. 10 (D ♀).
C. d. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 89 T. 6 F. 24, 25 (D ♂♀).

♀ **desecheonis** Petrunkevitch 1930. Portorico
C. d. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 59 f. 52 (D ♀).

♀ **elaver** Bryant 1940. Cuba
C. e. Bryant 1940, Bull. Mus. Comp. Zool. Harward 86 (7) p. 423 T. 15 F. 208 (D ♀).

♂ **excisa** Cambridge 1898. Mexico
C. e. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 245 T. 33 F. 5 (D ♂).

♀ **exempta** Gertsch & Davis 1940. Mexico
C. e. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 16 TF. 31 (D ♀).

♂ **fasciata** Blackwall 1862. Brasilien
C. f. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 427 (D ♂).

♀ **flavipes** Nicolet 1849. Chile
C. f. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 442 (D ♀).

♀ **flavocincta** Nicolet 1849. Chile
C. f. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 447 (D ♀).

♂ **guianensis** Caporiacco 1947. Brit. Guiana
C. g. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 27 (D ♂).
C. g. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 873 (D ♂).

♂ **hortoni** Chickering 1937. Panama
C. h. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 14 T. 5 F. 57; T 6 F. 73, 74 (D ♂).

♀ **implica** Gertsch 1941. Haiti
C. i. Gertsch 1941, Amer. Mus. Novit. 1148 p. 18 TF. 46 (D ♂).

♂♀ **juana** Bryant 1940. Cuba
C. j. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 424 T. 15 F. 201, 203, 204 (D ♂♀).

♀ **languida** Gertsch 1941. Costa Rica
C. l. Gertsch 1941, Amer. Mus. Novit. 1148 p. 18 TF. 48 (D ♀).

♀ **lineata** Nicolet 1849. Chile
C. l. Nicolet 1849, in: Gay, Hist. Nat. Chili 10 (3) p. 435 (D ♀).

♀ **linguata** F. Cambridge 1900. Guatemala
C. l. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 90 T. 6 F. 27 (D ♀).

♀ **longipes** Nicolet 1849. Chile
C. l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 435 (D ♀).

♀ **maritima** L. Koch 1866. St. Thomas
C. m. L. Koch 1866, Arachn. Fam. Drassid. p. 310 T. 12 F. 198 (D ♀).
C. m. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 426 T. 15 F. 205, 207 (D ♂♀).

♀ **minuscula** Nicolet 1849. Chile
C. m. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 446 (D ♀).

♀ **minuta** Nicolet 1849. Chile
C. m. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 439 (D ♀).

♀ **mordica** Cambridge 1898. Mexico
C. m. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 274 T. 32 F. 14 (D ♀).

♂♀ **multinotata** Chickering 1937. Panama
C. m. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 16 T. 2 F. 23; T. 5 F. 62; T. 5 F. 71, 72 (D ♂♀).

♂ **newmani** Ivie & Barrows 1935. Florida
C. n. Ivie & Barrows 1935, Bull. Univ. Utah; Biol. 26 (6) p. 20 T. 7 F. 57, 58 (D ♂).

♀ **nubes** Nicolet 1849. Chile
C. n. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 421 (D ♀).

♀ **orvillei** Chickering 1937. Panama
C. o. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 18 T. 2 F. 29; T. 5 F. 59 (D ♀).

♀ **paduana** Karsch 1880. Feuerland
C. p. Karsch 1880, Zeitschr. ges. Naturwiss. 53 p. 379 T. 12 F. 8 (D ♀).

♀ **placida** (Cambridge) 1898. Mexico
Elaver p. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 240 T. 31 F. 4 (D ♀).
C. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 90 (C ♀).

♂♀ **portoricensis** Petrunkevitch 1930. Portorico
C. p. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 55 f. 49—51 (D ♂♀).

♂♀ **procteri** Gertsch 1941. Florida, Alabama, N.-Carolina
C. p. Gertsch 1941, Amer. Mus. Novit. 1148 p. 10 TF. 17, 18 (D ♂).
C. p. Bryant 1945, Psyche 52 (3—4) p. 187 T. 15 F. 9 (D ♀).

♀ **puera** Nicolet 1849. Chile
C. p. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 447 (D ♀).

♀ **pusilla** Nicolet 1849. Chile
C. p. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 426 (D ♀).

♂ **richardi** Gertsch 1941. Honduras
C. r. Gertsch 1941, Amer. Mus. Novit. 1148 p. 17 TF. 52 (D ♂).

♀ **scenica** Nicolet 1849. Chile
C. sc. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 425 (D ♀).

♀ **sericea** (Cambridge) 1898. Mexico, Panama
Elaver s. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 239 T. 30 F. 11 (D ♀)
C. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 89 T. 6 F. 23 (N ♀).
C. s. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 20 T. 1 F. 11 (N).

♂♀ **sigillata** Petrunkevitch 1925. Panama
C. s. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 139 f. 62—69 (D ♂♀).

♀ **silvatica** Chickering 1937. Panama
C. s. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 20 T. 1 F. 12; T. 2 F. 25 (D ♀).

♂ **simplex** Cambridge 1896. Guatemala
C. s. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 195 (D ♂).
C. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 89 T. 6 F. 20 (D ♂).

♂♀ **sternalis** Nicolet 1849. Chile
C. st. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 424 (D ♂♀).

♂♀ **tigrinella** Roewer 1951. Costa Rica, Mexico
Elaver tigrina Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 238 T. 30 F. 6, 7 (D ♂♀) (praeocc. Walckenaer 1841, sub. **Clubiona).**
C. tigrina F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 89 T. 6 F. 21, 22 (C ♂♀).
C. tigrina Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 199 (N).
C. tigrina Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 21 T. 5 F. 56 (N).
C. t. Roewer 1951, Abk. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.).

♂ **tricuspis** F. Cambridge 1900. Guatemala
C. t. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 90 T. 6 F. 26 (D ♂).

♂ **tristani** Banks 1909. Costa Rica
C. t. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 198 T. 5 F. 5 (D ♂).

♀ **tumivulva** Banks 1909. Costa Rica
C. t. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 199 T. 5 F. 19 (D ♀).

♀ **wheeleri** Roewer 1933. Mexico
C. wh. Roewer 1933, Zool. Anz. 102 (7—8) p. 187 f. 4 (D ♀).

Nearktische Arten:

§ 10 ♂, 10 ♀: Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 61—63.
§ 16 Arten: Gertsch 1941, Amer. Mus. Novit. 1148 p. 2 u. 4.
§ 19 (♂♀): Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 370—372.

♂♀ **abbotii** L. Koch 1866. U. St. Amerika
C. a. L. Koch 1866, Arachn. Fam. Drassid. p. 303 T. 12 F. 193 (D ♀).
C. rubra Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 436 T. 6 F. 12 (D ♂♀).
C. rubra Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 182 T. 5 F. 6 (D ♂♀).
C. a. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 21 T. 1 F. 65 (D ♀).
C. rubra Emerton 1902, Common Spid. p. 18 f. 58, 59 (D ♂♀).
C. rubra Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. — T. 10 F. 9 (N ♀).
C. a. Comstock 1912, Spider Book p. 566 f. 640, 641 (N).
C. a. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 63 f. 28—31 (N ♂♀).
C. a. Gertsch 1941, Amer. Mus. Novit. 1148 p. 15 TF. 32—36 (N ♂♀).
C. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 378 T. 70 F. 1319—1321 (D ♂♀).

♂♀ **abbotoides** Chamberlin & Ivie 1946. Idaho
C. a. Chamberlin & Ivie 1946, Bull. Univ. Utah 36 (13) Biol. 9 (5) p. 10 TF. 13, 14 (D ♂♀).

♂ **adjacens** Gertsch & Davis 1936. Texas
C. a. Gertsch & Davis 1936, Amer. Mus. Novit. 881 p. 19 TF. 35 (D ♂).
C. a. Gertsch 1941, Amer. Mus. Novit. 1148 p. 8 TF. 30—31 (N ♂).

♀ **alachna** Gertsch 1941. Südöst. U. St. Amerika
C. a. Gertsch 1941, Amer. Mus. Novit. 1148 p. 4 TF. 4 (D ♀).
C. a. Muma 1945, Proc. Biol. Soc. Wash. 58 p. 98 (N ♀).

♀ **altana** Gertsch 1941. Alberta
C. a. Gertsch 1941, Amer. Mus. Novit. 1148 p. 16 TF. 54 (D ♀).

♂♀ **bryantae** Gertsch 1941. Neu-England
C. agrestis Emerton 1924, Psyche 31 (3—4) p. 144 f. 6 (D ♂).
C. agrestis Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 65 f. 32—36 (N ♂♀).
C. b. Gertsch 1941, Amer. Mus. Novit. 1148 p. 16 (nom. nov.).
C. b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 375 T. 67 F. 1285; T. 69 F. 1314, 1315 (D ♂♀).

♂ **bufonis** Chamberlin 1925. Missouri
C. b. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 220 (D ♂).

♀ **californica** Fox 1938. Californien
C. c. Fox 1938, Lowa Stat. Coll. Journ. Sci. 12 (2) p. 239 T. 2 F. 4 (D ♀).

♂♀ **canadensis** Emerton 1889. New Hampshire, New York, Canada, Alaska

C. c. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 181 T. 5 F. 4 (D ♂♀).
C. c. Emerton 1902, Common Spiders p. 17 f. 55—57 (D ♂♀).
C. c. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. — T. 10 F. 8 (N ♂♀).
C. c. Comstock 1912, Spider Book p. 567 f. 645 (N).
C. c. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 65 f. 37—41 (N ♂♀).
C. c. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 376 T. 67 F. 1288—90; T. 71 F. 1344—46 (D ♂♀).

♀ **carpenterae** Fox 1938. Labrador

C. c. Fox 1938, Iowa Stat. Coll. Journ. Sci. 12 (2) p. 240 T. 2 F. 7 (D ♀).

♂ **catawba** Gertsch 1941. Georgia, Tennessee

C. c. Gertsch 1941, Amer. Mus. Novit. 1148 p. 10 TF. 10, 11 (D ♂).

♂ **chippewa** Gertsch 1941. Wisconsin

C. c. Gertsch 1941, Amer. Mus. Novit. 1148 p. 16 TF. 50, 51 (D ♂).

♀ **dorothea** Gertsch 1935. Texas

C. d. Gertsch 1935, Amer. Mus. Novit. 805 p. 12 TF. 25 (D ♀).

♂ **dyasia** Gertsch 1941. Alabama

C. d. Gertsch 1941, Amer. Mus. Novit. 1148 p. 4 TF. 1, 2 (D ♂).

♀ **elizabethae** Kaston 1945. Connecticut

C. e. Kaston 1945, Amer. Mus. Novit. 1290 p. 4 TF 43 (D ♀).
C. e. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 377 T. 67 F. 1293 (D ♀).

♂♀ **excepta** L. Koch 1866. Baltimore

? **Lycosa animosa** Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 331 (D, part.).
C. pallens Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 449 T. 23 F. 13 (D ♀) (praeocc. Hahn 1834).
C. e. L. Koch 1866, Arachn. Fam. Drassid. p. 300 T. 12 F. 191 (D ♀).
C. e. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 183 T. 5 F. 10 (D ♂♀).
C. e. Emerton 1902, Common Spiders p. 19 f. 63—65 (D ♂♀).
C. pallens Comstock 1912, Spider Book p. 567 f. 644 (N).
C. pallens Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 187 (N ♂♀).
C. pallens Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 71 f. 54—58 (N ♂♀).
C. pallens Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 373 T. 67 F. 1277—78; T. 69 F. 1306—09 (D ♂♀).

♀ **frigidula** Thorell 1875. Labrador

C. f. Thorell 1875, Proc. Boston Soc. Nat. Hist. 17 p. 496 (D ♀).

♂ **furcata** Emerton 1919. U. St. Amerika

C. f. Emerton 1919, Canad. Ent. 51 p. 106 T. 7 F. 7 (D ♀).

♂ **hilltonia** Chamberlin & Ivie 1944. Georgia

C. h. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 182 TF. 201 (D ♀).

♀ **immatura** Hentz 1847. Alabama

C. i. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 453 T. 23 F. 22 (D ♀).

♂♀ **intermontana** Gertsch 1933. Yellowstone Park, Alaska

C. i. Gertsch 1933, Amer. Mus. Novit. 637 p. 9 TF. 10, 13 (D ♂).
C. i. Gertsch 1941, Amer. Mus. Novit. 1148 p. 17 TF. 49 (D ♀).
C. i. Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10) Biol. 10 (3) p. 7 (N ♂♀).

♂♀ **johnsoni** Gertsch 1941. Nordöstl. U. St. Amerika

C. rubra Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 182 T. 5 F. 8—8c (D ♂♀).
C. j. Gertsch 1941, Amer. Mus. Novit 1148 p. 14 Tf. 43—45 (D ♂♀).
C. j. Muma 1945, Proc. Biol. Soc. Wash. 58 p. 98 (N ♂).
C. j. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 379 T. 70 F. 1330—1332 (D ♂♀).

♀ **kagani** Gertsch 1941. Texas

C. k. Gertsch 1941, Amer. Mus. Novit. 1148 p. 6 TF. 16 (D ♀).

♂♀ **kastoni** Gertsch 1941. Östl. U. St. Amerika

C. k. Gertsch 1941, Amer. Mus. Novit. 1148 p. 14 TF. 37—39 (D ♂♀).
C. k. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 379 T. 70 F. 1333—1335 (D ♂♀).

♂ **kiowa** Gertsch 1941. Texas

C. k. Gertsch 1941, Amer. Mus. Novit. 1148 p. 12 TF. 23, 24 (D ♂).

♀ **kohlsi** Gertsch & Jellison 1939. Montana

C. k. Gertsch & Jellison 1939, Amer. Mus. Novit. 1032 p. 10 TF. 3 (D ♀).

♂♀ **littoralis** Banks 1895. Nordöst. U. St. Amerika

C. l. Banks 1895, Journ. N. York Ent. Soc. 3 p. 79 (D ♂).
C. latifrons Emerton 1913, Trans. Connect. Ac. Sci. 18 p. 220 T. 2 F. 12 (D ♂♀).
C. l. Gertsch 1941, Amer. Mus. Novit 1148 p. 8 TF. 12—15 (D ♂♀).
C. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 380 T. 70 F. 1322—1324 (D ♂♀).

♂♀ **mimula** Chamberlin & Gertsch 1928. Utah

C. m. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 184 (D ♂♀).

♂♀ **mixta** Emerton 1889. U. St. America

C. m. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 180 T. 5 F. 1 (D ♂).
C. crassipalpis Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. — T. 10 F. 11 (N ♀).
C. m. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 67 f. 68—69A (N ♂).
C. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 374 T. 57 F. 1282—1284; T. 69 F. 1313 (D ♂♀).

♂♀ **moesta** Banks 1896. U. St. Amerika, Alaska

C. pusilla Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 181 T. 5 F. 5 (D ♂).
C. m. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 64 (D ♂♀).
C. emertoni Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 460 (nom. nov.)
C. emertoni Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 194 (N).
C. m. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 68 f. 42—46 (N ♂Y).
C. emertoni Chamberlin & Ivie 1947, Bull. Univ. Utah 37 (10) Biol. 10 (3) p. 71 (N ♀).
C. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 375 T. 67 F. 1286; T. 1316—1318 (D ♂♀).

♂♀ **mulaiki** Gertsch 1935. Texas
C. m. Gertsch 1935, Amer. Mus. Novit. 805 p. 11 TF. 22—24 (D ♂♀).

♂ **mutata** Gertsch 1941. Utah, Saskatchewan
C. m. Gertsch 1941, Amer. Mus. Novit. 1148 p. 14 TF. 19, 20 (D ♂).

♂♀ **nicholsi** Gertsch 1941. Long Island, New York, N.-Carolina
C. n. Gertsch 1941, Amer. Mus. Novit. 1148 p. 8 TF. 5—6 (D ♂).
C. n. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 380 T. 70 F. 1336—1337 (D ♂♀).
C. n. Barnes 1953, Amer. Mus. Novit. 1632 p. 16 f. 19 (D ♀).

♂♀ **obesa** Hentz 1847. U. St. Amerika, Canada
C. o. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 450 T. 23 F. 14 (D ♀).
C. crassipalpis Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 438 T. 6 F. 13 (D ♂).
C. crassipalpis Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 180 T. 5 F. 1 (D ♂).
C. mixta Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 180 T. 5 F. 2 (D ♂).
C. o. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 20 T. 1 F. 61 (D ♀).
C. crassipalpis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 21 T. 1 F. 63 (N ♀).
C. crassipalpis Emerton 1902, Common Spid. p. 16 f. 4852 (D ♂♀).
C. o. Comstock 1912, Spider Book p. 567 f. 646 (N).
C. o. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 69 f. 47—50 (N ♂♀).
C. o. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 373 T. 67 F. 1279—1281; T. 1310—1312 (D ♂♀).

♂♀ **obtusa** Emerton 1915. Canada
C. o. Emerton 1915, Trans. Connect. Ac. Sci. 20 p. 153 T. 3 F. 4 (D ♂♀).
C. o. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 71 f. 51—53A (N ♂♀).

♀ **orinoma** Chamberlin 1919. Utah
C. o. Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 255 T. 19 F. 4 (D ♀).

♀ **oteroana** Gertsch 1941. Neu-Mexico
C. o. Gertsch 1941, Amer. Mus. Novit. 1148 p. 8 TF. 3 (D ♀).

♀ **pacifica** Banks 1896. Californien, Washington St., Alaska
C. p. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 65 (D ♀).

♂♀ **pikei** Gertsch 1941. Östl. U. St. Amerika
C. p. Gertsch 1941, Amer. Mus. Novit. 1148 p. 10 TF. 25—27 (D ♂♀).
C. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 379 T. 70 F. 1327—29 (D ♂♀).

♂ **plumbi** Gertsch 1941. Nordöstl. U. St. Amerika
C. p. Gertsch 1941, Amer. Mus. Novit. 1148 p. 12 TF. 21, 22 (D ♂).

♂♀ **pomoa** Gertsch 1941. Californien
C. p. Gertsch 1941, Amer. Mus. Novit. 1148 p. 6 TF. 7—9 (D ♂♀).

♂♀ **praematura** Emerton 1909. New Hampshire, Alaska
C. p. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 219 T. 10 F. 7 (D ♂♀).

♂♀ **pygmaea** Banks 1892. New York, Connecticut, Massachusets
C. p. Banks 1892, Proc. Ac. Nat. Hist. Philad. p. 21 T. 1 F. 64 (D ♀).
C. minuta Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 181 T. 5 F. 11 (D ♂).

C. lenta Banks 1892, Proc. Ac. Nat. Hist. Philad. p. 21 T. 1 F. 66 (D ♀).
C. minutissima Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 461 (nom. nov.).
C. minutissima Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 194 (N).
C. p. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 73 f. 70, 71 (N ♀).
C. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 377 T. 67 F. 1291; T. 71 F. 1347—49 (D ♂♀).

♂♀ **rhododendri** Barrows 1945. Tennessee

C. r. Barrows 1945, Ann. Ent. Soc. Amer. 38 (1) p. 72 T. 1 F. 2, 4 (D ♂♀).

♂♀ **rileyi** Gertsch 1941. Minnesota, Connecticut

C. r. Gertsch 1941, Amer. Mus. Novit. 1148 p. 17 TF 47 (D ♀).
C. r. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 377 T. 67 F. 1292 (D ♂♀).

♂♀ **riparia** L. Koch 1866. U. St. America, Canada, Alaska

C. r. L. Koch 1866, Arachn. Fam. Drassid. p. 294 T. 12 F. 187 (D ♀).
C. ornata Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 183 T. 5 F. 9 (D ♀).
C. americana Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 22 (N).
C. ornata Emerton 1894, Trans. Connect. Ac. Sci. 9 (6 a) p. 414 T. 2 F. 8 (D ♂).
C. ornata Emerton 1902, Common Spiders p. 18 f. 60—62 (D ♂♀).
C. r. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. — T. 10 F. 6 (N ♂♀).
C. r. Comstock 1912, Spider Book p. 567 f. 642—643 (N).
C. r. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 73 f. 59—63 (N ♂♀).
C. r. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 372 T. 67 F. 1276; T. 69 F. 1301—05; T. 135 F. 2070 (D ♂♀).

♀ **rowani** Gertsch 1941. Alberta

C. r. Gertsch 1941, Amer. Mus. Novit. 1148 p. 17 TF 53 (D ♀).

♂♀ **saltitans** Emerton 1919. Canada

C. s. Emerton 1919, Canad. Ent. 51 p. 107 f. 14 (D ♂, nec ♀).
C. s. Gertsch 1941, Amer. Mus. Novit. 1148 p. 8 TF. 40—42 (D ♂♀).

♂♀ **screveni** Chamberlin & Ivie 1944. Georgia

C. s. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 184 TF. 204—206 (D ♂♀).

♂♀ **spiralis** Emerton 1909. U. St. Amerika

C. s. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 219 T. 10 F. 10 (D ♂♀).
C. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 376 T. 71 F. 1341—43 (D ♂♀).

♀ **texana** Gertsch 1933. Texas

C. t. Gertsch 1933, Amer. Mus. Novit. 637 p. 7 TF. 16 (D ♀).

♂♀ **tibialis** Emerton 1889. Massachusets, New York, Florida, Georgia

C. t. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 180 T. 5 F. 3 (D ♂♀).
C. t. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 20 T. 1 F. 62 (D ♀).
C. t. Emerton 1902, Common Spid. p. 16 f. 53, 54 (D ♂♀).
C. t. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. — T. 10 F. 12 N ♀).
C. t. Comstock 1912, Spider Book p. 569 f. 647 (N).
C. t. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 74 f. 64—67 (N ♂♀).
C. t. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 375 T. 67 F. 1287; T. 71 F. 1338—40 (D ♂♀).

♀ **transversa** Bryant 1936. Texas
C. t. Bryant 1936, Psyche 43 p. 97 T. 3 F. 8 (D ♀).

triloba Banks 1907. Indiana, Virginia, Washington State
C. t. Banks 1907, Ann. Rep. Dep. Geol. Indiana 31 p. 737 f. 19 (D).

Gen. **Clubionina** Berland 1941.

♀ **pallida** Berland 1941. Ins. St. Paul
C. p. Berland 1941, Mém. Mus. Hist. Nat. Paris (N. S.) 20 p. 62 f. 17, 18 (D ♀).

Gen. **Dorymetaecus** Rainbow 1920.

♀ **spinnipes** Rainbow 1920. Lord Howe-I.
D. sp. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 259 T. 30 F. 83—87 (D ♀).

Gen. **Eutychuroides** Petrunkevitch 1926.

♀ **fuscus** Petrunkevitch 1926. St. Thomas
E. f. Petrunkevitch 1926, Trans. Connect. Ac. Sci. 28 p. 57 f. 17 (D ♀).

Gen. **Eutichurus** Simon 1896.

♂ **auricomus** (L. Koch) 1866. Columbien
Cheiracanthium au. L. Koch 1866, Arachn. Fam. Drassid. p. 233 T. 9 F. 151, 152 (D ♂).
E. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 84 (N).

♂ ··**birabeni** Mello-Leitao 1941. Argentinien
E. b. Mello-Leitao 1941, Rev. Mus. La Plata (N.S.) 2, Zool. p. 175 T. 10 F. 46; f. 65 (D ♂).

♂ **brevipes** (Keyserling) 1891. Brasilien
Chiracanthium b. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 39 T. 1 F. 16 (D ♂).
E. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 84 (N).

♂♀ **ferox** Simon 1896. – * Ecuador
E. f. Simon 1896, Ann. Soc. Ent. France (6) 16 p. 502 (D ♂♀).
E. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 88 f. 67, 79, 86 (N ♂).

♀ **frontalis** Banks 1909. Costa Rica
E. f. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 201 T. 6 F. 49 (D ♀).

♂ **granadensis** (Keyserling) 1879. Columbien
Chiracanthium g. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 331 T. 4 F. 26 (D ♂).
E. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 84 (N).

♂ **keyserlingi** Simon 1897. Columbien
Chiracanthium molle Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 330 T. 4 F. 25 (D ♂).
E. k. Simon 1897, Hist. Nat. Araign. 2 (1) p. 84 (nom. nov.).

♀ **lizeri** Mello-Leitao 1938. Argentinien
E. l. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 114 f. 34 (D ♀).

♂o **longipes** Chickering 1937. Panama
E. l. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 30 T. 3 F. 39; T. 5 F. 64, 67 (D ♂♀).

♂♀ **luridus** Simon 1896. **Brasilien**
E. l. Simon 1896, Ann. Soc. Ent. France 65 p. 501 (D ♂♀).

♂ **meridianus** (L. Koch) 1866. Columbien
Cheiracanthium m. L. Koch 1866, Arachn. Fam. Drassid. p. 235 T. 9 F. 153 (D ♂).
E. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 84 (N).

♀ **monticola** Roewer 1951. Brasilien
Chiracanthium montanum Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 38 T. 1 F. 16 (D ♀) (praeocc. L. Koch 1877).
E. montanus Simon 1897, Hist. Nat. Araign. 2 (1) p. 84 (N).
E. montanus Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 5 f. 2 (D ♀).
E. m. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.).

♂ **nigropilosus** Mello-Leitao 1941. Columbien
E. n. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 286 f. 14 (D ♂).

♀ **paucalensis** (Keyserling) 1879. Peru
Chiracanthium p. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 332 **T. 4** F. 27 (D ♀).
E. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 84 (N).

♀ **putus** Cambridge 1898. Panama
E. p. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 237 T. 34 F. 3 (D ♀).

♂♀ **ravidus** Simon 1896. Brasilien
E. r. Simon 1896, Ann. Soc. Ent. France 65 p. 501 (D ♀).
E. r. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 4 f. 1 (D ♀).

♂o **sigillatus** Chickering 1937. Panama
E. s. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 32 T. 3 F. 40; T. 6 F. 69, 70 (D ♂o).

Gen. **Hebrithele** Berland 1938.

♀ **longicauda** Berland 1938. Neue Hebriden
H. l. Berland 1938, Ann. Soc. Ent. France 107 p. 137 f. 21—25 (D ♀).

Gen. **Lauricius** Simon 1888.

♂♀ **hemicloeinus** Simon 1888. – * Mexico, Arizona
L. h. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 208 (D ♀).
L. h. Simon 1897, Hist. Nat. Araign. 2 (1) p. 86 f. 76 (N).
L. hemiclaeinus F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 91 T. 7 F. 1 (D ♀).
L. h. Gertsch 1935, Amer. Mus. Novit. 805 p. 11 TF. 16—19 (D ♂, N ♀).

♂♀ **hooki** Gertsch 1941. Arizona, Neu-Mexico
L. h. Gertsch 1941, Amer. Mus. Novit. 1147 p. 20 (D ♂♀).

Gen. **Macerio** Simon 1897.

♂♀ **flavus** (Nicolet) 1849. Chile
Clubiona f. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 441 T. 4 F. 1 (D ♂♀).
M. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 88 (N).
M. f. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 100 (C).

Gen. **Matidia** Thorell 1878.

Orientalische Arten:

♀ **aeria** Simon 1896. Malakka, Philippinen
M. ae. Simon 1896, Ann. Soc. Ent. France 65 p. 503 (D ♀).

♂♀ **bimaculata** Simon 1896. Ceylon
M. b. Simon 1896, Ann. Soc. Ent. France 65 p. 504 (D ♂♀).

♂ **calcarata** Thorell 1878. Amboina
M. c. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 184 (D ♂).

♂♀ **flagellifera** Simon 1896. Ceylon
M. f. Simon 1896, Ann. Soc. Ent. France 65 p. 503 (D ♂♀).
M. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 87 f. 77 (N; in f. err. **Mastira f.**).

♂ **incurvata** Reimoser 1934. Dekan
M. i. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 489 f. 12 (D ♂).

♂ **javana** Simon 1896. Java
M. j. Simon 1896, Ann. Soc. Ent. France 65 p. 503 (D ♂).

♀ **luzonica** Simon 1896. Luzon
M. l. Simon 1895, Ann. Soc. Ent. France 65 p. 503 (D ♀).

♂♀ **simplex** Simon 1896. Ceylon
M. s. Simon 1896, Ann. Soc. Ent. France 65 p. 504 (D ♂♀).

♀ **tenera** Thorell 1890. Sumatra
M. t. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 380 (D ♀).

♀ **trinotata** Thorell 1890. Pinang
M. t. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 288 (D ♀).

♀ **virens** Thorell 1878. – * Amboina, Celebes
M. v. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 182 (D ♀).
M. v. Simon 1897, Hist. Nat. Aragin. 2 (1) p. 87 (N).

Australische Arten:

o **viridissima** Strand 1911. Aru-I.
M. v. Strand 1911, Abh. Senckenbg. Ges. 34 (1) p. 163 T. 5 F. 66 (D o).

Neotropische Arten:

♀ **haplogyna** Mello-Leitao 1945. Argentinien
M. h. Mello-Leitao 1945, Rev. Mus. La Plata (N.S.) Zool. 4 (29) p. 261 f. 46 (D ♀).

Gen. **Philisca** Simon 1884.

Aethiopische Arten:

♀ **sica** Strand 1908. Ashantiland
P. s. Strand 1908, Zool. Anz. 33 (1) p. 5 (D ♀).
P. s. Strand 1915, Arch. Naturg. 81 (A; 9) p. 68 (D ♀).

Neotropische Arten:

♀ **accentifera** Simon 1904. Chile
P. a. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 101 (D ♀).

♂♀ **chilensis** (Nicolet) 1849. **Chile**
Clubiona c. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 419 (D ♀).
Cluilius c. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 220 (C).
P. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 86 (N).
P. c. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 100 (D ♂♀).

♀ **colulata** Hogg 1913. Falkland-I.
P. c. Hogg 1913, Proc. Zool. Soc. Lond. p. 42 T. 2 F. 5 (D ♀).

♀ **filixnotata** Mello-Leitao 1938. Argentinien
P. f. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 115 f. 35 (D ♀).
P. f. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 176 f. 66 (N ♀).

♀ **hahni** Simon 1884. – * Patagonien, I. Hoste
P. h. Simon 1884, Bull. Soc. Zool. France 9 p. 129 T. 3 F. 14 (D ♀).
P. h. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 21 T. 1 F. 11 (D ♀).
P. h. Simon 1897, Hist. Nat. Araign. 2 (1) p. 86 (N).

♀ **ingens** Berland 1924. I. Juan Fernandez
P. i. Berland 1924, Hist. Nat. Juan Fernandez 3 (3) p. 436 f. 37 (D ♀).

♀ **navarinensis** Tullgren 1901. Feuerland
P. n. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 228 T. 19 F. 1 (D ♀).

♀ **obscura** Simon 1886. Patagonien
P. o. Simon 1886, Bull. Soc. Zool. France 11 p. 569 (D ♀).

♂♀ **ornata** Berland 1924. I. Juan Fernandez
P. o. Berland 1924, Hist. Nat. Juan Fernandez 3 (3) p. 435 f. 31—36 (D ♂♀).

♀ **pallida** Mello-Leitao 1943. Rio Grande do Sul
P. p. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 57 p. 219 TF. 46 (D ♀).

Gen. **Simalio** Simon 1897.

Orientalische Arten:

♂ **castaneiceps** Simon 1906. Indien
S. c. Simon 1906, Ann. Soc. Ent. France 75 p. 299 (D ♂).

♂♀ **lucorum** Simon 1906. Ceylon
S. l. Simon 1906, Ann. Soc. Ent. France 75 p. 300 (D ♂♀).

♂ **percomis** Simon 1906. Indien
S. p. Simon 1906, Ann. Soc. Ent. France 75 p. 299 (D ♂).

♀ **petilus** Simon 1897. – * Luzon
S. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 86 f. 74 (D ♀).

♂ **phaeocephalus** Simon 1906. Ceylon
S. ph. Simon 1906, Ann. Soc. Ent. France 75 p. 300 (D ♂).

Neotropische Arten:

♀ **rubidus** Simon 1897. I. Trinidad
S. r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 86 (D ♀).

Gen. **Strotarchus** Simon 1888.

Orientalische Arten:

♂ **alboater** Dyal 1935. Panjab

St. a. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 215 (D ♂).

♂♀ **vittatus** Dyal 1935. Panjab

St. v. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 216 (D ♂♀).

Neotropische Arten:

♀ **minor** Banks 1909. Costa Rica

St. m. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 200 T. 5 F. 18 (D ♀).

♀ **nebulosus** Simon 1888. – * Mexico

St. n. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 211 (D ♀).
St. n. Simon 1897, Hist. Nat. Araign. 2 (1) p. 89 (N).
St. n. F. Cambridge 1899, Briol. Centr. Amer. Aran. 2 p. 87 T. 6 F. 14 (D ♀).

♂ **praedator** (Cambridge) 1898. Mexico

Bedriacum p. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 251 T. 33 F. 7 (D ♂).
St. p. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 87. T. 6 F. 17 (C ♂).

♂♀ **violaceus** F. Cambridge 1899. Mexico

St. v. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 87 T. 6 F. 15, 16 (D ♂♀).

Gen. **Systaria** Simon 1897.

♀ **drassiformis** Simon 1897. – * Java

S. d. Simon 1897, Hist. Nat. Araign. 2 (1) p. 87 f. 75 (D ♀).

♂ **gedensis** Simon 1897. Java

S. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 87 (D ♂).

Gen. **Tolophus** Thorell 1891.

♂ **submaculatus** Thorell 1891. Nicobaren

T. s. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 26 (D ♂).
T. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 89 (N).

2. Subfam. Anyphaeninae

§ 5 Gattungen (neotrop.): Chickering 1937, Pap. Michigan Ac. Sci. 22 p. 541—543.
§ 38 Gattungen (neotrop.): Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 289—292.

Gen. **Anyphaena** Sundevall 1833.

Palaearktische Arten:

§ 3 ♂, 4 ♀: Simon 1878, Arachn. de France 4 p. 266—267.
§ 4 ♂, 4 ♀: Simon 1932, Arachn. de France 6 (4) p. 893—895.

♂♀ **accentuata** (Walckenaer) 1802. – * Europa, Transkaukasien, Palästina

Aranea a. Walckenaer 1802, Faun. Paris 2 p. 226 (D).
Clubiona a. Walckenaer 1805, Tabl. Aran. p. 42 (N).
Clubiona a. Sundevall 1832, Vet. Ak. Handl. p. 268 (D ♀).

Clubiona punctata Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 24 F. A (♀).
A. a. Sundevall 1833, Consp. Arachn. p. 20 (D ♀).
Clubiona punctata Hahn 1834, Die Arachniden 2 p. 8 TF. 99 (D ♀).
Clubiona a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 594 (D ♂♀).
A. a. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 131 T. 8 F. 83 (D ♂♀).
A. a. Westring 1862, Aran. Svec. p. 371 (D ♂♀).
A. a. L. Koch 1866, Arachn. Fam. Drassid. p. 219 T. 9 F. 143—145 (D ♂♀).
A. a. Ohlert 1867, Aran. Prov. Preussen p. 103 (D ♂♀).
A. a. Menge 1873, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 333 T. 58 F. 190 (D ♂♀).
A. a. Simon 1878, Arachn. de France 4 p. 267 (D ♂♀).
A. a. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 55 (D ♂♀).
A. a. Hansen 1885, in: Schiödte, Zool. Danica p. 132 T. 3 F. 12 (D ♂♀).
A. a. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 291 T. 17 F. 7 (D ♂♀).
A. a. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 260 T. 10 F. 31, 36 (D ♂♀).
A. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 103 f. 90 (N ♂).
A. a. Bösenberg 1902, Zoologica 14 (2—4) p. 257 T. 24 F. 372 (D ♂♀).
A. a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 418 (D ♂♀).
A. a. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 585 (D ♂♀).
A. c. Simon 1932, Arachn. de France 6 (4) p. 895, 960 f. 1343, 1344 (D ♂♀).
A. c. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 43 f. 1 A—C (D ♂♀).
A. a. Palmgren 1943, Act. Zool. Fenn. 36 p. 78 f. (N).
A. a. Tullgren 1946, Svensk Spindelfauna 3 p. 41 T. 7 F. 81—83 (D ♂♀).
A. a. Locket & Millidge 1951, Brit. Spiders I. p. 163 f. 82, 83 (D ♂♀).

♂♀ **accentuata obscura** (Sundevall) 1831. Mitteleuropa

Agelena obscura Sundevall 1831, Vet. Ak. Handl. p. 128 (D ♀).
A. a. o. Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 26 p. 242 (D ♀).
A. obscura Bösenberg 1902, Zoologica 14 (2—4) p. 258 T. 24 F. 373 (D ♂).
A. a. o. Lessert 1904, Rev. Suisse Zool. 12 (2) p. 390 (D ♀).
A. a. o. Lessert 1919, Catal. Invert. Suisse; Araign. p. 418 (D ♀).
A. a. o. Tullgren 1942, Ent. Tidskrift. 63 (3—4) p. 226 (N).

♂♀ **alboirrorata** Simon 1878. S.-Frankreich, Spanien

A. a. Simon 1878, Arachn. de France 4 p. 269 (D ♀).
A. conspersa Simon 1878, Arachn. de France 4 p. 270 (D ♂, nec. ♀).
A. conspersa Simon 1897, Hist. Nat. Araign. 2 (1) p. 94 (N ♂).
A. a. Simon 1932, Arachn. de France 6 (4) p. 893, 960 f. 1339, 1340 (D ♂♀).

♀ **kurilensis** Peelle & Saito 1932. Kurilen

A. k. Peelle & Saito 1932, Journ. Fac. Sci. Hokkaido Zool. (6) 2 (2) p. 87 f. 3 (D ♀).

♂♀ **numida** Simon 1896. S.-Frankreich, Algier

A. n. Simon 1896, Ann. Soc. Ent. France 65 p. 508 (D ♂).
A. n. Simon 1932, Arachn. de France 6 (4) p. 893, 960 f. 1341, 1342 (D ♂♀).

♂ **occidentalis** Simon 1896. Spanien, Portugal

A. o. Simon 1896, Ann. Soc. Ent. France 65 p. 508 (D ♂).

♂♀ **pugil** Karsch 1879. Japan

A. p. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 94 T. 1 F. 14 (D ♂♀).
A. p. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 289 T. 13 F. 301 (D ♀).

♂♀ **sabina** L. Koch 1866. S.-Europa, Kaukasus

A. s. L. Koch 1866, Arachn. Fam. Drassid. p. 214 T. 9 F. 141 (D ♀).
A. s. Simon 1878, Arachn. de France 4 p. 268 (D ♂♀).

A. conspersa Simon 1878, Arachn. de France 4 p. 270 (D ♀, nec ♂).
A. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 260 T. 10 F. 30, 35 (D ♂♀).
A. s. Simon 1932, Arachn. de France 6 (4) p. 895, 960 f. 1345, 1346 (D ♂♀).

♂♀ **syriaca** Kulczynski 1911. Syrien
A. s. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 36 T. 1 F. 43—46 (D ♂♀).

Orientalische Arten:

♀ **soricina** Simon 1889. Indien
A. s. Simon 1889, Journ. Asiat. Soc. Bengal. (N. F.) 58 (2; 4) Suppl. p. 344 (D ♀).

Neotropische Arten:

§ 11 ♂: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 94.
§ 4 Arten: Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 34.

♀ **andina** Chamberlin 1916. Peru
A. a. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 268 T. 22 F. 4 (D ♀).

♀ **apora** Chamberlin 1916. Peru
A. a. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 270 T. 22 F. 2, 3 (D ♀).

♀ **barrowsi** Chamberlin & Ivie 1946. Florida
A. b. Chamberlin & Ivie 1946, Bull. Univ. Utah 36 (13) Biol. 9 (5) p. 9 TF. 12 (D ♀).

♀ **bicornuta** Tullgren 1905. Bolivien
A. b. Tullgren 1905, Ark. Zool. 2 (19) p. 46 T. 7 F. 21 (D ♀).

♀ **birabeni** Mello-Leitao 1944. Buenos Aires
A. b. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) Zool. 3 (24) p. 354 f. 45 (D ♀).

♂♀ **bispinosa** Bryant 1940. Cuba
A. b. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 427 T. 16 F. 211, 221 (D ♂♀).

♀ **bogotensis** L. Koch 1866. Columbien
A. b. L. Koch 1866, Arachn. Fam. Drassid. p. 209 T. 8 F. 139 (D ♀).

♂♀ **bryantae** Roewer 1951. Cuba
A. insulana Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 430 T. 14 F. 193; T. 16 F. 210 (D ♂♀) (praeocc. Karsch 1881).
A. b. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.).

♀ **buelowae** Mello-Leitao 1946. Paraguay
A. b. Mello-Leitao 1946, Notes Mus. La Plata, Zool. 11 (91) p. 20 f. 3 (D ♀).

♂♀ **calcar** Bryant 1931. Florida
A. c. Bryant 1931, Psyche 38 (2—3) p. 107 T. 6 F. 3 (D ♀).
A. c. Bryant 1945, Trans. Connect. Ac. Sci. 36 p. 211 (D ♀).

♀ **clavipes** Mello-Leitao 1922. Brasilien
A. c. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 34 (D ♀).

♂♀ **darlingtoni** Bryant 1940. Cuba
A. d. Bryant 1946, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 429 T. 16 F. 212, 214, 216, 219 (D ♂♀).

♀ **decora** Bryant 1942. Portorico
A. d. Bryant 1942, Journ. Agr. Univ. Portorico 26 p. 12 T. 2 F. 15 (D ♀).

♀ **defonlonguei** Berland 1913. Ecuador
A. d. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 109 T. 12 F. 106 (D ♀).

♀ **delicatula** Banks 1909. Costa Rica
A. d. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 200 T. 6 F. 49 (D ♀).

♀ **diversa** Bryant 1936. Cuba
A. d. Bryant 1936, Mem. Soc. Cuban. Hist. Nat. 10 (5) p. 330 T. 23 F. 7 (D ♀).

♀ **dominicana** Roewer 1951. San Domingo
A. lauta Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 421 T. 11 F. 107 (D ♀) (praeocc. Chickering 1940).
A. d. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.)

♀ **excepta** Cambridge 1896. Guatemala
A. e. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 203 T. 25 F. 7 (D ♀).
A. e. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 96 T. 7 F. 10 (C ♀).

♂♀ **furcatella** Banks 1914. Costa Rica
A. f. Banks 1914, Proc. Ac. Nat. Sci. Philad. 65 p. 677 T. 28 F. 5, 10 (D ♂♀).

♂♀ **futilis** Banks 1898. Nieder-Californien
A. f. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 223 T. 13 F. 31 (D ♂♀).

♀ **gentilis** Keyserling 1891. Brasilien
A. g. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 119 T. 3 F. 79 (D ♀).

♂♀ **gibba** Cambridge 1896. Mexico
A. g. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 201 T. 26 F. 7 (D ♂).
A. gibbosa Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 202 T. 25 F. 10 (D ♀, nec ♂).
A. g. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 96 T. 7 F. 4, 5 (D ♂♀).

♂ **gibbosa** Cambridge 1896. Mexico
A. g. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 202 T. 25 F. 9 (D ♂, nec ♀).
A. g. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 96 T. 7 F. 4, 5 (C ♂♀).

♀ **glabra** Keyserling 1891. Brasilien
A. g. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 111 T. 3 F. 71 (D ♀).

♀ **inferens** Chamberlin 1925. Costa Rica
A. i. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 221 (D ♀).

♂♀ **johnstoni** Chamberlin 1924. Nieder-Californien
A. j. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 662 f. 105, 106 (D ♂♀).

♂ **judicata** Cambridge 1896. Mexico
A. j. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 203 T. 26 F. 4 (D ♂).
A. j. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 96 T. 7 F. 9 (C ♂).

♀ **larvata** Cambridge 1896. Mexico
A. l. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 199 T. 26 F. 3 (D ♀).

♂ **lauta** Chickering 1940. Panama
A. l. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 79 f. 1—3 (D ♂).

♀ **masseneti** Berland 1913. Ecuador
A. m. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 108 T. 12 F. 104, 105 (D ♀).

♀ **modesta** Bryant 1948. Haiti
A. m. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 422 T. 11 F. 105 (D ♀).

♀ **mollicoma** Keyserling 1879. Columbien
A. m. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 323 T. 4 F. 21 (D ♀).

♀ **morena** Mello-Leitao 1941. Santa Fe
A. m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 223 f. 34 (D ♀).

♀ **nexuosa** Chickering 1940. Panama
A. n. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 81 f. 4—5 (D ♀).

♂ **notata** Keyserling 1882. Peru
A. n. Keyserling 1882, Verh. Zool. Bot. Ges. Wien 31 p. 292 T. 11 F. 14 (D ♂).

♀ **oblonga** Keyserling 1877. Mexico
A. o. Keyserling 1877, Verh. Zool. Bot. Ges. Wien 27 p. 605 T. 14 F. 24 (D ♀).

♀ **perrieri** Berland 1913. Ecuador
A. p. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 108 T. 11 F. 102, 103 (D ♀).

♂ **plana** F. Cambridge 1900. Panama, Costa Rica
A. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 97 T. 7 F. 15 (D ♂).

o **poicila** Chamberlin 1916. Peru
A. p. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 271 T. 22 F. 5 (D *o*).

♀ **pretiosa** Banks 1914. Costa Rica
A. p. Banks 1914, Proc. Ac. Nat. Sci. Philad. 65 p. 677 T. 28 F. 4 (D ♀).

♂ **proba** Cambridge 1896. Mexico
A. p. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 200 T. 26 F. 5 (D ♂).
A. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 95 T. 7 F. 3 (C ♂).

♀ **pusilla** Bryant 1948. San Domingo
A. p. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 423 T. 11 F. 108 (D ♀).

♂o **quelchii** (Pocock) 1895. Guiana
Aysha q. Pocock 1895, Ann. Mag. Nat. Hist. (6) 16 p. 140 f. (D ♂).
A. q. Pocock 1900, Trans. Linn. Soc. London (2) 8 (Zool.) p. 67 f. 2 c, d (N ♂♀).

♂ **remota** Bryant 1948. Haiti, San Domingo
A. r. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 424 T. 11 F. 106, 111 (D ♂).

♂♀ **riveti** Berland 1913. Ecuador
A. r. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 107 T. 11 F. 97—101 (D ♂♀).

♀ **rufibarbis** Mello-Leitao 1943. Rio Grande do Sul
A. r. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 234 TF. 61 (D ♀).

♂ **scopulata** F. Cambridge 1900. Guatemala
A. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 98 T. 7 F. 17 (D ♂).

♂ **simonii** Becker 1878. Mexico
A. s. Becker 1878, Ann. Soc. Ent. Belg. 21 p. 78 T. 2 F. 7—10 (D ♂).

♂♀ **simplex** Cambridge 1894. Costa Rica, Mexico
A. s. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 124 T. 18 F. 1, 2 (D ♂♀).
A. clubionoides Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 184, 203 T. 23 F. 1, 2 (D ♂♀).
A. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 96 T. 7 F. 11, 12 (C ♂♀).

♂♀ **simplicipalpis** Simon 1897. St. Vincent
A. s. Simon 1897, Proc. Zool. Soc. Lond. p. 878 (D ♂♀).

o **straminea** L. Koch 1866. Columbien
A. s. L. Koch 1866, Arachn. Fam. Drassid. p. 207 (D o).

♂♀ **stylifera** F. Cambridge 1900. Panama
A. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 97 T. 7 F. 13 (D ♂).
A. s. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 82 f. 6—10 (D ♂♀).

♂ **subgibba** Cambridge 1896. Guatemala
A. s. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 202 T. 25 F. 8 (D ♂).
A. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 96 T. 7 F. 8 (C ♂).

O **subpallida** L. Koch 1866. Columbien
A. s. L. Koch 1866, Arachn. Fam. Drassid. p. 213 (D O).

♂ **trifida** F. Cambridge 1900. Guatemala
A. t. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 97 T. 7 F. 14 (D ♂).

♂ **tuberosa** F. Cambridge 1900. Guatemala
A. t. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 97 T. 7 F. 16 (D ♂).

♀ **verrilli** Banks 1902. Bermudas
A. v. Banks 1902, Trans. Connect. Ac. Sci. 11 p. 270 f. 2 (D ♀).

♀ **zimarae** Reimoser 1939. Costa Rica
A. z. Reimoser 1939, Ann. Naturhist. Mus. Wien 50 p. 381 f. 14 (D ♀).

Transgredierende Arten:

♂♀ **fragilis** Banks 1897. Florida, Georgia, Maryland
A. f. Banks 1897, Canad. Ent. 29 p. 194 (D ♀).
Gayenna parvula Banks 1899, Proc. Ent. Soc. Wash. 4 p. 191 (D ♀).
A. f. Bryant 1931, Psyche 38 (2—3) p. 114 T. 8 F. 32 (D ♂♀).
A. f. Muma 1944, Amer. Mus. Novit. 1257 p. 12 (N ♀).
Teudis f. Barnes 1953, Amer. Mus. Novit. 1632 p. 18 (C)

Nearktische Arten:

§ 10 ♂: Bryant 1931, Psyche 38 (2—3) p. 106—107.
§ 2 ♂. 2 ♀: Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 50—51.
§ 4 (♂, ♀): Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 407.

♂♀ **agrestis** (Hentz) 1847. U. St. Amerika

Clubiona a. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 453 T. 23 F. 21 (D ♂♀).
A. a. Marx 1899, Proc. U. Stat. Nat. Mus. 12 p. 511 (C).

♂♀ **aperta** (Banks) 1921. Washington-St.

Gayenna a. Banks 1921, Proc. Calif. Ac. Sci. (4) 21 p. 100 f. 3 (D ♀).
A. a. Bryant 1931, Psyche 38 (2—3) p. 114 T. 8 F. 35 (N ♀).
A. a. Fox 1938, Iowa Stat. Coll. Journ. Sci. 12 (2) p. 238 T. 1 F. 6 (D ♂).

♀ **argentata** Becker 1879. Louisiana

A. a. Becker 1879, Ann. Soc. Ent. Belg. 22 p. 84 T. 1 F. 12—14 (D ♀).

o **banksi** Strand 1906. Californien

A. (spec.) Banks 1904, Proc. Calif. Ac. Sci. (3) Zool. 3 (13) p. 339 (N).
A. b. Strand 1906, Zool. Zentralbl. 13 p. 784, 785 (N).

♂♀ **californica** (Banks) 1904. Californien, Utah

Gayenna c. Banks 1904, Proc. Calif. Ac. Sci. (3) Zool. 3 (13) p. 338 T. 38 F. 2 (D ♀).
A. intermontana Chamberlin 1920, Canad. Ent. 52 p. 200 f. 22 (6) (D ♀).
A. c. Bryant 1931, Psyche 38 (2—3) p. 114 (N ♀).
A. c. Chamberlin & Ivie 1941, Bull. Univ. Utah 31 (8) Biol. 6 (3) p. 23 TF. 17 (N ♂).

♂♀ **celer** (Hentz) 1847. U. St. Amerika

Clubiona c. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 452 T. 23 F. 20 (D ♀).
A. incerta Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 452 T. 6 F. 22 (D ♀).
A. incerta Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 186 T. 6 F. 2 (D ♂♀).
A. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 96 (N).
A. incerta Emerton 1902, Common Spid. p. 11 f. 37—41 (D ♂♀).
Gayenna c. Comstock 1912, Spider Book p. 563 f. 634—635 (N).
A. c. Bryant 1932, Psyche 38 (2—3) p. 111 T. 6 F. 9; T. 8 F. 25, 28 (N ♂♀).
A. c. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 51 f. 1—4 (N ♂♀).
A. c. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 407 T. 78 F. 1471—76 (D ♂♀).

♂♀ **coloradensis** Bryant 1931. Colorado

A. c. Bryant 1931, Psyche 38 (2—3) p. 112 T. 6 F. 9, 10; T. 8 F. 30, 33 (D ♂♀).

♂♀ **crebrispina** Chamberlin 1920. Californien, Arizona

A. c. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 10 T. 4 F. 4 (D ♂).
A. c. Bryant 1931, Psyche 38 (2—3) p. 113 T. 6 F. 11 (N ♂).
A. c. Gertsch 1935, Amer. Mus. Novit. 792 (N ♂♀).

♂ **fallens** (Hentz) 1847. U. St. Amerika

Clubiona f. Hentz 1847, Boston. Journ. Nat. Hist. Soc. 5 p. 451 T. 23 F. 17 (D ♂).
A. f. Banks 1904, Proc. Ac. Nat. Sci. Philad. p. 123 (N).

♂♀ **fraterna** (Banks) 1893. New York, Kentucky

A. conspersa Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 453 T. 6 F. 23 (D ♀).
Gayenna f. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 63 (D ♂).
A. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 96 (N).
Sillus conspersus Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 511(C).
A. f. Bryant 1951, Psyche 38 (2—3) p. 110 T. 6 F. 6; T. 8 F. 23 (D ♂♀).
A. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 408 T. 77 F. 1454—56 (D ♂♀).

♂♀ **laticeps** Bryant 1931. Alabama, Georgia

A. l. Bryant 1931, Psyche 38 (2—3) p. 108 T. 6 F. 4; T. 8 F. 24 (D ♂♀).

♂♀ **maculata** (Banks) 1896. U. St. Amerika

Gayenna m. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 64 (D ♂).
A. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 96 (N).
Gayenna m. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 189 T. 24 F. 37, 38 (D ♂♀).
A. m. Bryant 1931, Psyche 38 (2—3) p. 111 T. 4 F. 8; T. 8 F. 31 (N ♂♀).
A. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 409 T. 77 F. 1457—58 (D ♂♀).

♂♀ **pacifica** (Banks) 1896. NW. U. St. America, Canada

Gayenna p. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 63 (D ♀).
A. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 96 (N).
A. p. Bryant 1931, Psyche 38 (2—3) p. 115 TF. 36 (N ♂♀).
A. p. Levi 1951, Zoologica (N. York) 36 (4) p. 228 f. 25 (N ♂).

♂♀ **pectorosa** L. Koch 1866. U. St. Amerika

A. p. L. Koch 1866, Arachn. Fam. Drassid. p. 198 T. 8 F. 131, 132 (D ♂).
A. calcarata Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 187 T. 6 F. 3 (D ♂♀).
A. calcarata Simon 1897, Hist. Nat. Araign. 2 (1) p. 96 (N).
A. calcarata Emerton 1902, Common Spid. p. 12 f. 42, 43 (D ♂♀).
Gayenna calcarata Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 13 (N).
A. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 446 (C).
Gayenna p. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 190 (C ♂).
A. p. Bryant 1931, Psyche 38 (2—3) p. 110 T. 6 F. 5 (N ♂).
A. p. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 51 f. 5—8 (N ♂♀).
A. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 408 T. 77 F. 1453; T. 78 F. 1477—1480 (D ♂♀).

♀ **pomona** Chamberlin & Ivie 1941. Californien

A. p. Chamberlin & Ivie 1941, Bull. Univ. Utah, Biol. 6 (3) p. 23 TF. 16 (D ♀).

♂ **ruens** Chamberlin 1920. Californien

A. r. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 11 T. 5 F. 1 (D ♂).
A. r. Bryant 1931, Psyche 38 (2—3) p. 113 (N♂).

♀ **schwarzi** Gertsch 1933. Texas

A. s. Gertsch 1933, Amer. Mus. Novit. 637 p. 10 TF. 12 (D ♀).

♂ **striata** Becker 1879. Mississippi

A. s. Becker 1879, Ann. Soc. Ent. Belg. 22 p. 84 T. 2 F. 8 (D ♀).
Aysha s. Banks 1909, II. Rep. Centr. Exper. Stat. Republ. Cuba p. 158 (C).

♂ **sublurida** (Hentz) 1847. U. St. Amerika

Clubiona s. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 453 T. 24 F. 1 (D ♂).
A. s. Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 511 (C).

♀ **zina** Chamberlin 1920. Californien

A. z. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 11 T. 4 F. 5 (D ♀).
A. z. Bryant 1931, Psyche 38 (2—3) p. 115 (N ♀).

Gen. **Anyphaenella** Bryant 1931.

Neotropische Arten:

♂♀ **fasciculata** Bryant 1948. San Domingo

A. f. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 425 T. 11 F. 109, 110 (D ♂♀).

♀ **fragilis** Bryant 1948. Haiti

A. f. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 427 T. 12 F. 118 (D ♀).

♀ **gracilipes** (Banks) 1903. Haiti

Anyphaena g. Banks 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 342 T. 15 F. 6, 10 (D ♀).
A. g. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 428 T. 12 F. 117 (D ♀).

♂ **longipes** Bryant 1940. Cuba

A. l. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 432 T. 16 F. 213, 214, 220 (D ♂).

♀ **pavida** Bryant 1948. Mexico

A. p. Bryant 1948, Psyche 55 (2) p. 63 T. 10 F. 12 (D ♀).

Nearktische Arten:

§ 6 ♂: Bryant 1931, Psyche 38 (2—3) p. 117—118.

♂♀ **albens** (Hentz) 1847. U. St. Amerika

Clubiona a. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 453 T. 23 F. 24 (D ♀).
Chiracanthium a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 83 (N).
A. alba Bryant 1931, Psyche 38 (2—3) p. 116 T. 7 F. 20, 21 (N ♂♀).

♀ **immaculella** Gertsch 1933. Arizona

A. i. Gertsch 1933, Amer. Mus. Novit. 637 p. 9 TF. 14 (D ♀).

♂♀ **saltabunda** (Hentz) 1847. – * U. St. Amerika

Clubiona s. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 453 T. 23 F. 23 (D ♀).
Anyphaena s. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 187 T. 6 F. 4 (D ♂♀).
Anyphaena s. Emerton 1902, Common Spid. p. 14 f. 46, 47 (D ♂♀).
Gayenna s. Comstock 1912, Spider Book p. 563 f. 638—639 (N).
A. s. Bryant 1931, Psyche 38 (2—3) p. 116 T. 7 F. 18, 22 (D ♂♀).
A. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 406 T. 78 F. 1465 bis 70 (D ♂♀).

Gen. **Anyphaenoides** Berland 1913.

♂♀ **pluridentata** Berland 1913. Ecuador

A. p. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 109 T. 12 F. 107—111 (D ♂♀).

Gen. **Aporatea** Simon 1897.

♂♀ **valdiviensis** Simon 1897. Chile

A. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 99 (D ♀).
A. v. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 57 T. 5 F. 6 (D ♂).

Gen. **Arachosia** Cambridge 1882.

§ 7 Arten: Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 22.

♀ **albiventris** Mello-Leitao 1922. Brasilien

A. a. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 20 (D ♀).

o **angusta** Mello-Leitao 1944. Buenos Aires

A. a. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) Zool. 3 (24) p. 355 f. 46 (D o).

♀ **anyphaenoides** Cambridge 1882. – * Amazonas

A. a. Cambridge 1882, Proc. Zool. Soc. Lond. p. 426 T. 29 F. 2 (D ♀).
A. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 100 (N).

♂ **arachosia** Mello-Leitao 1922. Brasilien

A. a. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 22 (D ♂).

♂ **freiburgensis** Keyserling 1891. S.-Brasilien

A. f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 126 T. 4 F. 86 (D ♂).

♀ **honesta** Keyserling 1891. S.-Brasilien

A. h. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 127 T. 4 F. 87 (D ♀).

♀ **mezenioides** Mello-Leitao 1922. Brasilien

A. m. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 21 (D ♀).

♀ **puta** Cambridge 1892. Panama

A. p. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 100 T. 13 F. 10 (D ♀).

♀ **sulfurea** Mello-Leitao 1922. Brasilien

A. s. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 20 (D ♀).

Gen. **Australaena** Berland 1942.

♀ **hystricina** Berland 1942. – * Marotiri

A. h. Berland 1942, Occ. Pap. Bishop. Mus. Honolulu 17 (1) p. 11 f. 3 a—f (D ♀).

♀ **zimmermani** Berland 1942. Gesellschafts-Ins.

A. z. Berland 1942, Occ. Pap. Bishop Mus. Honolulu 17 (1) p. 12 f. 4 a—d (D♀).

Gen. **Axyracrus** Simon 1884.

♀ **coccineus** Mello-Leitao 1943. Argentinien

A. c. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. 20 p. 116 f. 18 (D ♀).

♀ **elegans** Simon 1884. – * Chile, Feuerland

A. e. Simon 1884, Bull. Soc. Zool. France 9 p. 140 T. 3 F. 20 (D ♀).
A. e. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 23 T. 1 F. 10 (D ♀).
A. e. Simon 1897, Hist. Nat. Araign. 2 (1) p. 98 (N).

longulus Simon 1897. S.-Chile
A. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 96 (N).

Gen. **Aysha** Keyserling 1891.

Neotropische Arten:

§ 2 ♂, 3 ♀: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 98.
§ 7 Arten: Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 24.

♀ **affinis** Mello-Leitao 1922. Brasilien
A. a. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 23 (D ♀).

♀ **albovittata** Mello-Leitao 1944. Buenos Aires
A. a. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) Zool. 3 (24) p. 356 (D ♀).

♂ **brevimana** (C. L. Koch) 1839. Brasilien
Drassus b. C. L. Koch 1839, Die Arachniden 6 p. 24 TF. 447 (D ♂).
A. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 97 (N).

♂ **cambridgei** Bryant 1931. Mexico
A. c. Bryant 1931, Psyche 38 (2—3) p. 119 T. 7 F. 15 (D ♂).

♂♀ **censoria** (Keyserling) 1891. Brasilien
Anyphaena c. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 84 T. 2 F. 48 (D ♂♀).
Wulfila c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 95 (N).
Teudis c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 516 (C).
A. c. Mello-Leitao 1925, Bol. Mus. Nac. R. d. Janeiro 1 (6) p. 456 (C).

♂♀ **cinereovittata** Mello-Leitao 1945. Argentinien
A. c. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) Zool. 4 (29) p. 262 f. 47, 48 (D ♂♀).

♀ **comstocki** Soares & Camargo 1948. Mato Grosso
A. c. Soares & Camargo 1948, Bol. Mus. Paraens. Göldi 10 p. 401 f. 78 (D ♀).

♂♀ **ferox** Simon 1896. San Domingo
A. f. Simon 1896, Ann. Soc. Ent. France 65 p. 507 (D ♀).
A. f. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 429 (D ♂).

♂♀ **fidelis** Mello-Leitao 1922. Brasilien
A. f. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 23 (D ♂♀).

♀ **fulviceps** Keyserling 1891. Brasilien
A. f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 131 T. 4 F. 90 (D ♀).

fusca Franganillo 1935. Cuba
A. f. Franganillo 1935, Belen Habana Cuba 9 (51—52) p. 60 (D).

♀ **goodnighti** Soares & Camargo 1948. San Paulo
A. g. Soares & Camargo 1948, Bol. Mus. Paraens. Göldi 10 p. 401 f. 77 (D ♀).

♂ **gracilipes** Keyserling 1891. Brasilien
A. g. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 130 T. 4 F. 89 (D ♂).

♀ **hirsuta** Mello-Leitao 1942. Argentinien
A. h. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 421 f. 51 (D ♀).

♀ **insulana** Chickering 1937. Panama
A. i. Chickering 1937, Pap. Michigan Ac. Sci. 22 p. 544 T. 59 F. 16, 21 (D ♀).

♂ **longipalpus** Bryant 1931. Costa Rica
A. l. Bryant 1931, Psyche 38 (2—3) p. 118 T. 7 F. 12 (D ♂).

♂ **mandibularis** (Keyserling) 1879. Columbien
Anyphaena m. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 324 T. 4 F. 22 (D ♂).
A. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 450 (C).

♂♀ **minuta** F. Cambridge 1900. Mexico, Costa Rica, Guatemala, Cuba
A. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 99 T 7 F. 18, 19 (D ♂♀).
A. m. Bryant 1931, Psyche 38 (2—3) p. 120 T. 7 F. 17 (N ♂).

♂♀ **pacifica** Banks 1902. Galapagos-I.
A. p. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 58 T. 1 F. 11 (D ♂♀).

♂♀ **proseni** Mello-Leitao 1944. Buenos Aires
A. p. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) Zool. 3 (24) p. 357 f. 47—49 (D ♂♀).

♀ **prospera** Keyserling 1891. – * Argentinien, Uruguay, S.-Brasilien
A. p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 129 T. 4 F. 88 (D ♀).
A. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 103 (N).

♀ **punctata** (Keyserling) 1891. S.-Brasilien
Anyphaena p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 117 T. 3 F. 77 (D ♀).
Teudis p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 518 (C).
A. p. Mello-Leitao 1925, Bol. Mus. Nac. R. d. Janeiro 1 (6) p. 456 (C).

♀ **ravida** Simon 1896. San Domingo
A. r. Simon 1896, Ann. Soc. Ent. France 65 p. 508 (D ♀).

♀ **sericea** (L. Koch) 1866. Columbien, Guiana
Anyphaena s. L. Koch 1866, Arachn. Fam. Drassid. p. 216 T. 6 F. 142 (D ♀).
A. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 103 (N).

♀ **similaris** Banks 1929. Panama
A. s. Banks 1929, Bull. Mus. Zool. Harvard 69 (3) p. 62 T. 4 F. 75 (D ♀).
A. s. Chickering 1937, Pap. Michig. Ac. Sci. 22 p. 545 T. 58 F. 1, 2, 12; T. 59 F. 22 (D ♀).
A. s. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 85 (N).

♂♀ **simplex** Cambridge 1897. Panama, Costa Rica
A. s. Cambridge 1897, Biol. Centr. Amer. Aran. 1 p. 227 T. 29 F. 3, 4 (D ♂♀).
A. s. Bryant 1931, Psyche 38 (2—3) p. 121 (N).

♂♀ **tenuis** (L. Koch) 1866. Westindien
Anyphaena t. L. Koch 1866, Arachn. Fam. Drassid. p. 211 T. 9 F. 140 (D ♀).
A. t. Simon 1897, Proc. Zool. Soc. Lond. p. 879 (D ♂♀).
A. t. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 61 f. 53—55 (D ♂♀).

♀ **turquinensis** Bryant 1940. Cuba

A. t. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 434 T. 15 F. 209 (D ♀).

♀ **valvula** F. Cambridge 1900. Panama, Cuba

A. v. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 99 T. 7 F. 20 (D ♀).

Transgredierende Arten:

♂♀ **gracilis** (Hentz) 1847. U. St. Amerika, Cuba, Kurilen

Clubiona g. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 452 T. 23 F. 19 (D ♂♀).
Anyphaena g. L. Koch 1866, Arachn. Fam. Drassid. p. 195 T. 8 F. 130 (D ♀).
Anyphaena rubra Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 186 T. 6 F. 1 (D ♀).
A. orlandensis Tullgren 1901, Bih. Svensk Vet. Ak. Handl. 27 (4, 1) p. 13 T. 1 F. 4 (D ♀).
Anyphaena rubra Emerton 1902, Common Spiders p. 13 f. 44, 45 (D ♀).
Anyphaena g. Banks 1904, Proc. Ac. Nat. Hist. Philad. p. 123 (C).
A. striata Banks 1909, Sec. Rep. Centr. Exper. Stat. Cuba p. 158 (C).
Anyphaena rubra Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 220 T. 9 F. 8 (D ♂♀).
Anyphaena g. Comstock 1912, Spider Book p. 561 f. 631a, 632, 633 (N).
A. g. Bryant 1931, Psyche 38 (2—3) p. 119 T. 7 F. 13; T. 8 F. 26 (N ♂♀).
Anyphaena g. Peele & Saito 1932, Journ. Fac. Sci. Hokkaido Zool. (6) 2 (2) p. 88 f. 4 (N ♀).
A. g. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 53 f. 9—11 (N ♂♀).
A. g. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 405 T. 77 F. 1452; T. 78 F. 1459—64 (D ♂♀).

♂♀ **velox** (Becker) 1879. Mississippi, Florida, Bahamas, Cuba, Westind. Ins., Panama

Anyphaena v. Becker 1879, Ann. Soc. Ent. Belg. 22 p. 83 T. 2 F. 5—7 (D ♀).
Anyphaena floridana Banks 1896, Trans. Amer. Ent. Soc. 23 p. 63 (D ♀).
Anyphaena v. Banks 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 123 T. 8 F. 19 (N ♂).
A. v. Banks 1909, II. Rep. Centr. Exper. Stat. Republ. Cuba p. 158 (C).
Chiracanthium falculum Chamberlin 1925, Bull. Mus. Zool. Harvard 67 p. 220 (D ♂).
A. v. Bryant 1931, Psyche 38 (2—3) p. 119 T. 7 F. 14; T. 8 F. 34 (N ♂♀).

Nearktische Arten:

§ 6 ♂: Bryant 1931, Psyche 38 (2—3) p. 117—118.

♂♀ **decepta** (Banks) 1899. Californien, Louisiana, Texas

Anyphaena d. Banks 1899, Proc. Ent. Soc. Wash. 4 p. 190 (D ♀).
A. incursa Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 12 T. 5 F. 2 (D ♀).
A. mundella Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 12 T. 5 F. 3, 4 (D ♀).
A. d. Bryant 1931, Psyche 38 (2—3) p. 120 T. 7 F. 16; T. 8 F. 27 (D ♂♀).

♀ **nigrifrons** (Chamberlin & Woodbury) 1929. Utah

Anyphaena n. Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 137 T. 2 F. 4 (D ♀).
A. n. Bryant 1931, Psyche 38 (2—3) p. 121 (N ♀).

Gen. **Coptoprepes** Simon 1884.

♂♀ **flavopilosus** Simon 1884. – * Feuerland, I. Hoste

C. f. Simon 1884, Bull. Soc. Zool. France 9 p. 137 (D ♂).
C. f. Simon 1887, Miss. Sci. Cap. Horn; Zool. 6 p. E 25 T. 1 F. 9 (D ♂).
C. fulvopilosus Simon 1897, Hist. Nat. Araign. 2 (1) p. 102 (N).
C. fulvopilosus Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 245 T. 5 F. 3 (D ♀).

♂ **variegatus** Mello-Leitao 1940. Süd-Argentinien

C. v. Mello-Leitao 1940, Rev. Mus. La Plata (N.S.) 2, Zool. p. 60 f. 61, 62 (D ♂).

Gen. **Cragus** Cambridge 1896.

♂♀ **inornatus** Cambridge 1898. Mexico

C. i. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 240 T. 33 F. 9 (D ♂).
C. i. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 106 T. 7 F. 30, 31 (D ♂♀).

♂ **pallidus** Cambridge 1896. – * Guatemala

C. p. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 215 T. 26 F. 10 (D ♂).

Gen. **Gayenna** Nicolet 1849.

Palaearktische Arten:

♀ **sachalinensis** Saito 1935. Saghalin

G. s. Saito 1935, Annot. Zool. Japon. 15 (1) p. 60 f. 3 (D ♀).
G. s. Saito 1935, Trans. Sapporo Nat. Hist. Soc. 14 (1) p. 52 (N ♀).

Neotropische Arten:

♀ **abdominalis** (Nicolet) 1849. Chile

Clubiona a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 429 (D ♀).

♂♀ **absoluta** Chamberlin 1924. Nieder-Californien

G. a. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 661 f. 103, 104 (D ♂♀).

♂♀ **affinis** Tullgren 1901. Feuerland, Patagonien

G. a. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 241 T. 18 F. 8 (D ♂♀).
G. a. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 59 (N ♀).

♀ **albiventris** (Nicolet) 1849. Chile

Clubiona a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 434 (D ♀).
G. a. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♂o **alticola** Simon 1896. Bolivien

G. a. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 400 (D ♂♀).
G. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 94 (N ♂).

♂♀ **americana** Nicolet 1849. – * Chile

G. a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 451 T. 4 F. 2 (D ♂♀).
G. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 99 (N).
Goyena a. Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 60 (C).

♂♀ **andesiana** Berland 1913. Ecuador

G. a. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 101 T. 10 F. 75, 76 (D ♂♀).

♀ **approximata** Tullgren 1901. Feuerland, Patagonien

G. a. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 233 T. 18 F. 3 (D ♀).

♀ **bonariensis** Mello-Leitao 1940. Buenos Aires
G. b. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 58 f. 58 (D ♀).

♀ **bonneti** Mello-Leitao 1947. Minas Geraes
G. b. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan. 80 p. 32 T. 6 F. 20 (D ♀).

♀ **brasiliensis** Roewer 1951. Brasilien
G. alticola Mello-Leitao 1926, Bol. Mus. Nac. R. d. Jan. 2 (6) p. 6 (D ♀) (praeocc. Simon 1896).
G. b. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.).

♀ **chilensis** Tullgren 1902. S.-Chile
G. c. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 63 T. 6 F. 3 (D ♀).

♂♀ **chrysophila** Mello-Leitao 1926. S.-Brasilien
G. c. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 6 f. 3, 4 (D ♂♀).

♀ **cinerea** Tullgren 1901. Feuerland
G. c. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 244 (D ♀).

♂♀ **citrina** (Nicolet) 1849. Chile
Clubiona c. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 433 (D ♀).
G. c. Simon 1887, Miss. Sci. Cap. Horn; Zool. 6 p. E 4 (N).
G. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 92 (N).

♀ **coccinea** Simon 1884. Feuerland, I. Hoste
G. c. Simon 1884, Bull. Soc. Zool. France 9 p. 131 T. 3 F. 15 (D ♀).
G. c. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 26 T. 1 F. 6 (D ♀).

♀ **cruziana** Tullgren 1901. Patagonien
G. c. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 235 T. 18 F. 5 (D ♀).

♀ **dilaticollis** (Nicolet) 1849. Chile
Clubiona d. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 436 (D ♀).
G. d. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♀ **dubia** Tullgren 1901. Patagonien
G. d. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 243 T. 18 F. 4 (D ♀).

o **duplovittata** Mello-Leitao 1942. Argentinien
G. d. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 422 f. 52 (D o).

♀ **excepta** Tullgren 1901. Patagonien
G. e. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 234 T. 18 F. 4 (D ♀).

♂ **exigua** Mello-Leitao 1940. Rio Negro
G. e. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 58 f. 59, 60 (D ♂).

o **fuegiana** (Karsch) 1880. Feuerland
Heteromma f. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 380 T. 12 F. 9 (D o).
Heterommides f. Strand 1912, Internat. Ent. Zeitschr. Guben 5 p. 346 (N).
Heterommides f. Strand 1916, Arch. Naturg. 82 (A, 1) p. 119 (N) .

♀ **furcata** (Keyserling) 1879. Peru

Anyphaena f. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 326 T. 4 F. 23 (D ♀).

Abuzaida f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 133 (N).
G. f. Mello-Leitao 1925, Bol. Mus. Nac. R. d. Janeiro 1 (6) p. 456 (N).

♂♀ **fuscotaeniata** Keyserling 1891. S.-Brasilien

G. f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 140 T. 4 F. 96 (D ♀).
G. f. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 5 (D ♂).

♀ **gayi** (Nicolet) 1849. Chile

Clubiona g. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 431 (D ♀).
G. g. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♀ **gemella** (Nicolet) 1849. Chile

Clubiona g. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 433 (D ♀).
Clubiona gremilla Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 133 (C).
G. g. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♀ **gibbosa** (Nicolet) 1849. Chile

Clubiona g. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 436 (D ♀).
G. g. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E4 (N).

♀ **ignava** Banks 1898. Mexico

G. i. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 224 T. 13 F. 34 (D ♀).

♂ **ignota** (Keyserling) 1887.

Anyphaena i. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 450 T. 6 F. 21 (D ♂).
G. i. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 142 (N).

♂♀ **keyserlingi** (L. Koch) 1866. Brasilien, Columbien

Anyphaena k. L. Koch 1866, Arachn. Fam. Drassid. p. 203 T. 8 F. 136—138 (D ♂♀).
Samuza k. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 137 (N).

♀ **lepida** (Nicolet) 1849. Chile

Clubiona l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 432 (D ♀).
G. l. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E4 (N).

♀ **longiventris** (Nicolet) 1849. Chile

Clubiona l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 430 (D ♀).
G. l. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E4 (N).

♀ **lutea** (Nicolet) 1849. Chile

Clubiona l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 429 (D ♀).
G. l. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E4 (N).

♂♀ **maculatipes** (Keyserling) 1878. Argentinien, Patagonien, Brasilien, Juan Fernandez

Anyphaena m. Keyserling 1878, Verh. Zool. Bot. Ges. Wien 28 p. 603 T. 19 F. 23 (D ♀).
Anyphaena argentina Holmberg 1881, Exped. Roca Rio Negro; Zool. p. 141 T. 3 F. 6 (D ♀).
G. m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 141 T. 4 F. 97 (D ♂).
G. m. Tullgren 1905, Ark. Zool. 2 (19) p. 44 T. 6 F. 19 (N ♀).

♀ **maculosa** (Nicolet) 1849. Chile
Clubiona m. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 423 (D ♀).
G. m. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E4 (N).

♀ **marginata** Keyserling 1891. S.-Brasilien
G. m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 139 T. 4 F. 95 (D ♀).

♂♀ **minuta** (Keyserling) 1891. S.-Brasilien
Samuza m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 136 T. 4 F. 93 (D ♂♀).
G. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 485 (C).

♀ **minutissima** Petrunkevitch 1911. Mexico
G. minuta Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 224 T. 13 F. 32 (D ♀).
G. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 485 (nom. nov.).

♀ **monticola** Chamberlin 1916. Peru
G. m. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 267 T. 22 F. 6 (D ♀).

♂♀ **moreirae** (Mello-Leitao) 1915. Brasilien
Monapia m. Mello-Leitao 1915, Broteria 13 p. 137 (D ♂♀).
G. m. Mello-Leitao 1925, Bol. Mus. Nac. R. d. Janeiro 1 (6) p. 457 (N).

♀ **orizaba** Banks 1898. Mexico
G. o. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 223 T. 13 F. 37 (D ♀).

♀ **pallida** Tullgren 1902. S.-Chile
G. p. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 64 T. 6 F. 4 (D ♀).

♀ **pampa** (Holmberg) 1881. Patagonien
Anyphaena p. Holmberg 1881, Exped. Roca Rio Negro; Zool. p. 145 T. 3 F. 7 (D ♀).
G. p. Mello-Leitao 1940, Rev. Mus. La Plata (N.S.) 2, Zool. p. 59 (N).

♂ **paucilineata** Mello-Leitao 1945. Argentinien
G. p. Mello-Leitao 1945, Rev. Mus. La Plata (N.S.) Zool. 4 (29) p. 263 f. 49 (D ♂).

♀ **praesignis** (Keyserling) 1891. Guiana bis N.-Argentinien
Samuza p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 135 T. 4 F. 92 (D ♀).
G. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 485 (C).
G. p. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 678 (N ♀).

♂♀ **proseni** Mello-Leitao 1944. Buenos Aires
G. p. Mello-Leitao 1944, Rev. Mus. La Plata (N.S.) Zool. 3 (24) p. 358 f. 50, 51 (D ♂♀).

♀ **puella** (Nicolet) 1849. Chile
Clubiona p. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 426 (D ♀).
G. p. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♀ **pulchella** (Nicolet) 1849. Chile
Clubiona p. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 432 (D ♀).
G. p. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♀ **punctulata** Roewer 1951. Chile
Clubiona punctata Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 430 (D ♀). (praeocc. Hahn 1833).
G. p. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 445 (nom. nov.)

♀ **reticulata** Mello-Leitao 1943. Rio Grande do Sul
G. r. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 235 TF. 62 (D ♀).

♀ **riveti** Berland 1913. Ecuador
G. r. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 100 T. 10 F. 73 (D ♀).

♀ **rufea** (Nicolet) 1849. Chile
Clubiona r. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 434 (D ♀).
G. r. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♂ **rufithorax** Tullgren 1902. S.-Chile
G. r. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 62 T. 7 F. 2 (D ♂).

♀ **saccata** Tullgren 1902. S.-Chile
G. s. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 60 T 7 F. 1 (D ♀).

♂ **sigillum** Mello-Leitao 1941. Argentinien
G. s. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 194 (D ♀).

♂♀ **simoni** Berland 1913. Ecuador
G. s. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 101 T. 10 F. 74 (D ♂♀).

♂♀ **skottsbergi** Berland 1924. Juan Fernandez
G. sk. Berland 1924, Hist. Nat. Juan Fernandez 3 (3) p. 433 f. 27—29 (D ♂♀).

♂♀ **smaragdula** (Nicolet) 1849. Chile
Clubiona sm. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 428 (D ♂♀).
G. sm. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♂♀ **stellata** Simon 1884. Feuerland
G. st. Simon 1884, Bull. Soc. Zool. France 9 p. 131 T. 3 F. 16 (D ♂♀).
G. st. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 27 T. 1 F. 7 (D ♂♀).
G. st. Simon 1897, Hist. Nat. Araign. 2 (1) p. 94 f. 88 (N ♂).

♀ **striata** (Keyserling) 1891. S.-Brasilien
Abuzaida st. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 133 T. 4 F. 91 (D ♀).
Abuzaida st. Simon 1897, Hist. Nat. Araign. 2 (1) p. 104 (N).
G. st. Mello-Leitao 1925, Bol. Mus. Nac. R. d. Janeiro 1 (6) p. 457 (N).

♂♀ **sulphurea** (Nicolet) 1849. Chile
Clubiona s. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 431 (D ♂♀).
G. s. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E4 (N).

♀ **taperae** Mello-Leitao 1929. Pernambuco
G. t. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 102 TF. 14 (D ♀).

♀ **tridentata** Simon 1886. Patagonien
G. t. Simon 1886, Bull. Soc. Zool. France 11 p. 570 (D ♀).

o **trimaculata** Simon 1904. Chile
G. t. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 102 (D o).

♀ **tripunctata** Mello-Leitao 1940. Rio Negro
G. t. Mello-Leitao 1940, Arqu. Inst. Biol. S. Paulo 11 (30) p. 256 (D ♀).

♀ **trivittata** (Bertkau) 1880. Brasilien
Anyphaena t. Bertkau 1880, Mém. Class. Sci. 43 p. 44 T. 1 F. 12 (D ♀).
G. t. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 142 (N).

♂ **unidentata** Tullgren 1901. Feuerland
G. u. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 238 T. 19 F. 2 (D ♂).

♀ **vittata** (Keyserling) 1882. Peru
Anyphaena v. Keyserling 1882, Verh. Zool. Bot. Ges. Wien 31 p. 294 T. 11 F. 15 (D ♀).
G. v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 142 (N).

♀ **x-signata** Keyserling 1891. S.-Brasilien
G. x—s. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 138 T. 4 F. 94 (D ♀).

Nearktische Arten:

♀ **dixima** Chamberlin & Woodbury 1929. Utah
G. d. Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 138 T. 2 F. 3 (D ♀).

♀ **jollensis** Schenkel 1950. Californien
G. j. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 77 f. 27 (D ♀).

♀ **marginalis** Banks 1901. Neu-Mexico
G. m. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 574 T. 23 F. 22 (D ♀).

♂ **saniuana** Chamberlin & Gertsch 1928. S.-Utah
G. s. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 185 (D ♂).

Gen. **Gayenella** Berland 1913.

♀ **riveti** Berland 1913. Ecuador
G. r. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 102 T. 10 F. 77—79 (D ♀).

Gen. **Gayennina** Gertsch 1935.

♀ **britcheri** Gertsch 1935. Massachusets, Connecticut
G. b. Gertsch 1935, Amer. Mus. Novit. 805 p. 21 TF. 35, 36 (D ♀).
G. b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 405 (D ♀).

Gen. **Haptisus** Simon 1896.

♀ **analis** Simon 1896. Venezuela
H. a. Simon 1896, Ann. Soc. Ent. France 65 p. 504 (D ♀).

♂♀ **citrina** (L. Koch) 1866. – * Chile, Ecuador, Columbien
Anyphaena c. L. Koch 1866, Arachn. Fam. Drassid. p. 199 T. 8 F. 133—135 (D ♂♀).
Gayenna c. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 142 (N).
Anyphaena nicoleti Simon 1897, Hist. Nat. Araign. 2 (1) p. 92, 100 f. 89 (N ♂).
H. nicoleti Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 104 T. 11 F. 83—85 (D ♂♀).

o **maurus** Simon 1896. Venezuela
H. m. Simon 1896, Ann. Soc. Ent. France 65 p. 504 (D o).

♀ **nigricans** (Nicolet) 1849. Chile
Clubiona n. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 447 (D ♀).
H. n. Simon 1897, Hist. Nat. Araign. 2 (1) p. 100 (N).

♀ **nigrifrons** Simon 1896. Venezuela
H. n. Simon 1896, Ann. Soc. Ent. France 65 p. 505 (D ♀).

Gen. **Josa** Keyserling 1891.

♂ **alba** Mello-Leitao 1945. Argentinien
J. a. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) Zool. 4 (29) p. 264 f. 50 (D ♂).

♂♀ **pilosa** (Keyserling) 1879. – * Columbien
Anyphaena p. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 327 T. 4 F. 24 (D ♂♀).
J. p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 83 (N).
J. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 104 (N).

Gen. **Liparotoma** Simon 1884.

§ 3 Arten: Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 33.

♀ **amaenum** Simon 1884. Cap Horn, Feuerland
L. a. Simon 1884, Bull. Soc. Zool. France 9 p. 138 (D ♀).
L. a. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 34 (D ♀).
L. a. Simon 1903, Ann. Soc. Ent. France 72 p. 313 (D ♀).

♀ **aspersum** (Nicolet) 1849. Chile
Clubiona a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 442 (D ♀).
Clubiona a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 132 (C).
L. a. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♀ **hyadesi** Simon 1884. – * I. Hoste
L. h. Simon 1884, Bull. Soc. Zool. France 9 p. 138 T. 3. F. 19 (D ♀).
L. h. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 34 T. 1 F. 8 (D ♀).
L. h. Simon 1897, Hist. Nat. Araign. 2 (1) p. 100 (N).

♀ **nigropictum** Simon 1884. I. Hoste
L. n. Simon 1884, Bull. Soc. Zool. France 9 p. 139 (D ♀).
L. n. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 35 (D ♀).

♀ **pardalis** Mello-Leitao 1943. Chile
L. p. Mello-Leitao 1943, Rev. Bras. Biol. R. d. Jan. 3 (4) p. 405 (D ♀).

♀ **tripunctatum** (Nicolet) 1849. Chile
Clubiona t. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 444 (D ♀).
L. t. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).

♀ **ventricosum** (Nicolet) 1849. Chile
Clubiona v. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 443 (D ♀).
L. v. Simon 1887, Miss. Sci. Cap Horn; Zool. 6 p. E 4 (N).
L. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 100 (N).

♀ **villosum** Tullgren 1902. S.-Chile
L. v. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 66 T. 7 F. 3 (D ♀).

Gen. **Macrophyes** Cambridge 1893.

♂ **attenuata** Cambridge 1893. – * Mexico

M. a. Cambridge 1893, Biol. Centr. Amer. Aran. 1 p. 107 T. 14 F. 8 (D ♂).
M. a. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 106 T. 7 F. 32 (N ♂).

♂ **elongata** Chickering 1937. Panama

M. e. Chickering 1937, Pap. Michig. Ac. Sci. 22 p. 547 T. 58 F. 3; T. 59 F. 19, 20 (D ♂).
M. e. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 87 f. 11, 12 (D ♂).

Gen. **Marcellina** Bryant 1931.

♂♀ **piscatoria** (Hentz) 1847. Östl. U. St. America

Clubiona p. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 450 T. 23 F. 15 (D ♂).
Anyphaena p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 95 (N).
M. p. Bryant 1931, Psyche 38 p. 104 T. 6 f. 1, 2 (D ♂).
M. p. Kaston 1938, Canad. Ent. 70 p. 12 f. 4, 7, 11 (D ♂♀).
M. p. Muma 1944, Amer. Mus. Novit. 1257 p. 10 (N ♂).
M. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 368 T. 67 F. 1273—1275 (D ♂♀).

Gen. **Mesilla** Simon 1903.

♀ **vittiventris** Simon 1903. Ecuador

M. v. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 30 (D ♀).

Gen. **Mezenina** Strand 1932.

♀ **dorsalis** (Simon) 1897. S.-Chile

Mezenia d. Simon 1897, Hist. Nat. Araign. 2 (1) p. 101 (D ♀).
Mezenia d. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 67 T. 7 F. 4 (D ♀).
Mezenia d. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 103 (N).
M. d. Strand 1932, Folia Zool. Hyrobiol. 4 (2) p. 141 (nom. nov. gen.).

Gen. **Monapia** Simon 1897.

♀ **andina** Simon 1897. Chile

M. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 101 (D ♀).

♀ **atomaria** Simon 1897. – * Chile

M. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 101 (D ♀).
M. a. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 103 (N).

♂ **minensis** Mello-Leitao 1926. S.-Brasilien

M. m. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 7 f. 5 (D ♂).

Gen. **Olbophthalmus** Simon 1904.

♂♀ **gounellei** (Simon) 1896. – * Brasilien

Olbus g. Simon 1896, Ann. Soc. Ent .France 65 p. 506 (D ♂♀).
O. g. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 98 (nom. nov. gen.).

♂♀ **lojensis** Berland 1913. Ecuador

O. l. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 104 T. 11 F. 86—90 (D ♂♀).

♀ **personatus** (Simon) 1896. Ecuador
Olbus p. Simon 1896, Ann. Soc. Ent. France 65 p. 506 (D ♀).
O. p. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 98 (nom. nov. gen.).

Gen. **Osoriella** Mello-Leitao 1922.

♂♀ **discolor** Mello-Leitao 1929. Pernambuco
O. d. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 105 TF. 17, 18 (D ♂♀).

♂♀ **fatua** Mello-Leitao 1942. Argentinien, Brasilien
O. f. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 423 f. 53—55 (D ♀).
O. f. Soares & Camargo 1948, Bol. Mus. Paraens. Göldi 10 p. 402 f. 79—80 (D ♂).

♂♀ **osoriana** Mello-Leitao 1922. – * Brasilien
O. o. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 36 (D ♂♀).

♂ **pallidaemanum** Mello-Leitao 1926. Brasilien
O. p. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 10 f. 9, 10 (D ♂).

♂ **punctata** Mello-Leitao 1943. Rio Grande do Sul
O. p. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 236 TF. 63 (D ♂).

♂ **rhodonota** Mello-Leitao 1946. Paraguay
O. r. Mello-Leitao 1946, Notas Mus. La Plata 11 (91) p. 21 f. 4 (D ♂).

♂ **roseotaeniata** Mello-Leitao 1947. Brasilien
O. r. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 292 T. 39 F. 39 (D ♂).

♂ **rubella** (Keyserling) 1891. S.-Brasilien
Anyphaena r. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 113 T. 3 F. 73 (D ♂).
Teudis r. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 518 (C).

Gen. **Oxysoma** Nicolet 1849.

♀ **auratum** Nicolet 1849. Chile
O. au. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 513 (D ♀).

♂ **bergi** (Simon) 1880. Ecuador
Phidyle b. Simon 1880, Act. Soc. Linn. Bord. 34 p. 345 (D ♂).
O. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 100 (N).
O. b. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 103 T. 10 F. 80—82 (N ♂).

♂ **bifasciatum** Mello-Leitao 1922. Brasilien
O. b. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 18 (D ♂).

♂ **cubanum** Banks 1909. Cuba
O. c. Banks 1909, II. Rep. Centr. Exper. Stat. Republ. Cuba p. 157 T. 45 F. 7 (D ♂).
O. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 435 TF. 16 F. 218, 222; T. 17 F. 234 (D ♂♀).

♀ **delfini** Simon 1905. Juan Fernandez
O. d. Simon 1905, Ann. Soc. Ent. France 74 Bull. p. 71 (D o).
O. d. Berland 1924, Hist. Nat. Juan Fernandez 3 (3) p. 435 f. 30 (D ♀).

♂♀ **dubium** Berland 1913. Ecuador
O. d. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 103 (D ♂♀).

♂ **guttipes** Simon 1905. Patagonien
O. g. Simon 1905, Boll. Mus. Zool. Torino 20 (511) p. 13 (D ♂).

♀ **lineatum** Nicolet 1849. Chile
O. l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 515 (D ♀).

♂♀ **longipes** Nicolet 1849. Chile
O. l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 514 (D ♂♀).

♀ **novum** Mello-Leitao 1922. Brasilien
O. n. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 19 (D ♀).

♀ **polytrichium** Mello-Leitao 1922. Brasilien
O. p. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 18 (D ♀).

♀ **punctatum** Nicolet 1849. – * Chile
O. p. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 513 T. 4 F. 13 (D ♀).
O. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 100 (N).
O. p. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 103 (C).

♀ **punctipes** Nicolet 1849. Chile
O. p. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 512 (D ♀).
Phidyle p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 287 (D ♀).
O. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 100 (N).

♀ **quinquenotatum** Simon 1896. S.-Brasilien
O. q. Simon 1896, Ann. Soc. Ent. France 65 p. 505 (D ♀).

♀ **ramboi** Mello-Leitao 1943. Rio Grande do Sul
O. r. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 237 TF. 64 (D ♀).

♀ **tullgreni** Roewer 1951. Bolivien
O. lineatum Tullgren 1905, Ark. Zool. 2 (19) p. 45 T. 6 F. 20 (D ♀) (praeocc. Nicolet 1849).
O. t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 446 (nom. nov.).

♂♀ **unipunctatum** Simon 1896. S.-Brasilien
O. u. Simon 1896, Ann. Soc. Ent. France 65 p. 505 (D ♂♀).

Gen. **Patrera** Simon 1903.

♂ **fulvastra** Simon 1903. Ecuador
P. f. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 30 (D ♂).

Gen. **Pelayo** Cambridge 1896.

o **fuscus** Caporiacco 1947. Brit. Guiana
P. f. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 27 (N).
P. f. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 679 (D o).

♀ **insignis** Banks 1909. Costa Rica
P. i. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 199 T. 6 F. 28 (D ♀).
P. i. Banks 1914, Proc. Ac. Nat. Sci. Philad. 65 p. 677 T. 28 F. 14 (N ♀).

♂ **laetus** Cambridge 1896. – * Costa Rica
P. l. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 194 T. 24 F. 7 (D ♂)

♀ **montanus** Chickering 1940. Panama
P. m. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 88 f. 13—16 (D ♀).

Gen. **Quechuella** Chamberlin 1916.

♀ **lampra** Chamberlin 1916. Peru
Qu. l. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 274 T. 21 F. 5—8 (D ♀).

Gen. **Sillus** F. Cambridge 1900.

§ 4 ♂: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 102.
§ 3 Arten: Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 35.

♂ **armatus** Chickering 1940. Panama
S. a. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 90 f. 17—19 (D ♂).

♂ **attiguus** (Cambridge) 1896. Mexico
Clubiona a. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 169 T. 21 F. 1 (D ♂).
S. a. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 103 T. 7 F. 27 (D ♂).

♀ **coloratus** Chickering 1937. Panama
S. c. Chickering 1937, Pap. Michig. Ac. Sci. 22 p. 548 T. 58 F. 10; T. 59 F. 23 32 (D ♀).

♂ **curvispinus** F. Cambridge 1900. Panama
S. c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 104 T. 7 F. 26 (D ♂).

♂♀ **delicatus** Mello-Leitao 1922. Brasilien
S. d. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 35 (D ♂♀).

♂♀ **dubius** (Chickering) 1937. Panama
Wulfila d. Chickering 1937, Pap. Michigan Ac. Sci. 22 p. 551 T. 58 F. 4, 15; T. 59 F. 29 (D ♂♀).
S. d. Chickering 1940, Trans. Am. Microsc. Soc. 59 (1) p. 92 (N).

♂ **frenatus** (Keyserling) 1891. B.-Brasilien
Anpyphaena f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 116 T. 3 F. 76 (D ♂).
S. f. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 511 (C).

♀ **imbecillus** (Keyserling) 1891. S.-Brasilien
Anyphaena i. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 108 T. 3 F. 68 (D ♀).
S. i. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 511 (C).

♂ **longispinus** F. Cambridge 1900. Costa Rica, Guatemala, Panama
S. l. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 201 T. 7 F. 28 (D ♂).
S. l. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 146 f. 68, 69 (D ♂).
S. l. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 92 (N ♂).

♀ **lunulus** F. Cambridge 1900. Guatemala
S. l. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 103 T. 7 F. 25 (D ♀).

♀ **pellucidus** (Keyserling) 1891. S.-Brasilien
Anyphaena p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 122 T. 4 F. 83 (D ♀).
S. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 511 (C).

♂ **placens** (Cambridge) 1896. Panama
Clubiona p. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 195 (D ♂).
S. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 104 (C ♂).

♀ **putus** (Cambridge) 1896. – * Costa Rica
Anyphaena p. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 200 T. 26 F. 2 (D ♀).
S. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 103 (N ♀).
S. p. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 201 (N).

♂ **ravus** Chickering 1940. Panama
S. r. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 93 f. 20—22 (D ♂).

♀ **spinifrons** Mello-Leitao 1926. S.-Brasilien
S. s. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 11 f. 11 (D ♀).

Gen. **Tafana** Simon 1903.

♂♀ **riveti** Simon 1903. Ecuador
T. r. Simon 1903, Ann. Soc. Ent. France 72 Bull. p. 124 (D ♀).
T. r. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 105 T. 11 F. 91—96 (D ♂♀).

Gen. **Tasata** Simon 1903.

♂♀ **albofasciata** Mello-Leitao 1943. Rio Grande do Sul
T. a. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 238 TF. 65 (D ♂♀).

♀ **parcepunctata** Simon 1903. – * Argentinien
T. p. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 29 (D ♀).

♀ **tigris** Mello-Leitao 1940. Rio Negro
T. t. Mello-Leitao 1940, Arqu. Inst. Biol. S. Paulo 11 (30) p. 257 (D ♀).

♀ **variolosa** Mello-Leitao 1943. Rio Grande do Sul
T. v. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 239 TF. 66 (D ♀).

Gen. **Temnida** Simon 1896.

♂♀ **parvula** (Banks) 1903. Haiti
Wulfila p. Banks 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 342 T. 15 F. 2,4 (D ♂♀).
T. p. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 430 T. 12 F. 112, 113, 119 (D ♂♀).

♀ **perpusilla** (Banks) 1909. Cuba
Anyphaena p. Banks 1909, II. Rep. Centr. Exper. Stat. Republ. Cuba p. 158 T. 45 F. 9 (D ♀).

♂ **quadrivittata** Simon 1896. Venezuela
T. q. Simon 1896, Ann. Soc. Ent. France 65 p. 507 (D ♀).

♀ **simplex** Simon 1896. – * Venezuela
T. s. Simon 1896, Ann. Soc. Ent. France 65 p. 506 (D ♀).
T. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 102 (N).

♀ **spinosa** Bryant 1948. San Domingo
T. s. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 432 **T.** 12 F. 121 (D ♀).

Gen. **Terupis** Simon 1904.

♀ **bicolor** Simon 1904. Chile

T. b. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 103 (D ♀).

Gen. **Teudis** Cambridge 1896.

§ 3 ♂, 3 ♀: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 100.
§ 37 Arten: Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 28—33.

♂♀ **adfabilis** (Keyserling) 1891. Argentinien, Brasilien

Anyphaena a. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 87 T. 3 F. 50 (D ♂♀).
T. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 515 (C).

♂ **angusticeps** (Keyserling) 1891. Brasilien

Anyphaena a. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 109 T. 3 F. 69 (D ♂).
T. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 515 (C).

♂♀ **atrofasciatus** Mello-Leitao 1922. Brasilien

T. a. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 25 (D ♂♀).

♂ **basiliscus** Mello-Leitao 1922. Brasilien

T. b. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 26 (D ♂).

♀ **bicolor** Banks 1909. Costa Rica

T. b. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 201 T. 6 F. 37 (D ♀).

♂♀ **borgmeyeri** Mello-Leitao 1926. Brasilien

T. b. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 9 f. 7, 8 (D ♂♀).

♂♀ **bucolicus** Chickering 1940. Panama

T. b. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 94 f. 23—26 (D ♂♀).

♂♀ **cambridgei** Chickering 1940. Panama

T. c. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 97 f. 27—32 (D ♂♀).

♀ **caxambuensis** Mello-Leitao 1926. S.-Brasilien

T. c. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 8 f. 6 (D ♀).

♂♀ **citus** (Keyserling) 1891. Brasilien, Amazonas

Anyphaena c. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 94 T. 3 F. 55 (D ♂♀).
Wulfila c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 94 f. 94 (N ♂).
T. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 516 (C).

♂♀ **clarovittatus** (Keyserling) 1891. Brasilien

Anyphaena c. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 100 T. 3 F. 60 (D ♀).
T. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 516 (C).
T. c. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 27 (D ♂).

♂♀ **concolor** (Keyserling) 1891. S.-Brasilien

Anyphaena c. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 120 T 3 F. 80 (D ♂).

Anyphaena variabilis Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 123 T. 4 F. 84 (D ♀).
Sillus c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 510 (C).
T. variabilis Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 519 (C).
T. c. Mello-Leitao 1925, Bol. Mus. Nac. R. d. Janeiro 1 (6) p. 457 (N).

♀ **cordobensis** Mello-Leitao 1941. Argentinien
T. c. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 195 f. 87, 88 (D ♂).

♂ **dasypus** Mello-Leitao 1947. Minas Geraes
T. d. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan., Zool. 80 p. 33 T. 2 F 33, 34 (D ♂).

♂ **dichotomus** Mello-Leitao 1929. Pernambuco
T. d. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 105 TF. 16 (D ♂).

♂ **diversicolor** (Keyserling) 1891. Brasilien
Anyphaena d. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 124 T. 4 F. 85 (D ♂).
T. d. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 516 (C).

♂♀ **donaldi** Chickering 1940. Panama
T. d. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 100 f. 33—37 (D ♂♀).

♀ **elegans** Banks 1909. Costa Rica
T. e. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 200 T. 6 F. 48 (D ♀).

♀ **erythrostomus** Mello-Leitao 1939. San Paulo
T. e. Mello-Leitao 1939, Bol. Biol. S. Paulo (N. S.) 4 (2) p. 292 (D ♀).

♀ **formosus** (Keyserling) 1891. Brasilien
Anyphaena f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 107 T. 3 F. 67 (D ♀).
T. f. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 516 (C)

♀ **fortis** (Keyserling) 1891. Brasilien
Anyphaena f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 106 T. 3 F. 66 (D ♀).
T. f. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 516 (C).

♀ **gastrotaeniatus** Mello-Leitao 1944. Buenos Aires
T. g. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) Zool. 3 (24) p. 359 f. 52 (D ♀).

♂ **geminus** Petrunkevitch 1911. Costa Rica, Guatemala
T. gentilis Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 198 T. 25 F. 6 (D ♂).
T. g. Simon 1903, Hist. Nat. Araig. 2 (4) p. 1032 (N).
T. g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 516 (nom. nov.).

♀ **gentilis** (Keyserling) 1871. Brasilien
Anyphaena g. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 119 T. 3 F. 79 (D ♀).

♀ **grandivulva** Mello-Leitao 1930. Amazonas
T. g. Mello-Leitao 1930, Arch. Mus. Nac. R. d. Jan. 32 p. 68 TF. 34—35 (D ♀).

♂ **griseus** (Keyserling) 1891. S.-Brasilien
Anyphaena g. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 104 T. 3 F. 64 (D ♂).
T. g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 517 (C).

♀ **helvolus** (Keyserling) 1891. S.-Brasilien
Anyphaena h. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 98 T. 3 F. 58 (D ♀).
T. h. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 517 (C).

♀ **heraldicus** Mello-Leitao 1929. Pernambuco
T. h. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 103 (D ♀).

♂ **hirsutus** Mello-Leitao 1937. S.-Brasilien
T. h. Mello-Leitao 1937, Mem. Inst. Butantan 11 p. 316 f. 6, 7 (D ♂).

♀ **itatiayae** Mello-Leitao 1915. Brasilien
T. i. Mello-Leitao 1915, Broteria 13 p. 139 (D ♀).

♂♀ **juradei** Chickering 1940. Panama
T. j. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 103 f. 38—42 (D ♂♀).

♀ **lageniferus** Mello-Leitao 1944. Buenos Aires
T. l. Mello-Leitao 1944, Rev. Mus. La Plata (N.S.) Zool. 3 (24) p. 360 f. 53 (D ♀).

♂ **lecochlorus** Mello-Leitao 1929. Pernambuco
T. l. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 104 TF. 15 (D ♂).

♂ **lectus** Chickering 1940. Panama
T. l. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 105 f. 43—45 (D ♂).

♂♀ **lenis** (Keyserling) 1891. S.-Brasilien
Anyphaena l. Keyserling 1891 Spinn. Amer. 3 (Bras. Spinn.) p. 88 T. 3 F. 51 (D ♂♀).
T. l. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 517 (C).

♂♀ **limbatus** (Simon) 1896. Brasilien
Isigonia l. Simon 1896, Ann. Soc. Ent. France 65 p. 507 (D ♂♀).
Isigonia l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 103 (N).
T. l. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1032 (N).

♂♀ **longipes** (Keyserling) 1891. Brasilien
Anyphaena l. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 91 T. 3 F. 53 (D ♂♀).
T. l. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 517 (C).

♀ **lycosoides** Chickering 1937. Panama
T. l. Chickering 1937, Pap. Michig. Ac. Sci. 22 p. 549 T. 58 F. 13; T. 59 F. 26 (D ♀).

♂ **mordax** (Cambridge) 1896. Mexico
Delozeugma m. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 182 (D ♂).
T. m. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 198 T. 22 F. 11 (N ♂).

♂♀ **moreirae** Mello-Leitao 1915. Brasilien
T. m. Mello-Leitao 1915, Broteria 13 p. 137 (D ♂♀).

♀ **opertaneus** (Keyserling) 1891. S.-Brasilien
Anyphaena o. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 118 T. 3 F. 78 (D ♀).
T. o. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 517 (C).

♀ **parvulus** (Keyserling) 1891. Brasilien
Anyphaena p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 114 T. 3 F. 74 (D ♀).
T. p. Petrunkevitch 1911, Bull. Amer. Mus. Hist. 29 p. 517 (C).

♂♀ **peragrans** (Cambridge) 1898. Brasilien, Guatemala
Memnon p. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 283 T. 32 F. 6 (D ♀).
T. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 101 T. 7 F. 21, 22 (D ♂♀).

♂♀ **procerus** (Keyserling) 1891. Brasilien
Anyphaena p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 86 T. 3 F. 49 (D ♂♀).
T. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 518 (C).

♂ **puma** Mello-Leitao 1943. Rio Grande do Sul
T. p. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 240 TF. 67 (D ♂).

♂♀ **pygmaeus** (Keyserling) 1891. Brasilien
Anyphaena p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 90 T. 3 F. 52 (D ♂♀).
Anyphaena p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 94 f. 92 (N ♂).
T. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 518 (C).

♂ **recentissimus** (Keyserling) 1891. S.-Brasilien
Anyphaena r. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 121 T. 4 F. 81 (D ♂).
T. r. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 518 (C).

♂ **reductus** Chickering 1940. Panama
T. r. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 108 f. 46—47 (D ♂).

♂♀ **robustus** (Keyserling) 1891. S.-Brasilien
Anyphaena r. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 103 T. 3 F. 63 (D ♂).
Anyphaena r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 94 f. 93 (N ♂).
T. r. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 27 (D ♀).

♀ **roseus** F. Cambridge 1900. Panama
T. r. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 102 T. 7 F. 24 (D ♀).

♀ **ruber** F. Cambridge 1900. Guatemala
T. r. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 102 T. 7 F. 23 (D ♀).

♀ **rubricephalus** Mello-Leitao 1939. Paraguay
T. r. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 91 f. 84 (D ♀).

♂ **rubromaculatus** (Keyserling) 1891. S.-Brasilien, Argentinien
Anyphaena r. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 99 T. 3 F. 59 (D ♂).
T. r. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 518 (C).

♂♀ **sordidus** Mello-Leitao 1941. Santa Fe
T. s. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 224 f. 35 (D ♂♀).

♀ **striolatus** (Keyserling) 1891. S.-Brasilien
Anyphaena s. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 102 T. 3 F. 62 (D ♀).
T. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 518 (C).

♂♀ **subruber** (Keyserling) 1891. Brasilien
Anyphaena s. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 97 T. 3 F. 57 (D ♂).
T. subrubrus Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 518 (C).
T. subrubrus Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 28 (D ♀).

♀ **suspiciosus** (Keyserling) 1891. Brasilien
Anyphaena s. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 110 T. 3 F. 70 (D ♀).
T. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 519 (C).

♀ **taeniatus** (Keyserling) 1891. S.-Brasilien
Anyphaena t. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 105 T. 3 F. 65 (D ♀).
T. t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 519 (C).

♂ **tensipes** (Keyserling) 1891. S.-Brasilien
Anyphaena t. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 115 T. 3 F. 75 (D ♂).
T. t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 519 (C).

♀ **tensus** (Keyserling) 1891. S.-Brasilien
Anyphaena t. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 112 T. 3 F. 72 (D ♀).
T. t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 519 (C).

♂♀ **tenuipes** (Keyserling) 1891. Brasilien
Anyphaena t. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 122 T. 4 F. 82 (D ♂).
T. t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 519 (C).
T. t. Mello-Leitao 1917, Broteria 15 p. 95 f. 14 (D ♀).
T. t. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 28 (D ♀).

♂ **tetrasetus** Mello-Leitao 1939. Paraguay
T. t. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 92 f. 85, 86 (D ♂).

♀ **unicolor** (Keyserling) 1891. S.-Brasilien
Anyphaena u. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 101 T. 3 F. 61 (D ♀).
T. u. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 519 (C).

♀ **violens** (Keyserling) 1891. Brasilien
Anyphaena v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 95 T. 3 F. 56 (D ♂♀).
T. v. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 519 (C).

♂♀ **virgatus** (Keyserling) 1891. Brasilien
Anyphaena v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 92 T. 3 F. 54 (D ♂♀).
T. v. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 519 (C).

♀ **ypsilon** Mello-Leitao 1922. Brasilien
T. y. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 25 (D ♀).

♂ **zenzesi** Mello-Leitao 1945. Argentinien

T. z. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) Zool. 4 (29) p. 264 f. 51 (D ♂).

Gen. **Tomopisthes** Simon 1884.

♀ **acupictus** (Nicolet) 1849. Chile

Clubiona a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 420 (D ♀).
Clubiona acupita Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 132 (C).
T. a. Simon 1897, Miss. Sci. Cap Horn 6 (Zool.) p. E 4 (N).

♀ **aethiops** Simon 1903. Feuerland

T. ae. Simon 1903, Ann. Soc. Ent. France 72 p. 312 (D ♀).

♂♀ **backhauseni** Simon 1895. Feuerland, Patagonien

T. b. Simon 1895, An. Mus. Nac. B. Aires 4 p. 172 (D ♀).
T. b. Simon 1896, An. Mus. Nac. B. Aires 5 p 144 (D ♂).
Gayenna trilineata Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 240 T. 18 F. 7 (D ♂♀).

♀ **backhauseni patagonicus** Simon 1905. Patagonien

T. b. p. Simon 1905, Boll. Mus. Zool. Torino 20 (511) p. 12 (D ♀).

♀ **chazaliae** Simon 1897. Columbien

T. ch. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 11 (D ♀).

♀ **conspersus** Simon 1902. Patagonien

T. c. Simon 1902, Erg. Hambg. Magelh. Sammelreise 2 Arachn. p. 33 (D ♀).

♀ **frenatus** Mello-Leitao 1947. Brasilien

T. f. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 293 T. 39 F. 40 (D ♀).

♂♀ **horrendus** (Nicolet) 1849. Chile

Clubiona h. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 421 (D ♀).
Amaurobius h. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 139 (C).
T. h. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E 4 (N).
T. h. Simon 1897, Hist. Nat. Araign. 2 (1) p. 98 (N).
T. h. Simon 1902, Erg. Hambg. Magelh. Sammelreise 2 Arachn. p. 30 (N ♂).
T. h. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 102 (N).

♂♀ **immanis** Simon 1884. – * Feuerland, I. Hoste, Patagonien

T. i. Simon 1884, Bull. Soc. Zool. France 9 p. 133 (D ♀).
T. i. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E 28 T. 1 F. 2 (D ♂♀).
T. i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 98 (N).
Gayenna i. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 232 T. 18 F. 1 (N ♀).
Gayenna i. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 58 T. 6 F. 1 (N ♂♀).

♀ **injucundus** Simon 1902. Feuerland, Patagonien

T. i. Simon 1902, Erg. Hambg. Magelh. Sammelreise 2 Arachn. p. 33 (D ♀).
T. i. Simon 1903, Ann. Soc. Ent. France 72 p. 312 (N).

♀ **kraepelini** Simon 1902. Feuerland

T. k. Simon 1902, Erg. Hambg. Magelh. Sammelreise 2 Arachn. p. 31 (D ♀).

♀ **lebruni** Simon 1886. Patagonien

T. l. Simon 1886, Bull. Soc. Zool. France 11 p. 570 f. 7 (D ♀).
T. l. Simon 1905, Bull. Mus. Zool. Torino 22 (511) p. 12 (N).
T. l. Mello-Leitao 1940, Rev. Mus. La Plata (N.S.) 2, Zool. p. 61 f. 63, 64 (N ♀).

♂♀ **limbatus** (Nicolet) 1849. Chile
Clubiona l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 422 (D ♂♀).
T. l. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E4 (N).

♀ **magellanicus** Simon 1887. Feuerland, Patagonien
T. m. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E32 (D ♀).
T. m. Simon 1902, Erg. Hambg. Magelh. Sammelreise 2 Arachn. p. 32 (N).

♀ **modestus** Simon 1902. Patagonien, Feuerland
T. m. Simon 1902, Erg. Hambg. Magall. Sammelreise 2 Arachn. p. 35 (D ♀).

♀ **septentrionalis** Berland 1913. Ecuador
T. s. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 100 T. 10 F. 70—72 (D ♀).

♂♀ **strigosus** (Tullgren) 1901. Feuerland, Patagonien
Gayenna st. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 237 T. 18 F. 6 (D ♂♀).
T. st. Simon 1902, Erg. Hambg. Magelh. Sammelreise 2 Arachn. p. 34 (D ♀).

♀ **taeniatus** Simon 1886. Feuerland, Patagonien
T. t. Simon 1886, Bull. Soc. Zool. France 11 p. 571 (D ♀).
T. t. Simon 1902, Erg. Hambg. Magelh. Sammelreise 2 Arachn. p. 31 (N).
T. t. Simon 1905, Boll. Mus. Zool. Torino 20 (511) p. 11 (N).

♀ **tripunctatus** Mello-Leitao 1945. Argentinien
T. t. Mello-Leitao 1945, Rev. Mus. La Plata (N.S.) Zool. 4 (29) p. 265 f. 52 (D ♀).

♀ **tullgreni** Simon 1905. Patagonien
T. t. Simon 1905, Boll. Mus. Zool. Torino 20 (511) p. 13 (D ♀).

♂♀ **varius** Simon 1884. Feuerland, I. Hoste, Patagonien
T. v. Simon 1884, Bull. Soc. Zool. France 9 p. 134 T. 3 F. 17, 18 (D ♂♀).
T. v. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E30 T. 1 F. 5 (D ♂♀).
Gayenna v. Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 233 (N ♀).
Gayenna v. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 59 T. 6 F. 2 (N ♂♀).
T. v. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 102 (N).

♂♀ **versicolor** (Nicolet) 1849. Chile
Clubiona v. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 427 (D ♂♀).
T. v. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E4 (N).

♂♀ **vittatus** Simon 1884. S.-Chile
T. v. Simon 1884, Bull. Soc. Zool. France 9 p. 135 (D ♂♀).
T. v. Simon 1887, Miss. Sci. Cap Horn 6 (Zool.) p. E31 T. 1 F. 3 (D ♂♀).
T. v. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 102 (N).

Gen. **Wulfila** Cambridge 1895.

§ 3 ♂, 5 ♀: Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 67—68.

♀ **arraijanica** Chickering 1940. Panama
W. a. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 109 f. 48 (D ♀).

♂♀ **coamoana** Petrunkevitch 1930. Portorico
W. c. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 80 f. 67—69 (D ♂♀).

♀ **diversa** Cambridge 1895. Mexico
W. d. Cambridge 1895, Biol. Centr. Amer. Aran. 1 p. 159 T. 19 F. 10 (D ♀).

♂ **fragilis** Chickering 1937. Panama
W. f. Chickering 1937, Pap. Michig. Ac. Sci. 22 p. 553 T. 58 F. 7, 8; T. 59 F. 31 (D ♂).

♂♀ **immaculata** Banks 1914. Cuba, Portorico, Florida
W. i. Banks 1914, Bull. Amer. Mus. Nat. Hist. 33 (41) p. 640 T. 43 F. 7 (D ♀).
W. i. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 85 f. 72 (D ♀).
W. i. Bryant 1936, Psyche 43 p. 98 T. 3 F. 1 (D ♂).
W. i. Bryant, 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 437 (N ♀).

♀ **inconspicua** Petrunkevitch 1930. Portorico
W. i. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 83 f. 70, 71 (D ♀).

♂ **innoxia** Chickering 1940. Panama
W. i. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 110 f. 49—51 (D ♂).

♂ **isolata** Bryant 1942. Portorico
W. i. Bryant 1942, Journ. Agr. Univ. Portorico 26 p. 13 T. 2 F. 20 (D ♂).

♂ **longidens** Mello-Leitao 1948. Brit. Guiana
W. l. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 195 f. 34 (D ♂).

♂ **macra** (Simon) 1897. St. Vincent
Vulfila m. Simon 1897, Proc. Zool. Soc. Lond. p. 879 (D ♂)

♂♀ **macropalpus** Petrunkevitch 1930. Portorico
W. m. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 74 f. 61—66 (D ♂♀).

♂♀ **maculata** Chickering 1937. Panama
W. m. Chickering 1937, Pap. Michigan Ac. Sci. 22 p. 555 T. 58 F. 9; T. 59 F. 18, 24 (D ♀).
W. m. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 112 f. 52, 53 (D ♂).

♂♀ **mandibulata** (Petrunkevitch) 1925. Panama
Cragus m. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 143 f. 63—67 (D ♂♀).
W. m. Banks 1929, Bull. Mus. Comp. Zool. Harvard 69 (3) p. 63 T. 1 F. 7, 12, 14; T. 2 F. 27 (D ♂).
W. m. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 114 f. 54—57 (N ♂♀).

♂♀ **modesta** Chickering 1937. Panama
W. m. Chickering 1937, Pap. Michigan Ac. Sci. 22 p. 556 T. 58 F. 14; T. 59 F. 25 (D ♀).
W. m. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 114 f. 58—59 (D ♂).

♀ **pallida** Cambridge 1895. – * Mexico
W. p. Cambridge 1895, Biol. Centr. Amer. Aran. 1 p. 159 T. 19 F. 11 (D ♀).
Vulfila p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 103 (N).

♀ **pellucida** Chickering 1937. Panama
W. p. Chickering 1937, Pap. Michig. Ac. Sci. 22 p. 557 T. 58 F. 14 (D ♀).

♀ **pretiosa** Banks 1914. Cuba
W. p. Banks 1914, Bull. Amer. Mus. Nat. Hist. 33 (41) p. 64 T. 43 F. 4 (D ♀).

♀ **proxima** Cambridge 1895. Mexico
W. p. Cambridge 1895, Biol. Centr. Amer. Aran. 1 p. 159 T. 19 F. 18 (D ♀).
W. p. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 116 f. 60-61 (D ♀).

♂ **pulverulenta** Chickering 1937. Panama
W. p. Chickering 1937, Pap. Michig. Ac. Sci. 22 p. 558 T. 58 F. 5, 6; T. 59 F. 30 (D ♂).
W. p. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 116 f. 60-61 (D ♀).

♂ **scopulata** Simon 1897. Amerika (Fundort unbek.)
W. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 95 f. 95, 96 (N ♂).

♂ **spatulata** F. Cambridge 1900. Guatemala
W. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 105 T. 7 F. 29 (D ♂).

♀ **spinosa** Chickering 1937. Panama
W. s. Chickering 1937, Pap. Michig. Ac. Sci. 22 p. 560 T. 59 F. 17, 27, 28 (D ♀).

♀ **sublesta** Chickering 1940. Panama
W. s. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 118 f. 62—63 (D ♀).

♂ **tantilla** Chickering 1940. Panama
W. t. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 119 f. 64—66 (D ♂).

♀ **tenella** Chickering 1940. Panama
W. t. Chickering 1940, Trans. Amer. Microsc. Soc. 59 (1) p. 120 f. 67—68 (D ♀).

♀ **tenuissima** Simon 1896. Jamaica
Vulfila t. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 400 (D ♀).

♂ **tricuspis** Bryant 1940. Cuba
W. t. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 438 T. 16 F. 223 (D ♂).

♂ **tripunctata** Mello-Leitao 1947. Brasilien
Vulfila t. Mello-Leitao 1947, Pap. Avuls. S. Paulo 8 (11) p. 132 f. 6 (D ♂).

♂♀ **tropica** Petrunkevitch 1930. Portorico
W. t. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 68 f. 56—60 (D ♂♀).

♀ **ventralis** Banks 1906. Bahamas
W. v. Banks 1906, Bull. Amer. Mus. Nat. Hist. 22 (11) p. 186 f. 3 (D ♀).

3. Subfam. Liocraninae

§ 14 Genera (neotrop.): Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 282 bis 284.

1. Gr. Miturgeae

Gen. **Diaprograpta** Simon 1909.

♀ **striola** Simon 1909. W.-Australien
D. s. Simon 1909, Faun. S. W. Austral. 2 (12) p. 175 (D ♀).

Gen. **Miturga** Thorell 1870.

§ 8 Arten: Simon 1909, Faun. S. W. Austral. 2 (12) p. 168.

♂♀ **agelenina** Simon 1909. W.-Australien, Victoria, Tasmanien
M. a. Simon 1909, Faun. S. W. Austral. 2 (12) p. 172 (D ♂♀).
M. a. Hickmann 1930, Pap. Proc. Soc. Tasman. (1929) p. 105 T. 21, 22 (N ♂♀).

♀ **albopunctata** Hickman 1930. Tasmanien
M. a. Hickman 1930, Pap. Proc. Soc. Tasman. (1929) p. 105 T. 23; f. 13, 14 (D♀).

♀ **annulipes** (Lucas) 1844. Australien
Tegenaria a. Lucas 1844, Ann. Soc. Ent. France (2) 2 p. 463 (D ♀).

♀ **catograpta** Simon 1909. W.-Australien
M. c. Simon 1909, Faun. S. W. Austral. 2 (12) p. 170 (D ♀).

♂♀ **fagei** Kolosvary 1934. Neu-Guinea
M. f. Kolosvary 1934, Folia Zool. Hydrobiol. 7 (1) p. 46 f. 5—7 (D ♂♀).

♀ **ferina** Simon 1909. W.-Australien
M. f. Simon 1909, Faun. S. W. Austral. 2 (12) p. 170 (D ♀).

♂o **gilva** L. Koch 1872. Australien
M. g. L. Koch 1872, Arachn. Austral. 1 (1) p. 354 T. 27 F. 8 (D ♂ o).

o **impedita** Simon 1909. W.-Australien
M. i. Simon 1909, Faun. S. W. Austral. 2 (12) p. 171 (D o).

♂♀ **lineata** Thorell 1870. – * Australien
M. l. Thorell 1870, Oefv. Vet. Ak. Förh. 27 (4) p. 376 (D ♂♀).
M. l. L. Koch 1872, Arachn. Austral. 1 (1) p. 351 T. 27 F. 6, 7 (D ♂♀).
M. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 130 f. 123 N).

♂♀ **maculata** Hogg 1900. Victoria
M. m. Hogg 1900, Proc. Soc. Victoria (N. S.) 13 (1) p. 109 T. 16 F. 3 (D ♂♀).

♀ **necator** (Walckenaer) 1837. Tasmanien
Clubiona n. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 597 (D ♀).

♀ **occidentalis** Simon 1909. W.-Australien
M. o. Simon 1909, Faun. S. W. Austral. 2 (12) p. 169 (D ♀).

♂ **parva** Hogg 1914. Montebello-I.
M. p. Hogg 1914, Proc. Zool. Soc. Lond. (1) p. 82 T. 2 F. 8 (D ♂).

♂♀ **severa** Simon 1909. W.-Australien
M. s. Simon 1909, Faun. S. W. Austral. 2 (12) p. 174 (D ♂♀).

♀ **splendens** Hickman 1930. Tasmanien
M. sp. Hickman 1930, Pap. Proc. Soc. Tasman. (1929) p. 109 T. 24; f. 15, 16 (D ♀).

♂♀ **thorelli** Simon 1909. W.-Australien
M. t. Simon 1909, Faun. S. W. Austral. 2 (12) p. 173 (D ♂♀).

♂♀ **velox** Hickman 1930. Tasmanien
M. v. Hickman 1930, Pap. Proc. Soc. Tasman. (1929) p. 114 f. 17—19; T. 25, 26 (D ♂♀).

♀ **whistleri** Simon 1909. W.-Australien
M. w. Simon 1909, Faun. S. W. Austral. 2 (12) p. 171 (D ♀).

Gen. **Prochora** Simon 1885.

♂♀ **lycosiformis** (Cambridge) 1872. Palästina, Sizilien
Agroeca l. Cambridge 1872, Proc. Zool. Soc. Lond. p. 258 T. 16 F. 42 (D ♂♀).
Liocranum fasciatum Simon 1873, Mém. Soc. Sci Liège (2) 5 p. 345 (161) (D ♀).
P. l. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 374 (N).
P. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 131 f. 133 (N ♂).

Gen. **Radulphius** Keyserling 1891.

♀ **bicolor** Keyserling 1891. – * Brasilien
R. b. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 48 T. 1 F. 22 (D ♀).
R. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 131 (N).

♀ **laticeps** Keyserling 1891. Brasilien
R. l. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 47 T. 1 F. 21 (D ♀).

♂♀ **melloleitaoi** Caporiacco 1947. Brit. Guiana
R. m. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 26 (D ♂).
R. m. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 671 TF. 84—85 (D ♂♀).

♀ **seminermis** Caporiacco 1947. Brit. Guiana
R. s. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 26 (D ♀).
R. s. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 672 TF. 87 (D ♀).

♀ **strandi** Caporiacco 1947. Brit. Guiana
R. s. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 26 (D ♀).
R. s. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 672 TF. 86 (D ♀).

Gen. **Syrisca** Simon 1885.

Aethiopische Arten:

o **arabs** Simon 1906. Aegypt. Sudan
S. a. Simon 1906, S. B. Ak. Wiss. Wien 115 (1) p. 1168 (D o).

♀ **drassiformis** Strand 1906. Abessinien
S. d. Strand 1906, Zool. Anz. 30 (19—20) p. 635 (D ♀).

♂♀ **longicaudata** Lessert 1929. Congo
S. l. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 150 f. 27, 28 (D ♂♀).

♀ **mamillata** Caporiacco 1941. Süd-Abessinien
S. m. Caporiacco 1941, Miss. Biol. Sagan-Omo 12 Zool. 6 p. 102 f. 37 (D ♀).

O **pictilis** Simon 1885. – * Senegambien
S. p. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 375 (D O).
S. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 131 (N).

♀ **russula** Simon 1885. Abessinien
S. r. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 375 (D ♀).
S. r. Strand 1908, Arch. Naturw. Christiania 29 (2) p. 54 (D ♀).

♀ **senegalensis** (Walckenaer) 1841. Senegambien
Tegenaria s. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 12 (D ♀).
S. s. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 375 (N).

♀ **vittata** Simon 1885. Abessinien
S. v. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 376 (D ♀).

Orientalische Arten:

♂♀ **barkudensis** Gravely 1931. Dekan
S. b. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 267 f. 18 A, B (D ♂♀).
S. b. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 489 (N ♂).

♀ **cervina** Simon 1896. Luzon
S. c. Simon 1896, Ann. Soc. Ent. France 65 p. 500 (D ♀).

Neotropische Arten:

agalenoides Badcock 1932. Paraguay-Chaco
S. a. Badcock 1932, Journ. Linn. Soc. Lond. 38 (Zool.) p. 32 f. 24 (D).

♂♀ **albopilosa** Mello-Leitao 1941. Columbien
S. a. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 287 f. 15—16 (D ♂♀).

♀ **conjuncta** (Banks) 1914. Costa Rica
Teminius c. Banks 1914, Proc. Ac. Nat. Sci. Philad. 65 p. 676 T. 28 F. 2 (D ♀).

♀ **insularis** (Lucas) 1857. Cuba
Drassus i. Lucas 1857, Arachn. in: Sagra, Hist. Phys. Polit. Nat. Ile d. Cuba p. 79 T. 4 F. 4 (D ♀).
S. i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 131 (N).

♀ **macrura** Mello-Leitao 1922. Brasilien
S. m. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 38 (D ♀).

♀ **moesta** Simon 1896. Argentinien bis Brit. Guiana
S. m. Simon 1896, Ann. Soc. Ent. France 65 p. 500 (D ♀).
S. m. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 677 (N ♀).

♂ **nebulosa** Gertsch & Davis 1940. Mexico
S. n. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 15 TF. 8 (D ♀).

♀ **patagonica** (Boeris) 1889. Patagonien
Liocranum p. Boeris 1889, Atti Soc. Modena (3) 8 p. 128 (D ♀).

rangelensis Franganillo 1946. Cuba
S. r. Franganillo 1946, Mem. Soc. Cubana Hist. Nat. 18 p. 101 f. (sec Zool. Rec. 1949).

Gen. **Syspira** Simon 1895.

Australische Arten:

♂♀ **rubicunda** Hogg 1900. Victoria
S. r. Hogg 1900, Proc. Soc. Victoria (N. S.) 13 (1) p. 108 T. 16 F. 2 (D ♂♀).

Neotropische Arten:

♂ **jammesi** Mello-Leitao 1948. Brit. Guiana
S. j. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 185 f. 26 (D ♂).

♀ **longipes** Simon 1895. Nieder-Californien
S. l. Simon 1895, Bull. Soc. Zool. France 20 p. 136 (D ♀).
S. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 127 f. 125, 126 (N).

♂♀ **synthetica** Chamberlin 1924. Nieder-Californien
S. s. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 665 f. 109, 110 (D ♂♀).

Transgredierende Arten:

♀ **analytica** Chamberlin 1924. Nieder-Californien, Arizona
S. a. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 663 f. 107 (D ♀).

♀ **eclectica** Chamberlin 1924. Nieder-Californien, Arizona
S. s. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 664 f. 108 (D ♀).

♀ **tigrina** Simon 1895. – * Californien, Mexico
S. t. Simon 1895, Bull. Soc. Zool. France 20 p. 135 (D ♀).
S. t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 131 f. 124 (N).

Nearktische Arten:

pallida Banks 1904. Neu-Mexico
S. p. Banks 1904, Journ. N. York Ent. Soc. 12 p. 111 (D).

2. Gr. Liocraneae

Gen. **Agroeca** Westring 1862.

Palaearktische Arten:

§ 6 ♂, 9 ♀: Simon 1878, Arachn. de France 4 p. 299—301.
§ 6 ♂, 6 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 242—243 (part.).
§ 5 ♂, 4 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 37—38 TF. 421—428.
§ 6 ♂, 6 ♀: Simon 1932, Aranch. de France 6 (4) p. 940—944.
§ 4 ♂, 4 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 81.
§ 4 ♂, 4 ♀: Tullgren 1946, Svensk. Spindelfauna 3 p. 47—48.

♂♀ **annulipes** Simon 1878. Corsica, Sardinien, Algier
A. a. Simon 1878, Arachn. de France 4 p. 304 (D ♀).
A. a. Simon 1932, Arachn. de France 6 (4) p. 942, 943, 972 f. 1449—1454 (D ♂♀).

♂♀ **brunnea** (Blackwall) 1833. – * Europa, Sibirien, Kamtschatka
Agelena b. Blackwall 1833, Lond. Edinbg. Phil. Mag. (3) 3 p. 351 (D ♀).
Philoica linotina C. L. Koch 1843, Die Arachniden 10 p. 108 TF. 826 (D ♀).
A. linotina Grube 1859, Arch. Naturk. Livland (2) 1 p. 467 (D ♂).
Agelena b. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 159 T. 10 F. 102 (D ♀).
A. linotina Ausserer 1867, Verh. Zool. Bot. Ges. Wien 17 p. 143 (N).
A. haglundi Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 340. F. 60 F. 194 (D ♂♀).
A. haglundi Simon 1878, Arachn. de France 4 p. 301 (D ♂♀).
A. b. Simon 1878, Arachn. de France 4 p. 303 (D ♂♀).
A. b. Cambridge 1879, Proc. Dorset F. Cl. 1 p. 35 T. 2 F. 7a (D ♂♀).
A. linotina Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 61 (D ♂♀).
A. b. Hansen 1885, in: Schiödte, Zool. Danica p. 127 (D ♂♀).
A. haglundi Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 299 T. 17 F. 10 (D ♂♀).
A. b. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 300 T. 47 F. 11 (D ♂♀).
A. b. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 244 T. 9 F. 55, 59 (D ♂♀).
A. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 145 (N).
A. b. Bösenberg 1902, Zoologica 14 (2—4) p. 261 T. 24 F. 378 (D ♂♀).

A. b. Lessert 1904, Rev. Suisse Zool. 12 (2) p. 393 T. 6 F. 40 (D ♂).
A. b. Lessert 1910, Catal. Invert. Suisse; Araign. p. 426 (D ♂♀).
A. b. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 567 (D ♂♀).
A. b. Reimoser 1930, Die Natur (Wien) 6 (3) p. 58 f. 15 (N ♂♀).
A. b. Simon 1932, Arachn. de France 6 (4) p. 940, 944, 471 f. 1445, 1446, 1455 (D ♂♀).
A. b. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 81 f. 66—68 (D ♂♀).
A. b. Palmgren 1943, Act. Zool. Fenn. 36 p. 51 (N).
A. b. Tullgren 1946, Svensk Spindelfauna 3 p. 48 f. 14 A, B; T. 8 F. 93—95 (D ♂♀).
A. b. Locket & Millidge 1951, Brit. Spiders I, p. 147 f. 75 A, B, D (D ♂♀).

♀ **debilis** Cambridge 1885. O.-Turkestan

A. d. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 26 T. 2 F. 19 (D ♀).

♀ **dentigera** Kulczynski 1913. S.-Russland

A. d. Kulczynski 1913, Arachn. in: Velitschkovsky, Faun. Distr. Walouyki 10 p. 26 T. 1 F. 10 (D ♀).

♀ **exorta** Drenski 1929. Macedonien

A. e. Drenski 1929, Zeitschr. Bulgar. Ak. Wiss. 39 p. 21, 66 T. 2 F. 6 (D ♀).

♀ **flavens** Cambridge 1885. Yarkand

A. f. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 27 T. 2 F. 20 (D ♀).

♂ **flavipes** Saito 1939. Japan

A. f. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 34 f. 4 (5); T. 1 F. 2 (D ♂).

♀ **guttulata** Simon 1897. Turkestan

A. g. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 11 (D ♀).

♂♀ **inopina** Cambridge 1886. England, Frankreich, Österreich, Spanien

A. i. Cambridge 1886, Proc. Dorset F. Cl. 7 p. 71 T. 4 F. 4 (D ♂♀).
A. proxima Kulczynski 1898, Symbol. Faun. Austr. Infer. p. 97 T. 2 F. 72, 73 (N ♂♀).
A. i. Simon 1932, Arachn. de France 6 (4) p. 942, 943, 972 f. 1453 (D ♂♀).
A. i. Machado 1941, Mem. Mus. Zool. Univ. Coimbra (1) 117 p. 34 (N).
A. i. Locket & Millidge 1951, Brit. Spiders I. p. 150 f. 76 C, D; 77 B, C (D ♂♀).

♂♀ **lusatica** (L. Koch) 1875. Europa, Turkestan, Panjab

A. linotina Westring 1862, Aran. Svec. p. 313 (D ♀).
A. brunnea Thorell 1870, Rem. Syn. Europ. Spid. p. 162 (N).
Liocranum l. L. Koch 1875, Abh. Nat. Ges. Görlitz 15 p. 6 T. 1 F. 4—6 (D ♂♀).
A. thorellii Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 244 T. 9 F. 57 (D ♂♀).
Liocranum l. Bösenberg 1902, Zoologica 14 (2—4) p. 259 T. 24 F. 375 (D ♂♀).
A. l. Bösenberg 1902, Zoologica 14 (2—4) p. 261 T. 24 F. 379 (D ♂♀).
A. l. Simon 1932, Arachn. de France 6 (4) p. 941, 944, 971 f. 1447, 1456 (D ♂♀).
Liocranum bisaticum Dyal 1905, Bull. Dep. Zool. Panjab Univ. 1 p. 216 (D ♀).
A. brunnea Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 82 f. 69, 70 (D ♂♀).
A. l. Tullgren 1946, Svensk Spindelfauna 3 p. 50 T. 8 F. 96 (D ♂♀).
A. l. Locket & Millidge 1951, Brit. Spiders I. p. 151 f. 75C, E (D ♂♀).

♂ **maculata** L. Koch 1879. Sibirien

A. m. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 92 T. 3 F. 9 (D ♂).

♀ **mongolica** Schenkel 1936. Mongolei

A. m. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 283 f. 96 (D ♀).

♀ **praticola** Bösenberg & Strand 1906. Japan

A. p. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 291 T. 16 F. 464 (D ♀).

♂♀ **proxima** (Cambridge) 1870. England, Frankreich, Mitteleuropa, Bulgarien

Agelena p. Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 415 T. 54 F. 13 (D ♂♀).
Agelena p. L. Koch 1872, Abh. Nat. Ges. Nürnberg 5 p. 143 T. 2 F. 20—22 (D ♂♀).
A. brunea Menge 1873, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 341 T. 60 F. 195 (D ♂♀).
A. p. Simon 1878, Arachn. de France 4 p. 305 (D ♂♀).
A. p. Cambridge 1879, Proc. Dorset F. Cl. 1 p. 36 T. 2 F. 7 (D ♂♀).
A. p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 302 T. 17 F. 12 (D ♂♀).
A. p. Bösenberg 1902, Zoologica 14 (2—4) p. 262 T. 24 F. 380 (D ♂♀).
A. p. Smith 1908, Journ. Quekett Micr. Club (2) 10 p. 316 T. 25 F. 3 (N ♂).
A. p. Simon 1932, Arachn. de France 6 (4) p. 942, 943, 971 f. 1450, 1452 (D ♂♀).
A. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 83 f. 73, 74 (D ♂♀).
A. p. Palmgren 1943, Act. Zool. Fenn. 36 p. 62 (N).
A. (Protagroeca) p. Lohmander 1944, Ark. Zool. 35 (A, 16) p. 17 (N).
A. p. Tullgren 1946, Svensk Spindelfauna 3 p. 52 T. 9 F. 101—103 (D ♂♀).
A. p. Locket & Millidge 1951, Brit. Spiders I. p. 147 f. 70A, B; 77A (D ♂♀).

♂♀ **pullata** Thorell 1875. Europa, Turkestan

? A. cuprea Menge 1873, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 339 T. 59 F. 193a (D ♂♀).
A. p. Thorell 1875, Tijdschr. Ent. 18 p. 95 (D ♀).
A. p. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 83 (D ♀).
A. chrysea L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 315 (D ♂♀).
A. chrysea Simon 1878, Arachn. de France 4 p. 306 (D ♂♀).
A. flavopilosa Simon 1887, Ann. Soc. Ent. France (6) 7 Bull. p. 143 (D ♀).
A. chrysea Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 303 T. 17 F. 13 (D ♂♀).
A. chrysea Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 244 T. 9 F. 60, 72 (D ♂♀).
A. notata Cambridge 1902, Proc. Dorset F. Cl. 23 p. 30 (3) (D ♂♀).
A. chrysea Bösenberg 1902, Zoologica 14 (2—4) p. 262 T. 24 F. 381 (D ♂♀).
A. chrysea Lessert 1910, Catal. Invert. Suisse; Araign. p. 427 (D ♂).
A. chrysea Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 587 (D ♂♀).
A. p. Simon 1932, Arachn. de France 6 (4) p. 941, 942, 972 f. 1448, 1451 (D ♂♀).
A. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 82 f. 71, 72 (D ♂♀).
A. cuprea Tullgren 1946, Svensk. Spindelfauna 3 p. 51 T. 8 F. 97—99; T. 9 F. 100 (D ♂♀).
A. cuprea Locket & Millidge 1951, Brit. Spiders I. p. 151 f. 76E, 77D (D ♂♀).
Neotropische Arten:
§ 4 (♂♀): Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 383.

♀ **aureoplumata** Keyserling 1879. Columbien

A. a. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 321 T. 4 F. 20 (D ♀).

♀ **dubiosissima** (Strand) 1908. Peru

Hilke d. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 239 (D ♀).
A. d. Gertsch 1935, Amer. Mus. Novit. 805 p. 10 (N).

♂♀ **pulcherrima** Cambridge 1874. Anden

A. p. Cambridge 1874, Proc. Zool. Soc. Lond. p. 414 T. 52 F. 37 (D ♂♀).

Nearktische Arten:

♂♀ **emertoni** Kaston 1938. U. St. Amerika

A. e. Kaston 1938, Amer. Midland Natural. 20 (3) p. 568 f. 1, 10, 14, 15, 19 (D ♂♀).

A. e. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 384 T. 72 F. 1371—74; T. 73 F. 1378 (D ♂♀).

♂ **kastoni** Chamberlin & Ivie 1944. Georgia

A. k. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 179 TF. 200 (D ♂).

♂♀ **minuta** Banks 1895. New York, Connecticut

A. m. Banks 1895, Journ. N. York, Ent. Soc. 3 p. 80 (D ♀).

Apostenus acutus Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 220 T. 9 F. 7 (D ♂).

A. m. Kaston 1938, Amer. Midland Natural. 20 (3) p. 568 f. 6, 7, 11, 16 (D ♂♀).

A. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 384 T. 72 F. 1361—64; T. 73 F. 1375 (D ♂♀).

♂♀ **ornata** Banks 1892. New York, Utah, Canada

A. o. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 23 T. 1 F. 68 (D ♀).

A. repens Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 412 T. 2 F. 6 (D♀).

A. o. Kaston 1938, Amer. Midland Natural. 20 (3) p. 564 f. 3, 8, 12, 17 (D ♂♀).

Rachodrassus monroensis Kaston 1938, Bull. Brooklyn Ent. Soc. 33 (4) p. 173 T. 8 F. 1—4 (D ♂).

A. o. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 56 f. 15—16 (N ♀).

A. o. Kaston 1945, Amer. Mus. Novit. 1290 p. 5 (N).

A. o. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 383 T. 72 F. 1361—64; T. 73 F. 1375 (D♂♀).

♂♀ **pratensis** Emerton 1889. U. St. Amerika, Canada

A. p. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 190 T. 6 F. 7 (D ♂♀).

A. p. Emerton 1902, Common Spid. p. 11 f. 33—36 (D ♂♀).

A. p. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 220 (N).

A. p. Kaston 1938, Amer. Midland Natural. 20 (3) p. 566 f. 4, 9, 13, 18 (D ♂♀).

A. p. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 56 f. 12—14 (N ♂♀).

A. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 384 T. 72 F. 1365—68 (D ♂♀).

♀ **spinifera** Kaston 1938. U. St. Amerika

A. s. Kaston 1938, Amer. Midland Natural. 20 (3) p. 566 f. 2, 20 (D ♀).

♂♀ **trivittata** (Keyserling) 1887. Californien, Utah, Arizona

Hilke t. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 444 T. 6 F. 17 (D ♀).

Hilke t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 146 (N).

Herpyllus oabus Chamberlin 1919, Ann. Ent. Soc. Amer. 12 p. 246 T. 16 F. 6 (D ♂).

A. hesperia Banks 1921, Proc. Calif. Ac. Sci. (4) 11 p. 101 f. 4 (D ♂♀).

Rachodrassus flavus Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 134 T. 2 F. 2 (D ♂♀).

A. t. Gertsch 1935, Amer. Mus. Novit. 805 p. 10 (N).

A. oaba Gertsch 1935, Amer. Mus. Novit. 805 p. 10 (N).

A. t. Kaston 1938, Amer. Midland Natural. 20 (3) p. 567 f. 5, 21 (D ♂♀).

Gen. **Agroecina** Simon 1932.

§ 2 ♂, 2 ♀: Simon 1932, Arachn. de France 6 (4) p. 939—940.

♂♀ **lineata** (Simon) 1878. – * Frankreich, Corsica, Algier, Marokko

Agroeca l. Simon 1878, Arachn. de France 4 p. 308 (D ♀).
A. l. Simon 1932, Arachn. de France 6 (4) p. 940, 970 f. 1442, 1443 (D ♂♀).

♂♀ **striata** (Kulczynski) 1882. Europa (außer N.-), Kaukasus

Agroeca s. Kulczynski 1882, Denkschr. Ak. Wiss. Krakau 8 p. 31 T. 3 F. 19 (D ♂♀).
Agroeca littoralis F. Cambridge 1895, Ann. Mag. Nat. Hist. (6) 15 p. 26 T. 3 F. 15 (D ♀).
Agroeca s. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 244 T. 10 F. 1 (D ♂♀).
Agroeca s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 428 (D ♂♀).
Agroeca fagorum Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 587 (D ♂).
A. st. Simon 1932, Arachn. de France 6 (4) p. 940, 971 f. 1444, 1445 (D ♂♀).
A. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 79 f. 64, 65 (D ♂♀).
A. s. Tullgren 1946, Svensk Spindelfauna 3 p. 46 f. 13; T. 8 F. 90—92 (D ♂♀).
A. s. Locket & Millidge 1951, Brit. Spiders I. p. 153 f. 77F, 78A, D (D ♂♀).

♀ **striata gracilior** (Kulczynski) 1898. Ungarn, Deutschland, Schweiz

Agroeca gracilior Kulczynski 1898, Symbol. Faun. Aran. Austr. Infer. p. 98 (D ♀).
Agroeca gracilior Bösenberg 1902, Zoologica 14 (2—4) p. 263 T. 24 F. 382 (D ♀).
Agroeca s. g. Lessert 1910, Catal. Invert. Suisse; Araign. p. 428 (D ♀).

Gen. **Apostenus** Westring 1851.

§ 2 ♂, 1 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 37 TF. 414—416.
§ 2 ♂, 2 ♀: Simon 1932, Arachn. de France 6 (4) p. 935—936.

♀ **annulipes** Caporiacco 1935. Karakorum

A. a. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 220 T. 6 F. 7 (D ♀).

♂♀ **fuscus** Westring 1851. – * Mittel- u. N.-Europa, Bulgarien

A. f. Westring 1851, Göteborg. Vet. Handl. 2 p. 46 (D).
A. f. Westring 1862, Aran. Svec. p. 322 (D ♂♀).
Zora f. L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 6 (C).
A. f. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 335 T. 59 F. 191 (D ♂♀).
A. f. Simon 1878, Arachn. de France 4 p. 313 (D ♂♀).
A. f. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 61 (D ♂♀).
A. f. Hansen 1885, in: Schiödte, Zool. Danica p. 132 T. 3 F. 11 (D ♂♀).
A. f. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 249 T. 10 F. 12 (D ♂♀).
A. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 144 f. 145 (N ♂).
A. f. Lessert 1910, Catal. Invert. Suisse; Araign. p. 423 (D ♂♀).
A. f. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 381 (D ♂♀).
A. f. Simon 1932, Arachn. de France 6 (4) p. 936, 969 f. 1427—1429 (D ♂♀).
A. f. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 77 f. 58, 59 (D ♂♀).
A. f. Tullgren 1946, Svensk. Spindelfauna 3 p. 43 f. 12A, B; T. 7 F. 84—86 (D ♂♀).

♂♀ **humilis** Simon 1932. O.-Pyrenäen

A. h. Simon 1932, Arachn. de France 6 (4) p. 936, 969 f. 1430—1932 (D ♂♀).

♀ **saxatilis** Ausserer 1867. Tirol
A. s. Ausserer 1867, Verh. Zool. Bot. Ges. Wien 17 p. 163 (D ♀).

Aethiopische Arten:

♀ **rutilius** Simon 1896. Sierra Leone
A. r. Simon 1896, Ann. Soc. Ent. France 65 p. 498 (D ♀).

Nearktische Arten:

♀ **cinctipes** Banks 1896. Washington-St.
A. c. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 65 (D ♀).

♂ **pacificus** Gertsch 1935. Californien
A. p. Gertsch 1935, Amer. Mus. Novit. 805 p. 9 TF. 26 (D ♂).

Gen. **Argistes** Simon 1897.

Aethiopische Arten:

♀ **africanus** Simon 1910. SW.-Afrika
A. e. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 201 (D ♀).

Orientalische Arten:

♀ **seriatus** (Karsch) 1891. Ceylon
Leptodrassus s. Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 294 T. 11 F. 16 (D ♀).

♂ **velox** Simon 1897. – * Ceylon
A. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 144 (D ♂).

Gen. **Brachyanillus** Simon 1913.

o **liocraninus** Simon 1913. Algier, S.-Spanien
B. l. Simon 1913, Arch. Zool. Expér. Gén. 52 (5) p. 378 (D o).

Gen. **Coryssiphus** Simon 1903.

♂ **cinerascens** Simon 1903. Capland
C. c. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 32 (D ♂).

♂ **praeusta** Simon 1903. – * Capland
C. p. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 31 (D ♂).

♀ **unicolor** Simon 1903. Capland
C. u. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 32 (D ♀).

Gen. **Gytha** Keyserling 1891.

♂ **argentina** Mello-Leitao 1944. Buenos Aires
G. a. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) Zool. 3 (24) p. 351 f. 42 (D ♂).

♀ **obscura** Keyserling 1891. – * Süd-Brasilien
G. o. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 28 T. 1 F. 8 (D ♀).
G. o. Simon 1897, Hist. Nat. Araign. 2 (1) p. 146 (N).

♀ **xanthomela** Mello-Leitao 1945. Argentinien
G. x. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) Zool. 4 (29) p. 257 f. 42 (D ♀).

Gen. **Liocranoides** Keyserling 1881.

♀ **flavescens** Chamberlin & Ivie 1941. Californien

L. f. Chamberlin & Ivie 1941, Bull. Univ. Utah 31 (8), Biol. 6 (3) p. 24 TF. 18 (D ♀).

♀ **unicolor** Keyserling 1881. – * Kentucky

L. u. Keyserling 1881, Verh. Zool. Bot. Ges. Wien 31 p. 291 (D ♀).
L. u. Simon 1897, Hist. Nat. Araign. 2 (1) p. 145 (N).
L. u. Barrows 1940, Journ. Ohio Sci. 40 (3) p. 138 (N).

Gen. **Liocranum** L. Koch 1866.

Palaearktische Arten:

§ 3 ♂, 6 ♀: Simon 1878, Arachn. de France 4 p. 289—290.
§ 4 ♂, 5 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 237—238.
§ 2 ♂, 2 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 36 TF. 408—411.
§ 4 ♂, 4 ♀: Simon 1932, Arachn. de France 6 (4) p. 936—938,
§ 2 ♂, 2 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 78.

o **concolor** Simon 1878. Corsica

L. c. Simon 1878, Arachn. de France 4 p. 292 (D o).
L. c. Simon 1932, Arachn. de France 6 (4) p. 938, 970 (D ♀).

♂ **kochii** Herman 1879. Ungarn

L. k. Herman 1879, Ungarns Spinn. Faun. 3 p. 355 T. 7 F. 157 (D ♂).
L. k. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 238, 242 (N ♂).

♀ **majus** Simon 1878. Spanien

L. m. Simon 1878, Ann. Soc. Ent. France (5) 8 Bull. p. 51 (D o).
L. pallidulum Simon 1878, Ann. Soc. Ent. France (5) 8 Bull. p. 51 (D ♀).
L. major Simon 1932, Arachn. de France 6 (4) p. 938 (N).

♀ **ochraceum** L. Koch 1867. Corfu

L. o. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 864 (D ♀).

♂o **perarmatum** Kulczynski 1897. Dalmatien

L. p. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 239 T. 9 F. 58, 61 (D ♂o).

♂♀ **rupicola** (Walckenaer) 1825. – * Europa, Sibirien

Clubiona r. Walckenaer 1825 (1820), Faun. Franc. Arachn. p. 126 (D ♂♀).
Tegenaria notata C. L. Koch 1834, in: Herrich-Schäffer, Deutschl. Ins. 125 T. 14, 15 (D).
Clubiona domestica Wider 1834, Mus. Senckenbg. 1 (3) p. 214 T. 14 F. 9 (D ♀).
Clubiona r. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 595 (D ♂♀).
Philoica notata C. L. Koch 1841, Die Arachniden 8 p. 55 TF. 631, 632 (D ♂♀).
Clubiona domestica Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 132 T. 8 F. 84 (D ♂♀).
L. domesticum Thorell 1870, On Europ. Spid. p. 143 (N).
L. domesticum Thorell 1873, Rem. Syn. Europ. Spid. p. 432 (N).
L. r. Simon 1878, Arachn. de France 4 p. 294 (D ♂♀).
L. domesticum Cambridge 1879, Proc. Dorset F. Cl. 1 p. 38 (D ♂♀).
L. r. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 297 T. 17 F. 9 (D ♂♀).
L. r. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 240 T. 9 F. 70, 79 (D ♂♀).
L. r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 142 (N).
L. domesticum Bösenberg 1902, Zoologica 14 (2—4) p. 258 T. 24 F. 374 (D ♂♀).
L. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 422 (D ♂♀).

L. r. Simon 1932, Arachn. de France 6 (4) p. 938, 969 f. 1433, 1434 (D ♂♀).
L. r. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 78 f. 60, 61 (D ♂♀).
L. r. Tullgren 1946, Svensk Spindelfauna 3 p. 45 f. 12 C, D; T. 7 F. 87; T. 8 F. 88—89 (D ♂♀).
L. r. Locket & Millidge 1951, Brit. Spiders I. p. 155 f. 79A, B (D ♂♀).

♂♀ **rutilans** (Thorell) 1875. Mittel-, S.-, SO.-Europa

Sagana r. Thorell 1875, Tijdschr. Ent. 18 p. 96 (D ♂♀).
Sagana r. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 97 (D ♂♀).
Drapeta aeneus Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 388 T. 70 F. 234 (D ♂♀).
L. squamosum L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 311 (D ♀).
L. r. Simon 1878, Arachn. de France 4 p. 290 (D ♂♀).
Sagana r. Bertkau 1880, Verh. Nat. Ver. Rheinl. Westf. 37 p. 276 T. 6 F. 7 (N ♂).
L. r. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 239 T. 9 F. 43, 64, 76 (D ♂♀).
Sagana r. Bösenberg 1902, Zoologica 14 (2—4) p. 319 T. 30 F. 472 (D ♂♀).
L. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 421 (D ♂♀).
L. r. Simon 1932, Arachn. de France 6 (4) p. 938, 970 f. 1436, 1437 (D ♂♀).
L. r. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 79 f. 62, 63 (D ♂♀).

♀ **segmentatum** Simon 1878. Franz. Bass. Alpes

L. s. Simon 1878, Arachn. de France 4 p. 293 T. 16 F. 3 (D ♀).
L. s. Simon 1932, Arachn. de France 6 (4) p. 938, 970 (D ♀).

♀ **tenellum** (Thorell) 1875. Oberitalien

Drassus t. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 95 (D ♀).
Drassus t. Thorell 1875, Tijdschr. Ent. 18 p. 98 (D ♀).

Aethiopische Arten:

erythrinum (Pavesi) 1883. Abessinien

Sagana e. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 43 (D ♂♀).

♂♀ **nigritarse** L. Koch 1875. Abessinien

L. n. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 55 T. 6 F. 1 (D ♂♀).

Australische Arten:

♀ **pulchrum** Thorell 1881. Neu-Guinea

L. p. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 213 (D ♀).

Neotropische Arten:

o **haemorrhoum** Bertkau 1880. Brasilien

L. h. Bertkau 1880, Mém. Class. Sci. 43 p. 47 (D o).

♀ **remotum** Bryant 1940. Cuba

L. r. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 439 T. 17 F. 229 (D ♀).

Gen. **Mesiotelus** Simon 1897.

Palaearktische Arten:

§ 2 ♂, 2 ♀: Simon 1932, Arachn. de France 6 (4) p. 938—939.

♀ **alexandrinus** (Simon) 1880. Aegypten

Liocranum a. Simon 1880, Ann. Soc. Ent. France (5) 10 Bull. p. 99 (D ♀).

♂♀ **annulipes** (Kulczynski) 1897. Ungarn, Balkanländer
Liocranum a. Kulczyinski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 240 T. 9 F. 54, 56 (D ♂♀).

♀ **cyprius** Kulczynski 1908. Cypern
M. c. Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 76 T. 2 F. 13 (D ♀).

♀ **cyprius scopensis** Drenski 1935. Macedonien
M. c. sc. Drenski 1935, Mitt. Nat. Inst. Sofia 8 p. 106 f. 5 (D ♀).

♀ **libanicus** (Simon) 1878. Libanon
Liocranum l. Simon 1878, Ann. Soc. Ent. France (5) 8 Bull. p. 52 (D ♀).

♂♀ **lubricus** (Simon) 1880. China: Peking
Liocranum l. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 122. T. 3 F. 26, 27 (D ♂♀).
M. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 140, 143 (N).

♂♀ **maderianus** Kulczynski 1899. Madeira
M. m. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 417 T. 9 F. 112, 113 (D ♂♀).
M. m. Kulczynski 1905, Bull. Ac. Sci. Cracov. p 453 T. 12 F. 19 (D ♂).

♂♀ **mauritanicus** Simon 1909. Marokko, Algier, S.-Frankreich
M. m. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 33 (D ♂).
M. m. Simon 1932, Arachn. de France 6 (4) p. 939, 970 f. 1440, 1441 (D ♂♀).

♂♀ **tenuissimus** (L. Koch) 1866. – * S.-Europa, Algier
Cheiracanthium t. L. Koch 1866, Arachn. Fam. Drassid. p. 237 T. 9 F. 154 (D ♂).
Liocranum cerioi Pavesi 1875, Atti Soc. Ital. Sci. Nat. 18 p. 122 (10) (D ♂♀).
Drassus spinulosus Thorell 1875, Tijdschr. Ent. 18 p. 98 (D ♀).
Drassus spinulosus Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 96 (D ♀).
Liocranum t. Simon 1878, Arachn. de France 4 p. 295 (D ♂♀).
Liocranum spinulosum Simon 1878, Arachn. de France 4 p. 297 (D ♀).
Agroeca cerioi Simon 1878, Arachn. de France 4 p. 311 (C).
Liocranum t. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 242 T. 9 F. 75 (D ♀).
M. t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 143 f. 144 (N ♂).
M. t. Simon 1932, Arachn. de France 6 (4) p. 939, 970 f. 1438, 1439 (D ♂♀).

♀ **virgulatus** (Blackwall) 1859. Madeira, Croatien, Bulgarien, Griechenland
Clubiona v. Blackwall 1859, Ann. Mag. Nat. Hist. (3) 4 p. 257 (D ♀).

♀ **viridis** (L. Koch) 1867. I. Tinos
Liocranum v. L. Koch 1867, Verh. Zoll. Bot. Ges. Wien 17 p. 865 (D ♀).

Aethiopische Arten:

♀ **pococki** Caporiacco 1949. Kenya
M. p. Caporiacco 1949, Comment. Pontific Ac. Sci 13 (6) p. 140 f. 74 (D ♀).

Gen. **Neoanagraphis** Gertsch & Mulaik 1936.

♂ **chamberlini** Gertsch & Mulaik 1936. – * Neu-Mexico
N. c. Gertsch & Mulaik 1936, Amer. Mus. Novit. 851 p. 11 TF. 15 (D ♂).

♂ **pearcei** Gertsch 1941. Californien
N. p. Gertsch 1941, Amer. Mus. Novit. 1147, p. 19 TF. 46 (D ♂).

Gen. **Palicanus** Thorell 1897.

♂ **caudatus** Thorell 1897. Burma
P. c. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 227 (D ♂).
P. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 210 (N).

Gen. **Parapostenus** Lessert 1923.

♂ **hewitti** Lessert 1923. Capland
P. h. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 190 f. 36, 37 (D ♂).

Gen. **Paratus** Simon 1898.

♀ **reticulatus** Simon 1898. Ceylon
P. r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 209 (D ♀).

Gen. **Paratyle** Simon 1896.

♂ **silvestris** Simon 1896. Venezuela
P. s. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 402 (D ♂).
P. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 145 f. 143 (N).

Gen. **Rhaeboctesis** Simon 1897.

♀ **denotatus** Lawrence 1928. SW.-Afrika, Angola
R. d. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 252 T. 22 F. 34 (D ♀).

♀ **equestris** Simon 1897. – * S.-Afrika
R. e. Simon 1897, Hist. Nat Araign. 2 (1) p. 143 (D ♀).

♂ **exilis** Tucker 1920. S.-Afrika
R. e. Tucker 1920, Ann. S. Afr. Mus. 17 (5) p. 485 T. 28 F. 9 (D ♂).

♀ **matroosbergensis** Tucker 1920. S.-Afrika
R. m. Tucker 1920, Ann. S. Afr. Mus. 17 (5) p. 485 T. 28 F. 8 (D ♀).

♂♀ **secundus** Tucker 1920. S.-Afrika
R. s. Tucker 1920, Ann. S. Afr. Mus. 17 (5) p. 483 T. 28 F. 11 (D ♂♀).

♂♀ **transvaalensis** Tucker 1920. Transvaal
R. t. Tucker 1920, Ann. S. Afr. Mus. 17 (5) p. 484 T. 28 F. 10 (D ♂♀).

♀ **trinotatus** Tucker 1920. S.-Afrika
R. t. Tucker 1920, Ann. S. Afr. Mus. 17 (5) p. 482 T. 28 F. 7 (D ♀).

Gen. **Scotina** Menge 1873.

§ 2 ♂, 2 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 37 TF. 417—420.
§ 3 ♂, 3 ♀: Simon 1932, Arachn. de France 6 (4) p. 944—945.
§ 2 ♂, 2 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 84.
§ 3 ♂, 3 ♀: Tullgren 1946, Svensk Spindelfauna 3 p. 53.

♂♀ **celans** (Blackwall) 1841. Europa (außer N.- u. O.-), Algier
Agroeca c. Blackwall 1841, Trans. Linn. Soc. Lond. 18 p. 624 (D ♂♀).
Argus c. Walckenaer 1847, Hist. Nat. Ins. Apt. 1 p. 504 (N).
Agroeca c. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 161 T. 10 F. 103 (D ♂♀).
Liocranum c. Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 774 (C).
Liocranum c. Thorell 1873, Rem. Syn. Europ. Spid. p. 435 (N).
Agroeca c. Simon 1878, Arachn. de France 4 p. 308 (D ♂♀).
Agroeca c. Cambridge 1894, Ann. Mag. Nat. Hist. (6) 13 p. 107 T. 2 F. 8 (N ♀).

Agroeca c. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 304 T. 17 F. 14 (D ♂♀).
Agroeca c. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 245 T. 10 F. 3 (D ♂♀).
S. c. Bösenberg 1902, Zoologica 14 (2—4) p. 259 T. 24 F. 376 (D ♂♀).
S. c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 424 (D ♀).
S. c. Simon 1932, Arachn. de France 6 (4) p. 945, 972 f. 1457, 1458 (D ♂♀).
S. c. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 84 f. 75, 76 (D ♂♀).
S. c. Tullgren 1946, Svensk Spindelfauna 3 p. 55 T. 9 F. 112—114 (D ♂♀).
S. c. Locket & Millidge 1951, Brit. Spiders I. p. 153 f. 78B, E (D ♂♀).

o **celer** (Cambridge) 1879. England

Liocranum c. Cambridge 1879, Proc. Dorset F. Cl. 1 p. 40 (D o).
Agroeca c. Cambridge 1893, Proc. Dorset F. Cl. 14 p. ? (N).

♂♀ **gracilipes** (Blackwall) 1859. – * Europa

Agelena g. Blackwall 1859, Ann. Mag. Nat. Hist. (3) 3 p. 97 (D ♂).
Agelena g. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 162 T. 10 F. 104 (D ♂).
Drassus praelongipes Cambridge 1861, Ann. Mag. Nat. Hist. (3) 7 p. 428 (D ♂♀).
Drassus palliardii Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 413 (N o).
Liocranum praelongipes Cambridge 1873, Trans. Linn. Soc. Lond. 28 (3) p. 439 T. 33 F. 4 (N ♀).
S. g. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 337 T. 59 F. 192 (D ♂♀).
Liocranum g. Thorell 1873, Rem. Syn. Europ. Spid. p. 436 (N).
Agroeca praelongipes Simon 1878, Arachn. de France 4 p. 311 (D o).
Liocranum g. Cambridge 1879, Proc. Dorset F. Cl. 1 p. 39 (D ♂♀).
Agroeca g. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 245 T. 10 F. 2 (D ♂♀).
Sc. praelongipes Simon 1897, Hist. Nat. Araign. 2 (1) p. 137 f. 146 (N ♂).
Agroeca g. Bösenberg 1902, Zoologica 14 (2—4) p. 260 T. 24 F. 377 (D ♂♀).
Sc. g. Lessert 1910, Catal. Invert. Suisse; Araign. p. 425 (D ♂♀).
Agroeca g. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 587 (D ♂♀).
Sc. g. Simon 1932, Arachn. de France 6 (4) p. 945, 972 f. 1459, 1460 (D ♂♀).
S. g. Tullgren 1946, Svensk Spindelfauna 3 p. 53 f. 15; T. 9 F. 104—107 (D ♂♀).
S. g. Locket & Millidge 1951, Brit. Spiders I. p. 154 f. 78C, F (D ♂♀).

♂♀ **palliardii** (L. Koch) 1881. Europa

Agroeca gracilipes Simon 1878, Arachn. de France 4 p. 310 (D ♂♀).
Liocranum p. L. Koch 1881, Abh. Nat. Ges. Görlitz 17 p. 60 T. 2 F. 10 (D ♂♀).
Apostenus bertkaui Bösenberg 1899, Verh. Nat. Ver. Rheinl. Westf. 56 p. 118 T. 1 F. 6 (D ♂).
Apostenus bertkaui Bösenberg 1902, Zoologica 14 (2—4) p. 255 T. 24 F. 369 (D ♂).
Apostenus fuscus Bösenberg 1902, Zoologica 14 (2—4) p. 256 T. 24 F. 370 (D ♂♀).
Agroeca diversa Cambridge 1913, Proc. Dorset F. Cl. 34 p. 113 T. A F. 1—3 (D ♀).
Sc. paillardi Simon 1932, Arachn. de France 6 (4) p. 945, 973 (D ♂♀).
Sc. palliardi Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 85 f. 77, 78 (D ♂♀).
S. p. Machado 1941, Mem. Mus. Univ. Coimbra (1) 117 p. 34 (N).
S. p. Palmgren 1943, Act. Zool. Fenn. 36 p. 62 f. (N).
S. p. Tullgren 1946, Svensk Spindelfauna 3 p. 54 T. 9 F. 108—111 (D ♂♀).

Gen. **Scotinella** Banks 1911.

♀ **custeri** Levi 1951. Süd-Dakota

S. c. Levi 1951, Zoologica (N. York) 36 (4) p. 229 f. 28 (D ♀).

o **madisonia** Levi 1951. Wisconsin
S. m. Levi 1951, Amer. Mus. Novit. 1501 p. 27 TF. 23, 27 (D ♀).

♂♀ **manitou** Levi 1951. Wisconsin
S. m. Levi 1951, Amer. Mus. Novit. 1501 p. 28 TF. 26, 28 (D ♂♀).

♀ **pallida** Banks 1911. N.-Carolina
S. p. Banks 1911, Proc. Ac. Nat. Sci. Philad. 63 p. 442 T. 34 F. 7 (D ♀).

Gen. **Thysanina** Simon 1910.

♀ **serica** Simon 1910. SW.-Afrika
T. s. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 201 (D ♀).

3. Gr. Phrurolitheae

Gen. **Ferrieria** Tullgren 1901.

♀ **echinata** Tullgren 1901. Patagonien
F. e. Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 247 T. 19 F. 4 (D ♀).

Gen. **Gosiphrurus** Chamberlin & Ivie 1935.

Neotropische Arten:

♀ **schulzefenai** Chamberlin & Ivie 1936. Mexico
G. s. Chamberlin & Ivie 1936, Bull. Univ. Utah 27 (5); Biol. 3 (5) p. 14 T. 2 F. 15, 16 (D ♀).

Nearktische Arten:

♂ **scleratus** Chamberlin & Ivie 1935. – * Californien
G. s. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4); Biol. 2 (8) p. 39 T. 15 F. 123 (D ♂).

♂ **unicolor** Chamberlin & Ivie 1935. Utah
G. u. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4); Biol. 2 (8) p. 40 T. 15 F. 121, 122 (D ♂).

Gen. **Laudetia** Gertsch 1941.

♂ **dominicana** Gertsch 1941. Ins. Dominica
L. d. Gertsch 1941, Amer. Mus. Novit. 1147 p. 19 TF. 52—53 (D ♂).

Gen. **Mardonia** Thorell 1897.

o **fasciata** Thorell 1897. Burma
M. f. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 247 (D o).
M. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 212 (N).

Gen. **Mesobria** Simon 1898.

♀ **guttata** Simon 1898. St. Vincent
M. g. Simon 1898, Proc. Zool. Soc. Lond. p. 882 (D ♀).
M. g. Simon 1898, Hist. Nat. Araign. 2 (2) p. 211 (N).

Gen. **Orthobula** Simon 1896.

Palaearktische Arten:

♀ **crucifera** Bösenberg & Strand 1906. Japan
O. c. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 292 T. 6 F. 74; T. 16 F. 469, 473 (D ♀).

Aethiopische Arten:

♀ **calceata** Simon 1896. Sierra Leone
O. c. Simon 1896, Ann. Soc. Ent. France 65 p. 499 (D ♀).

o **infima** Simon 1896. Capland
O. i. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 402 (D o).

♂♀ **milloti** Caporiacco 1949. Kenya
O. m. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 141 f. 75a—c (D ♂♀).

♂ **radiata** Simon 1896. Transvaal
O. r. Simon 1896, Ann. Soc. Ent. France 65 p. 499 (D ♂).

♀ **sicca** Simon 1903. Madagascar
O. s. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 34 (D ♀).

Orientalische Arten:

♂♀ **impressa** Simon 1896. – * Ceylon
O. i. Simon 1896, Ann. Soc. Ent. France 65 p. 498 (D ♂♀).
O. i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 152 (N).

♂ **trinotata** Simon 1896. Philippinen
O. t. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 402 (D ♂).
O. t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 147 f. 151, 152 (N).

Gen. **Otacilia** Thorell 1897.

♀ **armatissima** Thorell 1897. Burma
O. a. Thorell 1897, Ann. Mus. Cic. Cenova 37 p. 244 (D ♀).
O. a. Simon 1898, Hist. Nat. Araingn. 2 (2) p. 212 (N).

Gen. **Palaetyra** Simon 1898.

♂ **luzonica** Simon 1898. Luzon
P. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 211 (D ♂).

Gen. **Phonotimpus** Gertsch & Davis 1940.

♀ **eutypus** Gertsch & Davis 1940. Mexico
P. e. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 21 TF. 27 (D ♀).

♀ **separatus** Gertsch & Davis 1940. – * Mexico
P. s. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 20 TF. 21 (D ♀).

Gen. **Phrurolithus** C. L. Koch 1839.

Palaearktische Arten:

§ 4 (♂, ♀): Simon 1878, Arachn. d. France 4 p. 273 (sub **Micariosoma**).
§ 4 ♂, 4 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 246—247.

§ 5 ♂, 5 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 38 T. 429—438 (sub **Micariosoma**).
§ 5 ♂, 5 ♀: Simon 1932, Arachn. de France 6 (4) p. 945—948.
§ 2 ♂, 2 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 85.

♂♀ **corsicus** (Simon) 1878. Corsica, Macedonien

Micariosoma c. Simon 1878, Arachn. de France 4 p. 278 T 16 F. 8 (D ♂♀).
(?) **P. c.** Bösenberg 1902, Zoologica 14 (2—4) p. 265 T. F. 385 (D ♀).
P. c. Simon 1932, Arachn. de France 6 (4) p. 948, 973 f. 1469, 1470 (D ♂♀).

♂♀ **festivus** (C. L. Koch) 1835. – * Europa, N.-Afrika

Macaria f. L. C. Koch 1835, in: Herrich-Schäffer, Deutschl. Ins. 129 T. 15 (D).
P. f. C. L. Koch 1839, Die Arachniden 6 p. 110 TF. 511, 512 (D ♂♀).
Drassus propinquus Blackwall 1854, Ann. Mag. Nat. Hist. (2) 13 p. 175 (D ♂).
Drassus propinquus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 120 T. 6 F. 74 (D ♂).
P. f. Westring 1862, Aran. Svec. p. 327 (D ♂♀).
P. f. L. Koch 1866, Arachn. Fam. Drassid. p. 229 T. 9 F. 148—150 (D ♂♀).
Phrurolithum f. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 168 (C).
P. f. Thorell 1870, Rem. Syn. Europ. Spid. p. 169 (N).
P. f. Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 330 T. 58 F. 189 (D ♂♀).
Micariosoma f. Simon 1878, Arachn. de France 4 p.275 T. 16 F. 6 (D ♂♀).
P. f. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 58 (D ♂♀).
P. f. Hansen 1885, in: Schiödte, Zool. Danica p. 135 (D ♂♀).
Micariosoma f. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 293 T. 17 F. 8 (D ♂♀).
P. f. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 247 T. 10 F. 6, 10 (D ♂♀).
Micariosoma f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 151 f. 149, 150 (N ♂).
P. f. Bösenberg 1902, Zoologica 14 (2—4) p. 264 T. 25 F. 384 (D ♂♀).
Agroeca celer Cambridge 1902, Proc. Dorset F. Cl. 23 p. 13 T. A F. 1 (D).
P. f. Lessert 1910, Catal. Invert. Suisse; Araign. p. 429 f. 198—200 (D ♂♀).
P. f. Jackson 1911, Lancash. Nat. Darw. 4 (36) p. 386 (N ♂).
P. f. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 585 (D ♂♀).
P. f. Bogoiavlensky 1928, Bull. Stat. Biol. Bolchevo 2 p. 43 TF. 10, 11 (N ♂).
P. f. Simon 1932, Arachn. de France 6 (4) p. 947, 973 f. 1463, 1464 (D ♂♀).
P. f. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 85 f. 79, 80 (D ♂♀).
P. f. Palmgren 1943, Act. Zool. Fenn. 36 p. 63 f. (N).
P. f. Tullgren 1946, Svensk Spindelfauna 3 p. 57 f. 16; T. 9 F. 115; T. 10 F. 116—117 (D ♂♀).
P. f. Locket & Millidge 1951, Brit. Spiders I. p. 161 f. 81 A, B (D ♂♀).

♀ **flavipes** Cambridge 1872. Palästina

P. f. Cambridge 1872, Proc. Zool. Soc. Lond. p. 252, T. 16 F. 35 (D ♀).

♂♀ **flavitarsis** (Lucas) 1846. S.-Europa, Algier

Drassus f. Lucas 1846, Explor. Sci. Alger.; Zoll. 1 Arachn. p. 222 T. 14 F. 5 (D ♂♀).
Drassus gracilipes Blackwall 1863, Ann. Mag. Nat. Hist. (3) 12 p. 264 (D O).
Macaria f. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
P. romanus L. Koch 1866, Arachn. Fam. Drassid. p. 225 (D o).
P. gracilipes Cambridge 1874, Proc. Zool. Soc. Lond. p. 402 T. 52 F. 17 (D ♂♀).
P. f. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 114 (D ♂).
Micariosoma f. Simon 1878, Arachn. de France 4 p. 273 (D ♂♀).
P. f. Simon 1932, Arachn. de France 6 (4) p. 946, 973, f. 1461, 1462 (D ♂♀).

♀ **florentinus** Caporiacco 1923. Toscana

P. f. Caporiacco 1923, Mem. Soc. Ent. Ital. 2 p. 204 f. 1 (D ♀).

♂ **luppovae** Spassky 1941. Turkestan

P. l. Spassky 1941, Folia Zool. Hydrobiol., Riga 11 p. 24 f. (D ♂).
P. l. Spassky & Luppova 1945, Rev. Ent. URSS 28 (1—2) p. 49 (D ♂).

♂♀ **minimus** C. L. Koch 1839. W.-, N.- u. Mitteleuropa

P. m. C. L. Koch 1839, Die Arachniden 6 p. 111 TF. 513 (D ♂).
P. m. Westring 1862, Aran. Svec. p. 329 (D ♀).
P. m. L. Koch 1866, Arachn. Fam. Drassid. p. 227 T. 9 F. 146, 147 (D ♂).
Micariosoma m. Simon 1878, Arachn. de France 4 p. 277 T. 16 F. 7 (D ♂♀).
P. scalaris Bertkau 1880, Verh. Nat. Ver. Rheinl. Westf. 37 p. 273 T. 6 F. 6 (D ♂♀).
Micariosoma m. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 295 T. 17 F. 16 (D ♂♀).
P. m. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 249 T. 10 F. 4 (D ♂♀).
Micariosoma m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 147 f. 147, 148 (N).
P. m. Bösenberg 1902, Zoologica 14 (2—4) p. 264 T. 24 F. 383 (D ♂♀).
P. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 430 (D ♂♀).
P. m. Jackson 1911, Lancash. Nat. Darw. 4 (36) p. 385 T. 12 F. 1—3 (N ♂).
P. m. Simon 1932, Arachn. de France 6 (4) p. 947, 973 f. 1465, 1466 (D ♂♀).
P. m. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 86 f. 81, 82 (D ♂♀).
P. m. Tullgren 1946, Svensk Spindelfauna 3 p. 58 f. 17; T. 10 F. 108 (D ♂♀).
P. m. Locket & Millidge 1951, Brit. Spiders I. p. 161 f. 81C, D (D ♂♀).

♂♀ **nigrinus** (Simon) 1878. Frankreich, Schweiz

Micariosoma n. Simon 1878, Arachn. de France 4 p. 276 T. 16 F. 4, 5 (D ♂♀).
P. n. Lessert 1910, Catal. Invert. Suisse; Araign. p. 431 (D ♂♀).
P. n. Simon 1932, Arachn. de France 6 (4) p. 948, 974 f. 1467, 1468 (D ♂♀).

♂♀ **pullatus** Kulczynski 1897. SO.-Europa, S.-Russland

P. p. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 247 T. 10 F. 5, 8, 11 (D ♂♀).
P. p. Miller 1936, Veda Prirodni 17 (9) p. 263 f. 7, 8 (N ♂♀).

♂ **pygmaeus** Thorell 1875. Ukraine

P. p. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 80 (D ♂).
P. p. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 115 (D ♂).

♂♀ **szilyi** Herman 1879. Ungarn, Serbien

P. sz. Hermann 1879, Ungarns Spinn. Faun. 3 p. 161, 357 T. 7 F. 161 (D ♂♀).
P. sz. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 247 T. 10 F. 7, 9 (D ♂♀).

♂ **tibialis** (Simon) 1878. Span. Pyrenäen

Micariosoma t. Simon 1878, Arachn. de France 4 p. 280 (D ♂).

Neotropische Arten:

♂ **absurdus** Gertsch 1941. Florida, Georgia

P. a. Gertsch 1941, Amer. Mus. Novit. 1147 p. 16 TF. 32—33 (D ♂).

♂ **adjacens** Gertsch & Davis 1940. Mexico

P. a. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 18 TF. 22—23 (D ♂).

♂♀ **alatus** Ivie & Barrows 1935. Florida

P. a. Ivie & Barrows 1935, Bull. Univ. Utah 26 (6), Biol. 3 (2) p. 20 T. 8 F. 59—62 (D ♂♀).

♂ **approximatus** Gertsch & Davis 1940. Mexico

P. a. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 16 TF. 29, 30 (D ♂).

♂♀ **coahuilanus** Gertsch & Davis 1940. Mexico
P. c. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 16 TF. 33—35 (D ♂♀).

♀ **concisus** Gertsch 1941. Florida
P. c. Gertsch 1941, Amer. Mus. Novit. 1147 p. 15 TF. 31 (D ♀).

♀ **debilis** Gertsch & Davis 1940. Mexico
P. d. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 17 TF. 26 (D ♀).

♀ **diversus** Gertsch & Davis 1940. Mexico
P. d. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 19 TF. 20 (D ♀).

♀ **insularis** Petrunkevitch 1930. Portorico
P. i. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 89 f. 75, 76 (D ♀).

♂♀ **nemoralis** Bryant 1940. Cuba
P. n. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 440 T. 17 F. 226, 236 (D ♂♀).

♂♀ **pinturus** Ivie & Barrows 1935. Florida, Georgia
P. p. Ivie & Barrows 1935, Bull. Univ. Utah; Biol. 26 (6) p. 22 T. 8 F. 63—65 (D ♂♀).
Scotinella p. Barnes 1953, Amer. Mus. Novit. 1632 p 17 (C).

♀ **portoricensis** Petrunkevitch 1930. Portorico
P. p. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 87 f. 73—74 (D ♀).

♀ **spinosus** Bryant 1948. Haiti
P. s. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 433 T. 12 F. 116 (D ♀).

♂ **tamaulipanus** Gertsch & Davis 1940. Mexico
P. t. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 19 TF. 32 (D ♂).

♂ **tepejicanus** Gertsch & Davis 1940. Mexico
P. t. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 18 TF. 18, 19 (D ♂).

♂♀ **wallacei** Gertsch 1935. Florida
P. w. Gertsch 1935, Amer. Mus. Novit. 805 p. 8 TF. 13—15 (D ♂♀).

Nearktische Arten:

§ 8 ♂, 8 ♀: Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 190.
§ 5 ♂, 6 ♀: Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 390.

♀ **aemulatus** Gertsch 1941. Arizona
P. a. Gertsch 1941, Amer. Mus. Novit. 1147 p. 15 TF. 41 (D ♀).

♀ **apacheus** Gertsch 1941. Arizona
P. a. Gertsch 1941, Amer. Mus. Novit. 1147 p. 14 TF. 17 (D ♀).

♂♀ **apertus** Gertsch 1935. Texas
P. a. Gertsch 1935, Amer. Mus. Novit. 805 p. 1 TF. 1—3 (D ♂♀).

♂ **banksi** Gertsch 1941. Virginia
P. b. Gertsch 1941, Amer. Mus. Novit. 1147 p. 4 TF. 13—14 (D ♂).

♀ **britcheri** Petrunkevitch 1910. New York
P. b. Petrunkevitch 1910, Ann. N. York Ac. Sci. 19 p. 217 T. 22 F. 23 (D ♀).
P. b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 392 T. 74 F. 1396 (D ♀).

♂♀ **brittoni** Gertsch 1941. Nordöst. U. St. America
P. formica Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 403 T. 6 F. 1a, 1c (D ♂♀).
P. britcheri Gertsch 1935, Amer. Mus. Novit. 805 p. 4 TF. 7—8 (D ♂, nec ♀).
P. b. Gertsch 1941, Amer. Mus. Novit. 1147 p. 14 TF. 34—36 (D ♂♀).
P. b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 391 T. 74 F. 1394—95 (D ♂♀).

♀ **callidus** Gertsch 1935. Texas
P. c. Gertsch 1935, Amer. Mus. Novit. 805 p. 5 TF. 9 (D ♀).

♂♀ **camawithae** Gertsch 1935. Neu-Mexico
P. c. Gertsch 1935, Amer. Mus. Novit. 805 p. 4 TF. 10—12 (D ♂♀).

♂♀ **catalinius** Gertsch 1941. Arizona
P. c. Gertsch 1941, Amer. Dus. Novit. 1147 p. 10 TF. 37—39 (D ♂♀).

♀ **connectus** Gertsch 1941. Colorado
P. c. Gertsch 1941, Amer. Mus. Novit. 1147 p. 8 TF. 30 (D ♀).

♂ **delectus** Gertsch 1941. New York
P. d. Gertsch 1941, Amer. Mus. Novit. 1147 p. 10 TF. 28—29 (D ♂).

♂♀ **divestus** Gertsch 1941. Maine, Massachusets, Connecticut
P. d. Gertsch 1941, Amer. Mus. Novit. 1147 p. 6 TF. 19—21 (D ♂♀).
P. d. Kaston 1948, State Connect Publ. Docum. 37, Bull. 70 p. 393 T. 74 F. 1399—1400 (D ♂♀).

♂♀ **divinulus** Gertsch 1941. Ontario, New York
P. d. Gertsch 1941, Amer. Mus. Novit. 1147 p. 6 TF. 7—9 (D ♂♀).

♂♀ **dolius** Chamberlin & Ivie 1935. Arizona
P. d. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 35 T. 16 F. 131—132; T. 17 F. 141 (D ♂♀).

♂♀ **duncani** (Chamberlin) 1925. Californien
Phruronellus d. Chamberlin 1925, Proc. Biol. Soc. Wash. 38 p. 7 (D ♂).
P. d. Gertsch 1941, Amer. Mus. Novit. 1147 p. 4 TF. 40 (N ♀).

♀ **emertoni** Gertsch 1935. Georgia
P. e. Gertsch 1935, Amer. Mus. Novit. 805 p. 9 TF. 20 (D ♀).
Phrurotimpus e. Barnes 1953, Amer. Mus. Novit. 1632 p. 17 (C).

♂♀ **fratrellus** Gertsch 1935. Texas, Ohio
P. f. Gertsch 1935, Amer. Mus. Novit. 805 p. 6 TF. 21 (D ♀).
P. f. Barrows & Ivie 1942, Journ. Ohio Sci. 42 (1) p. 20 T. 1 F. 6—7 (D ♂).

♂♀ **goodnighti** Muma 1945. Maryland
P. g. Muma 1945, Proc. Biol. Soc. Wash. 58 p. 99 T. 10 F. 14—16 (D ♂♀).

♀ **kastoni** Schenkel 1950. Californien
P. k. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 73 f. 25a, b (D ♀).

♂♀ **kentuckyensis** Chamberlin & Gertsch 1930. Kentucky, Maryland
P. k. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 141 T. 4 F. 23; T. 5 F. 24—25 (D ♂♀).
Phrurotimpus k. Muma 1944, Amer. Mus. Novit. 1257 p. 11 (C ♂).

♂♀ **leviculus** Gertsch 1936. Texas
P. l. Gertsch 1936, Amer. Mus. Novit. 852 p. 18 TF. 17, 18 (D ♂♀).

♂♀ **minutus** Banks 1892. New York
P. m. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 22 T. 1 F. 67 (D ♀).
P. m. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 404 T. 6 F. 2 (D ♂o).

♀ **oabus** Chamberlin & Ivie 1935. Neu-Mexico
P. o. Chamberlin & Ivie 1935, Bull. Univ. Utah; Biol. 26 (4) p. 36 T. 17 F. 142 (D ♀).

♂♀ **paludivagus** Bishop & Crosby 1926. Georgia
P. p. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 192 T. 24 F. 39, 40 (D ♂♀).
Phrurotimpus p. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 188 (C ♂♀).

♀ **parcus** (Hentz) 1847. Georgia, Alabama
Herpyllus p. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 461 T. 24 F. 19 (D ♀).
P. p. Marx 1889, Proc. U. St. Nat. Mus. 12 p. 514 (C).

♀ **pipensis** Muma 1945. Maryland
P. p. Muma 1945, Proc. Biol. Soc. Wash. 58 p. 100 T. 10 F. 17 (D ♀).

♂♀ **pugnatus** Emerton 1889. Nordöstl. U. St. America
P. p. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 188 T. 6 F. 6 (D ♂♀).
P. affinis Banks 1896, Trans. Amer. Ent. Soc. 23 p. 65 (D ♂).
Phruronellus p. Chamberlin 1921, Canad. Ent. 53 p. 69 (N).
P. p. Gertsch 1941, Amer. Mus. Novit. 1147 p. 4 TF. 22—24 (N ♂♀).
P. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 390 T. 71 F. 1357—59; T. 73 F. 1390 (D ♂♀).

♂♀ **redemptus** Gertsch 1941. Nordöstl. U. St. America
Phruronellus similis Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 T. 2 F. 23
P. r. Gertsch 1941, Amer. Mus. Novit. 1147 p. 2 TF. 15, 16, 18 (D ♂♀).

♂♀ **schwarzi** Gertsch 1941. Arizona
P. s. Gertsch 1941, Amer. Mus. Novit. 1147 p. 12 TF. 10—12 (D ♂♀).

♂♀ **sculleni** Gertsch 1941. Oregon, Washington
P. s. Gertsch 1941, Amer. Mus. Novit. 1147 p. 8 TF. 25—27 (D ♂♀).

♂♀ **similis** Banks 1895. New York, Connecticut
P. s. Banks 1895, Journ. N. York Ent. Soc. 3 p. 81 (D ♂).
P. delicatulus Gertsch 1935, Amer. Mus. Novit. 805 p. 2 TF. 4—5 (D ♂, nec ♀).
P. s. Gertsch 1941, Amer. Mus. Novit. 1147 p. 1 TF. 1—3 (N ♂♀).
P. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 392 T. 74 F. 1397—98 (D ♂♀).

♂♀ **singulus** Gertsch 1941. Südöstl. U. St. America
P. delicatulus Gertsch 1935, Amer. Mus. Novit. 805 p. 3 TF. 6 (D ♀, nec ♂).
P. s. Gertsch 1941, Amer. Mus. Novit. 1147 p. 1 TF. 4—6 (N ♂♀).

♂♀ **umbratilis** Bishop & Crosby 1926. Georgia, Maryland
P. u. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 194 T. 24 F. 41—43 (D ♂♀).
Phrurotimpus u. Muma 1944, Amer. Mus. Novit. 1257 p. 11 (C ♀).

Gen. **Phruronellus** Chamberlin 1921.

Neotropische Arten:

♀ **floridae** Chamberlin & Gertsch 1930. Florida
P. f. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 139 T. 3 F. 12 (D ♀).

Nearktische Arten:

♀ **californicus** Chamberlin & Gertsch 1930. Californien
P. c. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 139 T. 3 F. 11 (D ♀).

♂♀ **formica** (Banks) 1895. – * New York
Phrurolithus f. Banks 1895, Journ. N. York Ent. Soc. 3 p. 81 (D ♂).
Phrurolithus f. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p 403 T. 6 F. 1 D ♂♀, part.)
P. f. Chamberlin 1921, Canad. Ent. 53 p. 69 (N).
P. f. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 T. 2 F. 1 (N ♂).
P. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 391 T. 73 F. 1391; T. 74, F. 1392—93 (D ♂♀).

♂♀ **formidabilis** Chamberlin & Gertsch 1930. Utah
P. f. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 137 T. 2 F. 4, 5 (D ♂).
Phrurolithus f. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 80 f. 83—86 (N ♂♀).
Scotinella f. Levi 1951, Amer. Mus. Novit. 1501 p. 30 (C).

♂♀ **minnetonka** Chamberlin & Gertsch 1930. Minnesota, Missouri, Wisconsin
P. m. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 139 T. 3 F. 13—15 (D ♂♀).
Scotinella m. Levi 1951, Amer. Mus. Novit. 1501 p. 28 (C.)

♂♀ **pelvicolens** Chamberlin & Gertsch 1930. Utah, Idaho, Wyoming
P. p. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 138 T. 2 F. 6; T. 3 F. 7—8 (D ♂♀).
Scotinella p. Levi 1951, Zoologica (N. York) 36 (4) p. 229 (C).

♂♀ **pictus** Chamberlin & Gertsch 1930. Utah
P. p. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 138 T. 3 F 9—10 (D ♂♀).

Gen. **Phrurotimpus** Chamberlin & Ivie 1938.

♀ **abditus** Gertsch 1941. Florida
P. a. Gertsch 1941, Amer. Mus. Novit. 1147 p. 17 TF. 45 (D ♀).

♂♀ **alarius** (Hentz) 1847. U. St. Amerika, Canada

Herpyllus a. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 461 T. 24 F. 20 (D ♀).
Phrurolithus a. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 189 T. 6 F. 5a—g (D ♂♀, part.).
Phrurolithus palustris Banks 1892, Proc. Ac. Nat. Hist. Philad. p. 23 T. 1 F. 70 (D ♀).
Phrurolithus a. Emerton 1902, Common Spiders p. 9 f. 29—32 (D ♂♀).
Phrurolithus a. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 405 T. 6 F. 4 (D ♂♀).
Phrurolithus palustris Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 p. 190, 193 (N ♂♀).
P. a. Chamberlin & Ivie 1938, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 34 T. 15 F 120 (N ♂).
Phrurolithus a. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 78 f. 76—79 (N ♂♀).
P. palustris Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 188 (C ♀).
P. a. Kaston 1945, Amer. Mus. Novit. 1290 p. 5 TF. 38—39 (N ♂♀).
P. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 387 T. 71 F. 54—55; T. 73 F. 1383—84 (D ♂♀).

♂ **alarius tejanus** (Chamberlin & Gertsch) 1930. U. St. Amerika, Canada

Phrurolithus tejanus Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 142 T. 5 F. 26 (D ♂).
P. a. t. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 34 T. 15 F. 120 (N ♂).

♂♀ **annulatus** Chamberlin & Ivie 1944. Georgia

P. a. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 187 TF. 194—198 (D ♂♀).

♂♀ **borealis** (Emerton) 1911. U. St. Amerika

Phrurolithus alarius Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 189 T. 6 F. 5 (D ♂♀, part.).
Phrurolithus alarius Banks 1892, Proc. Ac. Nat. Hist. Philad. p. 23 (N, part.).
Phrurolithus b. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 404 T. 6 F. 3—4 (D ♂♀).
Phrurolithus alarius Comstock 1912, Spid. Book p. 576 f. 652—654 (D ♂♀).
Phrurolithus alarius Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc 41 p. 191 (D ♂♀).
Phrurolithus utus Chamberlin & Ivie 1933, Bull. Univ. Utah 23 (4) Biol. 2 (2) p. 40 T. 12 F. 124—126 (D ♂♀).
Phrurolithus b. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 79 f. 80—82 (D ♂♀).
P. alarius Muma 1944, Common Spiders of Maryland p. 122 T. 15 F. 6 (N ♀)
P. alarius Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 187 (C).
P. b. Kaston 1945, Amer. Mus. Novit. 1290 p. 6 TF. 40—41 (N).
P. b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 389 T. 71 F. 1356; T. 73 F. 1385—86 (D ♂♀).

♂♀ **certus** Gertsch 1941. Virginia, Alabama, Maryland

P. c. Gertsch 1941, Amer. Mus. Novit. 1147 p. 17 TF. 47—48 (D ♂).
P. c. Muma 1945, Proc. Biol. Soc. Wash. 58 p. 101 (N ♀).

♂♀ **chamberlini** Schenkel 1950. Californien

P. c. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 74 f. 26 a—d (D ♂♀).

♂♀ **dulcineus** Gertsch 1941. Florida
P. d. Gertsch 1941, Amer. Mus. Novit. 1147 p. 16 TF. 42—44 (D ♂♀).

♂♀ **illudens** Gertsch 1941. Georgia, N.-Carolina
P. i. Gertsch 1941, Amer. Mus. Novit. 1147 p. 18 TF. 49—51 (D ♂♀).

♂♀ **minutus** (Banks) 1892. Massachusets, Connecticut
Phrurolithus m. Banks 1892, Proc. Ac. Nat. Sci. Philad. 44 p. 22 T. 1 F. 67 (D ♂♀).
Phrurolithus m. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 404 T. 6 F. 2 (D ♂♀).
P. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 389 T. 73 F. 1387—89 (D ♂♀).

♂♀ **mormon** (Chamberlin & Gertsch) 1930. Utah
Phrurolithus m. Chamberlin & Gertsch 1930, Proc. Biol. Soc. Wash. 43 p. 140 T. 4 F. 16—20 (D ♂♀).
P. m. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 35 (nom. nov.).

♂♀ **mormon xanthus** Chamberlin & Ivie 1935. Utah
P. m. x. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 35 (D ♂♀).

♂ **parallelus** (Chamberlin) 1921. Washington-St.
Phrurolithus p. Chamberlin 1921, Canad. Ent. 53 p. 70 f. 1—3 (D ♂).

♂♀ **subtropicus** Ivie & Barrows 1935. Florida, Georgia, Maryland
P. s. Ivie & Barrows 1935, Bull. Univ. Utah 26 (6) Biol. 3 (2) p. 24 T. 8 F. 66 (D ♂♀).

♂ **truncatus** Chamberlin & Ivie 1935. Californien
P. t. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 35 T. 15 F. 116 (D ♂).

♂ **woodburyi** (Chamberlin & Gertsch) 1929. Utah, Florida
Phrurolithus w. Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 18 T. 3 F. 37—39 (D ♂).
P. w. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 34 (nom. nov.).

♂♀ **woodburyi utanus** Chamberlin & Ivie 1935. Utah
P. w. u. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 34 T. 15 F. 119 (D ♂♀).

Gen. **Piabuna** Chamberlin & Ivie 1933.

Neotropische Arten:

♀ **reclusa** Gertsch & Davis 1940. Mexico
P. r. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 20 TF. 24 (D ♀).

Nearktische Arten:

♂♀ **brevispina** Chamberlin & Ivie 1935. Neu-Mexico
P. b. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 36 T. 15 F. 114; T. 16 F. 129, 130 (D ♂♀).

♂♀ **longispina** Chamberlin & Ivie 1935. Neu-Mexico
P. l. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 37 T. 15 F. 112; T. 16 F. 127, 128 (D ♂♀).

♀ **nanna** Chamberlin & Ivie 1933. – * Utah
P. n. Chamberlin & Ivie 1933, Bull. Univ. Utah 23 (4) Biol. 2 (2) p. 41 T. 12 F. 121—123 (D ♀).

♂ **pallida** Chamberlin & Ivie 1935. Neu-Mexico
P. p. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 37 T. 16 F. 125—126 (D ♂).

♀ **xerophila** Chamberlin & Ivie 1935. Utah
P. x. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 38 T. 15 F. 113 (D ♀).

Gen. **Sesieutes** Simon 1896.

♂ **lucens** Simon 1896. Singapore
S. l. Simon 1896, Ann. Soc. Ent. France 65 p. 500 (D ♂).
S. l. Simon 1897, Hist. Nat. Araign. 2 (2) p. 153 (N).

Gen. **Teutamus** Thorell 1890.

♀ **politus** Thorell 1890. Malakka
T. p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 281 (D ♀).

4. Gr. Cybaeodeae

Gen. **Andromma** Simon 1893.

♂♀ **aethiopicum** Simon 1893. – * Abessinien
A. ae. Simon 1893, Hist. Nat. Araign. 1 (2) p. 390 f. 346—348 (D ♂♀).

♂ **anochetorum** Simon 1909. Congo, O.-Afrika
A. a. Simon 1909, Ann. Mus. Civ. Genova 44 p. 335 (D ♂).

♀ **bouvieri** Fage 1936. Kenya
A. b. Fage 1936, Livre Jubil. de Bouvier, Paris p. 85 f. 1, 2 (D ♀).

♂♀ **raffrayi** Simon 1899. Capland
A. r. Simon 1899, Ann. Soc. Ent. France 68 Bull. p. 180 f. A—C (D ♂♀).
A. r. Simon 1903, Hist. Nat. Araign. 2 (4) p. 186 (N).
A. r. Tucker 1923, Ann. S. Afr. Mus. 19 (2) p. 431 (D ♂♀).

♂ **raffrayi inhacorensis** Lessert 1936. Portug. O.-Afrika
A. r. i. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 220 f. 13, 14 (D ♂).

Gen. **Baeriella** Simon 1903.

♀ **myrmecophila** Simon 1903. N.-Argentinien
B. m. Simon 1903, Ann. Soc. Ent. France 72 Bull. p. 272 f. A—C (D ♀).

Gen. **Cybaeodes** Simon 1878.

Palaearktische Arten:

♀ **madidus** Simon 1914. Riviera

C. m. Simon 1914, Arachn. de France 6 (1) p. 205, 225 f. 456 (D ♀).

♀ **testaceus** Simon 1878. – * S.-Frankreich, Corsica

C. t. Simon 1878, Arachn. de France 4 p. 206 T. 15 F. 2 (D ♀).
C. t. Simon 1893, Hist. Nat. Araign. 1 (2) p. 390 (N).
C. t. Simon 1914, Arachn. de France 6 (1) p. 205, 225 f. 455 (D ♀).

Nearktische Arten:

♀ **incerta** Banks 1898. Californien

C. i. Banks 1898, Canad. Ent. 30 p. 185 (D ♀).

Gen. **Macedoniella** Drenski 1935.

♀ **karamani** Drenski 1935. Macedonien

M. k. Drenski 1935, Mitt. Nat. Inst. Sofia 8 p. 109 f. 6 (D ♀).

5. Gr. Attacobieae

Gen. **Attacobius** Mello-Leitao 1926.

♀ **luedervaldti** (Mello-Leitao) 1923. Brasilien

Myrmecobius l. Mello-Leitao 1923, Rev. Mus. Paulista 13 p. 524 (D ♀).
A. l. Mello-Leitao 1925, Bol. Mus. Nac. R. d. Janeiro 1 (6) p. 455 (nom. nov. gen.)

4. Subfam. Corinninae

§ 15 Gattungen (neotrop.): Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 285—287.

1. Gr. Tracheleae

Gen. **Acanthoceto** Mello-Leitao 1944.

♀ **adelae** Mello-Leitao 1944. Buenos Aires

A. a. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) Zool. 3 (24) p. 352 f. 43 (D ♀).

Gen. **Aristerus** Simon 1909.

♂♀ **phaleratus** Simon 1909. W.-Australien

A. ph. Simon 1909, Faun. S. W. Austral. 2 (12) p. 179 (D ♂♀).

Gen. **Asadipus** Simon 1898.

♂ **insolens** (Simon) 1896. – * Queensland

Trachelas i. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 413 (D ♂).
A. i. Simon 1898, Hist. Nat. Araign. 2 (2) p. 217 f. 181 (N).

♂ **lifoui** Berland 1929. Loyalty-I.

A. l. Berland 1929, Bull. Soc. Zool. France 54 (5) p. 394 f. 5—10 (D ♂).

♂♀ **nitidiceps** Simon 1909. W.-Australien

A. n. Simon 1909, Faun. S. W. Austral. 2 (12) p. 178 (D ♂♀).

Gen. **Austrachelas** Lawrence 1938.

♀ **incertus** Lawrence 1938. – * Natal
A. i. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 504 f. 28 (D ♀).

♀ **natalensis** Lawrence 1942. Natal
A. n. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 175 f. 24 (D ♀).

Gen. **Austrophaea** Lawrence 1952.

♂♀ **festiva** Lawrence 1952. Natal
A. f. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 219 f. 68 (D ♂♀).

♂♀ **zebra** Lawrence 1952. – * Natal
A. z. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 217 f. 63—67 (D ♂♀).

Gen. **Brachyphaea** Simon 1895.

♂ **berlandi** Lessert 1915. O.-Afrika
B. b. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 49 T. 2 F. 30, 39 (D ♂).

♂ **castanea** Simon 1896. Sansibar
B. c. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 414 (D ♂).
B. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 179 f. 180 (N).

♀ **fagei** Caporiacco 1939. Aethiopien
B. f. Caporiacco 1939, Real. Accad. Ital. p. 356 f. 17 (D ♀).

♂♀ **hulli** Lessert 1921. O.-Afrika
B. h. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 437 f. 77—79 (D ♂♀).

♀ **proxima** Lessert 1921. O.-Afrika
B. p. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 440 f. 80 (D ♀).

♂♀ **simoni** Simon 1895. – * O.-Afrika
B. s. Simon 1895, in: Bösenberg & Lenz, Beih. Jahrb. Hambg. Wiss. Anst. 12 p. 11 T. 1 F. 12 (D ♂).
B. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 186 (N).
B. s. Berland 1922, Voy. Rothschild Ethiop.; Res. Sci. Anim. Artic. 1 p. 70 f. 14—16; T. A. 4 F. 4 (D ♂♀).

♂ **simpliciaculeata** Caporiacco 1949. Kenya
B. s. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 444 f. 77a, b, (D ♂).

♀ **vulpina** Simon 1896. Mozambique
B. v. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 413 (D ♀).

Gen. **Centrothele** L. Koch 1873.

♀ **lorata** L. Koch 1873. Queensland
C. l. L. Koch 1873, Aradn. Austral. 1 (1) p. 414 T. 32 F. 7 (D ♀).
C. l. Simon 1897, Hist. Nat. Araign. 1 (1) p. 186 f. 182 (N).

Gen. **Ceto** Simon 1874.

Palaearktische Arten:

♂♀ **laticeps** (Canestrini) 1868. – * S.- u. Mitteleuropa
Drassus l. Canestrini 1868, Annuar. Sci. Nat. Modena 3 p. 202 (D ♀).
Drassus l. Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 849 (D ♂).

Trachelas nitescens L. Koch 1872, Abh. Nat. Ges. Nürnberg 5 p. 147 T. 2 F. 28 (D ♀).
Selamia unicolor Simon 1873, Mém. Soc. Sci. Liège (2) 5 p. 254 (70) T. 2 F. 4, 5 (D ♀).
C. unicolor Simon 1874, Arachn. de France 1 p. 238 T. 4 F. 1, 2 (D ♀).
C. unicolor Simon 1878, Arachn. de France 4 p. 286 (N).
C. nitescens Simon 1878, Arachn. de France 4 p. 287 (D ♀).
Trachelas nitescens Bertkau 1880, Verh. Nat. Ver. Rheinl. Westf. 37 p. 264 T. 6 F. 4 (N ♂).
C. unicolor Simon 1897, Hist. Nat. Araign. 2 (1) p. 185 (N).
Trachelas nitescens Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 253 T. 10 F. 14 (D ♂♀).
C. unicolor Simon 1897, Rev. Suisse Zool. 5 p. 104 (D ♂).
Trachelas nitescens Bösenberg 1902, Zoologica 14 (2—4) p. 256 T. 24 F. 371 (D ♂♀).
C. nitescens Lessert 1910, Catal. Invert. Suisse; Araign. p. 441 (D ♀).
C. l. Simon 1932, Arachn. de France 6 (4) p. 957, 977 f. 1496, 1497 (D ♂♀).

♀ **orientalis** Schenkel 1936. S.-Kansu
C. o. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 174 f. 59a (D ♀).

Aethiopische Arten:

♀ **aculifera** Strand 1915. Madagascar
C. a. Strand 1915, Arch. Naturg. 81 (A; 9) p. 74 (D ♀).

♂♀ **coenosa** Simon 1897. Natal
C. c. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 11 (D ♀).
C. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 179 f. 183 (N ♂).

♂ **curvipes** Tucker 1920. S.-Afrika
C. c. Tucker 1920, Ann. S. Afr. Mus. 17 (5) p. 480 T. 29 F. 18 (D ♂).

♀ **martini** Simon 1896. Natal
C. m. Simon 1896, Ann. Soc. Ent. France 65 p. 509 (D ♀).
C. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 179 f. 184 (N).

♀ **simoni** Lawrence 1942. Natal
C. s. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 172 f. 22 (D ♀).

♂ **tridentata** Lessert 1923. Natal
C. t. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 200 f. 50, 51 (D ♂).
C. t. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 251 (N ♂).

Neotropische Arten:

♂ **costulata** Mello-Leitao 1940. S.-Argentinien
C. c. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 52 f .51 (D ♂).

♀ **hyltonae** Mello-Leitao 1940. S.-Argentinien
C. h. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 53 f. 52—53 (D ♀).

♂ **lineolata** Mello-Leitao 1940. Rio Negro
C. l. Mello-Leitao 1940, Arqu. Inst. Biol. S. Paulo 11 (30) p. 253 (D ♂).

♂ **quadriocellata** Mello-Leitao 1939. Paraguay
C. q. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 80 f. 66—69 (D ♂).

♂ **setosa** Simon 1986. Brasilien
C. s. Simon 1896, Ann. Soc. Ent. France 65 p. 509 (D ♂).

Gen. **Cetonana** Mello-Leitao 1941.

♂ **cinerea** Mello-Leitao 1941. – * Santa Fe
C. c. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2 (Zool. 13) p. 221 f. 32 (D ♂).

♀ **elongata** Mello-Leitao 1943. Argentinien
C. e. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3 (Zool. 20) p. 114 f. 16 (D ♀).

♂ **lissopalpus** Mello-Leitao 1943. W.-Argentinien
C. l. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3 (Zool. 20) p. 116 f. 17 (D ♂).

♀ **petrunkevitchi** Mello-Leitao 1945. Brasilien
C. p. Mello-Leitao 1945, Trans. Connect. Ac. Sci. 36 p. 174 (D ♀).

Gen. **Lessertina** Lawrence 1942.

♂ **mutica** Lawrence 1942. Natal
L. m. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 173 f. 23 (D ♂).

Gen. **Paccius** Simon 1898.

♂ **madagascariensis** (Simon) 1888. – * Madagascar
Trachelas m. Simon 1888, Ann. Soc. Ent. France 6 (8) p. 232 (D ♂).
P. m. Simon 1897, Ann. Soc. Ent. France 66 p. 384 (C).
P. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 217 (N).

mucronatus Simon 1898. Madagascar
P. m. Simon 1898, Hist. Nat. Araign. 2 (2) (N).

♂ **quadridentatus** Simon 1897. Seychellen
P. q. Simon 1897, Ann. Soc. Ent. France 66 p. 384 (D ♂).

Gen. **Procopius** Thorell 1899.

§ 7 Arten: Simon 1910, Ann. Mus. Civ. Genova 44 p. 378.

♀ **aeneolus** Simon 1903. Span. Guinea
P. ae. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 105 (D ♀).

♂♀ **aethiops** Thorell 1899. – * Camerun
P. ae. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 13 (D ♀).
P. ae. Simon 1910, Ann. Mus. Civ. Genova 44 p. 380 f. 14 (D ♂).

♂ **affinis** Lessert 1946. Belg. Congo
P. a. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 209 f. 8 (D ♂).

♀ **ensifer** Simon 1910. W.-Afrika, Fernando Poo
P. e. Simon 1910, Ann. Mus. Civ. Genova 44 p. 381 f. 15 (D ♀).

♂♀ **gentilis** Simon 1910. W.-Afrika
P. g. Simon 1910, Ann. Mus. Civ. Genova 44 p. 382 (D ♂♀).

♀ **granulosus** Simon 1903. Span. Guinea, Fernando Poo, Camerun
P. g. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 104 (D ♀).
P. g. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 278 (N ♀).
P. g. Simon 1910, Ann. Mus. Civ. Genova 44 p. 380 f. 13 (D ♀).

♂♀ **granulosus helluo** Simon 1910. Fernando Poo
P. g. h. Simon 1910, Ann. Mus. Civ. Genova 44 p. 380 f. 13 (D ♂♀).

♀ **laticeps** Simon 1910. Fernando Poo
P. l. Simon 1910, Ann. Mus. Civ. Genova 44 p. 381 (D ♀).

♀ **quaereus** Lessert 1946. Belg. Congo
P. q. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 210 f. 9 (D ♀).

♂ **vittatus** Thorell 1899. Camerun
P. v. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 15 (D ♂).

Gen. **Pronophaea** Simon 1897.

♀ **natalica** Simon 1897. Natal
P. n. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 15 (D ♀).
P. n. Simon 1897, Hist. Nat. Araign. 2 (1) p. 186 (N).

Gen. **Pseudoceto** Mello-Leitao 1929.

♀ **pickeli** Mello-Leitao 1929. Pernambuco
P. p. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 109 TF. 20 (D ♀).

Gen. **Stratius** Simon 1898.

♀ **muticus** (Simon) 1897. Neu-S.-Wales
Asadipus m. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 15 (D ♀).
S. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 217 (N).

Gen. **Trachelas** L. Koch 1866.

Palaearktische Arten:

§ 2 ♂, 2 ♀: Simon 1932, Arachn. de France 6 (4) p. 958—959.

♀ **amabilis** Simon 1878. Algier, Tunis
T. a. Simon 1878, Ann. Soc. Ent. France (5) 8 Bull. p. 50 (D ♀).

♀ **flavipes** L. Koch 1881. Mallorca
T. f. L. Koch 1881, Verh. Zool. Bot. Ges. Wien 31 p. 638 T. 20 F. 17, 18 (D ♀).

♂♀ **japonicus** Bösenberg & Strand 1906. Japan
T. j. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 294 T. 16 F. 504 (D ♂♀).

♂♀ **maculatus** Thorell 1875. Dalmatien, Bulgarien, Krim
T. m. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 77 (D ♂).
T. m. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 87 (D ♂).
T. m. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 253 T. 10 F. 15 (D ♂♀).

♀ **praestans** (Cambridge) 1911. England (Kew: eingeschleppt)
Corinna p. Cambridge 1911, Proc. Dorset F. Cl. 32 p. 37 T. A F. 1—5 (D ♀).
T. p. Simon 1932, Arachn. de France 6 (4) p. 978 (N).

♂♀ **raji** Simon 1878. S.-Frankreich, Italien
T. r. Simon 1878, Arachn. de France 4 p. 284 T. 16 F. 1 (D ♂♀).
T. rayi Simon 1932, Arachn. de France 6 (4) p. 959 f. 1500, 1501 (D ♂♀).

♂ **validus** Simon 1884. Spanien, Portugal
T. v. Simon 1884, Ann. Soc. Espan. Hist. Nat. 13 p. 123 (D ♂).

Transgredierende Arten:

♂♀ **minor** Cambridge 1872. – * Mittelmeer-Gebiet, W.-Afrika
T. m. Cambridge 1872, Proc. Zool. Soc. Lond. p. 256 T. 16 F. 41 (D ♀).
T. m. Simon 1878, Arachn. de France 4 p. 283 (D ♂♀).
T. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 184 f. 178 (N ♂).
T. m. Simon 1932, Arachn. de France 6 (4) p. 958, 977 f. 1498, 1499 (D ♂♀).

Aethiopische Arten:

♂♀ **chubbi** Lessert 1921. O.-Afrika
T. ch. Lessert 1921, Rev. Suisse Zool. 28 (17) 435 f. 74—76 (D ♂♀).

o **punctatus** Simon 1885. Senegambien
T. p. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 376 (D o).

♂ **pusillus** Lessert 1923. Capland
T. p. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 195 f. 42—46 (D ♂).

♀ **roeweri** Lawrence 1938. Zululand
T. r. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 502 f. 27 (D ♀).

♂♀ **schenkeli** Lessert 1923. Zululand, Angola, Portug. O.-Afrika
T. sch. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 197 f. 47—49 (D ♀).
T. sch. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 130 f. 49, 50 (D ♂).

♀ **scopulifer** Simon 1896. Capland
T. s. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 412 (D ♀).

♂ **sylvae** Caporiacco 1949. Kenya
T. s. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 448 f. 76a, b (D ♂).

Orientalische Arten:

♂ **accentuatus** Simon 1896. Ceylon
T. a. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 413 (D ♂).
T. a. Simon 1906, Ann. Soc. Ent. France 75 p. 304 f. 4 B (N ♂).

♀ **costatus** Cambridge 1885. NW.-Indien
T. c. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 28 T. 2 F. 21 (D ♀).

♂ **fronto** Simon 1906. Dekan
T. f. Simon 1906, Ann. Soc. Ent. France 75 p. 304 f. 4 A (D ♂).

♂ **oreophilus** Simon 1906. Dekan, Ceylon
T. o. Simon 1906, Ann. Soc. Ent. France 75 p. 303 f. 3 C (D ♂).

♂ **quisquiliarum** Simon 1906. Ceylon
T. q. Simon 1906, Ann. Soc. Ent. France 75 p. 302 f. 3 B (D ♂).

♀ **vulcani** Simon 1896. **Java**
T. v. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 412 (D ♀).
T. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 179 f. 177 (N).

Neotropische Arten:

§ 7 Arten: F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 74.
§ 3 ♂, 2 ♀: Simon 1904, Ann. Soc. Ent. Belg. 48 p. 106.
§ 8 Arten: Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 50.
§ 2 ♂, 2 ♀: Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 43.

♂♀ **altiformis** (Nicolet) 1849. Chile
Clubiona a. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 444 (D ♂♀).
T. a. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 104 f. 3 (D ♂♀).

♀ **arcifer** Simon 1886. Bolivien
T. a. Simon 1886, Ann. Soc. Ent. Belg. 30 C.R. p. 171 (D ♀).

♀ **arequipa** (Gertsch) 1942. Peru
Meriola a. Gertsch 1942, Amer. Mus. Novit. 1195 p. 11 TF. 34 (D ♀).

♂♀ **bicolor** Keyserling 1887. Haiti, Cuba
T. b. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 440 T. 6 F. 15 (D ♀).
T. b. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 443 T. 17 F. 224, 233, 235 (D ♂♀).

♂♀ **bispinosus** F. Cambridge 1899. Panama, Costa Rica
T. b. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 79 T. 6 F. 7—8 (D ♂♀).
T. b. Fage 1938, Bull. Muss. Hist. Nat. Paris (2) 10 (4) p. 375 (N ♀).

♀ **borinquensis** Gertsch 1942. Portorico
T. tricolor Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 108 f. 90 (N ♀).
T. b. Gertsch 1942, Amer. Mus. Novit. 1195 p. 9 (D ♀).

♂♀ **bulbosus** F. Cambridge 1899. Mexico
T. b. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 78 T. 6 F. 5—6 (D ♂♀).

♀ **carvalhoi** Mello-Leitao 1943. Chile
T. c. Mello-Leitao 1943, Rev. Bras. Biol. R. d. Jan. 3 (4) p. 405 (D ♀).

♀ **caviunae** Mello-Leitao 1947. Brasilien
T. c. Mello-Leitao 1947, Pap. Avuls. S. Paulo 8 (11) p. 131 f. 5 (D ♀).

♂♀ **caxambuensis** Mello-Leitao 1926. S.-Brasilien
T. c. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Jan. 2 (6) p. 13 f. 14—15 (D ♂♀)

♀ **cetiformis** Strand 1908. Peru
T. c. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 241 (N ♀).

♀ **distinctus** Mello-Leitao 1941. Argentinien
T. d. Mello-Leitao 1941, Rev. Mus. La Plata (N.S.) 2, Zool. p. 178 f. 69 (D ♀).

♂♀ **femoralis** Simon 1897. St. Vincent
T. f. Simon 1897, Proc. Zool. Soc. Lond. p. 883 (D ♂♀).

♀ **foraminosus** Keyserling 1891. S.-Brasilien
T. f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 60 T. 2 F. 32 (D ♀).

♂ **gracilis** Keyserling 1891. S.-Brasilien
T. g. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 61 T. 2 F. 33 (D ♂).

♀ **hassleri** Gertsch 1942. Brit. Guiana
T. h. Gertsch 1942, Amer. Mus. Novit. 1195 p. 10 TF. 29 (D ♀).

♀ **jamaicensis** Gertsch 1942. Jamaica
T. j. Gertsch 1942, Amer. Mus. Novit. 1195 p. 9 TF. 28 (D ♀).

♂♀ **keyserlingi** Roewer 1951. S.-Brasilien
T. flavipes Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 59 T. 2 F. 31 (D ♂♀) (praeocc. L. Koch 1881).
T. k. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 446 (nom. nov.)

♂♀ **lanceolatus** F. Cambridge 1899. Mexico
T. l. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 76 T. 5 F. 20, 21 (D ♂♀).

♀ **laticeps** Bryant 1933. Florida
T. l. Bryant 1933, Bull. Mus. Zool. Harvard 74 (6) p. 191 T. 3 F. 24 (D ♀).
T. l. Bryant 1945, Trans. Connect. Ac. Sci. 36 p. 210 T. 1 F. 13 (D ♂).

♀ **lineolata** Mello-Leitao 1938. Argentinien
T. l. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 118 f. 39 (D ♀).

♀ **longitarsis** Simon 1904. Chile
T. l. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 104 f. 5 C (D ♀).

♀ **mexicanus** Banks 1898. Mexico
T. m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 226 T. 13 F. 27 (D ♀).
T. m. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 76 (C ♀).

♂ **morosus** Banks 1909. Costa Rica
T. m. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 197 T. 5 F. 15 (D ♂).

♂ **niger** Mello-Leitao 1922. Brasilien
T. n. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 50 (D ♂).

♀ **nigrifemur** Mello-Leitao 1941. Columbien
T. n. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 288 f. 17 (D ♀).

♀ **nigronotatus** Mello-Leitao 1938. Argentinien
T. n. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 117 f. 38 (D ♀).

♂♀ **panamanus** Chickering 1937. Panama
T. p. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 45 T. 1 F. 5; T 5 F. 34, 63 (D ♂♀).

♀ **parvulus** Banks 1898. Mexico
T. p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 225 T. 13 F. 28 (D ♀).

♂♀ **quadripunctatus** Mello-Leitao 1922. Brasilien
T. q. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 49 (D ♂♀).
T. q. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 324 f. 10—17 (D ♂♀).

♀ **robustus** Keyserling 1891. S.-Brasilien
T. r. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 64 T. 2 F. 35 (D ♀).
T. r. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 320 f. 18—25 (D ♂♀).

♂♀ **rugosus** Keyserling 1891. Brasilien
T. r. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 62 T. 2 F. 34 (D ♂♀).
T. r. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 323 (N).

♀ **similis** F. Cambridge 1899. Mexico, Costa Rica
T. s. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 80 T. 6 F. 10 (D ♀).

♂♀ **speciosus** Banks 1898. Mexico, Nieder-Californien
T. s. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 225 T. 14 F. 32 (D ♂♀).
T. s. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 668 f. 112 (D ♀).

♂ **spinulatus** F. Cambridge 1899. Guatemala
T. s. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 78 T. 6 F. 3 (D ♂).

♂ **spirifer** F. Cambridge 1899. Guatemala
T. s. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 78 T. 6 F. 4 (D ♂).

♀ **submissus** Gertsch 1942. Paraguay
T. s. Gertsch 1942, Amer. Mus. Novit. 1195 p. 10 TF. 27 (D ♀).

♂♀ **transversus** F. Cambridge 1899. Mexico
T. t. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 77 T. 6 F. 1—2 (D ♂♀).

♀ **tridentatua** Mello-Leitao 1947. Minas Geraes
T. t. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan., Zool. 80 p. 21 (D ♀).

♂ **truncatulus** F. Cambridge 1899. Mexico
T. t. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 79 T. 6 F. 9 (D ♂).

♂♀ **virgatus** Simon 1904. Chile
T. v. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 105 f. 4 (D ♂♀).

♂ **vitiosus** Keyserling 1891. Brasilien
T. v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 65 T. 2 F. 36 (D ♀).

Transgredierende Arten:

♂♀ **barroanus** Chamberlin 1925. Barro Color-I., Panama
T. b. Chamberlin 1925, Bull. Mus. Zool. Harvard 67 p. 222 (D ♂).
T. b. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 43 T. 1 F. 16; T. 3 F. 37; T. 6 F. 81 (D ♂♀).

♂♀ **deceptus** (Banks) 1896. U. St. Amerika, Mexico
Meriola d. Banks 1895, Journ. N. York Ent. Soc. 3 p. 81 (D ♀).
T. d. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 523 (C).
Meriola d. Comstock 1912, Spider Book p. 582 (N).
Meriola d. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 11 (D ♂♀).
Meriola d. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 382 (N).

♂♀ **deceptus floridanus** (Chamberlin & Ivie) 1935. Florida, Georgia
Meriola d. f. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 40 T. 13 F. 107 (D ♂).
Meriola d. f. Chamberlin & Ivie 1941, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 185 (N ♂♀).

♂♀ **volutus** Gertsch 1935. Texas, Mexico
T. v. Gertsch 1935, Amer. Mus. Novit. 805 p. 13 TF. 27—28 (D ♂♀).
T. v. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 41 T. 17 F 139—140 (N ♂).
T. v. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 12 (N ♂♀).

Nearktische Arten:

♂♀ **arizonatus** Gertsch 1942. Arizona
T. a. Gertsch 1942, Amer. Mus. Novit. 1195 p. 9 TF. 24—25 (D ♂♀).

♀ **californicus** Banks 1904. Californien
T. c. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 339 T. 40 F. 47 (D ♀).

♀ **huachucanus** Gertsch 1942. Arizona
T. h. Gertsch 1942, Amer. Mus. Novit. 1195 p. 8 TF. 26 (D ♀).

♀ **inornatus** (Banks) 1901. Neu-Mexico
Meriola i. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 574 T. 23 F. 6 (D ♀).

♂♀ **pacificus** Chamberlin & Ivie 1935. Californien

T. p. Chamberlin & Ivie 1935, Bull. Univ. Utah; Biol. 26 (4) p. 41 T. 17 F. 136—138 (D ♂♀).

♂♀ **tranquillus** (Hentz) 1847. U. St. Amerika

Clubiona t. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 450 T. 23 F. 16 (D ♀).
Agalena plumbea Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 465 T. 30 F. 1 (D ♀).
T. ruber Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 439 T. 6 F. 14 (D ♀).
T. ruber Emerton 1889, Trans. Connect. Ac. Sci. 8 p. 184 T. 5 F 13 (D ♂♀).
T. ruber Simon 1897, Hist. Nat. Araign. 2 (1) p. 179 f. 175, 176 (N ♂♀).
T. ruber Emerton 1902, Common Spid. p. 19 f. 66 (D ♀).
T. t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 524 (C).
T. t. Comstock 1912, Spider Book p. 581 f. 91, 659, 660 (N).
T. t. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 82 f. 87—90 (N ♂♀).
T. t. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 381 T. 71 F. 1350—53; T. 72 F. 1360 (D ♂♀).

♂♀ **utahanus** Chamberlin & Ivie 1935. Utah

T. u. Chamberlin & Ivie 1935, Bull. Univ. Utah 26 (4) Biol. 2 (8) p. 41 T. 17 F. 133—135 (D ♂♀).

Gen. **Trachelopachys** Simon 1897.

♂♀ **abnormis** (Holmberg) 1881. Patagonien

Chiracanthium a. Holmberg 1881, Exped. Roca Rio Negro; Zool. p. 138 T. 3 F. 5 (D ♂♀).
T. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 183 (N).

♀ **aemulatus** Gertsch 1942. Paraguay

T. a. Gertsch 1942, Amer. Mus. Novit. 1195 p. 11 TF. 33 (♀).

♂ **albicans** Mello-Leitao 1944. Buenos Aires

T. a. Mello-Leitao 1944, Rev. Mus. La Plata (N .S.) Zool. 3 (24) p. 354 f. 44 (D ♂).

♀ **bicolor** Chamberlin 1916. Peru

T. b. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 275 T. 21 F. 9, 10 (D ♀).

♂ **bidentatus** Tullgren 1905. Bolivien, Argentinien

T. b. Tullgren 1905, Ark. Zool. 2 (19) p. 49 T. 7 F. 23 (D ♂).

♂♀ **cingulipes** (Simon) 1886. Argentinien

Trachelas c. Simon 1886, Bull. Soc. Zool. France 11 p. 569 (D ♂♀).
T. c. Simon 1897, Boll. Mus. Zool. Torino 12 (270) p. 1 (C).

♀ **fasciatus** Mello-Leitao 1941. Argentinien

T. f. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 178 T. 10 F. 48; f. 70 (D ♀).

♀ **gulosus** Mello-Leitao 1940. S.-Argentinien

T. g. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 51 f. 50 (D ♀).

♀ **macrocephalus** (Nicolet) 1849. Chile

Clubiona m. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 448 (D ♀).
Clubiona obliterata Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 449 (D ♀).

Clubiona ultima Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 449 (D ♀).
T. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 185 (N).
T. m. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 103 (N).

♂ **segmentatus** Mello-Leitao 1942. Argentinien
T. s. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 418 f. 43—44 (D ♂).

♂ **sericeus** (Simon) 1886. – * Patagonien, Argentinien, Paraguay
Trachelas s. Simon 1886, Bull. Soc. Zool. France 11 p. 568 f. 6 (D ♂).
T. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 185 f. 179 (N ♂).
T. s. Tullgren 1901, Svensk. Exped. Magell. 2 (10) p. 248 (C ♂).
T. s. Simon 1905, Boll. Mus. Zool. Torino 20 (511) p. 14 (N).

2. Gr. Oedignatheae

Gen. **Oedignatha** Thorell 1881.

Orientalische Arten:

§ 19 Arten: Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 497.

♀ **affinis** Simon 1897. Ceylon
O. a. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 12 (D ♀).

♀ **albofasciata** Strand 1907. Indien
O. a. Strand 1907, Zool. Anz. 31 (17—18) p. 563 (D ♀).
O. a. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 47 T. 2 F. 35 (D ♀).

♀ **bicolor** Simon 1896. Ceylon
O. b. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 415 (D ♀).

♀ **bucculenta** Thorell 1897. Burma
O. b. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 197 (D ♀).

♂ **carli** Reimoser 1934. Indien
O. c. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 492 f. 15 (D ♂).

♀ **coriacea** Simon 1897. Ceylon
O. c. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 14 (D ♀).

♀ **decorata** Simon 1897. Luzon
O. d. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 13 (D ♀).

♂ **dentifera** Reimoser 1934. Indien
O. d. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 495 f. 18 (D ♂).

♀ **escheri** Reimoser 1934. Indien
O. e. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 496 f. 20 (D ♀).

o **ferox** (Thorell) 1897. Burma
Aepygnatha f. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 201 (D o).
O. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 190 (N).

♀ **flavipes** Simon 1897. Ceylon
O. f. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 14 (D ♀).

♂♀ **gulosus** Simon 1897. Ceylon
O. g. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 12 (D ♂♀).
O. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 188 f. 188, 189 (N ♂).

♀ **lesserti** Reimoser 1934. Dekan
O. l. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 497 f. 21 (D ♀).

♀ **major** Simon 1896. Ceylon
O. m. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 415 (D ♀).
O. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 188 f. 190—192 (N).

♀ **microscutata** Reimoser 1934. Dekan
O. m. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 495 f. 19 (D ♀).

♀ **montigena** Simon 1897. Ceylon
O. m. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 14 (D ♀).

♂♀ **procerula** Simon 1897. Indien
O. p. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 261 (D ♂♀).

♂♀ **retusa** Simon 1897. Ceylon
O. r. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 12 (D ♂♀).
O. r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 188 f. 193 (N ♂).

♀ **rugulosa** Thorell 1897. Burma
O. r. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 199 (D ♀).

♂♀ **scrobiculata** Thorell 1881. – * Indien, Ceylon, I. Pinang, Java, Krakatau
O. sc. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 209 (D ♀).
O. sc. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 345 (N ♀).
O. sc. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 14 (D ♀).
O. sc. Simon 1897, Hist. Nat. Araign. 2 (1) p. 190 (N).
O. sc. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 268 f. 18C, D (D ♂, N ♀).
O. sc. Reimoser 1934, Proc. Zool. Soc. Lond. p. 15 (C ♂♀).

♂ **sima** Simon 1886. Thailand
O. s. Simon 1886, Ann. Soc. Linn. Bord. 40 p. 157 (D ♂).
O. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 188 f. 185—187 (N ♂).
O. s. Simon 1904, Arachn. in: Miss. Pavie Indo-Chin. 3 p. 286 (D ♂).

♀ **striata** Simon 1897. Ceylon
O. s. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 13 (D ♀).

♂ **tricuspidata** Reimoser 1934. Dekan
O. t. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 494 f. 17 (D ♂).

♂ **uncata** Reimoser 1934. Dekan
O. u. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 493 f. 16 (D ♂).

Australische Arten:

♂♀ **canaca** Berland 1938. Neue Hebriden
O. c. Berland 1938, Ann. Soc. Ent. France 107 p. 139 f. 26—29 (D ♂♀).

♀ **radiata** Thorell 1881. Neu-Guinea
O. r. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 210 (D ♀).

3. Gr. Corinneae

Gen. **Corinna** C. L. Koch 1842.

Aethiopische Arten:

♀ **areolata** Thorell 1899. Camerun
C. a. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 18 (D ♀).

♀ **cribrata** (Simon) 1885. Sansibar
Creugas c. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 395 (D ♀).
C. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 196 (N).

♀ **longitarsis** Strand 1906. San Thomé
C. l. Strand 1906, Zool. Anz. 30 (19—20) p. 636 (D ♀).
C. l. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 62 (D ♀).

♂♀ **major** Berland 1922. Kenya
C. m. Berland 1922, Voy. Rothschild Ethiop.; Rés. Sci. Anim. Artic. 1 p. 72 f. 17—19 (D ♂♀).

♀ **mandibulata** Strand 1906. Abessinien
C. m. Strand 1906, Zool. Anz. 30 (19—20) p. 637 (D ♀).
C. m. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 64 (D ♀).

♀ **natalis** Pocock 1898. Natal
C. n. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 221 T. 8 F. 14 (D ♀).

♀ **nossibeensis** Strand 1907. Madagascar
C. n. Strand 1907, Zool. Anz. 31 (23) p. 740 (D ♀).
C. n. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 138 (D ♀).

O **olivacea** Strand 1906. Abessinien
C. o. Strand 1906, Zool. Anz. 30 (19—20) p. 636 (D O).
C. o. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 60 (D O).

♀ **sanguinea** Strand 1906. Abessinien
C. s. Strand 1906, Zool. Anz. 30 (19—20) p. 637 (D ♀).
C. s. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 67 (D ♀).

♀ **sanguinea inquirenda** Strand 1906. Abessinien
C. s. i. Strand 1906, Zool. Anz. 30 (19—20) p. 637 (D ♀).
C. s. i. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 67 (D ♀).

♂♀ **senegalensis** (Simon) 1885. W.-Afrika
Creugas s. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 376 (D ♀).
C. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 196 (N).
C. s. Simon 1910, Ann. Mus. Civ. Genova 44 p. 384 f. 16 (D ♂).
C. s. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 213 f. 13 (D ♂).

♂♀ **tridentigera** (Cambridge) 1869. St. Helena
Olios t. Cambridge 1869, Proc. Zool. Soc. Lond. p. 538 T. 42 F. 6 (D ♂♀).
C. t. Simon 1898, Hist. Nat. Araign. 2 (2) p. 196 (N).
Xeropigo t. Strand 1909, in: Drygalsky, Deutsch. S.-Polar-Exped. 1901—03 10 (5) Zool. 2 p. 584 (N ♂).

Orientalische Arten:

♂o **gulosa** (Thorell) 1878. Burma, Nicobaren, Amboina

Creugas g. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 175 (D o).
Phanoptilus sericeus Thorell 1887, Ann. Mus. Civ. Genova 25 p. 41 (D ♂).
Pranopis punctata Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 21 (D ♂).
C. g. Simon 1898, Hist. Nat. Araign. 2 (2) p. 196 (N).

♀ **proboscidea** Strand 1913. Ceylon

C. p. Strand 1913, Arch. Naturg. 79 (A; 6) p. 120 (D ♀).
C. p. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 252 (D ♀).

♀ **sumatrana** Roewer 1938. Sumatra

C. s. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (hors Ser.) 3 (19) p. 72 f. 48, 49 (D ♀).

Australische Arten:

♀ **brunneipeltula** Strand 1910. Neu-Guinea

C. b. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 16 (D ♀).

♂♀ **cetrata** (Simon) 1888. Neu-Caledonien, Tahiti, Marquesas-I.

Creugas c. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 243 (D ♂).
C. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 196 (N).
C. tahitica Strand 1913, Arch. Naturg. 79 (A; 6) p. 120 (D ♂♀).
C. tahitica Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 252 T. 18 F. 93 (D ♀).
C. c. Berland 1924, Hist. Nat. Juan Fernandez 3 (3) p. 422 f. 3 (D ♀).
C. c. Berland 1933, Pacif. Ent. Surv. Publ. 7 (3) p. 50 f. 17—21 (N ♂♀).

Neotropische Arten:

§ 9 Arten: L. Koch 1866, Arachn. Fam. Drassid. p. 271 (sub **Hypsinotus**).
§ 7 Arten: Simon 1897, Proc. Zool. Soc. Lond. p. 884.
§ 8 ♂, 10 ♀: F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 64.
§ 26 Arten: Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 53.
§ 4 ♂, 2 ♀: Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 95.
§ 5 Arten: Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 22.

♂ **abalosi** Mello-Leitao 1942. Argentinien

C. a. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 416 f. 41 (D ♂).

♀ **aberrans** Franganillo 1935. Cuba

C. a. Franganillo 1933, Belen Habana Cuba 9 (51—52) p. 61 (D ♀).

♂ **abnormis** Petrunkevitch 1930. Portorico

C. a. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 103 f. 86 (D ♂).

♂ **annamae** Gertsch & Davis 1940. Mexico

C. a. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 12 TF. 16, 17 (D ♂).

♂♀ **annulipes** (Taczanowski) 1874. Brasilien, Guiana, Peru

Clubiona a. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 76 T. 2 F. 4 (D ♀).
C. a. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 420 (D ♂♀).

♀ **antillana** Bryant 1942. Virgin-I.

C. a. Bryant 1942, Bull. Mus. Comp. Zool. Harvard 89 (7) p. 351 T. 3 F. 33 (D ♀).

♂♀ **apophysaria** Caporiacco 1947. Brit. Guiana
C. a. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 27 (D ♂♀).
C. a. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 675 TF. 90—92 (D ♂♀).

♂♀ **bajula** Gertsch 1942. Nieder-Californien
C. b. Gertsch 1942, Amer. Mus. Novit. 1195 p. 13 TF. 31—32 (D ♂♀).

♂ **bellator** (L. Koch) 1866. Columbien
Hypsinotus b. L. Koch 1866, Arachn. Fam. Drassid. p. 278 T. 11 F. 177, 178 (D ♂).
C. b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 464 (C).
C. bellatrix Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 98 T. 10 F. 67—69 (N ♂).

♀ **benefacia** (Mello-Leitao) 1915. Brasilien
C. b. Mello-Leitao 1925, Bol. Mus. Nac. R. d. Janeiro 1 (6) p. 455 (N).
Tranquilinus b. Mello-Leitao 1915, Broteria 13 p. 14 (D ♀).

♂♀ **bicincta** Simon 1896. Brasilien
C. b. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 420 (D ♂).
C. b. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 53 (D ♀).
C. b. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 315 f. 1—5, 45—47 (D ♂).

♂ **bicuspis** F. Cambridge 1899. Mexico
C. b. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 70 T. 5 F. 10 (D ♂).

♂♀ **bonneti** Caporiacco 1947. Brit. Guiana
C. b. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 27 (D ♂♀).
C. b. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 674 TF. 88—89 (D ♂♀).

♀ **botucatensis** (Keyserling) 1891. S.-Brasilien
Hypsinotus b. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 50 T. 2 F. 28 (D ♀).
C. b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 464 (C).

♂♀ **bristoweana** Mello-Leitao 1926. Brasilien
C. b. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 14 f. 16, 17 (D ♂♀).

♀ **buccosa** Simon 1896. Amazonas
C. b. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 419 (D ♀).

♂♀ **bulbosa** F. Cambridge 1899. Guatemala, Mexico, Panama
C. b. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 67 T. 5 F. 3, 4 (D ♂♀).
C. b. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 157 (D ♀).
C. b. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 22 T. 5 F. 60 (N).

♂ **bulbula** F. Cambridge 1899. Panama
C. b. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 67 T. 5 F. 2 (D ♂).

♂♀ **capito** (Lucas) 1856. Brasilien, Columbien
Drassus c. Lucas 1856, Arachn. in: Castelnau, Expéd. Amer. d. Sud. p. 22 T. 1 F. 8 (D ♀).
C. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 177 f. 174 (N ♀).
C. c. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 52 (D ♀).
C. c. Camargo 1950, Arqu. Zool. S. Paulo 7 (8) p. 456 f. 4a—g (D ♂♀).

♂♀ **chalybeia** (L. Koch) 1866. Brasilien, Columbien
Hypsinotus ch. L. Koch 1866, Arachn. Fam. Drassid. p. 280 T. 11 F. 179—181 (D ♂♀).
C. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 465 (C).

♀ **cinnamia** (Simon) 1888. Mexico
Creugas c. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 210 (D ♀).
C. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 197 (N).
C. c. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 67 T. 5 F. 9 (N ♀).

♀ **cleonei** Petrunkevitch 1926. St. Thomas
C. c. Petrunkevitch 1926, Trans. Connect. Ac. Sci. 28 p. 61 f. 18, 19 (D ♀).

♀ **consobrina** Simon 1897. St. Vincent
C. c. Simon 1897, Proc. Zool. Soc. Lond. p. 887 (D ♀).

♀ **corvina** Simon 1896. Paraguay
C. c. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 419 (D ♀).

♂♀ **crassipalpis** Chickering 1937. Panama
C. c. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 22 T. 1 F. 15; T. 2 F. 21; T. 5 F. 65, 66 (D ♂♀).

♀ **cribrosa** Mello-Leitao 1942. Argentinien
C. c. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 417 f. 42 (D ♀).

♂ **cruenta** (Bertkau) 1880. Brasilien
Hypsinotus c. Bertkau 1880, Mém. Class. Sci. 43 p. 50 T. 1 F. 14 (D ♂).
C. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 465 (C).

♀ **echinus** Simon 1896. Brasilien
C. e. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 417 (D ♀).

♂♀ **egregia** Simon 1896. Brasilien
C. e. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 416 (D ♂♀).
C. e. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 318 f. 49—51 (D ♂♀).

♂ **epicureana** Chamberlin 1924. Nieder-Californien
C. e. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 669 f. 113 (D ♂).

♂ **eresiformis** Simon 1896. Amazonas
C. e. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 417 (D ♂).

♂ **falcula** F. Cambridge 1899. Mexico
C. f. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 68 T. 5 F. 5 (D ♂).

♂♀ **ferox** Simon 1896. Amazonas, Peru
C. f. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 418 (D ♂♀).
C. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 192 f. 194, 195, 201 (N ♂).

♂♀ **flavipes** (Keyserling) 1891. S.-Brasilien
Hypsinotus f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 54 T. 2 F. 27 (D ♂).
C. f. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 466 (C).
C. f. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 53 (D ♀).

♂ **galeata** Simon 1896. Amazonas
C. g. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 419 (D ♂).

♂ **gigantea** Karsch 1880. Brasilien
C. g. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 375 T. 12 F. 3 (D ♂).

♂♀ **gracilipes** (Keyserling) 1887. Haiti, Florida, Cuba
Hypsinotus g. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 448 T. 6 F. 19 (D ♀).
C. g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 466 (C).
C. g. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 192 T. 3 F. 32 (D ♂).

♀ **gracilis** (Keyserling) 1891. S.-Brasilien
Hypsinotus g. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 56 T. 2 F. 29 (D ♀).
C. g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 466 (C).

♀ **granadensis** (L. Koch) 1866. Columbien
Hypsinotus g. L. Koch 1866, Arachn. Fam. Drassid. p. 287 T. 12 F. 184 (D ♀).
C. g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 466 (C).

O **guanicae** Petrunkevitch 1930. Portorico
C. g. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 106 f. 87—89 (D O).

♂♀ **humilis** (Keyserling) 1887. Haiti, Cuba, Portorico, St. Kitt- u. Virgin-I.
Hypsinotus h. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 446 T. 6 F. 18 (D ♂♀).
C. h. Simon 1898, Hist. Nat. Araign. 2 (2) p. 197 (N).
C. h. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 95 f. 78, 79 (N ♂♀).

♀ **humilis reichardti** (Strand) 1915. Gr. Cayman-I.
Medmassa h. r. Strand 1915, Arch. Naturg. 81 (A; 9) p. 137 (D ♀).

♀ **ignota** Mello-Leitao 1922. S.-Brasilien
C. i. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 51 (D ♀).

♀ **inermis** (Bertkau) 1880. Brasilien
Hypsinotus i. Bertkau 1880, Mém. Class. Sci. 43 p. 54 T. 1 F. 16 (D ♀).
C. i. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 466 (C).

♀ **javuyae** Petrunkevitch 1930. Portorico
C. j. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 101 f. 83—85 (D ♀).

♀ **kochi** Petrunkevitch 1911. S.-Amerika
Hypsinotus rubripes L. Koch 1866, Arachn. Fam. Drassid. p. 285 T. 12 F. 183 (D ♀).
C. k. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 466 (nom. nov.).

♂♀ **lacertosa** Simon 1897. St. Vincent
C. l. Simon 1897, Proc. Zool. Soc. Lond. p. 885 (D ♂♀).

♂♀ **loricata** (Bertkau) 1880. S.-Brasilien, Uruguay, Paraguay, N.-Argentinien
Hypsinotus l. Bertkau, 1880, Mém. Class. Sci. 43 p. 54 T. 1 F. 15 (D ♀).
Hypsinotus l. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 49 T. 1 F. 23 (D ♂).
C. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 194 (N).

♀ **luctuosa** F. Cambridge 1899. Mexico
C. l. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 72 T. 5 F. 14 (D ♀).

♀ **luteomaculata** Petrunkevitch 1925. Panama
C. l. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 154 f. 77, 78 (D ♀).

♂ **macra** (L. Koch) 1866. Columbien
Hypsinotus m. L. Koch 1866, Arachn. Fam. Drassid. p. 289 T. 12 F. 185, 186 (D ♂).
C. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 467 (C).

♀ **maculata** (L. Koch) 1866. Columbien
Hypsinotus m. L. Koch 1866, Arachn. Fam. Drassid. p. 283 T. 12 F. 182 (D ♀).
C. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 467 (C).

♂♀ **mexicana** (Banks) 1898. Mexico
Hypsinotus m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 229 T. 16 F. 18 (D ♂♀).
C. m. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 73 (N ♂♀).

♀ **modesta** Banks 1909. Costa Rica
C. m. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 198 T. 6 F. 32 (D ♀).

♂♀ **mucronata** F. Cambridge 1899. Panama, Costa Rica
C. m. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 69 T. 5 F. 7, 8 (D ♂♀).
C. m. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 25 T. 1 F. 14 (N).

♀ **napaea** Simon 1897. St. Vincent
C. n. Simon 1897, Proc. Zool. Soc. Lond. p. 888 (D ♀).

♀ **nava** F. Cambridge 1899. Mexico
C. n. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 72 T. 5 F. 16 (D ♀).

♂ **nervosa** F. Cambridge 1899. Panama, Guatemala
C. n. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 70 T. 5 F. 9 (D ♂).

♂♀ **nigricans** C. L. Koch 1842. Columbien, Mexico
C. n. C. L. Koch 1842, Die Arachniden 9 p. 19 TF. 703 (D ♂♀).
Sparassus n. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 561 (D ♂).
C. n. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 375 T. 12 F. 2 (N ♂♀).

♀ **nigrina** Berland 1913. Ecuador
C. n. Berland 1913, Araign. in: Miss. Mes. Mérid. Equateur 10 (1) p. 99 (D ♀).

♂♀ **nitens** (Keyserling) 1891. S.-Brasilien, Uruguay, Paraguay, N.-Argentinien
Hypsinotus n. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 57 T. 2 F. 30 (D ♂♀).
C. n. Simon 1897, Hist. Nat. Araign. 2 (1) p. 192 (N).

♀ **octodentata** Franganillo 1946. Cuba
C. o. Franganillo 1946, Mem. Soc. Cubana Hist. Nat. 18 p. 102 (D ♀).

♂♀ **pallidoguttata** Simon 1897. St. Vincent
C. p. Simon 1897, Proc. Zool. Soc. Lond. p. 885 (D ♂♀).

♂ **paradoxa** F. Cambridge 1899. Guatemala
C. p. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 70 T. 5 F. 11 (D ♀).

♀ **parva** (Keyserling) 1891. Brasilien
Hypsinotus p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 52 T. 2 F. 25 (D ♀).
C. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 468 (C).

♂♀ **parvula** Bryant 1942. Virgin-Isl., Haiti
C. p. Bryant 1942, Bull. Mus. Comp. Zool. Harvard 89 (7) p. 442 T. 17 F. 225, 227 (D ♂♀).
C. p. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 434 T. 12 F. 120 (D ♂♀).

♂ **penicillata** Mello-Leitao 1939. S.-Brasilien
C. p. Mello-Leitao 1939, Mem. Inst. Butantan 12 p. 530 TF. 16, 17 (D ♂).
C. p. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 320 (N).

♂♀ **peninsulana** Banks 1898. Nieder-Californien
C. p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 227 T. 13 F. 26 (D ♂♀).

♂♀ **pennata** Caporiacco 1947. Brit. Guiana
C. p. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 27 (D ♂♀).
C. p. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 676 TF. 93—95 (D ♂♀).

♂♀ **phalerata** Simon 1896. Brasilien
C. p. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 418 (D ♂♀).
C. p. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 52 (D♀).

♀ **pictipes** Banks 1909. Costa Rica
C. p. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 198 T. 6 F. 47 (D ♀).

♀ **plumata** (L. Koch) 1866. Columbien
Hypsinotus p. L. Koch 1866, Arachn. Fam. Drassid. p. 276 T. 11 F. 176 (D ♀).
C. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 468 (C).

♀ **plumipes** (Bertkau) 1880. Brasilien
Hypsinotus p. Bertkau 1880, Mém. Class. Sci. 43 p. 54 T. 1. F. 17 (D ♀).
C. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 468 (C).

♀ **praeceps** F. Cambridge 1899. Mexico
C. p. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 71 T. 5 F. 12 (D ♀).

♂ **pseudobulbula** Caporiacco 1938. Guatemala
C. p. Caporiacco 1938, Atti Soc. Ital. Sci. Nat. 77 p. 268 f. 3 (D ♂).

♂♀ **punicea** Simon 1897. St. Vincent
C. p. Simon 1897, Proc. Zool. Soc. Lond. p. 887 (D ♂♀).

♂ **raptor** (L. Koch) 1866. Mexico
Hypsinotus r. L. Koch 1866, Arachn. Fam. Drassid. p. 274 T. 11 F. 174, 175 (D ♂♀).
C. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 469 (C).

♀ **retusa** F. Cambridge 1899. Guatemala
C. r. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 71 T. 5 F. 13 (D ♀).

♂♀ **robusta** Chickering 1937. Panama
C. r. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 25 T. 2 F. 20; T. 4 F. 53; T. 6 F. 75, 76 (D ♂♀).

♂ **rubripes** C. L. Koch 1842. – * Brasilien
C. r. C. L. Koch 1842, Die Arachniden 9 p. 17 TF. 702 (D ♂).
Sparassus r. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 561 (D ♂).
C. r. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 375 T. 12 F. 1 (N ♂).
C. r. Simon 1898, Hist. Nat. Araign. 2 (2) p. 198 (N).

♀ **saga** F. Cambridge 1899. Mexico
C. s. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 72 T. 5 F. 15 (D ♀).

♂♀ **scutulata** (Simon) 1888. Guadaloupe
Xeropigo s. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 209 (D ♂♀).
C. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 199 (N).

o **selysii** (Bertkau) 1880. Brasilien
Hypsinotus s. Bertkau 1880, Mém. Class. Sci. 43 p. 111 (D o).
C. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 469 (C).

♀ **semiluna** F. Cambridge 1899. Guatemala, Mexico
C. s. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 73 T. 5 F. 18 (D ♀).

♂♀ **silvatica** Chickering 1937. Panama
C. s. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 27 T. 1 F. 9; T. 2 F. 26; T. 6 F. 82, 83 (D ♂♀).

♀ **spinifera** (Keyserling) 1887. Nicaragua
Hypsinotus sp. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 449 T. 6 F. 20 (D ♀).
C. s. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 66 (N ♀).

♀ **stigmatica** Simon 1897. Paraguay
C. s. Simon 1897, Boll. Mus. Zool. Torino 12 (270) p. 8 (D ♀).
C. stigmatisata Simon 1898, Hist. Nat. Araign. 2 (2) p. 193, 196 (N).

♂ **subsignata** Simon 1897. St. Vincent
C. s. Simon 1897, Proc. Zool. Soc. Lond. p. 886 (D ♂).

♂ **tatei** Gertsch 1942. Venezuela
C. t. Gertsch 1942, Amer. Mus. Novit. 1195 p. 14 TF. 30 (D ♂).

♂ **testacea** (Banks) 1898. Mexico
Hypsinotus t. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 229 T. 16 F. 17 (D ♂).
C. t. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 74 (N ♂).

♂♀ **tomentosa** Simon 1897. St. Vincent
C. t. Simon 1897, Proc. Zool. Soc. Lond. p. 886 (D ♂♀).

♂♀ **toussainti** Bryant 1948. Haiti
C. t. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 435 T. 12 F. 114, 123 (D ♂♀).

♀ **travassosi** Mello-Leitao 1939. Mato Grosso
C. t. Mello-Leitao 1939, Bol. Biol. S. Paulo (N. S.) 4 (2) p. 290 f. 9—10 (D ♀).

♀ **tridentina** Mello-Leitao 1937. S.-Brasilien
C. t. Mello-Leitao 1937, Mem. Inst. Butantan 11 p. 315 f. 5 (D ♀).

♂ **uncata** F. Cambridge 1899. Mexico
C. u. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 68 T. 5 F. 6 (D ♂).

♂o **urbanae** Soares & Camargo 1948. Brasilien
C. u. Soares & Camargo 1948, Bol. Mus. Paraense Göldi 10 p. 388 f. 50—53 (D ♂ o).

♀ **variegata** F. Cambridge 1899. Guatemala, Brit. Guiana
C. v. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 72 T. 5 F. 17 (D ♀).
C. v. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 674 (N ♀).

♂♀ **vertebrata** Mello-Leitao 1939. Paraguay
C. v. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 82 f. 70—71 (D ♀).
C. v. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 54 T. 1 F. 2 (D ♀).
C. v. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 176 f. 67 (D ♂).

♀ **vitiosa** (Keyserling) 1891. S.-Brasilien
Hypsinotus v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 51 T. 2 F. 24 (D ♀).
C. v. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 470 (C).

♂ **wheeleri** Petrunkevitch 1930. Portorico
C. wh. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 97 f. 80—82 (D ♂).

♂♀ **wolleboeki** Banks 1931. Galapagos-I.
C. w. Banks 1931, Nyt. Mag. Naturvid. 68 p. 273 T. 1 F. 4 (D ♂♀).

Nearktische Arten:

♂♀ **bicalcarata** Simon 1896. Arizona, Neu-Mexico
C. b. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 416 (D ♂).
C. b. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 575 (D ♀).
Castaneira b. Banks 1910, Bull. U. St. Nat. Mus. 72 p. 11 (C).
Castaneira b. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 181 T. 12 F. 21, 26 (N ♂).

♀ **eutypa** Chamberlin 1925. Barro Color-I.
C. e. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 222 (D ♀).

♂ **media** Banks 1896. Washington-St.
C. m. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 66 (D ♂).

♂♀ **pacifica** Banks 1896. Washington-St., Canada
C. p. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 66 (D ♂♀).

Gen. **Ctenonima** Franganillo 1946.

♀ **cubana** Franganillo 1946. Cuba
C. c. Franganillo 1948, Mem. Soc. Cubana Hist. Nat. 18 p. 101 f (D ♀).

Gen. **Diestus** Simon 1898.

♀ **alticeps** (Keyserling) 1891. Brasilien
Hypsinotus a. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 53 T. 2 F. 26 (D ♀).
D. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 480 (C).
Paradiestus aurantiacus Mello-Leitao 1915, Broteria 13 p. 142 (D ♀).
Corinna aurantiaca Mello-Leitao 1925, Bol. Mus. Nac. R. d. Jan. 1 (6) p. 455 (N).
D. a. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 287 (N).

♂ **altifrons** Mello-Leitao 1945. Argentinien
D. a. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) Zool. 4 (29) p. 260 f. 45 (D ♂).

♀ **kochi** Simon 1898. – * Columbien
Hypsinotus capito L. Koch 1866, Arachn. Fam. Drassid. p. 272 T. 11 F. 173 (D ♀).
D. k. Simon 1898, Hist. Nat. Araign. 2 (2) p. 193, 199 (nom. nov.)

♀ **validus** Simon 1898. Venezuela
D. v. Simon 1898, Hist. Nat. Araign. 2 (2) p. 193, 197 f. 196, 197 (D ♀).

Gen. **Lausus** Simon 1898.

Orientalische Arten:

♂♀ **properus** Dyal 1935. Panjab
L. p. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 214 T. 17 F. 152—159 (D ♂♀).

Neotropische Arten:

♀ **aeneus** (Simon) 1896. – * Amazonas
Corinna ae. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 417 (D ♀).
L. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 199 (N).

o **grandis** Simon 1898. Amazonas, Brit. Guiana
L. g. Simon 1898, Hist. Nat. Araign. 2 (2) p. 197, 199 (N).
L. g. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 673 (D o).

♀ **pulchellus** Bryant 1948. San Domingo
L. p. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 437 T. 12 F. 122 (D ♀).

♂ **sicarioides** Mello-Leitao 1935. S.-Brasilien
L. s. Mello-Leitao 1935, Mem. Inst. Butantan 9 p. 365 f. A (D ♂).

Gen. **Mandaneta** Strand 1932.

♂ **sudana** (Karsch) 1880. Sudan
Mandane s. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 377 T. 12 F. 4 (D ♂).
M. s. Strand 1932, Folia Zool. Hydrobiol. 4 (1) p. 140 (nom. nov.).

Gen. **Medmassa** Simon 1887.

Aethiopische Arten:

♀ **hiekae** Berland 1922. Abessinien
M. h. Berland 1922, Voy. Rothschild Ethiop.; Rés. Sci. Anéim. Artic. 1 p. 74 T. A 4 F. 3 (D ♀).

♂♀ **laurenti** Lessert 1946. Belg. Congo
M. l. Lessert 1945, Rev. Suisse Zool. 53 (6) p. 211 f. 10 (D ♂♀).

♀ **lesserti** Strand 1915. O.-Afrika
M. l. Strand 1915, Arch. Naturg. 81 (A; 11) p. 96 (D ♀).

♂♀ **nitida** Lawrence 1937. Natal
M. n. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 252 f. 21 (D ♂).
M. n. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 506 f. 29 (D ♀).

♀ **nyctalops** Simon 1910. Fernando Poo
M. n. Simon 1910, Ann. Mus. Civ. Genova 44 p. 377 (D ♀).

♂ **proxima** Lessert 1923. Natal
M. p. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 204 f. 52, 54 (D ♂).
M. p. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 507 (N).

♀ **semiaurantiaca** Simon 1910. Portug. Guinea
M. s. Simon 1910, Ann. Mus. Civ. Genova 44 p. 376 (D ♀).

♀ **vidua** Lessert 1923. Natal
M. v. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 202 f. 53 (D ♀).

Orientalische Arten:

♀ **armata** Simon 1896. Ceylon
M. a. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 415 (D ♀).

♀ **frenata** (Simon) 1877. – * Philippinen
Megaera f. Simon 1877, Ann. Soc. Ent. France (5) 7 p. 88 T. 3 F. 11 (D ♀).
M. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 198 (N).

♀ **insignis** (Thorell) 1890. Sumatra
Astratea i. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 365 (D ♀).
M. i. Simon 1898, Hist. Nat. Araign. 2 (2) p. 198 (N).

Australische Arten:

♀ **australiensis** (L. Koch) 1866. Neu-S.-Wales
Liocranum au. L. Koch 1866, Arachn. Fam. Drassid. p. 366 (D ♀).
Liocranum au. L. Koch 1873, Arachn. Austral. 1 (1) p. 429 (D ♀).
M. au. Simon 1898, Hist. Nat. Araign. 2 (2) p. 195 (N).

♀ **bicolor** Hogg 1900. Victoria
M. b. Hogg 1900, Proc. Soc. Victoria (N. S.) 13 (1) p. 112 T. 16 F. 4 (D ♀).

♀ **fusca** Hogg 1900. Victoria
M. f. Hogg 1900, Proc. Soc. Victoria (N. S.) 13 (1) p. 113 T. 17 F. 1 (D ♀).

o **pallipes** (L. Koch) 1873. Victoria, Neu-S.-Wales
Liocranum p. L. Koch 1873, Arachn. Austral. 1 (1) p. 430 T. 34 F. 1 (D o).
M. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 195 (N).

♀ **pulchra** (Thorell) 1881. Neu-Guinea
Liocranum p. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 213 (D ♀).
M. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 195 (N).

♀ **pusilla** Simon 1896. Neu-Caledonien
M. p. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 415 (D ♀).

♀ **semiflava** Simon 1896. Queensland
M. s. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 414 (D ♀).
M. semilutea Simon 1897, Hist. Nat. Araign. 2 (1) p. 191 (N).

Neotropische Arten:

♀ **andina** Simon 1898. Ecuador
M. a. Simon 1898, Hist. Nat. Araign. 2 (2) p. 196 (D ♀).

♀ **glabra** Caporiacco 1947. Brit. Guiana
M. g. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 27 (D ♀).
M. g. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 677 (D ♀).

Gen. **Megalostrata** Karsch 1880.

§ 4 ♂: F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 62.

♂ **depicta** (Cambridge) 1895. Mexico

Delozeugma d. Cambridge 1895, Biol. Centr. Amer. Aran. 1 p. 145 T. 19 F. 1 (D ♂).
M. d. Simon 1897, Hist. Nat. Araign. 2 (1) p. 192 f. 200, 203 (N ♂).
M. d. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 63 (N ♂).

♂ **formidabilis** (Cambridge) 1893. Costa Rica, Mexico

Delozeugma f. Cambridge 1893, Biol. Centr. Amer. Aran. 1 p. 106 T. 14 F. 5 (D ♂).
M. f. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 63 (N ♂).
M. f. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 198 (N).

♂ **mordicans** (Cambridge) 1897. Guatemala

Delozeugma m. Cambridge 1897, Biol. Centr. Amer. Aran. 1 p. 225 T. 28 F. 1 (D ♂).
M. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 197 (N).
M. m. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 63 (N ♂).

♂ **venifica** Karsch 1880. – * Costa Rica

M. v. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 378 T. 12 F. 5 (D ♂).
M. venenifica Simon 1898, Hist. Nat. Araign. 2 (2) p. 209 (N).
M. v. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 63 (N ♂).

Gen. **Pseudocorinna** Simon 1910.

♀ **gracilior** Simon 1910. Fernando Poo

P. g. Simon 1910, Ann. Mus. Civ. Genova 44 p. 385 f. 18 (D ♀).

♂♀ **rutila** Simon 1910. – * Portug. Guinea

P. r. Simon 1910, Ann. Mus. Civ. Genova 44 p. 385 f. 17 (D ♂♀).

♀ **septemaculeata** Simon 1910. Fernando Poo

P. s. Simon 1910, Ann, Mus. Civ. Genova 44 p. 387 f. 19 (D ♀).

Gen. **Sanogasta** Mello-Leitao 1941.

♀ **intermedia** Mello-Leitao 1941. Argentinien

S. i. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 177 T. 10 F. 47; f. 68 (D ♀).

Gen. **Schiapellia** Mello-Leitao 1938.

♀ **gerschmanni** Mello-Leitao 1938. Argentinien

S. g. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 116 f. 36, 37 (D ♀).

Gen. **Scorteccia** Caporiacco 1936.

o **termitarum** Caporiacco 1936. Fezzan

S. t. Caporiacco 1936, Atti Soc. Ital. Sci. Nat. 75 p. 84 (D o).

Gen. **Stethorrhagus** Simon 1896.

♂ **abrahami** Mello-Leitao 1948. Brit. Guiana

S. a. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 183 f. 24 (D ♂).

♂ **duidae** Gertsch 1942. Venezuela
S. d. Gertsch 1942, Amer. Mus. Novit. 1195 p. 12 TF. 37 (D ♂).

♂ **hassleri** Gertsch 1942. Brit. Guiana
S. h. Gertsch 1942, Amer. Mus. Novit. 1195 p. 12 TF. 35 (D ♂).

♂♀ **limbatus** Simon 1896. – * Amazonas
S. l. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 421 (D ♂♀).
S. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 200 f. 198, 199, 202 (N).

♀ **lupulus** Simon 1896. Amazonas
S. l. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 422 (D ♀).

♂♀ **mastigostylus** Mello-Leitao 1948. Brit. Guiana
S. m. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (25) p. 185 f. 25 (D ♂♀).

♀ **roraimae** Gertsch 1942. Brasilien
S. r. Gertsch 1942, Amer. Mus. Novit. 1195 p. 13 TF. 36 (D ♀).

♀ **striatus** Franganillo 1935. Cuba
S. s. Franganillo 1935, Belen Habana Cuba 9 (51—52) p. 61 (D ♀).

4. Gr. Gallienielleae

Gen. **Gallieniella** Millot 1947.

♂ **mygaloides** Millot 1947. Madagascar
G. m. Millot 1947, Bull. Mus. Hist. Nat. Paris (2) 19 (2) p. 159 f. 1; TF. A—G (D ♂).

5. Subfam. Micariinae

§ 15 Gattungen (neotrop.): Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 284—285.

1. Gr. Molycrieae

Gen. **Ceryerda** Simon 1909.

♀ **cursitans** Simon 1909. W.-Australien
C. c. Simon 1909, Faun. S. W. Austral. 2 (12) p. 158 (D ♀).

Gen. **Honunius** Simon 1908.

♂ **quadricauda** Simon 1908. W.-Australien
H. q. Simon 1908, Fraun. S. W. Austral. 1 (12) p. 445 (D ♂).

Gen. **Jacaena** Thorell 1897.

♀ **distincta** Thorell 1897. Burma
J. d. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 231 (D ♀).

Gen. **Molycria** Simon 1887.

§ 4 Arten: Simon 1908, Faun. S. W. Austral. 1 (12) p. 443.

♀ **alboplagiata** Simon 1908. W.-Australien
M. a. Simon 1908, Faun. S. W. Austral. 1 (12) p. 445 (D ♀).

♀ **flavipes** Simon 1908. W.-Australien
M. f. Simon 1908, Faun. S. W. Austral. 1 (12) p. 444 (D ♀).

♂ **mammosa** (Cambridge) 1874. – * Neu-S.-Wales
Mutusca m. Cambridge 1874, Ann. Mag. Nat. Hist. (4) 14 p. 173 T. 17 F. 2 (D ♂).
M. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 158 (N).

♀ **splendida** Simon 1908. W.-Australien
M. s. Simon 1908, Faun. S. W. Austral. 1 (12) p. 444 (D ♀).

Gen. **Myandra** Simon 1887.

♂♀ **bicincta** Simon 1908. W.-Australien, Tasmanien
M. b. Simon 1908, Faun. S. W. Austral. 1 (12) p. 442 (D o).
M. b. Hickman 1927, Pap. Proc. Soc. Tasman. (1926) p. 81 f. 17—20 (D ♂♀).

o **cambridgei** Simon 1887. – * Victoria
M. c. Simon 1887, Ann. Soc. Ent. France (6) 7 Bull. p. 159 (D o).
M. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 157 f. 158 (N).

Gen. **Sphingius** Thorell 1890.

§ 7 ♂, 4 ♀: Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 269.

♂♀ **barkudensis** Gravely 1931. Indien
S. b. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 271 f. 19 G, H (D ♂♀).

♂♀ **bilineatus** Simon 1906. Indien
S. b. Simon 1906, Ann. Soc. Ent. France 75 p. 301 (D ♀).
S. b. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 272 f. 19 J, K (D ♂♀).

♂♀ **caniceps** Simon 1906. Indien
S. c. Simon 1906, Ann. Soc. Ent. France 75 p. 301 (D ♀).
S. c. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 271 f. 19 E, F (D ♂♀).

♀ **gracilis** (Thorell) 1895. Burma
Thamphilus g. Thorell 1895, Descr. Catal. Spid. Burma p. 36 (D ♀).
S. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 158 (N).

♂ **kambakamensis** Gravely 1931. Indien
S. k. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 271 f. 19 D (D ♂).

♂♀ **longipes** Gravely 1931. Indien
S. l. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 270 f. 19 A, B (D ♂♀).

♂ **nilgiriensis** Gravely 1931. S.-Dekan
S. n. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 271 f. 19 C (D ♂).

♂ **scrobiculatus** Thorell 1897. Burma
S. s. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 236 (D ♂).

♂ **scutatus** Simon 1897. Ceylon
S. s. Simon 1897, Ann. Soc. Ent. Belg. 41 p. 15 (D ♂).
S. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 155 f. 155—157 (N ♂).

♂ **thecatus** Thorell 1890. – * I. Pinang
S. t. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 285 (D ♂).
S. t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 158 (N).

♂♀ **tristiculus** Simon 1903. Annam
S. t. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 33 (D ♂♀).

♀ **vivax** (Thorell) 1897. Burma
Thamphilus v. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 233 (D ♀).

2. Gr. Pescennineae

Gen. **Pescennina** Simon 1903.

♀ **epularis** Simon 1903. Venezuela
P. e. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 33 (D ♀).
P. e. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1036 (N).

3. Gr. Micarieae

Gen. **Achalaicola** Mello-Leitao 1943.

♀ **vestita** Mello-Leitao 1943. Argentinien
A. v. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3. Zool. 20 p. 113 f. 15 (D ♀).

Gen. **Aetius** Cambridge 1896.

♂♀ **decollatus** Cambridge 1896. Ceylon, Dekan
Ae. d. Cambridge 1896, Proc. Zool. Soc. Lond. p. 1077 T. 52 F. 1 (D ♀).
Ae. d. Simon 1898, Hist. Nat. Araign. 2 (2) p. 214 (N).
Ae. d. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 491 (N ♂).

Gen. **Anachemmis** Chamberlin 1920.

♀ **dolichopus** Chamberlin 1920. Californien
A. d. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 13 T. 5 F. 6, 7 (D ♀).

♀ **scaber** Chamberlin 1920. – * Californien
A. s. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 13 T. 5 F. 5 (D ♀).

♀ **unicolor** (Banks) 1901. Arizona
Chemmis u. Banks 1901, Proc. U. Stat. Nat. Mus. 23 p. 583 T. 22 F. 11 (D ♀).

Gen. **Anatea** Berland 1927.

♂♀ **formicaria** Berland 1927. Neu-Caledonien
A. f. Berland 1927, Ann. Soc. Ent. France 95 Bull. p. 55 f. 1—7 (D ♂♀).

Gen. **Apochinomma** Pavesi 1881.

Aethiopische Arten:

♂♀ **formicaeforme** Pavesi 1881. – * Inhambane, Natal, W.-Afrika, Belg. Congo
A. f. Pavesi 1881, Ann. Mus. Civ. Genova 16 p. 546 (D ♀).
A. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 175 (N).
A. f. Simon 1910, Ann. Mus. Civ. Genova 44 p. 371 (D ♂♀).
A. f. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 215 f. 14 (D ♀).

♀ **semiglabrum** Simon 1896. Transvaal
A. s. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 409 (D ♀).

Orientalische Arten:

♀ **ambiguum** (Thorell) 1897. Burma

Tyrrhus a. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 238 (D ♂).
A. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 169 (N).

♀ **dolosum** Simon 1897. Indien

A. d. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 261 (D ♀).

♀ **nitidum** (Thorell) 1895. Burma

Tyrrhus n. Thorell 1895, Descr. Catal. Spid. Burma p. 39 (D o).
A. n. Simon 1897, Hist. Nat. Araign. 2 (1) p. 169 (N).
A. n. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 276 (N ♀).

Neotropische Arten:

§ 6 Arten: Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 48.

♀ **acanthaspis** Simon 1896. Mato Grosso

A. a. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 408 (D ♀).
A. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 160 f. 164 (N).

♀ **armatum** Mello-Leitao 1922. Brasilien

A. a. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 48 (D ♀).

♀ **bilineatum** Mello-Leitao 1939. Brasilien

A. b. Mello-Leitao 1939, Rev. Chil. Hist. Nat. 43 p. 175 (D ♀).

♀ **constrictum** Simon 1896. Brasilien

A. c. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 409 (D ♀).

♀ **dacetonoides** Mello-Leitao 1948. Brit. Guiana

A. d. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 182 f. 23 (D ♀).

♀ **formicoides** Mello-Leitao 1939. Mato Grosso

A. f. Mello-Leitao 1939, Bol. Biol. S. Paulo (N. S.) 4 (2) p. 289 f. 6—8 (D ♀).

♂ **formicum** Simon 1896. Brasilien

A. f. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 409 (D ♂).

♀ **myrmecioides** Mello-Leitao 1922. Brasilien

A. m. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 47 (D ♀).

♀ **planum** (F. Cambridge) 1899. Guatemala

Mazax p. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 83 T. 6 F. 11 (D ♀).
Mazax p. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 33 T. 1 F. 2; T. 2 F. 27 (N).

♀ **segregatum** (Chamberlin) 1925. Barro Colorado-I., Panama

Mazax s. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 221 (D ♀).

♀ **spinosum** (Cambridge) 1898. Guatemala, Mexico, Panama

Mazax s. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 276 T. 34 F. 2 (D ♀).
Mazax s. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 33 T. 1 F. 10; T. 2 F. 24; T. 6 F. 68 (N).

Transgredierende Arten:

♂♀ **peregrinum** (Gertsch) 1935. Texas, Mexico

Mazax p. Gertsch 1935, Amer. Mus. Novit. 805 p. 5 TF. 30 (nec 29) (D ♀, nec ♂).
Castaneira p. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 14 (N ♂).

Gen. **Cambalida** Simon 1910.

♀ **coriacea** Simon 1910. Sierra Leone
C. c. Simon 1910, Ann. Mus. Civ. Genova 44 p. 370 (D ♀).

♀ **fulvipes** Simon 1910. Portug. Guinea
C. f. Simon 1910, Ann. Mus. Civ. Genova 44 p. 369 (D ♀).

♀ **insulana** Simon 1910. – * Annobom
C. i. Simon 1910, Ann. Mus. Civ. Genova 44 p. 369 (D ♀).

Gen. **Castanilla** Caporiacco 1936.

♀ **marchesii** Caporiacco 1936. Libysche Wüste
C. m. Caporiacco 1936, Mem. Soc. Ent. Ital. 15 p. 110 f. 7 (D ♀).

♀ **quinquemaculata** Caporiacco 1936. – * Fezzan
C. q. Caporiacco 1936, Atti Soc. Ital. Sci. Nat. 75 p. 83 f. 4 (D ♀).

Gen. **Castianeira** Keyserling 1879.

Palaearktische Arten:

♀ **albimaculata** Saito 1934. Japan
C. a. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 292 T. 12 F. 11; T. 14 F. 49 (D ♀).

♀ **badia** (Simon) 1877. Spanien
Agroeca b. Simon 1877, Ann. Soc. Ent. France (5) 7 Bull. p. 189 (D ♀).
Tylophora b. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 378 (N).
Castaneira b. Reimoser 1919, Abh. Zool. Bot. Ges. Wien 10 (2) p. 185 (C).

O **drassodidoides** Strand 1915. Palästina
C. d. Strand 1915, Arch. Naturg. 81 (A; 2) p. 162 (D O).

♀ **ignea** (Cambridge) 1872. Palästina
Micaria i. Cambridge 1872, Proc. Zool. Soc. Lond. p. 248 T. 16 F. 30 (D ♀).
Castaneira i. Reimoser 1919, Abh. Zool. Bot. Ges. Wien (10 (2) p. 185 (C).

♂♀ **munieri** (Simon) 1877. Algier
Agroeca m. Simon 1877, Ann. Soc. Ent. France (5) 7 Bull. p. 189 (D ♂♀).
Tylophora m. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 378 (N).
Castaneira m. Reimoser 1919, Abh. Zool. Bot. Ges. Wien 10 (2) p. 186 (C).

Transgredierende Arten:

♂♀ **antinorii** (Pavesi) 1880. Tunis, Algier, Nil-Sudan, Oase Siwah
Tylophora a. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 345 (D ♂♀).
Castaneiro a. Simon 1907, Res. Swed. Zool. Exped. Egypt. a. White Nile 21 Arachn. p. 8 (N).
Castaneira a. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 66 T. 4 F. 10—12 (N ♂♀).

Aethiopische Arten:

♂ **albomaculata** (Berland) 1922. Kenya
Castaneira a. Berland 1922, Voy. Rothschild Ethiop.; Rés. Sci. Anim. Artic. 1 p. 69 T. A 2 F. 1 (D ♂).

♀ **bartholini** (Simon) 1901. O.-Afrika
Castaneira b. Simon 1901, Ann. Soc. Ent. France 70 p. 24 (D ♀).

♀ **bicolor** (Simon) 1890. O.-Afrika
Tylophora b. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 128 (D ♀).
Castaneira b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).

o **brunellii** Caporiacco 1940. Abessinien
C. b. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 842 (D o).

♂ **cecchii** (Pavesi) 1883. Abessinien, O.-Afrika
Tylophora c. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 50 (D ♂).
Castaneira c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).

♀ **delicatula** (Simon) 1910. Sierra Leone
Castaneira d. Simon 1910, Ann. Mus. Civ. Genova 44 p. 368 (D ♀).

♂ **deminuta** (Simon) 1910. Sierra Leone, Congo
Castaneira d. Simon 1910, Ann. Mus. Civ. Genova 44 p. 367 (D ♂).

♂ **depygata** Strand 1915. O.-Afrika
C. d. Strand 1915, Arch. Naturg. 81 (A; 11) p. 91 (D ♂).

♂ **formosula** (Simon) 1910. Fernando Poo
Castaneira f. Simon 1910, Ann. Mus. Genova 44 p. 365 (D ♂).

♀ **fulvipes** (Simon) 1896. Transvaal
Castaneira f. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 406 (D ♀).

♀ **fusconigra** (Berland) 1922. Kenya
Castaneira f. Berland 1922, Voy. Rothschild Ethiop.; Rés. Sci. Anim. Artic. 1 p. 68 f. 13 (D ♀).

♀ **insulicola** (Strand) 1915. O.-Afrika
C. (? = Castianeirodes) i. Strand 1915, Arch. Naturg. 81 (A; 11) p. 90 (D ♀).

♂♀ **kibonotensis** Lessert 1921. O.-Afrika, Abessinien
C. k. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 426 f. 62—65 (D ♂♀).

♂ **loricifera** (Simon) 1885. Senegambien
Tylophora l. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 379 (D ♂).
Castaneira l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).

♀ **majungae** (Simon) 1896. Madagascar
Castaneira m. Simon 1896, Bull. Mus. Nat. Paris 2 (7) p. 334 (D ♀).

♂♀ **mestrali** Lessert 1921. O.-Afrika
C. m. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 424 f. 59—61 (D ♂♀).
C. m. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 101 (N ♀).

♂o **micaria** (Simon) 1885. Senegambien
Tylophora m. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 378 (D ♂♀).
Castaneira m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).

♂♀ **phaeochroa** (Simon) 1910. Portug. Guinea
Castaneira p. Simon 1910, Ann. Mus. Civ. Genova 44 p. 366 (D ♂♀).

♀ **soyauxii** (Karsch) 1879. Congo
Micaria s. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 343 (D ♀).
Tylophora s. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 378 (N).

♂♀ **thomensis** (Simon) 1910. San Thomé
Castaneira t. Simon 1910, Ann. Mus. Civ. Genova 44 p. 364 (D ♂♀).

♀ **venustula** (Pavesi) 1895. Abessinien
Tylophora v. Pavesi 1895, Ann. Mus. Civ. Genova 35 p. 511 (D ♀).
Castaneira v. Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 169 (N ♀).

Orientalische Arten:

§ 4 ♀: Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 273.

o **albopicta** (Gravely) 1931. Indien
Castaneira a. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 275 (D o).

♂♀ **flavipes** (Gravely) 1931. Indien
Castaneira f. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 275 f. 20 D, E (D ♂♀).

♀ **himalayensis** (Gravely) 1931. Himalaya
Castaneira h. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 275 f. 20 C (D ♀).

o **inquinata** (Thorell) 1890. Sumatra
Agroeca i. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 352 (D o).
Castaneira i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).

♂ **plumosa** (Thorell) 1881. I. Ternate
Corinna p. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 216 (D ♂).
Castaneira p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).

♂ **quadrimaculata** (Reimoser) 1934. S.-Dekan
Castaneira q. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 490 f. 13 (D ♂).

♂♀ **zetes** (Simon) 1897. Dekan
Castaneira z. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 294 (D ♀).
Castaneira z. Simon 1906, Ann. Soc. Ent. France 75 p. 302 (N).
Castaneira z. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 273 f. 20 A, B (N ♂♀).

Neotropische Arten:

§ 12 Arten: Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 46.
§ 3 ♂, 3 ♀: Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 2.

♂♀ **albivulvae** (Mello-Leitao) 1922. Brasilien
Castaneira a. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 43 (D ♂♀).

♀ **argentina** Mello-Leitao 1942. Argentinien
C. a. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 414 (D ♀).

♀ **atypica** (Mello-Leitao) 1929. Pernambuco
C. a. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 107 (D ♀).

♀ **brevis** Keyserling 1891. Brasilien
C. b. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 75 T. 2 F 43 (D ♀)

♂ **buelowae** Mello-Leitao 1946. Paraguay
C. b. Mello-Leitao 1946, Notas Mus. La Plata 11 (91) p. 18 f. 2 (D ♂).

♀ **carvalhoi** Mello-Leitao 1947. Minas Geraes
C. c. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan., Zool. 80 p. 20 T. 6 F. 43 (D ♀).

♀ **chrysura** Mello-Leitao 1943. Rio Grande do Sul
C. c. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 216 TF. 43 (D ♀).

♀ **claveroensis** Mello-Leitao 1943. Argentinien
C. c. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. 20 p. 114 (D ♀).

♂♀ **cubana** Bryant 1940. Cuba
C. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 446 T. 17 F. 228, 232 (D ♂♀).

♀ **cylindracea** (Simon) 1896. Brasilien
Castaneira c. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 405 (D ♀).

♀ **dentata** Chickering 1937. Panama
C. d. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 3 T. 1 F. 8; T. 2 F. 19; T. 5 F. 55 (D ♀).

♂♀ **dorsata** (Banks) 1898. Nieder-Californien
Thargalia d. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 228 T. 13 F. 30 (D ♂♀).
Castaneira d. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 453 (C).

♀ **dubia** (Mello-Leitao) 1922. Brasilien
Castaneira d. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 44 (D ♀).

♂ **dugesii** (Becker) 1879. Mexico
Micariaulax d. Becker 1879, Ann. Soc. Ent. Belg. 22 p. 83 T. 2 F. 9, 10 (D ♂).
Castaneira d. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).
C. d. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 81 (N).

♀ **flebilis** Cambridge 1898. Mexico
C. f. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 286 T. 32 F. 8 (in F. **„debilis“**) (D ♀).

♀ **floridana** (Banks) 1904. Florida
Thargalia f. Banks 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 124 T. 2 F. 11 (D ♀).
Castaneira f. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 453 (C).

♂ **gaucha** Mello-Leitao 1943. Rio Grande do Sul
C. g. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 217 TF. 44 (D ♂).

♀ **gracilis** (Banks) 1898. Mexico
Thargalia g. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 229 T. 13 F. 29 (D ♀).
Castaneira g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 453 (C).

♀ **isophthalma** Mello-Leitao 1930. Amazonas
C. i. Mello-Leitao 1930, Arch. Mus. Nac. R. d. Janeiro 32 p. 68 TF 32, 33 (D ♀).

♀ **lachrymosa** (Cambridge) 1898. Mexico, Panama
Pedo l. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 275 T. 34 F. 4 (D ♀).
C. l. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 286 (C ♀).
C. l. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 4 T. 5 F. 58 (N).

♀ **leptopoda** Mello-Leitao 1929. Pernambuco
C. l. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 108 TF. 19 (D ♀).

♀ **littoralis** (Mello-Leitao) 1926. Brasilien
Castaneira l. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 11 (D ♀).

♀ **luctuosa** Cambridge 1898. Mexico, Panama
C. l. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 287 T. 32 F. 9 (D ♀).
C. l. Banks 1929, Bull. Mus. Zool. Harvard 69 (3) p. 59 T. 3 F. 52; T. 4 F. 71 (N ♀).

♀ **lugens** Cambridge 1898. Mexico
C l. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 288 T. 32 F. 10 (D ♀).

♂ **luteipes** (Mello-Leitao) 1922. Brasilien
Castaneira l. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 45 (D ♂).

♂♀ **maculata** Keyserling 1891. Brasilien
C. m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 74 T. 2 F. 42 (D ♀).

♂♀ **memnonia** (C. L. Koch) 1842. Columbien, Panama
Corinna m. C. L. Koch 1842, Die Arachniden 9 p. 20 TF. 704 (D ♀).
Thargalia m. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 376 (C ♀).
Castaneira m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).
C. m. Banks 1929, Bull. Mus. Zool. Harvard 69 (3) p. 59 T. 1 F. 11; T. 3 F. 50; T. 4 F. 64 (N ♂♀).
C. m. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 4 T. 4 F. 44; T. 5 F. 61 (D ♂).

♀ **mexicana** (Banks) 1898. Mexico
Thargalia m. Banks 1989, Proc. Calif. Ac. Sci. (3) 1 (7) p. 68 T. 13 F. 38 (D ♀).
C. m. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 82 (N).

♀ **minensis** (Mello-Leitao) 1926. S.-Brasilien
Castaneira m. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Janeiro 2 (6) p. 12 f. 12 (D ♀).

♂ **nitida** Chickering 1937. Panama
C. n. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 6 T. 1 F. 64; T. 4 F. 46, 50 (D ♂).

♂ **obscura** Keyserling 1891. Brasilien
C. o. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 71 T. 2 F. 40 (D ♂).
C. o. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 326 f. 26, 28, 39, 40 (D ♂).

♀ **onerosa** (Keyserling) 1891. Brasilien
Tylophora o. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 76 T. 2 F. 44 (D ♀).
Castaneira o. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).

♀ **ornata** (Cambridge) 1896. Guatemala, Mexico
Pedo o. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 220 T. 26 F. 14 (D ♀).
C. o. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 81 (N).

♂ **patellaris** Mello-Leitao 1943. Rio Grande do Sul
C. p. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 218 TF. 45 (D ♂).

♀ **pedo** Roewer 1951. Mexico
Pedo plumosa Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 242 T. 31 F. 12 (D ♀) (praeocc. Thorell 1881, sub **Corinna).**
C. plumosa, F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 81 (N).
C. p. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 446 (nom. nov.).

♀ **pictipes** Mello-Leitao 1947. Argentinien
C. p. Mello-Leitao 1947, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 414 (D ♀).

♂♀ **plorans** (Cambridge) 1898. Guatemala, Mexico
Pedo p. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 274 T. 33 F. 10, 11 (D ♂♀).
C. p. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 81 (N).

♂ **polyacantha** Mello-Leitao 1929. Pernambuco
C. p. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 105 (D ♂).

♀ **pugnax** Mello-Leitao 1948. Brit. Guiana
C. p. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 181 f. 22 (D ♀).

♂ **pusilla** Chickering 1937. Panama
C. p. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 7 T. 1 F. 3; T. 4 F. 47 (D ♂).

♀ **pyriformis** Keyserling 1891. Brasilien
C. p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 70 T. 2 F. 39 (D ♀).

♀ **quechua** (Chamberlin) 1916. Peru
Castaneira qu. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 273 T. 22 F. 1 (D ♀).

♂ **rubicunda** Keyserling 1879. – * Columbien
C. r. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 335 T. 4 F. 28 (D ♂).
Castaneira r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 172 (N).

♀ **rutilans** (Simon) 1896. Brasilien
Castaneira r. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 404 (D ♀).

♀ **salticina** (Taczanowski) 1874. Guiana
Macaria s. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 75 T. 2 F. 3 (D ♀).
Castaneira s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).

♀ **setosa** Mello-Leitao 1947. Brasilien
C. s. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 287 T. 39 F. 38 (D ♀).

♀ **sexmaculata** (Mello-Leitao) 1926. Brasilien
Castaneira s. Mello-Leitao 1926, Bol. Mus. Nac. R. d. Jan. 2 (6) p. 13 f. 13 (D ♀).

♀ **spinipalpis** Mello-Leitao 1945. Argentinien
C. s. Mello-Leitao 1945, Rev. Mus. La Plata (N.S.), Zool. 4 (29) p. 259 f. 44 (D ♀).

♂♀ **spinosa** (Simon) 1897. St. Vincent
Castaneira s. Simon 1897, Proc. Zool. Soc. Lond. p. 882 (D ♂♀).

♂♀ **tenuiformis** (Simon) 1896. Paraguay, Bolivien
Castaneira t. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 405 (D ♂♀).

♀ **tenuis** (Simon) 1896. Brasilien
Castaneira t. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 405 (D ♀).

♂ **teres** (Simon) 1897. Paraguay
Castaneira t. Simon 1897, Bull. Mus. Zool. Torino 12 (270) p. 8 (D ♂).

♀ **valida** Keyserling 1891. Brasilien

C. v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p 68 T. 2 F. 37 (D ♀).

♂♀ **varia** Keyserling 1891. Brasilien

C. v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 69 T. 2 F. 38 (D ♀).
Castaneira v. Mello- Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 44 (D ♂).
C. v. Camargo 1950, Arqu. Zool. S. Paulo 7 (8) p. 462 f. 5a—g (D ♂).

♀ **venusta** (Banks) 1898. Mexico

Thargalia v. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 227 T. 13 F. 35 (D ♀).
Castaneira v. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 456 (C).

♀ **virgulifera** (Mello-Leitao) 1922. Brasilien

Castaneira v. Mello-Leitao 1922, Arch. Escol. Sup. Agric. 6 (1—2) p. 45 (D ♀).

♀ **vittatula** Roewer 1951. S.-Brasilien

C. vittata Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 73 T. 2 F. 41 (D ♀). (praeocc. Walckenaer 1837 sub **Sphasus**).
C. v. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 446 (nom. nov.).

♀ **xanthomela** Mello-Leitao 1941. Santa Fe

C. x. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 221 (D ♀).

Transgredierende Arten:

♂♀ **amoena** (C. L. Koch) 1842. Canada, U. St. Amerika, Mexico

Corinna a. C. L. Koch 1842, Die Arachniden 9 p. 21 TF. 705 (D ♀).
Herpyllus ornatus Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 456 T. 24 F. 6 (D ♀).
Herpyllus marmoratus Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 458 T. 24 F. 10 (D ♂).
Sparassus a. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 561 (D ♀).
Thargalia marmorata Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 513 (C).
Thargalia a. Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 513 (C).
Thargalia ornata Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 514 (C).
Thargalia a. Banks 1893, Journ. N. York Ent. Soc. 1 p. 127 (N).
Castaneira a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).
Castaneira a. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 185 T. 23 F. 34 (D ♂).
Castaneira a. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 12 (N ♀).

Nearktische Arten:

§ 3 Arten: Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 57.
§ 8 (♂, ♀): Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 394.

♀ **agilis** (Banks) 1892. New York

Thargalia a. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 15 T. 1 F. 52 (D ♀).
Thargalia a. Banks 1893, Journ. N. York Ent. Soc. 1 p. 127 (N).
Castaneira a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 452 (C).

♂♀ **alata** Muma 1945. Maryland

C. a. Muma 1945, Proc. Biol. Soc. Wash. 58 p. 97 T. 10 F. 11—13 (D ♂♀).

♂♀ **alteranda** Gertsch 1942. Montana

C. a. Gertsch 1942, Amer. Mus. Novit. 1195 p. 6 TF. 19—20 (D ♂♀).

o **arizonica** Gertsch 1942. Arizona

C. a. Gertsch 1942, Amer. Mus. Novit. 1195 p. 8 (D o).

♂♀ **aurata** Emerton 1913. U. St. Amerika

C. a. Emerton 1913, Bull. Amer. Mus. Nat. Hist. 32 p. 258 T. 48 F. 8 (D ♂♀).
C. a. Kaston 1938, Connect. Geol. Nat. Hist. Surv. Bull. 60 p. 193 (N).
C. a. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 180 (C).
C. gertschi Kaston 1945, Amer. Mus. Novit. 1290 p. 6 TF. 27—29 (D ♂♀).
C. gertschi Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 397 T. 75 F. 1413—15 (D ♂♀).

♀ **canadensis** (Banks) 1897. Canada

Thargalia c. Banks 1897, Canad. Ent. 29 p. 193 (D ♀).
Castaneira c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 452 (C).

♂♀ **cingulata** (C. L. Koch 1842. U. St. Amerika, Canada

Corinna c. C. L. Koch 1842, Die Arachniden 9 p. 22 TF. 706 (D ♀).
Herpyllus zonarius Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 460 T. 24 F. 17 (D ♀).
Sparassus c. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 562 (D ♀).
Thargalia c. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 376 (N ♀).
C. bivittata Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 442 T. 6 F. 16 (D ♀).
Geotrecha bivittata Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 169 T. 3 F. 3 (D ♂♀).
Thargalia c. Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 513 (C).
Thargalia zonaria Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 514 (C).
Thargalia bivittata Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 17 (N).
Geotrecha bivittata Emerton 1902, Common Spiders p. 8 f. 23—24 (D ♀).
Castaneira c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 455 (C).
C. c. Comstock 1912, Spider Book p. 578 f. 655 (N).
C. c. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 57 f. 17—19 (N ♂♀).
C. c. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 394 T. 74 F. 1401; T. 75 F. 1408; T. 76 F. 1424—25 (D ♂♀).

♀ **crucigera** (Hentz) 1847. Nord-Carolina, Georgia

Herpyllus c. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 458 T. 24 F. 11 (D ♀).
C. c. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 180 TF. 20 (N ♀).

♂♀ **descripta** (Hentz) 1847. U. St. Amerika, Canada

Herpyllus d. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 456 T. 24 F. 7 (D ♀).
Herpyllus crocatus Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 457 T. 24 F. 8 (D ♂).
Geotrecha crocata Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 171 T. 3 F. 5 (D ♂♀).
Thargalia crocata Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 513 (C).
Thargalia fallax Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 16 T. 1 F. 54 (D ♂).
Thargalia crocata Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 17 (N).
Castaneira d. Simon 1897, Hist. Nat. Araign. 2 (1) p. 160 f. 161, 162 (N).
Geotrecha crocata Emerton 1902, Common Spid. p. 7 f. 20—22 (D ♂♀).
Castaneira d. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 185 (N).
C. d. Comstock 1912, Spider Book p. 578 f. 656—657 (N).
Castaneira d. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 185 (N).
C. d. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 59 f. 20—23 (N ♂♀).
C. d. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 395 T. 74 F. 1402; T. 75 F. 1409—10; T. 76 F. 1426 (D ♂♀).

♂♀ **lineata** Emerton 1909. Massachusets, Connecticut, Maryland

C. l. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 216 T. 10 F. 5 (D ♂♀).
C. l. Muma 1944, Amer. Mus. Novit. 1257 p. 10 (N ♀).
C. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 398 T. 74 F. 1407; T. 76 F. 1428—29 (D ♂♀).

♂♀ **longipalpus** (Hentz) 1847. U. St. Amerika

Herpyllus l. Hentz 1847, Boston. Journ. Nat. Hist. Soc. 5 p. 457 T. 24 F. 9 (D ♀).
Geotrecha pinnata Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 170 T. 3 F. 4 (D ♂♀).
Thargalia l. Marx 1889, Proc. U. St. Nat. Mus. 12 p. 513 (C).
Thargalia pinnata Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 514 (C).
Thargalia perplexa Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 15 T. 1 F. 53 (D ♀).
Thargalia pinnata Banks 1893, Journ. N. York Ent. Soc. 1 p. 127 (N).
Thargalia l. Banks 1893, Journ. N. York Ent. Soc. 1 p. 127 (N).
C. pinnata Bryant 1908, Occ. Pap. Boston Soc. Nat. Hist. 7 (9) p. 74 (D).
C. l. Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 11 (N).
C. l. Comstock 1912, Spider Book p. 579 f. 658 (N).
C. l. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 60 f. 24—27 (N ♂♀).
C. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 398 T. 74 F. 1403; T. 75 F. 1411; T. 76 F. 1427 (D ♂♀).

♀ **luctifera** Petrunkevitch 1911. Arizona

Thargalia luctuosa Banks 1901, Proc. U. Stat. Nat. Mus. 23 p. 584 T. 22 F. 1 (D ♀).
Castaneira l. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 454 (nom. nov.).

♀ **modesta** (Banks) 1901. Neu-Mexico

Thargalia m. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 575 T. 23 F. 5 (D ♀).
Castaneira m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 454 (C).

♂ **nanella** (Gertsch) 1933. Utah

Castaneira n. Gertsch 1933, Amer. Mus. Novit. 637 p. 6 TF. 3 (D ♂).

stupkai Barrows 1940. Tennessee

C. s. Barrows 1940, Journ. Ohio Sci. 40 (3) p. 137 f. (D).

♀ **tricolor** (C. L. Koch) 1842. U. St. Amerika

Corinna t. C. L. Koch 1842, Die Arachniden 9 p. 24 TF. 707 (D ♀).
Sparassus t. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 562 (D ♀).
Thargalia t. Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 514 (C).
Castaneira t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 167 (N).
Castaneira t. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 456 (C).

♂♀ **trilineata** (Hentz) 1847. Nord-Carolina, Georgia

Herpyllus t. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 460 T. 24 F. 18 (D ♀).
C. t. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 181 (N ♂).
C. t. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 397 T. 75 F. 1423; T. 142 F. 2123 (D ♂♀).

♀ **tristis** (Keyserling) 1887. Maryland

Agroeca t. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 436 T. 6 F. 11 (D ♂).
C. t. Banks 1910, Bull. U. St. Nat. Mus. 72 p. 11 (N).

♂♀ **variata** Gertsch 1942. Östl. U. St. Amerika
C. v. Gertsch 1942, Amer. Mus. Novit. 1195 p. 6 TF. 21 (D ♂♀).
C. v. Muma 1944, Amer. Mus. Novit. 1257 p. 10 (N ♂).
C. v. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 396 T. 74 F. 1404; T. 75 F. 1412 (D ♂♀).

♀ **vittata** (Walckenaer) 1837. Georgia
Sphasus v. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 378 (D ♀).
Oxyopes v. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 387 (C).
C. v. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 181 TF. 4 (N ♀).

♂♀ **vulnerea** Gertsch 1942. New York, Long Island, Connecticut
C. v. Gertsch 1942, Amer. Mus. Novit. 1195 p. 7 TF. 22—23 (D Oo).
C. v. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 398 T. 74 F. 1405—06 (D ♂♀).

♂ **walsinghami** (Cambridge) 1874. Oregon
Agroeca w. Cambridge 1874, Proc. Zool. Soc. Lond. p. 416 (D ♂).
Castaneira w. Simon 1897, Hist. Nat. Araign. (2 (1) p. 167 (N).

♀ **zionis** Chamberlin & Woodbury 1929. Utah
C. z. Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 139 T. 2 F. 5 (D ♀).

Gen. **Chemmis** Simon 1898.

Neotropische Arten:

♂ **barroanus** Chamberlin 1925. Barro Colorado-I., Panama
C. b. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 223 (D ♂).

♀ **bruneri** Bryant 1936. Cuba
C. b. Bryant 1936, Mem. Soc. Cuban. Hist. Nat. (10 (5) p. 331 T. 23 F. 9 (D ♀).

♀ **frederici** Simon 1898. – * Costa Rica, Guatemala, Mexico
C. f. Simon 1898, Hist. Nat. Araign. 2 (2) p. 215 (D ♀).
Menalippe punctigera Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 285 T. 32 F. 7 (D ♀).
C. f. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 92 T. 7 F. 2; T. 8 F. 1 (N ♀).
Melanippe punctigera Simon 1903, Hist. Nat. Araign. 2 (2) p. 1037 (N).
C. punctigera Banks 1914, Proc. Ac. Nat. Sci. Philad. 65 p. 677 T. 28 F. 8 (N ♀).

♀ **monisticus** Chamberlin 1924. Nieder-Californien
C. m. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 667 f. 111 (D ♀).

Nearktische Arten:

♀ **steckleri** Gertsch 1936. Arizona
C. st. Gertsch 1936, Amer. Mus. Novit. 852 p. 17 (D ♀).

Gen. **Coenoptychus** Simon 1885.

♂♀ **pulcher** Simon 1885. Indien, Ceylon
C. p. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 37 (D ♀).
Onychocryptus mutillaris Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 295 T. 11 F. 17 (D ♀).
C. pulchellus Simon 1897, Hist. Nat. Araign. 2 (1) p. 174 (N).
C. pulchellus Green 1912, Spolia Ceylan. 8 p. 92 TF. 5, 6 (D ♂♀).
C. p. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 276 f. 20 G (N ♀).

Gen. **Copa** Simon 1885.

Aethiopische Arten:

♀ **agelenina** Simon 1910. Kalahari
C. a. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 202 (D ♀).

♀ **auroplumosa** Strand 1907. Nossibé
C. a. Strand 1907, Zool. Anz. 31 (23) p. 740 (D ♀).
C. a. Strand 1908, Nayt. Mag. Naturvid. 46 (2) p. 136 (D ♀).

♂♀ **benina** Strand 1915. O.-, S.- u. SW.-Afrika
C. b. Strand 1915, Arch. Naturg. 81 (A; 11) p. 93 (D ♀).
C. b. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 429 f. 66—69 (D ♂♀).
C. b. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 253 (N ♀).
C. b. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 251 (N ♂).

♂♀ **benina nigra** Lessert 1933. Angola
C. b. n. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 129 f. 48 (D ♂♀).

♀ **flavoplumosa** Simon 1885. – * W.-Afrika
C. f. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 396 (D ♀).
C. flavopilosa Simon 1897, Hist. Nat. Araign. 2 (1) p. 160 f. 159 (N).
C. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 168 u. 173 f. 159 (N).

♀ **lacustris** Strand 1915. O.-Afrika
C. l. Strand 1915, Arch. Naturg. 81 (A; 11) p. 94 (D ♀).

o **lineata** Simon 1903. Madagascar
C. l. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 138 (D o).

♀ **longespina** Simon 1910. Portug. Guinea
C. l. Simon 1910, Ann. Mus. Civ. Genova 44 p. 370 (D ♀).

Orientalische Arten:

♀ **annulata** Simon 1896. Ceylon
C. a. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 407 (D ♀).

♀ **spinosa** Simon 1896. Ceylon
C. s. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 406 (D ♀).

Gen. **Corinnomma** Karsch 1880.

Aethiopische Arten:

♀ **olivaceum** Simon 1896. Abessinien
C. o. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 403 (D ♀).

Orientalische Arten:

♀ **comulatum** Thorell 1891. Nicobaren
C. o. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 23 (D ♀).

♂♀ **harmandi** Simon 1886. Indien, Burma, Malakka, Thailand, Sipora, Celebes
C. h. Simon 1886, Act. Soc. Linn. Bord. 40 p. 158 (D ♀).
C. h. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 45 (D ♂).
C. h. Workman 1986, Malays. Spiders p. 79 T. 79 (D ♀).
C. h. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 276 f. 20 F (N ♀).

♂ **moerens** Thorell 1890. Sumatra
C. m. Thorell 1890, Ann. Mus. Civ. Genova 28 p. 349 (D ♂).

♀ **quadritaeniatum** Simon 1905. Java
C. q. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 69 (D ♀).

♀ **rufofuscum** Reimoser 1934. Indien
C. r. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 491 f. 14 (D ♀).

♂ **severum** (Thorell) 1877. – * Celebes
Corinna s. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 481 (D ♂).
C. s. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 375 (N).
C. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 173 (N).

♂ **severum javanum** Simon 1905. Java
C. s. j. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 68 (D ♂).

♂♀ **thorelli** Simon 1905. Java
C. t. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 68 (D ♂♀).

Australische Arten:

♀ **formiciforme** Rainbow 1904. Neu-S.-Wales
C. f. Rainbow 1904, Rec. Austral. Mus. 5 (5) p. 335 T. 46 F. 10—12 (D ♀).

♂♀ **suaverubens** Simon 1896. Queensland
C. s. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 403 (D ♂♀).

Neotropische Arten:

♂ **albobarbatum** Simon 1897. St. Vincent
C. a. Simon 1897, Proc. Zool. Soc. Lond. p. 883 (D ♂).

Gen. **Donuea** Strand 1932.

♂ **decorsei** (Simon) 1903. Madagascar
Donuca d. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 138 (D ♂).
D. d. Strand 1932, Folia Zool. Hydrobiol. 4 (1) p. 136 (nom. nov. gen.).

Gen. **Drassyllochemmis** Gertsch & Davis 1936.

♂ **captiosus** Gertsch & Davis 1936. Texas
D. c. Gertsch & Davis 1936, Amer. Mus. Novit. 881 p. 17 TF. 34 (D ♂).

Gen. **Graptartia** Simon 1896.

Palaearktische Arten:

♀ **scabra** (Simon) 1878. Algier, Marokko
Micaria sc. Simon 1878, Arachn. de France 4 p. 26 (D ♀).
G. sc. Simon 1932, Arachn. de France 6 (4) p. 974 (N).

Aethiopische Arten:

♀ **granulosa** Simon 1896. – * Sambesi, Portug. O.-Afrika, Belg. Congo
G. g. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 411 (D ♀).
G. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 174 (N).
G. g. Berland 1922, Voy. Rothschild Ethiop.; Rés. Sci. Anim. Artic. 1 p. 72 T. A 5 F. 4 (N ♀).
G. g. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 276 f. 73 (D ♀).

Gen. **Heterochemmis** F. Cambridge 1899.

♂♀ **mirabilis** (Cambridge) 1896. – * Mexico
Liocranum m. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p, 214 T. 26 F. 8, 9 (D ♂♀).
H. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 92 (N ♂♀).

♀ **mutatus** Gertsch & Davis 1940. Mexico
H. m. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 21 TF. 25 (D ♀).

Gen. **Liparochrysis** Simon 1909.

♂ **resplendens** Simon 1909. W.-Australien
L. r. Simon 1909, Faun. S. W. Austral. 2 (12) p. 177 (D ♂).

Gen. **Merenius** Simon 1909.

♂♀ **alberti** Lessert 1923. Natal
M. a. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 192 f. 38—41 (D ♂♀).
M. a. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 251 (N ♂♀).
M. a. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 502 (C).

♂ **concolor** Caporiacco 1947. Kilimandjaro
M. c. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 198 f. 44 (D ♂).

♀ **myrmex** Simon 1910. Portug. Guinea
M. m. Simon 1910, Ann. Mus. Civ. Genova 44 p. 374 (D ♀).

♀ **plumosus** Simon 1910. – * Portug. Guinea
M. p. Simon 1910, Ann. Mus. Civ. Genova 44 p. 373 (D ♀).

♀ **proximus** Lessert 1929. Belg. Congo
M. p. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 154 f. 29 (D ♀).

♀ **proximus quadrimaculatus** Lessert 1946. Belg. Congo
M. p. q. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 216 f. 15 (D ♀).

♂♀ **recurvatus** (Strand) 1906. Abessinien, O.-Afrika
Castaneira r. Strand 1906, Zool. Anz. 30 (19—20) p. 636 (D ♀).
Castaneira r. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 57 (D ♀).
M. r. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 197 (N ♂♀).

♂♀ **simoni** Lessert 1921. O.-Afrika, Belg. Congo
M. s. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 431 f. 70—73 (D ♂♀).
M. s. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 217 f. 17 (N ♂).

♂ **solitarius** Lessert 1946. Belg. Congo
M. s. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 217 f. 16, 18 (D ♂).

♀ **tenuiculus** Simon 1910. Sierra Leone
M. t. Simon 1910, Ann. Mus. Civ. Genova 44 p. 375 (D ♀).

Gen. **Messapus** Simon 1898.

♂♀ **martini** Simon 1898. – * Natal
M. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 214 (D ♂♀).

♀ **secundus** Strand 1907. O.-Afrika
M. s. Strand 1907, Zool. Anz. 31 (17—18) p. 543 (D ♀).
M. s. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 690 (D ♀).

Gen. **Methesis** Simon 1896.

Australische Arten:

♂♀ **bimaculata** Simon 1896. Queensland

M. b. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 411 (D ♂♀).
M. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 172 (N).

Neotropische Arten:

♀ **semirufa** Simon 1896. – * Bolivien

M. s. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 411 (D ♀).
M. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 172 (N).

Gen. **Micaria** Westring 1851.

Palaearktische Arten:

§ 9 Arten: L. Koch 1866, Arachn. Fam. Drassid. p 52.
§ 14 ♂, ♀: Simon 1878, Arachn. de France 4 p. 7—9.
§ 9 ♂, 10 ♀: Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 253—255.
§ 7 Arten: Soerensen 1904, Ent. Meddel. (2) 1 p. 263.
§ 12 ♂, 13 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 38—40 TF. 439—458.
§ 11 ♂, 12 ♀: Simon 1932, Arachn. de France 6 (4) p. 948—956.
§ 9 ♂, 9 ♀: Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 87.
§ 8 Arten: Palmgren 1943, Act. Zool. Fenn. 36 p. 64.
§ 6 ♂, 8 ♀: Tullgren 1946: Svensk Spindelfauna 3 p. 59—60.

♂♀ **aenea** Thorell 1871. Skandinavien, Finnland

M. a. Thorell 1871, Rem. Syn. Europ. Spiders p. 175 (D ♀).
M. foveata Strand 1900, Norsk. Vid. Selsk. Skrift. (2) p. 33 f. d (D ♀).
M. a. Palmgren 1943, Act. Zool. Fenn. 36 p. 71 f. (D ♂♀).
M. a. Tullgren 1946, Svensk Spindelfauna 3 p. 67 f. 20C; T. 11 F. 138 (D ♂♀).

♂ **aciculata** Simon 1895. Sibirien

M. a. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 339 (D ♂).

♀ **albimana** Cambridge 1872. Palästina

M. a. Cambridge 1872, Proc. Zool. Soc. Lond. p. 251 T. 16 F. 34 (D ♀).

♀ **albovittata** (Lucas) 1846. Algier, Tunis

Drassus a. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 226 T. 14 F. 1 (D ♀).
Macaria a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
M. a. Simon 1878, Arachn. de France 4 p. 28 (C).
M. a. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 59 (N ♀).

♂♀ **alpina** L. Koch 1872. England, Frankreich, Schweiz, Tirol, Schweden

M. a. L. Koch 1872, Zeitschr. Ferdinand. Tirol (3) 17 p. 313 (D ♀).
M. a. Simon 1878, Arachn. de France 4 p. 24 (D ♂).
M. breviuscula Simon 1878, Arachn. de France 4 p. 25 (D ♀).
M. breviuscula Lessert 1907, Rev. Suisse Zool. 15 p. 120 f. 18—20 (D ♂♀).
M. breviuscula Lessert 1910, Catal. Invert. Suisse; Araign. p. 438 (D ♂♀).
M. foveata Schenkel 1931, Naturw. Untersuchg. Sarakgeb. Zool. 4 (10) p. 975 f. 12 (D ♂).
M. a. Simon 1932, Arachn. de France 6 (4) p. 955, 976 f. 1488, 1489 (D ♂♀).
M. a. Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 225, 232 (N).
M. a. Palmgren 1943, Act. Zool. Fenn. 36 p. 72 f. (N).

M. a. Tullgren 1946, Svensk Spindelfauna, 3 p. 68 f. 20D; T. 11. 139—141 (D ♂♀).
M. a. Locket & Millidge 1951, Brit. Spiders I. p. 123 f. 63E, F. H. (D ♂♀).

♂♀ **canestrinii** Roewer 1951. Oberitalien, Corsica, Spanien

M. aurata Canestrini 1868, Annuar. Soc. Nat. Modena 3 p. 192 (D ♀) (praeocc. Hentz 1847, sub **Herpyllus**).
M. aurata Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 848 (D ♂♀).
M. aurata Simon 1878, Arachn. de France 4 p. 27 (D ♂♀).
M. aurata Simon 1932, Arachn. de France 6 (4) p. 950, 974 f. 1473 (D ♀).
M. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♀ **centrocnemis** Kulczynski 1885. Kamtschatka

M. c. Kulczynski 1885, Denkschr. Ak. Wiss. Krakau 11 p. 42 T. 11 F. 2 (D ♀).

♀ **claripes** Dönitz & Strand 1906. Japan

M. c. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 388 T. 6 F. 68 (D ♀).

♂♀ **connexa** Cambridge 1885. Yarkand

M. c. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 20 (D ♂♀).

♂ **dahlii** Bösenberg 1899. Rheinland

M. d. Bösenberg 1899, Verh. Nat. Ver. Rheinl. Westf. 56 p. 119 T. 1 F. 7 (D ♂).
M. d. Bösenberg 1902, Zoologica 14 (2—4) p. 290 T. 27 F. 426 (D ♂).
M. d. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 92 f. 85 (D ♂).

♂♀ **decorata** Tullgren 1942. Schweden, Finnland

M. d. Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 225, 232 T. 2 F. 5 (D ♂♀).
M. d. Palmgren 1943, Act. Zool. Fenn. 36 p. 68 f. (N).
M. d. Tullgren 1946, Svensk Spindelfauna 3 p. 64 f. 18D; T. 11 F. 131—133 (D ♂♀).

♂ o **eltonii** Jackson 1922. Spitzbergen

M. e. Jackson 1922, Ann. Mag. Nat. Hist. (9) 9 p. 166 f. 1, 2 (D ♂).
M. e. Holm 1937, Ark. Zool. 29 (A; 18) p. 2 f. 1 (D o).

♀ **exilis** Canestrini 1868. Italien

M. e. Canestrini 1868, Annuar. Soc. Nat. Modena 3 p. 192 (D ♀).
M. e. Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 848 (D ♀).

♀ **fausta** Karsch 1881. Tripolis

M. f. Karsch 1881, Arch. Naturg. 47 p. 11 (D ♀).

♂♀ **formicaria** (Sundevall) 1831. Europa, N.-Afrika, Turkestan, Sibirien

Clubiona f. Sundevall 1831, Vet. Ak. Handl. p. 141 (D ♀).
Macaria aurulenta C. L. Koch 1839, Die Arachniden 6 p. 94 TF. 499 (D ♂).
Drassus coarctatus Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 228 T. 14 F. 2 (D ♀).
Macaria coarctata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
Macaria myrmecoides Ohlert 1865, Programm Realschule Königsberg p. 9 (D ♂♀).
Macaria myrmecoides Ohlert 1867, Aran. Prov. Preußen p. 105 (D ♂♀).
M. aenea Thorell 1871, Rem. Syn. Europ. Spid. p. 175 (D ♀).
M. f. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 323 T. 57, F. 185 (D ♂♀).

M. constricta L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 251 (N).
M. f. Simon 1878, Arachn. de France 4 p. 9 (D ♂♀).
M. coarctata Simon 1878, Arachn. de France 4 p. 28 (C).
M. f. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 58 (D ♂♀).
M. f. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 256 T. 10 F. 19 (D ♂♀).
M. f. Lessert 1910, Catal. Invert. Suisse; Araign. p. 434 (D ♂♀).
M. f. Simon 1932, Arachn. de France 6 (4) p. 951, 974 f. 1478, 1479 (D ♂♀).
M. f. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 93 f. 84, 100 (D ♂♀).
M. f. Palmgren 1943, Act. Zool. Fenn. 36 p. 71 f. (N).
M. f. Tullgren 1946, Svensk Spindelfauna 3 p. 60 f. 18A, B; T. 10 F. 119—121 (D ♂♀).

♂♀ **fulgens** (Walckenaer) 1802. – * Europa, N.-Afrika, Turkestan

Aranea f. Walckenaer 1802, Aran. Paris. 2 p. 222 (D ♂♀).
Aranea relucens Latreille 1804, Hist. Nat. Crust. Ins. 7 p. 225 (D).
Drassus f. Walckenaer 1805, Tabl. Aran. p. 46 (N).
Drassus relucens Hahn 1834, Die Arachniden 2 p. 55 TF. 143 (D ♂♀).
Macaria f. C. L. Koch 1835, in: Herrich-Schäffer, Deutschl. Ins. 129 T. 14 (D).
Macaria fastuosa C. L. Koch 1835, in: Herrich-Schäffer, Deutschl. Ins. 129 T. 16a (D).
Drassus f. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 622 (D ♂♀).
Drassus fastuosus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 624 (D ♂♀).
Macaria fastuosa C. L. Koch 1839, Die Arachniden 6 p. 92 TF. 498 (D ♀).
Drassus fastuosus Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 221 T. 13 F. 10 (D ♀).
Pythonissa fastuosa Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 121 (C).
Macaria f. C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 29 (N).
M. f. Westring 1862, Aran. Svec. p. 331 (D ♂♀).
M. f. L. Koch 1866, Arachn. Fam. Drassid. p. 72 T. 4 F. 52—54 (D ♂♀).
Macaria fastuosa Ohlert 1867, Aran. Prov. Preußen p. 104 D ♀).
M. f. Thorell 1870, Rem. Syn. Europ. Spid. p. 170 (N).
M. f. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 321 T. 57 F. 184 (D ♂♀).
M. f. Simon 1878, Arachn. de France 4 p. 11 (D ♂♀).
Chrysothrix fastuosa Simon 1878, Arachn. de France 4 p. 31 (C).
M. f. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 58 (D ♂♀).
Bona fastuosa Pavesi 1884, Ann. Mus. Civ. Genova 20 p. 466 (N).
M. f. Hansen 1885, in: Schiödte, Zool. Danica p. 136 (D ♂♀).
M. f. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 255 T. 10 F. 17, 20 (D ♂♀).
M. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 174 f. 163 (N ♂).
M. f. Bösenberg 1902, Zoologica 14 (2—4) p. 289 T. 27 F. 425 (D ♂♀).
M. f. Lessert 1910, Catal. Invert. Suisse; Araign. p. 435 (D ♂♀).
M. f. Simon 1932, Arachn. de France 6 (4) p. 950, 974 f. 1476, 1477 (D ♂♀).
M. f. Reimoser 1937, in: Dahl. Tierw. Deutschl. 33 p. 93 f. 83, 92 (D ♂♀).
M. f. Tullgren 1946, Svensk Spindelfauna 3 p. 62 T. 10 F. 122—124 (D ♂♀).

♂♀ **funerea** Simon 1878. Corsica, Spanien

M. f. Simon 1878, Arachn. de France 4 p. 18 (D ♂♀).
M. movens Simon 1878, Arachn. de France 4 p. 22 (D ♂♀).
M. f. Simon 1932, Arachn. de France 6 (4) p. 952, 975 f. 1484, 1485 (D ♂♀).

♀ **gomerae** Strand 1911. Canaren

M. g. Strand 1911, Arch. Naturg. 77 (I; 2) p. 194 (D ♀).

♂♀ **guttigera** Simon 1878. S.-Frankreich, Spanien

M. g. Simon 1878, Arachn. de France 4 p. 19 (D ♂♀).
M. g. Simon 1932, Arachn. de France 6 (4) p. 952, 975 f. 1482, 1483 (D ♂♀).

♂♀ **guttulata** (C. L. Koch) 1839. SW.-, W.-, SO.- u. Mitteleuropa

Macaria g. C. L. Koch 1839, Die Arachniden 6 p. 95 TF. 500 (D ♀).
M. g. Simon 1878, Arachn. de France 4 p. 25 (D ♂♀).
M. g. Bösenberg 1902, Zoologica 14 (2—4) p. 290 T. 27 F. 427 (D ♂♀).
M. g. Lessert 1910, Catal. Invert. Suisse; Araign. p. 439 (D ♂♀).
M. g. Simon 1932, Arachn. de France 6 (4) p. 948, 974 f. 1471, 1472 (D ♂♀).
M. g. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 91 f. 87, 93 (D ♂♀).

♀ **hospes** Kulczynski 1882. Tatra, W.-Sibirien

M. h. Kulczynski 1882, Denkschr. Ak. Wiss. Krakau 8 p. 35 T. 3 F. 22 (D ♀).
M. h. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 257 T. 10 F. 16 (D ♀).

♀ **humilis** Kulczynski 1885. Kamtschatka

M. h. Kulczynski 1885, Denkschr. A. Wiss. Krakau 11 p. 43 T. 11 F. 22 (D ♀).

♀ **judaeorum** Strand 1915. Palästina

M. j. Strand 1915, Arch. Naturg. 81 (A; 2) p. 161 (D ♀).

♀ **lenzi** Bösenberg 1899. Rheinland, Finnland

M. l. Bösenberg 1899, Verh. Nat. Ver. Rheinl. Westf. 56 p. 120 T. 1 F. 8 (D ♀).
M. l. Bösenberg 1902, Zoologica 14 (2—4) p. 286 T. 27 F. 419 (D ♀).
M. l. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 91 f. 95 (D ♀).
M. l. Palmgren 1943, Act. Zool. Fenn. 36 p. 71 f. (N).

♂♀ **lucasii** Thorell 1871. Algier, S.-Tirol, Ungarn

Drassus formicarius Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 228 T. 14 F. 4 (D ♀).
Macaria formicaria Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
M. formicaria L. Koch 1866, Arachn. Fam. Drassid. p. 69 T. 3 F. 49—51 (D ♂♀).
M. l. Thorell 1871, Rem. Syn. Europ. Spid. p. 172 (N).
M. l. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 256 (D ♂♀).

♀ **modesta** Kroneberg 1875. Turkestan

M. m. Kroneberg 1875, Nachr. Ges. Moskau p. 19 T. 2 F. 5 (D ♀).

♀ **mutilata** Caporiacco 1935. Karakorum

M. m. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 223 T. 6 F. 9 (D ♀).

♂♀ **nivosa** L. Koch 1866. S.-Deutschland, Ungarn

M. n. L. Koch 1866, Arachn. Fam. Drassid. p. 58 T. 3 F. 42, 43 (D ♂).
M. n. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 257 T. 10 F. 27 (D ♂).
M. n. Schenkel 1918, Verh. Nat. Ges. Basel 29 p. 92 f. 2 (D ♀).
M. n. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 92 f. 89 (D ♂).

♀ **norvegica** Strand 1904. Norwegen

M. n. Strand 1904, Christiania Vid. Selsk. Forh. (5) p. 13 (D ♀).

♂♀ **nuptialis** Cambridge 1872. Palästina

M. n. Cambridge 1872, Proc. Zool. Soc. Lond. p. 250 T. 16 F. 33 (D ♂♀).

O **pallida** Cambridge 1885. Pamir

M. p. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 20 (D O).

♀ **pallipes** (Lucas) 1846. Algier

Drassus p. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 227 T. 14 F. 3 (D ♀).
Macaria p. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
M. p. Simon 1878, Arachn. de France 4 p. 28 (C).

♀ **praesignis** L. Koch 1867. I. Syra
M. p. L. Koch 1867, Verh. Zool. Bot. Ges. Wien, 17 p. 862 (D ♀).

♂♀ **pulcherrima** Caporiacco 1935. Karakorum
M. p. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 221 T. 6 F. 8 (D ♂♀).

♀ **pulcherrima flava** Caporiacco 1935. Karakorum
M. p. f. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 223 (D ♀).

♂♀ **pulicaria** (Sundevall) 1831. Europa, Sibirien, Turkestan
Clubiona p. Sundevall 1831, Vet. Ak. Handl. p. 140 (D ♂♀).
Drassus nitens Blackwall 1833, Lond. Edinbg. Phil. Mag. (3) 3 p. 439 (D ♂♀).
Macaria corrusca C. L. Koch 1837, Übers. Arachn. Syst. 1 p. 18 (D).
Drassus lugubris Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 624 (D ♀).
Macaria nitens C. L. Koch 1839, Die Arachniden 6 p. 91 TF. 497 (D ♀).
Macaria formosa C. L. Koch 1899, Die Arachniden 6 p. 97 TF. 501 (D ♀).
Drassus formosus Walckenaer 1847, Hist. Nat. Ins. Apt. 2 p. 488 (D).
M. p. Westring 1851, Göteborg Vet. Handl. 2 p. 47 (N).
Drassus micans Blackwall 1858, Ann. Mag. Nat. Hist. (3) 1 p. 430 (D ♂).
Drassus micans Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 118 T. 6 F. 72 (D ♂).
Drassus nitens Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 119 T. 6 F. 73 (D ♂♀).
M. p. Westring 1862, Aran. Svec. p. 334 (D ♂♀).
M. nitens Westring 1862, Aran. Svec. p. 336 (D ♀).
Macaria lugubris Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (C).
M. nitens L. Koch 1866, Arachn. Fam. Drassid. p. 60 (D ♀).
M. p. L. Koch 1866, Arachn. Fam. Drassid. p. 62 T. 3 F. 44—46 (D ♂♀).
Macaria formosa Ohlert 1867, Aran. Prov. Preußen p. 104 (D ♂♀).
Macaria nitens Ohlert 1867, Aran. Prov. Preußen p. 104 (D ♀).
M. p. Thorell 1870, Rem. Syn. Europ. Spid. p. 173 (N).
M. p. Menge 1872, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 325 T. 57 F. 186 (D ♂♀).
M. nitens Menge 1873, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 327 T. 58 F. 187 (D ♂♀).
M. p. Simon 1878, Arachn. de France 4 p. 21 (D ♂♀).
M. p Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 58 (D ♂♀).
M. nitens Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 58 (D ♂♀).
M. p. Hansen 1885, in: Schiödte, Zool. Danica p. 136 T. 4 F. 3 (D ♂♀).
M. p. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 238 T. 16 F. 1 (D ♂♀).
M. p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 257 T. 10 F. 22, 23, 34 (D ♂♀).
M. p. Bösenberg 1902, Zoologica 14 (2—4) p. 285 T. 27 F. 417 (D ♂♀).
M. similis Bösenberg 1902, Zoologica 1902, Zoologica 14 (2—4) p. 285 T. 27 F. 418 (D ♀).
M. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 437 (D ♂♀).
M. p. Charitonow 1925, Annuar. Mus. Zool. Ac. Sci. URSS p. 105 T. 5 F. 3 (N ♀).
M. p. Simon 1932, Arachn. de France 6 (4) p. 953, 976, f. 1486, 1487 (D ♂♀).
M. p. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 92 f. 88, 97 (D ♂♀).
M. p. Palmgren 1943, Act. Zool. Fenn. 36 p. 67 f. (N).
M. p. Tullgren 1946, Svensk Spindelfauna 3 p. 62 f. 18 C, 19; T. 10 F. 125—130 (D ♂♀).
M. p. Locket & Millidge 1951, Brit. Spiders I. p. 119 f. 60 C, D; 61 C (D ♂♀).

♀ **pulicaria strandi** (Kolosvary) 1936. Carpathen
M. similis st. Kolosvary 1936, Folia Zool. Hydrobiol. 9 (1) p. 96 f. 13—15 (D ♀).

♂ **pygmaea** Kroneberg 1875. Turkestan
M. p. Kroneberg 1875, Nachr. Ges. Moskau p. 19 T. 5 F. 42 (D ♂).

♂♀ **quinquenotata** Simon 1895. Mongolei
M. q. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 339 (D ♂♀).

♀ **radiata** L. Koch 1866. Ungarn
M. r. L. Koch 1866, Arachn. Fam. Drassid. p. 65 T. 3 F. 47 (D ♀).
M. r. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 258 (D ♀).

♂♀ **rogenhoferi** Herman 1879. Ungarn
M. r. Herman 1879, Ungarns Spinn. Faun. 3 p. 162, 358 T. 7 F. 162 (D ♀).
M. r. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 256 T. 10 F. 26, 29 (D ♂♀).

♂♀ **romana** L. Koch 1866. Italien, Bulgarien
M. r. L. Koch 1866, Arachn. Fam. Drassid. p. 67 T. 3 F. 48 (D ♀).

♂♀ **rossica** Thorell 1875. S.-Russland, Turkestan
M. r. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 80 (D ♂).
M. r. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 113 (D ♂♀).

♀ **rossii** Strand 1909. Italien
M. r. Strand 1909, Arch. Naturg. 75 (I; 1) p. 137 (D ♀).

♀ **rufescens** (Simon) 1864. Belgien
Macaria r. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 113 (D ♀).

♂♀ **scenica** Simon 1878. Frankreich, Schweiz
M. s. Simon 1878, Arachn. de France 4 p. 17 (D ♂♀).
M. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 436 f. 203, 204 (D ♂♀).
M. s. Simon 1932, Arachn. de France 6 (4) p. 955, 976, f. 1492, 1493 (D ♂♀).

♂♀ **scintillans** (Cambridge) 1870. W.- u. Mitteleuropa, Griechenland, I. Patmos, Creta
Drassus s. Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 412 T. 54 F. 12 (D ♂).
M. s. Cambridge 1875, Ann. Mag. Nat. Hist. (4) 16 p. 243 (N).
M. s. Simon 1878, Arachn. de France 4 p. 12 (D ♂♀).
M. spinulosa Simon 1878, Arachn. de France 4 p. 13 (D ♀).
M. s. Simon 1932, Arachn. de France 6 (4) p. 955, 976 f. 1490, 1491 (D ♂♀).
M. s. Locket & Millidge 1951, Bri. Spiders I p. 122 f. 62 A, C; 63 C, D, I (D ♂♀).

♀ **septempunctata** Cambridge 1872. Libanon
M. s. Cambridge 1872, Proc. Zool. Soc. Lond. p. 250 T. 16 F. 32 (D ♀).

♂♀ **silesiaca** L. Koch 1875. Deutschland, Bulgarien, Thrazien, Finnland, Schweden
M. s. L. Koch 1875, Abh. Nat. Ges. Görlitz 15 p. 4 T. 1 F. 2, 3 (D ♂).
M. s. Bösenberg 1902, Zoologica 14 (2—4) p. 288 T. 27 F. 423 (D ♂♀).
M. s. Miller 1936, Veda Prirodni 17 (9) p. 203 f. 3—5 (N ♂♀).
M. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 94 f. 91, 94 (D ♂♀).
M. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 71 f. (N).
M. s. Tullgren 1946, Svensk Spindelfauna 3 p. 67 f. 20 B; T. 11 F. 137 (D ♂♀).

♀ **simplex** Bösenberg 1902. SW.-Deutschland
M. s. Bösenberg 1902, Zoologica 14 (2—4) p. 286 T. 27 F. 420 (D ♀).
M. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 94 f. 99 (D ♀).

♂♀ **smaragdula** Simon 1878. S.-Europa, Schweiz, Ungarn
M. s. Simon 1878, Arachn. de France 4 p. 14 (D ♂♀).
M. romana Simon 1878, Arachn. de France 4 p. 15 (D ♂♀).
M. chalybeia Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 256 T. 10 F. 23, 24 (D ♂♀).
M. chalybeia Lessert 1910, Catal. Invert. Suisse; Araign. p. 433 f. 201, 202 (D ♂♀).
M. s. Simon 1932, Arachn. de France 6 (4) p. 952, 975 f. 1480, 1481 (D ♂♀).

♂♀ **sociabilis** Kulczynski 1897. Ungarn
M. s. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 258 T. 10 F. 21, 25 (D ♂♀).

♂♀ **socialis** L. Koch 1877. Deutschland, Serbien, Macedonien
M. s. L. Koch 1877, Abh. Nat. Ges. Nürnbg. 6 p. 188 TF. 13, 14 (D ♂♀).
M. s. Bösenberg 1902, Zoologica 14 (2—4) p. 289 T. 27 F. 424 (D ♂♀).
M. s. Bösenberg 1902, Zoologica 14 (2—4) p. 289 T. 27 F. 424 (D ♂♀).
M. s. Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 95 f. 101, 102 (♂♀).

♂♀ **subopaca** Westring 1862. Europa (außer S.-), Kamtschatka
M. s. Westring 1862, Aran. Svec. p. 336 (D ♂).
M. s. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 113 (D ♂).
M. albostriata L. Koch 1877, Abh. Nat. Ges. Nürnberg 6 p. 186 TF. 15—16 (D ♂♀).
M. albostriata Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 259 T. 10 F. 18, 28 (D ♂♀).
M. albostriata Bösenberg 1902, Zoologica 14 (2—4) p. 287 T. 27 F. 422 (D ♂♀).
M. albostriata Lessert 1910, Catal. Invert. Suisse; Araign. p. 440 (D ♂♀).
M. albostriata Simon 1932, Arachn. de France 6 (4) p. 950, 974 f. 1474—75 (D ♂♀).
M. albostriata Reimoser 1937, in: Dahl, Tierw. Deutschl. 33 p. 91 f. 86, 98 (D ♂♀).
M. s. Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 225, 232 (N).
M. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 67 f. (N).
M. s. Tullgren 1946, Svensk Spindelfauna 3 p. 65 f. 20 A; T. 11 F. 134—136 (D ♂♀).

♂ **triguttata** Simon 1884. Spanien
M. t. Simon 1884, Ann. Soc. Espan. Hist. Nat. 13 p. 122 (D ♂).

♀ **turcica** Drenski 1915. Macedonien, Bulgarien
M. t. Drenski 1915, Rev. Ac. Bulgar. Sci. 12 p. 159, 176 T. 1 F. 3 (D ♀).

♂♀ **unifascigera** Bösenberg & Strand 1906. Japan
M. u. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 293 T. 16 F. 497 (D ♂♀).
M. u. Strand 1918, Arch. Naturg. 82 (A; 11) p. 83 T. 1 F. 25 (N ♀).

♂♀ **vandeli** Denis 1950. Hoch-Pyrenäen
M. v. Denis 1950, Bull. Soc. Hist. Nat. Toulouse 85 (1—2) p. 83 f. 6—8 (D ♂♀).

Transgredierende Arten:

♀ **todilla** Simon 1878. Cypern, Arabien
M. t. Simon 1878, Arachn. de France 4 p. 28 (D ♀).
M. t. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 109 (D ♀).

Aethiopische Arten:

♂ **tersissima** Simon 1910. SW.-Afrika
M. t. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 203 (D ♂).

♀ **trochilus** Simon 1890. Yemen
M. t. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 110 (D ♀).

Orientalische Arten:

faltana Bhattacharjee 1935. Bengalen
M. f. Bhattacharjee 1935, Sci. Culture 1 (3) p. 159 (D).

Australische Arten:

♀ **croesia** L. Koch 1873. Neu-S.-Wales
M. c. L. Koch 1873, Arachn. Austral. 1 (1) p. 380 T. 29 F. 8 (D ♀).

♂ **inornata** L. Koch 1873. Australien
M. i. L. Koch 1873, Arachn. Austral. 1 (1) p. 381 T. 29 F. 9 (D ♂).

Neotropische Arten:

♀ **bonita** Gertsch & Davis 1940. Mexico
M. b. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 14 (D ♀).

♀ **melanopa** Gertsch & Davis 1940. Mexico
M. m. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 14 TF. 28 (D ♀).

♀ **petrunkevitchi** Bryant 1945. Florida
M. p. Bryant 1945, Trans. Connect. Ac. Sci. 36 p. 209 T. 1 F. 12 (D ♀).

♀ **punctata** Banks 1896. Florida, Georgia
M. p. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 58 (D ♀).

Nearktische Arten:

§ 9 Arten: Banks 1896, Trans. Amer. Ent. Soc. 23 p. 59.
§ 7 ♂, 8 ♀: Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 399—400.

♀ **alberta** Gertsch 1942. Alberta, Canada
M. a. Gertsch 1942, Amer. Mus. Novit. 1195 p. 1 TF. 1 (D ♀).

albocincta Banks 1901. Neu-Mexico
M. a. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 573 (D).

♂♀ **altana** Gertsch 1933. Idaho, Canada
M. a. Gertsch 1933, Amer. Mus. Novit. 637 p. 6 TF. 5 (D ♀).
M. a. Gertsch 1935, Amer. Mus. Novit. 805 p. 17 TF. 38 (D ♂).

♀ **apacheana** Gertsch 1942. Arizona
M. a. Gertsch 1942, Amer. Mus. Novit. 1195 p. 2 TF. 3 (D ♀).

♂♀ **aurata** (Hentz) 1847. U. St. Amerika, Canada
Herpyllus a. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 459 T. 24 F. 15 (D ♂).
Thargalia a. Banks 1893, Journ. N. York Ent. Soc. 1 p. 27 (N).
M. agilis Banks 1895, Ent. News 6 p. 204 (D ♀).
M. agilis Banks 1896, Trans. Amer. Ent. Soc. 23 p. 58 (N).
M. a. Bryant 1908, Pap. Boston Soc. Nat. Hist. 7 p. 74 (N).
M. delicatula Bryant 1941, Psyche 48 p. 138 (nom. nov.) (N).
M. a. Kaston 1945, Amer. Mus. Novit. 1290 p. 8 TF. 33—35, 44 (N ♂♀).
M. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 401 T. 75 F. 1418—19; T. 76 F. 1432, 1434—36; T. 142 F. 2126—27 (D ♂♀).

♀ **browni** Barnes 1953. Nord-Carolina
M. b. Barnes 1953, Amer. Mus. Novit. 1632 p. 16 f. 11 (D ♀).

♂♀ **coloradensis** Banks 1896. Colorado, Wyoming
M. c. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 58 (D ♂).
M. c. Levi 1951, Zoologica (N. York) 36 (4) p. 228 f. 23, 24, 27 (N ♂♀).

♂♀ **deserticola** Gertsch 1933. Arizona
M. d. Gertsch 1933, Amer. Mus. Novit. 637 p. 2 TF. 7, 8 (D ♂♀).

♂♀ **elizabethae** Gertsch 1942. Connecticut, New York
M. e. Gertsch 1942, Amer. Mus. Novit. 1195 p. 3 TF. 10—12 (D ♂♀).
M. e. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 402 T. 77 F. 1443—45 (D ♂♀).

♂♀ **emertoni** Gertsch 1935. Massachusets, Maryland
M. quinquenotata Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 215 T. 10 F. 1 (D ♂♀).
M. e. Gertsch 1935, Amer. Mus. Novit. 805 p. 16 (nom. nov.).
M. quinquenotata Muma 1945, Proc. Biol. Soc. Wash. 58 p. 99 (N ♂♀).
M. e. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 403 T. 75 F. 1420—21; T. 76 F. 1440 (D ♂♀).

♀ **formicula** Roewer 1951. Utah
M. formicoides Chamberlin & Woodbury 1929, Proc. Biol. Soc. Wash. 42 p. 139 T. 1 F. 5 (D ♀) (praeocc. Banks 1892).
M. f. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 446 (nom. nov.).

♂ **foxi** Gertsch 1933. Utah
M. f. Gertsch 1933, Amer. Mus. Novit. 637 p. 5 TF. 2 (D ♂).
M. f. Gertsch 1935, Amer. Mus. Novit. 805 p. 17 TF. 39 (N ♂).

♂♀ **gentilis** Banks 1896. U. St. Amerika
M. g. Banks 1896, Canad. Ent. 28 p. 62 (D ♂♀).
M. g. Emerton 1909, Trans. Connect Ac. Sci. 14 (3) p. 215 T. 10 F. 3 (D ♂♀).

♂♀ **gertschi** Barrows & Ivie 1942. U. St. Amerika
M. g. Barrows & Ivie 1942, Ohio Journ. Sci. 42 (1) p. 21 T. 1 F. 8—9 (D ♂).
M. g. Gertsch 1942, Amer. Mus. Novit. 1195 p. 5 TF. 7—9 (D ♂♀).

♀ **gosiuta** Gertsch 1942. Utah
M. aurata Gertsch 1939, Amer. Mus. Novit. 637 p. 2 TF. 6 (D ♀, nec ♂).
M. g. Gertsch 1942. Amer. Mus. Novit. 1195 p. 1 TF. 2 (D ♀).

♂♀ **hesperella** Gertsch 1939. Canada
M. constricta Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 414 T. 2 F. 5 (D ♂♀).
M. h. Gertsch 1939, Amer. Mus. Novit. 1032 p. 11 (nom. nov.).
M. canadensis Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 446 (nom. nov. superfl.).

♂ **imperiosa** Gertsch 1935. Texas
M. i. Gertsch 1935, Amer. Mus. Novit. 805 p. 16 TF. 37 (D ♂).

♀ **jacksonia** Levi 1953. Wyoming
M. j. Levi 1953, Zoologica (N. York) 36 (4) p. 228 f. 26 (D ♀).

♂♀ **jeanae** Gertsch 1942. Utah

M. j. Gertsch 1942, Amer. Mus. Novit. 1195 p. 4 TF. 13—16 (D ♂♀).

♂♀ **laticeps** Emerton 1909. Connecticut

M. l. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 214 T. 10 F. 4 (D ♂).
M. multimaculata Kaston 1938, Bull. Brooklyn Ent. Soc. 3 (4) p. 182 T. 9 F. 18—23 (D ♂♀).
M. multimaculata Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 194 (N).
M. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 402 T. 77 F. 1446 bis 50a (D ♂♀).

♀ **limnicunae** Mc Cook 1885. Illinois

M. l. Mc Cook 1885, Proc. Ac. Nat. Sci. Philad. p. 153 (D ♀).

♂♀ **longipes** Emerton 1889. U. St. Amerika

M. l. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 167 T. 3 F. 1 (D ♂♀).
M. formicoides Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 14 T. 1 F. 51 (D ♀).
M. l. Emerton 1902, Common Spiders p. 9 f. 25—28 (D ♂♀).
M. l. Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. — — T. 10 F. 2 (N).
M. l. Comstock 1912, Spider Book p. 580 (D).
M. l. Kaston 1945, Amer. Mus. Novit. 1290 p. 8 TF. 36, 76, 45 (N ♂♀).

♂♀ **longispina** Emerton 1911 Neu-England, Wisconsin, Connecticut

M. l. Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 403 T. 5 F. 6 (D ♂).
M. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 403 T. 75 F. 1422; T. 142 F. 2124 (D ♂♀).

♂♀ **montana** Emerton 1889. U. St. Amerika, Canada

M. m. Emerton 1889, Trans. Connect. Ac. Sci. 8 (9) p. 168 T. 3 F. 2 (D ♀).
M. gentilis Banks 1896, Canad. Ent. 28 p. 62 (D ♂♀).
M. gentilis Emerton 1909, Trans. Connect. Ac. Sci. 14 (3) p. 215 T. 10 F. 3 (D ♂♀).
M. gentilis Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 194 (N).
M. m. Chickering 1939, Pap. Michigan Ac. Sci. 24 (2) p. 76 f. 72—75 (N ♂♀).
M. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 401 T. 76 F. 1437—39; T. 77 F. 1441—42 (D ♂♀).

♂ **mormon** Gertsch 1935. Utah

M. m. Gertsch 1935, Amer. Mus. Novit. 805 p. 17 TF. 41—43 (D ♂).

♂ **nanella** Gertsch 1935. Texas

M. n. Gertsch 1935, Amer. Mus. Novit. 805 p. 19 TF. 47, 48 (D ♂).

♀ **palliditarsus** Banks 1896. Californien

M. p. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 59 (D ♀).

♂ **perfecta** Banks 1896. Colorado

M. p. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 59 (D ♂).

♀ **riggsi** Gertsch 1942. Tennessee, Connecticut

M. r. Gertsch 1942, Amer. Mus. Novit. 1195 p. 2 TF. 4 (D ♀).
M. r. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 404 T. 77 F. 1451 (D ♀).

♂ **rowani** Gertsch 1942. Alberta

M. r. Gertsch 1942, Amer. Mus. Novit. 1195 p. 4 TF. 17—18 (D ♂).

♀ **salina** Gertsch 1942. Utah
M. s. Gertsch 1942, Amer. Mus. Nov. 1195 p. 5 TF. 5 (D ♀).

♀ **seminola** Gertsch 1942. Florida, Mississippi
M. s. Gertsch 1942, Amer. Mus. Novit. 1195 p. 3 TF. 6 (D ♀).

♂ **swansoni** Gertsch & Mulaik 1936. Texas
M. s. Gertsch & Mulaik 1936, Amer. Mus. Novit. 863 p. 21 TF. 29 (D ♂).

♂ **tetonia** Levi 1951. Wyoming
M. t. Levi 1951, Zoologica (N. York) 36 (4) p. 228 f. 21—22 (D ♂).

♂♀ **triangulosa** Gertsch 1935. Texas
M. t. Gertsch 1935, Amer. Mus. Novit. 805 p. 20 TF. 44—46 (D ♂♀).

♂ **utahana** Gertsch 1933. Utah
M. u. Gertsch 1933, Amer. Mus. Novit. 637 p. 3 TF. 1 (D ♂).
M. u. Gertsch 1935, Amer. Mus. Novit 805 p. 17 TF. 40 (N ♂).

♂♀ **vinnula** Gertsch & Davis 1936. Texas
M. v. Gertsch & Davis 1936, Amer. Mus. Novit. 881 p. 18 TF. 22—24 (D ♂♀).

Gen. **Micariolepis** Simon 1879.

Palaearktische Arten:

♂♀ **dives** (Lucas) 1846. – * Mittelmeer-Gebiet, Mitteleuropa
Drassus d. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 220 T. 13 F. 9 (D ♀).
Pythonissa d. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 121 (C).
Micaria splendidissima L. Koch 1872, Zeitschr. Ferdinand. Tirol (3) 17 p. 311 (D ♂♀).
Micaria armata Cambridge 1874, Proc. Zool. Soc. Lond. p. 401 T. 52 F. 26 (D♀).
Chrysothrix splendidissima Simon 1878, Arachn. de France 4 p. 30 T. 14 F. 3 (D ♂♀).
Chrysothrix d. Simon 1878, Arachn. de France 4 p. 31 (C).
M. splendidissima Becker 1882, Am. Soc. Ent. Belg. 26 C. R. p. 35 (C).
M. splendidissima Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 240 T. 16 F. 2 (D ♂♀).
Bona d. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 259 T. 10 F. 33 (D ♂♀).
M. d. Simon 1897, Hist. Nat. Araign. 2 (1) p. 175 (N).
Micaria d. Bösenberg 1902, Zoologica 14 (2—4) p. 287 T. 27 F. 421 (D ♂♀).
M. d. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 587 (D ♂♀).
M. d Simon 1932, Arachn. de France 6 (4) p. 956, 977 f. 1494, 1495 (D ♂♀).
M. d. Reimoser 1937, in: Dahl. Tierw. Deutschl. 33 p. 95 f. 101, 102 (D ♂♀).

♀ **dives concolor** Caporiacco 1935. Karakorum
M. d. c. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 221 (D ♀).

Aethiopische Arten:

♀ **chrysis** Simon 1910. SW.-Afrika
M. c. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 203 (D ♀).

Gen. **Montebello** Hogg 1914.

♀ **tenuis** Hogg 1914. Montebello-I.
M. t. Hogg 1914, Proc. Zool. Soc. Lond. (1) p. 86 T. 2 F. 10 (D ♀).

Gen. **Myrmecium** Latreille 1824.

§ 11 Arten: Mello-Leitao 1932, Ann. Ac. Bras. Sci. 4 (4) p. 152—154.

♀ **aurantiacum** Mello-Leitao 1941. Brasilien

M. a. Mello-Leitao 1941, Ann. Ac. Bras-Sci. 13 (2) p. 124 (D ♀).

♂♀ **bifasciatum** (Taczanowski) 1874. Guiana, Brasilien

Myrmecia b. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 109 T. 2 F. 9 (D ♂♀).
M. velutinum Simon 1896, Ann. Soc. Ent. Belg. 40 p. 410 (D ♂).
M. b. Dahl 1907, Naturwiss. Wochenschr. 22 (48) p. 768 f. 2 (D).

♀ **bonaerense** Holmberg 1881. Argentinien

M. b. Holmberg 1881, An. Soc. Cient. Argentin. 11 p. 277 (D ♀).
M. b. Mello-Leitao 1932, Ann. Ac. Bras. Sci. 4 (4) p. 151 (N).

♂ **camponotoides** Mello-Leitao 1932. Parana

M. c. Mello-Leitao 1932, Ann. Ac. Bras. Sci. 4 (4) p. 155 TF. 5, 6, (D ♂).

♀ **dacetoniforme** Mello-Leitao 1932. Parana

M. d. Mello-Leitao 1932, Ann. Ac. Bras. Sci. 4 (4) p. 158 TF. 13, 14 (D ♀).

fuscum Dahl 1907. Bolivien

M. f. Dahl 1907, Naturwiss. Wochenschr. 22 (48) p. 768 (D).

♂♀ **gounellei** Simon 1896. Brasilien

M. g. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 410 (D ♂♀).
M. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 164 f. 172 (N ♀).
M. g. Mello-Leitao 1932, Ann. Ac. Bras. Sci. 4 (4) p. 158 TF. 13 (N).
M. g. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 328 (D ♂♀).

♂♀ **itatiaia** Mello-Leitao 1932. Brasilien

M. i. Mello-Leitao 1932, Ann. Ac. Bras. Sci. 4 (4) p. 157 TF. 8, 9, 11, 12 (D ♂♀).

♀ **latreillei** (Lucas) 1856. Brasilien

Myrmecia l. Lucas 1856, Arrachn. in: Castelnau, Exped. Amer. d. Sud. p. 17 T. 1 F. 3 (D ♀).
M. l. Dahl 1907. Naturwiss. Wochenschr. 22 (48) p. 768 (N).
M. l. Mello-Leitao 1932, Ann. Ac. Bras. Sci. 4 (4) p. 157 TF. 7 (N).

monacantha Simon 1897. Venezuela

M. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 164 f. 167 (N).
M. m. Mello-Leitao 1932, Ann. Ac. Bras. Sci. 4 (4) p. 155 (N).

♀ **obscurum** (Keyserling) 1891. Brasilien

Myrmecia o. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 81 T. 2 F. 47 (D ♀).
M. o. Dahl 1907, Naturwiss. Wochenschr. 22 (48) p. 768 (N).

reticulatum Dahl 1907. Peru

M. r. Dahl 1907, Naturwiss. Wochenschr. 22 (48) p. 768 (D).

♂♀ **rufum** Latreille 1824. – * Brasilien

M. r. Latreille 1824, Ann. Sci. Nat. 3 p. 27 T. 2 F. 1—8 (D ♀).
Myrmecia fulva Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 385 (D ♀).
Myrmecia fulva Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 461 T. 9 F. 2 (N ♀).
M. r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 176 f. 165, 166, 173 (N ♀).
M. mendax Mello-Leitao 1928, Bol. Soc. Ent. Bras. (5—6) p. 11 (D ♂).

M. r. Mello-Leitao 1932. Ann. Ac. Bras. Sci. 4 (4) p. 154 TF. 1—3 (N ♂♀).
M. r. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 330 f. 27, 29, 30, 41 (D ♂♀).

♀ **trifasciatum** Caporiacco 1947. Brit. Guiana

M. t. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 27 (D ♀).
M. t. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 678 TF. 96—97 (D ♀).

♂♀ **vertebratum** (Walckenaer) 1837. S.-Brasilien

Myrmecia v. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 386 (D ♀).
Myrmecia xanthopus C. L. Koch 1842, Die Arachniden 9 p. 12 TF. 699 (D ♀).
Myrmecia v. C. L. Koch 1842, Die Arachniden 9 p. 13 TF. 700 (D ♂).
Myrmecia v. Lucas 1856, Arachn. in: Castelnau, Exped. Amer. d. Sud. p. 16 T. 1 F. 2 (N).
Myrmecia v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 68 T. 11 F. 45 (D ♂♀).
M. v. Mello-Leitao 1932, Ann. Ac. Bras. Sci. 4 (4) p. 155 TF. 4 (N ♀).

viehmeyeri Dahl 1907. Peru

M. v. Dahl 1907, Naturwiss. Wochenschr. 22 (48) p. 768 f. 1 (D).

Gen. Myrmecotypus Cambridge 1894.

♀ **cinctus** Banks 1929. Panama

M. c. Banks 1929, Bull. Mus. Comp. Zool. Harvard 69 (3) p. 60 T. 4 F. 56 (D ♀).

♂♀ **cubanus** Banks 1926. Cuba, Texas

M. c. Banks 1926, Trans. Ent. Soc. Wash. 74 p. 433 f. 1 (D ♂♀).
M. c. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 190 T. 4 F. 43, 45 (D ♀).
M. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 445 (N ♂, D♀).

♀ **dubius** (Cambridge) 1898. Mexico

Corinnomma d. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 277 T. 34 F. 1 (D ♀).
M. d. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 84 (N ♀).

♀ **fuliginosus** Cambridge 1894. – * Mexico

M. f. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 124 T. 18 F. 6 (D ♀).

♀ **lineatipes** Chickering 1937. Panama

M. l. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 34 T. 1 F. 1; T. 3 F. 32 (D ♀).

♂ **niger** Chickering 1937. Panama

M. n. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 35 T. 3 F. 42; T. 4 F. 54 (D ♂).

♂♀ **obscurus** Chickering 1937. Panama

M. o. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 37 T. 2 F. 18; T. 3 F. 43; T. 6 F. 80 (D ♂♀).

♂♀ **pilosus** (Cambridge) 1898. Mexico

Corinnomma p. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 277 T. 33 F. 3, 4 (D ♂♀).
M. p. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 84 (N ♂♀).

♀ **similis** Banks 1929. Panama

M. s. Banks 1929, Bull. Mus. Comp. Zool. Harvard 69 (3) p. 61 T. 9 F. 70 (D ♀).

Gen. **Myrmeques** Roewer 1935.

♂♀ **attarum** Roewer 1935. Brasilien

M. a. Roewer 1935, Veröff. Dt. Kolon. Ubersee-Mus. 1 (2) p. 194 T. 10 F. 1, 2 (D ♂♀).

Gen. **Parachemmis** Chickering 1937.

♂♀ **fuscus** Chickering 1937. – * Panama

P. f. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 39 T. 2 F. 22; T. 3 F. 31, 41; T. 4 F. 45, 48, 52 (D ♂♀).

♂♀ **trilineatus** Chickering 1937. Panama

P. t. Chickering 1937, Trans. Amer. Microsc. Soc. 56 (1) p. 41 T. 2 F. 28, 31, 35, 38; T. 4 F. 49, 51 (D ♂♀).

Gen. **Poecilipta** Simon 1896.

♀ **janthina** Simon 1896. – * Queensland

P. j. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 408 (D ♀).

♀ **venusta** Rainbow 1904. Neu-S.-Wales

P. v. Rainbow 1904, Rec. Austral. Mus. 5 (5) p. 333 T. 46 F. 7—9 (D ♀).

Gen. **Psellocoptus** Simon 1896.

♂♀ **flavostriatus** Simon 1896. Venezuela

P. f. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 404 (D ♂♀).
P. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 176 f. 170 (N ♂).

Gen. **Sphecotypus** Cambridge 1895.

Orientalische Arten:

♀ **birmanicus** (Thorell) 1897. Burma

Myrmecisca b. Thorell 1897, Ann. Mus. Civ. Genova 37 p. 240 (D ♀).
S. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 171 (N).

♀ **taprobanicus** Simon 1897. Ceylon

S. t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 170 (D ♀).

Neotropische Arten:

♀ **niger** (Perty) 1833. – * Brasilien, Venezuela, Panama

Myrmecia n. Perty 1833, Delect. Anim. p. 199 T. 39 F. 9 (D ♀).
Myrmecia n. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 386 (D ♀).
Myrmecia n. C. L. Koch 1842, Die Arachniden 9 p. 15 TF. 701 (D ♀).
Myrmecia n. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 80 T. 2 F. 40 (D ♀).
S. formicarius Cambridge 1895, Biol. Centr. Amer. Aran. 1 p. 153 T. 19 F. 4 (D ♀).
S. n. Simon 1897, Hist. Nat. Araign. 2 (1) p. 176 f. 168, 169, 171 (N ♀).
S. n. F. Cambridge 1899, Biol. Centr. Amer. Aran. 2 p. 84 (N ♀).

Gen. **Supunna** Simon 1896.

♀ **albopunctata** (Hogg) 1896. Centr.-Australien

Liocranum a. Hogg 1896, Aran. in: Rep. Horn Exped. II. Zool. p. 328 (D ♀).
S. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 168 (N).

♀ **coloripes** (Walckenaer) 1841. Australien
Agelena c. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 25 (D ♀).
S. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 168 (N).

♀ **funerea** Simon 1896. Tasmanien
S. f. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 407 (D ♀).
S. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 160 f. 160 (N).

o **insularis** (L. Koch) 1873. – * Fidji-I.
Agroeca i. L. Koch 1875, Arachn. Austral. 1 (1) p. 437 (D o).
S. i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 168 (N).

♀ **michaelseni** Simon 1909. W.-Australien
S. m. Simon 1909, Faun. S. W. Austral. 2 (12) p. 175 (D ♀).

♀ **picta** (L. Koch) 1875. Queensland
Agroeca p. L. Koch 1873, Arachn. Austral. 1 (1) p. 438 T. 3, 4 F. 5 (D ♀).
S. p. Simon 1897, Hist. Nat. Araign. 2 (1) p 168 (N).

♀ **smaragdinea** Simon 1909. W.-Australien
S. s. Simon 1909, Faun. S. W. Austral. 2 (12) p. 176 (D ♀).

♀ **versicolor** Simon 1896. Victoria
S. v. Simon 1896, Ann. Soc. Ent. Belg. 40 p. 407 (D ♀).

46. Fam. CTENIDAE

1. Subfam. Cteninae

§ genera: Mello-Leitao 1940, 6. Congr. Intern. Entom. 1935, Madrid p. 104, 107—108 **(Cteninae, Argocteninae).**

Gen. **Argoctenus** L. Koch 1878.

♀ **aureus** Hogg 1911. Neu-Seeland
A. a. Hogg 1911, Proc. Zool. Soc. Lond. p. 395 f. 94 (D ♀).
A. aurens Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 84 T. 12 F. 17; T. 13 F 33 (D ♀).

♀ **devisi** Rainbow 1898. Neu-Guinea
A. d. Rainbow 1898, Proc. Linn. Soc. N. S. Wales 23 (3) p. 350 T. 7 F. 12 (D ♀).

♀ **hystriculus** Simon 1909. W.-Australien
A. h. Simon 1909, Faun, S. W. Austral. 2 (12) p. 164 (D ♀).

♀ **igneus** L. Koch 1878. – * W.-Australien
A. i. L. Koch 1878, Arachn. Austral. 1 (2) p. 990 T. 86 F. 4 (D ♀).
A. i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 132 (N).

♀ **nebulosus** Simon 1909. W.-Australien
A. n. Simon 1909, Faun, S. W. Austral. 2 (12) p. 163 (D ♀).

♀ **pectinatus** Hogg 1900. Victoria
A. p. Hogg 1900, Proc. Soc. Victoria (N. S.) 13 (1) p. 106 T. 16 F. 1 (D ♀).

♀ **pictus** L. Koch 1878. Australien
A. p. L. Koch 1878, Arachn. Austral. 1 (2) p. 992 T. 86 F. 5 (D ♀).

o **vittatus** (Simon) 1888. Neu-Caledonien, Australien
Miturgina v. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 244 (D o).
A. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 130 (N).

Gen. **Asthenoctenus** Simon 1897.

♀ **borellii** Simon 1897. – * Paraguay, N.-Argentinien
A. b. Simon 1897, Boll. Mus. Zool. Torino 12 (270) p. 7 (D ♀).
A. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 113 f. 99 (N).

♀ **humilis** Mello-Leitao 1942. Argentinien
A. h. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 404 f. 27 (D ♀).

♀ **jujuyensis** Mello-Leitao 1941. Argentinien
A. j. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, (Zool.) p. 156 T. 7 F. 34 (D ♀).

♂ **mendozinus** Mello-Leitao 1943. W.-Argentinien
A. m. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. 20 p. 109 f. 11 (D ♂).

♂ **sordidus** Mello-Leitao 1944. Buenos Aires
A. s. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. 24 p. 350 f. 40 (D ♂).

♀ **tigrinus** Mello-Leitao 1938. Argentinien
A. t. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 100 f. 15 (D ♀).

Gen. **Celaetycheus** Simon 1897.

♂♀ **cabriolatus** Franganillo 1930. Cuba
C. c. Franganillo 1930, Mem. Inst. Nac. Invest. Ci. Habana 1 p. 34 f. 12 (sep.) (D).
C. c. Franganillo 1936, Los Aracnidos de Cuba hasta 1936 p. 106 (N).
C. c. Bryant 1940, Bull Mus. Comp. Zool. Harvard 86 (7) p. 377 T. 12 F. 157, 160 (D ♂♀).

♀ **delesserti** Caporiacco 1947. Brit. Guiana
C. d. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 28 (D ♀).
C. d. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 681 TF. 101 (D ♀).

♀ **flavostriatus** Simon 1897. – * Brasilien
C. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 115 f. 104, 105 (D ♀).

fulvorufus afoliatus Franganillo 1931. Cuba
C. f. a. Franganillo 1931, Belen Habana Cuba 8 p. 287 (D).
C. f. a. Franganillo 1932, Mem. Soc. Cuban. Hist. Nat. 8 (3) p. 155 (D).

♂ **modestus** Bryant 1942. Portorico
C. m. Bryant 1942, Journ. Agr. Univ. Portorico 26 p. 7 T. 2 F. 19 (D ♂).

♀ **strenuus** Bryant 1942. Portorico
C. s. Bryant 1942, Journ. Agr. Univ. Portorico 26 p. 8 T. 2 F. 12 (D ♀).

♂ **paradoxus** F. Cambridge 1900. Panama
C. **p.** F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 115 T. 8 F. 13 (D ♂).

Gen. **Centroctenus** Mello-Leitao 1929.

♂ **longimanus** Mello-Leitao 1929. – * Brasilien
C. l. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 99 TF. 9, 10 (D ♂).
C. l. Mello-Leitao 1936, Festschr. Strand 1 p. 28 T. 4 F. 51 (C ♂).

♂ **mac-donaghi** Mello-Leitao 1938. Argentinien
C. m. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 102 f. 18 (D ♂).

Gen. **Ctenus** Walckenaer 1805.

Palaearktische Arten:

o **syriacus** Cambridge 1872. Palästina
C. s. Cambridge 1872, Proc. Zool. Soc. Lond. p. 320 (D o).
C. s. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 17 (D o).

Aethiopische Arten:
§ 5 ♂, 7 ♀: F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 20.
§ 5 ♀: Pocock 1903, Ann. Mag. Nat. Hist. (7) 11 p. 264.
§ 21 ♂, 50 ♀: des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 184.

♀ **abditus** des Arts 1912. Afrika
C. a. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 201 T. 2 F. 24 (D ♀).

♀ **aculeatus** Simon 1896. Sierra Leone
C. a. Simon 1896, Ann. Soc. Ent. France 65 p. 494 (D ♀).

♀ **adumbratus** des Arts 1912. Zululand
C. a. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 207 T. 3 F. 35 (D ♀).

♂ **agilior** Pocock 1899. Congo
C. a. Pocock 1899, Proc. Zool. Soc. Lond. p. 873 T. 55 F. 7 (D ♂).

♂ **aliegenus** des Arts 1912. Togo
C. a. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 211 T. 3 F. 45 (D ♂).

♀ **amanensis** Strand 1907. O.-Afrika
C. a. Strand 1907, Zoll. Anz. 31 (17—18) p. 544 (D ♀).
C. a. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 696 (D ♀).
C. a. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 192 T. 1 F. 6 (N ♀).

♂ **aureopubescens** Strand 1906. Goldküste
C. a. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 82 (D ♂).

♀ **auricomus** des Arts 1912. O.-Afrika
C. a. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 208 T. 3 F. 39 (D ♀).

♀ **batesii** Pocock 1903. Camerun
C. b. Pocock 1903, Ann. Mag. Nat. Hist. (7) 11 p. 263 (D ♀).

O **beerwaldi** Strand 1906. O.-Afrika
C. b. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 78 (D O).

♀ **bellus** des Arts 1912. Gabun
C. b. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 194 T. 1 F. 11 (D ♀).

♂♀ **biprocessis** Strand 1906. Abessinien
C. b. Strand 1906, Zool. Anz. 30 (19—20) p. 635 (D ♂♀).
C b. Strand 1908, Arch. Math. Naturvid. 29 (2) p 51 (D ♂♀).

♀ **bucanus** Strand 1915. Camerun
C. b. Strand 1915, Arch. Naturg. 81 (A; 11) p. 149 (D ♀).

♀ **calcitrosus** des Arts 1912. O.-Afrika
C. c. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 201 T. 2 F. 23 (D ♀).

♀ **caligineus** des Arts 1912. O.-Afrika
C. c. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 196 T. 2 F. 15 (D ♀).

♀ **callosus** des Arts 1912. Congo
C. c. des Arts 1912, Mitt Nat. Mus. Hambg. 29 (2) p. 193 T. 1 F. 8 (D ♀).

♂ **canonicus** des Arts 1912. O.-Afrika
C. c. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 212 T. 3 F. 46 (D ♂).

♂♀ **capulinus** (Karsch) 1879. Camerun, Congo, Guinea-Länder
Phoneutria c. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 348 (D ♂).
C. burtoni F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 25 T. 3 F. 3 (D ♂).
C. scopulatus Pocock 1899, Proc. Zool. Soc. Lond. p. 871 T. 57 F. 25 (D ♀).
C. c. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 276 (N ♂♀).
C. c. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 191 T. 1 F. 3 (D ♂♀).

♂♀ **cavaticus** des Arts 1912. Congo
C. c. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 208 T. 3 F. 38 (D ♀).
C. c. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 144 f. 24 (D ♂♀).

♀ **clariventris** Strand 1906. Abessinien
C. c. Strand 1906, Zool. Anz. 30 (19—20) p. 634 (D ♀).
C. c. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 44 (D ♀).

♀ **clathratus** Thorell 1899. Camerun
C. c. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 79 (D ♀).

♂♀ **coccineipes** Pocock 1903. Camerun, Congo
C. c. Pocock 1903, Ann. Mag. Nat. Hist. (7) 11 p. 262 (D ♀).
C. c Lessert 1929, Rev. Suisse Zool. 36 (4) p. 142 f. 22, 23 (D ♂♀).

♂♀ **colonicus** des Arts 1912. O.-Afrika
C. c. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 203 T. 2 F. 28 (D ♀).
C. c. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 419 f. 53—55 (D ♂♀).

♀ **cribensis** Strand 1906. Camerun
C. c. Strand, 1906, Jahresh. Ver. Nat. Württbg. 62 p. 76 (D ♀).

♀ **daemonicus** des Arts 1912. Usambara
C. d. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 197 T. 2 F. 16 (D ♀).

♀ **decemnotatus** Simon 1910. Portug. Guinea
C. d. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 353 (D ♀).
C. d. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 192 T. 1 F. 5 (N ♀).

♂ **decorosus** des Arts 1912. Congo
C. d. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 210 T. 3 F. 42 (D ♂).

O♀ **decorus** (Gerstäcker) 1873. O.-Afrika
Phoneutria d. Gerstäcker 1873, Gliedert. Faun. Sansibar-Geb. p. 483 T. 18 F. 7 (D ♀).
Phoneutria d. Bösenberg & Lenz 1895, Jahrb. Hambg. Wiss. Anst. 12 (2) p. 35 (D O).
Phoneutria d. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 18 (N ♀).

♀ **dilucidus** Simon 1910. Franz. Congo
C. d. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 359 (D ♀).

♂♀ **dirus** Thorell 1899. Camerun, Belg. Congo
C. d. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 76 (D ♀).
C. d. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 273 (D ♂♀).
C. d. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 190 T. 1 F. 2 (D ♂♀).
C. d. Lawrence 1952, Rev. Zool. Bot. Afr. 46 (1—2) p. 17 (N ♂♀).

♀ **doloensis** Caporiacco 1940. Abessinien
C. d. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 775 f. 4 (D ♀).

♂♀ **dreyeri** Strand 1906. Camerun
C. d. Strand 1906, Jahrb. Nassau. Ver. Nat. 59 p. 292 (D ♂♀)
C. d. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 273 (N).

♀ **efferatus** des Arts 1912. W.-Afrika
C. e. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 205 T. 2 F. 33 (D ♀).

♀ **eminens** des Arts 1912. W.-Afrika
C. e. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 205 T. 2 F. 32 (D ♀).

♂ **ennosigaeus** des Arts 1912. Congo
C. e. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 211 T. 3 F. 44 (D ♂).

♂♀ **erythrochelis** (Simon) 1876. Congo, W.- u. O.-Afrika
Phoneutria e. Simon 1876, Bull. Soc. Zool. France 1 p. 222 (D ♂).
Phoneutria auricularis Karsch 1879, Zeitschr. ges. Naturw. 52 p. 347 (D ♂♀).
C. e. Simon 1897, Hist. Nat. Araign. 2 (1) p. 107, 108 f. 98, 101 (N).
Phoneutria e. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 18 (D ♂).
C. johnstoni F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 21 T. 3 F. 7 (D ♀).
C. carsoni F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 24 T. 3 F. 4, 5 (D ♂).
C. e. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 188 T. 1 F. 1 (D ♂♀).
C. e. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 44 T. 2 F. 33 (N ♀).

♂♀ **esculentus** des Arts 1912. Camerun
C. e. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 199 T. 2 F. 19 (D ♂♀).

♀ **facetus** des Arts 1912. Congo
C. f. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 192 T. 1 F. 7 (D ♀).

♀ **fagei** Lessert 1935. Belg. Congo
C. f. Lessert 1935, Rev. Zool. Bot. Afric. 27 (3) p. 326 f. 1—3 (D ♀).

♀ **famigeratus** des Arts 1912. O.-Afrika
C. f. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 200 T. 2 F. 21 (D ♀).

♀ **frivolus** des Arts 1912. Natal
C. f. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 207 T. 3 F. 36 (D ♀).

♀ **gemmatus** des Arts 1912. Camerun
C. g. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 197 T. 2 F. 17 (D ♂♀).

♀ **gulosus** des Arts 1912. Natal
C. g. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 204 T. 2 F. 31 (D ♀).

♂♀ **hexastictus** Simon 1910. Franz. Congo, Fernando Poo
C. h. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 351 f. 8 (D ♂♀).
C. h. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 194 (N ♂♀).

♀ **historialis** des Arts 1912. Usambara
C. h. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 197 (D ♀).

♀ **illecebrosus** des Arts 1912. O.-Afrika
C. i. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 194 T. 1 F. 10 (D ♀).

♂♀ **immortalis** des Arts 1912. O.-Afrika
C. i. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 202 T. 2 F. 25 (D ♂♀).

♀ **indigenus** des Arts 1912. W.-Afrika
C. i. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 203 T. 2 F. 27 (D ♀).

♀ **kingsleyi** F. Cambridge 1898. Camerun
C. k. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 20 T. 3 F. 6 (D ♀).

♀ **latitabundus** des Arts 1912. W.-Afrika
C. l. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 203 T. 2 F. 26 (D ♀).

♂♀ **leonardi** Simon 1910. Portug. Guinea
C. l. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 358 (D ♂♀).
C. l. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 204 T. 2 F. 30 (D ♀).

♂ **levipes** des Arts 1912. Usambara
C. l. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 212 T. 3 F. 47 (D ♂).

♂♀ **longurio** Simon 1910. Portug. Guinea
C. l. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 354 f. 9 (D ♂♀).
C. l. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 192 T. 1 F. 4 (N ♂♀).

♀ **lycosinus** (Simon) 1896. W.-Afrika
Leptoctenus l. Simon 1896, Ann. Soc. Ent. France 65 p. 493 (D ♀).
C. l. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 360 (D ♀).

♀ **macellarius** Simon 1910. Franz. Congo
C. m. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 352 (D ♀).
C. m. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 202 (N ♀).

♀ **maculivulva** Reimoser 1937. Erythraea
C. m. Reimoser 1937, Mem. Soc. Ent. Ital. 16 (1) p. 21 f. 3 (D ♀).

♂♀ **magnificus** des Arts 1912. Togo
C. m. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 195 T. 1 F. 11 (D ♂♀).

♂ **marshalli** F. Cambridge 1898. S.-Afrika
C. m. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 26 T. 4 F. 12, 13 (D ♂).

♂♀ **melanogaster** (Bösenberg & Lenz) 1895. O.-Afrika
Phoneutria m. Bösenberg & Lenz 1895, Jahrb. Hambg. Wiss. Anst. 12 (2) p. 36 T. 1 F. 14 (D ♂♀).

Phoneutria m. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 19 (D ♂♀).
C. m. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 694 (N ♀).
C. m. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 196 T. 1 F. 14 (N ♂♀).

♀ **mirificus** des Arts 1912. Togo
C. m. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 209 T. 3 F. 41 (D ♀).

♂♀ **modestus** Simon 1896. Sansibar
C. m. Simon 1896, Ann. Soc. Ent. France 65 p. 492 (D ♂♀).
C. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 109 f. 102, 103 (N).
C. m. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 212 T. 3 F. 48 (N ♂♀).

♀ **nigrifemur** Strand 1908. Camerun
C. n. Strand 1908, Zool. Anz. 33 (1) p. 5 (D ♀).
C. n. Strand 1915, Arch. Naturg. 81 (A; 9) p. 73 (D ♀).

♂♀ **nigromaculatus** Thorell 1899. Camerun
G. n. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 76 (D ♀).
C. rivulatus Pocock 1899, Proc. Zool. Soc. Lond. p. 372 T. 57 F. 26 (D ♂♀).
C. n. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 193 T. 1 F. 9 (N ♂♀).

o **nigrotriangulatus** Strand 1906. Abessinien
C. n. Strand 1906, Zool. Anz. 30 (19—20) p. 634 (D o).
C. n. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 49 (D o).

♀ **noctuabundus** des Arts 1912. O.-Afrika
C. n. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 209 T. 3 F. 40 (D ♀).

♂ **observandus** des Arts 1912. Congo
C. o. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 210 T. 3 F. 43 (D ♂).

♀ **occidentalis** F. Cambridge 1898. W.-Afrika
C. o. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 22 T. 3 F. 8 (D ♀).

♀ **oligochronius** des Arts 1912. O.-Afrika
C. o. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 199 T. 2 F. 20 (D ♀).

♀ **pergulanus** des Arts 1912. Congo
C. p. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 198 T. 2 F. 18 (D ♀).

♂♀ **pilosus** Thorell 1899. Camerun
C. p. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 78 (D ♂♀).
C. p. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 208 T. 3 F. 37 (D ♂♀).

♀ **pogonias** Thorell 1899. Camerun
C. p. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 77 (D ♀).
C. p. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 204 T. 2 F. 29 (N ♀).

♀ **potteri** Simon 1901. Abessinien
C. p. Simon 1901, Ann. Soc. Ent. France 70 p. 23 (D ♀).
C. p. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 200 T. 2 F. 22 (D ♀).

♀ **pulchriventer** Simon 1896. S.-Afrika
C. p. Simon 1896, Ann. Soc. Soc. Ent. France 65 p. 493 (D ♀).
C. p. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 196 T. 1 F. 13 (N ♀).

O **quinquevittatus** Strand 1907. Capland
C. q. Strand 1907, Zool. Anz. 31 (17—18) p. 544 (D O).
C. q. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 692 (D O).

♀ **renivulvatus** Strand 1906. Goldküste
C. r. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 80 (D ♀).

o **rubrifrons** Simon 1910. Fernando Poo
C. r. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 350 (D o).

o **schneideri** Strand 1906. W.-Afrika
C. s. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 84 (D o).

♀ **spadiceus** Simon 1910. San Thomé, I. Principe
C. s. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 355 f. 10 (D ♀).

♂♀ **spectabilis** Lessert 1921. O.-Afrika
C. s. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 422 f. 56—58 (D ♂♀).

♂♀ **spenceri** F. Cambridge 1898. S.-Afrika, Portug. O.-Afrika
C. s. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 23 T. 3 F. 9, 10 (D ♂♀).
C. s. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 695 (D ♀).

♂♀ **spencerei herbigradus** (des Arts) 1912. Transvaal, O.-Afrika, Zululand
C. h. des Arts 1912, Mitt. Nat. Mus. Hambg. 29 (2) p. 206 T. 3 F. 34 (D ♂♀).
C. h. Lawrence 1937, Ann. Natal. Mus. 8 (2) p. 251 (N ♂♀).
C. s. h. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 32 (C).

♂♀ **spinivulva** Simon 1910. San Thomé
C. s. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 356 f. 11 (D ♂♀).

♂♀ **taurinus** Simon 1910. I. Annobom
C. t. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 357 f. 12 (D ♂♀).

♀ **vagus** Blackwall 1866. Sambesi
C. v. Blackwall 1866, Ann. Mag. Nat. Hist. (3) 18 p. 451 (D ♀).
C. v. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 16 (D ♀).

♂ **vatovae** Caporiacco 1940. Abessinien
C. v. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 844 f. 42 (D ♂).

♀ **velox** Blackwall 1865. Sambesi
C. v. Blackwall 1865, Ann. Mag. Nat. Hist. (3) 16 p. 336 (D ♀).
C. v. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 15 T. 3 F. 1, 2 (D ♀).

♀ **vividus** Blackwall 1865. Sambesi
C. v. Blackwall 1865, Ann. Mag. Nat. Hist. (3) 16 p. 337 (D ♀).
C. v. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 16 (D ♀).

Transgredierende Arten:

♂ **corniger** F. Cambridge 1898. Natal, Malakka
C. c. F. Cambridge 1898, Proc. Zool. Soc. Lond. p. 26 T. 3 F. 11 (D ♂).
C. c. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 236 f. 1 F. (N ♂).

Orientalische Arten:

♀ **andamanensis** Gravely 1931. Andamanen
C. a. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 232 f. 2 D (D ♀).

♂ **argentipes** Hasselt 1893. Sumatra
C. a. Hasselt 1893, Tijdschr. Ent. 36 p. 148 (D ♂).
C. a. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 336 (D ♂).

♂ **bantaengi** Merian 1911. Celebes
C. b. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 284 (D ♂).

o **barbatus** Thorell 1895. Burma
C. b. Thorell 1895, Descr. Catal. Spid. Burma p. 214 (D o).
C. b. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 337 (D o).

♀ **bicostatus** Thorell 1890. Borneo
C. b. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 134 (D ♀).
C. b. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 334 (D ♀).

♂ **bowonglangi** Merian 1911. Celebes
C. b. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 284 (D ♂).

♂ **calcarifer** F. Cambridge 1902. Borneo
C. c. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 405 T. 7 F. 10 (D ♂).

♀ **celebensis** Pocock 1897. Celebes
C. c. Pocock 1897, Abh. Senckenbg. Ges. 23 p. 609 T. 25 F. 16 (D ♀).
C. kükenthali Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 609 T. 25 F. 15 (D ♀).

♂♀ **ceylonensis** F. Cambridge 1897. Ceylon
C. c. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 346 T. 4 F. 12, 26 (D ♂♀).
C. c. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 232 f. 2 B, C (N ♀).

♂♀ **cochinensis** Gravely 1931. Indien
C. c. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 235 f. 1 E, 3 C (D ♂♀).
C. c. Reimoser 1934, Rev. Suisse Zool. 4 (32) p. 483 (C ♂♀).

♂ **cuspidatus** F. Cambridge 1902. Ceylon
C. c. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 406 T. 7 F. 12, 13 (D ♂).

♂♀ **denticulatus** (Simon) 1884. Burma, I. Simalur
Leptoctenus d. Simon 1884, Ann. Mus. Civ. Genova 20 p. 355 (D ♀).
C. d. Thorell 1895, Descr. Catal. Spid. Burma p. 216 (D ♂♀).
Leptoctenus d. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 338 T. 4 F. 4—6, 9 (D ♂♀).
C. d. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 231 f. 1 A, 2 A (N ♂♀).

♀ **feae** F. Cambridge 1902. Burma
C. obscurus Thorell 1887, Ann. Mus. Civ. Genova 25 p. 295 (D ♀).
C. obscurus Thorell 1895, Descr. Catal. Spid. Burma p. 27 (D ♀).
C. obscurus F. Cambridge 1897, Ann. Mag. Nat. Hist. (2) 20 p. 334 (D ♀).
C. f. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 414 (N).

o **flavidus** Hogg 1922. Annam
C. f. Hogg 1922, Proc. Zool. Soc. Lond. p. 299 f. 7a, b (D o).

♂♀ **floweri** F. Cambridge 1897. I. Pinang
C. f. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 348 T. 4 F. 22—25 (D ♂♀).
C. f. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 235 f. 1 D (N ♂).

♀ **fungifer** Thorell 1890. I. Pinang
C. f. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 309 (D ♀).
C. f. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 334 (D ♀).

♂♀ **himalayensis** Gravely 1931. Himalaya
C. h. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 234 f. 1 C, 3 B (D ♂♀).

♂♀ **hosei** F. Cambridge 1897. Borneo
C. h. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 345 T. 4 F. 11, 17, 20, 28—30 (D ♂♀).
C. h. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 608 T. 25 F. 14 (D ♂♀).

♀ **indicus** Gravely 1931. Indien
C. i. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 234 f. 2 H, I (D ♀).

♂♀ **javanus** Pocock 1897. Java
C. j. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 610 T. 25 F. 16 (D ♀).
C. j. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 67 (D ♂).

♀ **jucundus** Thorell 1897. Burma
C. j. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4—6) p. 17 (D ♀).

♂♀ **karschi** Roewer 1951. Ceylon
C. trabifer Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 295 T. 11 F. 18 (N ♂, ♀), (nec Thorell 1887 und 1895).
C. k. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 446 (nom. nov.).

♂ **palembangensis** Strand 1906. Sumatra
C. p. Strand 1906, Jahrb. Nassau. Ver. Nat. 59 p. 272 (D ♂).

♂♀ **periculosus** Bristowe 1931. I. Krakatau
C. p. Bristowe 1931, Proc. Zool. Soc. Lond. p. 1395 f. 1—5 (D ♂♀).

♀ **pilippinensis** F. Cambridge 1897. Philippinen
C. p. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 349 T. 4 F. 1 (D ♀).

♂ o **pollii** Hasselt 1893. Sumatra
C. p. Hasselt 1893, Tijdschr. Ent. 36 p. 146 (D o).
C. p. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 336 (D ♂).

♀ **pulvinatus** Thorell 1890. Borneo
C. p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 133 (N).
C. p. Thorell 1891, Ann. Mus. Civ. Genova 31 p. 139 (D ♀).
C. p. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 335 (D ♀).

♂♀ **ramosus** Thorell 1887. Burma
C. r. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 291 (D ♂).
C. trabifer Thorell 1887, Ann. Mus. Civ. Genova 25 p. 288 (D o).
C. r. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4—6) p. 15 (D ♀).
C. r. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 333 (D ♂).

♂♀ **robustus** Thorell 1897. Burma
C. r. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4—6) p. 12 (D ♂♀).

♀ **sagittatus** Giltay 1935. Celebes
C. s. Giltay 1935, Bull. Mus. Hist. Nat. Belg. 11 (20) p. 12 f. 7, 8 (D ♀).

♀ **sarawakensis** F. Cambridge 1897. Borneo
C. s. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 346 T. 4 F. 3 (D ♀).

♂♀ **sikkimensis** Gravely 1931. Sikkim
C. s. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 232 f. 1 D, 2 F—H (D ♂♀).

♂ **simplex** Thorell 1897. Burma
C. s. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4—6) p. 16 (D ♂).

♂ **smythiesi** Simon 1897. Indien
C. s. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 259 (D ♂).

♀ **tamerlani** Roewer 1951. Burma
C. trabifer Thorell 1895, Descr. Catal. Spid. Burma p. 214 (N ♀) (praeocc. Thorell 1887).
C. trabifer F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 332 T. 4 F. 14 (N ♀).
C. trabifer Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 234 f. 3 A (N ♀).
C. t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 446 (nom. nov.).

♂♀ **thorellii** F. Cambridge 1897. Ceylon
C. t. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 342 T. 4 F. 2, 15, 27 (D ♂♀).
C. t. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 232 f. 2 E (N ♀).

♂ **tumidulus** (Simon) 1887. Burma
Leptoctenus t. Simon 1887, Journ. Asiat. Soc. Bengal. 56 (2) p. 108 (D O).
Leptoctenus t. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 339 (D ♂).

♂♀ **valvularis** (Hasselt) 1882. Java, Sumatra, Malakka
Leptoctenus v. Hasselt 1882, in: Veth, Midd. Sumatra; Aran. (IV) 11 (A) p. 45 T. 5 F. 12 (D ♀).
C. v. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 135 (D ♀).
C. v. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 338 T. 4 F. 16 (D ♀).
C. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 110 (N).

Australische Arten:

♂ **agalenoides** (L. Koch) 1878. Australien
Leptoctenus a. L. Koch 1878, Arachn. Austral. 1 (2) p. 994 T. 87 F. 1 (D ♂).
C. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 111 (N).

♀ **agroecoides** (Thorell) 1881. Cap York
Leptoctenus a. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 386 (D ♀).

♂ **angigitanus** Roewer 1938. Neu-Guinea
C. a. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (hors Ser.) 3 (19) p. 60 f. 40, 41 (D ♂).

♂ **angularis** Roewer 1938. Aru-I.
C. a. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (hors Ser.) 3 (19) p. 58 f. 39 (D ♂).

♀ **aruanus** Strand 1911. Aru-I.
C. a. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 164 T. 5 F. 57 (D ♀).

♀ **kochi** Simon 1896. Neu-Guinea
C. k. Simon 1896, Ann. Soc. Ent. France 65 p. 494 (D ♀).
C. k. Simon 1897, Hist. Nat. Araign. 2 (1) p. 110 (N).

♀ **marginatus** Walckenaer 1847. Salomonen, Fidji-I.
C. m. Walckenaer 1847, Hist. Nat. Ins. Apt. 4 p. 402 (D ♀).

♂ **rufisternis** Pocock 1899. Neu-Pommern
C. r. Pocock 1899, in: Willey, Zool. Res. ... N. Brit., Salomon. Isl. 1 p. 111 T. 10 F. 9 (D ♂).

Neotropische Arten:

§ 11 ♂, 19 ♀: F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 73—77.
§ 5 ♂, 10 ♀: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 108.
§ 12 ♂, 33 ♀: F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 407—411.

♀ **adustus** (Keyserling) 1876. Columbien
Microctenus a. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 690 T. 8 F. 57 (D ♀).
C. a. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 77 (N ♀).

♀ **albofasciatus** F. Cambridge 1897. Amazonas
C. a. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 82 T. 3 F. 1 d, 4 b (D ♀).

♂ **albovittatus** Mello-Leitao 1939. Argentinien
C. a. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 74 f. 56—58 (D ♂).

♀ **alienus** F. Cambridge 1900. Guatemala
C. a. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 111 T. 8 F. 2 (D ♀).

♀ **amphora** Mello-Leitao 1930. Amazonas
C. a. Mello-Leitao 1930, Arch. Mus. Nac. R. d. Janeiro 32 p. 64 TF. 22, 23 (D ♀).
C. a. Mello-Leitao 1936, Festschr. Strand 1 p. 6 T. 1 F. 6 (C ♀).
C. a. Mello-Leitao 1948, An Ac. Bras. Ci. 20 p. 173 (N).

♀ **analitiformis** Strand 1909. Brasilien
C. a. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 327 (D ♀).

anclatus Franganillo 1931. Cuba
C. a. Franganillo 1931, Belen Habana Cuba p. 287 (D).
C. a. Franganillo 1934, Mem. Soc. Cuban. Hist. Nat. 8 (3) p. 154 (D).

♀ **andrewsi** F. Cambridge 1897. N.-Brasilien
C. a. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 79 T. 3 F. 2 b (D ♀).
C. a. Strand 1915, Arch. Naturg. 81 (A; 9) p. 129 (N).
Phoneutria a. Mello-Leitao 1936, Festschr. Strand 1 p. 15 T. 1 F. 31 (D ♀).

♀ **anisitsi** Strand 1909. Paraguay
C. a. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 311 (D ♀).

♀ **atrivulva** Strand 1909. Brasilien
C. a. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 314 (D ♀).

♀ **avidus** Bryant 1948. Haiti
C. a. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 397 T. 9 F. 89 (D ♀).

O **bahamensis** Strand 1906. Bahama-I.
C. (spec.) Banks 1906, Bull. Amer. Mus. Nat. Hist. 22 (11) p. 187 (D O).
C. b. Strand 1906, Zool. Centralbl. 14 p. 693 (nom. nov.).

bicolor (Bertkau) 1880. Brasilien
Isoctenus b. Bertkau 1880, Bull. Ac. Belg. (2) 49 p. 655 (D).
C. b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 471 (C).

♀ **bilobatus** F. Cambridge 1900. Mexico
C. b. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 110 T. 8 F. 8 (D ♀).

♀ **bimaculatus** Taczanowski 1874. Guiana
C. b. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 92 (D ♀).

♀ **binotatus** Mello-Leitao 1936. Brasilien
C. b. Mello-Leitao 1936, Festschr. Strand 1 p. 6 T. 1 F. 2 (D ♀).

♀ **birabeni** Mello-Leitao 1941. Argentinien
C. b. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 157 T. 8 F. 35 (D ♀).

♀ **blumenauensis** Strand 1909. S.-Brasilien
C. b. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 324 (D ♀).

♂♀ **bolivicola** Strand 1907. Bolivien
C. b. Strand 1907, Zeitschr. Naturw. 79 p. 429 (D ♂♀).

♂♀ **boliviensis** F. Cambridge 1897. Bolivien
C. b. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 80 T. 3 F. 3a-c (D ♂♀).
C. b. Strand 1907, Zeitschr. Naturw. 79 p. 426 (D ♂♀).

♀ **brevipes** Keyserling 1891. S.-Brasilien
C. b. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 148 T. 4 D. 101 (D ♀).
C. b. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 77 (N).
C. b. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 411 (N).
C. b. (= ? **brevilabris**) Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 410 (D ♀).
C. b. Mello-Leitao 1936, Festschr. Strand 1 p. 7 T. 1 F. 3 (C ♀).

♂♀ **brevitarsus** Bryant 1940. Cuba
C. b. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 379 T. 12 f. 159. 160 (D ♂♀).

♂ **bulimus** Strand 1909. Brasilien
C. b. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 303 (D ♂).

♀ **byrrhus** (Simon) 1888. Mexico
Leptoctenus b. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 210 (D ♀).
C. b. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 113 T. 8 F. 9 (N ♀).

♂ **calcaratus** F. Cambridge 1900. Guatemala
C. c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 113 T. 8 F. 7 (D ♂).

♂♀ **captiosus** Gertsch 1935. Florida
C. c. Gertsch 1935, Amer. Mus. Novit. 805 p. 22 TF. 49—53 (D ♂♀).

♀ **chilenicus** Strand 1915. Chile
C. c. Strand 1915, Arch. Naturg. 81 (A; 9) p. 128 (D ♀).

♀ **colombianus** Mello-Leitao 1941. Columbien
C. c. Mello-Leitao 1941, An. Ac. Bras. Ci. 13 (2) p. 124 (D ♀).

♂♀ **complicatus** Franganillo 1946. Cuba
C. c. Franganillo 1946, Mem. Soc. Cubana Hist. Nat. 18 p. 99 f. (D ♂♀).

♂♀ **concolor** (Perty) 1833. Brasilien, Columbien
Dolomedes c. Perty 1833, Delect. Anim. Artic. Braz. p. 197 T. 39 F. 4 (D ♀).
C. unicolor Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 365 (D ♂♀).
C. c. C. L. Koch 1848, Die Arachniden 15 p. 59 TF. 1458 (D ♀).

♀ **convexus** F. Cambridge 1900. Costa Rica, Guatemala, Mexico
C. c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 114 T. 8 F. 12 (D ♀).
C. c. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 324 (C).

♂ **coxanus** Bryant 1940. Cuba
C. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 381 T. 12 F. 162 (D ♂).

♀ **crulsi** Mello-Leitao 1930. Amazonas
C c. Mello-Leitao 1930, Arch. Mus. Nac. R. d. Jan. 32 p. 63 TF. 20—21 (D ♀).
C. c. Mello-Leitao 1936, Festschr. Strand 1 p. 7 T. 1 F. 4 (N ♀).

♀ **cuminamensis** Mello-Leitao 1930. Amazonas
C. c. Mello-Leitao 1930, Arch. Mus. Nac. R. d. Janeiro 32 p. 64 TF. 24, 25 (D ♀).
C. c. Mello-Leitao 1936, Festschr. Strand 1 p. 7 T. 1 F. 5 (C ♀).

♂♀ **curvipes** (Keyserling) 1880. Panama
Microctenus c. Keyserling 1880, Verh. Zool. Bot. Ges. Wien 30 p. 579 T. 16 F. 24 (D ♂).
C. c. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 86 T. 3 F. 6a, 7e (D ♀).
C. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 107 f. 100 (N ♂).
C. c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 112 (N).

♀ **darlingtoni** Bryant 1948. Haiti
C. d. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 398 T. 9 F. 86 (D ♀).

♀ **datus** Strand 1909. Ecuador
C. d. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 316 (D ♀).

♂ **depilatus** Strand 1909. Columbien
C. d. Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 413 (D ♂).

♂ **dolomedes** Chamberlin 1925. Nieder-Californien
C. d. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 219 (D ♂).

♀ **drassoides** (Karsch) 1879. Columbien
Dyomonomma d. Karsch 1879, Stettin. Ent. Zeitschr. 40 p. 108 (D ♀).
C. d. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 472 (C).

♂ **dubius** Walckenaer 1805. – * Guiana
C. d. Walckenaer 1805, Tabl. Aran. p. 18 T. 3 F. 22 (N ♂).
C. d. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 366 (D ♂).
C. d. Simon 1897, Hist. Nat. Araign. 2 (1) p. 114 (N).

♀ **ellacomei** F. Cambridge 1902. Surinam
C. e. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 403 T. 7 F. 8 (D ♀).

♂♀ **ensiger** F. Cambridge 1900. Mexico
C. e. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 114 T. 8 F. 10, 11 (D ♂♀).

♂ **eupalaestrus** (Mello-Leitao) 1936. Brasilien
Isocterus eu. Mello-Leitao 1936, Festschr. Strand 1 p. 18 T. 3 F. 39, 40 (D ♂).

♀ **excavatus** F. Cambridge 1902. Mexico
C. e. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 111 T. 8 F. 3 (D ♀).
C. e. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) p. 411 (N ♀).

♂♀ **falcatus** F. Cambridge 1902. I. St. Lucia
C. f. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 402 T. 7 F. 6—7 (D ♂♀).

♀ **fasciatus** Mello-Leitao 1943. Sao Paulo
C. f. Mello-Leitao 1943, An. Ac. Bras. Ci. 15 (3) p. 260 (D ♀).

♂♀ **ferus** (Perty) 1833. Brasilien, Paraguay, Uruguay, Argentinien
Phoneutria f. Perty 1833, Delect. Anim. Artic. Braz p. 197 T. 39 F. 3 (D ♀).
C. f. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 370 (D ♀).
Phoneutria f. C. L. Koch 1848, Die Arachniden 15 p. 60 TF. 1459 (D ♂♀).
C. f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 145 (D ♀).
C. keyserlingi F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 76, 81 T. 3 F 2c (N).
Phoneutria f. Mello-Leitao 1936, Festschr. Strand 1 p. 16 T. 1 F. 32; T. 3 F. 33 (N ♂♀).

♀ **foliiferus** (Bertkau) 1880. Brasilien
Isoctenus f. Bertkau 1880, Mém. Class. Sci. 43 p. 61 (D o).
C. f. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 154 (N).
Isoctenus f. Mello-Leitao 1936, Festschr. Strand 1 p. 19 T. 1 F. 41 (D ♀).

♀ **forcipatus** Mello-Leitao 1922. S.-Brasilien
C. f. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 39 (D ♀).

♂ **fulvipes** Caporiacco 1947. Brit. Guiana
C. f. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 27 (D ♂).
C. f. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 679 TF. 98—99 (D ♂).

♀ **fuscus** Walckenaer 1837. Guiana
C. f. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 368 (D ♀).
C. f. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 90 (D ♀).

♀ **giganteus** Taczanowski 1874. Guiana
C. g. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 91 (D ♀).

♀ **gigas** Franganillo 1931. Cuba
C. g. Franganillo 1931, Belen. Habana Cuba p. 287 (D ♀).
C. g. Franganillo 1934, Mem. Soc. Cuba Hist. Nat. 8 (3) p. 154 (D ♀).

♂ **griseolus** Mello-Leitao 1936. Brasilien
C. g. Mello-Leitao 1936, Festschr. Strand 1 p. 7 T. 1 F. 8; T. 2 F. 6, 7 (D ♂).

♀ **griseus** Keyserling 1891. Brasilien
C. g. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 152 T. 4 F. 105 (D ♀).
C. g. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 17 (N ♀).

♀ **guadalupei** Mello-Leitao 1941. Guadelupe
C. g. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 215 f. 23—24 (D ♀).

♀ **gynheraldicus** Mello-Leitao 1936. Brasilien
C. g. Mello-Leitao 1936, Festschr. Strand 1 p. 8 T. 1 F. 9 (D ♀).

♀ **haitiensis** Strand 1909. Haiti
C. h. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 323 (D ♀).

♀ **herteli** Mello-Leitao 1947. Brasilien
C. h. Mello-Leitao 1947, Arqu. Mus. Paranaense (6) 6 p. 269 T. 37 F. 24 (D ♀).

♀ **hiemalis** Bryant 1948. Haiti
C. h. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 399 T. 9 F. 81 (D ♀).

♀ **humilis** (Keyserling) 1887. Nicaragua
Microctenus h. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 456 T. 6 F. 35 (D ♀).
C. h. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 113 (C ♀).

♂♀ **inazensis** Strand 1909. Ecuador
C. i. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 307 (D ♂♀).

♀ **incolans** F. Cambridge 1900. Costa Rica, Guatemala
C. i. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 111 T. 7 F. 35, 36 (D ♀).
C. i. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 409, 411 (N ♀).

♂ **infelix** Mello-Leitao 1940. Brasilien
C. i. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 211 (D ♂).

♂ **insulanus** Bryant 1948. San Domingo
C. i. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 400 T. 9 F. 88 (D ♂).

♂ **iophorus** Mello-Leitao 1936. Brasilien
C. i. Mello-Leitao 1936, Festschr. Strand 1 p. 9 T. 2 F. 10 (D ♂).

♀ **isolatus** Bryant 1940. Cuba
C. i. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 382 T. 12 F. 163 (D ♀).

♀ **jaminauensis** Mello-Leitao 1936. Brasilien
C. j. Mello-Leitao 1936, Festschr. Strand 1 p. 9 T. 1 F. 11 (D ♀).

O♀ **janeirus** Walckenaer 1837. Brasilien
C. j. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 364 (D ♀).
C. j. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 458 (D ♀).
C. cinnamomeus C. L. Koch 1848, Die Arachniden 15 p. 58 TF. 1457 (D O).
Isoctenus j. Mello-Leitao 1936, Festschr. Strand 1 p. 20 T. 2 F. 42 (D ♀).

♀ **juruensis** Mello-Leitao 1922. Brasilien
C. j. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 39 (D ♀).

o **lagesicola** Strand 1909. Brasilien
C. l. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 325 (D o).

♂♀ **longipes** Keyserling 1891. Brasilien
C. l. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 150 T. 4 F. 103 (D ♂).
C. l. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 9 p. 74 (N).
C. vertebratus F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 404 T. 7 F. 11 (D ♀).
C. l. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 305 (N ♂♀).
C. vertebratus Mello-Leitao 1931, Bol. Biol. R. d. Janeiro 17 p. 13 TF. 4 (D ♂).
C. l. Mello-Leitao 1936, Festschr. Strand 1 p. 10 (N).
C. vertebratus Mello-Leitao 1936, Festschr. Strand 1 p. 10 T. 1 F. 14; T. 2 F. 12, 13 (C ♂♀).

o **longipes vittatissima** Strand 1915. S.-Brasilien
C. l. v. Strand 1915, Arch. Naturg. 81 (A; 9) p. 131 (D o).

♀ **luederwaldti** Mello-Leitao 1917. S.-Brasilien
C. l. Mello-Leitao 1917, Rev. Mus. Paulista 15 p. 403 (D ♀).
Phoneutria l. Mello-Leitao 1936, Festschr. Strand 1 p. 18 (C).

♀ **maculatus** Franganillo 1931. Cuba
C. m. Franganillo 1931, Belen Habana Cuba p. 287 (D ♀).
C. m. Franganillo 1934, Mem. Soc. Cub. Hist. Nat. 8 (3) p. 155 (D ♀).

♂ **maculisternis** Strand 1909. Bolivien
C. m. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 302 (D ♂).

♂♀ **malvernensis** Petrunkevitch 1910. Jamaica
C. m. Petrunkevitch 1910, Ann. N. York Ac. Sci. 19 (9; 2) p. 217 T. 22 F. 24, 25 (D ♂♀).

♀ **manni** Bryant 1948. Haiti
C. m. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 401 T. 9 F. 83 (D ♀).

♂ **masculus** (Mello-Leitao) 1939. S.-Brasilien
Isoctenus m. Mello-Leitao 1939, Mem. Inst. Butantan 12 p. 527 TF. 9, 10 (D ♂).

♂♀ **medius** Keyserling 1891. Brasilien, Panama
C. m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 153 T. 4 F. 106 (D ♀).
C. m. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 75 T. 3 F. 6f, 7g (D ♂).
C. m. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 307 (N o ♀).
C. m. Banks 1929, Bull. Mus. Comp. Zool. Harvard 69 (3) p. 32 T. 4 F. 57 (N ♀).
C. m. Mello-Leitao 1936, Festschr. Strand 1 p. 10 T. 1 F. 15 (C ♀).

♀ **mentor** Strand 1909. Brasilien
C. m. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 315 (D ♀).

♀ **metatarsalis** Mello-Leitao 1941. Santa Fe
C. m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 216 f. 25 (D ♀).

♀ **minor** F. Cambridge 1897. Amazonas
C. m. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 83 T. 3 F. 4c (D ♀)

♂♀ **minusculus** Keyserling 1891. S.-Brasilien
C. m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 149 T. 5 F. 102 (D ♀).
C. m. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 77 (N).
C. m. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 411 (N).
C. m. Mello-Leitao 1936, Festschr. Strand 1 p. 11 T. 1 F. 16; T. 2 F. 17—18 (D ♂♀).

♀ **miserabilis** Strand 1915. Columbien
C. m. Strand 1915, Arch. Naturg. 81 (A; 9) p. 128 (D ♀).

♀ **monticola** Bryant 1948. San Domingo
C. m. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 401 T. 9 F. 82 (D ♀).

♂ **mourei** Mello-Leitao 1947. Santa Catharina
C. m. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 270 T. 37 F. 25 (D ♂).

♂♀ **nanellus** Mello-Leitao 1930. Amazonas
C. n. Mello-Leitao 1930, Arch. Mus. Nac. R. d. Jan. 32 p. 62 TF. 18—19 (D ♂♀).

♂ **nigritus** F. Cambridge 1897. Brasilien

C. n. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 81 T. 3 F. 6a, 7a (D ♂).
C. n. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 408 (N ♂).

♂♀ **nigriventer** Keyserling 1891. Brasilien, Paraguay

C. n. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 144 T. 4 F. 98 (D ♀).
C. n. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 76 T. 3 F. 2d (N ♀).
C. n. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 296 (D ♂, N ♀).
Phoneutria n. Mello-Leitao 1936, Festschr. Strand 1 p. 16 T. 1 F. 36; T. 3 F. 34, 35 (N ♂♀).

♀ **nigriventroides** Strand 1907. Bolivien

C. n. Strand 1907, Zeitschr. Naturw. 79 p. 426 (D ♀).
C. n. Strand 1915, Arch. Naturg. 81 (A; 9) p. 129, 130 (N ♀).

♂ **nigrolineatus** Berland 1913. Ecuador

C. n. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 98 T. 10 F. 62—66 (D ♂).

♂ **niveobarbata** Mello-Leitao 1945. Argentinien

C. n. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. 29 p. 256 f. 41 (D ♂).

♀ **obscurus** (Keyserling) 1876. Columbien

Microctenus o. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 689 T. 8 F. 58 (D ♀).

♂♀ **ocelliventer** Strand 1909. Brasilien

C. o. Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 411 (D ♂).
C. o. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 97 (D ♀).
C. o. Mello-Leitao 1936, Festschr. Strand 1 p. 11 T. 1 F. 21; T. 3 F. 19, 20 (C ♂♀).

♂ **ochraceus** (C. L. Koch) 1848. Brasilien

Phoneutria o. C. L. Koch 1848, Die Arachniden 15 p. 62 TF. 1460 (D ♂).
C. o. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 475 (C).
Phoneutria o. Mello-Leitao 1936, Festschr. Strand 1 p. 17 T. 3 F. 37 (D ♂).

♀ **originalis** Mello-Leitao 1936. Brasilien, Guiana

C. o. Mello-Leitao 1936, Festschr. Strand 1 p. 11 T. 1 F. 22 (D ♀).

♀ **ornatus** (Keyserling) 1876. Brasilien

Microctenus o. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 687 T. 2 F. 62 (D ♀).
C. o. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 146 (C).
C. o. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 77 (N).
C. o. Mello-Leitao 1936, Festschr. Strand 1 p. 12 T. 1 F. 23 (D ♀).

♀ **ottleyi** (Petrunkevitch) 1930. Portorico

Oligoctenus o. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 7 f. 1—3 (D ♀).

♀ **paca** Mello-Leitao 1922. S.-Brasilien

C. p. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 41 (D ♀).
Phoneutria p. Mello-Leitao 1936, Festschr. Strand 1 p. 18 (C).

♀ **paranus** Strand 1909. Brasilien

C. p. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 321 (D ♀).

♂ **parvus** (Keyserling) 1876. Columbien
Microctenus p. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 692 T. 8 F. 55, 56 (D ♂).

♀ **paulensis** Mello-Leitao 1922. S.-Brasilien
C. p. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 39 (D ♀).

♀ **pauper** Mello-Leitao 1947. Brasilien
C. p. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 271 T. 37 F. 26—27 (D ♀).

♂♀ **pediculatus** Franganillo 1946. Cuba
C. p. Franganillo 1946, Mem. Soc. Cubana Hist. Nat. 18 p. 99 f. (D ♂♀).

♀ **peregrinus** F. Cambridge 1900. Costa Rica, Guatemala
C. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 110 T. 7 F. 34 (D ♀).
C. p. (= ? peregrinoides) Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 318 (D ♀).

♀ **peregrinus sapperi** Strand 1915. Guatemala
C. p. s. Strand 1915, Arch. Naturg. 81 (A; 11) p. 113 (D ♀).

♂ **planipes** F. Cambridge 1897. Brasilien
C. p. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 84 T. 3 F. 6b, 7c (D ♂).

♀ **ravidus** (Simon) 1886. Patagonien
Microctenus r. Simon 1886, Bull. Soc. Zool. France 11 p. 567 (D ♀).

♂ **rectipes** F. Cambridge 1897. Brasilien
C. r. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 85 T. 3 F. 6a, 7b (D ♂).

♀ **reidyi** F. Cambridge 1897. Brasilien, Guiana, Paraguay, Bolivien
C. r. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 78 T. 3 F. 1a, 2a (D ♀).
Phoneutria r. Mello-Leitao 1936, Festschr. Strand 1 p. 18 (C).
Phoneutria r. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 681 (C ♀).

♀ **rubripes** Keyserling 1880. Ecuador, Panama
C. r. Keyserling 1880, Verh. Zool. Bot. Ges. Wien 30 p. 577 T. 16 F. 23 (D ♀).
C. r. (= ? castratus) Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 310 (D ♀).

♀ **rufibarbis** (Perty) 1833. Brasilien, Argentinien
Phoneutria r. Perty 1833, Delect. Anim. Artic. Braz. p. 197 T. 9 F. 2 (D ♀).
C. r. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 369 (D ♀).
Phoneutria r. C. L. Koch 1848, Die Arachniden 15 p. 63 TF. 1461 (D ♀).
Phoneutria r. Keyserling 1880, Verh. Zool. Bot. Ges. Wien 30 p. 576 T. 16 F. 22 (D ♀).
C. pertyi F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 76, 80 (nom. nov.).
C. r. Mello-Leitao 1933, Arch. Escol. Sup. Agr. 10 p. 47 (N).
Phoneutria r. Mello-Leitao 1936, Festschr. Strand 1 p. 18 T. 1 F. 38 (C ♀).

♂ **rufichelis** Mello-Leitao 1917. Brasilien
C. r. Mello-Leitao 1917, Broteria 15 p. 97 f. 15, 16 (D ♂).

♀ **rufus** Walckenaer 1837. Guiana
C. r. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 367 (D ♀).
C. r. Taczanowski 1874, Hor. Soc. Ent. Ross. 10 p. 90 (D o).

♂o **saltensis** Strand 1909. N.-Argentinien
C. s. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 299 (D ♂).
C. s. Mello-Leitao 1941, Rev. Mus. La Plata (N.S.) 2, Zool. p. 157 f. 52 (D ♀).

♂♀ **sanctae-catharinae** Strand 1915. S.-Brasilien
C. s. Strand 1915, Arch. Naturg. 81 (A; 9) p. 131 (D ♂♀).

♀ **sanguineus** Walckenaer 1837. Brasilien
C. s. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 365 (D ♀).
C. s. Mello-Leitao 1936, Festschr. Strand 1 p. 12 T. 1 F. 24 (D ♀).

♀ **satanas** Strand 1909. Ecuador
C. s. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 320 (D ♀).

o **scenicus** Caporiacco 1947. Brit. Guiana
C. s. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 27 (D).
C. s. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 680 TF. 100 (D o).

♀ **semiornatus** Mello-Leitao 1939. S.-Brasilien
C. s. Mello-Leitao 1939, Mem. Inst. Butantan 12 p. 526 TF. 7, 8 (D ♀).

♀ **senex** Mello-Leitao 1929. Pernambuco, Brit. Guiana
C. s. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 98 TF. 8 (D ♀).
C. s. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 679 (C ♀).

♂ **serichelis** Mello-Leitao 1922. Brasilien
C. s. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 41 (D ♂).

♂♀ **serratipes** F. Cambridge 1897. S.-Brasilien
C. s. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 3 F. 6c, 7d (D ♂♀).

♂o **signativenter** Strand 1909. Ecuador
C. s. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 305 (D ♂o).

♀ **similis** F. Cambridge 1897. Brasilien
C. s. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 84 T. 3 F. 1c, 4a (D ♀).
C. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 112 T. 8 F. 5, 6 (N ♀).

♂♀ **sinuatipes** F. Cambridge 1897. Costa Rica, Panama
C. s. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 84 T. 3 F. 1b, 4d, 6e, 7f (D ♂♀).
C. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 112 T. 8 F. 5, 6 (D ♂♀).
C. s. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 160 f. 81 (N ♂).

♂ **spiculus** F. Cambridge 1897. Columbien
C. s. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 86 T. 3 F. 7h (D ♂).

♂ **spiralis** F. Cambridge 1900. Costa Rica
C. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 112 T. 8 F. 4 (D ♂).

♀ **strandi** (Mello-Leitao) 1936. Brasilien
Isoctenus st. Mello-Leitao 1936, Festschr. Strand 1 p. 20 T. 2 F. 43 (D ♀).

♂ **striolatus** Mello-Leitao 1922. Brasilien
C. s. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 40 (D ♂).

♀ **supinus** F. Cambridge 1900. Costa Rica
C. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 110 T. 7 F. 33 (D ♀).

♂ **sus** Strand 1909. Surinam
C. s. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 300 (D ♂).

♂ **taeniatus** Keyserling 1891. S.-Brasilien
C. t. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 151 T. 4 F. 104 (D ♂).

♂ **taperae** Mello-Leitao 1936. Brasilien
C. t. Mello-Leitao 1936, Festschr. Strand 1 p. 13 T. 3 F. 25, 26 (D ♂).

♀ **tarsalis** F. Cambridge 1902. Brasilien
C. t. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 404 T. 7 F. 9 (D ♀).

♀ **tatarendensis** Tullgren 1905. Bolivien
C. t. Tullgren 1905, Ark. Zool. 2 (19) p. 48 T. 7 F. 22 (D ♀).

♀ **tenkatei** (Hasselt) 1888. Surinam
Leptoctenus t. Hasselt 1888, Tijdschr. Ent. 31 (3) p. 192 (D ♀).

♀ **thomasi** F. Cambridge 1902. Argentinien
C. t. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 403 T. 7 F. 1, 2 (D ♀).

♂♀ **unilineatus** Simon 1897. St. Vincent
C. u. Simon 1897, Proc. Zool. Soc. Lond. p. 880 (D ♂♀).
C. u. F. Cambridge 1902, Ann. Mag. Nat. Hist. (7) 9 p. 406 T. 7 F. 3—5 (D ♂ ♀).

♀ **valdehirsutulus** Strand 1909. Bolivien
C. v. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 318 (D ♀).

♀ **variabilis** Franganillo 1931. Cuba
C. v. Franganillo 1931, Belen Habana Cuba p. 287 (D ♀).
C. v. Franganillo 1934, Mem. Soc. Cuban. Hist. Nat. 8 (3) p. 155 (D ♀).

♀ **vehemens** Keyserling 1891. Brasilien
C. v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 145 T. 4 F. 99 (D ♀).
C. v. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 77 (N).
C. v. Mello-Leitao 1936, Festschr. Strand 1 p. 13 T. 1 F. 27 (C ♀).

♂ **velocitatis** Roewer 1951. Brasilien
C. velox Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 147 T. 4 F. 100 (D ♂) praeocc. Blackwall 1865).
C. velox Mello-Leitao 1936, Festschr. Strand 1 p. 14 T. 3 F. 28—29 (N ♂).
C. v. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 446 (nom. nov.).

♂♀ **vernalis** Bryant 1940. Cuba
C. v. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 383 T. 11 F. 150, 156; T. 12 F. 158 (D ♂♀).

♂ **vespertilio** Mello-Leitao 1941. Columbien
C. v. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 281 f. 12 (D ♂).

♂ **villasboasi** Mello-Leitao 1949. Brasilien
C. v. Mello-Leitao 1949, Bol. Mus. Nac. R. d. Jan., Zool. 92 p. 11 f. 12 (D ♂).

♂ **walckenaerii** Griffith 1833. S.-Amerika (?)
C. w. Griffith 1833, in: Cuvier, Anim. Kingdom 13 p. 417 T. 13 (♂).
C. w. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 459 (D ♂).

♀ **w-notatus** Petrunkevitch 1925. Panama
C. w-n. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 158 f. 79, 80 (D ♀).

♂ **xerophilus** Mello-Leitao 1936. Brasilien
C. x. Mello-Leitao 1936, Festschr. Strand 1 p. 14 T. 4 F. 30 (D ♂).

♂ **xinguensis** Mello-Leitao 1940. Brasilien
C. x. Mello-Leitao 1940, Ann. Ac. Bras. Sci. 12 (1) p. 29 (D ♂).

Transgredierende Arten:

♂♀ **hybernalis** Hentz 1844. U. St. Amerika, I. Bonaire, Mexico
C. h. Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 393 T. 19 F. 1—4 (D ♂).
C. h. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 277 (N).
C. h. Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 187 T. 23 F. 35, 36 (D ♂♀).

Nearktische Arten:

♂ **minimus** F. Cambridge 1897. N.-Amerika
C. m. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 86 T. 3 F. 5 (D ♂).

Gen. **Cupiennius** Simon 1891.

§ 2 ♂, 5 ♀: F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 305.

♀ **argentinus** (Holmberg) 1881. Argentinien
Ctenus a. Holmberg 1881, Anal. Soc. Cient. Argent. 11 p. 270 T. 1 F. 3 (D ♀).
C. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 479 (C).

♀ **celerrimus** Simon 1891. Amazonas
C. c. Simon 1891, Bull. Soc. Zool. France 16 p. 111 (D ♀).

♀ **coccineus** F. Cambridge 1901. Panama
C. c. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 307 T. 29 F. 18 (D ♀).

♀ **costaricae** Strand 1909. Costa Rica
C. c. Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 424 (D ♀).

♀ **cubae** Strand 1909. Cuba
C. c. Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 424 (D ♀).

♀ **diplocellatus** Mello-Leitao 1936. Brasilien
C. d. Mello-Leitao 1936, Festschr. Strand 1 p. 21 (D ♀).

♂ **exterritorialis** Strand 1909. S.-Amerika
C. e. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 295 (D ♂).

♂♀ **foliatus** F. Cambridge 1901. Panama, Costa Rica, Nicaragua
C. f. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 307 T. 30 F. 1, 2 (D ♂♀).

♀ **getazi** Simon 1891. – * Costa Rica, Panama
C. g. Simon 1891, Bull. Soc. Zool. France 16 p. 110 (D ♀).
C. g. Simon 1898, Hist. Nat. Araign. 2 (2) p. 208 (N).

♀ **granadensis** (Keyserling) 1876. Columbien
Ctenus g. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 682 T. 8 F. 51, 52 (D ♀).
C. g. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 479 (C).

♀ **griseus** F. Cambridge 1901. Costa Rica
C. g. F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 307 (D ♀).

♀ **guatemalicus** Strand 1910. Guatemala
C. g. Strand 1910, Societas Ent. 25 p. 14 (D ♀).

♂ **medius** Chamberlin & Ivie 1936. Panama
C. m. Chamberlin & Ivie 1936, Bull. Univ. Utah; Biol. 27 (5) p. 14 T. 2 F. 13, 14 (D ♂).

♀ **minimus** Banks 1909. Costa Rica
C. m. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 215 T. 6 F. 27 (D ♀).

♂♀ **obscurus** Bryant 1940. Cuba
C. o. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 384 T. 10 F. 136; T. 12 F. 160 (D ♂♀).

♂♀ **salei** (Keyserling) 1876. Panama, Costa Rica, Honduras, Mexico, Florida
Ctenus s. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 685 T. 2 F. 53 (D ♂♀).
Phoneutria oculifera Karsch 1879, Zeitschr. Naturw. 52 p. 350 f. 2 (D ♀).
Ctenus oculatus Simon 1891, Bull. Soc. Zool. France 16 p. 110 (D ♀).
Ctenus mordicus Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 100 T. 13 F. 6, 7 (D ♂♀).
C. sallei F. Cambridge 1901, Biol. Centr. Amer. Aran. 2 p. 306 T. 29 F. 16, 17 (D ♂♀).
C. sallei Strand 1909, Zoll. Jahrb. Syst. 28 (4) p. 423 (N ♀).
C. sallei Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 p. 402 (N ♀).

♂ **subfoliatus** Strand 1909. Ecuador
C. s. Strand 1909, Zool. Jahrb. Syst. 28 (3) p. 293 (D ♂).

Gen. **Diactenus** Mello-Leitao 1938.

♀ **bruchi** Mello-Leitao 1938. Argentinien
D. b. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 103 f. 19, 20 (D ♀).

Gen. **Incasoctenus** Mello-Leitao 1942.

♀ **perplexus** Mello-Leitao 1942. Peru
I. p. Mello-Leitao 1942, Rev. Bras. Biol. R. d. Jan. 2 (4) p. 433 f. 7 (D ♀).

Gen. **Itatiaya** Mello-Leitao 1915.

♂♀ **amica** Mello-Leitao 1941. N.-Argentinien
I. a. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 159 T. 8 F. 37; f. 54 (D ♂♀).

♂♀ **isolata** Bryant 1942. Portorico
I. i. Bryant 1942, Journ. Agr. Univ. Portorico 26 p. 9 T. 2 F. 18, 21 (D ♂♀).

♀ **modesta** Mello-Leitao 1915. – * Brasilien
I. m. Mello-Leitao 1915, Broteria 13 p. 140 (D ♀).

Gen. **Paravulsor** Mello-Leitao 1922.

♀ **impudicus** Mello-Leitao 1922. Brasilien
P. i. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 38 (D ♀).

Gen. **Thoriosa** Simon 1910.

♀ **drassina** Simon 1910. I. Principe

T. d. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 361 (D ♀).

♀ **fulvastra** Simon 1910. – * San Thomé

T. f. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 360 (D ♀).

♀ **leonina** Simon 1910. Sierra Leone

Th. l. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 361 (D ♀).

Gen. **Titiotus** Simon 1897.

Neotropische Arten:

♀ **brasiliensis** Mello-Leitao 1915. Brasilien

T. b. Mello-Leitao 1915, Broteria 13 p. 140 (D ♀).

Nearktische Arten:

♀ **californicus** Simon 1897. – * Californien

T. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 113 f. 97 (D ♀).
T. c. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 181 T. 12 F. 23 (N ♀).

Gen. **Tuticanus** Simon 1896.

♀ **cruciatus** Simon 1896. – * Ecuador

T. c. Simon 1896, Ann. Soc. Ent. France 65 p. 494 (D ♀).
T. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 114 (N).

♀ **major** (Keyserling) 1879. Peru

Caloctenus m. Keyserling 1879, Verh. Zool. Bot. Ges. Wien 29 p. 337 T. 4 F. 31 (D ♀).
T. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 525 (C).

Gen. **Uliodon** L. Koch 1873.

Aethiopische Arten:

♂♀ **oswaldi** (Lenz) 1891. Madagascar

Agroeca o. Lenz 1891, Jahrb. Hambg. Wiss. Anst. 9 (1) p. 169 T. 1 F. 6, 8 (D ♂♀).
U. o. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 118 (N ♂).

Transgredierende Arten:

♂♀ **maritimus** (Cambridge) 1883. Neu-Seeland, Tasmanien, S.-Afrika

Amaurobioides m. Cambridge 1883, Proc. Zool. Soc. London p. 356 T. 36 F. 3 (D ♀).
Amaurobioides m. Cambridge 1887, Trans. N. Zeal. Inst. 20 p. 140 (N).
Amaurobioides piscator Hogg 1909, Spiders in: Subantarct. Isl. N. Zeal. 1 p. 164 T. 7 F. 4 (D ♀).
Amaurobioides africanus Hewitt 1917, Ann. Natal Mus. 3 (3) p. 704 T. 48 F. 8; f. 4 A—D (D ♂♀).
Amaurobioides litoralis Hickman 1949, Pap. Proc. Soc. Tasman. 1948 p. 31 f. 1—8 (D ♂♀).
Amaurobioides m. Hickman 1951, Pap. Proc. Soc. Tasman. 1951 p. 1 (N. synon.).

Australische Arten:

♀ **albopunctatus** L. Koch 1873. – * Australien
U. a. L. Koch 1873, Arachn. Austral. 1 (1) p. 432 T. 34 F. 2 (D ♀).
U. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 112 (N).

o **australiensis** (L. Koch) 1873. Neu-S.-Wales
Zora au. L. Koch 1873, Arachn. Austral. 1 (1) p. 441 T. 34 F. 7 (D o).

♀ **cervinus** L. Koch 1873. Australien
U. c. L. Koch 1873, Arachn. Austral. 1 (1) p. 433 T. 34 F. 3 (D ♀).

♂ **ferrugineus** (L. Koch) 1873. Australien
Zora f. L. Koch 1873, Arachn. Austral. 1 (1) p. 443 T. 34 F. 8 (D ♂).

♂♀ **frenatus** (L. Koch) 1873. Neu-Seeland
Zora f. L. Koch 1873, Arachn. Austral. 1 (1) p. 440 T. 34 F. 6 (D ♀).
Tegenaria vicina Karsch 1878, Zeitschr. ges. Naturw. 51 p. 816 (D ♀).
U. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 106 (N).
U. f. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 425 (D ♀).
U. hawkesi Hogg 1911, Proc. Zool. Soc. Lond. p. 303 f. 93 (D ♂♀).

♂♀ **marmoreus** (Hogg) 1896. Centr.-Australien
Zora m. Hogg 1896, Aran. in: Rep. Horn Exped. 2 (Zool.) p. 326 (D ♂♀).

♂ **tarantulinus** (L. Koch) 1873. Queensland
Zora t. L. Koch 1873, Arachn. Austral. 1 (1) p. 445 T. 35 F. 1 (D ♂).
U. t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 106 (N).

♂ **torvus** (L. Koch) 1873. Australien
Zora t. L. Koch 1873, Arachn. Austral. 1 (1) p. 444 T. 34 F. 9 (D ♂).

Gen. **Vulsor** Simon 1888.

Aethiopische Arten:

♀ **bidens** Simon 1888. – * Comoren
V. b. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 233 (D ♀).
V. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 131 f. 123 (N).

♂♀ **fasciatus** (Lenz) 1886. Madagascar
Phoneutria f. Lenz 1886, Zool. Jahrb. Syst. 1 (2) p. 404 T. 10 F. 7 (D ♂♀).
Viridasius pulchripes Simon 1888, Ann. Soc. Ent. France (6) 8 p. 233 (D ♂).
V. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 127 f. 127—131 (N ♂).
V. f. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 123 (D ♂♀).

O♀ **penicillatus** Simon 1896. Madagascar
V. p. Simon 1896, Bull. Mus. Hist. Nat. Paris 2 (7) p. 334 (D ♀).
V. p. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 133 (D O♀).

♀ **quartus** Strand 1907. Madagascar
V. q. Strand 1907, Zool. Anz. 31 (23) p. 738 (D ♀).
V. q. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 121 D ♀).

♀ **quintus** Strand 1907. Madagascar
V. q. Strand 1907, Zool. Anz. 31 (23) p. 739 (D ♀).
V. q. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 124 (D ♀).

♀ **septimus** Strand 1907. Madagascar
V. s. Strand 1907, Zool. Anz. 31 (23) p. 739 (D ♀).
V. s. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 130 (D ♀).

♀ **sextus** Strand 1907. Madagascar
V. s. Strand 1907, Zool. Anz. 31 (23) p. 739 (D ♀).
V. s. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 127 (D ♀).

Neotropische Arten:

♂ **occidentalis** Mello-Leitao 1922. Brasilien
V. o. Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 37 (D ♂).

Gen. **Xenoctenus** Mello-Leitao 1938.

♂♀ **marmoratus** Mello-Leitao 1941. N.-Argentinien
X. m. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 160 T. 8 F. 38 (D ♀).
X. m. Prosen 1951, Mision Est. Patol. Reg. Argent. 22 (80) p. 57 f. (D ♂).

♂ **pampeanus** Mello-Leitao 1940. Argentinien
X. p. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 39 f. 37—38 (D ♂).

♀ **patagonicus** Mello-Leitao 1940. Rio Negro
X. p. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) 2, Zool. p. 40 f. 39 (D ♀).

♀ **unguicularis** Mello-Leitao 1938. – * Argentinien
X. u. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 101 f. 16, 17 (D ♀).

2. *Subfam. Acantheinae*

§ Gattungen: Mello-Leitao 1940, Congr. Int. Ent. 1935, Madrid 1 p. 105.

Gen. **Acantheis** Thorell 1891.

§ 3 ♂: Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 612.

♂ **dimidiatus** (Thorell) 1890. Sumatra
Acanthoctenus d. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 134 (D ♂).
Acanthoctenus d. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 142 (D ♂).
A. d. Simon 1897, Hist. Nat. Araign. 2 (1) p. 117 (N).
Acanthoctenus d. F. Cambridge 1897, Ann. Mag. Nat. Hist. 6 (20) p. 341 (D ♂).

♀ **indicus** Gravely 1931. Indien
A. i. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 326 f. 3 D, E (D ♀).

♂ **laetus** (Thorell) 1890. Borneo
Acanthoctenus l. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 134 (D ♂).
Acanthoctenus l. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 146 (D ♂).
Acanthoctenus l. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 341 (D ♂).
A. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 117 f. 109—111 (N ♂).

♀ **longiventris** Simon 1896. Malakka, I. Siberut
A. l. Simon 1896, Ann. Soc. Ent. France 65 p. 495 (D o).
A. l. Reimoser 1929, Bull. Raffles Mus. Singapore 2 p. 130 (C ♀).

♂ **tridens** Pocock 1897. Borneo
A. t. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 611 (D ♂).

o **variatus** (Thorell) 1890. – * I. Nias
Acanthoctenus v. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 34 (D o).
Acanthoctenus v. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 340 (N).
A. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 118 (N).

Gen. **Ctenomma** Thorell 1890.

♂♀ **lineatum** (Simon) 1880. W.-Australien

Ctenophthalmus l. Simon 1880, Ann. Soc. Ent. Belg. 23 C. R. p. 174 (D ♀).
C. l. Thorell 1890, Ann. Mus. Civ. Genova 31 p. 131 (nom. nov.).
C. l. Simon 1897, Hist. Nar. Araign. 2 (1) p. 136 f. 141 (N).
C. l. Simon 1909, Faun. S. W. Austral. 2 (12) p. 168 (D ♂).

Gen. **Diallomus** Simon 1897.

o **fuliginosus** Simon 1897. – * Ceylon

D. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 119 f. 112, 113 (D o).

♀ **speciosus** Simon 1897. Ceylon

D. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 119 (D ♀).

Gen. **Enoploctenus** Simon 1896.

♂♀ **cyclothorax** (Bertkau) 1880. – * Brasilien

Ctenus c. Bertkau 1880, Mém. Class. Sci. 43 p. 56 T. 1 F. 18 (D ♂).
Caloctenus c. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 143 (N).
E. germaini Simon 1896, Ann. Soc. Ent. France 65 p. 495 (D o).
E. germaini Simon 1897, Hist. Nat. Araign. 2 (1) p. 118 f. 107—108 (N).
Caloctenus c. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 70 (N).
E. janeiroensis Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 417 (D O).
E. generalensis Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 418 (D ♀).
E. zonatulus Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 422 (D o).
E. wolfi Strand 1915, Arch. Naturg. 81 (A, 9) p. 133 (D ♀).
E. germaini Strand 1915, Arch. Naturg. 81 (A, 9) p. 133 (N).
E. c. Mello-Leitao 1936, Festschr. Strand 1 p. 23 (N).
E. zonatulus Mello-Leitao 1936, Festschr. Strand 1 p. 24 T. 2 F. 44 (D ♂♀).
E. c. Bücherl 1950, Mem. Inst. Butantan 23 p. 6, 31 (D ♂♀), Tabelle, f. 10—22.

♂♀ **maculipes** Strand 1909. S.-Brasilien

E. m. Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 420 (D ♀).
E. rondoni Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 42 (D ♀).
E. fallax Mello-Leitao 1922, Arch. Escol. Sup. Agr. 6 (1—2) p. 42 (D ♀).
E. strandi Mello-Leitao 1936, Festschr. Strand 1 p. 24 T. 4 F. 45—46 (D ♂).
E. m. Bücherl 1950, Mem. Inst. Butantan 23 p. 9, 31, Tabelle, Photo 1—4; 3 color. Taf.

♂ **morbidus** Mello-Leitao 1939. Mato Grosso

E. m. Mello-Leitao 1939, Bol. Biol. S. Paulo (N. S.) 4 (2) p. 287 f. 3—4 (D ♂).
E. m. Bücherl 1950, Mem. Inst. Butantan 23 p. 31 (Tabelle).

♂ **pedatissimus** Strand 1909. Brasilien, Ecuador

E. p. Strand 1909, Zool. Jahrb. Syst. 28 (4) p. 415 (D ♂).
E. p. Bücherl 1950, Mem. Inst. Butantan 23 p. 7, 31 (Tabelle).

♀ **scopulifer** Strand 1908. S.-Brasilien

E. s. Strand 1908, Anz. 33 (1) p. 6 (D ♀).
E. s. Strand 1915, Arch. Naturg. 81 (A, 9) p. 132 (D ♀).

Gen. **Nothroctenus** Badcock 1932.

♂ **bahiensis** Mello-Leitao 1936. Brasilien

N. b. Mello-Leitao 1936, Festschr. Strand 1 p. 25 T. 4 F. 47, 48 (D ♂).

♀ **stupidus** Badcock 1932. – * Paraguay
N. st. Badcock 1932, Journ. Linn. Soc. Lond. 38 (Zool.) p. 31 f. 33 (D ♀).

Gen. **Phymatoctenus** Simon 1896.

♀ **comosus** Simon 1896. – * Brasilien
P. c. Simon 1896, Ann. Soc. Ent. France 65 p. 495 (D ♀).
P. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 116 f. 106 (N).

♀ **kollari** Reimoser 1939. Costa Rica
P. k. Reimoser 1939, Ann. Naturh. Mus. Wien 50 p. 369 f. 9 (D ♀).

♂ **sassii** Reimoser 1939. Costa Rica
P. s. Reimoser 1939, Ann. Naturh. Mus. Wien 50 p. 364 f. 10 (D ♂).

♀ **tristani** Reimoser 1939. Costa Rica
P. t. Reimoser 1939, Ann. Naturh. Mus. Wien 50 p. 365 f. 11 (D ♀).

Gen. **Zora** C. L. Koch 1848.

Palaearktische Arten:

§ 6 ♂, 5 ♀ : Simon 1878, Arachn. de France 4 p. 316.
§ 5 ♀ : Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 249—250.
§ 2 ♂, 2 ♀ : F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 5—6.
§ 4 ♂, 4 ♀ : Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 36 TF. 405—407.
§ 5 ♂, 6 ♀ : Simon 1932, Arachn. de France 6 (4) p. 931—934.
§ 5 Arten: Tullgren 1946, Svensk Spindelfauna 3 p. 70—71.

♀ **alpina** Kulczynski 1915. Tirol
Z. a. Kulczynski 1915, Bull. Ac. Sci. Cracov. p. 935 (D ♀).

♂ **armillata** Simon 1878. Frankreich, Schweden
Z. a. Simon 1878, Arachn. de France 4 p. 320 (D ♂).
Z. letifera Falconer 1912, Naturalist p. 317 f. 1—4 (D ♂).
Z. letifera Cambridge 1913, Proc. Dorset F. Cl. 34 p. 130 (D ♂).
Z. a. Simon 1932, Arachn. de France 6 (4) p. 933, 934, 968 f. 1324 (D ♂).
Z. a. Tullgren 1946, Svensk Spindelfauna 3 p. 72 T. 12 F. 146—148 (D ♂♀).

♂♀ **distincta** Kulczynski 1915. Tatra
Z. d. Kulczynski 1915, Bull. Ac. Sci. Cracov. p. 937 (D ♂♀).

♀ **drenskii** Roewer 1951. Macedonien
Z. (spec.) Drenski 1929, Zeitschr. Bulgar. Ac. Wiss. 39 p. 20, 66 T. 2 F. 3 (D ♀).
Z. d. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♀ **inornata** L. Koch 1882. Mallorca
Z. i. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 639 T. 20 F. 19 (D ♀).

♂ **jaffana** Strand 1915. Palästina
Z. j. Strand 1915, Arch. Naturg. 81 (A; 2) p. 160 (D ♂).

o **maculosa** Roewer 1951. Syrien, Palästina
Hocaerge maculata Cambridge 1872, Proc. Zool. Soc. Lond. p. 257 (D o) (praeocc. Blackwall 1832).
Z. m. Roewer 1951, Abh. Nat. Ver. Bremen 23 (2) p. 447 (nom. nov.).

♂♀ **manicata** Simon 1878. Frankreich, Mitteleuropa, Ungarn

Z. m. Simon 1878, Arachn. de France 4 p. 318 (D ♂♀).
Z. m. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 250 (D ♀).
Z. silvestris Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 584 (D ♂♀).
Z. m. Simon 1932, Arachn. de France 6 (4) p. 932, 969 (D ♂♀).

♂♀ **nemoralis** (Blackwall) 1861. W.- u. Mitteleuropa, Schweden, Russland, Balkanländer

Hecaerge n. Blackwall 1861, Ann. Mag. Nat. Hist. (3) 8 p. 441 (D ♂♀).
Hecaerge n. Cambridge 1873, Trans. Linn. Soc. Lond. 28 (3) p. 433 T. 33 F. 1 (N ♂).
Z. n. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 401 T. 68 F. 227 (D ♂♀).
Z. n. Simon 1878, Arachn. de France 4 p. 321 (D ♂♀).
Z. n. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 308 T. 17 F. 17 (D ♂♀).
Z. n. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 250 (D ♀).
Z. n. Bösenberg 1902, Zoologica 14 (2—4) p. 254 T. 23 F. 367 (D ♂♀).
Z. n. Lessert 1910, Catal. Invert. Suisse; Araign. p. 420 (D ♂♀).
Z. n. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 584 (D ♂♀).
Z. n. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 5 f. 1, 2 (D ♂♀).
Z. n. Simon 1932, Arachn. de France 6 (4) p. 932, 934, 968 f. 1421, 1422, 1426 (D ♂♀).
Z. n. Holm 1945, Ark. Zool. 36 (A, 15) p. 68 f. 22a, b (N ♂♀).
Z. n. Tullgren 1946, Svensk Spindelfauna 3 p. 73 f. 22B; T 12 F. 149—151 (D ♂♀).
Z. n. Locket & Millidge 1951, Brit. Spiders I. p. 159 f. 80A, H (D ♂♀).

♂♀ **nemoralis palmgreni** Holm 1945. Lappland

Z. nemoralis Palmgren 1943, Act. Zool. Fenn. 36 p. 74 f. 78 (D o).
Z. n. p. Holm 1945, Ark. Zool. 36 (A, 15) p. 68 f. 22c, d (D ♂♀).
Z. n. p. Tullgren 1946, Svensk Spindelfauna 3 p. 74 (D ♂♀).

♀ **nigrimana** Schenkel 1927. Wallis

Z. n. Schenkel 1927, Rev. Suisse Zool. 34 (14) p. 255 f. 15 (D ♀).

♀ **opiniosa** (Cambridge) 1872. Libanon

Z. o. Cambridge 1872, Proc. Zool. Soc. Lond. p. 258 T. 16 F. 43 (D ♀).

♂♀ **parallela** Simon 1878. Frankreich, Corsica, Tirol, Schweden, Macedonien, Palästina

Z. p. Simon 1878, Arachn. de France 4 p. 323 T. 16 F. 9 (D ♂♀).
Z. p. Simon 1932, Arachn. de France 6 (4) p. 932, 969 (D ♂♀).
Z. p. Tullgren 1946, Svensk Spindelfauna 3 p. 75 T. 12 F. 152 (D ♀).

♂♀ **pardalis** Simon 1878. Frankreich, Mittelmeergebiet, S.-Russland, Turkestan

Z. p. Simon 1878, Arachn. de France 4 p. 322 (D ♂♀).
Z. p. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 250 (D ♀).
Z. p. Bösenberg 1902, Zoologica 14 (2—4) p. 254 T. 24 F. 368 (D ♂♀).
Z. p. Simon 1932, Arachn. de France 6 (4) p. 934, 968 (D ♂♀).
Z. p. Denis 1933, Bull. Soc. Hist. Nat. Toulouse 65 p. 584 f. 4 (D ♂).

♀ **prespaensis** Drenski 1929. Macedonien

Z. p. Drenski 1929, Zeitschr. Bulgar. Ak. Wiss. 39 p. 19, 65 T. 2 F. 1, 2 (D ♀).

♂♀ **silvestris** Kulczynski 1897. Ungarn, Schweiz, Finnland, Schweden

Z. s. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (b) p. 250 T. 10 F. 13 (D ♂♀).
Z. s. Schenkel 1925, Rev. Suisse Zool. 32 (19) p. 308 (N ♀).
Z. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 76 f. (N).
Z. s. Tullgren 1946, Svensk Spindelfauna 3 p. 76 f. 22C; T. 12 F. 153 (D ♀).

♂♀ **spinimans** (Sundevall) 1832. Europa, Turkestan, Kamtschatka, Marokko, Syrien

Lycaena s. Sundevall 1832, Vet. Ak. Handl. p. 266 (D ♀).
Hecaerge maculata Blackwall 1832, Lond. Edinbg. Phil. Mag. (3) 3 p. 193 (D ♂♀).
Lycodia s. Sundevall 1833, Conspect. Arachn. p. 22 (D ♀).
Hecaerge maculata Blackwall 1834, Research in Zool. p. 413 T. 3 F. 8 (D ♂♀).
Dolomedes s. C. L. Koch 1835, in: Herrich-Schäffer, Deutschl. Ins. 128 T. 23, 24.
Dolomedes lycaena Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 348 (D ♂♀).
Z. s. C. L. Koch 1848, Die Arachniden 14 p. 102 TF. 1343, 1344 (D ♂♀).
Hecaerge s. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 41 T. 3 F. 21 (D ♂♀).
Z. s. Westring 1862, Aran. Svec. p. 325 (D ♂♀).
Z. s. Ohlert 1867, Aran. Prov. Preußen p. 147 (D ♂♀).
Z. maculata Thorell 1869, On Europ. Spid. p. 140 (N).
Z. s. (maculata) Thorell 1870, Rem. Syn. Europ. Spid. p. 168 (N).
Z. maculata Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 400 T. 68 F. 226 (D ♂♀).
Z. s. Simon 1878, Arachn. de France 4 p. 317 (D ♂♀).
Z. maculata Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 61 (D ♂♀).
Z. maculata Hansen 1885, in: Schiödte, Zool. Danica p. 131 T. 3 F. 10 (D ♂♀).
Z. s. Becker 1896, Ann. Mus. Hist. Nat. Belg. 12 (2) p. 306 T. 17 F. 15 (D ♂♀).
Z. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2 (b) p. 250 (D ♀).
Z. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 135 f. 134—140 (N ♂♀).
Z. maculata Bösenberg 1902, Zoologica 14 (2—4) p. 254 T. 23 F. 366 (D ♂♀).
Z. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 419 (D ♂♀).
Z. s. Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 586 (D ♂♀).
Z. s. F. & M. Dahl 1927, in: Dahl, Tierw. Deutschl. 5 p. 5 f. 3—5 (D ♂♀).
Z. s. Simon 1932, Arachn. de France 6 (4) p. 933, 968 f. 1423, 1425 (D ♂♀).
Z. s. Palmgren 1943, Act. Zool. Fenn. 36 p. 73 f. (N).
Z. s. Tullgren 1946, Svensk Spindelfauna 3 p. 71 f. 21, 22A; T. 11 F. 142—145 (D ♂♀).
Z. s. Locket & Millidge 1951, Brit. Spiders I. p. 156 f. 4B, 79C, 80B, D, F (D ♂♀).

Nearktische Arten:

♀ **pumila** (Hentz) 1850. Alabama, Georgia

Katadysas p. Hentz 1850, Boston Journ. Nat. Hist. Soc. 6 p. 287 T. 10 F. 16 (D ♀).
Z. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 135 (N).
Z. spinimana Emerton 1911, Trans. Connect. Ac. Sci. 16 (4) p. 403 T. 5 F. 5 (D ♀).
Z. p. Comstock 1912, Spider Book p. 573 f. 651 (D).
Z. p. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p 156 (N).
Z. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 385 T. 73 F. 1379—1382 (D ♂♀).

Gen. **Zoroides** Berland 1924.

♀ **dalmasi** Berland 1924. Neu-Caledonien

Z. d. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 235 f. 168—173 (D ♀).

3. Subfam. Caloctenineae

§ Gattungen: Mello-Leitao 1940, 6. Congr. Int. Ent. 1935, Madrid 1 p. 106.

Gen. **Anahita** Karsch 1879.

Palaearktische Arten:

♂♀ **fauna** Karsch 1879. – * China, Japan

A. f. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 99 T. 1 F. 18 (D ♀).
A. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 123 f. 114, 115 (N).
A. f. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 290 T. 7 F. 86; T. 3 F. 313 (D ♂♀).

o **multidentata** Schenkel 1936. S.-Kansu

A. m. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 171 (D o).

Aethiopische Arten:

♂♀ **cambridgei** Lessert 1915. Abessinien, O.-Afrika, Congo

A. debilis Lessert 1915, Rev. Suisse Zool. 23 (1) p. 45 T. 2 F. 47 (D ♀).
A. c. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 47 T. 2 F. 41, 42 (D ♂).
Ctenus debilis Strand 1908, Arch. Naturg. 74 (I; 1) p. 43 T. 2 F. 9 (N ♀, nec ♂).
Ctenus debilis Strand 1908, Arch. Math. Naturvid. 29 (2) p. 46 (D ♀, nec ♂).
A. c. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 146 (N ♂♀).

♂♀ **caporiaccoi** Roewer 1951. S.-Abessinien

A. multidentata Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 104 (D ♂♀) (praeocc. Schenkel 1936).
A. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♂♀ **debilis** (Pavesi) 1895. Abessinien, O.-Afrika

Phoneutria d. Pavesi 1895, Ann. Mus. Civ. Genova 35 p. 523 (D ♂).
Phoneutria d. Cambridge 1898, Proc. Zool. Soc. Lond. p. 20 (D ♂).
Ctenus d. Strand 1908, Arch. Naturg. 74 (I; 1) p. 43 T. 2 F. 2—8 (N ♂, nec ♀).
Ctenus d. (= ? debilatus) Strand 1908, Arch. Math. Naturvid. 29 (2) p. 46 (D ♂, nec ♀).

♀ **faradjensis** Lessert 1929. Congo

A. f. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 149 f. 26 (D ♀).

♂ **icterica** Simon 1910. Portug. Guinea

A. i. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 363 (D ♂).

o **insularis** Strand 1907. Nossibé

A. i. Strand 1907, Zool. Anz. 31 (23) p. 738 (D o).
A. i. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 118 (D o).

♂♀ **kiwuensis** Strand 1915. O.-Afrika

A. k. Strand 1915, Arch. Naturg. 81 (A; 11) p. 88 (D ♂♀).
A. kiwuana Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 200 (N).

♂ **lineata** Simon 1896. Congo

A. l. Simon 1896, Ann. Soc. Ent. France 65 p. 497 (D ♂).
A. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 121 f. 116, 117 (N ♂).

♀ **lurida** Simon 1896. Sierra Leone

A. l. Simon 1896, Ann. Soc. Ent. France 65 p. 497 (D ♀).

♀ **mamma** Karsch 1884. W.-Afrika
A. m. Karsch 1884, S. B. Ges. Naturw. Marburg (2) p. 62 f. 1 (D ♀).

♂ **nigritarsis** Pavesi 1897. Abessinien
A. n. Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 175 (D ♂).

♀ **similis** Caporiacco 1947. O.-Afrika
A. s. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 201 T. 2 F. 46 (D ♀).

♂♀ **strandi** Lessert 1929. Belg. Congo
A. s. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 146 f. 25 (D ♂♀).

♂ **unifasciata** Simon 1904. Belg. Congo
A. u. Simon 1904, Bull. Mus. Hist. Nat. Paris 10 (7) p. 445 (D ♂).

Orientalische Arten:

o **punctata** (Thorell) 1890. Sumatra
Nydia p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 133 (N o).
Nydia p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 131 (D o).
Nydia p. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 20 p. 342 (N).
A. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 121 (N).

Neotropische Arten:

nathani Strand 1906. Bahama-I.
A. (spec.) Banks 1906, Bull. Amer. Mus. Nat. Hist. 22 p. 187 (D juv.).
A. n. Strand 1906, Zool. Centralbl. 13 p. 784 (nom. nov.).

Transgredierende Arten:

♂♀ **animosa** (Walckenaer) 1831. Georgia, Alabama, Indiana, Mexico
Lycosa a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 331 (D ♀ part.).
Ctenus punctulata Hentz 1844, Boston Journ. Nat. Hist. Soc. 4 p. 394 T. 19 F. 5—6 (D ♀).
Arctosa a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 346 (C).
A. punctulata Simon 1897, Hist. Nat. Araign. 2 (1) p. 123 (N).
Ctenus punctulatus Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 277 (C).
Ctenus punctulatus Bishop & Crosby 1926, Journ. Elisha Mitch. Sci. Soc. 41 (3—4) p. 184 T. 23 F. 31—33 (D ♂♀).
A. a. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 156 (N ♀).

Gen. **Apolania** Simon 1897.

♂ **segmentata** Simon 1897. Seychellen
A. s. Simon 1897, Ann. Soc. Ent. France 66 p. 384 (D ♂).
A. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 208 (N).

Gen. **Caloctenus** Keyserling 1876.

Aethiopische Arten:

o **abyssinicus** Strand 1917. Abessinien
C. a. Strand 1917, Arch. Naturg. 82 (A; 3) p. 41 (D o).

♀ **caporiaccoi** Lessert 1946. Belg. Congo
C. c. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 205 f. 3—4 (D ♀)

♀ **fernandensis** Simon 1910. Fernando Poo
C. f. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 362 (D ♀).

♂ **ghesquierei** Lessert 1946. Belg. Congo
C. g. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 204 f. 1—2 (D ♂).

♀ **guineensis** Simon 1896. Sierra Leone
C. g. Simon 1896, Ann. Soc. Ent. France 65 p. 496 (D ♀).

♀ **poecilus** (Thorell) 1899. Camerun
Ctenus p. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 75 (D ♀).

♂♀ **tenuitarsis** Strand 1908. Camerun
C. gracilitarsis Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 180 (D ♂♀).
C. t. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 277 (nom. nov.).

Orientalische Arten:

♀ **boetenensis** Strand 1913. Celebes
C. b. Strand 1913, Arch. Naturg. 79 (A; 6) p. 120 (D ♀).
C. b. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 251 T. 18 F. 91 (D ♀).

♂♀ **celer** Simon 1896. Java
C. c. Simon 1896, Ann. Soc. Ent. France 65 p. 496 (D ♀).
C. c. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 67 (D ♂).

♀ **oreus** Simon 1901. Malakka
C. o. Simon 1901, Proc. Zool. Soc. Lond. (2; 4) p. 67 (D ♀).

Neotropische Arten:

♀ **aculeatus** Keyserling 1876. – * Columbien
C. a. Keyserling 1876, Verh. Zool. Bot. Ges. Wien 26 p. 697 T. 8 F. 59 (D ♀).
C. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 123 (N).

♀ **distinctus** Caporiacco 1947. Brit. Guiana
C. d. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 28 (D ♀).
C. d. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 682 (D ♀).

♂♀ **gracilitarsis** Simon 1896. Venezuela
C. g. Simon 1896, Ann. Soc. Ent. France 65 p. 496 (D ♂♀).
C. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 123 (N).

♀ **luteovittatus** Simon 1897. St. Vincent
C. l. Simon 1897, Proc. Zool. Soc. Lond. p. 880 (D ♀).

♂♀ **penicilliger** Simon 1897. St. Vincent
C. p. Simon 1897, Proc. Zool. Soc. Lond. p. 881 (D ♂♀).

♀ **variegatus** Bertkau 1880. Brasilien
C. v. Bertkau 1880, Mém. Class. Sci. 43 p. 59 T. 1 F. 19 (D ♀).
C. v. F. Cambridge 1897, Ann. Mag. Nat. Hist. (6) 19 p. 70 (C)

Gen. **Elassoctenus** Simon 1909.

♀ **harpax** Simon 1909. W.-Australien
E. h. Simon 1909, Faun. S. W. Austral. 1 (12) p. 165 (D ♀).

Gen. **Gephyroctenus** Mello-Leitao 1936.

♀ **kolosvaryi** Caporiacco 1947. Brit. Guiana
E. k. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 28 (D ♀).
E. k. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 684 TF. 102 (D ♀).

♀ **parvus** Caporiacco 1947. Brit. Guiana
E. p. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 28 (D ♀).
E. p. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 683 (D ♀).

♂ **philodromoides** Mello-Leitao 1936. – * Parana
G. p. Mello-Leitao 1936, Festschr. Strand 1 p. 26 T. 2 F. 49 (D ♂).
G. p. Mello-Leitao 1940, 6 Congr. Int. Ent. 1935, Madrid 1 p. 107 (N).

Gen. **Hestimodema** Simon 1909.

♂♀ **ambigua** Simon 1909. W.-Australien
H. a. Simon 1909, Faun. S. W. Austral. 2 (12) p. 166 (D ♂♀).

♀ **latevittata** Simon 1909. W.-Australien
H. l. Simon 1909, Faun. S. W. Austral. 2 (12) p. 167 (D ♀).

Gen. **Horioctenus** Chamberlin 1916.

♀ **lycosoides** Chamberlin 1916. – * Peru
H. l. Chamberlin 1916, Bull. Mus. Comp. Zool. Harvard 60 (6) p. 266 T. 21 F. 2—4 (D ♀).

♂ **roseus** Mello-Leitao 1941. Argentinien
H. r. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 158 T. 8 F. 36; f. 53 (D ♂).

♀ **sericeus** Mello-Leitao 1944. Buenos Aires
H. s. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. 24 p. 350 f. 41 (D ♀).

♀ **vittatus** Mello-Leitao 1936. Brasilien
H. v. Mello-Leitao 1936, Festschr. Strand 1 p. 27 T. 2 F. 50 (D ♀).

Gen. **Neoctenus** Simon 1897.

♀ **comosus** Simon 1897. – * Amazonas
N. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 124 f. 122 (D ♀).
N. c. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 75 f. 59 (N ♀).

♀ **eximius** Mello-Leitao 1937. S.-Brasilien
N. e. Mello-Leitao 1937, Mem. Inst. Butantan 11 p. 314 f. 4 (D ♀).

♂ **finneganae** Mello-Leitao 1948. Brit. Guiana
N. f. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 p. 174 f. 18 (D ♂).

Gen. **Odo** Keyserling 1887.

Australische Arten:

♂♀ **australiensis** Hickman 1944. Centr.-Australien
O. a. Hickman 1944, Trans. Soc. S. Austral. 68 (1) p. 40 T. 3 F. 31—34 (D ♂♀).

♂ **gracilis** Hickman 1950. Reeversby-I.
O. g. Hickman 1950, Proc. Soc. Victoria 60 (N. S.) p. 8 TF. 8—10 (D ♂).

Neotropische Arten:

♀ **agilis** Simon 1896. St. Thomas
O. a. Simon 1896, Ann. Soc. Ent. France 65 p. 498 (D ♀).
O. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 120 f. 118, 119 (N).

♂ **blumenauensis** Mello-Leitao 1927. S.-Brasilien
O. b. Mello-Leitao 1872, Rev. Mus. Paulista 15 p. 405 T. 15; F. 1, 2 (D ♂).
O. b. Mello-Leitao 1936, Festschr. Strand 1 p. 28 T. 4 F. 54 (N ♂).

♂♀ **galapagoensis** Banks 1902. Galapagos-I.
O. g. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 64 T. 2 F. 2 (D ♀).
O. g. Banks 1931, Nyt. Mag. Naturvid. 68 p. 276 T. 1 F. 5 (D ♂).

♀ **gigliolii** Caporiacco 1947. Brit. Guiana
O. g. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 28 (D ♀).
O. g. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 685 (D ♀).

♂ **hursti** Bryant 1948. San Domingo
O. h. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 403 T. 9 F. 87 (D ♂).

♂♀ **insularis** Banks 1902. Galapagos-I.
O. i. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 64 T. 1 F. 14; T. 2 F. 12 (D ♂♀).

♀ **lenis** Keyserling 1887. – * Nicaragua
O. l. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 455 T. 6 F. 36 (D ♀).
O. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 123 (N).

♀ **limitatus** Gertsch & Davis 1940. Mexico
O. l. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 1 TF. 12 (D ♀).

♂ **obscurus** Mello-Leitao 1936. Brasilien
O. o. Mello-Leitao 1936, Festschr. Strand 1 p. 28 T. 3 F. 55, 56 (D ♂).

♀ **patricius** Simon 1900. Chile
O. p. Simon 1900, Revista Chilen. Hist. Nat. 4 p. 53 (D ♀).

♂♀ **pulcher** Keyserling 1891. Brasilien
O. p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 42 T. 1 F. 18 (D ♂♀).
O. p. Mello-Leitao 1936, Festschr. Strand 1 p. 28 T. 2 F. 52 (N ♀).

♂ **serrimanus** Mello-Leitao 1936. Brasilien
O. s. Mello-Leitao 1936, Festschr. Strand 1 p. 29 T. 4 F. 57 (D ♂).
O. s. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 197 TF. 26 (D ♂).

♂♀ **similis** Keyserling 1891. Brasilien
O. s. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 44 T. 1 F. 19 (D ♂♀).
O. s. Mello-Leitao 1936, Festschr. Strand 1 p. 28 T. 2 F. 53 (N ♀).

Gen. **Odomasta** Simon 1909.

♂ **guttipes** (Simon) 1903. Tasmanien
Odo g. Simon 1903. Ann. Soc. Ent. Belg. 47 p. 29 (D ♂).
O. g. Simon 1909, Faun. S. W. Austral. 2 (12) p. 167 (N).

Gen. **Pseudoctenus** Caporiacco 1949.

♀ **meneghettii** Caporiacco 1949. Kenya
P. m. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 448 f. 78 (D ♀).

Gen. **Thasyraea** L. Koch 1878.

♀ **lepida** L. Koch 1878. Neu-S.-Wales
Th. l. L. Koch 1878, Arachn. Austral. 1 (2) p. 984 T. 86 F. 2 (D ♀).

♀ **ornata** L. Koch 1878. – * Queensland
Th. o. L. Koch 1878, Arachn. Austral. 1 (2) p. 983 T. 86 F. 1 (D ♀).
Th. o. Simon 1897, Hist. Nat. Araign. 2 (1) p. 124 (N).

Gen. **Trujillina** Bryant 1948.

♀ **spinipes** Bryant 1948. San Domingo
T. s. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 405 T. 9 F. 84—85 (D ♀).

4. Subfam. Corinocteninae

Gen. **Corinoctenus** Mello-Leitao 1939.

♀ **anomalostomus** Mello-Leitao 1939. Brasilien
C. a. Mello-Leitao 1939, Physis 17 p. 140 f. a, b (D ♀).

47. Fam. EUSPARASSIDAE

1. Subfam. Eusparassinae

Gen. **Damastes** Simon 1880.

§ 3 Arten: Simon 1880, Act. Soc. Linn. Bord. 34 p. 241—242.

♂ **atrignathus** Strand 1908. Madagascar
D. a. Strand 1908, Zool. Jahrb. Syst. 26 (4) p. 475 (D ♂).

o **coquereli** Simon 1880. Madagascar
D. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 243 (D o).

♀ **coquereli affines** Strand 1907. Madagascar
D. c. a. Strand 1907, Zool. Anz. 31 (23) p. 735 (D ♀).
D. c. a. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 85 (D ♀).
D. c. a. Strand 1915, Arch. Naturg. 81 (A; 9) p. 66 (D ♀).

o **flavomaculatus** Simon 1880. Madagascar
D. f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 244 (D o).

♀ **grandidieri** Simon 1880. – * Madagascar
D. g. Simon 1880, Act. Soc. Linn. Bord. 34 p. 242 (D ♀).
Delena g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 40 (N).
D. g. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1024 (N).
D. g. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 75, 196 f. 59; T. 7 F. 7—9 (N ♀).

♂ **majungensis** Strand 1907. Madagascar
D. m. Strand 1907, Zool. Anz. 31 (23) p. 736 (D ♂).
D. m. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 92 (D ♂).

♀ **malagasus** (Karsch) 1881. Madagascar
Holconia m. Karsch 1881, Abh. Nat. Ver. Bremen 7 (2) p. 192 T. 12 F. B (D ♀).
Holconia m. Lenz 1886, Zool. Jahrb. Syst. 1 (2) p. 399 (N ♀).
Delena m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 43 (N).
D. m. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1024 (N).
D. malagassus Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 94 (D ♀).

♂ **masculinus** Strand 1908. Madagascar
D. m. Strand 1908, Zool. Jahrb. Syst. 26 (4) p. 477 (D ♂).

♂♀ **nossibeensis** Strand 1907. Madagascar
D. n. Strand 1907, Zool. Anz. 31 (23) p. 735 (D o).
D. n. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 90 (D o).
D. n. Strand 1915, Arch. Naturg. 81 (A; 9) p. 67 (D ♂♀).

♀ **oswaldi** Lenz 1891. Madagascar
D. o. Lenz 1891, Jahrb. Hambg. Wiss. Anst. 9 (1) p. 167 T. 1 F. 4 (D ♀).

♂ **sikoranus** Strand 1906. Madagascar
D. s. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 67 (D ♂).

Gen. **Delena** Walckenaer 1837.

♂♀ **cancerides** Walckenaer 1837. – * Australien, Tasmanien, Amboina
D. c. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 490 (D ♀).
D. impressa C. L. Koch 1845, Die Arachniden 12 p. 53 TF. 988, 989 (D ♂♀).
D. c. L. Koch 1875, Arachn. Austral. 1 (2) p. 656 T. 53 F. 2 (D ♂♀).
D. c. Simon 1896, Denkschr. Med. Nat. Ges. Jena 8 p. 348 (N).
D. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 43 f. 26, 27 (N ♂).
D. c. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 92, 230 f. 71; T. 10 F. 12, 13 (N ♀).

♀ **craboides** Walckenaer 1837. Australien
D. c. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 492 (D o).

Gen. **Eusparassus** Simon 1903.

Palaearktische Arten:
§ 6 ♂, 7 ♀ : Simon 1874, Ann. Soc. Ent. France (5) 4 p. 246 (sub **Sparassus**).
§ 6 Arten: Simon 1880, Act. Soc. Linn. Bord. 34 p. 290 (sub **Sparassus**).

♂♀ **barbarus** (Lucas) 1846. Algier
Olios b. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 202 T. 11 F. 10 (D ♂♀).

cognatus (Cambridge) 1876. Aegypten
Sparassus c. Cambridge 1876, Proc. Zool. Soc. Lond. p. 588 (D juv.).

♂♀ **dufouri** Simon 1932. – * Spanien, Algier, Griechenland, Creta
Micromata argelasia Latreille 1818, Nouv. Dict. Hist. Nat. 20 p. 516 (D).
Micromata argelasia Dufour 1820, Ann. Gén. Soc. Phys. 6 p. 299 T. 2 (D ♀).
Sparassus argelasius Walckenaer 1825, Faun. Franc. p. 108 T. 7 F. 1 (D ♂).

Sparassus argelasius Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 584 (D ♂♀).
Sparassus argelasius Simon 1875, Arachn. de France 2 p. 334 (D ♂♀).
E. argelasius Simon 1903, Hist. Nat. Araign. 2 (4) p. 1025 (N).
E. argelasius Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 57, 175 f. 49; T. 4 F. 9, 10 (N ♀).
E. argelasius Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 118 T. 2 F. 38, 39 (N ♂♀).
E. d. Simon 1932, Arachn. de France 6 (4) p. 890 (N).

♂♀ **dufouri atlanticus** (Simon) 1909. Marokko

E. argelasius atlanticus Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 30 (D ♂♀).

♂♀ **dufouri kabylianus** Denis 1937. Algier

E. d. k. Denis 1937, Proc. Zool. Soc. Lond. p. 1050 (D ♂♀).

♂♀ **dufouri maximus** (Strand) 1906. Algier, Tunis

E. argelasius maximus Strand 1906, Zool. Anz. 30 (19—20) p. 630 (D ♂♀).
E. argelasius maximus Strand 1908, Arch. Math. Naturvid. 29 (2) p. 10 (D ♂♀).

♂♀ **dufouri oraniensis** (Lucas) 1846. Algier, Marokko, Oase Siwah, Abessinien

Olios oraniensis Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 201 T. 11 F. 9 (D ♀).
Sparassus currax Blackwall 1858, Ann. Mag. Nat. Hist. (3) 1 p. 429 (D ♀).
Ocypete fritschi C. Koch 1873, Ber. Senckenbg. Ges. p. 114 (D ♀).
Sparassus oraniensis Simon 1874, Ann. Soc. Ent. France (4) 4 p. 255 (D ♂ o).
E. oraniensis Strand 1908, Arch. Math. Naturvid. 29 (2) p. 23 (D ♀).
E. argelasius o. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 31 (D ♀).
E. d. o. Denis 1947, Bull. Soc. Fouad I Ent. 31 p. 49 T. 2 F. 12 (N ♂♀).

♂♀ **dufouri syrticus** (Simon) 1909. Tunis, Algier

E. argelasius syrticus Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 30 (D ♂♀).
E. d. s. Denis 1944, Bull. Soc. Hist. Nat. Toulouse 79 (1) p. 54 (N ♀).

o **flavovittatus** Caporiacco 1935. Karakorum

E. f. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 217 T. 5 F. 11 (D o).

♂ **fontanieri** (Simon) 1880. Persien

Sparassus f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 294 (D ♂).

♂ **letourneuxi** (Simon) 1874. Algier, Tunis

Sparassus l. Simon 1874, Ann. Soc. Ent. France (5) 4 p. 66, 252 T. 5 F. 8 (D ♂).
E. l. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 19 (N ♂).

♂♀ **oculatus** (Kroneberg) 1875. Turkestan

Sparassus o. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 29 T. 5 F. 45 (D ♂♀).

♀ **pontii** Caporiacco 1935. Karakorum

E. p. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 216 T. 6 F. 4 (D ♀).

♂ **potanini** (Simon) 1895. Tienschan

Sparassus p. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 340 (D ♂).

♂♀ **tersus** (C. L. Koch) 1838. Griechenland, Creta, Rhodos, Cypern, Kleinasien, Persien

Ocypete t. C. L. Koch 1838, Die Arachniden 4 p. 83 TF. 305 (D ♀).
Ocypete t. C. L. Koch 1845, Die Arachniden 12 p. 39 TF. 980, 981 (D ♂♀).
Sparassus doriae Simon 1874, Ann. Soc. Ent. France (5) 4 p. 254 T. 5 F. 6 (D ♂♀).
Sparassus t. Simon 1880, Act. Soc. Linn. Bord. 34 p. 291 (N).
E. A. Järvi 1944, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 57, 173 f. 49; T. 4 F. 4—8 (N ♀).

♀ **validus** (Thorell) 1875. Krim

Sparassus v. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 80 (D ♀).
Sparassus v. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 124 (D ♀).

Transgredierende Arten:

♂♀ **walckenaerii** (Audouin) 1827. N.-Afrika, Syrien, Vorderasien, Karakorum, Abessinien, Erythraea, Sudan, O.-Afrika, Seychellen

Philodromus w. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 300 T. 6 F. 1 (D ♀).
Philodromus linnaei Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 300 T. 6 F. 2 (D ♂).
Sparassus extensipes Karsch 1880, Zeitschr. ges. Naturw. 53 p. 383 T. 12 F. 12 (D ♂).
Sparassus cambridgii Simon 1874, Ann. Soc. Ent. France (5) 4 p. 257 (D ♀).
Sparassus w. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 364 (N ♀).
Sparassus w. Simon 1880, Act. Soc. Linn. Bord. 34 p. 292 (D ♂♀).
Sparassus linnaei Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 43 (D ♂♀).
E. w. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 24 (N ♂♀).
E. w. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 50 T. 2 F. 14—16 (N ♂♀).

Aethiopische Arten:

♂o **bicorniger** (Pocock) 1898. Abessinien, Aegypten, O.-Afrika

Sparassus b. Pocock 1898, Proc. Zool. Soc. Lond. p. 519 T. 41 F. 9 (D ♂).
E. b. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 22 (D ♂o).

O **concolor** Caporiacco 1939. Abessinien

E. c. Caporiacco 1939, Real Accad. Ital. p. 353 (D ♀).

♂ **cornipalpis** Strand 1906. Abessinien

E. c. Strand 1906, Zool. Anz. 30 (19—20) p. 631 (D ♂).
E. c. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 20 (D ♂).

♂♀ **fulvoclypeus** Strand 1906. Abessinien

E. f. Strand 1906, Zool. Anz. 30 (19—20) p. 630 (D ♂♀).
E. f. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 11 (D ♂♀).
Olios f. Caporiacco 1940, Atti Ac. Ital. 11 (18) p. 843 (C ♀).

O **laterifuscus** Strand 1908. Madagascar

E. l. Strand 1908, Zool. Anz. 33 (1) p. 5 (D O).
E. l. Strand 1915, Arch. Naturg. 81 (A; 9) p. 71 (D O).

♀ **nigrichelis** Strand 1906. Abessinien

E. n. Strand 1906, Zool. Anz. 30 (19—20) p. 631 (D ♀).
E. n. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 16 (D ♀).

♀ **palystiformis** Strand 1907. Capland
E. p. Strand 1907, Zool. Anz. 31 (17—18) p. 541 (D ♀).
E. p. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 671 (D ♀).

♀ **quinquedentatus** Strand 1906. W.-Afrika
E. q. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 71 (D ♀).

♂ **rufobrunneus** Caporiacco 1941. S.-Abessinien
E. r. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 109 f. 40 (D ♂).

o **sexdentatus** Strand 1906. W.-Afrika
E. s. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 73 (D o).

o **subadultus** Strand 1906. Abessinien
E. s. Strand 1906, Zool. Anz. 30 (19—20) p. 631 (D o).
E. s. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 15 (D o).

♀ **ubae** Strand 1906. O.-Afrika
E. u. Strand 1906, Zool. Anz. 30 (19—20) p. 684 (D ♀).
E. u. Strand 1908, Arch. Naturg. 74 (I; 1) p. 41 T. 2 F. 8 (D ♀).

Orientalische Arten:

♂ **lilus** Strand 1907. Java
E. l. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 437 (D ♂).

♂ **sanguinifrons** Simon 1906. Indien
E. s. Simon 1906, Ann. Soc. Ent. France 75 p. 312 (D ♂).

Neotropische Arten:

♀ **shefteli** Chamberlin 1916. Peru
E. s. Chamberlin 1916, Bull. Mus. Zool. Harvard 60 (6) p. 264 T. 20 F. 7, 8; T. 21 F. 1 (D ♀).

Nearktische Arten:

♀ **hansii** Schenkel 1950. Californien
E. h. Schenkel 1950, Verh. Naturf. Ges. Basel 61 p. 70 f. 24 (D ♀).

Gen. **Isopeda** L. Koch 1875.

§ 11 Arten: L. Koch 1875, Arachn. Austral. 1 (2) p. 679.
§ 16 Arten: Simon 1880, Act. Soc. Linn. Bord. 34 p. 247—248.
§ 23 ♀: Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 430—432.
§ 7 Arten: Simon 1908, Faun. S. W. Austral. 1 (12) p. 436 (sub **Isopoda**).

♀ **ardrossana** Hogg 1902. S.-Australien
I. a. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 446 f. 95 (D ♀).

O o **aurea** L. Koch 1875. Queensland
I. a. L. Koch 1875, Arachn. Austral. 1 (2) p. 695 T. 59 F. 3 (D O o).
I. a. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 453 (N).

♀ **cana** (Simon) 1908. W.-Australien
Isopoda c. Simon 1908, Faun. S. W. Austral. 1 (12) p. 440 (D ♀).

O♀ **cerussata** (Simon) 1908. W.-Australien
Isopoda c. Simon 1908, Faun. S. W. Austral. 1 (12) p. 439 (D ♂♀).

♂♀ **conspersa** L. Koch 1875. Queensland
I. c. L. Koch 1875, Arachn. Austral. 1 (2) p. 680 T. 58 F. 1, 2 (D ♂♀).
Isopoda c. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 298 (D ♀).
I. c. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 435 (N).

♀ **conspersula** Strand 1913. Centr.-Australien
I. c. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 610 (D ♀).

o **cordata** L. Koch 1875. Neu-S.-Wales
I. c. L. Koch 1875, Arachn. Austral. 1 (2) p. 694 T. 59 F. 2 (D o).

♀ **deianira** (Thorell) 1881. Neu-Guinea
Isopoda d. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 296 (D ♀).
J. d. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 92, 228 f. 70, 92, 93; T. 10 F. 11 (N ♀).

♀ **dolosa** (L. Koch) 1875. Australien
Voconia d. L. Koch 1875, Arachn. Austral. 1 (2) p. 648 T. 52 F. 2 (D ♀).
Holconia d. Simon 1880, Act. Soc. Linn. Bord. 34 p. 246 (N).
I. d. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 435 (N).
I. d. Rainbow 1917, Trans. Soc. S. Austral. 41 p. 485 (N).

o **flavibarbis** L. Koch 1875. Neu-S.-Wales
I. f. L. Koch 1875, Arachn. Austral. 1 (2) p. 698 T. 59 F. 4 (D o).

♂♀ **flavida** L. Koch 1875. Australien
I. f. L. Koch 1875, Arachn. Austral. 1 (2) p. 686 T. 57 F. 2 (D ♀).
I. f. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 443 (D ♂) .

♀ **frenchi** Hogg 1902. Victoria
I. f. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 435 f. 89 (D ♀).

♀ **gloriosa** Rainbow 1917. S.-Australien
I. g. Rainbow 1917, Trans. Soc. S. Austral. 41 p. 485 T. 32 F. 5, 6 (D ♀).

♀ **herculanea** Strand 1913. Queensland
I. h. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 610 (D ♀).

♂♀ **herculea** Thorell 1881. Neu-Guinea, Santa Cruz
Isopoda h. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 293 (D ♂♀).
I. h. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 610 (D ♀).

♂ **hirsuta** L. Koch 1875. Queensland
I. h. L. Koch 1875, Arachn. Austral. 1 (2) p. 693 T. 59 F. 1 (D ♂).

♂♀ **immanis** (L. Koch) 1867. Australien
Delena i. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 208 (D ♂♀).
Voconia i. L. Koch 1875, Arachn. Austral. 1 (2) p. 642 T. 51 F. 4 (D ♂♀).
Holconia i. Simon 1880, Act. Soc. Linn. Bord. 34 p. 246 (N).
I. i. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 433 f. 88 D (D ♂♀).
I. i. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 92, 226 f. 70; T. 10 F. 5—9 (N ♀).

♀ **immigrans** Strand 1913. Australien
I. i. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 614 (D ♀).

♀ **inola** Strand 1913. Centr.-Australien
I. i. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 612 (D ♀).

♀ **inola carinatula** Strand 1913. Centr.-Australien
I. i. c. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 612 (D ♀).

♂♀ **insignis** (Thorell) 1870. Australien
Voconia i. Thorell 1870, Oefv. Vet. Ak. Förh. 27 (4) p. 383 (D ♂♀).
Voconia i. L. Koch 1875, Arachn. Austral. 1 (2) p. 645 T. 52 F. 1 (D ♂♀).
Holconia i. Simon 1880, Act. Soc. Linn. Bord. 34 p. 245 (N).
Holconia i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 44 f. 32 (N ♂).
I. i. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 432 f. 88 A—C (D ♂♀).
Isopoda i. Simon 1908, Faun. S. W. Austral. 1 (12) p. 437 (N).
I. i. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 92, 227 f. 70; T. 10 F. 10 (N ♀).

♀ **leai** Hogg 1902. S.-Australien
I. l. Hogg. 1902, Proc. Zool. Soc. Lond. (2) p. 445 f. 94 (D ♀).

♂♀ **leishmanni** Hogg 1902. W.-Australien
I. l. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 437 f. 90 (D ♂♀).
Isopoda l. Simon 1908, Faun. S. W. Austral. 1 (12) p. 438 (D ♀).

♀ **leishmanni hoggi** (Simon) 1908. W.-Australien
Isopoda l. h. Simon 1908, Faun. S. W. Austral. 1 (12) p. 439 (D ♀).

♂♀ **maculigastra** Strand 1907. Australien
I. m. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 208 (D ♂♀).

♂♀ **montana** Hogg 1902. Victoria
I. m. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 439 f. 91 (D ♂♀).

♀ **neocaledonica** Berland 1924. Neu-Caledonien
I. n. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 231 f. 161 (D ♀).

♂ **nigrigularis** (Simon) 1908. W.-Australien
Isopoda n. Simon 1908, Faun. S. W. Austral. 1 (12) p. 438 (D ♂).

♀ **pengellya** Hogg 1902. W.-Australien
I. p. Hogg 1902, Proc. Zool. Soc. London (2) p. 447 f. 96 (D ♀).

♂♀ **pessleri** (Thorell) 1870. Queensland, Neu-S.-Wales
Heteropoda p. Thorell 1870, Oefv. Vet. Ak. Förh. 27 (4) p. 387 (D ♀).
I. p. L. Koch 1875, Arachn. Austral. 1 (2) p. 684 T. 57 F. 1 (D ♂♀).
I. p. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 444 (N).

♂♀ **pococki** Hogg 1902. Australien
I. p. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 440 f. 92 (D ♂♀).

♀ **robusta** L. Koch 1875. Australien
I. r. L. Koch 1875, Arachn. Austral. 1 (2) p. 691 T. 58 F. 3 (D ♀).
I. r. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 92, 229 f. 93 (N ♀).

♀ **saundersi** Hogg 1902. W.-Australien
I. s. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 448 f. 97 (D ♀).

♀ **simoni** Rainbow 1911. W.-Australien
Isopoda woodwardi Simon 1908, Faun. S. W. Austral. 1 (12) p. 437 (D ♀).
I. s. Rainbow 1911, Rec. Austral. Mus. 9 (2) p. 234 (N).

♀ **subdola** (Thorell) 1881. Queensland
Holconia s. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 304 (D ♀).
I. s. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 435 (N).

♂♀ **tepperi** Hogg 1902. S.-Australien, Kangaroo-I.
I. t. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 442 f. 93 (D ♂♀).
I. t. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 239 (N ♀).

♂ **terangana** Strand 1911. Aru-I.
I. t. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 156 T. 5 F. 56 (D ♂).

♂♀ **tietzi** Hogg 1902. Victoria
I. t. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 450 f. 98 (D ♂♀).

♂♀ **vasta** (L. Koch) 1867. – * Queensland
Ocypete v. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 207 (D ♀).
I. v. L. Koch 1875, Arachn. Austral. 1 (2) p. 681 T. 56 F. 4 (D ♂♀).
Isopoda v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 44 (N).
I. v. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 443 (N ♂♀).

♀ **vastata** Strand 1907. Australien
I. v. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 211 (D ♀).

♂♀ **villosa** L. Koch 1875. Queensland, Neu-S.-Wales
I. v. L. Koch 1875, Arachn. Austral. 1 (2) p. 687 T. 57 F. 3, 4 (D ♂♀).
I. v. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 444 (N).
I. v. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 205 (D ♀).

♀ **woodwardi** Hogg 1902. S.-Australien
I. w. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 451 f. 99 (D ♀).

Gen. **Leptosparassus** Järvi 1914.

♀ **parvus** Järvi 1914. Paraguay
L. p. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 32, 122, f. 24, 73; T. 1 F. 3, 4 (D ♀).

♀ **quadrifoveatus** Järvi 1914. Argentin. Chaco
L. q. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 33, 125 f. 26, 74; T. 1 F. 5, 6 (D ♀).

♀ **trifoveatus** Järvi 1914. – * Paraguay
L. t. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 29, 119 f. 23, 72; T. 1 F. 1, 2 (D ♀).

Gen. **Origes** Simon 1896.

♂ **chloroticus** Mello-Leitao 1945. Argentinien
O. c. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. 29 p. 266 f. 54 (D ♂).

♂ **pollens** Simon 1896. – * Ecuador
O. p. Simon 1896, Ann. Soc. Ent. France 65 p. 487 (D ♂).
O. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 45 f. 33 (N ♂).

Gen. **Paenula** Simon 1896.

♀ **paupercula** Simon 1896. Ecuador
P. a. Simon 1896, Ann. Soc. Ent. France 65 p. 486 (D ♀).
P. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 46 (N).

Gen. **Pediana** Simon 1880.

Orientalische Arten:

o **aurochelis** Strand 1907. Java

P. a. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 434 (D o).

Transgredierende Arten:

♂♀ **regina** (L. Koch) 1875. – * Queensland, Neu-Guinea, Amboina

Heteropoda r. L. Koch 1875, Arachn. Austral. 1 (2) p. 761 T. 61 F. 6 (D ♀).
P. r. Simon 1880, Act. Soc. Linn. Bord. 34 p. 259 (N).
Polydamna r. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 300 (D ♂♀).
P. r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 56 (N).

♂o **regina isopedina** Strand 1913. Centr.-Australien

P. r. i. Strand 1913, Zool. Jahrb. Syst. 35 (5—6) p. 618 (D ♂o).

Australische Arten:

§ 4 Arten: Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 460.

♀ **horni** (Hogg) 1896. S.-Australien

Isopeda h. Hogg 1896, Rep. Horn. Exped. 2 (Zool.) Aran. p. 340 T. 24 F. 12 (D ♀).
P. h. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 462 (N).

♀ **occidentalis** Hogg 1902. W.-Australien

P. o. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 461 f. 102 (D ♀).

♀ **tenuis** Hogg 1902. W.-Australien

P. t. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 462 f. 103 (D ♀).
P. t. Simon 1908, Faun. S. W. Austral. 1 (12) p. 441 (D ♀).

Gen. **Polybetes** Simon 1896.

♂ **cancroides** Mello-Leitao 1945. Argentinien

P. c. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. 29 p. 268 f. 55 (D ♂).

♀ **delfini** Simon 1904. Chile

P. d. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 99 (D ♀).

♂♀ **germaini** Simon 1896. Paraguay

P. g. Simon 1896, Ann. Soc. Ent. France 65 p. 486 (D ♂♀).

♀ **humeratus** Mello-Leitao 1941. Santa Fe

P. h. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 216 f. 26 (D♀).

♂♀ **martius** (Nicolet) 1849. – * Chile, Patagonien

Olios m. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 413 T. 3 F. 5 (D ♂).
Olios hispidus Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 414 (D ♀).
Sparassus m. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 260 T. 7 F. 143 (D ♀).
Isopeda m. Simon 1880, Act. Soc. Linn. Bord. 34 p. 251 (N).
P. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 45 (N).

♀ **obnuptus** Simon 1896. N.-Argentinien, Bolivien

P. o. Simon 1896, Ann. Soc. Ent. France 65 p. 487 (D ♀).

♀ **pallidus** Mello-Leitao 1941. Santa Fe

P. p. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 217 f. 27 (D♀).

♂ **proximus** Mello-Leitao 1943. Brasilien

P. p. Mello-Leitao 1943, Ann. Ac. Bras. Sci. 15 (3) p. 261 (D ♂).

♀ **punctulatus** Mello-Leitao 1944. Buenos Aires

P. p. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. 24 p. 361 f. 54 (D♀).

♂♀ **pythagoricus** (Holmberg) 1875. Argentinien, Paraguay, Uruguay, Brasilien, Guiana

Ocypete p. Holmberg 1875, Period. Soc. Ent. Argentin. 1 p. 287 T. 6 F. 2 (D ♂♀).
Voconia maculata Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 232 T. 4 F. 127 (D ♂♀).
Isopeda maculata Simon 1880, Act. Soc. Linn. Bord. 34 p. 250 (N).
P. maculatus Simon 1897, Hist. Nat. Araign. 2 (1) p. 29 f. 28 (N ♂).
P. p. Brèthes 1909, An. Mus. Buenos Aires (3) 12 p. 46 (N ♂).
P. maculatus Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 35, 130 f. 28; T. 1 F. 7—10 (N ♀).

♀ **rubrosignatus** Mello-Leitao 1943. Rio Grande do Sul

P. r. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 200 TF. 29 (D ♀).

♀ **semivittatus** Mello-Leitao 1938. Argentinien

P. s. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 109 f. 28 (D ♀).

♂♀ **tucumanus** Mello-Leitao 1941. Argentinien

P. t. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 161 T. 8 F. 39 (D ♀).
P. t. Gerschman & Schiapelli 1948, Com. Mus. Argent Ci. Nat. (Ci. Zool.) 4 p. 20 (D ♂).

♀ **vittatus** Mello-Leitao 1938. Argentinien

P. v. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 110 f. 29 (D ♀).

Gen. **Pseudomicrommata** Järvi 1914.

♀ **vittigera** (Simon) 1896. Abessinien, Transvaal

Micrommata v. Simon 1896, Ann. Soc. Ent. France 65 p. 490 (D ♀).
Micrommata v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 65 f. 54 (N).
P. v. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 49, 162 f. 40; T. 3 F. 4—6 (N).
Micrommata ovambica Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 43 f. 30 (D ♀).
P. v. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 168 (N ♀).

Gen. **Rhitymna** Simon 1896.

Aethiopische Arten:

♀ **decorata** Simon 1896. Madagascar

R. d. Simon 1896, Ann. Soc. Ent. France 65 p. 485 (D ♀).

♀ **fasciolata** Simon 1903. Madagascar

R. f. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 138 (D ♀).
R. f. Fage 1926, Arch. Zool. Expér. Gén. 65; Not. & Rev. 1 p. 8 f. 3, 4 (N ♀).

♀ **hildebrandti** Järvi 1914. Madagascar

R. h. Järvi 1914, Ann. Ac Sci. Fennic. 4 (A; 1) p. 54, 169 f. 47; T. 4 F. 1—3 (D ♀).

♂♀ **imerinensis** (Vinson) 1863. Madagascar
Olios i. Vinson 1863, Aran. Réun. Mauric. Madag. p. 95, 304 (D ♀).
Isopeda i. Simon 1880, Act. Soc. Linn. Bord. 34 p. 251 (D ♀).
Isopeda i. Lenz 1891, Jahrb. Hambg. Wiss. Anst. 9 (1) p. 168 (D ♂).

♀ **malagassa** Fage 1926. Madagascar
R. m. Fage 1926, Arch. Zool. Expér. Gén. 65; Not. & Rev. 1 p. 10 (D ♀).

♂ **mordax** Cambridge 1899. Madagascar
R. m. Cambridge 1899, Proc. Zool. Soc. Lond. p. 522 T. 2 F. 5 (D ♂).

♀ **nigrichelis** Strand 1907. Mozambique
R. n. Strand 1907, Zool. Anz. 31 (23) p. 736 (D ♀).
R. n. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 96 (D ♀).

♂ **pallida** Schenkel 1937. Madagascar
R. p. Schenkel 1937, Festschr. Strand 3 p. 387 f. 6 (D ♀).

♀ **saccata** Järvi 1914. O.-Afrika
R. s. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 52, 164 f. 41, 87; T. 3 F. 7—10 (D ♀).

♂♀ **valida** (Blackwall) 1877. Seychellen
Olios v. Blackwall 1877, Proc. Irish Ac. Sci. (2) 3 p. 8 T. 1 F. 7 (D ♂♀).
Isopeda v. Simon 1880, Act. Soc. Linn. Bord. 34 p. 249 (N).
R. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 46 (N).
R. v. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 53, 168 f. 43; T. 3 F. 11—14 (N ♀).

♀ **werneri** Simon 1906. Nil-Sudan
R. w. Simon 1906, S. B. Ak. Wiss. Wien 115 (1) p. 1167 (D ♀).

Orientalische Arten:

♀ **ingens** Simon 1896. – * Java
R. i. Simon 1896, Ann. Soc. Ent. France 65 p. 485 (D ♀).
R. i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 46 (N).

♀ **nigrifrons** Simon 1896. Java
R. n. Simon 1896, Ann. Soc. Ent. France 65 p. 485 (D ♀).

♀ **xanthopus** Simon 1901. Malakka, Mentavei-I.
R. x. Simon 1901, Proc. Zool. Soc. Lond. (2; 4) p. 65 (D ♀).

Gen. **Sampaiosia** Mello-Leitao 1930.

♂ **crulsi** Mello-Leitao 1930. Amazonas
S. c. Mello-Leitao 1930, Arch. Mus. Nac. R. d. Janeiro 32 p. 65 TF. 27, 28 (D ♂).

Gen. **Streptaedoea** Järvi 1914.

♂ **bidentata** Järvi 1914. Paraguay
S. b. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 143 f. 78, 79 (D ♂).

♂♀ **rapida** (Keyserling) 1880. – * Brasilien, Paraguay, Bolivien, Surinam
Sparassus r. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 257 T. 7 F. 141 (D ♂).
Sparassus funestus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 249 T. 7 F. 135 (D ♀, nec ♂).

Olios r. Simon 1880, Act. Soc. Linn. Bord. 34 p. 300 (N).
Sparassus funestus Hasselt 1888, Tijdschr. Ent. 31 p. 187 (N ♀).
Sparassus r. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 254 (N).
Sparassus r. Tullgren 1905, Ark. Zool. 2 (19) p. 44 T. 6 F. 18 (N ♀).
S. r. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 36, 131 f. 33, 75, 76; T. 1 F. 11—13; T. 2 F. 1—3 (N ♂♀).
Olios r. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 56 f. 32, 33 (D ♂♀).

♀ **retoreceptaculata** Järvi 1914. Brasilien
S. r. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 40, 138 f. 34, 77; T. 2 F. 4—6 (D ♀).

Gen. **Typostola** Simon 1897.

§ 4 Arten: Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 455.

♀ **barbata** (L. Koch) 1875. – * Queensland
Isopeda b. L. Koch 1875, Arachn. Austral. 1 (2) p. 280 T. 56 F. 3 (D ♀).
T. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 44 f. 30, 31 (N).

♂ **broomi** Hogg 1902. Queensland
T. b. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 455 f. 100 (D ♂).

♀ **magnifica** Hogg 1902. Queensland
T. m. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 457 f. 101 (D ♀).
Zachria m. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 90, 218 f. 68; T. 9 F. 9 bis 10 (N ♀).

♀ **major** Hogg 1902. Queensland
T. m. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 459 (D ♀).

Gen. **Zachria** L. Koch 1875.

♀ **flavicoma** L. Koch 1875. – * W.-Australien
Z. f. L. Koch 1875, Arachn. Austral. 1 (2) p. 650 T. 52 F. 3 (D ♀).
Z. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 45 (N).

♂ **melanochelis** Strand 1913. Victoria
Z. m. Strand 1913, Jahrb. Nassau. Ver. Nat. 66 p. 205 (D ♂).

♀ **nigrifrons** (Simon) 1908. W.-Australien
Eodelena n. Simon 1908, Faun. S. W. Austral. 1 (12) p. 435 (D ♀).

♂♀ **haemorrhoidalis** L. Koch 1875. Neu-S.-Wales
Z. h. L. Koch 1875, Arachn. Austral. 1 (2) p. 651, 653 T. 52 F. 4, 5 (D ♀).
Z. oblonga L. Koch 1876, Arachn. Austral. 1 (2) p. 850 T. 73 F. 3 (D ♂).
Z. oblonga Hogg 1902, Proc. Zool. Soc. Lond. p. 454 (N).
Z. oblonga Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 90; 217 f. 68; T. 9 F. 6—8 (N ♀).

♂ o **spenceri** (Hogg) 1902. Kings-I.
Eodelena sp. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 464 f. 104 (D ♂o).

2. *Subfam. Sparianthinae*

Gen. **Defectrix** Petrunkevitch 1925.

o **defectrix** Petrunkevitch 1925. Panama
D. d. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 137 f. 55—61 (D o).

Gen. **Pleorotus** Simon 1897.

♂ **braueri** Simon 1897. Seychellen

P. b. Simon 1897, Ann. Soc. Ent. France 66 p. 382 f. 4 (D ♂).
P. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 205 (N).

Gen. **Pseudosparianthis** Simon 1887.

♀ **ambigua** Caporiacco 1938. Guatemala

P. a. Caporiacco 1938, Atti Soc. Ital. Sci. Nat. 77 p. 269 (D ♀).

♀ **antiguensis** Bryant 1923. Antigua

P. a. Bryant 1923, Univ. Iowa Stud. Nat. Hist. 10 (3) p. 13 T. 1 F. 4 (D ♀).

♀ **chickeringi** (Gertsch) 1941. Panama

Tentabunda c. Gertsch 1941, Amer. Mus. Novit. 1146 p. 12 TF. 33 (D ♀).

♂♀ **cubana** Banks 1909. Cuba

P. c. Banks 1909, II. Rep. Centr. Exper. Stat. Cuba p. 165 T. 45 F. 4 (D ♀).
P. c. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 192 (N).
Tentabunda c. Fox 1937, Journ. Wash. Ac. Sci. 27 (11) p. 464 f. 5, 11 (D ♂♀).
P. s. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 398 (D ♀).

o **fusca** Simon 1887. – * Amazonas

P. f. Simon 1887, Bull. Soc. Zool. France 12 p. 472 (D o).
P. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 72 (N).

o **jayuyae** Petrunkevitch 1930. Portorico

P. j. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 25 f. 16—18 (D o).

♂♀ **picta** Simon 1887. Amazonas, Brit. Guiana

P. p. Simon 1887, Bull. Soc. Zool. France 12 p. 473 (D ♂♀).
P. p. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 689 (N).

♂♀ **ravida** Simon 1887. St. Vincent

P. r. Simon 1887, Proc. Zool. Soc. Lond. p. 877 (D ♂♀).

♀ **variabilis** F. Cambridge 1900. Mexico

P. v. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 119 T. 8 F. 21 (D ♀).

Gen. **Rhacocnemis** Simon 1897.

♂♀ **elegans** Hirst 1911. Seychellen

R. e. Hirst 1911, Trans. Linn. Soc. Lond. (2 Zool.) 14 (3) p. 387 f. 5 (D ♂♀).

♂♀ **guttatus** (Blackwall) 1877. – * Seychellen

Sparassus g. Blackwall 1877, Proc. Irish Ac. Sci. (2) 3 p. 10 T. 1 F. 8 (D o).
R. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 205 (N).
R. g. Simon 1897, Ann. Soc. Ent. France 66 p. 381 f. 3 (D ♂♀).

Gen. **Sagellula** Strand 1942.

♀ **octomunita** (Dönitz & Strand) 1906. Japan

Sagella o. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 385 T. 6 F. 75 (D ♀) (praeocc. Paetel 1889).
S. o. Strand 1942, Folia Zool. Hydrobiol. Riga 11 (2) p. 399 (nom. nov. gen.).

Gen. **Seramba** Thorell 1887.

Aethiopische Arten:

♀ **humilithorax** Simon 1910. Franz. Congo
S. h. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 342 (D ♀).

♀ **scaurus** Simon 1910. San Thomé
S. s. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 341 (D ♀).

♂♀ **truculenta** (Karsch) 1884. I. Rolas, San Thomé, I. Principe
Thelcticopis t. Karsch 1884, S. B. Ges. Naturw. Marburg (2) p. 65 f. 6 (D ♀).
S. t. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 340 (D ♂♀).

Orientalische Arten:

o **bifasciata** Thorell 1891. Nicobaren
S. b. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 82 (D o).

♂ **pennata** Simon 1901. Malakka
S. p. Simon 1901, Proc. Zool. Soc. Lond. (2; 4) p. 66 (D ♂).

♀ **picta** Thorell 1887. – * Burma
S. p. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 254 (D ♀).
Thelcticopis p. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 271 (D ♀).
S. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 72 (N).

Australische Arten:

♂ **quadrimunita** Strand 1910. Neu-Guinea
S. q. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 14 (D ♂).

♂ **sagittata** Hogg 1915. Neu-Guinea
S. s. Hogg 1915, Trans. Soc. Zool. Lond. 20 (14) p. 476 f. 35 (D ♂).

♂ **salomonum** Strand 1913. Salomonen
S. s. Strand 1913, Arch. Naturg. 79 (A; 6) p. 119 (D ♂).
S. s. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 250 T. 18 F. 90 (D ♂).

Neotropische Arten:

♂ **pestai** Reimoser 1939. Costa Rica
S. p. Reimoser 1939, Ann. Naturh. Mus. Wien 50 p. 366 f. 12 (D ♂).

Gen. **Sparianthina** Banks 1929.

♂♀ **selenopoides** Banks 1929. Panama
S. s. Banks 1929, Bull. Mus. Comp. Zool. Harvard 69 (3) p. 80 T. 2 F. 28 (D ♂♀).

Gen. **Sparianthis** Simon 1880.

♀ **amazonica** Simon 1880. Amazonas, Peru
S. a. Simon 1880, Act. Soc. Linn. Bord. 34 p. 340 (D ♀).
S. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 68 f. 61 (N).

♀ **granadensis** (Keyserling) 1880. – * Columbien
Themeropis g. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 235 T. 6 F. 128 (D ♀).
S. g. Simon 1880, Act. Soc. Linn. Bord. 34 p. 339 (C).
S. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 73 (N).

Gen. **Stasina** Simon 1877.

Palaearktische Arten:

♀ **japonica** Strand 1906. Japan

S. j. Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 278 T. 13 F. 310 (D ♀).

♀ **maculifera** Dönitz & Strand 1906. Japan

S. m. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 386 T. 6 F. 77 (D ♀).

Aethiopische Arten:

♀ **manicata** Simon 1896. Gabun

S. m. Simon 1896, Ann. Soc. Ent. France 65 p. 492 (D ♀).

Orientalische Arten:

♂♀ **nalandica** Karsch 1891. Ceylon

S. n. Karsch 1891, Berlin. Ent. Zeitschr. 36 p. 293 T. 11 F. 15 (D ♂♀).
S. nigropicta Pocock 1899, Journ. Bombay Nat. Hist. Soc. 12 p. 753 (D ♂).
Thelcticopis nigropicta Pocock 1900, Faun. Brit. Ind.; Arachn. p. 270 (D ♂♀).

♂ **paripes** (Karsch) 1879. Ceylon

Themeropis p. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 559 T. 7 F 7 (D ♂).
S. p. Karsch 1891, Berlin. Ent. Zeitschr. 36 p. 293 (C).
Thelcticopis p. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 271 (D ♂).

o **planithorax** Simon 1896. Malakka

S. p. Simon 1896, Ann. Soc. Ent. France 65 p. 491 (D o).

♀ **vittata** Simon 1877. – * Philippinen

S. v. Simon 1877, Ann. Soc. Ent. France (5) 7 p. 90 T. 3 F. 16 (D ♀).
S. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 72 f. 64—66 (N).

Neotropische Arten:

o **americana** Simon 1887. Brasilien

S. a. Simon 1887, Bull. Soc. Zool. France 12 p. 474 (D o).

♀ **koluene** Mello-Leitao 1949. Brasilien

S. k. Mello-Leitao 1949, Bol. Mus. Nac. R. d. Jan., Zool. 92 p. 12 (D ♀).

♂♀ **lucasi** Bryant 1940. Cuba

S. l. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 400 T. 13 F. 179, 182 (D ♂♀).

♀ **portoricensis** Petrunkevitch 1930. Portorico

S. p. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 28 f. 19—20 (D ♀).

♀ **saetosa** Bryant 1948. San Domingo

S. s. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 413 T. 10 F. 99 (D ♀).

o **spinosa** Simon 1896. Brasilien

S. sp. Simon 1896, Ann. Soc. Ent. France 65 p. 492 (D o).

Gen. **Stasinoides** Berland 1922.

♂ **aethiopica** Berland 1922. Abessinien

S. ae. Berland 1922, Voy. Rothschild Ethiop.; Rés. Anim. Artic. 1 p. 65 f. 7—10 T. A5 F. 1 (D ♂).

Gen. **Stipax** Simon 1897.

♂ **triangulifer** Simon 1897. Seychellen
S. t. Simon 1897, Ann. Soc. Ent. France 66 p. 383 (D ♂).
S. t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 205 (N).

Gen. **Strandiellum** Kolosvary 1934.

♀ **wilhelmshafeni** Kolosvary 1934. Neu-Guinea
S. w. Kolosvary 1934, Folia Zool. Hydrobiol. 7 (1) p. 45 f. 4 (D ♀).

Gen. **Thelcticopis** Karsch 1884.

§ 14 Arten: Reimoser 1929, Bull. Raffles Mus. 2 p. 129.

Orientalische Arten:

ajax Pocock 1901. Indien
T. a. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 488 (D).

♀ **ancorum** Dyal 1935. Panjab
T. a. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 213 T. 16 F. 146 (D ♀).

♂ **bicornuta** Pocock 1901. Indien
T. b. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 489 (D ♂).

♂♀ **canescens** Simon 1887. Burma
T. c. Simon 1887, Journ. Asiat. Soc. Bengal. 56 (2) p. 103 (D ♂♀).
T. birmanica Thorell 1895, Descr. Catal. Spid. Burma p. 274 (D ♀).
T. c. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 271 (D ♂♀).
T. c. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 245 f. 7 A—C (N ♂♀).

♀ **celebesiana** Merian 1911. Celebes
T. c. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 268 (D ♀).

♀ **flavipes** Pocock 1897. Molukken
T. f. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 621 T. 26 F. 25 (D ♀).

hercules Pocock 1901. Ceylon
T. h. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 487 (D).

♀ **karnyi** Reimoser 1929. Mentavei-I.
T. k. Reimoser 1929, Bull. Raffles Mus. 2 p. 128 f. 3 (D ♀).

♀ **klossi** Reimoser 1929. Mentavei-I.
T. k. Reimoser 1929, Bull. Raffles Mus. 2 p. 127 f. 2 (D ♀).

♀ **luctuosa** (Doleschall) 1859. Java
Drassus l. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 6 T. 13 F. 8 (D ♀).
T. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 70 (N).

maindroni Simon 1906. Indien
T. m. Simon 1906, Ann. Soc. Ent. France 75 p. 295 f. 2 (D ♂).

modesta Thorell 1890. I. Pinang, Siberut, Sipora
m. Thorell 1890 Ann. Mus. Civ. Genova 30 p. 329 (D ♀).
Reimoser 1929, Bull. Raffles Mus. 2 p. 125 f. 1, 3 (N ♀).
Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 246 f. 7 D (N ♀).

♀ **moesta** (Doleschall) 1859. Amboina
Drassus m. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 7 T. 7 F. 3 (D ♀).
T. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 70 (N).

♂ **nigrocephala** Merian 1911. Celebes
T. n. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 270 (D ♂).

♂♀ **orichalcea** (Simon) 1880. Sumatra, Pulu Berhala, Borneo
Themeropis o. Simon 1880, Act. Soc. Linn. Bord. 34 p. 336 (D ♂).
Themeropis o. Hasselt 1882, in: Veth, Midd. Sumatra; Aran. p. 40 T. 5 F. 3—5 (D ♂).
T. silagensis Thorell 1891, Ann. Mus. Civ. Genova 31 p. 44 (D ♀).
T. o. Simon 1897, Hist. Nat. Araign. 2 (1) p. 68 f. 60 (N).

♂♀ **rufula** Pocock 1901. Indien
T. r. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 488 (D ♂).
T. r. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 486 (N ♀).

♂♀ **serambiformis** Strand 1907. Indien
T. s. Strand 1907, Zool. Anz. 31 (17—18) p. 561 (D ♂♀).
T. s. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 31 T. 2 F. 33 (D ♂♀).

♂♀ **severa** (L. Koch) 1875. – * China, Japan
Themeropis s. L. Koch 1875, Arachn. Austral. 1 (2) p. 699 T. 60 F. 1 (D ♀).
T. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 72 (N).
T. s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 276 T. 6 F. 65; T. 14 F. 443 (D ♂♀).
T. s. Strand 1907, Zool. Jahrb. Syst. 25 (5) p. 430 (N ♀).

♂♀ **telonotata** Dyal 1935. Panjab
T. t. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 212 T. 16 F. 141—145 (D ♂♀).

♂ **virescens** Pocock 1901. Indien
T. v. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 488 (D ♂).

Australische Arten:

♀ **biroi** Kolosvary 1934. Neu-Guinea
T. b. Kolosvary 1934, Folia Zool. Hydrobiol. 7 (1) p. 44 f. 3 (D ♀).

♀ **convoluticola** Strand 1911. Aru-I.
T. c. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 162 T. 5 F. 61 (D ♀).

♀ **goramensis** (Thorell) 1881. I. Goram
Themeropis g. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 269 (D ♀).

♀ **insularis** (Karsch) 1881. I. Niafu
Rhomalea i. Karsch 1881, Berlin. Ent. Zeitschr. 25 p. 15 (D ♀).

♀ **ochracea** Pocock 1899. Neu-Pommern
T. o. Pocock 1899, in: Willey, Zool. Res... N. Brit. Salomon. Isl. 1 p. 114 T. 10 F. 11 (D ♀).

♂♀ **papuana** (Simon) 1880. Neu-Guinea, Yule-I.
Themeropis p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 338 (D ♀).
Themeropis brevipes Thorell 1881, Ann. Mus. Civ. Genova 17 p. 271 (D o).
Rhomalea p. Simon 1896, Denkschr. Med. Nat Ges. Jena 8 p. 349 (D ♂).
T. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 68 f. 62, 63 (N ♂).
Th. brevipes Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 48, 154 f. 39, 83—86; T. 2 F. 10; T. 3 F. 1—3 (N ♂♀)

♀ **rubristernis** Strand 1911. Aru-I.
T. r. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 161 T. 5 F. 60 (D ♀).

♀ **vasta** (L. Koch) 1873. Fidji-I.
Rhomalea v. L. Koch 1873, Arachn. Austral. 1 (1) p. 435 T. 34 F. 4 (D ♀).

Gen. **Thomasettia** Hirst 1911.

♂♀ **seychellana** Hirst 1911. Seychellen
Th. s. Hirst 1911, Trans. Linn. Soc. Lond. (2. Zool.) 14 (3) p. 388 f. 6 (D ♂♀).

3. Subfam. Micromatinae

Gen. **Cebrennus** Simon 1880.

§ 3 ♂, 3 ♀: Simon 1880, Act. Soc. Linn. Bord. 34 p. 331—332.
§ 7 Arten: Fage 1921, Bull. Soc. Zool. France 46 (8—10) p. 162.

♂ **aethiopicus** Simon 1880. Nubien
C. ae. Simon 1880, Act. Soc. Linn. Bord. 34 p. 334 (D ♂).
C. ae. Fage 1921, Bull. Soc. Zool. France 46 (8—10) p. 162 f. 1 d, e (N ♂).

♂ **castaneitarsis** Simon 1880. Algier, Tunis, Tripolis
C. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 333 (D ♂).
C. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 38 f. 36, 38, 40 (N ♂).
C. c. Fage 1921, Bull. Soc. Zool. France 46 (8—10) p. 162 f. 1a—c (N ♂).

♂ **cultrifer** Fage 1921. Oran
C. c. Fage 1921, Bull. Soc. Zool. France 46 (8—10) p. 164 f. 2g, h (D ♂).

♂♀ **kochii** (Cambridge) 1872. Syrien, Palästina
Heteropoda k. Cambridge 1872, Proc. Zool. Soc. Lond. p. 312 T. 14 F. 13 (D ♂♀).
Cebrenis k. Simon 1874, Ann. Soc. Ent. France (5) 4 p. 266 T. 5 F. 2 (D ♀).
C. k. Simon 1880, Act. Soc. Linn. Bord. 34 p. 112 (N).
C. k. Fage 1921, Bull. Soc. Zool. France 46 (8—10) p. 163 f. 2a—c (N ♂♀).

♂♀ **powelli** Fage 1921. Marokko
C. p. Fage 1921, Bull. Soc. Zool. France 46 (8—10) p. 163 f. 3 (D ♂♀).

♂ **sparassoides** Caporiacco 1928. Tripolis, Sinai
C. sp. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 94 f. 6 (D ♂).

♂♀ **tunetanus** Simon 1885. Tunis
C. t. Simon 1885, Aran. in: Explor. Sci. Tunis. p. 14 (D ♂).
C. t. Fage 1921, Bull. Soc. Zool. France 46 (8—10) p. 163 f. 2d—f (N ♂, D ♀).

♂♀ **wagae** (Simon) 1874. – * Algier, Tunis
Cebrenis w. Simon 1874, Ann. Soc. Ent. France (5) 4 p. 265 T. 5 F. 1 (D ♂).
C. w. Simon 1880, Act. Soc. Linn. Bord. 34 p. 332 (D ♂).
C. w. Simon 1897, Hist. Nat. Araign. 2 (1) p. 48 (N).
C. w. Fage 1921, Bull. Soc. Zool. France 46 (8—10) p. 162 f. 1g (N ♂♀).

Gen. **Cerbalus** Simon 1897.

♂ **concolor** Denis 1947. Oase Siwah
C. c. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 52 T. 3 F. 1—3 (D ♂).

♀ **nigriventris** Simon 1909. Marokko
C. n. Simon 1909, Mem. Soc. Espan. Hist. Nat. 6 (1) p. 31 (D ♀).

♀ **pulcherrimus** (Simon) 1880. – * N.-Afrika
Cebrennus p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 335 (D ♀).
Cebrennus p. Simon 1880, Ann. Soc. Ent. France (5) 10 Bull. p. 64 (D ♀).
Sparassus beluinus Karsch 1881, Arch. Naturg. 47 p. 10 T. 1 F. 5 (D ♀).
C. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 48 f. 37—39 (N).

♀ **verneaui** (Simon) 1889. Canaren
Cebrennus v. Simon 1889, Bull. Soc. Zool. France 14 (7) p. 302 (D ♀).
C. v. Simon 1897, Hist. Nat. Araiqn. 2 (1) p. 41 (N).

Gen. **Cercetius** Simon 1902.

o **perezi** Simon 1902. Somaliland, Arabien
C. p. Simon 1902, Bull. Mus. Hist. Nat. Paris 8 p. 253 (D o).

Gen. **Marmarica** Caporiacco 1928.

♂ **nigropatellata** Caporiacco 1928. Tripolis
M. n. Caporiacco 1928, Ann. Mus. Civ. Genova 53 p. 96 (D ♂).

Gen. **Megaloremmius** Simon 1903.

♀ **leo** Simon 1903. Madagascar
M. l. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1025 (D ♀).

Gen. **Micromata** Latreille 1804.

(= **Micrommata** auct. sequ.)

Palaearktische Arten:

§ 4 ♂, 4 ♀: Simon 1875, Arachn. de France 2 p. 338—339.

♂♀ **formosa** Pavesi 1878. I. Lampedusa, Palästina
M. f. Pavesi 1878, Ann. Mus. Civ. Genova 11 p. 348 f. (D o).
M. f. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 36 T. 1 F. 38 (D ♂).
M. f. Strand 1913, Arch Naturg. 79 (A; 10) p. 160 (N ♀).

♂♀ **ligurina** (C. L. Koch) 1845. S.-Europa, N.-Afrika, Kleinasien
Sparassus l. C. L. Koch 1845, Die Arachniden 12 p. 89 TF. 1020 (D ♀).
Sparassus pilosus Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 342 (74) (D ♂♀).
M. l. Simon 1874, Ann. Soc. Ent. France (5) 4 p. 273 (D ♂♀).
M. l. Simon 1875, Arachn. de France 2 p. 340 (D ♂ o).
M. l. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 36 T. 1 F. 41, 42 (N ♂).
M. l. Simon 1932, Arachn. de France 6 (4) p. 892, 960 f. 1337, 1338 (D ♂♀).

♂ **ophthalmica** Simon 1880. Algier, Tunis
M. o. Simon 1880, Ann. Soc. Ent. France (5) 10 Bull. p. 64 (D ♂).
M. o. Simon 1880, Act. Soc. Linn. Bord. 34 p. 285 (D ♂).

♂♀ **rosea** (Clerck) 1757. – * Europa, Palästina, Turkestan, Transbaikalien, Sibirien
Araneus roseus Clerck 1757, Aran. Suec. p. 137 T. 6 F. 7 (D ♂).
Araneus virescens Clerck 1757, Aran. Suec. p. 138 T. 6 F. 4 (D ♀).
Aranea viridissima De Geer 1778, Mém. p. s. Hist. Nat. Ins. 7 p. 252 T. 18 F. 6—16 (D ♂♀).

Aranea virescens Schrank 1781, Enum. Ins. Austriae p. 533 (D).
Aranea rosea Olivier 1789, Encycl. Méthod. 4 p. 226 (D).
Aranea smaragdula Fabricius 1793, Ent. Syst. 2 p. 412 (D).
M. smaragdina Latreille 1804, Nouv. Dict. Hist. Nat. p. 135 (D).
Sparassus smaragdulus Walckenaer 1805, Tabl. Aran. p. 39 (N).
Sparassus roseus Walckenaer 1805, Tabl. Aran. p. 40 (N).
M. smaragdina Latreille 1806, Gen. Crust. Ins. Gen. 1 p. 34 Nr. 1 p. 115 (D).
M. smaragdina Hahn 1831, Die Arachniden 1 p. 119 TF. 89 (D ♂♀).
Sparassus smaragdulus Sundevall 1831, Vet. Ak. Handl. p. 147 (D ♂♀).
Sparassus virescens C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 28 (N).
Sparassus smaragdulus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 582 (D ♂♀).
Sparassus virescens C. L. Koch 1845, Die Arachniden 12 p. 87 TF. 1019 (D ♂).
Sparassus virescens C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 40 (C).
Sparassus virescens Westring 1862, Aran. Svec. p. 406 (D ♂♀).
Sparassus smaragdulus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 102 T. 5 F. 61 (D ♂♀).
Sparassus virescens Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 632 T. 11 F. 3—5, 22—25 (D ♂♀).
Sparassus virescens Ohlert 1867, Aran. Prov. Preussen p. 123 (D ♂♀).
M. virescens Thorell 1869, On Europ. Spid. p. 176 (N).
M. virescens Thorell 1870, Rem. Syn. Europ. Spid. p. 227 (N).
M. virescens Simon 1874, Ann. Soc. Ent. France (5) 4 p. 271 (D ♂♀).
M. virescens Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 389 T. 67 F. 222 (D ♂♀).
M. virescens Simon 1875, Arachn. de France 2 p. 339 (D ♂♀).
M. virescens Cambridge 1881, Proc. Dorset. F. Cl. 2 p. 341 (D ♂♀).
M. virescens Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 155 T. 13 F. 1 (D ♂♀).
M. virescens Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 69 (D ♂♀).
M. virescens Hansen 1885, in: Schiödte, Zool. Danica p. 143 T. 4 F. 9 (D ♂♀).
M. virescens Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 79 T. 3 F. 14 (D ♂♀).
M. virescens Simon 1897, Hist. Nat. Araign. 2 (1) p. 66 f. 55, 57 (N).
M. virescens Bösenberg 1903, Zoologica 14 (5—6) p. 410 T. 39 F. 605 (D ♂♀).
M. virescens Lessert 1910, Catal. Invert. Suisse; Araign. p. 396 (D ♂♀).
M. virescens Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 36 T. 1 F. 39, 40 (N ♂).
M. virescens Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 63, 178 f. 52; T. 5 F. 1—6 (N ♀).
M. virescens Bristowe 1926, Ann. Mag. Nat. Hist. (9) 18 p. 126 f. 3—6 (N ♂♀).
M. viridissima Reimoser 1931, Die Natur (Wien) 7 (6) p. 129 f. 4 (N ♂♀).
M. r. Simon 1932, Arachn. de France 6 (4) p. 891, 959 f. 1335—36 (D ♂♀).
M. viridissima Palmgren 1943, Act. Zool. Fenn. 36 p. 77 f. (N).
M. viridissima Tullgren 1944, Svensk Spindelfauna 3 p. 127 T. 18 F. 245—247 (D ♂♀).
M. virescens Locket & Millidge 1951, Brit. Spiders I. p. 167 f. 84 A—C (D ♂ ♀).

♂♀ **rosea ornata** (Walckenaer) 1802. Europa, Syrien, Palästina

Aranea o. Walckenaer 1802, Faun. Paris. 2 p. 226 (D) (praeocc. Sulzer 1776).
Sparassus ornatus Walckenaer 1805, Tabl. Aran. p. 40 (C).
Sparassus ornatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 583 (D ♂♀).
Sparassus ornatus C. L. Koch 1845, Die Arachniden 12 p. 90 TF. 1021 (D ♀).
Sparassus ornatus Westring 1862, Aran. Svec. p. 408 (D ♂ o).
Sparassus ornatus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 634 (D O ♀).
Sparassus fulvus Simon 1868, Rev. Mag. Zool. (2) 20 p. 453 (D ♂♀).
Sparassus ornatus Ohlert 1867, Aran. Prov. Preussen p. 123 (D ♂♀).
M. ornata Thorell 1870, Rem. Syn. Europ. Spid. p. 228 (N).
M. fulva Simon 1874, Ann. Soc. Ent. France (5) 4 p. 275 (D ♂ o).
M. ornata Simon 1874, Ann. Soc. Ent. France (5) 4 p. 277 (D ♂♀).

M. ornata Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 394 T. 67 F. 223 (D ♂♀).
M. fulva Simon 1875, Arachn. de France 2 p. 341 (D ♂ o).
M. ornata Simon 1875, Arachn. de France 2 p. 343 (D ♂♀).
M. ornata Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 158 T. 13 F. 2 (D ♂♀).
M. virescens ornata Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 79 (D ♂♀).
M. ornata Bösenberg 1903, Zoologica 14 (5—6) p. 411 (D).
M. virescens ornata Lessert 1910, Catal. Invert. Suisse; Araign. p. 397 (D).
M. ornatum Simon 1932, Arachn. de France 6 (4) p. 892, 960 (D).

♀ **rosea valvulata** (Franganillo) 1913. Spanien
M. viridissima v. Franganillo 1913, Broteria 11 p. 131 (D ♀).
M. viridissima v. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 64 (D ♀).

Aethiopische Arten:

♀ **darlingi** Pocock 1901. Mashonaland
M. d. Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 339 (D ♀).

♂ **longipes** Bösenberg & Lenz 1895. O.-Afrika
M. l. Bösenberg & Lenz 1895, Jahrb. Hambg. Wiss. Anst. 12 (2) p. 34 T. 1 F. 11 (D ♂).
M. l. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 271 f. 68, 69 (D ♂).

Gen. **Nisueta** Simon 1880.

♀ **affinis** Strand 1906. Nil-Sudan
N. a. Strand 1906, Zool. Anz. 30 (19—20) p. 630 (D ♀).
N. a. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 8 (D ♀).

♂ **flavescens** Caporiacco 1941. S.-Abessinien
N. f. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 108 f. 39 (D ♂).

♂ **kolosvaryi** Caporiacco 1947. Aethiopien
N. k. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 204 T. 2 F. 48 (D ♂).

♀ **quadrispilota** Simon 1880. – * Sansibar
N. q. Simon 1880, Act. Soc. Linn. Bord. 34 p. 330 (D ♀).
N. q. Bösenberg & Lenz 1895, Jahrb. Hambg. Wiss. Anst. 12 (2) p. 34 T. 1 F. 13 (D ♀).
N. q. Simon 1897, Hist. Nat. Araign. 2 (1) p. 47 (N).

♂♀ **similis** Berland 1922. Abessinien
N. s. Berland 1922, Voy. Rothschild Ethiop.; Rés. Sci. Anim. Artic. 1 p. 63 f. 4—6; T. A F. 3 (D ♂♀).

Gen. **Nonianus** Simon 1885.

Palaearktische Arten:

♀ **pictus** Simon 1885. – * Tunis, Tripolis, Libyen
N. p. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 13 (D ♀).
N. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 47 (N).

Neotropische Arten:

♀ **argentinus** Mello-Leitao 1940. W.-Argentinien
N. a. Mello-Leitao 1940, Rev. Mus. La Plata (N. S.) Zool. 32 p. 42 f. 40—41 (D ♀).

♀ **gaujoni** Simon 1896. Ecuador
N. g. Simon 1896, Ann. Soc. Ent. France 65 p. 486 (D ♀).

♂ **unilateralis** Strand 1908. Peru
N. u. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 237 (D ♂).

Gen. **Olios** Walckenaer 1837.

Palaearktische Arten:

♂♀ **argelasius** (Walckenaer) 1805. – * S.-Europa, Tunis, Algier. Canaren
Sparassus a. Walckenaer 1805, Tabl. Aran. p. 40 (N).
Micrommata spongitarsis Dufour 1820, Ann. Gén. Sci. Phys. 4 p. 366 T. 69 F. 6 (D).
O. spongitarsi Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 574 (D ♂).
Ocypete vulpina C. L. Koch 1845, Die Arachniden 12 p. 29 TF. 974 (D ♀).
O. algerianus Lucas 1846, Explor. Sci. Alger. (Zool.) 1 Arachn. p. 204 T. 12 F. 1 (D ♂♀).
Ocypete nigritarsis Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 870 (D ♀).
Ocypete algeriana Canestrini & Pavesi 1870, Arch. Zool. An. Fis. Bologna (2) 2 p. 56 (36) T. 4 F. 1 (N ♂).
Sparassus spongitarsis Simon 1874, Ann. Soc. Ent. France (5) 4 p. 259 T. 5 F. 5 (D ♂♀).
Sparassus spongitarsis Simon 1875, Arachn. de France 2 p. 336 T. 8 F. 22 (D ♂♀).
O. spongitarsis Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 65, 180 f. 53; T. 5 F. 7, 8 (N ♀).
O. spongitarsis Roewer 1928, Abh. Nat. Ver. Bremen 27 (1) p. 117 T. 1 F. 28 (N ♀).
O. a. Simon 1932, Arachn. de France 6 (4) p. 890, 959 f. 1333, 1334 (D ♂♀).
O. a. Denis 1953, Bull. Inst. Sci. Nat. Belg. 29 (39) p. 2 f. 3 (N ♂).

♀ **canariensis** (Lucas) 1838. Canaren
Delena c. Lucas 1838, Arachn. in: Barker, Webb, Berthelot, Hist. Nat. Canar. 2 p. 30 T. 7 F. 2 (D ♀).
O. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 298 (N).

♀ **flavidus** (Cambridge) 1885. Yarkand
Sparassus f. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 73 (D ♀).

♀ **impediens** Denis 1947. Oase Siwah
O. i. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 52 T. 2 F. 17 (D ♀).

♀ **maderianus** (Thorell) 1875. Madeira
Helicopis m. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 123 (D ♀).
Palystes m. Simon 1880, Act. Soc. Linn. Bord. 34 p. 263 (N).

♂ **prominens** Denis 1953. Canaren
O. p. Denis 1953, Bull. Inst. Sci. Nat. Hist. Belg. 29 (39) p. 2 f. 1—2 (D ♂).

♂♀ **sericeus** (Kroneberg) 1875. Turkestan
Sparassus s. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 28 T. 3 F. 19 (D ♂♀).
O. s. Simon 1880, Act. Soc. Linn. Bord. 34 p. 298 (N).

o **timidus** (Cambridge) 1885. W.-Tibet
Sparassus t. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 72 (D o).

Transgredierende Arten:

♂ **baulnyi** (Simon) 1874. Marokko, Senegambien, Sudan
Sparassus b. Simon 1874, Ann. Soc. Ent. France (5) 4 p. 258 T. 5 F. 4 (D ♂).
Midamus b. Simon 1880, Act. Soc. Linn. Bord. 34 p. 312 (N).

Aethiopische Arten:

§ 3 Arten: Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 23.

o **abnormis** (Blackwall) 1866. Centr.-Afrika
Sparassus a. Blackwall 1866, Ann. Mag. Nat. Hist. (3) 18 p. 457 (D o).

♀ **africanus** (Karsch) 1878. Mozambique
Sparassus a. Karsch 1878, Monatsber. Ak. Wiss. Berlin p. 325 T. 2 F. 6 (D ♀).

♀ **albertius** Strand 1913. Centr.-Afrika
O. a. Strand 1913, Aran. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 401 (D ♀).

♀ **alluaudi** Simon 1887. W.-Afrika
O. a. Simon 1887, Ann. Soc. Ent. France (6) 7 p. 264 (D ♀).

O **amanensis** Strand 1907. O.-Afrika
O. a. Strand 1907, Zool. Anz. 31 (17—18) p. 540 (D O).
O. a. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 669 (D O).

♂♀ **aristophanei** Lessert 1936. Portug. O.-Afrika
O. a. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 269 f. 67 (D ♂).
O. a. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 202 T. 2 F. 47 (D ♂♀).

♂ **auricomis** (Simon) 1880. Sansibar
Midamus au. Simon 1880, Act. Soc. Linn. Bord. 34 p. 312 (D ♂).

♂ **bananus** Strand 1915. Congo
O. b. Strand 1915, Arch. Naturg. 81 (A; 9) p. 70 (D ♂).

♀ **batesi** (Pocock) 1899. Camerun
Sparassus b. Pocock 1899, Proc. Zool. Soc. Lond. p. 877 T. 58 F. 29 (D ♀).

♂♀ **benitensis** (Pocock) 1899. Camerun
Sparassus b. Pocock 1899, Proc. Zool. Soc. Lond. p. 875 T. 56 F. 12; T. 58 F. 27 (D ♂♀).

♂♀ **biarmatus** Lessert 1925. Natal
O. b. Lessert 1925, Rev. Suisse Zool. 32 (21) p. 326 f. 2, 3 (D ♂♀).
O. b. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 247 (N ♀).

♂ **brachycephalus** Lawrence 1938. Natal
O. b. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 493 f. 21 (D ♂).

♂ **chelifer** Lawrence 1937. Zululand
O. c. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 247 f. 19 (D ♂).

♀ **chiracanthiformis** (Strand) 1906. Abessinien
Eusparassus c. Strand 1906, Zool. Anz. 30 (19—20) p. 630 (D ♀).
Eusparassus c. Strand 1908, Arch. Math. Naturvid. 29 (2) p. 13 (D ♀).
O. c. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 107 (N ♀).

♂ **chubbi** Lessert 1923. Zululand
O. c. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 180 f. 26—27 (D ♂).

♂ **claviger** (Pocock) 1901. Mashonaland
Sparassus c. Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 339 (D ♂).

♂♀ **coenobitus** Fage 1926. Madagascar
O. coenobita Fage 1926, Arch. Zool. Expér. Gén. 65 (Not. & Rev. 1) p. 5 f. 1 (D ♂♀).

o **conspersipes** (Thorell) 1899. Camerun
Sparassus c. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 69 (D o).

♂♀ **correvoni** Lessert 1921. O.-Afrika
O. c. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 338 f. 8—11 (D ♂♀).
O. c. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 106 (N ♀).

♂ **correvoni choupangensis** Lessert 1936. Portug. O.-Afrika
O. c. ch. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 267 f. 65 (D ♂).

♀ **correvoni nigrifrons** Lawrence 1928. Kalahari
O. c. n. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 249 T. 22 F. 32 (D ♀).

♀ **croseiceps** (Pocock) 1898. Nyassaland
Sparassus c. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 442 T. 13 F. 5 (D ♀).

♂ **darlingi** (Pocock) 1901. Mashonaland, Kalahari
Sparassus d. Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 339 (D ♂).
O. d. Lawrence 1936, Ann. Transv. Mus. 17 (2) p. 155 (N ♂).

♀ **derasus** (C. L. Koch) 1845. Capland
Ocypete d. C. L. Koch 1845, Die Arachniden 12 p. 28 TF. 973 (D ♀).
O. d. Simon 1880, Act. Soc. Linn. Bord. 34 p. 298 (N).

♀ **detritus** (C. L. Koch) 1845. Capland
Ocypete d. C. L. Koch 1845, Die Arachniden 12 p. 33 TF. 976 (D ♀).
O. d. Simon 1880, Act. Soc. Linn. Bord. 34 p. 299 (N).

♂♀ **erraticus** Fage 1926. Madagascar
O. e. Fage 1926, Arch. Zool. Expér. Gén. 65 (Not. & Rev. 1) p. 7 f. 2 (D ♂♀).

♂ **faesi** Lessert 1933. Angola
O. f. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 127 f. 47 (D ♂).

♂♀ **fasciiventris** Simon 1880. Sansibar
O. f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 306 (D ♀).
Sparassus f. Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 170 (D ♂).

♂ **feldmanni** Strand 1915. Camerun
O. f. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 96 (D ♂).

♂♀ **floweri** Lessert 1921. O.-Afrika, Abessinien
O. f. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 387 f. 7 (D ♂).
O. f. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 843 f. 41 (D ♀).

♀ **fonticola** (Pocock) 1902. Capland
Sparassus f. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 25 T. 3 F. 14 (D ♀).

♂ **freyi** Lessert 1929. Congo
O. f. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 126 f. 13 (D ♂).

♂♀ **furcatus** Lawrence 1927. SW.-Afrika
O. f. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 41 T. 2 F. 29 (sub **Eusparassus**). T. 3 F. 68 (D ♂♀).

♀ **gentilis** (Karsch) 1879. W.-Afrika
Sparassus g. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 833 (D ♀).

o **guttipes** (Simon) 1897. Natal
Sparassus (Vindullus) g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 36 (D o).

♂ **hoplites** Caporiacco 1941. S.-Abessinien
O. h. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 106 f. 38 (D ♂).

♂ **isogonis** Strand 1915. Camerun
O. i. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 94 (D ♂).

♀ **ituricus** Strand 1913. Centr.-Afrika
O. i. Strand 1913, Aran. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 402 (D ♀).

♂ **kassenjicola** Strand 1915. Centr.-Afrika
O. k. Strand 1915, Arch. Naturg. 81 (A; 11) p. 79 (D ♂).

♂♀ **kruegeri** (Simon) 1896. Transvaal
Sparassus k. Simon 1896, Ann. Soc. Ent. France 65 p. 488 (D ♂♀).
Sparassus k. Simon 1897, Hist. Nat. Araign. 2 (1) p. 33 f. 34 (N ♂).

♂♀ **lacticolor** Lawrence 1952. Natal
O. l. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 210 f. 49—50 (D ♂♀).

♀ **laevatus** (Simon) 1897. Aethiopien
Sparassus l. Simon 1897, Aran. in: Smith, Through unkn. Afric. Countries p. 388 (D ♀).

longespina Caporiacco 1947. O.-Afrika
O. l. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 203 (D pull.).

♂♀ **longipedes** Roewer 1951. Nil-Sudan
Midamus longipes Simon 1884, Bull. Soc. Zool. France 9 p. 8 T. 1 F. 13—15 (D ♂♀) (praeocc. Walckenaer 1837 sub **Olios**).
Sparassus longipes Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 171 (N ♂).
O. l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov).

♂♀ **machadoi** Lawrence 1952. Natal
O. m. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 208 f. 47—48 (D ♂♀).

o **maculinotatus** Strand 1909. Capland
O. m. Strand 1909, Deutsch. S. Pol. Exped. 1901—03 10 (5) Zool. 2 p. 581 (D o).

♂♀ **malagassus** Strand 1907. Madagascar
O. m. Strand 1907, Zool. Anz. 31 (17—18) p. 558 (D ♀).
O. m. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 102 (D ♀).
O. m. Strand 1915, Arch. Naturg. 81 (A; 9) p. 71 (D ♂).

♀ **malagassus septifer** Strand 1908. Madagascar
O. m. s. Strand 1908, Zool. Jahrb. Syst. 26 (4) p. 480 (D ♀).

♀ **marshalli** (Pocock) 1898. Natal
Sparassus (Midamus) m. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 222 T. 8 F. 15 (D ♀).

♂♀ **nossibeensis** Strand 1907. I. Nossibé
O. n. Strand 1907, Zool. Anz. 31 (17—18) p. 557 (D ♀).
O. n. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 99 (D ♀).
O. n. Strand 1915, Arch. Naturg. 81 (A; 9) p. 70 (D ♂).

o **occidentalis** (Karsch) 1879. Congo
Heteropoda o. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 341 (D o).
O. o. Simon 1880, Act. Soc. Linn. Bord. 34 p. 299 (N).

♀ **pacifer** Lessert 1921. Congo, O.-Afrika
O. p. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 385 f. 6 (D ♀).

♂ **paenuliformis** Strand 1915. Ashantiland
O. p. Strand 1915, Arch. Naturg. 81 (A; 9) p. 69 (D ♂).

♂ **provocator** Walckenaer 1837. Capland
O. p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 575 (D ♂).

♀ **pulchripes** (Thorell) 1899. Camerun
Sparassus p. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 66 (D ♀).

♀ **pusillus** Simon 1880. Madagascar
O. p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 305 (D ♀).

♂ **rufilatus** (Pocock) 1899. Camerun, Belg. Congo
Sparassus r. Pocock 1899, Proc. Zool. Soc. Lond. p. 878 T. 56 F. 13 (D ♂).
O. r. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 207 (N ♂).

♀ **ruwenzoricus** Strand 1913. Centr.-Afrika
O. r. Strand 1913, Aran. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 401 (D ♀).

♀ **schönlandi** (Pocock) 1900. S.-Afrika
Sparassus sch. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 330 (D ♀).

♂ **sherwoodi** Lessert 1929. Congo
O. s. Lessert 1929, Rev. Suisse Zool 36 (4) p. 128 f. 14 (D ♂).

♂ **sjöstedti** Lessert 1921. O.-Afrika
O. s. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 391 f. 12, 13 (D ♂).

♀ **socotranus** (Pocock) 1903. Sokotra
Sparassus s. Pocock 1903; in: Forbes, Nat. Hist. Sokotra a. Abd-el-Kuri p. 196 (D ♀).

♀ **somalicus** Caporiacco 1940. Somaliland
O. s. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 774 f. 3 (D ♀).

♀ **spenceri** Pocock 1896. Natal
O. s. Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 62 T. 8 F. 6 (D ♀).
Sparassus sp. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 222 (N).

♂ **spiculosus** (Pocock) 1901. Mashonaland
Sparassus s. Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 340 (D ♂).

♂ **spinipalpis** (Pocock) 1901. Mashonaland
Sparassus s. Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 340 (D ♂).

♂ **stictopus** (Pocock) 1898. Natal
Sparassus (Vindullus) st. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 223 T. 8 F. 16 (D ♂).

o **subpusillus** Strand 1907. Madagascar
O. s. Strand 1907, Zool. Anz. 31 (23) p. 737 (D o).
O. s. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 106 (D o).

♂♀ **sulphuratus** (Thorell) 1899. Camerun
Sparassus s. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 67 (D ♂♀).

♂ **triarmatus** Lessert 1936. Portug. O.-Afrika
O. t. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 268 f. 66 (D ♂).

♂ **trifurcatus** (Pocock) 1899. Camerun
Sparassus t. Pocock 1899, Proc. Zool. Soc. Lond. p. 877 T. 58 F. 28 (D ♂).

♂ **tuckeri** Lawrence 1927. SW.-Afrika
O. t. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 42 T. 3 F. 67 (D ♂).

o **variatus** (Thorell) 1899. Camerun
Sparassus v. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 65 (D o).

♀ **vestigator** (Simon) 1897. Afrika
Sparassus v. Simon 1897, Aran. in: Smith, Through unkn. Afric. Countr. p. 389 (D ♀).

vittifemur Strand 1915. Centr.-Afrika
O. v. Strand 1915, Arch. Naturg. 81 (A; 11) p. 80 (D juv.).

♀ **zulu** Simon 1880. Capland
O. z. Simon 1880, Act. Soc. Linn. Bord. 34 p. 304 (D ♀).

Transgredierende Arten:

♂♀ **lamarcki** (Latreille) 1806. Réunion, Madagascar, Malediven, Laccediven, Ceylon, Indien
Thomisus l. Latreille 1806, Gen. Crust. Ins. 1 p. 113 (D ♂♀).
O. captiosus Waldckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 565 (D ♀).
O. captiosus Vinson 1864, Aran. Réun. Mauric. Madagasc. p. 93, 304 T. 2 F. 1 (D ♀).
O. l. Simon 1880, Act. Soc. Linn. Bord. 34 p. 301 (D ♂♀).
O. l. Karsch 1891, Berlin. Ent. Zeitschr. 36 p. 292 T. 11 F. 14 (N ♂♀).
Sparassus l. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 267 (D ♂♀).
Eusparassus l. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A, 1) p. 60, 176 f. 50; T. 4 F. 11—13 (N ♀).
O. l. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 241 f. 5B, 6B, C (N ♂♀).

♀ **lamarcki taprobanicus** Strand 1913. Ceylon
O. l. t. Strand 1913, Arch. Naturg. 79 (A; 6) p. 119 (D ♀).
O. l. t. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 241 (D ♀).

Orientalische Arten:

§ 8 ♂, 7 ♀: Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 239—240.

♂ **acolastus** (Thorell) 1890. Nias, Pulu Berhala, Sumatra
Sarotes a. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 56 (D ♂).

♀ **admiratus** (Pocock) 1901. Indien
Sparassus a. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 492 (D ♀).

♀ **annandalei** (Simon) 1901. Malakka
Sparassus a. Simon 1901, Proc. Zool. Soc. Lond. (2; 4) p. 65 (D ♀).

♀ **bungarensis** Strand 1913. Sumatra
O. b. Strand 1913, Arch. Naturg. 79 (A, 6) p. 119 (D ♀).

♀ **ceylonicus** (Leardi) 1901. Ceylon
Midamus c. Leardi 1901, Atti Mus. Milano 40 p. 367 (D ♀).

♀ **cursor** (Thorell) 1894. Malakka
Sarotes c. Thorell 1894, Bull. Soc. Ent. Ital. 26 (3) p. 339 (D ♀).
Sarotes c. Workman 1896, Malays. Spid. p. 82 T. 82 (D ♀).

♀ **exterritorialis** Strand 1907. Java oder Ceram
O. e. Strand 1907, Zool. Anz. 31 (17—18) p. 558 (D ♀).
O. e. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 2 T. 2 F. 34 (D ♀).

o **fugax** (Cambridge) 1885. NW.-Indien
Sparassus f. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 73 (D o).

♀ **fuligineus** (Pocock) 1901. Indien
Sparassus f. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 491 (D ♀).

greeni (Pocock) 1901. Ceylon
Sparassus g. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 494 (D).

♀ **hampsoni** (Pocock) 1901. Indien
Sparassus h. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 491 (D ♀).

♀ **hirtus** (Karsch) 1879. Ceylon
Pelmopoda h. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 560 (D ♀).
Sparassus h. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 267 (D ♀).

♂♀ **impudicus** (Thorell) 1887. Ceylon, Indien, Burma, Andamanen, Sumatra
Sarotes i. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 241 (D ♂).
Sarotes i. Thorell 1892, Ann. Mag. Nat. Hist. (6) 9 p. 233 (D ♀).
Sparassus i. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 268 (D ♂♀).
O. i. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 1 (D ♀).

♀ **inaequipes** (Simon) 1891. Flores
Sarotes i. Simon 1891, Zool. Erg. Reise Niederl. Ind. Weber 1 p. 206 (D ♀).

♂♀ **iranii** (Pocock) 1901. Belutschistan, Indien
Sparassus i. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 492 (D ♀).
O. i. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 242 f. 5C, 6D (D ♂, N ♀).

♂♀ **lutescens** (Thorell) 1894. Burma, Sumatra, Java, Pulu Berhala
Midamus l. Thorell 1894, Bih. Svensk. Vet. Ak. Handl. 20 (4; 4) p. 12 (D ♀).
Midamus l. Thorell 1895, Descr. Catal. Spid. Burma p. 272 (D ♀).
Sparassus l. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 269 (D ♀).
O. l. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 207 T. 17 F. 148 (N ♀).
Sparassus l. Simon 1899, Ann. Soc. Ent. Belg. 43 p. 100 (D ♂).

♂♀ **milleti** (Pocock) 1901. Indien

Sparassus m. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 494 (D ♂).
O. m. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 244 f. 5G, 6F (D ♂, N ♀).

♂♀ **obesulus** (Pocock) 1901. Indien

Sparassus o. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 493 (D ♀).
O. o. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 245 f. 5J, 6H (D ♂, N ♀).

♂ **ornatus** (Thorell) 1877. Celebes

Palystes o. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 488 (D ♂).
Sparassus o. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 191 (N).
O. o. Simon 1880, Act. Soc. Linn. Bord. 34 p. 299 (N).

o **patagiatus** (Simon) 1897. Indien

Sparassus p. Simon 1897, Mém. Soc. Zool. France 10 p. 256 (D o).

♂ **phipsoni** (Pocock) 1899. Indien

Sparassus ph. Pocock 1899, Journ. Bombay Nat. Hist. Soc. 12 p. 752 (D ♂).
Sparassus ph. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 268 (D ♂).

♂♀ **pinangensis** (Thorell) 1891. I. Pinang

Sarotes p. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 78 (D ♂).
O. p. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 243 (D ♀).

♂♀ **punctipes** Simon 1884. Burma

O. p. Simon 1884, Ann. Mus. Civ. Genova 20 p. 339 (D ♀).
Sarotes p. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 244 (D ♂).
Sarotes venustus Thorell 1887, Ann. Mus. Civ. Genova 25 p. 248 (D o).
Sarotes callipygus Thorell 1887, Ann. Mus. Civ. Genova 25 p. 250 (D ♀).
Sparassus p. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 268 (D ♀).
O. p. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 242 f. 5D, 6E (N ♂♀).

♀ **punctipes sordidata** (Thorell) 1895. Burma

Sarotes p. s. Thorell 1895, Descr. Catal. Spid. Burma p. 270 (D ♀).

♀ **punjabensis** Dyal 1935. Panjab

O. p. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 208 T. 17 F. 149, 181 (D ♀).

♀ **pyrozonis** (Pocock) 1901. Indien

Sparassus p. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 490 (D ♀).

♂♀ **rosettii** (Leardi) 1901. Indien

Midamus r. Leardi 1901, Atti Mus. Milano 40 p. 90 (D ♂♀).

♀ **rotundiceps** (Pocock) 1901. Indien

Sparassus r. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 493 (D ♀).

♀ **senilis** Simon 1880. Ceylon

O. s. Simon 1880, Act. Soc. Linn. Bord. 34 p. 303 (D ♀).
Sparassus s. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 267 (D ♀).
Pelmopoda s. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 85, 214 f. 64; T. 9 F. 3—5 (N ♀).

♂ **stimulator** (Simon) 1897. Indien

Sparassus st. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 258 (D ♂).
Sparassus st. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 269 (D ♂).

o **striatus** (Blackwall) 1867. Indien

Sparassus st. Blackwall 1867, Ann. Mag. Nat. Hist. (3) 19 p. 390 (D o).
O. st. Simon 1880, Act. Soc. Linn. Bord. 34 p. 311 (N).

♂ **tarandus** (Simon) 1897. Indien

Sparassus t. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 294 (D ♂).
Sparassus t. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 269 (N ♂).

♂♀ **tener** (Thorell) 1891. Indien

Sparassus t. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (14; 2) p. 80 (D ♂ o).
Sparassus t. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 269 (D ♂).
O. t. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 244 f. 5H, 6G (N ♂♀).

♀ **versicolor** Simon 1884. Thailand

O. v. Simon 1884, Ann. Mus. Civ. Genova 20 p. 367 (D ♀).
O. v. Simon 1886, Act. Soc. Linn. Bord. 40 p. 143 (N).

♂ **wroughtoni** (Simon) 1897. Indien

Sparassus w. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 257 (D ♂).
Sparassus w. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 268 (D ♂).
O. w. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 244 f. 5F (N ♂).

♂♀ **xerxes** (Pocock) 1901. Indien, Belutschistan

Sparassus x. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 489 (D ♀).
Sparassus meynardi Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 490 (D ♂♀).
Sparassus pearsoni Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 492 (D ♀).
O. x. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 240 f. 5A, 6A (N ♂♀).

o **zebra** (Thorell) 1881. I. Ternate

Sparassus z. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 266 (D o).

Transgredierende Arten:

♂♀ **coccineiventris** (Simon) 1880. Molukken, Neu-Guinea

Sarotes c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 315 (D ♂♀).

♀ **ferox** (Thorell) 1892. Niederl. Indien oder Australien

Sarotes f. Thorell 1892, Ann. Mus. Civ. Genova 30 p. 40, 147 (D ♀).

♀ **mygalinus** Doleschall 1857. Molukken, Neu-Guinea

O. m. Doleschall 1857, Naturh. Tijdschr. Ned. Ind. 13 p. 426 (D ♀).
O. m. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 54 T. 5 F. 5 (D ♀).
Heteropoda badia L. Koch 1875, Arachn. Austral. 1 (2) p. 732 T. 64 F. 1 (D ♀).
Sarotes m. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 188 (D ♀).
O. m. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 4 (D ♀).

♀ **mygalinus cinctipes** Merian 1911. Celebes

O. m. c. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 274 (D ♀).

♀ **mygalinus nigripalpis** Merian 1911. Celebes

O. m. n. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 272 (D ♀).

Australische Arten:

§ 19 Arten: Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 424.

♀ **actaeon** (Pocock) 1899. Neu-Pommern

Sparassus a. Pocock 1899, in: Willey, Zool. Res. . . . N. Brit. Salomon. Isl. 1 p. 113 T. 10 F. 12 (D ♀).

♂ **artemis** Hogg 1916. Neu-Guinea
O. actaeon Hogg 1914, Proc. Zool. Soc. Lond. (4) Abstr. p. 57 (D ♂).
O. a. Hogg 1915, Trans. Zool. Soc. Lond. 20 (14) p. 467 f. 31 (D ♂).

♀ **berlandi** Roewer 1951. Neu-Caledonien
O. maculatus Berland 1924, Nov. Caledon. Zool. 3 (2) p. 230 f. 155—156 (D ♀) (praeocc. Blackwall 1862 sub **Sparassus**).
O. b. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♂♀ **calligaster** (Thorell) 1870. Australien
Heteropoda c. Thorell 1870, Oefv. Svensk. Vet. Ak. Förh. 27 (4) p. 385 (D ♂♀).
Heteropoda c. L. Koch 1875, Arachn. Austral. 1 (2) p. 734 T. 64 F. 2, 3 (D ♂♀).
Sarotes c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 315 (N).
Neosparassus c. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 428 (N).
O. c. Simon 1908, Faun. S.W. Austral. 1 (12) p. 442 (N).
O. c. Hogg 1914, Proc. Zool. Soc. London (1) p. 84 (N ♀).
Neosparassus c. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 91, 222 f. 69; T. 9 F. 13—14 (N ♀).

♀ **canalae** Berland 1924. Neu-Caledonien
O. c. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 230 f. 157, 158 (D ♀).

♀ **conspicuus** (L. Koch) 1875. Queensland
Heteropoda c. L. Koch 1875, Arachn. Austral. 1 (2) p. 717 T. 62 F. 1 (D ♀).
Sarotes c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 315 (N).
Neosparassus c. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 429 (N).

♂ **diana** (L. Koch) 1875. Victoria, W.-Australien
Heteropoda d. L. Koch 1875, Arachn. Austral 1 (2) p. 730 T. 63 F. 5 (D ♂).
Sarotes c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 314 (N).
Neosparassus d. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 428 (N).

♂♀ **extensus** Berland 1924. Neu-Caledonien
O. e. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 226 f. 139—145 (D ♂♀).

o **festivus** (L. Koch) 1875. Neu-S.-Wales
Heteropoda f. L. Koch 1875, Arachn. Austral. 1 (2) p. 710 T. 61 F. 2 (D o).
O. f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 299 (N).
Neosparassus f. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 428 (N).

♂♀ **françoisi** (Simon) 1897. Loyalty-I.
Sparassus f. Simon 1897, Ann. Soc. Ent. France 66 p. 274 (D ♂).
Sparassus f. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 229 f. 152—154 (D ♂♀).

♂ **fulvithorax** Berland 1924. Neu-Caledonien
O. f. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 229 f. 151 (D ♂).

♀ **grapsus** Walckenaer 1837. Australien
O. g. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 564 (D ♀).

o **guineibius** Strand 1910. Neu-Guinea
O. g. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 7 (D o).

o **haemorrhoidalis** (L. Koch) 1875. Neu-S.-Wales
Heteropoda h. L. Koch 1875, Arachn. Austral. 1 (2) p. 726 T. 63 F. 2 (D o).
Sarotes h. Simon 1880, Act. Soc. Linn. Bord. 34 p. 314 (N).
Neosparassus h. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 428 (N).

♀ **hermitis** Hogg 1914. Montebello-I.
O. h. Hogg 1914, Proc. Zool. Soc. Lond. (1) p. 85 T. 2 F. 9 (D ♀).

♀ **humboldtiana** Berland 1924. Neu-Caledonien
O. h. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 231 f. 159 (D ♀).

♀ **incomptus** (L. Koch) 1875. Neu-S.-Wales
Heteropoda i. L. Koch 1875, Arachn. Austral. 1 (2) p. 727 T. 63 F. 3 (D ♀).
Neosparassus incomtus Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 428 (N).

♀ **inframaculatus** (Hogg) 1896. Centr.-Australien
Heteropoda i. Hogg 1896, Aran. in: Rep. Horn Exped. 2 (Zool.) p. 343 (D ♀).
Neosparassus i. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 428 (N).
O. i. Hickman 1944, Trans. R. Soc. S. Austral. 68 (1) p. 44 (N).

♀ **insulanus** (Thorell) 1881. Kei-I.
Sparassus i. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 263 (D ♀).

♀ **macilentus** (L. Koch) 1875. Victoria, Queensland
Heteropoda m. L. Koch 1875, Arachn. Austral. 1 (2) p. 711 T. 61 F. 3 (D ♀).
O. m. Simon 1880, Act. Soc. Linn. Bord. 34 p. 300 (N).
Neosparassus m. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 427 (N).

♀ **magareyi** (Hogg) 1902. Neu-S.-Wales, N.-Australien
Neosparassus m. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 425 f. 86 (D ♀).

♀ **monticola** Berland 1924. Neu-Caledonien
O. m. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 231 f. 160 (D ♀).

morbillosus (Mac Leay) 1827. Australien
Thomisus m. Mac Leay 1827, in: King Survey intertrop . . . Austral. 2 p. 469 (D).
Thomisus m. Mac Leay 1839, Ann. Mag. Nat. Hist. 1 (2) p. 8 (N).
O. m. Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 473 (D).
O. morbidosa Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 410 (C).

♂ **neocaledonicus** Berland 1924. Neu-Caledonien
O. n. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 227 f. 146, 147 (D ♂).

♀ **nitellinus** (L. Koch) 1875. Queensland
Heteropoda n. L. Koch 1875, Arachn. Austral. 1 (2) p. 722 T. 62 F. 4 (D ♀).
Sarotes n. Simon 1880, Act. Soc. Linn. Bord. 34 p. 315 (N).
Neosparassus n. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 429 (N).

♀ **oubatchensis** Berland 1924. Neu-Caledonien
O. ou. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 227 f. 148—150 (D ♀).

♂ **pagurus** Walckenaer 1837. Australien
O. p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 564 (D ♂).

♂ **pallidus** (L. Koch) 1875. Queensland
Heteropoda p. L. Koch 1875, Arachn. Austral. 1 (2) p. 713 T. 61 F. 4 (D ♂).
Sarotes p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 315 (N).
Neosparassus p. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 427 (N).

♀ **patellatus** (Karsch) 1878. Tasmanien
Heteropoda p. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 809 (D ♀).
Sarotes p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 314 (N).
Neosparassus p. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 429 (N).

♂♀ **pictus** (L. Koch) 1875. Queensland
Heteropoda p. L. Koch 1875, Arachn. Austral. 1 (2) p. 714 T. 61 F. 5 (D ♀).
Heteropoda p. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 792 (D ♂, N ♀).
Sarotes p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 315 (N).
Neosparassus p. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 428 (N).
Neosparassus p. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 91, 223 f. 69; T. 10 F. 1, 2 (N ♀).

o **praecinctus** (L. Koch) 1865. Neu-S.-Wales
Sparassus p. L. Koch 1865, Verh. Zool. Bot. Ges. Wien 15 p. 872 (D o).

♂♀ **praeclarus** (L. Koch) 1875. Queensland
Heteropoda p. L. Koch 1875, Arachn. Austral. 1 (2) p. 723 T. 62 F. 5; T. 63 F. 1 (D ♂♀).
Sarotes p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 315 (N).
Neosparassus p. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 428 (N).

♀ **princeps** Hogg 1914. Neu-Guinea
O. p. Hogg 1914, Proc. Zool. Soc. Lond. (4) Remarks p. 57 (D ♀).
O. p. Hogg 1915, Trans. Zool. Soc. Lond. 20 (14) p. 464 f. 30 (D ♀).

♂♀ **punctatus** (L. Koch) 1865. Australien
Sparassus p. L. Koch 1865, Verh. Zool. Bot. Ges. Wien 15 p. 872 (D ♀).
Heteropoda p. L. Koch 1875, Arachn. Austral. 1 (2) p. 719 T. 62 F. 2, 3 (D ♂♀).
Sarotes p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 315 (N).
Neosparassus p. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 429 (N).
Neosparassus p. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 91, 221 f. 69; T. 9 F. 11, 12 (N ♀).

♀ **rubriventris** (Thorell) 1881. Aru-I., Kei-I.
Sparassus r. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 261 (D ♀).

♀ **rutilus** (L. Koch) 1875. Queensland
Heteropoda r. L. Koch 1875, Arachn. Austral. 1 (2) p. 729 T. 63 F. 4 (D ♀).
Sarotes r. Simon 1880, Act. Soc. Linn. Bord. 34 p. 314 (N).
Neosparassus r. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 428 (N).

♂♀ **salacius** (L. Koch) 1875. Queensland, Neu-S.-Wales
Heteropoda s. L. Koch 1875, Arachn. Austral. 1 (2) p. 737 T. 64 F. 4; T. 65 F. 1 (D ♂♀).
Sarotes s. Simon 1880, Act. Soc. Linn. Bord. 34 p. 314 (N).
Neosparassus s. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 429 (N).
Neosparassus s. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 92, 223 f. 70; T. 10 F. 3, 4 (N ♀).

♀ **similaris** (Rainbow) 1898. Neu-Guinea
Sarotes s. Rainbow 1898, Proc. Linn. Soc. N. S. Wales 23 (3) p. 346 T. 7 F. 10 (D ♀).

♀ **strandi** Kolosvary 1934. Neu-Guinea
O. st. Kolosvary 1934, Folia Zool. Hydrobiol. 7 (1) p. 44 f. 1, 2 (D ♀).

♀ **tamerlani** Roewer 1951. Neu-Guinea
Sparassus haemorrhoidalis Thorell 1881, Ann. Mus. Civ. Genova 17 p. 256 (D ♀) (praeocc. L. Koch 1875, sub **Heteropoda**).
O. t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♀ **thoracicus** (Hogg) 1902. N.-Australien
Neosparassus th. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 426 f. 87 (D ♀).

o **wolfi** Strand 1911. Neu-Guinea

O. w. Strand 1911, Arch. Naturg. 77 (I; 2) p. 206 (D o).
O. w. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 242 (D o).

Neotropische Arten:

§ 9 ♂, 15 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 239—241 (sub **Sparassus** part.).
§ 9, ♂, : F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 122—123 (sub **Sparassus**).

♂ **albus** Mello-Leitao 1918. Brasilien

O. a. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 44 f. 13—15 (D ♂).

♂ **annulatus** (F. Cambridge) 1900. Mexico

Sparassus a. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 126 T. 9 F. 13 (D ♂).
O. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 497 (C).

♂♀ **antiguensis** (Keyserling) 1880. Westindien

Sparassus a. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 264 T. 7 F. 143 (D ♂♀).
Sadala a. Simon 1880, Act. Soc. Linn. Bord. 34 p. 318 (N).
O. a. Banks 1901, Proc. U. Stat. Nat. Mus. 24 p. 223(C).
O. a. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 21 f. 14, 15 (D ♂♀).

♀ **atomarius** Simon 1880. Peru

O. a. Simon 1880, Act. Soc. Linn. Bord. 34 p. 309 (D ♀).

♂♀ **attractus** Petrunkevitch 1911. Brasilien

Macrinus atomarius Simon 1887, Bull. Soc. Zool. France 12 p. 471 (D ♂).
O. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 498 (nom. nov.)
O. a. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 44 f. 16 (D ♀).
O. a. Vellard 1924, Arch. Inst. Vital. Brazil 2 (2) p. 164 T. 13 F. 49 (D ♀).

♂♀ **audax** (Banks) 1909. Costa Rica

Sparassus au. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 214 T. 5 F. 12 (D ♂♀).
O. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 498 (C).

♀ **aurantiacus** Mello-Leitao 1918. Brasilien

O. a. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 45 f. 17 (D ♀).

♂♀ **bicolor** Banks 1914. Portorico

O. b. Banks 1914, Bull. Amer. Mus. Nat. Hist. 33 (41) p. 641 T. 43 F. 5, 9 (D ♂).
O. b. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 18 f. 12, 13 (D ♂♀).

bivittatus Roewer 1951. Brit. Guiana

O. pictus Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 28 (D) (praeocc. L. Koch sub **Heteropoda**).
O. pictus Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 689 TF. 107 (D).
O. b. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♂ **bombilius** (F. Cambridge) 1899. Peru

Sparassus b. F. Cambridge 1899, Journ. Linn. Soc. Lond. (Zool.) 27 p. 17 T. 2 F. 1, 2 (D ♂).
O. b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 498 (C).

♀ **caprinus** Mello-Leitao 1918. Brasilien

O. c. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 45 f. 18, 19 (D ♀).

♂♀ **cayanus** Taczanowski 1872. Guiana, Amazonas

O. c. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 79 (D ♂♀).
Sparassus c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 242 T. 7 F. 131 (D ♂♀).
O. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 310 (N).
Sparassus c. Hasselt 1888, Tijdschr. Ent. 31 p. 186 (No).
O. c. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 46 f. 20 (D ♂).
O. c. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 175 (C).

♂♀ **clarus** (Keyserling) 1880. Mexico

Sparassus c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 253 T. 7 F. 138 (D ♂♀).
O. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 300 (N).
Sparassus c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 33 f. 35 (N ♂).
Sparassus c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 125 T. 9 F. 10, 11 (N ♂♀).

♂ **crassus** (Banks) 1909. Costa Rica

Sparassus c. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 214 T. 5 F. 10 (D ♂).
O. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 498 (C).

♂ **darlingtoni** Bryant 1942. Portorico

O. d. Bryant 1942, Journ. Agr. Univ. Portorico 26 p. 11 T. 2 F. 14, 16 (D ♂).

♂ **debilipes** Mello-Leitao 1945. Argentinien

O. d. Mello-Leitao 1945, Rev. Mus. La Plata (N.S.) 4, Zool. 29 p. 266 f. 53 (D ♂).

♀ **discolorichelis** Caporiacco 1947. Brit. Guiana

O. d. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 28 (D ♀).
O. d. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 688 TF. 106 (D ♀).

♂ **ensiger** (F. Cambridge) 1900. Mexico

Sparassus e. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 125 T. 9 F. 12 (D ♂).
O. e. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 498 (C).

♀ **erroneus** Cambridge 1890. Guatemala

O. e. Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 67 T. 9 F. 1 (D ♀).
O. exasperans Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 69 T. 9 F. 2 (D ♀).
Sparassus e. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 124 T. 9 F. 5 (N ♀).
O. e. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 498 (C).

♂♀ **fasciatus** (Keyserling) 1880. Brasilien, Peru

Sparassus f. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 259 T. 7 F. 142 (D ♀).
Sparassus funestus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 249 T. 7 F. 135a (D ♂, nec ♀).
O. f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 300 (N).
O. f. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 47 f. 21, 22 (D ♀).
O. f. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 198 TF. 27 (N).

♀ **ferrugineus** (C. L. Koch) 1834. Brasilien, Guatemala, Mexico

Ocypete f. C. L. Koch 1834, Die Arachniden 3 p. 41 TF. 196 (D ♀).
Sparassus f. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 256 T. 7. F. 140 (D ♀).

O. f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 300 (N).
O. sagus Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 69 T. 9 F. 3 (D ♀).
Sparassus f. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 126 T. 9 F. 14 (N ♀).
O. f. Mello-Leitao 1918, Arch. Escol. Sup. Arch. 2 p. 47 f. 23 (D ♀).

♀ **flavens** Nicolet 1849. Chile
O. f. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 416 (D ♀).

♀ **formosus** Banks 1929. Panama
O. f. Banks 1929, Bull. Mus. Comp. Zool. Harvard 69 (3) p. 79 T. 4 F. 74 (D ♀).

♂ **fugiens** (Cambridge) 1890. Guatemala
Sadala f. Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 66 T. 9 F. 10 (D ♂).
Sparassus f. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 124 T. 9 F. 4 (N ♂).
O. f. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 499 (C).

♂♀ **fuhrmanni** Strand 1914. I. St. Thomas
O. f. Strand 1914, Mém. Soc. Neuchât. Sci. Nat. 5 p. 811 (D ♂♀).

♀ **fuscovariatus** Mello-Leitao 1943. Rio Grande do Sul
O. f. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 198 TF. 28 (D ♀).

♀ **galapagoensis** Banks 1902. Galapagos-I.
O. g. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 63 T. 1 F. 7 (D ♀).

♂♀ **gracilipes** Taczanowski 1872. Guiana, Peru
O. g. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 77 (D ♂).
Sparassus g. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 241 T. 7 F. 30 (D ♂).
O. g. Simon 1880, Act. Soc. Linn. Bord. 34 p. 310 (N).
O. g. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 48 f. 24 (D ♀).

♀ **guatemalensis** Keyserling 1887. Guatemala
O. g. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 477 T. 6 F. 37 (D ♀).

♀ **helvus** (Keyserling) 1880. Columbien
Sparassus h. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 262 T. 7 F. 144 (D ♀).
O. h. Simon 1880, Act. Soc. Linn. Bord. 34 p. 300 (N).

♂♀ **hyeroglyphicus** Mello-Leitao 1918. Brasilien
O. h. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 48 f. 25, 26 (D ♂♀).

♂♀ **keyserlingi** (Simon) 1880. Amazonas, Para
Sadala k. Simon 1880, Act. Soc. Linn. Bord. 34 p. 323 (D ♂♀).
O. k. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 500 (C).

♀ **lepidus** Vellard 1924. Brasilien
O. l. Vellard 1924, Arch. Inst. Vital. Brazil. 2 (2) p. 163 T. 13 F. 48 (D ♀).

♂ **longipedatus** Roewer 1951. Amazonas
Macrinus longipes Simon 1887, Bull. Soc. Zool. France 12 p. 471 (D ♂) (praeocc. Walckenaer 1837 sub **Olios**).
O. l. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 500 (C).
O. l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♀ **luctuosus** Banks 1898. Mexico
O. l. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 267 T. 16 F. 15 (D ♀).

♀ **luteus** (Keyserling) 1880. Peru
Sparassus l. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 244 T. 7 F. 132 (D ♀).
Sadala l. Simon 1880, Act. Soc. Linn. Bord. 34 p. 318 (N).
O. l. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 500 (C).

♀ **macroepigynum** Soares 1944. San Paulo
O. m. Soares 1944, Pap. Avuls. S. Paulo 4 (10) p. 161 f. 7—8 (D ♀).

♀ **maculatus** (Blackwall) 1862. Brasilien, Antillen
Sparassus m. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 424 (D o).
O. m. Simon 1880, Act. Soc. Linn. Bord. 34 p. 311 (N).
O. m. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 50 f. 27 (D ♀).

♂♀ **manifestus** Cambridge 1890. Guatemala
O. m. Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 68 T. 8 F. 16, 18 (D ♂♀).
Sparassus m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 125 T. 9 F. 6 (C).

♀ **mathani** (Simon) 1880. Peru, Amazonas
Sadala m. Simon 1880, Act. Soc. Linn. Bord. 34 p. 327 (D ♀).
O. m. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 51 f. 28 (D ♀).

♀ **minensis** (Mello-Leitao) 1917. S.-Brasilien
Polybetes m. Mello-Leitao 1917, Broteria 15 p. 96 f. 17 (D ♀).
O. m. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 51 f. 29 (D ♀).

♀ **mutabilis** Mello-Leitao 1917. Brasilien
O. m. Mello-Leitao 1917, Broteria 15 p. 95 f. 18 (D ♀).
O. m. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 52 f. 34 (D ♀).

♀ **naturalisticus** Chamberlin 1924. Nieder-Californien
O. n. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 659 f. 101 (D ♀).

♀ **nigristernis** (Simon) 1880. Amazonas
Sadala n. Simon 1880, Act. Soc. Linn. Bord. 34 p. 322 (D ♀).
O. n. Simon 1897, Hist. Nat. Araign. 2 (1) p. 36 (N).

♂♀ **nigriventris** Taczanowski 1872. Guiana
O. n. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 78 (D ♂♀).

♂♀ **nigrovittatus** (Keyserling) 1880. Peru
Sparassus n. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 247 T. 7 F. 134 (D ♂♀).
O. n. Simon 1880, Act. Soc. Linn. Bord. 34 p. 310 (N).

♀ **niveomaculatus** Mello-Leitao 1941. Ecuador
O. n. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (2) p. 125 (D ♀).

♂ **obscurus** (Keyserling) 1880. Mexico, Costa Rica, Panama
Sparassus o. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 255 T. 7 F. 139 (D ♂).
O. o. Simon 1880, Act. Soc. Linn. Bord. 34 p. 300 (N).
Sparassus o. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 124 T. 9 F. 3 (C).

♂ **obtusus** (F. Cambridge) 1900. Guatemala
Sparassus o. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 123 T. 9 F. 2 (D ♂).
O. o. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 501 (C).

♀ **orchiticus** Mello-Leitao 1930. Amazonas
O. o. Mello-Leitao 1930, Arch. Mus. Nac. R. d. Janeiro 32 p. 67 TF. 30, 31 (D ♀).

♂♀ **paraensis** (Keyserling) 1880. Brasilien
Sparassus p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 266 T. 7 F. 147 (D ♀).
Sadala p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 319 (D ♂).
O. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 501 (C).

♀ **pellucidus** (Keyserling) 1880. Peru
Sparassus p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 250 T. 7 F. 136 (D ♀).
Sadala p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 310 (N).
O. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 501 (C).

♂♀ **peninsulanus** Banks 1898. Nieder-Californien
O. p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 266 T. 16 F. 19 (D ♂♀).

♂♀ **peruvianus** Roewer 1951. Peru
Sparassus montanus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 245 T. 7 F. 133 (D ♂♀) (praeocc. Walckenaer 1847).
O. montanus Simon 1880, Act. Soc. Linn. Bord. 34 p. 310 (N).
O. p. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♂♀ **pictitarsis** (Simon) 1880. Amazonas, Peru
Sadala p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 320 (D ♂♀).
O. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 36 (N).

♀ **plumipes** Mello-Leitao 1937. S.-Brasilien
O. p. Mello-Leitao 1937, Ann. Ac. Bras. Sci. 11 (1) p. 10 f. 12 (D ♀).

♀ **positivus** Chamberlin 1924. Nieder-Californien
O. p. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 657 f. 99 (D ♀).

♀ **puniceus** (Simon) 1880. Amazonas, Peru
Sadala p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 328 (D ♀).
O. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 502 (C.).
O. p. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 55 f. 31 (D ♀).

♂ **quinquelineatus** Taczanowski 1872. Guiana
O. q. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 80 (D ♂).
O. q. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 686 TF. 103—104 (D ♂♀).

♀ **roeweri** Caporiacco 1949 (laut briefl. Mitt.). Brit. Guiana
O. concolor Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 28 (D ♀) (praeocc. Keyserling 1884).
O. concolor Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 687 TF. 105 (D ♀).

♀ **rubripes** Taczanowski 1872. Guiana
O. r. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 75 (D ♀).

♀ **rufus** (Keyserling) 1880. Columbien
Sparassus r. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 263 T. 7 F. 145 (D ♀).
Sadala r. Simon 1880, Act. Soc. Linn. Bord. 34 p. 318 (N).
O. r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 36 (N).

♀ **sancti-vincenti** (Simon) 1897. St. Vincent
Sparassus s. Simon 1897, Proc. Zool. Soc. Lond. p. 877 (D ♀).
O. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 502 (C).

♀ **scepticus** Chamberlin 1924. Nieder-Californien
O. s. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 658 f. 120 (D ♀).

sexpunctatus Caporiacco 1947. Brit. Guiana
O. s. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 28 (D).
O. s. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 688 (D).

♀ **similis** (Cambridge) 1890. Guatemala
Vindullus s. Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 67 T. 9 F. 9 (D ♀).
Sparassus s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 124 (N).
O. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 503 (C).

♀ **simonii** (Cambridge) 1890. Guatemala
Sadala s. Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 65 T. 8 F. 17 (D ♀).
Sparassus s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 124 (N).
O. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 503 (C).

♂ **skwarrae** (Roewer) 1933. Mexico
Sparassus s. Roewer 1933, Zool. Anz. 102 (7—8) p. 187 f. 3 (D ♂).

♂ **soratensis** Strand 1907. Bolivien
O. s. Strand 1907, Zool. Anz. 31 (17—18) p. 557 (D ♂).
O. s. Strand 1907, Zeitschr. f. Naturw. 79 p. 422 (D ♂).

♂ **stylifer** (F. Cambridge) 1900. Amazonas, Mexico
Sparassus s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 125 T. 9 F. 7 (D ♂).
O. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 503 (C).

♂ **subadultus** Mello-Leitao 1930. Amazonas
O. s. Mello-Leitao 1930, Arch. Mus. Nac. R. d. Janeiro 32 p. 66 TF. 29 (D ♂).

♂ **succineus** (Simon) 1887. Amazonas
Macrinus s. Simon 1887, Bull. Soc. Zool. France 12 p. 470 (D ♂).
O. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 46 (N).

♂ **sylvaticus** (Blackwall) 1862. Brasilien
Sparassus s. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 423 (D ♂).
O. s. Simon 1880, Act. Soc. Linn. Bord. 34 p. 310 (N).

♀ **tigrinus** (Keyserling) 1880. Peru
Sparassus t. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 251 T. 7 F. 137 (D ♀).
O. t. Simon 1880, Act. Soc. Linn. Bord. 34 p. 310 (N).

♀ **trinitatis** Strand 1915. I. Trinidad
O. t. Strand 1915, Arch. Naturg. 81 (A; 9) p. 126 (D ♀).

♀ **valenciae** Strand 1915. Venezuela
O. v. Strand 1915, Arch. Naturg. 81 (A; 9) p. 125 (D ♀).

♂♀ **velox** (Simon) 1880. Peru
Sadala v. Simon 1880, Act. Soc. Linn. Bord. 34 p. 325 (D ♂♀).
O. v. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 503 (C).

♂ **ventrosus** Nicolet 1849. Chile
O. v. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 413 (D ♂).
Sadala v. Simon 1880, Act. Soc. Linn. Bord. 34 p. 319 (N).

♂o **viridans** (Simon) 1880. Amazonas
Vindullus v. Simon 1880, Act. Soc. Linn. Bord. 34 p. 288 (D ♂o).
O. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 36 (N).

♂♀ **vitiosus** Vellard 1924. Brasilien
O. v. Vellard 1924, Arch. Inst. Vital. Brazil. 2 (2) p. 162 T. 13 F. 47 (D ♂♀).

♀ **yucatanus** Chamberlin 1925. Yucatan
O. y. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 219 (D ♀).

Transgredierende Arten:

♂♀ **fasciculatus** Simon 1880. Arizona, Californien, Neu-Mexico, Mexico, Nieder-Californien
O. f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 307 (D ♂♀).
O. giganteus Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 681 T. 21 F. 28 (D ♀).
O. concolor Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 682 T. 21 F. 29 (D ♂).
O. f. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 267 (N).
O. pragmaticus Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 659 f. 102 (D ♀).
O. f. Fox 1937, Journ. Wash. Ac Sci. 27 (11) p. 466 f. 1, 9 (D ♂♀).

♂♀ **minax** (Cambridge) 1896. Mexico, Arizona
Sparassus m. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 177 T. 22 F. 3, 4 (D ♂♀).
Sparassus m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 125 T. 9 F. 8, 9 (N ♂♀).
Sparassus m. Banks 1901, Proc. U. Stat. Nat. Mus. 23 p. 585 T. 22 F. 8 (N ♂).
O. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 500 (C).

Nearktische Arten:

§ 4 ♂, 5 ♀: Fox 1937, Journ. Wash. Ac. Sci. 27 (11) p. 465—466.

♀ **albinus** Fox 1937. U. St. Amerika
O. a. Fox 1937, Journ. Wash. Ac. Sci. 27 (11) p. 473 f. 3 (D ♀).

♂♀ **bibranchiatus** Fox 1937. U. St. Amerika
O. b. Fox 1937, Journ. Wash. Ac. Sci. 27 (11) p. 470 f. 6, 8 (D ♂♀).

♂ **foxi** Roewer 1951. Arizona
O. abnormis Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 679 T. 21 F. 27 (D ♂) (praeocc. Blackwall 1866, sub **Sparassus**).
O. abnormis Fox 1937, Journ. Wash. Ac. Sci. 27 (11) p. 472 f. 2 (D ♂).
O. f. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 447 (nom. nov.).

♀ **franklinus** Walckenaer 1837. New York
O. f. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 572 (D ♀).

♀ **mohavensis** Fox 1937. Californien
O. m. Fox 1937, Journ. Wash. Ac. Sci. 27 (11) p. 472 f. 4 (D ♀).

♂♀ **schistus** Chamberlin 1920. Californien
O. s. Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 10 T. 4 f. 2, 3 (D ♂♀).
O. s. Fox 1937, Journ. Wash. Ac. Sci. 27 (11) p. 469 f. 7, 10 (D ♂♀).

Gen. **Remmius** Simon 1896.

o **praecalvus** Simon 1910. Congo
R. p. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 337 (D o).

♀ **quadridentatus** Simon 1903. Span. Guinea
R. q. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 102 (D ♀).

♀ **vulpinus** Simon 1896. Congo, Camerun
R. v. Simon 1896, Ann. Soc. Ent. France 65 p. 485 (D ♀).
R. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 41 (N).

♀ **vultuosus** Simon 1896. – * Congo, Camerun
R. v. Simon 1896, Ann. Soc. Ent. France 65 p. 484 (D ♀).
R. v. Simon 1897, Hist. Nat. Araign. 2 (1) p. 46 (N).
R. v. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 70 (D ♀).

Gen. **Sarotesius** Pocock 1898.

♂ **melanognathus** Pocock 1898. O.-Afrika
S. m. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 443 T. 13 F. 6 (D ♂).

Gen. **Spatala** Simon 1897.

♀ **flavovittata** Simon 1897. Venezuela
S. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 47 (D ♀).

4. Subfam. Heteropodinae

Gen. **Adrastis** Simon 1880.

o **atomaria** Simon 1880. – * Java
A. a. Simon 1880, Act. Soc. Linn. Bord. 34 p. 283 (D o).
A. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 56 (N).

♂♀ **lashbrooki** Hogg 1922. Annam
A. l. Hogg 1922, Proc. Zool. Soc. Lond. p. 294 f. 5 (D ♂♀).

♀ **murina** (Pocock) 1897. Borneo
Oliophthalmus m. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 618 T. 26 F. 23 (D ♀).
A. m. Simon 1898, Hist. Nat. Araign. 2 (2) p. 202 (N).

♀ **nigrigularis** Simon 1896. Java
A. n. Simon 1896, Ann. Soc. Ent. France 65 p. 489 (D ♀).
A. n. Simon 1898, Hist. Nat. Araign. 2 (2) p. 202 (N).

♀ **planiceps** (Pocock) 1897. Molukken
Oliophthalmus p. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 619 T. 26 F. 24 (D ♀).
A. p. Simon 1898, Hist. Nat. Araign. 2 (2) p. 202 (N).

♂ **spinipes** (Pocock) 1897. Molukken
Oliophthalmus s. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 619 T. 26 F. 22 (D ♂).
A. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 202 (N).

Gen. **Anaptomecus** Simon 1903.

o **longiventris** Simon 1903. – * Ecuador
A. l. Simon 1903, Ann. Soc. Ent. Belg. 47 p. 28 (D o).

♀ **rufescens** Mello-Leitao 1940. Guiana
A. r. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 180 TF. 8—9 (D ♀).

Gen. **Arandisa** Lawrence 1938.

o **deserticola** Lawrence 1938. S.W.-Afrika
A. d. Lawrence 1938, Ann. Transv. Mus. 19 (2) p. 224 f. 8 (D o).

Gen. **Barylestis** Simon 1910.

♀ **blaisei** (Simon) 1902. – * Camerun
Heteropoda b. Simon 1902, Ann. Soc. Ent. France 71 p. 721 (D ♀).
Heteropoda b. Strand 1906, Jahrb. Nassau. Ver. Nat. 59 p. 290 (N ♀).

♀ **insularis** Simon 1910. Fernando Poo
B. i. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 340 (D ♀).

♀ **nigripectus** Simon 1910. Congo
B. n. Simon 1910 (1909), Ann. Mus. Civ. Genova 44 p. 339 (D ♀).

♀ **peltatus** (Strand) 1915. Centr.-Afrika
Heteropoda p. Strand 1915, Arch. Naturg. 81 (A; 11) p. 81 (D ♀).

Gen. **Berlandia** Lessert 1921.

♂ **longipes** Lessert 1921. O.-Afrika
B. l. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 383 f. 1—5 (D ♂).
Lessertiola l. Strand 1929, Act. Univ. Latviens. 20 p. 17 (nom. nov. gen.).

♂o **tenebricola** Simon & Fage 1922. O.-Afrika
B. t. Simon & Fage 1922, Arch. Zool. Expér. Gén. 60 (7) p. 549 f. 11 (D ♂o).

Gen. **Geminia** Thorell 1897.

♀ **sulphurea** Thorell 1897. Burma
G. s. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4; 6) p. 35 (D ♀).

Gen. **Heteropoda** Latreille 1804.

Kosmotropische Arten:
♂♀ **venatoria** (Linné) 1767. – * kosmotropisch
Aranea v. Linné 1767, Syst. Nat. (XII. Ed.) p. 1035 (D).
Aranea v. Fabricius 1775, Syst. Ent. p. 439 (D).

Aranea v. Olivier 1789, Encycl. Méthod. 4 p. 230 (D).
Aranea regia Fabricius 1793, Ent. Syst. 2 p. 408 (D).
Aranea pallens Fabricius 1798, Suppl. Ent. Syst. p. 291 (D).
H. v. Latreille 1804, Nouv. Dict. Hist. Nat. 24 p. 135 (D).
Thomisus leucosius Walckenaer 1805, Tabl. Aran. p. 36 T. 4 F. 33 (N).
Thomisus v. Latreille 1806, Gen. Crust. Ins. 1 p. 114 (D).
Micrommata setulosa Perty 1833, Delect. Anim. Artic. p. 195 T. 38 F. 13 (D ♂).
Ocypete setulosa C. L. Koch 1836, Die Arachniden 3 p. 40 TF. 195 (D ♂).
Ocypete setulosa C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 28 T. 4 F. 49 (N).
Olios leucosius Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 566 (D ♂♀).
Olios antillianus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 568 (D ♂).
Olios colombianus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 571 (D ♀).
Ocypete pallens C. L. Koch 1838, Die Arachniden 4 p. 82 TF. 304 (D ♂).
Olios setulosus Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 474 (D ♂).
Ocypete murina C. L. Koch 1845, Die Arachniden 12 p. 36 TF. 978 (D ♀).
Ocypete draco C. L. Koch 1845, Die Arachniden 12 p. 44 TF. 983 (D ♀).
Olios javensis Doleschall 1857, Nat. Tijdschr. Ned. Ind. 13 p. 428 (D ♀).
Olios gabonensis Lucas 1858, Arch. Ent. 2 p. 407 (D ♂♀).
Olios zonatus Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 54 T. 14 F. 4 (D ♀).
Olios javensis Doleschall 1859, Act. Soc. Ind. Neerl. 5 T. 13 F. 1 (♀).
Sparassus ammanita Dufour 1863, Ann. Soc. Ent. France (4) 3 p. 9 T. 1 F. 3 (D ♀).
Ocypete brunneiceps Giebel 1863, Zeitschr. ges. Naturw. 21 p. 320 (D o).
Olios leucosius Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 98, 304 T. 2 F. 3 (D ♀).
Olios regius Gerstäcker 1873, Gliedertier. Faun. Sansibar-Geb. p. 482 (N ♂♀).
Sarotes regius L. Koch 1875, Arachn. Austral. 1 (2) p. 675 T. 56 F. 1, 2 (D ♂♀).
Sarotes v. Mc Cook 1878, Proc. Ac. Nat. Sci. Philad. p. 144 f. 2, 2C, 2E (D ♂♀).
H. v. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 191 (D ♀).
H. ferina Simon 1887, Journ. Asiat. Soc. Bengal. 56 p. 102 (D ♂).
H. v. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 613 T. 25 F. 18 (N ♂).
H. regia Simon 1897, Hist. Nat. Araign. 2 (1) p. 54 f. 41 (N).
H. v. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 260 (D ♂♀).
H. ocellata Pocock 1903, Ann. Mag. Nat. Hist. (7) 11 p. 96 (N ♂).
H. v. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 273 T. 6 F. 64; T. 16 F. 453 (D ♂♀).
H. v. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 77, 197 f. 61; T. 8 F. 3—6 (N ♀).
H. v. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 14 f. 8—11 (N ♂♀).
H. v. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 251 f. 9C, 10D (N ♂♀).
H. v. Bonnet 1951, Bull. Soc. Hist. Nat. Toulouse 86 p. 115 (N).

♂♀ **venatoria bonthainensis** Merian 1911. Celebes
H. v. b. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 257 (D ♂♀).

♂ **venatoria chinesica** Strand 1907. S.-China
H. v. c. Strand 1907, Zool. Anz. 31 (17—18) p. 559 (D ♂).
H. v. c. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 7 (D ♂).

♀ **venatoria emarginata** Thorell 1881. Sumatra
H. v. e. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 275 (D ♀).
H. v. e. Hogg 1919, Journ. Fed. Malay. Stat. Mus. 8 (3) p. 97 (D ♀).

♀ **venatoria flavocephala** Merian 1911. Celebes
H. v. f. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 255 (D ♀).

♀ **venatoria foveolata** Thorell 1881. Neu-Guinea, Yule-I.
H. v. f. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 274 (D ♀).

♂ **venatoria japonica** Strand 1907. Japan, China
H. v. j. Strand 1907, Zool. Anz. 31 (17—18) p. 559 (D ♂).

♀ **venatoria luwuensis** Merian 1911. Celebes
H. v. l. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 256 (D ♀).

♂ **venatoria maculipes** Strand 1907. S.-China, Japan
H. v. m. Strand 1907, Zool. Anz. 31 (17—18) p. 559 (D ♂).
H. v. m. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 8 (D ♂).

♀ **venatoria minahassae** Merian 1911. Celebes
H. v. m. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 253 (D ♀).

♀ **venatoria montana** Merian 1911. Celebes
H. v. m. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 254 (D ♀).

♀ **venatoria pluridentata** Hogg 1914. Neu-Guinea
H. v. p. Hogg 1914, Proc. Zool. Soc. Lond. (Remarks) p. 57 (D ♀).
H. v. p. Hogg 1915, Trans. Zool. Soc. Lond. 20 (14) p. 469 (D ♀).

♀ **venatoria pseudoemarginata** Strand 1909. Java
H. v. p. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 7 T. 2 F. 27 (D ♀).

♂♀ **venatoria striata** Merian 1911. Celebes
H. v. s. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 257 (D ♂♀).

Palaearktische Arten:

♀ **aulica** (L. Koch) 1878. Japan
Sarotes au. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 766 T. 16 F. 31 D ♀).
H. a. Simon 1880, Act. Soc. Linn. Bord. 34 p. 270 (N).
H. venatoria aulica Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 6 (N).

♂ **exigua** Fox 1938. Szechuan
H. e. Fox 1938, Journ. Wash. Ac. Sci. 28 (8) p. 370 f. 1, 3 (D ♂).

♂♀ **forcipata** (Karsch) 1881. China, Japan
Sarotes f. Karsch 1881, Berlin. Ent. Zeitschr. 25 p. 38 (D ♂♀).
H. f. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 276 T. 15 F. 438 (D ♂♀).
H. f. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 82, 209 f. 67; T. 8 F. 11—13 (N ♀).
H. f. Fox 1936, Journ. Wash. Ac. Sci. 26 (3) p. 127 (N ♀).

♀ **grahami** Fox 1936. China
H. g. Fox 1936, Journ. Wash. Ac. Sci. 26 (2) p. 125 f. 4 (D ♀).

♂ **hamata** Fox 1937. Szechuan
H. h. Fox 1937, Amer. Mus. Novit. 907 p. 7 TF. 8, 9 (D ♂).

♂♀ **invicta** (L. Koch) 1878. Japan
Sarotes i. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 767 T. 16 F. 32 (D ♀).
H. i. Simon 1880, Act. Soc. Linn. Bord. 34 p. 270 (N).
Sarotes peditatus Karsch 1881, Berlin. Ent. Zeitschr. 25 p. 38 (D ♀).
H. i. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 275 T. 15 F. 437; T. 16 F. 448 (D ♂♀).

♂ **minschana** Schenkel 1936. S.-Kansu
H. m. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 153 f. 52 (D ♂).

♀ **truncus** (McCook) 1878. Japan
Sarotes t. McCook 1878, Proc. Ac. Nat. Sci. Philad. p. 147 f. 2 C Th. (D ♀).

♂♀ **variegata** (Simon) 1874. Aegypten, Syrien, Naxos, Karpathos
Ethilla v. Simon 1874, Ann. Soc. Ent. France (5) 4 p. 268 T. 5 F. 3 (D o).
H. v. Simon 1880, Act. Soc. Linn. Bord. 34 p. 271 (D ♂♀).

♂ **virgata** Fox 1937. China
H. v. Fox 1937, Journ. Wash. Ac. Sci. 26 (2) p. 127 f. 6 (D ♂).

Aethiopische Arten:

♀ **civilis** (Reuss) 1834. Arabien
Drassus c. Peuss 1834, in: Wider, Mus. Senckenbg. 1 p. 207 (D ♀).
H. c. Strand 1915, Arch. Naturg. 81 (A; 9) p. 36 (D ♀).

Orientalische Arten:

§ 7 ♂, 6 ♀: Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 248.

♀ **altithorax** Strand 1907. Indien
H. a. Strand 1907, Zool. Anz. 31 (17—18) p. 559 (D ♀).
H. a. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 13 T. 2 F. 29 (D ♀).

♀ **amphora** Fox 1936. Hongkong
H. a. Fox 1936, Journ. Wash. Ac. Sci. 26 (2) p. 125 f. 1 (D ♀).

♂♀ **atollicola** Pocock 1904. Minikoy
H. a. Pocock 1904, Arachn. in: Faun. Geogr. Maldiv. Laccediv. Archip. 2 p. 803 T. 66 F. 6 (D ♂♀).

♂ **badiella** Roewer 1951. I. Ceram, I. Buru
Sarotes badius L. Koch 1875, Arachn. Austral. 1 (2) p. 662 T. 54 F. 1 (D ♂) (praeocc. L. Koch 1875, sub **Heteropoda).**
H. badia Simon 1880, Act. Soc. Linn. Bord. 34 p. 269 (N).
H. badia Thorell 1881, Ann. Mus. Civ. Genova 17 p. 276 (D ♂).
H. b. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 448 (nom. nov.).

o **bimaculata** Thorell 1878. Amboina
H. b. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 195 (D o).

o **bivittata** Thorell 1877. Celebes
H. b. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 485 (D o).

♀ **crassa** Simon 1880. Java
H. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 277 (D ♀).

♀ **cyanichelis** Strand 1907. Java
H. c. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 431 (D ♀).
H. c. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 246 (D ♀).

♂♀ **eluta** Karsch 1891. Ceylon
H. e. Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 291 T. 11 F. 12 (D ♂♀).
H. e. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 263 (D ♀).

♀ **emarginativulva** Strand 1907. Indien
H. e. Strand 1907, Zool. Anz. 31 (17—18) p. 559 (D ♀).
H. e. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 10 T. 2 F. 34 (D ♀).

♂♀ **fabrei** Simon 1885. Indien
H. f. Simon 1885, Bull. Soc. Zool. France 10 p. 32 T. 10 F. 10 (D ♂♀).
H. ambigua Simon 1896, Ann. Soc. Ent. France 65 p. 489 (D ♀).
H. f. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 261 (D ♀).

♀ **furva** Thorell 1890. I. Pinang
H. f. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 319 (D ♀).

♀ **gemella** Simon 1877. Luzon
H. g. Simon 1877, Ann. Soc. Ent. France (5) 7 p. 64 (D ♀).

♂ **graaflandi** Strand 1907. Java
H. g. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 196 (D ♂).

♀ **hampsoni** Pocock 1901. Indien
H. h. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 495 (D ♀).

♀ **hosei** Pocock 1897. Borneo
H. h. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 614 T. 26 F. 21 (D ♀).

♂ **holzi** Strand 1907. Java, Sumatra
H. h. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 193 (D ♂).
H. h. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 248 (D ♂).

♀ **imbecilla** Thorell 1892. Sumatra, I. Siberut
H. debilis Thorell 1890, Ann. Mus. Civ. Genova 30 p. 144 (D ♀).
H. i. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 16 (nom. nov.).

♂♀ **kandiana** Pocock 1899. Ceylon
H. k. Pocock 1899, Journ. Bombay Nat. Hist. Soc. 12 p. 752 (D ♀).
H. k. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 261 (D ♀).
H. k. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 249 f. 9A, 11A, B (N ♂♀).
H. k. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 208 (D ♀).

♀ **kuekenthali** Pocock 1897. Molukken
H. k. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 615 T. 25 F. 19 (D ♀).

♀ **languida** Simon 1887. Burma
H. l. Simon 1887, Journ. Asiat. Soc. Bengal. 56 (2) p. 102 (D ♀).
H. l. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 262 (D ♀).

♀ **lentula** Pocock 1901. Indien
H. l. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 496 (D ♀).

♂♀ **leprosa** Simon 1884. Burma, Malakka
H. l. Simon 1884, Ann. Mus. Civ. Genova 20 p. 336 f. 2, 3 (D ♂♀).
H. l. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 262 (D ♂♀).
H. l. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 252 f. 9D—H, 11C—J (N ♂♀).

♂ **leptoscelis** Thorell 1892. Sumatra
H. gracilipes Thorell 1890, Ann. Mus. Civ. Genova 30 p. 144 (D ♂).
H. l. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 19 (D ♂).

♂♀ **lutea** Thorell 1895. Burma
H. l. Thorell 1895, Descr. Catal. Spid. Burma p. 265 (D ♀).
H. l. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 263 (D ♀).
H. l. Leardi 1901, Atti Mus. Milano 40 p. 89 (D ♂).

♂ **malitiosa** Simon 1906. Indien
H. m. Simon 1906, Ann. Soc. Ent. France 75 p. 294 (D ♂).

♀ **merkarensis** Strand 1907. Indien
H. m. Strand 1907, Zool. Anz. 31 (17—18) p. 560 (D ♀).
H. m. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 15 T. 2 F. 30 (D ♀).

♀ **minuscula** Reimoser 1934. Dekan
H. m. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 485 f. 9 (D ♀).

♂♀ **modigliani** Thorell 1890. Java
H. m. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 48 (D ♂♀).

♀ **nebulosa** Thorell 1890. I. Pinang
H. n. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 323 (D ♀).

♀ **nicki** Strand 1914. Sumatra, Java
H. n. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 246 (D ♀).

♀ **nicki quala** Strand 1914. Sumatra
H. n. qu. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 247 (D ♀).

♀ **nigriventer** Pocock 1897. Celebes
H. n. Pocock 1897, Abh. Senckenbg. Ges. 23 (4) p. 617 T. 26 F. 20 (D ♀).

♂♀ **nilgirina** Pocock 1901. Indien
H. n. Pocock 1901, Journ. Bombay Nat. Hist. Soc. 13 p. 495 (D ♂♀).

♀ **obtusa** Thorell 1890. Borneo
H. o. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 146 (D ♀).
H. o. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 34 (D ♀).

O **panaretiformis** Strand 1906. Sumatra
H. p. Strand 1906, Jahrb. Nassau. Nat. Ver. 59 p. 269 (D O).

♀ **pedata** Strand 1907. Indien
H. p. Strand 1907, Zool. Anz. 31 (17—18) p. 560 (D ♀).
H. p. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 17 T. 2 F. 31 (D ♀).

♀ **pedata magna** Strand 1909. Indien
H. p. m. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 21 (D ♀).

♀ **phasma** Simon 1897. Indien
H. p. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 258 (D ♀).
H. p. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 260 (D ♀).

♀ **plebeja** Thorell 1887. Burma
H. p. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 237 (D ♀).
H. p. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 262 (D ♀).

♀ **pressula** Simon 1886. Indochina
H. p. Simon 1886, Act. Soc. Linn. Bord. 40 p. 143 (D ♀).
H. p. Simon 1904, Arachn. in: Miss. Pavie Indo-Chin. 3 p. 285 (D ♀).

♂♀ **prompta** (Cambridge) 1885. Indien
Sarotes p. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Arachn. p. 71 (D ♀).
H. casaria Simon 1897, Mém. Soc. Zool. France 10 (2) p. 259 (D ♂♀).

H. p. Pocock 1900, Faun. Brit. Ind.; Arachn. **p.** 261 (D ♂♀).
H. p. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) **p.** 256 f. 9L—O; 12C—E (N ♂♀).

♀ **robusta** Fage 1924. Indien
H. r. Fage 1924, Rec. Ind. Mus. Calcutta 26 (1) p. 66 f. 2 (D ♀).

♂ **rufognatha** Strand 1907. Indien
H. r. Strand 1907, Zool. Anz. 31 (17—18) p. 561 (D ♂).
H. r. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 25 (D ♂).

♂♀ **sexpunctata** Simon 1885. Indien, Malakka
H. s. Simon 1885, Bull. Soc. Zool. France 10 p. 14 T. 10 F. 11, 12 (D ♂♀).
H. s. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 261 (D ♂♀).
H. s. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 250 f. 9B, 10A—C (N ♂♀).

♀ **signata** Thorell 1890. Sumatra
H. s. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 145 (D ♀).
H. s. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 32 (D ♀).

♂♀ **sikkimensis** Gravely 1931. Indien
H. s. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 255 f. 9J, 12A, B (D ♂♀).

♂ **smythiesi** Simon 1897. Indien
H. s. Simon 1897, Mém. Soc. Zool. France 10 p. 259 (D ♂).
H. s. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 262 (D ♂).
H. s. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 28 (D ♂).
H. s. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 256 f. 9K (N ♂).

♀ **strasseni** Strand 1914. Java
H. s. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 245 (D ♀).

♀ **subplebeja** Strand 1907. Indien
H. s. Strand 1907, Zool. Anz. 31 (17—18) p. 560 (D ♀).
H. s. Strand 1909, Abh. Nat. Ges. Görlitz 26 **p.** 22 T. 2 F. 32 (D ♀).

♂ **subtilis** Karsch 1891. Ceylon
H. s. Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 292 T. 11 F. 13 (D ♂).

♂♀ **tetrica** Thorell 1897. Burma
H. t. Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4; 6) p. 33 (D ♂♀).

♂♀ **thoracica** (C. L. Koch) 1845. Sumatra, Java, Amboina
Ocypete t. C. L. Koch 1845, Die Arachniden 12 p. 42 TF. 982 (D ♂).
Olios lunula Doleschall 1857, Nat. Tijdschr. Ned. Ind. 13 p. 428 (D ♀).
Olios lunula Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 54 T. 6 F. 5; T. 7 F. 5; T. 9 F. 12 (D ♂♀).
H. t. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 24 (D ♀).
H. venatoria thoracica Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 255 (N).

♂♀ **umbrata** Karsch 1891. Ceylon
H. u. Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 291 T. 11 F. 11 (D ♂♀).
H. u. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 263 (D ♀).

♂ **veiliana** Strand 1907. Indien
H. v. Strand 1907, Zool. Anz. 31 (17—18) p. 560 (D ♂).
H. v. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 23 (D ♂).

o **warthiana** Strand 1907. Indien
H. w. Strand 1907, Zool. Anz. 31 (17—18) p. 561 (D O).
H. w. Strand 1909, Abh. Nat. Ges. Görlitz 26 p. 29 (D O).

Transgredierende Arten:

♂♀ **cervina** (L. Koch) 1875. Amboina, Australien
Sarotes c. L. Koch 1875, Arachn. Austral. 1 (2) p. 673 T. 55 F. 4, 5 (D ♂♀).
H. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 270 (N).
H. c. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 76, 200 f. 60; T. 7 F. 11; T. 8 F. 1—2 (N ♀).

♀ **mediocris** Simon 1880. Java, Neu-Guinea
H. m. Simon 1880, Act. Soc. Linn. Bord. 34 p. 276 (D ♀).

♂♀ **sumatrana** Thorell 1890. Sunda-I., Molukken, Neu-Guinea
H. s. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 144 (D ♂♀).
H. s. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 26 (D ♂♀).

♀ **sumatrana javacola** Strand 1907. Java
H. s. j. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 430 (D ♀).

♂ **sumatrana montana** Thorell 1890. Sumatra
H. s. m. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 145 (D ♂).
H. s. m. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 26 (D ♂).

Australische Arten:

§ 8 Arten: Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 416.

♀ **analis** Thorell 1881. Neu-Guinea
H. a. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 380 (D ♀).

o **annulipoda** Strand 1911. Aru-I.
H. a. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 157 T. 5 F. 55 (D o).

♂♀ **cyanognatha** Thorell 1881. Yule-I.
H. c. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 286 (D ♂♀).

♀ **debilis** (L. Koch) 1875. Samoa
Sarotes d. L. Koch 1875, Arachn. Austral. 1 (2) p. 671 T. 55 F. 3 (D ♀).
H. d. Simon 1880, Act. Soc. Linn. Bord. 34 p. 270 (N).

♀ **elatana** Strand 1911. Aru-I., Kei-I.
H. e. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 158 T. 5 F. 53 (D ♀).

♀ **jacobii** Strand 1910. Neu-Guinea
H. j. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 11 (D ♀).

♂ **jugulans** (L. Koch) 1876. Queensland
Sarotes j. L. Koch 1876, Arachn. Austral. 1 (2) p. 852 T. 73 F. 4 (D ♂).
H. j. Simon 1880, Act. Soc. Linn. Bord. 34 p. 269 (N).

♀ **kabaenae** Strand 1911. Bismarck-Archip.
H. k. Strand 1911, Arch. Naturg. 77 (I; 2) p. 207 (D ♀).
H. k. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 248 T. 18 F. 89 (D ♀).

♀ **keyserlingi** Hogg 1902. Queensland
H. k. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 418 f. 85 (D ♀).

♀ **kobroorica** Strand 1911. Aru-I.
H. k. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 158 T. 5 F. 64 (D ♀).

listeri Pocock 1900. Christmas-I.
H. l. Pocock 1900, Arachn. in: Andrews, Monogr. Christmas. Isl. p. 161 T. 16 F. 4 (D).

♂♀ **longipes** (L. Koch) 1875. Australien
Sarotes l. L. Koch 1875, Arachn. Austral. 1 (2) p. 660 T. 53 F. 3 (D ♂).
H. l. Simon 1880, Act. Soc. Linn. Bord. 34 p. 269 (N).
H. l. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 464 (D ♀).

♂♀ **lycodes** Thorell 1881. Queensland
H. l. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 282 (D ♂♀).

♂ **mecistopus** Pocock 1898. Salomonen
H. m. Pocock 1898, Ann. Mag. Nat. Hist. (7) 1 p. 470 T. 19 F. 9 (D ♂).

♂ **muscicapa** Strand 1910. Neu-Guinea
H. m. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 13 (D ♂).

♂♀ **nobilis** (L. Koch) 1875. Australien, Fidji-I., Tonga-I., Samoa, Marquesas-I., Neue Hebriden
Sarotes n. L. Koch 1875, Arachn. Austral. 1 (2) p. 664 T. 54 F. 2 (D ♂).
Sarotes suspiciosus L. Koch 1875, Arachn. Austral. 1 (2) p. 665 T. 54 F. 3 (D ♀).
H. n. Simon 1880, Act. Soc. Linn. Bord 34 p. 269 (N).
H. suspiciosa Simon 1880, Act. Soc. Linn. Bord. 34 p. 270 (N).
H. suspiciosa Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 80, 202 T. 5 F. 11, 12 (N ♀).
H. suspiciosa Berland 1929, Insect. Samoa 8 (2) p. 64 f. 54, 55 (D ♂).

♀ **nova-guineensis** Strand 1910. Neu-Guinea
H. n. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 10 (D ♀).

♂♀ **procera** (L. Koch) 1867. Neu-Guinea, Australien
Ocypete p. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 205 (D ♂).
Sarotes p. L. Koch 1875, Arachn. Austral. 1 (2) p. 667 T. 54 F. 4; T. 55 F. 1 (D ♂♀).
H. p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 270 (N).

♀ **ruricola** Thorell 1881. Neu-Guinea
H. r. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 290 (D ♀).

♀ **sarotoides** Järvi 1914. Neu-Guinea
H. s. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (1) p. 81, 204 f. 62, 88—90; T. 7 F. 12; T. 8 F. 7—10 (D ♂♀).

♂ **sartrix** (L. Koch) 1865. Australien
Ocypete s. L. Koch 1865, Verh. Zool. Bot. Ges. Wien 15 p. 870 (D).
Sarotes sartor L. Koch 1875, Arachn. Austral. 1 (2) p. 670 T. 55 F. 2 (D ♂).
H. s. Simon 1880, Act. Soc. Linn. Bord. 34 p. 270 (N).

♀ **schlaginhaufeni** Strand 1910. Neu-Guinea
H. s. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 12 (D ♀).

♂ **submaculata** Thorell 1881. Neu-Guinea
H. s. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 277 (D ♂).

♂ **submaculata torricelliana** Strand 1910. Neu-Guinea
H. s. t. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 12 (D ♂).

♀ **teranganica** Strand 1911. Aru-I.
H. t. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 159 T. 5 F. 54 (D ♀).

♀ **vulpina** (Cambridge) 1877. Neu-Pommern
Sarotes v. Cambridge 1877, Proc. Zool. Soc. Lond. p. 286 (D ♀).
H. v. Simon 1880, Act. Soc. Linn. Bord. 34 p. 271 (N).

Neotropische Arten:

♀ **camelia** Strand 1914. Columbien
H. c. Strand 1914, Mém. Soc. Neuchât. Sci. Nat. 5 p. 812 (D ♀).

♀ **meticulosa** Simon 1880. Peru
H. m. Simon 1880, Act. Soc. Linn. Bord. 34 p. 278 (D ♀).

♂♀ **pumilla** Keyserling 1880. Columbien
H. p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 237 T. 6 F. 129 (D ♂♀).

♀ **rosea** Karsch 1879. Columbien
H. r. Karsch 1879, Stettin. Ent. Zeitschr. 40 p. 107 (D ♀).
Olios r. Simon 1880, Act. Soc. Linn. Bord. 34 p. 301 (N).

Gen. **Panaretidius** Simon 1906.

♂♀ **boutani** Simon 1905. – * Tonking
P. b. Simon 1905, Ann. Soc. Ent. France 75 Bull. p. 27 (D ♂♀).
P. b. Fage 1929, Journ. Fed. Malay. Mus. 14 (3—4) p. 364 f. 9—11 (N ♂♀).

♀ **microphthalmus** Fage 1929. Selangor
P. m. Fage 1929, Journ. Fed. Malay. Mus. 14 (3—4) p. 362 f. 7, 8 (D ♀).

Gen. **Panaretus** Simon 1880.

Orientalische Arten:

♂♀ **borneensis** (Thorell) 1898. Borneo
Urgulania b. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 143 (D ♂♀).
Urgulania b. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 12 (D ♂♀).
P. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 54 (N).

♀ **ignichelis** Simon 1880. – * Indochina
P. i. Simon 1880, Act. Soc. Linn. Bord. 34 p. 261 (D ♀).
P. i. Simon 1897, Hist. Nat. Araign. 2 (1) p. 54 (N).

♂♀ **javanus** Simon 1880. Java
P. j. Simon 1880, Act. Soc. Linn. Bord. 34 p. 260 (D ♀).
P. j. Simon 1897, Hist. Nat. Araign. 2 (1) p. 50 f. 43 (D ♀).

♀ **nirounensis** Simon 1903. Sumatra
P. n. Simon 1903, Ann. Soc. Ent. France 72 p. 304 (D ♀).

Australische Arten:

♀ **chelatus** Strand 1910. Neu-Guinea
P. c. Strand 1910. Abh. Ber. Mus. Dresden 13 (5) p. 9 (D ♀).

♀ **chelatus vittichelis** Strand 1910. Neu-Guinea
P. c. v. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 10 (D ♀).

Gen. **Pandercetes** L. Koch 1875.

Orientalische Arten:

♀ **celatus** Pocock 1899. Indien

P. c. Pocock 1899, Journ. Bombay Nat. Hist. Soc. 12 p. 753 (D ♀).
P. c. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 265 (D ♀).

♀ **celebensis** Merian 1911. Celebes

P. c. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 263 (D ♀).

♂ **celebensis vulcanicola** Merian 1911. Celebes

P. c. v. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 264 (D ♂).

♀ **decipiens** Pocock 1899. Indien, Ceylon

P. d. Pocock 1899, Journ. Bombay Nat. Hist. Soc. 12 p. 753 (D ♀).
P. d. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 264 (D ♀).

♂ **macilentus** Thorell 1895. Burma

P. m. Thorell 1895, Descr. Catal. Spid. Burma p. 267 (D ♂).
P. m. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 265 (D ♂).

♀ **niger** Merian 1911. Celebes

P. n. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 262 T. 9 F. 13, 14 (D ♀).

o **ochrea** Hogg 1922. Annam

P. o. Hogg 1922, Proc. Zool. Soc. Lond. p. 292 f. 4 (D o).

Transgredierende Arten:

♂♀ **gracilis** L. Koch 1875. – * Queensland, Neu-Guinea, Molukken, Celebes

P. g. L. Koch 1875, Arachn. Austral. 1 (2) p. 740 T. 65 F. 2 (D ♂).
P. g. Simon 1880, Act. Soc. Linn. Bord. 34 p. 280 (N).
P. g. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 314 (D o).
P. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 56 f. 29 (N ♂).
P. g. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 264 (N ♂♀).

♀ **isopus** Thorell 1881. Molukken, Neu-Guinea

P. i. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 309 (D ♀).

♂♀ **malleator** Thorell 1890. I. Pinang, Aru-I.

P. m. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 325 (D ♂).
P. m. (? = **pallicolor**) Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 160 (D ♀).

♀ **plumipes** (Doleschall) 1859. Ceylon, Amboina, Neu-Guinea

Delena p. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 53 T. 3 F. 9 (D ♀).
Tychicus p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 254 (N).
Zatapina p. Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 290 (D ♀).
P. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 50 f. 44 (N).
P. p. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 84, 211 f. 63; T. 9 F. 1, 2 (N ♀).

Australische Arten:

♂ **finschii** (Karsch) 1880. Australien

Pedinopistha f. Karsch 1880, S. B. Ges. Naturf. Freund. Berlin (5) p. 80 (D ♂).
P. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 56 (N).

♂ **longipes** Thorell 1881. Yule-I.

P. l. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 312 (D ♂).

♀ **manoius** Roewer 1938. Neu-Guinea
P. m. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (hors Ser.) 3 (19) p. 66 f. 43 (D ♀).

o **palliventris** Strand 1911. Neu-Guinea
P. p. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 160 (D o).

♂ **peronianus** (Walckenaer) 1837. Neu-Seeland
Delena p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 493 (D ♂).
Heteropoda p. Simon 1880, Act. Soc. Linn. Bord. 34 p. 269 (N).

♀ **petulcum** (Karsch) 1880. Polynesien
Pedinopistha p. Karsch 1880, S. B. Ges. Naturf. Freund. Berlin (5) p. 79 (D ♀).
P. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 56 (N).

♀ **plumosus** Pocock 1899. Neu-Pommern
P. p. Pocock 1899, in: Willey, Zool. Res. . . . N. Brit., Salomon. Isl. 1 p. 112 T. 10 F. 10 (D ♀).

♀ **regalis** Roewer 1938. Neu-Guinea
P. r. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (hors Ser.) 3 (19) p. 64 f. 42 (D ♀).

Gen. **Panaretella** Lawrence 1952.

(= **Paranetella** Lawrence 1937 err.)

♀ **disticta** (Pocock) 1896. – * S.-Afrika
Panaretus d. Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 61 T. 8 F. 7 (D ♀).
Paranetella distincta Lawrence 1937, Ann. Natal Mus. 8 (2) p. 249 (N).
Panaretella distincta Lawrence 1952, Ann. Natal Mus. 12 (2) p. 210 (N corr.).

♂♀ **immaculata** Lawrence 1952. Zululand
P. i. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 211 f. 51—53 (D ♂♀).

♂♀ **minor** Lawrence 1952. Natal
P. m. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 212 f. 54—55 (D ♂♀).

♂♀ **zuluana** Lawrence 1937. Zululand
P. z. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 249 f. 20 a, b (D ♂♀).

Gen. **Parhedrus** Simon 1887.

♂♀ **boiei** (Doleschall) 1859. Java, Sumatra
Sparassus b. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 52 T. 15 F. 1 (D ♂).
Heteropoda b. Simon 1880, Act. Soc. Linn. Bord. 34 p. 271 (N).
Heteropoda flavimanus Simon 1880, Act. Soc. Linn. Bord. 34 p. 274 (D ♀).
P. b. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 257 f. 13 A, B (N ♂♀).

♀ **fasciatus** Reimoser 1927. Pulu Berhala bei Sumatra
P. f. Reimoser 1927, Misc. Zool. Sumatra 21 p. 1 (D ♀).

♀ **ocyalinus** Simon 1887. – * Java
P. o. Simon 1887, Bull. Soc. Zool. France 12 p. 469 (D ♀).
P. o. Simon 1897, Hist. Nat. Araign. 2 (1) p. 55 f. 42 (N).

Gen. **Sparíolenus** Simon 1880.

o **megalopis** Thorell 1891. Nicobaren
S. m. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 77 (D o).

♀ **petricola** Gravely 1931. Indien
S. p. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 258 f. 13E (D ♀).

♀ **taeniatus** Thorell 1890. Nias, Mentawei-I.
S. t. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 44 (D o).
S. t. Reimoser 1929, Bull. Raffles Mus. 2 p. 129 (C ♀).

♀ **taprobanicus** (Walckenaer) 1837. Ceylon
Olios t. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 570 (D ♀).
S. t. Simon 1880, Act. Soc. Linn. Bord. 34 p. 281 (N).

♂♀ **tigris** Simon 1880. – * Indien, Malakka
S. t. Simon 1880, Act. Soc. Linn. Bord. 34 p. 281 (D ♀).
S. t. Simon 1897, Hist. Nat. Araign. 2 (1) p. 56 f. 45 (N).
S. t. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 264 (D ♀).
S. t. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 257 f. 13 C, D (D ♂, N ♀).

Gen. **Torania** Simon 1886.

Aethiopische Arten:

♂ **fagei** Lessert 1929. Congo
T. f. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 131 f. 15 (D ♂).

♀ **manni** Strand 1906. Lagos
T. m. Strand 1906, Jahresh. Ver. Nat. Württbg. 62 p. 68 (D ♀).

♂♀ **montandoni** Lessert 1929. Congo
T. m. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 132 f. 16, 17 (D ♂♀).

♂♀ **occidentalis** (Simon) 1887. Congo, Uganda
Isopeda o. Simon 1887, Ann. Soc. Ent. France (6) 7 p. 264 (D ♀).
T. o. Simon 1897, Hist. Nat. Araign. 2 (1) p. 45 (N).
T. o. (? = mbogensis) Strand 1813, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 400 (N ♀).
T. o. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 72, 190 f. 50; T. 7 F. 1—3 (N ♀).
T. o. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 41 T. 2 F. 43—45 (D ♂♀).

♂♀ **scutata** Pocock 1903. Camerun
T. s. Pocock 1903, Ann. Mag. Nat. Hist. (7) 11 p. 264 (D ♂♀).
T. s. Strand 1907, Societas Ent. 22 p. 90 (D ♀).
T. s. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 74, 193 T. 7 F. 6 (N ♀).

♂♀ **variata** Pocock 1899. W.-Afrika
T. v. Pocock 1899, Proc. Zool. Soc. Lond. p. 874 T. 58 F. 30 (D ♂♀).
T. v. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 74, 192 T. 7 F. 4, 5 (N ♀).
T. v. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 43 (N ♀).

Orientalische Arten:

♀ **armillata** (Thorell) 1887. Burma, Sumatra
Holconia a. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 233 (D o).
T. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 45 (N).
Isopeda a. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 238 f. 4 A (N ♀).

♀ **beccarii** (Thorell) 1890. Sumatra
Holconia b. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 147 (D ♀).
Holconia b. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 46 (D ♀).

♀ **beccarii malangana** (Strand) 1907. Java
Isopeda b. m. Strand 1907, Jahrb. Nassau Ver. Nat. 60 p. 189 (D ♀).

♀ **gloriosa** (Simon) 1880. – * Indochina, Java
Tortula g. Simon 1880, Act. Soc. Linn. Bord. 34 p. 257 (D ♀).
T. g. Simon 1886, Act. Soc. Linn. Bord. 40 p. 143 (N).
T. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 45 f. 23 (N ♀).
T. g. Simon 1904, Arachn. in: Miss. Pavie Indochin. 3 p. 285 T. 16 F. 2 (N ♀).
T. g. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 246 f. 8C (N ♀).

♀ **panaretiformis** Strand 1913. Sumatra
T. p. Strand 1913, Arch. Naturg. 79 (A; 6) p. 119 (D ♀).
T. p. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 239 (D ♀).

♂ **simoni** (Karsch) 1884. Indochina
Tortula s. Karsch 1884, Abh. Nat. Ver. Bremen 9 (1) p. 71 (D ♂).
T. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 40 (N).

♀ **striatipes** (Leardi) 1901. Indien
Isopoda s. Leardi 1901, Atti Mus. Milano 40 p. 366 (D ♀).

5. Subfam. Palystinae

Gen. **Exopalystes** Hogg 1914.

♀ **pulchella** Hogg 1914. Neu-Guinea
E. p. Hogg 1914, Proc. Zool. Soc. Lond. (4) (Remarks) p. 58 (D ♀).
E. p. Hogg 1915, Trans. Zool. Soc. Lond. 20 (14) p. 473 f. 34 (D ♀).

Gen. **Palystella** Lawrence 1928.

♀ **namaquensis** Lawrence 1938. – * S.W.-Afrika
P. n. Lawrence 1938, Ann. Transv. Mus. 19 (2) p. 221 f. 5 (D ♀).

♂♀ **pallidus** Lawrence 1938. S.W.-Afrika
P. p. Lawrence 1938, Ann. Transv. Mus. 29 (2) p. 222 f. 6 (D ♂♀).

♀ **sexmaculatus** Lawrence 1928. S.W.-Afrika
P. s. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 250 T. 22 F. 33 (D ♀).

Gen. **Palystes** L. Koch 1875.

Aethiopische Arten:

♂ **affinis** Lessert 1921. Usambara
P. a. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 397 f. 16 (D ♂).

O **amanicus** Strand 1907. O.-Afrika
P. a. Strand 1907, Zool. Anz. 31 (17—18) p. 541 (D O).
P. a. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 680 (D O).

♂ **bornemiszai** Caporiacco 1947. O.-Afrika
P. b. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 205 T. 2 F. 49 (D ♂).

♂♀ **castaneus** (Latreille) 1819. – * S.-Afrika
Thomisus c. Latreille 1819, Nouv. Dict. Hist. Nat. 34 p. 30 (D).
Olios c. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 571 (D ♂).
Olios fuscus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 573 (D ♂).

Ocypete melanogaster C. L. Koch 1845, Die Arachniden 12 p. 31 TF. 975 (D ♂).
Ocypete nobilis C. L. Koch 1845, Die Arachniden 12 p. 37 TF. 979 (D ♀).
P. frenatus L. Koch 1875, Arachn. Austral. 1 (2) p. 705 T. 60 F. 4 (D ♀).
P. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 262 (N).
Olios melanogaster Simon 1880, Act. Soc. Linn. Bord. 34 p. 298 (N).
P. c. Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 63 T. 8 F. 9 (N ♂♀).
P. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 65 f. 53, 56, 58 (N ♂).
P. c. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 677 (N ♂♀).
P. c. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 66, 183 T. 5 F. 9, 10 (N ♀).

♂ **chaperi** Simon 1880. — Capland
P. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 263 (D ♂).
P. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 63 (N).

o **convexus** Strand 1907. — Madagascar
P. c. Strand 1907, Zool. Anz. 31 (23) p. 737 (D o).
P. c. Strand 1908, Nyt. Mag. Naturvid. 46 (2) p. 112 (D o).

♀ **crawshayi** Pocock 1902. — Basutuland
P. c. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 27 (D ♀).

♂ **cultrifer** Pocock 1900. — Capland
P. c. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 331 (D ♂).
P. c. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 24 T. 3 F. 12 (N ♂).

♀ **ellioti** Pocock 1896. — Uganda, Nyassaland
P. e. Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 58 T. 8 F. 2 (D ♀).

♂ **fornasinii** (Pavesi) 1881. — Mozambique
Sparassus f. Pavesi 1881, Ann. Mus. Civ. Genova 16 p. 548 (D ♂).

♀ **höhneli** Simon 1897. — O.-Afrika
P. h. Simon 1897, Ann. Soc. Ent. France (6) 10 p. 129 (D ♀).
P. h. Simon 1897, Hist. Nat. Araign. 2 (1) p. 63 (N).
P. h. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 69, 186 f. 56; T. 6 F. 5—8 (N ♀).

♂♀ **johnstoni** Pocock 1896. — Nyassaland, Transvaal
P. j. Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 57 T. 8 F. 1 (D ♂♀).
P. j. Simon 1897, Hist. Nat. Araign. 2 (1) p. 63 (N).
P. j. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 70, 187 T. 6 F. 9—12 (N ♀).

♂♀ **kibonotensis** Lessert 1921. — O.-Afrika
P. k. Lessert 1921, Rev. Suisse Zool. 28 (17) p. 393 f. 14, 15, 17, 18 (D ♂♀).

♀ **leppanae** Pocock 1902. — Capland
P. l. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 23 T. 3 F. 9 (D ♀).

♀ **lunatus** Pocock 1896. — Capland
P. l. Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 60 T. 8 F. 5 (D ♀).

♂♀ **megalocephalus** (C. L. Koch) 1845. — Capland
Ocypete m. C. L. Koch 1845, Die Arachniden 12 p. 25 TF. 972 (D ♀).
Olios m. Simon 1880, Act. Soc. Linn. Bord. 34 p. 298 (N).
P. m. Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 63 (N ♂♀).
Remmius m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 41 (N).
P. lycosinus Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 330 (D ♂♀).
P. m. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 679 (N ♀).

♂ **modificus** Strand 1906. Capland

P. m. Strand 1906, Jahrb. Nassau. Ver. Nat. 59 p. 37 (D ♂).

♂♀ **natalius** (Karsch) 1878. Natal

Heteropoda n. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 772 (D ♀).
Olios n. Simon 1880, Act. Soc. Linn. Bord. 34 p. 299 (N).
P. spenceri Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 58 T. 8 F. 3 (D ♂♀).
P. n. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 222 (N).
P. n. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (1) p. 188 f. 57; T. 6 F. 13—15 (N ♀).
P. n. Lawrence 1937, Ann. Natal. Mus. 8 (2) p. 251 (N ♂♀).

♀ **perornatus** Pocock 1900. Capland

P. p. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 331 (D ♀).
P. o. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 23 T. 3 F. 10 (N ♀).

♀ **pilipodus** Strand 1913. Centr.-Afrika

P. p. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 403 (D ♀).

♂ **rubrioculatus** Strand 1906. O.-Afrika

P. r. Strand 1906, Zool. Anz. 30 (19—20) p. 689 (D ♂).
P. höhneli (? = **rubrioculatus**) Strand 1907, Societas Ent. 22 p. 91 (D ♂).

♀ **scutatus** Pocock 1902. Capland

P. s. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 24 T. 3 F. 13 (D ♀).

♂ **spiralis** Strand 1907. Madagascar

P. s. Strand 1907, Zool. Anz. 31 (23) p. 737 (D ♂).
P. s. Strand 1908, Nyt Mag. Naturvid. 46 (2) p. 109 (D ♂).

♂♀ **whiteae** Pocock 1902. Capland

P. w. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 24 T. 3 F. 11 (D ♂).
P. w. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 678 (D ♀).

Transgredierende Arten:

♂♀ **superciliosus** L. Koch 1875. Australien, S.-Afrika

P. s. L. Koch 1875, Arachn. Austral. 1 (2) p. 706 T. 61 F. 1 (D ♂♀).
P. pulchripes Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 60 T. 8 F. 4 (D ♀).
P. s. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 674 (D ♂♀).

♂♀ **superciliosus fasciiventris** Strand 1907. Capland

P. s. f. Strand 1907, Zool. Anz. 31 (17—18) p. 541 (D ♀).
P. s. f. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 676 (D ♂♀).

Orientalische Arten:

♀ **crucifer** Simon 1880. Malakka oder Java (Port Said??)

P. c. Simon 1880, Act. Soc. Linn. Bord. 34 p. 266 (D ♀).
P. c. Simon 1897, Hist. Nat. Araign. 2 (1) p. 63 (N).

♂♀ **flavidus** Simon 1896. Indien

P. f. Simon 1896, Ann. Soc. Ent. France 65 p. 489 (D o).
P. f. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 266 (D ♀).
P. f. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 258 f. 14A, B (N ♂♀).

♀ **incanus** Thorell 1890. Borneo

P. i. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 146 (D ♀).
P. i. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 37 (D ♀).

♂♀ **kochi** Simon 1880. Burma, Malakka, Sumatra, Nias, Java

P. k. Simon 1880, Act. Soc. Linn. Bord. 34 p. 265 (D ♀).
P. k. Simon 1887, Journ. Asiat. Soc. Bengal. 56 (2) p. 103 (D ♂).
P. melanychius Thorell 1890, Ann. Mus. Civ. Genova 30 p. 53 (D ♀).
P. k. Thorell 1895, Descr. Catal. Spid. Burma p. 268 (D ♂♀).
P. k. Pocock 1900, Faun. Brit. Ind.; Aradın. p. 265 (D ♂♀).
P. k. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 259 f. 14C, D (N ♂♀).

♂♀ **ledleyi** Hogg 1922. Annam

P. l. Hogg 1922, Proc. Zool. Soc. Lond. p. 296 f. 6 (D ♂♀).

♀ **nigrocornutus** Merian 1911. Celebes

P. n. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 267 (D ♀).

o **rutilans** Simon 1899. Sumatra

P. r. Simon 1899, Ann. Soc. Ent. Belg. 43 p. 99 (D o).

Australische Arten:

♀ **dasyurinus** Hogg 1914. Neu-Guinea

P. d. Hogg 1914, Proc. Zool. Soc. Lond. (4) (Remarks) p. 57 (D ♀).
P. d. Hogg 1915, Trans. Zool. Soc. Lond. 20 (14) p. 471 f. 33 (D ♀).

♀ **ferox** (Rainbow) 1899. Santa Cruz

Gnathopalystes f. Rainbow 1899, Proc. Linn. Soc. N. S. Wales 24 (2) p. 314 T. 24 F. 5 (D ♀).
P. f. Simon 1903. Hist. Nat. Araign. 2 (4) p. 1028 (N).

♀ **ignicomus** L. Koch 1875. Queensland, Bismarck-Archip., Santa Cruz, Neu-Caledonien

P. i. L. Koch 1875, Aradın. Austral. 1 (2) p. 701 T. 60 F. 2 (D ♀).
P. i. Hogg 1902, Proc. Zool. Soc. Lond. (2) p. 420 (N ♀).
P. i. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 67, 184 f. 55; T. 6 F. 1—4 (N ♀).

♂♀ **nigriventer** Kulczynski 1910. Samoa

P. n. Kulczynski 1910, Denkschr. Ak. Wiss. Wien 85 p. 400 T. 17 F. 11 (D ♂♀).

♀ **pinnotheres** (Walckenaer) 1805. Neu-S.-Wales, Neu-Caledonien

Thomisus p. Walckenaer 1805, Tabl. Aran. p. 36 (N).
Olios p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 565 (D ♀).
P. p. L. Koch 1875, Aradın. Austral. 1 (2) p. 703 T. 60 F. 3 (D ♀).

♀ **reticulatus** Rainbow 1899. Santa Cruz

P. r. Rainbow 1899, Proc. Linn. Soc. N. S. Wales 24 (2) p. 312 T. 24 F. 4 (D ♀).

♂♀ **speciosus** Pocock 1898. Salomonen

P. s. Pocock 1898, Ann. Mag. Nat. Hist. (7) 1 p. 468 T. 19 F. 8 (D ♂♀).

Gen. **Tychicus** Simon 1880.

Orientalische Arten:

§ 2 Arten: Simon 1880, Act. Soc. Linn. Bord. 34 p. 253.

♂ **erythrophthalmus** Simon 1896. Philippinen

T. e. Simon 1896, Ann. Soc. Ent. France 65 p. 489 (D ♂).
T. e. Simon 1897, Hist. Nat. Araign. 2 (1) p. 63 (N).

♀♂ **longipes** (Walckenaer) 1837. – * Amboina

Olios l. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 572 (D ♀).
Olios malayanus Doleschall 1857, Nat. Tijdschr. Ned. Ind. 13 p. 427 (D ♀).
Olios malayanus Doleschall 1859, Act. Soc. Ind. Neerl. 5 T. 4 F. 4 (♀).
T. l. Simon 1880, Act. Soc. Linn. Bord. 34 p. 254 (D ♂).
T. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 66 (N).

Australische Arten:

♂ **gaymardi** Simon 1880. Bismarck-Archipel

T. g. Simon 1880, Act. Soc. Linn. Bord. 34 p. 255 (D ♂).

♀ **genitalis** Strand 1910. Neu-Guinea

T. g. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 9 (D ♀).

♀ **rufoides** Strand 1911. Admiralitäts-I.

T. r. Strand 1911, Arch. Naturg. 77 (I; 2) p. 206 (D ♀).
T. r. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 249 (D ♀).

6. Subfam. Clastinae

Gen. **Anchognatha** Thorell 1881.

♀ **avida** Thorell 1881. Queensland

A. a. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 229 (D ♀).
A. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 60 (N).

Gen. **Clastes** Walckenaer 1837.

♂♀ **freycineti** Walckenaer 1837. – * Molukken, Neu-Guinea, Aru-I., Santa Cruz

C. f. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 578 (D ♂♀).
Sparassus psittacinus Doleschall 1857, Nat. Tijdschr. Ned. Ind. 13 p. 429 (D ♂).
Sparassus psittacinus Doleschall 1859, Act. Soc. Neerl. Ind. 5 p. 52 T. 6 F. 2 (D ♂).
C. f. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 197 (D ♂♀).
Heteropoda f. Simon 1880, Act. Soc. Linn. Bord. 34 p. 273 (D ♀).
C. f. Simon 1897, Hist. Nat. Araign. 2 (1) p. 59 f. 46, 48, 49 (N ♂).
C. f. Järvi 1914, Ann. Ac. Sci. Fennic. 4 (A; 1) p. 42, 147 f. 38, 81, 82; T. 2 F. 7—9 (N ♀).
C. f. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (hors Ser.) 3 (19) p. 67 f. 44 (N ♂♀).

Gen. Prychia L. Koch 1875.

Orientalische Arten:

o **suavis** Simon 1896. Philippinen

P. s. Simon 1896, Ann. Soc. Ent. France 65 p. 490 (D o).
P. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 57 f. 47, 50 (N).

Australische Arten:

♀ **gracilis** L. Koch 1875. – * Neu-Guinea, Bismarck-Archip., Salomonen, Fidji-I., Santa Cruz

P. g. L. Koch 1875, Arachn. Austral. 1 (2) p. 654 T. 53 F. 1 (D ♀).
P. g. Simon 1897, Hist. Nat. Araign. 2 (1) p. 60 (N).

♀ **maculata** Karsch 1878. I. Salawatti
P. m. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 808 (D ♀).
P. m. Simon 1897, Hist. Nat. Araign. 2 (1) p. 59 (N).

♀ **pallidula** Strand 1910. Neu-Guinea
P. p. Strand 1910, Abh. Ber. Mus. Dresden 13 (5) p. 8 (D ♀).

7. *Subfam. Staininae*

Gen. **Anchonastus** Simon 1898.

♂ **caudatus** Simon 1898. – * Camerun
A. c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 203 f. 204—206 (D ♂).

♂ **gertschi** Lessert 1946. Belg. Kongo
A. g. Lessert 1946, Rev. Suisse Zool. 53 (6) p. 207 f. 5—7 (D ♂).

♂♀ **plumosus** (Pocock) 1899. Camerun
Palystodes p. Pocock 1899, Proc. Zool. Soc. Lond. p. 879 T. 58 F. 31 (D ♂♀).
A. p. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1029 (N).

Gen. **Hoedillus** Simon 1898.

♀ **sexpunctatus** Simon 1898. Guatemala
H. s. Simon 1898, Hist. Nat. Araign. 2 (2) p. 202 (D ♀).
H. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 122 T. 9 F. 1 (N ♀).

Gen. **Staianus** Simon 1888.

o **acuminatus** Simon 1888. Madagascar
S. a. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 224 (D o).
S. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 67 f. 59 (N).

8. *Subfam. Chrosioderminae*

Gen. **Chrosioderma** Simon 1897.

o **albidum** Simon 1897. Madagascar
C. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 61 f. 51, 52 (D o).

Gen. **Dermochrosia** Mello-Leitao 1940.

♀ **maculatissima** Mello-Leitao 1940. Brasilien
D. m. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 212 (D ♀).

Gen. **Olbus** Simon 1880.

♂♀ **sparassoides** (Nicolet) 1849. Chile
Olios s. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 415 T. 4 F. 4 (D ♂♀).
O. s. Simon 1880, Act. Soc. Linn. Bord. 34 p. 296 (D ♀).
O. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 101 (N).
O. s. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 99 (D ♀).
O. s. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 138 (D ♂).

Gen. **Prusias** Cambridge 1893.

♀ **brasiliensis** Mello-Leitao 1915. Brasilien
P. b. Mello-Leitao 1915, Broteria 13 p. 137 (D ♀).

O **lanceolatus** Simon 1896. Amazonas

P. l. Simon 1896, Ann. Soc. Ent. France 65 p. 490 (D O).

O♀ **nugalis** Cambridge 1892. – * Mexico, Panama

P. n. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 102 T. 13 F. 9 (D O).
P. n. Simon 1897, Hist. Nat. Araign. 2 (1) p. 55 (N).
P. n. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 247 T. 31 F. 1 (D ♀).
P. n. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 127 T. 9 F. 16 (N O).

♀ **semotus** (Cambridge) 1892. Panama

Ramnes s. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 102 T. 13 F. 8 (D ♀).
Ramnes s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 55 (N).
Ramnes s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 127 T. 9 F. 15 (N ♀).
P. s. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1028 (N).

Gen. **Tibellomma** Simon 1903.

o **chazaliae** (Simon) 1898. Venezuela

Prusias c. Simon 1898, Hist. Nat. Araign. 2 (2) p. 201 (D o).
T. c. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1028, 1030 (N).

Gen. **Valonia** Piza 1939.

♀ **rubriventris** Piza 1939. Brasilien

V. r. Piza 1939, Jorn. Agron. S. Paulo 2 (6) p. 386 TF. (D ♀).

48. Fam. SELENOPIDAE

Gen. **Selenops** Latreille 1819.

Transgredierende Arten:

♂♀ **bursarius** Karsch 1879. Japan, S.-China

S. b. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 81 T. 1 F. 12 (D ♂♀).
S. b. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 272 T. 16 F. 452 (D ♂♀).
S. b. Strand 1918, Arch. Naturg. 82 (A; 11) p. 96 T. 2 F. 2 (N ♂).
S. b. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 88 f. 10 (8) (N ♂).

♂♀ **radiatus** Latreille 1819. – * Mittelmeer-Gebiet, Trop. Afrika, Sokotra, Arabien, Indien, Burma

S. r. Latreille 1819, Nouv. Dict. Hist. Nat. 30 p. 579 (D).
S. omalosoma Dufour 1820, Ann. Sci. Phys. 4 p. 361 T. 69 F. 4 (D).
S. aegyptiaca Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 394 T. 6 F. 6 (D ♀).
S. omalosoma Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 544 (D ♀).
S. annulipes Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 546 (D ♀).
S. peregrinator Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 546 (D ♂).
S. alacer Blackwall 1865, Ann. Mag. Nat. Hist. (3) 16 p. 85 (D ♀).
S. sansibarica Gerstäcker 1873, Gliedertier-Faun. Sansibargeb. p. 479 (D ♂).
S. r. Simon 1875, Arachn. de France 2 p. 345 (N).
S. latreillei Simon 1875, Arachn. de France 2 p. 346 (D ♂♀).
S. aegyptica Cambridge 1876, Proc. Zool. Soc. Lond. p. 585 T. 12 F. 10 (D ♂).
S. peregrinator Simon 1880, Act. Soc. Linn. Bord. 34 p. 233 (D ♂).
S. malabarensis Simon 1880, Act. Soc. Linn. Bord. 34 p. 234 (D ♂).

S. birmanicus Thorell 1895, Descr. Catal. Spid. Burma p. 261 (D ♂♀).
S. r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 26 f. 19, 21 (N ♂).
S. r. Pocock 1900, Faun. Brit. Ind.; Arachn. p. 257 f. 87 (D ♂♀).
S. r. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 662 (D ♀).
S. r. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 259 f. 15 A, B (N ♂♀).
S. r. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 262 f. 56 (D ♀).

♀ **radiatus damaranus** Lawrence 1940. SW.-Afrika, N.-Rhodesia
S. r. d. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 557 f. 1 (D ♀).

♂♀ **radiatus krügeri** Lawrence 1940. Transvaal
S. r. k. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 558 f. 3 (D ♂♀).

♀ **radiatus ovambicus** Lawrence 1940. Ovamboland
S. r. o. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 557 f. 2 (D ♀).

♂♀ **radiatus peryensis** Lessert 1936. O.-Afrika
S. r. p. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 263 f. 57—59 (D ♂♀).
S. r. p. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 560 (N ♂♀).

Palaearktische Arten:

o **szechuensis** Schenkel 1936. Szechuan
S. sz. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 150 f. 51 (D o).

Aethiopische Arten:

§ 10 Arten: Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 22—23.
§ 28 ♂, 47 ♀: Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 556, 557, 564, 567, 591—592, 604.

♂ **alticolus** Lawrence 1940. Zululand
S. a. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 568 f. 9 (D ♂).

♀ **amatolae** Lawrence 1940. Capland
S. a. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 592 f. 32 (D ♀).

♂♀ **annulatus** Simon 1876. Congo, Centr.-Afrika, Angola
S. a. Simon 1876, Bull. Soc. Zool. France 1 p. 15 (D ♀).
S. sector Karsch 1879, Zeitschr. ges. Naturw. 52 p. 342 (D ♀).
S. büchneri Karsch 1881, Berlin. Ent. Zeitschr. 25 p. 94 (D ♂).
S. brownii Marx 1893, Proc. U. Stat. Nat. Mus. 16 p. 589 T. 70 F. 3 (D ♀).
S. a. Lessert 1929, Rev. Suisse Zool. 36 (4) p. 123 f. 12 (D ♂♀).

♂♀ **atomarius** Simon 1887. S.-Afrika, Somaliland
S. a. Simon 1887, Bull. Soc. Zool. France 12 p. 466 (D ♀).
S. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 25 f. 18, 23 (N ♂).
S. subradiatus Strand 1906, Zool. Anz. 30 (19—20) p. 629 (D ♀).
S. a. (? = subatomarius) Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 663 (D ♀).
S. a. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 569 f. 10 (D ♂♀).

♀ **barbertonensis** Lawrence 1940. Transvaal
S. b. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 593 f. 33 (D ♀).

♀ **barnardi** Lawrence 1940. S.-Rhodesia
S. b. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 570 f. 11 (D ♀).

♀ **basutus** Pocock 1901. Basutuland
S. b. Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 288 (D ♀).
S. b. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 604 (N ♀).

♂♀ **bechuanicus** Lawrence 1940. Betschuanaland
S. b. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 571 f. 12 (D ♂♀).

♀ **brachycephalus** Lawrence 1940. Rhodesia
S. b. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 561 f. 5 (D ♀).

♀ **braunsi** Lawrence 1940. Capland
S. b. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 594 f. 34 (D ♀).

♂♀ **broomi** Pocock 1900. Capland
S. b. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 331 (D ♀).
S. b. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 572 f. 13 (D ♂♀).

♀ **caledonicus** Lawrence 1940. Capland
S. c. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 574 f. 14 (D ♀).

♂♀ **capensis** Lawrence 1940. Capland
S. c. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 594 f. 35 (D ♂♀).

♀ **cavernicolus** Lawrence 1952. Belg. Congo (Höhlen)
S. c. Lawrence 1940, Rev. Zool. Bot. Afr. 46 (1—2) p. 15 f. 9 (D ♀).

♀ **civicus** Lawrence 1940. Capland
S. c. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 574 f. 15 (D ♀).

♂♀ **decoratus** Lawrence 1940. Zululand
S. d. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 604 f. 44 (D ♂♀).

♀ **diversus** Cambridge 1898. Sokotra
S. d. Cambridge 1898, Proc. Zool. Soc. London p. 390 T. 31 F. 1 (D ♀).

♀ **dubiosus** Lawrence 1952. Natal
S. d. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 206 f. 43 (D ♀).

♀ **dufourii** Vinson 1863. Madagascar
S. d. Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 79, 303 T. 3 F. 1 (D ♀).

♂ **fitzsimonsi** Lawrence 1940. Transvaal
S. f. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 596 f. 36 (D ♂).

♀ **fugitivus** Walckenaer 1837. S.-Afrika
S. f. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 546 (D ♀).

♂ **gilli** Lawrence 1940. Capland
S. g. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 597 f. 37 (D ♂).

♀ **helenae** Lawrence 1940. Capland
S. h. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 576 f. 16 (D ♀).

♀ **hessei** Lawrence 1940. Capland
S. h. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 576 f. 17 (D ♀).

♀ **hewitti** Lawrence 1940. Capland
S. h. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 577 f. 18 (D ♀).

♂ **immaculatus** Lawrence 1940. Capland
S. i. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 579 f. 19 (D ♂).

♀ **intricatus** Simon 1910. Portug. Guinea
S. **i.** Simon 1910 (1909), Ann. Soc. Ent. Belg. 44 p. 337 (D ♀).

♂♀ **karrooicus** Lawrence 1940. Capland (Karroo)
S. k. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 580 f. 20 (D ♂♀).

♀ **kraussii** Pocock 1898. Capland
S. k. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 350 f. 3 (D ♀).
S. **k.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 598 (N ♀).

♂♀ **lawrencei** Roewer 1951. Zululand
S. pusillus Lawrence 1949, Göteborgs Ac. Handl. (B) 5 (9) p. 30 f. 17 (D ♂♀) (praeocc. Simon 1887).
S. **l.** Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 448 (nom. nov.).

♂♀ **legrasi** Simon 1887. Madagascar
S. l. Simon 1887, Bull. Soc. Zool. France 12 p. 467 (D ♂♀).
S. l. Strand 1907, Nyt. Mag. Naturvid. 46 (1) p. 83 (D ♂♀).

♂♀ **lesnei** Lessert 1936. Portug. Ost-Afrika
S. l. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 265 f. 60, 62—64 (D ♂♀).
S. l. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 564 (N ♂♀).

♂ **lesserti** Lawrence 1940. Capland
S. l. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 581 f. 21 (D ♂).

♂♀ **lignicolus** Lawrence 1937. Zululand
S. l. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 239 f. 14 (D ♂♀).
S. l. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 582 (N ♂♀).

♀ **littoricola** Strand 1913. Centr.-Afrika
S. l. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 398 (D ♀).

♂♀ **longipedata** Roewer 1954 (nom. nov.) Transvaal
S. longipes Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 582 f. 22 (D ♂♀) (praeocc. Petrunkevitch 1930).

♀ **lycosiformis** Lawrence 1937. Zululand
S. l. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 246 f. 18 (D ♀).
S. l. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 565 (N ♀).

♀ **maculosus** Lawrence 1940. Süd-Afrika
S. m. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 583 f. 23 (D ♀).

♀ **madagascariensis** Vinson 1863. Madagascar
S. m. Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 83, 303 T. 3 F. 3 (D ♀).

♀ **mariensis** Strand 1908. Madagascar
S. m. Strand 1908, Zool. Jahrb. Syst. 26 (4) p. 474 (D ♀).

♂ **marshalli** Pocock 1902. Natal
S. m. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 21 T. 2 F. 6 (D ♂).
S. m. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 606 (N ♂).

♂♀ **minor** Lawrence 1940. Zululand
S. m. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 584 f. 24 (D ♂♀).

♂ **minutus** Lawrence 1940. Süd-Afrika
S. m. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 585 f. 25 (D ♂).

♀ **modestellus** Strand 1907. Madagascar
S. m. Strand 1907, Zool. Anz. 31 (17—18) p. 540 (D ♀).
S. m. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 667 (D ♀).

♂ **modèstus** Lenz 1886. Madagascar
S. m. Lenz 1886, Zool. Jahrb. Syst. 1 (2) p. 399 T. 10 F. 6 (D ♂).

♀ **montanus** Lawrence 1940. Capland
S. m. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 598 f. 38 (D ♀).

♂♀ **namaquensis** Lawrence 1940. Kl. Namaqualand
S. n. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 586 f. 26 (D ♂♀).

♂ **nanus** Strand 1907. Ost-Afrika
S. n. Strand 1907, Zool. Anz. 31 (17—18) p. 539 (D ♂).
S. n. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 665 (D ♂).

♂♀ **natalensis** Lawrence 1940. Natal
S. n. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 565 f. 8 (D ♂♀).

♂♀ **nemorensis** Kauri 1950. Natal
S. n. Kauri 1950, Fysiogr. Sällsk. Lund Förh. 20 (6) p. 13 f. 10—11 (D ♂♀).

♀ **oculatus** Pocock 1898. Arabien
S. o. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 348 f. 1 (D ♀).

♀ **parvulus** Pocock 1900. Capland, Congo
S. p. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 332 (D ♀).
S. p. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 663 (N ♀).
S. p. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 566 (N ♀).

♂♀ **phallus** Lawrence 1952. Natal
S. p. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 207 f. 44—46 (D ♂♀).

♂ **pococki** Lawrence 1940. Transvaal
S. p. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 587 f. 27 (D ♂).

♀ **purcelli** Lawrence 1940. Capland
S. p. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 588 f. 28 (D ♀).

♂♀ **pusillus** Simon 1887. Madagascar
S. p. Simon 1887, Bull. Soc. Zool. France 12 p. 466 (D ♀).
S. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 25 f. 20, 24 (N ♂).

♀ **regalis** Lawrence 1940. Capland
S. r. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 599 f. 39 (D ♀).

♀ **reservatus** Lawrence 1937. Zululand
S. r. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 241 f. 15 (D ♀).
S. r. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 600 (N ♀).

♀ **rhodesianus** Lawrence 1940. Rhodesia, Transvaal
S. r. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 560 f. 4 (D ♀).

♂♀ **röweri** Caporiacco 1949 (recte **roeweri**). Kilimandjaro
S. montanus Caporiacco 1947, Ann. Nat. Mus. Hungar. 40 (3) p. 207 T. 2 F. 50 (D ♂♀).
S. **r.** Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 449 (nom. nov.).

♀ **rubicundus** Lawrence 1940. Transvaal
S. **r.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 606 f. 45 (D ♀).

♀ **schönlandi** Pocock 1902. Capland
S. **s.** Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 22 T. 3 F. 15 (D ♀).
S. **s.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 589 f. 29 (D ♀).

♂♀ **secretus** Hirst 1911. Seychellen
S. **s.** Hirst 1911, Trans. Linn. Soc. London (2. Zool.) 14 (3) p. 386 f. 4 (C ♂♀).

♂♀ **septemspinatus** Lawrence 1937. Natal
S. **s.** Lawrence 1937, Ann. Natal Mus. 8 (2) p. 243 f. 17 (D ♂♀).
S. **s.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 607 (N ♂♀).

♀ **sexspinatus** Lawrence 1940. Kl. Namaqualand
S. **s.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 600 f. 40 (D ♀).

♂♀ **silvicolellus** Strand 1913. Centr.-Afrika
S. **s.** Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 399 (D ♂♀).

♂ **smithersi** Lawrence 1940. Basutuland
S. **s.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 590 f. 30 (D ♂).

♂♀ **spenceri** Pocock 1896. Natal
S. **s.** Pocock 1896, Ann. Mag. Nat. Hist. (6) 17 p. 55 T. 8 F. 8 (D ♀).
S. **s.** Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 224 (N ♂).
S. **s.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 607 f. 46 (N ♂♀).

♀ **sponsae** Lessert 1933. Angola
S. **s.** Lessert 1933, Rev. Suisse Zool. 40 (4) p. 126 f. 46 (D ♀).

♂♀ **stauntoni** Pocock 1902. Natal, Zululand, Capland
S. **s.** Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 330 (D ♀).
S. **elusus** Lawrence 1937, Ann. Natal Mus. 8 (2) p. 242 f. 16 (D ♂♀).
S. **s.** Lawrence 1938, Ann. Natal Mus. 8 (3) p. 492 (N ♂♀).
S. **s.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 600 (N ♂♀).

♀ **tenebrosus** Lawrence 1940. Transvaal
S. **t.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 563 f. 7 (D ♀).

♀ **thornei** Lawrence 1940. Capland
S. **t.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 591 f. 31 (D ♀).

♀ **transvaalicus** Lawrence 1940. Transvaal
S. **t.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 602 f. 42 (D ♀).

♀ **tuckeri** Lawrence 1940. Transvaal
S. **t.** Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 603 f. 43 (D ♀).

♀ **tugelanus** Lawrence 1942. Natal
S. **t.** Lawrence 1942, Ann. Natal Mus. 10 (2) p. 167 f. 18 (D ♀).

♂♀ **vigilans** Pocock 1898. Aethiopien, Massailand, Congo

S. v. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 349 f. 2 (D ♀).
S. werneri Simon 1906, S. B. Ak. Wiss. Wien 115 (I) p. 1167 (D ♀).
S. v. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 40 T. 2 F. 37—38 (D ♂).
S. werneri Berland 1922, Voy. Rothschild Ethiop.; Rés. Sci. Anim. Artic. 1 p. 62 T. A4 F. 1; f. 3 (N ♀).

♂♀ **whiteae** Pocock 1902. Capland

S. w. Pocock 1902, Ann. Mag. Nat. Hist. (7) 10 p. 21 T. 2 F. 7 (D ♂).
S. w. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 608 f. 47 (D ♀).

♂♀ **zuluanus** Lawrence 1940. Zululand

S. z. Lawrence 1940, Ann. S. Afr. Mus. 32 (6) p. 561 f. 6 (D ♂♀).

Orientalische Arten:

♀ **aculeatus** Simon 1901. Malakka

S. a. Simon 1901, Proc. Zool. Soc. London (2; 4) p. 64 (D ♀).

♀ **formosensis** Kayashima 1943. Formosa

S. f. Kayashima 1943, Trans. Nat. Hist. Soc. Formosa 33 p. 65 f. (D ♀).

♀ **montigenus** Simon 1889. Indien

S. m. Simon 1889, Journ. Asiat. Soc. Bengal. 58 (2; 4) Suppl. p. 335 (D ♀).
S. m. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 260 f. 15D (N ♀).

♀ **nilgirinus** Reimoser 1934. Indien

S. n. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 486 f. 10 (D ♀).

♂ **shevaroyensis** Gravely 1931. Indien

S. s. Gravely 1931, Rec. Ind. Mus. Calcutta 33 (3) p. 259 f. 15C (D ♂).

Australische Arten:

O♀ **australiensis** L. Koch 1875. O.- u. W.-Australien

S. a. L. Koch 1875, Arachn. Austral. 1 (1) p. 615 T. 43 F. 6 (D O).
S. a. L. Koch 1876, Arachn. Austral. 1 (2) p. 832 T. 71 F. 3 (D ♀).

Neotropische Arten:

§ 3 ♂, 3 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 226.
§ 4 ♂, 4 ♀: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 116.
§ 3 Arten: Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 31.

♀ **abyssus** Muma 1953. Mexico

S. a. Muma 1953, Amer. Mus. Novit. 1619 p. 21 TF. 36 (D ♀).

♂♀ **actophilus** Chamberlin 1924. Nieder-Californien, Mexico, Texas, Arizona

S. a. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 655 f. 95—98 (D ♂♀).
S. a. Muma 1953, Amer. Mus. Novit. 1619 p. 14 TF. 19—22 (D ♂♀).

♀ **aissus** Walckenaer 1837. Martinique, Bahamas, Florida, Cuba

S. a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 547 (D ♀).
S. a. Simon 1880, Act. Soc. Linn. Bordeaux 34 p. 232 (N ♀).
S. a. Keyserling 1884, Verh. Zool. Bot. Ges. Wien 32 p. 683 T. 21 F. 30 (D ♀).
S. confusus Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 133 f. 50—52 (N ♀).
S. timidus Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 407 T. 13 F. 183 (D ♀).
S. a. Muma 1953, Amer. Mus. Novit. 1619 p. 31 TF. 55 (D ♀).

♀ **albomaculatus** Mello-Leitao 1917. Süd-Brasilien
S. pusillus Mello-Leitao 1915, Broteria 13 p. 136 (D ♀).
S. a. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 14 (nom. nov.).

♀ **alemani** Muma 1953. Cuba
S. a. Muma 1953, Amer. Mus. Novit. 1619 p. 28 TF. 49 (D ♀).

♂♀ **argentinus** Tullgren 1905. Argentinien
S. a. Tullgren 1905, Ark. Zool. 2 (19) p. 42 T. 6 F. 17 (D ♀).
S. a. Biraben 1953, Mis. Estud. Patolog. Reg. Argentin. 24 (83—84) p. 105 f. 1—2 (D ♂♀).

♀ **aureolus** Biraben 1953. Argentinien
S. a. Biraben 1953, Mis. Estud. Patolog. Reg. Argentin. 24 (83—84) p. 107 f. 3—4 (D ♀).

♂ **banksi** Muma 1953. Panama (Canal-Zone)
S. b. Muma 1953, Amer. Mus. Novit. 1619 p. 38 TF. 61—63 (D ♂).

♂♀ **bifurcatus** Banks 1909. Costa Rica, Guatemala, Cuba
S. b. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 214 T. 5 F. 3 (D ♂♀).
S. b. Muma 1953, Amer. Mus. Novit. 1619 p. 20 TF. 33—35 (D ♂♀).

♀ **buscki** Muma 1953. Tobago
S. b. Muma 1953, Amer. Mus. Novit. 1619 p. 19 TF. 31 (D ♀).

♂ **candidus** Muma 1953. Jamaica
S. c. Muma 1953, Amer. Mus. Novit. 1619 p. 29 TF. 51—52 (D ♂).

♀ **celer** (Mac Leay) 1838. Ins. Bonaire, Cuba
S. (Hypoplatea) c. Mac Leay 1838, Ann. Mag. Nat. Hist. (1) 2 p. 6 T. 6 F. 2 (D ♀).
S. c. Simon 1880, Act. Soc. Linn. Bordeaux 34 p. 232 (N).
S. c. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 404 T. 13 F. 178 (D ♀).
S. c. Muma 1953, Amer. Mus. Novit. 1619 p. 46 (N).

♂♀ **cocheleti** Simon 1880. Paraguay, Parana, Mato Grosso
S. c. Simon 1880, Act. Soc. Linn. Bordeaux 34 p. 235 (D ♂♀).
S. c. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 31 (D ♂♀).
S. c. Camargo 1950, Arqu. Zool. S. Paulo 7 (8) p. 455 f. 3a—g (D ♂).
S. c. Camargo 1953, Pap. Avuls. S. Paulo 11 (19) p. 315 f. 54 (D ♀).

♂ **columbianus** Roewer 1954 (nom. nov.). Columbien
S. aculeatus Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 292 f. 18 (D ♂) (praeocc. Simon 1901).

♂♀ **debilis** Banks 1898. Nieder-Californien, Mexico, Arizona
S. d. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 267 T. 16 F. 14 (D ♀).
S. d. Muma 1953, Amer. Mus. Novit. 1619 p. 13 TF. 15—18 (D ♂♀).

O♀ **ecuadorensis** Berland 1913. Ecuador
S. e. Berland 1913, Araign. in: Miss. Mérid. Equat. 10 (1) p. 96 T. 9 F. 57—60 (D O♀).
S. equadorensis Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 32 f. 8 (D ♀).

♀ **formosus** Bryant 1940. Cuba

S. f. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 405 T. 13 F. 181 (D ♀).
S. f. Muma 1953, Amer. Mus. Novit. 1619 p. 35 TF. 60 (D ♀).

♂♀ **galapagoensis** Banks 1902. Galapagos-Ins., U. St. Amerika, Mexico, Centr.-Amerika

S. g. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 63 T. 1 F. 8 (D ♀).
S. g. Banks 1931, Nyt Mag. Naturvid. 68 p. 276 T. 1 F. 6 (D ♂).
S. g. Muma 1953, Amer. Mus. Novit. 1619 p. 9 TF. 7—11 (N ♂♀).

♂♀ **gracilis** Muma 1953. Mexico

S. g. Muma 1953, Amer. Mus. Novit. 1619 p. 10 TF. 12—14 (D ♂♀).

♂♀ **hebraicus** Mello-Leitao 1945. Argentinien

S. h. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. 29 p. 270 f. 57 (D ♀).
S. h. Biraben 1953, Mis. Estud. Patolog. Reg. Argentin. 24 (83—84) p. 109 f. 5—9 (D ♂♀).

♂♀ **iguassuensis** Mello-Leitao 1917. Brasilien

S. i. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 13, 14 (D ♀).
S. i. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 33 f. 9 (D ♂).

♂♀ **insularis** Keyserling 1882. Haiti, Portorico, Cuba, Jamaica, Florida

S. i. Keyserling 1882, Verh. Zool. Bot. Ges. Wien 31 p. 311 T. 11 F. 28 (D ♀).
S. i. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 31 f. 21—25 (D ♂♀).
S. i. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 405 (N).
S. i. Muma 1953, Amer. Mus. Novit. 1619 p. 24 TF. 37—40 (D ♂♀).

♀ **isopoda** Mello-Leitao 1941. Columbien

S. i. Mello-Leitao 1941, Ann. Ac. Bras. Sci. 13 (4) p. 293 f. 19 (D ♀).

♀ **jamaicensis** Petrunkevitch 1925. Jamaica

S. j. Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 132 (nom. nud.).

♂♀ **lepidus** Muma 1953. Mexico

S. l. Muma 1953, Amer. Mus. Novit. 1619 p. 17 TF. 27—29 (D ♂♀).

♂♀ **lindborgi** Petrunkevitch 1926. Virgin-Ins., Portorico, St. Thomas

S. l. Petrunkevitch 1926, Trans. Connect. Ac. Sci. 28 p. 55 f. 16 (D ♀).
S. l. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 38 f. 28—29 (D ♀).
S. longipes Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 36 f. 26—27 (D ♂).
S. l. Bryant 1942, Bull. Mus. Comp. Zool. Harvard 89 (7) p. 349 T. 3 F. 29, 37 (D ♂).
S. l. Muma 1953, Amer. Mus. Novit. 1619 p. 34 TF. 57—59 (D ♂♀).

♀ **lunatus** Muma 1953. Jamaica

S. aissus Petrunkevitch 1925, Trans. Connect. Ac. Sci. 27 p. 134 f. 53, 54 (nec 51 u. 52) (D ♀).
S. l. Muma 1953. Amer. Mus. Novit. 1619 p. 32 TF. 50 (D ♀).

♂o **maranhensis** Mello-Leitao 1918. Brasilien

S. m. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 33 (D o).
S. m. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 96 (D ♂).

♂♀ **marginalis** F. Cambridge 1900. Mexico
S. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 117 T. 8 F. 15—16 (D ♂♀).
S. m. Muma 1953, Amer. Mus. Novit. 1619 p. 43 TF. 74—75 (D ♂♀).

♀ **mazzai** Biraben 1953. Argentinien
S. m. Biraben 1953, Mis. Estud. Patolog. Reg. Argentin. 24 (83—84) p. 110 f. 10 (D ♀).

♂♀ **melanurus** Mello-Leitao 1923. Süd-Brasilien
S. m. Mello-Leitao 1923, Rev. Mus. Paulista 13 p. 516 TF. 1—4 (D ♂♀).

♂♀ **mexicanus** Keyserling 1880. Mexico, Centr.-Amerika
S. m. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 228 T. 6 F. 125 (D ♂♀).
S. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 117 T. 8 F. 17—18 (D ♂♀).
S. m. Muma 1953, Amer. Mus. Novit. 1619 p. 7 TF. 1—4 (D ♂♀).

♂♀ **micropalpus** Muma 1953. Dominica
S. m. Muma 1953, Amer. Mus. Novit. 1619 p. 39 TF. 66—68 (D ♂♀).

♂♀ **minutus** F. Cambridge 1900. Guatemala, Panama
S. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 118 T. 8 F. 19—20 (D ♂♀).
S. m. Muma 1953, Amer. Mus. Novit. 1619 p. 38 TF. 64—65 (D ♂♀).

♀ **montei** Soares & Camargo 1948. Mato Grosso
S. m. Soares & Camargo 1948, Bol. Mus. Paraens. Göldi 10 p. 387 f. 44 (D ♀).

♂♀ **morosus** Banks 1898. Mexico
S. m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 267 T. 16 F. 14 (D ♂♀).
S. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 118 (N ♀).
S. m. Muma 1953, Amer. Mus. Novit. 1619 p. 41 TF. 69—70 (D ♂♀).

♂♀ **nesophilus** Chamberlin 1924. Nieder-Californien, Arizona, Mexico
S. n. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 656 f. 97—98 (D ♂♀).
S. n. Muma 1953, Amer. Mus. Novit. 1619 p. 15 TF. 23—26 (D ♂♀).

♂♀ **nigromaculatus** Keyserling 1880. Mexico, Antigua
S. n. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 230 T. 6 F. 126 (D ♂♀).
S. n. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 117 T. 8 F. 14 (D ♂).
S. n. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 30 f. 6—7 (D ♂♀).
S. n. Muma 1953, Amer. Mus. Novit. 1619 p. 44 TF. 76—77 (D ♂♀).

♀ **occultus** Mello-Leitao 1918. Süd-Brasilien
S. o. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 34 f. 10 (D ♀).

♀ **pantherinus** Mello-Leitao 1943. Rio Grande do Sul
S. p. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 215 TF. 41 (D ♀).

♀ **pensilis** Muma 1953. Haiti
S. p. Muma 1953, Amer. Mus. Novit. 1619 p. 42 TF. 73 (D ♀).

♂ **phaselus** Muma 1953. Haiti
S. p. Muma 1953, Amer. Mus. Novit. 1619 p. 42 TF. 71—72 (D ♂).

♂ **pumilus** Holmberg 1876. Gran Chaco
S. p. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 149 (26) (D ♂).
S. p. Biraben 1953, Mis. Estud. Patolog. Reg. Argentin. 24 (83—84) p. 111 (N ♂).

♀ **punctatus** Biraben 1953. Argentinien
S. p. Biraben 1953, Mis. Estud. Patolog. Reg. Argentin. 24 (83—84) p. 112 f. 11 (D ♀).

♂ **rapax** Mello-Leitao 1929. Brasilien
S. r. Mello-Leitao 1929, Ann. Ac. Bras. Sci. 1 (2) p. 96 (D ♂).

♀ **salvadoranus** Chamberlin 1925. San Salvador
S. s. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 218 (D ♀).
S. s. Muma 1953, Amer. Mus. Novit. 1619 p. 18 TF. 30 (D ♀).

♂ **saprophilus** Mello-Leitao 1944. Brasilien
S. s. Mello-Leitao 1944, Bol. Mus. Nac. R. d. Jan. (N. S.) Zool. 25 p. 12 (D ♂).

♀ **scitus** Muma 1953. Mexico
S. s. Muma 1953, Amer. Mus. Novit. 1619 p. 19 TF. 32 (D ♀).

♂♀ **simius** Muma 1953. Brit. West-Indien
S. s. Muma 1953, Amer. Mus. Novit. 1619 p. 27 (D ♂♀).

♂♀ **spixi** Perty 1833. Argentin. Chaco, S.-Brasilien, San Salvador
S. s. Perty 1833, Delect. Anim. Artic. p. 195 T. 38 F. 12 (D ♂).
S. bresilianus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 548 (D ♂♀).
S. s. C. L. Koch 1845, Die Arachniden 12 p. 48 TF. 986 (D ♂).
S. spixii Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 226 T. 6 F. 124 (D ♂♀).
S. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 25 f. 22 (N ♂).
S. s. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 14 (N).
S. s. Mello-Leitao 1918, Arch. Escol. Sup. Agr. 2 p. 29 f. 4, 5 (D ♂♀).

♂♀ **submaculosus** Bryant 1940. Cuba, West-Indien
S. s. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 406 T. 13 F. 177, 184 (D ♂♀).
S. s. Muma 1953, Amer. Mus. Novit. 1619 p. 26 TF. 43—45 (D ♂♀).

♂ **tehuacanus** Muma 1953. Mexico
S. t. Muma 1953, Amer. Mus. Novit. 1619 p. 8 TF. 5—6 (D ♂).

♂ **tridentatus** Mello-Leitao 1949. Brasilien
S. t. Mello-Leitao 1949, Bol. Mus. Nac. R. d. Jan., Zool. 92 p. 18 f. 21 (D ♂).

♂ **trifidus** Bryant 1948. Navassa-Ins.
S. t. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 415 T. 10 F. 98, 100 (D ♂).
S. t. Muma 1953, Amer. Mus. Novit. 1619 p. 25 TF. 41—42 (D ♂).

♂ **vexillarius** Muma 1953. Bahamas
S. v. Muma 1953, Amer. Mus. Novit. 1619 p. 30 TF. 53—54 (D ♂).

♀ **vinalesi** Muma 1953. Cuba
S. v. Muma 1953, Amer. Mus. Novit. 1619 p. 29 TF. 50 (D ♀).

49. Fam. THOMISIDAE

1. Subfam. Strophiinae

1. Gr. Ceraarachneae

Gen. **Ceraarachne** Keyserling 1880.
(= **Cerarachne** Simon, Mello-Leitao, Petrunkevitch)

♂♀ **germaini** Simon 1886. Brasilien
C. g. Simon 1886, Act. Soc. Linn. Bord. 40 p. 167 (D ♂).
C. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 963 f. 1036, 1037 (N).
C. g. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 20 (D ♂♀).

♂ **goyannensis** Mello-Leitao 1929. Brasilien
C. g. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 22 (D ♂).

♂ **varia** Keyserling 1880. – * Columbien
C. v. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 192 T. 4 F. 106 (D ♂).
C. v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 964 (N).

Gen. **Simorcus** Simon 1895.

♂♀ **capensis** Simon 1895. – * Capland
S. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 964 (D ♀).
S. c. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 164 f. 5—10 (D ♂♀).

♀ **coronatus** Simon 1907. Portug. Guinea
S. c. Simon 1907, Ann. Mus. Civ. Genova 43 p. 311 (D ♀).
S. c. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 303 f. 1, 2 (D ♀).

♀ **cotti** Lessert 1936. Portug. O.-Afrika
S. c. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 251 f. 46—48 (D ♀).

♀ **zuluanus** Lawrence 1942. Zululand
S. z. Lawrence 1942, Ann. Natal. Mus. 10 (2) p. 147 f. 4 (D ♀).

Gen. **Ulocymus** Simon 1886.

♀ **gounellei** Simon 1886. – * Brasilien
U. g. Simon 1886, Act. Soc. Linn. Bord. 40 p. 168 (D ♀).
U. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 965 (N).
U. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 23 (D ♀).

♂ **intermedius** Mello-Leitao 1929. Brasilien
U. i. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 25 (D ♀).

♀ **sulcatus** Mello-Leitao 1929. Brasilien
U. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 24 (D ♀).

2. Gr. Strophieae

Gen. **Acracanthostoma** Mello-Leitao 1917.

♀ **bicornutum** Mello-Leitao 1917. – * Brasilien
A. b. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 117 TF. 8 (D ♀).
A. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 27 TF. 1 (D ♀).

♂ **nigritarsis** Caporiacco 1947. Brit. Guiana
A. n. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 29 (D ♂).
A. n. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 691 TF. 113—115 (D ♂).

Gen. **Parastrophius** Simon 1903.

Aethiopische Arten:

♀ **echinosoma** Simon 1903. – * Camerun, Span. Guinea
P. e. Simon 1903, Ann. Soc. Ent. France 72 Bull. p. 123 (D ♀).
P. e. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 93 (N ♀).

Orientalische Arten:

♂ **vishwai** Dyal 1935. Panjab
P. v. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 203 (D ♂).

Gen. **Strigoplus** Simon 1885.

♂♀ **albostriatus** Simon 1885. Malakka, I. Pinang, Java
S. a. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 446 (D ♂♀).
Peltorrhynchus rostratus Thorell 1892, Ann. Mus. Civ. Genova 31 p. 114 (D ♀).
Peltorrhynchus rostratus Workman 1896, Malays. Spid. p. 3 T. 3 (D ♂).
S. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 967 f. 1038 (N).
S. a. Badcock 1917, Proc. Zool. Soc. Lond. p. 280 f. 1 (D ♀).

Gen. **Strophius** Keyserling 1880.

§ 4 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 30—31.

♂♀ **albofasciatus** Mello-Leitao 1929. Pernambuco
S. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 34 (D ♂♀).

♀ **bifasciatus** Mello-Leitao 1940. Guiana
S. b. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 181 TF. 10 (D ♀).

♀ **didacticus** Mello-Leitao 1917. Brasilien
S. d. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 120 (D ♀).
S. d. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 33 (D ♀).

♂♀ **fidelis** Mello-Leitao 1929. Pernambuco
S. f. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 33 TF. 51, 52 (D ♂♀).

♀ **hirsutus** Cambridge 1891. Panama, Costa Rica
S. h. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 87 T. 11 F. 9 (D ♀).
S. h. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 166 T. 11 F. 8 (N ♀).

♀ **levyi** Soares 1943. San Paulo
S. l. Soares 1943, Pap. Avuls. S. Paulo 3 (13) p. 214 f. 3—4 (D ♀).

♀ **melloleitaoi** Soares 1943. San Paulo
S. m. Soares 1943, Pap. Avuls. S. Paulo 3 (1) p. 14 f. (D ♀).

♂♀ **mendax** Mello-Leitao 1929. Brasilien
S. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 35 TF. 3, 4 (D ♂♀).

♂♀ **nigricans** Keyserling 1880. – * Paraguay, Brasilien, Peru, I. Trinidad

S. n. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 74 T. 2 F. 38 (D ♂).
S. n. Simon 1895, Hist. Nat. Araign. 1 (4) p. 967 f. 1039, 1040 (N).
S. n. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 119 (D ♂).
S. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 31 TF. 50 (D ♂♀).

♀ **sigillatus** Mello-Leitao 1940. Guiana

S. s. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 182 TF. 11 (D ♀).

♂ **signatus** Cambridge 1892. Brasilien, Guatemala, Mexico

S. s. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 103 T. 14 F. 3 (D ♂).
S. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 166 (N).
S. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 36 (D ♂).

Gen. **Synstrophius** Mello-Leitao 1925.

♂ **blanci** (Mello-Leitao) 1917. – * Brasilien

Parastrophius b. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 11 (D ♂).
S. b. Mello-Leitao 1925, Bol. Mus. Nac. R. d. Janeiro 1 (6) p. 455 (nom. nov.).
S. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 28 TF. 22 (D ♂).

♀ **muricatus** Mello-Leitao 1942. Argentinien

S. m. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 409 f. 35 (D ♀).

2. *Subfam. Stiphropodinae*

Gen. **Stiphropella** Lawrence 1952.

♀ **gracile** Lawrence 1952. Natal

S. g. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 200 f. 35, 38 (D ♀).

Gen. **Stiphropus** Gerstäcker 1873.

Palaearktische Arten:

♀ **strandi** Spassky 1938. Turkmenien

S. st. Spassky 1938, Festschr. Strand 4 p. 573 f. 1 (D ♀).

Aethiopische Arten:

§ 3 Arten: Simon 1907, Ann. Mus. Civ. Genova 43 p. 309.

♂♀ **affinis** Lessert 1923. Capland

S. a. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 161 f. 1—4 (D ♂♀).

♂♀ **bisigillatus** Lawrence 1952. Zululand

S. b. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 199 f. 36, 37 (D ♂♀).

♀ **dentifrons** Simon 1895. Gabun, Congo, Fernando Poo

S. d. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 432 (D ♀).
S. d. Simon 1895, Hist. Nat. Araign. 1 (4) p. 959 f. 1033 (N).
S. d. Simon 1907, Ann. Mus. Civ. Genova 43 p. 310 (N).

♂ **drassiformis** (Cambridge) 1883. S.- u. O.-Afrika
Cyrsillus d. Cambridge 1883, Proc. Zool. Soc. Lon. p. 358 T. 36 F. 4 (D ♂).
S. d. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 194 (N).

♀ **guineensis** Millot 1941. Franz. Guiana, Senegal
S. g. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 5 f. 2 (D ♀).

♂♀ **intermedius** Millot 1941. Elfenbeinküste
S. i. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 3 f. 1 (D ♂♀).

♀ **lippulus** Simon 1907. Portug. Guinea
S. l. Simon 1907, Ann. Mus. Civ. Genova 43 p. 310 (D ♀).

♂ **lugubris** Gerstäcker 1873. – * O.-Afrika
S. l. Gerstäcker 1873, Gliedertier-Faun. Sansibar-Geb. p. 479 T. 18 F. 6 (D ♂).
S. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 961 (N).

♂ **minutus** Lessert 1943. Belg. Congo
S. m. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 305 f. 1—2 (D ♂).

♂ **monardi** Lessert 1943. Belg. Congo
S. m. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 307 f. 3 (D ♂).

♂ **niger** Simon 1886. Sierra Leone
S. n. Simon 1886, Act. Soc. Linn. Bord. 40 p. 170 (D O).
S. n. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 308 f. 5 (D ♂).

♂♀ **scutatus** Lawrence 1927. SW.-Afrika
S. s. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 31 T. 3 F. 63 (D ♂).
S. s. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 244 T. 21 F. 27 (D ♀).

Orientalische Arten:

♀ **cataphractus** Simon 1909. Tonking
S. c. Simon 1909, Bull. Sci. France Belg. 42 p. 121 (D ♀).

♂ **duriusculus** (Simon) 1885. Indien
Apsectromerus d. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 17 T. 10 F. 13, 14 (D ♂).
S. d. Simon 1895, Hist. Nat. Araign. 1 (4) p. 959 f. 1035 (N).

♂♀ **ocellatus** Thorell 1887. Burma
S. o. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 258 (D o).
S. o. Thorell 1895, Descr. Catal. Spid. Burma p. 305 (D ♂).
S. o. Reimoser 1925, Suppl. Ent. 10 p. 91 (♀).

♀ **sigillatus** (Cambridge) 1883. Ceylon, Java, Lombok
Casturopoda s. Cambridge 1883, Proc. Zool. Soc. Lond. p. 360 T. 37 F. 5 (D ♀).
S. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 959 f. 1034 (N).
S. s. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 65 (N).

3. Subfam. Stephanopinae

1. Gr. Hedaneae

Gen. **Ebrechtella** Dahl 1907.

♂ **fruhstorferi** Dahl 1907. Java
E. f. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 376 (D ♂).

Gen. **Erissoides** Mello-Leitao 1929.

♀ **argentinus** Mello-Leitao 1931. Argentinien
E. a. Mello-Leitao 1931, Ann. Ac. Bras. Sci. 3 (2) p. 96 (D ♀).

♀ **striatus** Mello-Leitao 1929. Amazonas
E. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 49 TF. 134 (D ♀).

♀ **vittatus** Mello-Leitao 1949. Brasilien
E. v. Mello-Leitao 1949, Bol. Mus. Nac. Rio d. Jan., Zool. 92 p. 15 f. 13—14 (D ♀).

Gen. **Erissus** Simon 1895.

§ 6 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 39.

♀ **angulosus** Simon 1895. Brasilien
E. a. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 440 (D ♀).
E. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 40 TF. 130 (D ♀).

♀ **bateae** Soares 1941. Brasilien
E. b. Soares 1941, Pap. Avuls. S. Paulo 1 (28) p. 259 f. 2—4 (D ♀).

♀ **bilineatus** Mello-Leitao 1929. Brasilien
E. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 43 TF. 131 (D ♀).

♀ **fuscus** Mello-Leitao 1929. Brasilien, Peru
E. f. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 42 (D ♀).

♀ **roseus** Mello-Leitao 1943. Brasilien
E. r. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 167 (D ♀).

♀ **spinosissimus** Mello-Leitao 1929. Amazonas
E. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 44 TF. 132 (D ♀).

♀ **truncatifrons** Simon 1895. Brasilien, Guiana, Venezuela
E. t. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 439 (D ♀).
E. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 41 (D ♀).

♀ **validus** Simon 1895. – * Brasilien, Peru
E. v. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 439 (D ♀).
E. v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1041 (N).
E. v. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 39 (D ♀).

Gen. **Haedanula** Caporiacco 1941.

♂♀ **subinermis** Caporiacco 1941. Süd-Abessinien
H. s. Caporiacco 1941, Mis. Biol. Sagan-Omo 12, Zool. 6 p. 133 f. 55—56 (D ♂♀).

Gen. **Hedana** L. Koch 1874.

Orientalische Arten:

♀ **morgani** (Simon) 1885. Malakka

Cetuma m. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 443 (D ♀)
H. m. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

♂♀ **ocellata** Thorell 1890. Burma, Sumatra, Java

H. o. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 153 (D ♂♀).
H. o. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 109 (D ♂o).
H. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).
H. o. Thorell 1895, Descr. Catal. Spid. Burma p. 300 (N ♂♀).

♀ **perspicax** Thorell 1890. Burma, Sumatra, Java

H. p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 153 (D ♀).
H. p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 105 (D ♀).
H. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

Australische Arten:

♂ **gracilis** L. Koch 1874. – * Neu-S.-Wales

H. g. L. Koch 1874, Arachn. Austral. 1 (1) p. 534 T. 41 F. 1 (D ♂).
H. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1041 (N).

♀ **maculosa** Hogg 1896. Centr.-Australien

H. m. Hogg 1896, Aran. in: Rep. Horn Exped. 2 (Zool.) p. 335 T. 24 F. 11 (D ♀).

o **pallida** L. Koch 1876. Tonga-I.

H. p. L. Koch 1876, Arachn. Austral. 1 (2) p. 803 T. 69 F. 7 (D o).
H. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1041 (N).

♂o **subtilis** L. Koch 1874. Tonga-I.

H. s. L. Koch 1874, Arachn. Austral. 1 (1) p. 536 T. 41 F. 2 (D ♂o).
H. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1041 (N).

♀ **valida** L. Koch 1875. Australien, Neu-Seeland

H. v. L. Koch 1875, Arachn. Austral. 1 (1) p. 599 T. 47 F. 2 (D ♀).
H. v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

Neotropische Arten:

♀ **octoperlata** Simon 1895. Venezuela

H. o. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 439 (D ♀).
H. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

Gen. **Pycnaxis** Simon 1895.

o **guttata** Simon 1895. Philippinen

P. g. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 440 (D o).
P. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1041 (N).

Gen. **Reineckella** Dahl 1907.

♀ **xysticoides** Dahl 1907. Java

R. x. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 377 (D ♀).

Gen. **Rhaebobates** Thorell 1881.

o **latifrons** Kulczynski 1911. Neu-Guinea

R. l. Kulczynski 1911, Res. Sci. Exped. Wichmann, N. Guinea 5 p. 511 (D o).

♀ **lituratus** Thorell 1881. – * Neu-Guinea
R. l. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 353 (D ♀).
R. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1065 (N ♀).

Gen. **Tharrhalea** L. Koch 1875.

Aethiopische Arten:

o **cerussata** Simon 1886. Madagascar
T. c. Simon 1886, Act. Soc. Linn. Bord. 40 p. 183 (D o).
T. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

♀ **semiargentea** Simon 1895. Madagascar
T. s. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 439 (D ♀).
T. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

♀ **superpicta** Simon 1886. Madagascar
T. s. Simon 1886, Act. Soc. Linn. Bord. 40 p. 182 (D ♀).
T. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (D ♀).

Orientalische Arten:

♀ **bicornis** Simon 1895. Philippinen
T. b. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 439 (D ♀).
T. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

♂♀ **fusca** (Thorell) 1877. Celebes
Cerinius f. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 518 (D ♂♀).
T. f. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

♀ **luzonica** (Karsch) 1880. Philippinen
Cerinius l. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 383 (D ♀).
T. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

Australische Arten:

♂♀ **albipes** L. Koch 1875. – * N.-Australien
T. a. L. Koch 1875, Arachn. Austral. 1 (1) p. 604 T. 47 F. 5 (D ♂♀).
T. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1040 (N).

♀ **irrorata** (Thorell) 1881. Queensland
Cerinius i. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 355 (D ♀).
T. i. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1041 (N).

♀ **maculata** Kulczynski 1911. Neu-Guinea
T. m. Kulczynski 1911, Res. Sci. Exped. Wichmann, N. Guinea 5 (3) p. 513 T. 20 F. 80 (D ♀).

♀ **variegata** Kulczynski 1911. Neu-Guinea
T. v. Kulczynski 1911, Res. Sci. Exped. Lorentz N. Guinea 9 (2) p. 143 T. 4 F. 28 (D ♀).

2. Gr. Stephanopoideae

Gen. **Parastephanops** F. Cambridge 1900.

♀ **cognatus** (Cambridge) 1892. – * Panama
Stephanopoides c. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 104 T. 14 F. 2 (D ♀).
P. c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 163 T. 11 F. 4 (D ♀).

♂♀ **echinatus** (Banks) 1914. Cuba
Misumessus e. Banks 1914, Bull. Amer. Mus. Nat. Hist. 33 (41) p. 641 T. 43 F. 6 (D ♂).
P. e. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 412 T. 14 F. 194 (D ♀).

Gen. **Stephanopoides** Keyserling 1880.

§ 3 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 45.

♂♀ **brasiliana** Keyserling 1880. – * Amazonas
S. b. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 167 T. 3 F. 92 (D ♀).
S. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1042 (N).
S. b. Cambridge 1896, Proc. Zool. Soc. Lond. p. 1010 T. 52 F. 4 (D ♂).
S. b. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 162 T. 11 F. 3 (N)
S. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 45 (D ♂♀).

♂ **mirabilis** Soares 1942. San Paulo
S. m. Soares 1942, Pap. Avuls. S. Paulo 2 (19) p. 256 f. 1—2 (D ♂).

♀ **sanctaeleopoldinae** Soares 1946. Brasilien
S. s. Soares 1946, Pap. Avuls. S. Paulo 7 (3) p. 55 f. 3—4 (D ♀).

♀ **sexmaculata** Mello-Leitao 1929. S.-Brasilien
S. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 48 (D ♀).

♂♀ **simoni** Keyserling 1880. Amazonas
S. s. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 169 T. 3 F. 93 (D ♀).
S. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1042 f. 1025 (N).
S. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 47 (D ♂♀).

3. Gr. Phrynarachneae

Gen. **Iphoctesis** Simon 1903.

♀ **echinipes** Simon 1903. Madagascar
I. e. Simon 1903, Ann. Soc. Ent. France 72 Bull. p. 124 (D ♀).
I. e. Simon 1905, Hist. Nat. Araign. 2 (4) p. 1017 (N).

Gen. **Phrynarachne** Thorell 1870.

Aethiopische Arten:

♀ **clavigera** Simon 1903. Madagascar
P. c. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 (3) p. 137 (D ♀).

♀ **gracilipes** Pavesi 1895. Abessinien
P. g. Pavesi 1895, Ann. Mus. Civ. Genova 35 p. 517 (D ♀).

♀ **marmorata** Pocock 1899. Span. Guinea
P. m. Pocock 1899, Proc. Zool. Soc. Lond. p. 880 T. 56 F. 14 (D ♀).

♂♀ **mello-leitaoi** Lessert 1933. Angola
P. m. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 121 f. 38—44 (D ♂♀).

♀ **pusiola** Simon 1903. Madagascar
P. p. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 (3) p. 137 (D ♀).

♀ **rubroperlata** Simon 1907. Franz. Congo
P. r. Simon 1907, Ann. Mus. Civ. Genova 43 p. 320 (D ♀).

♂♀ **rugosa** (Latreille) 1804. – * Camerun, Span. Guinea, Nyassaland, Madagascar, Mauritius
Thomisus r. Latreille 1804, Nouv. Dict. Hist. Nat. 34 p. 62 (D).
Thomisus r. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 513 (D).
Thomisus foka Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 71, 303 T. 14 F. 4 (D ♀).
Phyrnoides foka Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 437 (N).
Phyrnoides r. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 437 (N).
P. r. Thorell 1869, On Europ. Spid. p. 37 (N).
P. foka Thorell 1875, Proc. Zool. Soc. Lond. p. 144 (D ♂).
P. r. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1045 (N).
P. r. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 444 (N).
P. r. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 75 (N).

♀ **rugosa spongicolorata** Millot 1941. Franz. Guinea
P. r. s. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 59 f. 28 (D ♀).

♂♀ **rugosa** (Latreille) 1804. – * Camerun, Span. Guinea, Nyassaland,
P. r. i. Strand 1907, Zool. Anz. 31 (23) p. 735 (D o).
P. r. i. Strand 1908, Nyt. Mag. Naturvid. 46 (1) p. 83 (D o).

♂ **tuberosula** (Karsch) 1880. W.-Afrika
Thomisus t. Karsch 1880, Mitt. München. Ent. Ver. 4 (2) p. 145 (D ♂).
P. t. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 188 (N).

Orientalische Arten:

♂ **bimaculata** Thorell 1895. Burma
P. b. Thorell 1895, Descr. Catal. Spid. Burma p. 308 (D ♂).

♀ **ceylonica** (Cambridge) 1884. Ceylon, Sumatra, Borneo
Ornithoscatoides c. Cambridge 1884, Proc. Zool. Soc. Lond. p. 201 T. 15 F. 3 (D ♀).
P. c. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 97 (D ♀).
P. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1043 f. 1087 (N).

♀ **coerulescens** (Doleschall) 1859. Java
Botryogaster c. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 59 T. 12 F. 7 (D ♀).
Bothryogaster c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1045 (N).

♀ **cucullata** Simon 1886. Annam, Cambodja, Halmahera
P. c. Simon 1886, Act. Soc. Linn. Bord. 40 p. 178 (D ♀).
P. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1045 (N).

♂♀ **decipiens** (Forbes) 1883. Sumatra, Java
Thomisus d. Forbes 1883, Proc. Zool. Soc. Lond. p. 586 T. 51 (N ♂).
Ornithoscatoides d. Cambridge 1884, Proc. Zool. Soc. Lond. p. 199 T. 15 F. 1 (D ♀).
P. d. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 63 (D ♀).
P. d. Workman 1896, Malays. Spid. p. 92 T. 92 (D ♀).
Thomisus d. Jacobson 1921, Tijdschr. Ent. 64 p. 186 T. 12 F. 1—4 (N ♀).

♀ **dissimilis** (Doleschall) 1859. Java
Thomisus d. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 58 T. 11 F. 9 (D ♀).
P. d. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1045 (N).

o **fatalis** Cambridge 1899. Ceylon

P. f. Cambridge 1899, Proc. Zool. Soc. Lond. p. 525 T. 30 F. 70 (D o).

♀ **kannegieterii** Hasselt 1893. Sumatra

P. k. Hasselt 1893, Tijdschr. Ent. 36 p. 154 (D ♀).
P. k. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1045 (N).

♂ **nigra** (Cambridge) 1884. Ceylon, Indien

Ornithoscatoides n. Cambridge 1884, Proc. Zool. Soc. Lond. p. 202 T. 15 F.4 (D ♂).
P. n. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1045 (N).

♀ **papulata** Thorell 1891. Burma

P. p. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 95 (D ♀).

♀ **papulata aspera** Thorell 1895. Burma

P. p. a. Thorell 1895, Descr. Catal. Spid. Burma p. 307 (D ♀).

♀ **peeliana** (Stoliczka) 1869. Indien

Thomisus p. Stoliczka 1869, Journ. Asiat. Soc. Bengal. 38 (2; 4) p. 229 T. 20 F. 4 (D ♀).

♀ **rothschildi** Pocock & Rothschild 1903. Ceylon

P. r. Pocock & Rothschild 1903, Proc. Zool. Soc. Lond. (1) p. 48 T. 10 F. 1—6 (D ♀).

♀ **tuberosa** (Blackwall) 1864. Indien

Thomisus t. Blackwall 1864, Ann. Mag. Nat. Hist. (3) 14 p. 38 (D ♀).
Ornithoscatoides t. Cambridge 1884, Proc. Zool. Soc. Lond. p. 200 T. 15 F. 2 (D ♀).
P. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1045 (N).

Australische Arten:

♀ **jobiensis** (Thorell) 1876. I. Jobi bei Neu-Guinea

Cladonotus j. Thorell 1876, Ann. Mus. Civ. Genova 9 p. 306 (D ♀).
P. j. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1045 (N).

♀ **tuberculata** Rainbow 1899. Neu-Guinea

P. t. Rainbow 1899, Rec. Austral. Mus. 3 (5) p. 113 f. 2 (D ♀).

Gen. **Trichopagis** Simon 1886.

♂♀ **manicata** Simon 1886. Gabun, Madagascar, Zululand, Franz. Guinea

T. m. Simon 1886, Act. Soc. Linn. Bord. 40 p. 135 (D O).
T. m. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1043 f. 1088, 1089 (D ♀).
T. m. Strand 1915, Arch. Naturg. 81 (A; 9) p. 66 (N ♀).
T. m. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 62 f. 29 (D ♂♀).
T. m. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 165 (N).
T. m. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 332 (N ♀).

4. Gr. Stephanopeae

Gen. **Angaenus** Thorell 1881.

♀ **comatulus** Simon 1909. Tonking

A. c. Simon 1909, Bull. Sci. France Belg. 42 p. 145 (D ♀).

♀ **lenticulosus** Simon 1902. Annam
A. l. Simon 1902, Ann. Soc. Ent. France 71 p. 729 (D ♀).

♀ **leucomenus** (Thorell) 1895. Burma, Tonking
A. rhombifer leucomenus Thorell 1895, Descr. Catal. Spid. Burma p. 278 (D o).
A. l. Simon 1909, Bull. Sci. France Belg. 42 p. 144 (D ♀).

♀ **pentagonalis** Pocock 1901. Indien
A. p. Pocock 1901, Journ. Bombay Soc. Hist. Nat. 13 p. 497 (D ♀).

♂ **pudicus** Thorell 1881. – * Molukken, Ceram
A. p. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 346 (D ♂).
A. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 10 (N).

♀ **rhombifer** Thorell 1890. Malakka, Sumatra
A. r. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 150 (D o).
A. r. Workman 1896, Malays. Spid. p. 88 T. 88 (D ♀).

Gen. **Ascurisoma** Strand 1928.

♀ **striatipes** (Simon) 1897. W.-Afrika, Ceylon
Ascuris s. Simon 1897, Hist. Nat. Araign. 3 (1) p. 9 (D ♀).
A. s. Strand 1928, Ent. Nachr. Troppau 2 p. 46 (nom. nov).

Gen. **Borboropactus** Simon 1884.

(= **Regillulus** Strand 1942)

Aethiopische Arten:

♀ **australis** (Lawrence) 1937. Zululand
Regillus a. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 237 f. 13 (D ♀).

o **noditarsis** (Simon) 1903. W.-Afrika
Regillus n. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 101 (D o).
Regillus n. Simon 1907, Ann. Mus. Civ. Genova 43 p. 321 (N).

♀ **silvicolus** (Lawrence) 1938. Natal
Regillus s. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 488 f. 19 (D ♀).

♀ **squalidus** Simon 1884. W.- u. O.-Afrika
B. s. Simon 1884, Ann. Soc. Ent. Belg. 28 C. R. p. 301 (D ♀).
Regillus s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1055 (N).
Regillus s. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 190 (N).

Orientalische Arten:

o **asper** (Cambridge) 1884. – * Ceylon
Regillus a. Cambridge 1884, Proc. Zool. Soc. Lond. p. 204 T. 15 F. 5 (D ♀).
(praeocc. gen. Macgillivray 1839).
Regillus a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1055 f. 1094—1096 (N).
Regillulus a. Strand 1942, Fol. Zool. Hydrob. 11 (2) p. 399 (nom. nov. gen. superfl.)

♀ **javanicola** (Strand) 1913. Java
Regillus cinerascens Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 428 (D ♀).
Regillus j. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4. (Zool. 2) (11) p. 397 (N).

♀ **vulcanicus** (Doleschall) 1859. Java
Thomisus v. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 57 T. 13 F. 6 (D ♀).
Regillus v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1055 (N).

Transgredierende Arten:

♀ **bituberculatus** Simon 1884. Molukken, Neu-Guinea

B. b. Simon 1884, Ann. Soc. Ent. Belg. 28 C. R. p. 301 (D ♀).
Regillus b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1049 f. 1093 (N).

♀ **cinerascens** (Doleschall) 1859. Sumatra, Java, Neu-Guinea

Thomisus c. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 58 T. 12 F. 4 (D ♀).
B. c. Simon 1884, Ann. Soc. Ent. Belg. 28 C. R. p. 300 (D ♀).
Regillus c. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 318 (N o).
Regillus c. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 6 (D ♀).
Regillus c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1055 (N).

♀ **cinerascens sumatrae** (Strand) 1907. Sumatra

Regillus c. s. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 429 (D ♀).

Australische Arten:

♀ **divergens** (Hogg) 1914. Neu-Guinea

Regillus d. Hogg 1914, Proc. Zool. Soc. Lond. (4) Remarks p. 57 (D ♀).
Regillus d. Hogg 1915, Trans. Zool. Soc. Lond. 20 (14) p. 461 f. 29 (D ♀).

Gen. **Cebrenninus** Simon 1887.

♂♀ **annulatus** (Thorell) 1890. Sumatra

Libania a. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 149 (D ♂♀).
Libania a. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 58 (D ♂♀).
C. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 8 (N).

♀ **laevis** (Thorell) 1890. Sumatra

Libania l. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 148 (D ♀).
Libania l. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 58 (D ♀).
C. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 8 (N).

♂♀ **rugosus** Simon 1887. – * Sumatra, Java, Borneo

C. r. Simon 1887, Bull. Soc. Zool. France 12 p. 468 (D ♂).
Libania armillata Thorell 1890, Ann. Mus. Civ. Genova 30 p. 149 (D ♀).
Libania armillata Thorell 1892, Ann. Mus. Civ. Genova 31 p. 60 (D ♀).
C. r. Simon 1897, Hist. Nat. Araign. 2 (1) p. 9 f. 1, 2 (N ♂).

♀ **scabriculus** (Thorell) 1890. Java, Borneo, I. Siberut

Libania s. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 148 (D ♀).
Libania s. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 51 (D ♀).
C. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 8 (N).

♂ **scabriculus sulcatus** (Thorell) 1890. Sumatra

Libania s. s. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 148 (D ♂).
Libania s. s. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 51 (D ♂).

Gen. **Coenypha** Simon 1895.

§ 4 Arten: Mello-Leitao 1926, Rev. Chilen. Hist. Nat. 30 p. 322.

♂♀ **edwardsii** (Nicolet) 1849. – * Chile

Thomisus e. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 392 T. 3 F. 8, 11 (D ♂♀).
Stephanopis e. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 187 T. 4 F. 103 (D ♀).
C. e. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1053 f. 1090 (N ♀).
C. e. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 97 (C).

♀ **fasciata** Mello-Leitao 1926. Chile
C. f. Mello-Leitao 1926, Rev. Chilen. Hist. Nat. 30 p. 322 f. 43 (D ♀).

♂♀ **fuliginosa** (Nicolet) 1849. Chile
Thomisus f. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 392 (D ♂♀).
C. f. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1051 (N).
C. f. Simon 1901, Rev. Chilen. Hist. Nat. 5 p. 21 (N).
C. f. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 97 (C).

♀ **lucasii** (Nicolet) 1849. Chile
Thomisus l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 391 T. 3 F. 7 (D ♀).
C. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1051 (N).

Gen. **Cupa** Strand 1906.

♀ **typica** Bösenberg & Strand 1906. Japan
C. t. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 266 T. 16 F. 454 (D ♀).

Gen. **Epicadinus** Simon 1895.

§ 8 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 98.

♀ **albimaculatus** Mello-Leitao 1929. Brasilien
E. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 104 (D ♀).

♀ **biocellatus** Mello-Leitao 1929. Brasilien
E. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 104 (D ♀).

♂ **gavensis** Soares 1946. Brasilien
E. g. Soares 1946, Pap. Avuls. S. Paulo 7 (24) p. 267 f. 1—2 (D ♂).

♀ **helenae** Piza 1936. Brasilien
E. h. Piza 1936, Rev. Biol. Hig. S. Paulo 7 (1) p. 50 f. 1 (D).
E. h. Soares 1943, Pap. Avuls. S. Paulo 3 (1) p. 12 f. (D ♀).

♂ **marmoratus** Mello-Leitao 1947. Brasilien
E. m. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 274 (D ♂).

♀ **polyophthalmus** Mello-Leitao 1929. Brasilien
E. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 102 TF. 46 (D ♀).

♂♀ **spinipes** (Blackwall) 1862. Brasilien
Eripus s. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 422 (D ♂♀).
Epicadus sp. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 405 (C).
E. espinipes Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 100 (D ♀).

♀ **trifidus** (Cambridge) 1893. Mexico
Eripus t. Cambridge 1893, Biol. Centr. Amer. Aran. 1 p. 121 T. 15 F. 12 (D ♀).
E. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1052 (N).
E. t. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 159 T. 10 F. 33 (N ♀).

♂♀ **trispinosus** (Taczanowski) 1872. – * Guiana, Peru, Bolivien, Brasilien
Thomisus t. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 99 (D ♂).
Stephanopis t. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 184 T. 4 F. 101 (D ♂).
E. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1052 (N).
E. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 99 (D ♂♀).

♀ **tuberculatus** Petrunkevitch 1910. S.-Brasilien
E. t. Petrunkevitch 1910, Ann. N. York Ac. Sci. 19 p. 216 T. 22 F. 20—22 (D ♀).
E. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 101 (D ♀).

♀ **villosus** Mello-Leitao 1929. Brasilien, Paraguay
E. v. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 103 (D ♀).

Gen. **Epicadus** Simon 1895.

§ 3 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 93.

granulatus Banks 1909. Costa Rica
E. g. Banks 1909, Proc. Ac. Nat. Sci. Philad. 61 p. 214 T. 6 F. 25 (D).

♂♀ **heterogaster** (Guérin) 1829. – * Argentinien, Uruguay, Brasilien
Thomisus h. Guérin 1829, Icon. Règne Animal Cuvier 6 p. 6 T. 1 F. 4 (D).
Eripus h. Walckenaer 1833, Ann. Soc. Ent. France (1) 2 p. 438, 441 (N).
Eripus h. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 541 T. 12 F. 6 (D ♀).
Eripus h. C. L. Koch 1845, Die Arachniden 12 p. 46 TF. 984, 985 (D ♀).
Eripus quinquegibbosus Cambridge 1877, Proc. Zool. Soc. Lond. p. 557 T. 56 F. 5 (D ♂).
Eripus h. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 164 T. 3 F. 90 (N ♀).
Eripus quinquegibbosus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 164 T. 3 F. 91 (D ♂).
Eripus h. Göldi 1886, Zool. Jahrb. Syst. 1 (2) p. 411 T. 11 F. 1—7 (D ♀).
E. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1052 f. 1085 (N ♀).
E. h. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 160 T. 10 F. 34 (N ♀).
E. h. Vellard 1924, Arch. Inst. Vet. Brasil. 2 p. 9 f. 4 (N ♀).
E. h. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 94 (D ♂♀).
E. h. Piza 1944, Rev. Agric. S. Paulo 19 (6—7) p. 272 (N ♀).

♀ **heterogaster scholagricolae** Piza 1933. Brasilien
E. h. s. Piza 1933, Rev. Biol. Hyg. S. Paulo 4 (2) p. 50 f. 3 (D ♀).

♂♀ **mutschleri** Petrunkevitch 1930. Portorico
E. m. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 48 f. 41—45 (D ♂♀).

♀ **nigronotatus** Mello-Leitao 1940. Brasilien
E. n. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 213 (D ♀).

♀ **pallidus** Mello-Leitao 1929. S.-Brasilien
E. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 97 (D ♀).

♀ **planus** Mello-Leitao 1932. Brasilien
E. p. Mello-Leitao 1932, Bol. Mus. Nac. R. d. Janeiro 8 p. 73 (D ♀).

♀ **rubripes** Mello-Leitao 1924. Brasilien
E. r. Mello-Leitao 1924, Bol. Mus. Nac. R. d. Janeiro 1 (4) p. 280 (D ♀).
E. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 96 TF. 45 (D ♀).

Gen. **Epidius** Thorell 1877.

Aethiopische Arten:

♂♀ **binotatus** Simon 1896. W.-Afrika, Congo
E. b. Simon 1896, Ann. Soc. Ent. France 65 p. 491 (D ♀).
E. b. Simon 1907, Ann. Mus. Civ. Genova 43 p. 321 (N).
E. b. Lessert 1930, Rev. Suisse Zool. 37 (22) p. 466 f. 36 (D ♂).
E. b. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 335 f. 38 (N ♀).

♂ **binotatus guineensis** Millot 1941. Franz. Guinea
E. b. g. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 64 f. 30 (D ♂).

♀ **denisi** Lessert 1943. Belg. Congo
E. d. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 336 f. 39 (D ♀).

Orientalische Arten:

♂ **bipunctatus** (Thorell) 1891. Singapore
Mastira b. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 87 (D ♂).
E. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 8 (N).

♂ **brevipalpus** Simon 1902. Annam
E. b. Simon 1902, Ann. Soc. Ent. France 71 p. 730 (D ♂).

♂♀ **longipalpis** Thorell 1877. – * Sumatra, Java, Ceram, Celebes Indien, Ceylon
E. l. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 492 (D ♂).
E. l. Simon 1897, Hist. Nat. Araign. 2 (1) p. 10 f. 6—8 (N ♂).
E. l. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 250 (N ♀).
E. l. Badcock 1917, Proc. Zool. Soc. Lond. p. 285 f. 3 (N).

♀ **lyriger** Simon 1896. Philippinen
E. l. Simon 1896, Ann. Soc. Ent. France 65 p. 491 (D ♀).

♂♀ **pallidus** (Thorell) 1890. Sumatra
Dolothymus p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 150 (D ♀).
Dolothymus p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 64 (D ♀).
E. p. Simon 1897, Hist. Nat. Araign. 2 (1) p. 8 (N).
E. p. Reimoser 1934, Proc. Zool. Soc. Lond. p. 15 (D ♂).

♂o **rubropictus** Simon 1909. Tongking
E. r. Simon 1909, Bull. Sci. France Belg. 42 p. 144 (D ♂o).

Gen. **Geraesta** Simon 1888.

♂ **bilobata** Simon 1897. Madagascar
G. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 7 f. 5 (D ♂).

O **hirta** Simon 1888. – * Madagascar
G. h. Simon 1888, Ann. Soc. Ent. France (6) 8 p. 225 (D O).
G. h. Simon 1897, Hist. Nat. Araign. 2 (1) p. 7 f. 3, 4 (N O).

Gen. **Isala** L. Koch 1876.

O **punctata** L. Koch 1876. Australien
I. p. L. Koch 1876, Arachn. Austral. 1 (2) p. 796 T. 69 F. 3 (D O).
I. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1056 (N).

Gen. **Isaloides** F. Cambridge 1900.

♀ **putus** (Cambridge) 1891. – * Panama, Mexico
Diaea p. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 85 T. 11 F. 5 (D ♀).
Erissus pustulatus Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 271 T. 35 F. 2 (D ♀).
I. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 163 T. 11 F. 5 (N ♀).

♀ **toussaintii** Banks 1903. Haiti, Cuba

I. t. Banks 1903, Proc. Ac. Nat. Sci. Philad. 55 p. 343 T. 15 F. 3 (D ♀).
I. t. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 408 T. 14 F. 185, 189 (D ♂, N ♀).

Gen. **Onocolus** Simon 1895.

§ 9 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 67—68.

♀ **biocellatus** Mello-Leitao 1948. Brit. Guiana

O. b. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 178 f. 20 (D ♀).

♂♀ **compactilis** Simon 1895. Amazonas

O. c. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 441 (D ♂♀).
O. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 69 TF. 146, 147 (D ♂♀).

♂♀ **echinatus** (Taczanowski) 1872. – * Guiana, Peru, Venezuela, Cuba, Brasilien

Thomisus e. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 97 (D ♂♀).
Thomisus sexpunctatus Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 101 (D ♀).
Stephanopis e. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 189 T. 4 F. 104 (D ♀).
O. e. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1053 (N).
O. e. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 77 TF. 171—174 (D ♂♀).
Parastephanops e. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 412 TF. (D ♀).

♂♀ **echinicauda** Mello-Leitao 1929. Brasilien, Paraquay

O. e. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 70 TF. 148—153 (D ♂♀).

♀ **echinurus** Mello-Leitao 1929. Brasilien

O. e. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 76 TF. 169, 170 (D ♀).

♀ **episcopus** Mello-Leitao 1934. Brasilien

O. e. Mello-Leitao 1934, Rev. Chilen. Hist. Nat. 38 p. 48 T. 1 (D ♀).

♂ **granulatus** Bryant 1940. Cuba

O. g. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 409 T. 14 F. 186—187 (D ♂).

♀ **granulosus** Mello-Leitao 1929. Amazonas, Peru

O. g. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 75 TF. 167—168 (D ♀).

♀ **infelix** Mello-Leitao 1940. Rio Negro

O. i. Mello-Leitao 1940, Arqu. Inst. Biol. S. Paulo 11 (30) p. 250 (D ♀).

♂ **mendax** Soares 1946. Brasilien

O. m. Soares 1946, Pap. Avuls. S. Paulo 7 (3) p. 62 f. 10—12 (D ♂).

♀ **pallescens** Bryant 1940. Cuba

O. p. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 411 T. 14 F. 195 (D ♀).

♂♀ **pentagonus** (Keyserling) 1880. Brasilien, Peru
Stephanopis p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 185 T. 4 F. 102 (D ♂).
O. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 160 T. 10 F. 35, 36 (D ♂♀).
O. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 74 TF. 164—166 (D ♂♀).

♂ **perditus** Mello-Leitao 1929. Brasilien
O. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 71 TF. 154—156 (D ♂).

♂♀ **simoni** Mello-Leitao 1915. Brasilien, Peru
O. pentagonus Simon 1895, Ann. Soc. Ent. Belg. 39 p. 440 (D o).
O. pentagonus Simon 1895, Hist. Nat. Araign. 1 (4) p. 1051 (N).
O. s. Mello-Leitao 1915, Broteria 13 p. 144 (N).
O. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 72 TF. 159—163 (D ♂♀).

♂ **stolzmanni** (Keyserling) 1880. Peru, Galapagos-I.
Tmarus s. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 138 T. 3 F. 74 (D ♂).

♀ **trifolius** Mello-Leitao 1929. Brasilien
O. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 72 TF. 157, 158 (D ♀).

♂♀ **venustus** Bryant 1948. Haiti, San Domingo
O. v. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 416 T. 11 F. 101—104 (D ♂♀).

Gen. **Paronocolus** Mello-Leitao 1929.

♂ **intermedius** Mello-Leitao 1929. Brasilien
P. i. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 79 TF. 41 (D ♂).

Gen. **Pharta** Thorell 1891.

o **bimaculata** Thorell 1891. Malakka
P. b. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 85 (D o).
P. b. Simon 1897, Hist. Nat. Araign. 2 (1) p. 10 (N).

Gen. **Pothaeus** Thorell 1895.

♀ **armatus** Thorell 1895. Burma
P. a. Thorell 1895, Descr. Catal. Spid. Burma p. 276 (D ♀).
P. a. Simon 1897, Hist. Nat. Araign. 2 (1) p. 10 (N).

Gen. **Prepotelus** Simon 1897.

o **lanceolatus** Simon 1897. Mauritius
P. l. Simon 1897, Ann. Soc. Ent. France 66 p. 279 (D o).
P. l. Simon 1898, Hist. Nat. Araign. 2 (2) p. 201 (N).

Gen. **Sidymella** Strand 1942. *)

Australische Arten:

♀ **angularis** (Urquhart) 1884. Neu-Seeland
Sparassus a. Urquhart 1884, Trans. N. Zeal. Inst. 17 p. 43 T. 10 F. 7 (D ♀).
Sidyma a. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 5 T. 5 F. 45 (D ♀).

♂♀ **angulata** (Urquhart) 1884. Neu-Seeland
Sparassus a. Urquhart 1884, Trans. N. Zeal. Inst. 17 p. 42 (D ♀).
Stephanopis a. Urquhart 1889, Trans. N. Zeal. Inst. 22 p. 260 T. 17 F. 8 (D ♂).
Sidyma a. Dalmas 1917, Ann. Soc. Ent. France 86 p. 391 (D ♀).
Sidyma a. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 6 T. 1 F. 3; T. 4 F. 37 (D ♂♀).

♀ **benhami** (Hogg) 1910. Neu-Seeland, Stewart-I.
Stephanopis b. Hogg 1910, Trans. N. Zeal. Inst. 42 p. 275 f. 2 (D ♀).
Sidyma b. Dalmas 1917, Ann. Soc. Ent. France 86 p. 392 (N).

♂♀ **bicuspidata** (L. Koch) 1873. Queensland
Stephanopis b. L. Koch 1873, Arachn. Austral. 1 (1) p. 514 T. 39 F. 2 (D ♀).
Stephanopis b. L. Koch 1876, Arachn. Austral. 1 (2) p. 757 T. 66 F. 5 (D ♂).
Stephanopis b. Strand 1907, Zool. Jahrb. Syst. 24 (5) p. 463 (N ♀).

♂♀ **hirsuta** (L. Koch) 1873. Queensland
Stephanopis h. L. Koch 1873, Arachn. Austral. 1 (1) p. 520 T. 39 F. 5 (D ♀).
Stephanopis h. L. Koch 1876, Arachn. Austral. 1 (2) p. 753 T. 66 F. 2 (D ♂).

♀ **kochi** (Simon) 1908. W.-Australien
Sidyma k. Simon 1908, Faun. S. W. Austral. 1 (12) p. 434 (D ♀).

♂ **lampei** (Strand) 1913. Victoria
Sidyma l. Strand 1913, Jahrb. Nassau. Ver. Nat. 66 p. 204 (D ♂).

♀ **lobata** (L. Koch) 1873. Queensland, Neu-S.-Wales
Stephanopis l. L. Koch 1873, Arachn. Austral. 1 (1) p. 516 T. 39 F. 3 (D ♀).
Stephanopis l. L. Koch 1876, Arachn. Austral. 1 (2) p. 755 T. 66 F. 3 (D ♀).
Sidyma l. Dalmas 1917, Ann. Soc. Ent. France 86 p. 392 (N).

♀ **longipes** (L. Koch) 1873. Queensland
Stephanopis l. L. Koch 1873, Arachn. Austral. 1 (1) p. 518 T. 39 F. 4 (D ♀).
Sidyma l. Dalmas 1917, Ann. Soc. Ent. France 86 p. 392 (D ♀).

♂♀ **rubrosignata** (L. Koch) 1873. Neu-S.-Wales
Stephanopis r. L. Koch 1873, Arachn. Austral. 1 (1) p. 521 T. 39 F. 6 (D o).
Stephanopis r. L. Koch 1876, Arachn. Austral. 1 (2) p. 762 T. 67 F. 1, 2 (D ♂♀).
Sidyma r. Dalmas 1917, Ann. Soc. Ent. France 86 p. 392 (N).

♂♀ **trapezica** (L. Koch) 1873. O.- u. W.-Australien
Stephanopis t. L. Koch 1873, Arachn. Austral. 1 (1) p. 512 T. 39 F. 1 (D ♀).
Stephanopis t. L. Koch 1876, Arachn. Austral. 1 (2) p. 760 T. 66 F. 6 (D ♂).
Sidyma t. Simon 1908, Faun. S. W. Austral. 1 (12) p. 433 (D ♀).

Neotropische Arten:

§ 4 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 63.

♂ **cancellata** (Mello-Leitao) 1943. Rio Grande do Sul
Sidyma c. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 207 TF. 34 (D ♂).

♀ **jordanensis** (Soares) 1945. Brasilien
Sidyma j. Soares 1945, Bol. Industr. Animal. S. Paulo 7 (3—4) p. 74 f. (D ♀).

♀ **longispina** (Mello-Leitao) 1943. Rio Grande do Sul
Sidyma l. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 208 TF. 35 (D ♀).

♂♀ **lucida** (Keyserling) 1880. – * Argentinien, Brasilien, Columbien
Stephanopis l. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 190 T. 4 F. 105 (D ♀).
Sidyma l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1056 (N) (praeocc. gen. Walker 1856).
Sidyma l. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 95 T. 9 F. 51—56 (D ♂, N ♀).
Sidyma l. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 64 (D ♀).
S. l. Strand 1942, Folia Zool. Hydrobiol. 11 (2) p. 399 (nom. nov. gen.).

♀ **multispinulosa** (Mello-Leitao) 1944. Brasilien
Sidyma spinifera Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 9. 209 TF. 36 (D ♀).
Sidyma m. Mello-Leitao 1944, Com. Zool. Mus. Hist. Nat. Montevideo 1 (21) p. 4 (nom. nov.).

♂ **nigripes** (Mello-Leitao) 1947. Santa Catharina
Sidyma n. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 276 (D ♂).

♀ **obscura** Mello-Leitao 1929. S.-Brasilien
Sidyma o. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 65 (D ♀).

♀ **parallela** Mello-Leitao 1929. Brasilien
Sidyma p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 64 (D ♀).

♀ **sigillata** (Mello-Leitao) 1941. Uruguay
Sidyma s. Mello-Leitao 1941, Ann. Ac. Bras. Sci. R. d. Janeiro 13 (2) p. 126 (D ♀).

♂♀ **spinifera** Mello-Leitao 1929. S.-Brasilien
Sidyma s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 66 (D ♂♀).

Gen. **Stephanopis** Cambridge 1869.

(= **Stephanopsis** auct. sequ. part.)

Aethiopische Arten:

♂♀ **congonensis** Lessert 1943. Belg. Congo
S. c. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 333 f. 35—37 (D ♂♀).

♀ **limbata** Simon 1897. Mauritius
S. l. Simon 1897, Ann. Soc. Ent. France 66 p. 280 (D ♀).

♀ **octolobata** Simon 1886. Madagascar
S. o. Simon 1886, Act. Soc. Linn. Bord. 40 p. 170 (D ♀).
S. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

♀ **pectinitarsis** Simon 1897. Mauritius
S. p. Simon 1897, Ann. Soc. Ent. France 66 p. 280 (D ♀).

♂♀ **rhomboidalis** Simon 1886. Madagascar
S. r. Simon 1886, Act. Soc. Linn. Bord. 40 p. 169 (D ♂♀).
S. r. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

Orientalische Arten:

secata (Walckenaer) 1805. Timor
Thomisus s. Walckenaer 1805, Tabl. Aran. p. 31 (N).
Thomisus s. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 517 (D).

Phloeoides s. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 432 (C).
S. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

♀ **weyersi** Simon 1899. Sumatra
S. w. Simon 1899, Ann. Soc. Ent. Belg. 43 p. 98 (D ♀).

Australische Arten:

§ 16 Arten: L. Koch 1876, Arachn. Austral. 1 (2) p. 743 (part.).

♂♀ **altifrons** Cambridge 1869. – * Australien
S. a. Cambridge 1869, Ann. Mag. Nat. Hist. (4) 3 p. 61 T. 5 F. 33—39 (D ♂).
S. a. L. Koch 1873, Arachn. Austral. 1 (1) p. 495 T. 38 F. 1 (D ♀).
S. a. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 316 (D ♀).
S. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1054 f. 1091 (N).

♀ **angulata** Rainbow 1899. Neu-Guinea
S. a. Rainbow 1899, Rec. Austral. Mus. 3 (5) p. 114 f. 3 (D ♀).

♀ **armata** L. Koch 1874. Queensland
S. a. L. Koch 1874, Arachn. Austral. 1 (1) p. 503 T. 38 F. 4 (D ♀).

♀ **aruana** Thorell 1881. Aru-I.
S. a. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 317 (D ♀).

♀ **aspera** Rainbow 1893. Neu-S.-Wales
S. a. Rainbow 1893, Proc. Linn. Soc. N. S. Wales (2) 7 (4) p. 471 T. 22 F. 1—7 (D ♀).
S. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

♂ **barbipes** Keyserling 1889. Australien
S. b. Keyserling 1889, Arachn. Austral. 2 p. 254 T. 23 F. 6 (D ♂).
S. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

♂♀ **bicornis** L. Koch 1873. Neu-S.-Wales
S. b. L. Koch 1873, Arachn. Austral. 1 (1) p. 501 T. 38 F. 3 (D ♀).
S. b. L. Koch 1876, Arachn. Austral. 1 (2) p. 751 T. 66 F. 1 (D ♂).
S. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

♀ **bradleyi** Mello-Leitao 1929. Australien
S. cambridgei Bradley 1871, Proc. Linn. Soc. N. S. Wales 2 p. 233 (D ♀).
S. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. (nom. nov.)

♂♀ **cambridgei** Thorell 1870. Australien
S. c. Thorell 1870, Oefers. Svensk. Vet. Ak. Förhandl. (27) 4 p. 378 (D ♀).
S. c. L. Koch 1873, Arachn. Austral. 1 (1) p. 510 T. 38 F. 7 (D ♀).
S. c. L. Koch 1876, Arachn. Austral. 1 (2) p. 744 T. 65 F. 3 (D ♂).
S. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

♀ **cheesmanae** Berland 1938. Neue Hebriden
S. c. Berland 1938, Ann. Soc. Ent. France 107 p. 132 f. 7—9 (D ♀).

♀ **clavata** Cambridge 1869. Australien
S. c. Cambridge 1869, Ann. Mag. Nat. Hist. (4) 3 p. 62 T. 5 F. 41 (D ♀).
S. c. L. Koch 1873, Arachn. Austral. 1 (1) p. 498 (D ♀).

♀ **corticalis** L. Koch 1876. Queensland
S. c. L. Koch 1876, Arachn. Austral. 1 (2) p. 748 T. 65 F. 5 (D ♀).
S. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

♀ **cristipes** Kulczynski 1911. Neu-Guinea
S. c. Kulczynski 1911, Res. Exper. Sci. Lorentz; N. Guinea 9 (2) p. 145 T. 4 F. 29 (D ♀).

♀ **depressa** Bradley 1871. Queensland
S. d. Bradley 1871, Proc. Linn. Soc. N. S. Wales 2 p. 236 (D ♀).

♀ **elongata** Bradley 1871. Queensland
S. e. Bradley 1871, Proc. Linn. Soc. N. S. Wales 2 p. 236 (D ♀).

♀ **erinacea** Karsch 1878. Fidji-I.
S. e. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 810 (D ♀).

♀ **fissifrons** Rainbow 1920. Lord Howe-I.
S. f. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 253 T. 29 F. 67, 68 (D ♀).

♂♀ **lata** Cambridge 1869. Neu-S.-Wales, Victoria, Tasmanien
S. l. Cambridge 1869, Ann. Mag. Nat. Hist. (4) 3 p. 63 T. 5 F. 42, 43 (D ♀).
S. l. L. Koch 1873, Arachn. Austral. 1 (1) p. 498 T. 38 F. 2 (D ♂).

♀ **longimana** Thorell 1881. Queensland
S. l. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 322 (D ♀).

♀ **macleayi** Bradley 1871. Neu-S.-Wales
S. m. Bradley 1871, Proc. Linn. Soc. N. S. Wales 2 p. 238 (D ♀).

malacostracea (Walckenaer) 1805. Australien
Thomisus m. Walckenaer 1805, Tabl. Aran. p. 33 (N).
Thomisus m. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 513 (D).
S. m. L. Koch 1873, Arachn. Austral. 1 (1) p. 523 (N).

♀ **minuta** L. Koch 1876. Queensland
S. m. L. Koch 1876, Arachn. Austral. 1 (2) p. 756 T. 66 F. 4 (D ♀).

♀ **monticola** Bradley 1871. Neu-S.-Wales
S. m. Bradley 1871, Proc. Linn. Soc. N. S. Wales 2 p. 234 (D ♀).

♀ **nigra** Cambridge 1869. Australien
S. n. Cambridge 1869, Ann. Mag. Nat. Hist. (4) 3 p. 62 T. 5 F. 40 (D ♀).
S. n. L. Koch 1873, Arachn. Austral. 1 (1) p. 497 (D ♀).

♀ **obtusifrons** Rainbow 1902. Neu-S.-Wales
S. o. Rainbow 1902, Proc. Linn. Soc. N. S. Wales 27 (3) p. 491 T. 18 F. 3 (D ♀).

o **ornata** L. Koch 1876. O.-Australien
S. o. L. Koch 1876, Arachn. Austral. 1 (2) p. 746 T. 65 F. 4 (D o).

♀ **palliolata** Simon 1908. W.-Australien
S. p. Simon 1908, Faun. S. W. Austral. 1 (12) p. 432 (D ♀).

♀ **rufiventris** Bradley 1871. Neu-S.-Wales
S. r. Bradley 1871, Proc. Linn. Soc. N. S. Wales 2 p. 237 (D ♀).

♂♀ **scabra** L. Koch 1874. Neu-S.-Wales, Queensland
S. s. L. Koch 1874, Arachn. Austral. 1 (1) p. 505 T. 38 F. 5, 6 (D ♂♀).
S. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

♀ **thomisoides** Bradley 1871. Queensland
S. t. Bradley 1871, Proc. Linn. Soc. N. S. Wales 2 p. 237 (D ♀).

♀ **tuberculata** Bradley 1871. Neu-S.-Wales
S. t. Bradley 1871, Proc. Linn. Soc. N. S. Wales 2 p. 235 (D ♀).

♀ **vilosa** Rainbow 1911. Australien
S. hirsuta Rainbow 1894, Proc. Linn. Soc. N. S. Wales (2) 8 p. 292 T. 10 F. 4 (D ♀) (praeocc. L. Koch 1873).
S. v. Rainbow 1911, Rec. Austral. Mus. 9 (2) p. 226 (nom. nov.).

♀ **yulensis** Thorell 1881. Yule-I.
S. y. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 319 (D ♀).
S. y. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

Neotropische Arten:

§ 4 ♂, 9 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 170—171 (part.).
§ 11 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 52—53.

♀ **acanthogastra** Mello-Leitao 1929. Brasilien
S. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 53 TF. 135 (D ♀).

♂ **aheneus** Soares 1946. Brasilien
S. a. Soares 1945, Pap. Avuls. S. Paulo 7 (3) p. 57 f. 5—6 (D ♂).

♀ **antennata** Tullgren 1902. S.-Chile
S. a. Tullgren 1902, Bih. Svensk. Vet. Ak. Handl. 28 (4; 1) p. 52 T. 5 F. 4 (D ♀).

♀ **badia** Keyserling 1880. Columbien
S. b. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 181 T. 4 F. 99 (D ♀).

♀ **bellus** Soares 1946. Brasilien
S. b. Soares 1946, Pap. Avuls. S. Paulo 7 (3) p. 58 f. 7 (D ♀).

♀ **borgmeyeri** Mello-Leitao 1929. Brasilien
S. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 54 TF. 40 (D ♀).

♀ **championi** (F. Cambridge) 1900. Panama
Paratobias c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 162 T. 11 F. 2 (D ♀).
S. c. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1017 (N).

♂ **colatinae** Soares 1946. Brasilien
S. c. Soares 1946, Pap. Avuls. S. Paulo 7 (3) p. 60 f. 8—9 (D ♂).

♀ **ditissima** (Nicolet) 1849. Chile
Thomisus d. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 394 T. 3 F. 9 (D ♀).
S. d. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 175 T. 3 F. 96 (D ♀).
S. d. Simon 1887, Miss. Sci. Cap Horn (Zool.) 6 p. E 8 T. 2 F. 1 (D ♀).
S. d. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1050 (N).

♂♀ **exigua** (Nicolet) 1849. Chile
Thomisus e. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 401 (D ♂♀).
S. e. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1054 (N).

♀ **furcillata** Keyserling 1880. Brasilien
S. f. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 179 T. 4 F. 98 (D ♀).
S. f. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 53 (D ♀).

♂ **macrostyla** Mello-Leitao 1929. Brasilien
S. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 61 TF. 145 (D ♂).

♂♀ **nodosa** (Nicolet) 1849. Chile
Thomisus n. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 397 (D ♂♀).
S. n. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1054 (N).

♀ **parahybana** Mello-Leitao 1929. Brasilien
S. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 58 TF. 140 (D ♀).

♂♀ **pentacantha** Mello-Leitao 1929. Brasilien
S. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 59 (D ♂♀).

♂ **quimiliensis** Mello-Leitao 1942. Argentinien
S. q. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 408 f. 33—34 (D ♂).

♂ **quinquetuberculata** (Taczanowski) 1872. Guiana, Columbien, Brasilien
Thomisus q. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 100 (D ♂).
S. q. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 171 T. 3 F. 94 (D ♂).
Tobias q. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1053 (N).
S. q. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 62 (D ♂).

♂ **renipalpis** Mello-Leitao 1929. Pernambuco
S. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 60 TF. 143, 144 (D ♂).

♂♀ **salobrensis** Mello-Leitao 1929. Brasilien
S. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 57 TF. 137—139 (D ♂♀).

♀ **spissa** (Nicolet) 1849. Chile
Thomisus s. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 395 (D ♀).
S. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1054 (N).

♀ **stelloides** (Walckenaer) 1837. Brasilien, Virgin-I.
Thomisus s. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 514 (D ♀).
S. s. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 173 T. 3 F. 95 (D ♀).
Metatobias s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 161 T. 11 F. 1 (D ♀).
S. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 55 TF. 175—176 (D ♀).

♀ **trilobata** Mello-Leitao 1929. Brasilien
S. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 56 TF. 136 (D ♀).

♀ **verrucosa** (Nicolet) 1849. Chile
Thomisus v. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 398 (D ♀).
S. v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1054 (N).

Gen. **Synalus** Simon 1895.

♀ **angustus** (L. Koch) 1876. – * Neu-S.-Wales
Stephanopis a. L. Koch 1876, Arachn. Austral. 1 (2) p. 794 T. 69 F. 2 (D ♀).
S. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1055 (N).

♀ **terrosus** Simon 1895. Tasmanien
S. t. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 441 (D ♀).
S. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1056 (N).

Gen. **Tobias** Simon 1895.

§ 12 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 80—82.

♀ **albicans** Mello-Leitao 1929. Pernambuco
T. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 92 TF. 196 (D ♀).

♀ **camellinus** (Cambridge) 1869. – * Amazonas
Stephanopis c. Cambridge 1869, Ann. Mag. Nat. Hist. (4) 3 p. 64 T. 5 F. 44—49 (D ♀).
T. camelinus Simon 1895, Hist. Nat. Araign. 1 (4) p. 1053 (N).
T. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 82 (D ♀).

♀ **caudatus** Mello-Leitao 1929. Brasilien
T. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 88 TF. 187, 188 (D ♀).

♀ **cornutus** (Taczanowski) 1872. Guiana, Brasilien
Thomisus c. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 88 T. 4 F. 8 (D ♀).
Stephanopis c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 183 T. 4 F. 100 (F ♀).
T. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1053 (N).
Epicadinus c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 105 (D ♀).

♀ **corticatus** Mello-Leitao 1917. Brasilien
T. c. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 123 (D ♀).
T. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 88 TF. 42 (D ♀).

♀ **epicadoides** Mello-Leitao 1944. Brasilien
T. e. Mello-Leitao 1944, Bol. Mus. Nac. R. d. Jan. (N. S.) Zool. 25 p. 11 (D ♀).

♂ **gradiens** Mello-Leitao 1929. Brasilien
T. g. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 89 TF. 43 (D ♂).

♀ **inermis** Mello-Leitao 1929. Amazonas, Peru
T. i. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 84 TF. 177, 178 (D ♀).

♀ **monstrosus** Mello-Leitao 1929. Amazonas, Peru
T. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 87 TF. 185, 186 (D ♀).

♂♀ **paraguayensis** Mello-Leitao 1929. Mato Grosso
T. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 91 TF. 191—195 (D ♂♀).

♀ **pulcher** Mello-Leitao 1929. Amazonas
T. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 90 TF. 189, 190 (D ♀).

♀ **pustulosus** Mello-Leitao 1929. Amazonas
T. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 86 TF. 183, 184 (D ♀).

♂♀ **taczanowskii** Roewer 1951. Guiana, Brasilien, Bolivien, Peru, Panama, Haiti

Thomisus rugosus Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 95 (D ♂♀) (praeocc. Latreille 1804).
Stephanopis rugosus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 177 T. 4 F. 97 (D ♂♀).
T. rugosus Simon 1895, Hist. Nat. Araign. 1 (4) p. 1051 (N).
T. rugosus F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 161 T. 10 F. 37, 38 (D ♂♀).
T. rugosus Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 83 (D ♂♀).
T. t. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 448 (nom. nov.).

♂♀ **trituberculatus** (Taczanowski) 1872. Guiana, Peru, Brasilien

Thomisus t. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 92 T. 4 F. 7 (D ♂♀).
T. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1047 f. 1029 (N).
T. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 85 (D ♂♀).

4. Subfam. Philodrominae

1. Gr. Philodromeae

Gen. **Apollophanes** Cambridge 1899.

Neotropische Arten:

♀ **bryanti** Gertsch 1933. Paraguay

A. b. Gertsch 1933, Amer. Mus. Novit. 593 p. 14 TF. 22, 26 (D ♀).

o **distinctus** Cambridge 1899. – * Mexico

A. d. Cambridge 1899, Biol. Centr. Amer. Aran. 1 p. 290 T. 32 F. 2 (D o).

♀ **indistinctus** Gertsch 1933. Mexico

A. i. Gertsch 1933, Amer. Mus. Novit. 593 p. 16 TF. 28 (D ♀).

♂ **maculatipes** (Cambridge) 1893. Mexico

Philodromus m. Cambridge 1893, Biol. Centr. Amer. Aran. 1 p. 118 T. 15 F. 14 (D ♂).
Thanatus longipes Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 168 T. 21 F. 12 (D ♂).
A. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 132 T. 8 F. 21 (N ♂).

♀ **mexicanus** Gertsch 1933. Mexico

A. m. Gertsch 1933, Amer. Mus. Novit. 593 p. 16 TF. 31 (D ♀).

♂♀ **paraguensis** Gertsch 1933. Paraguay

A. p. Gertsch 1933, Amer. Mus. Novit. 593 p. 13 TF. 19, 23, 25, 27 (D ♂♀).

♀ **punctipes** (Cambridge) 1891. Centr.-Amerika, Mexico

Tibellus p. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 79 T. 9 F. 15 (D ♀).
Thanatus punctiger Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 88 T. 11 F. 12 (D ♀).
A. p. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 252 (N).
A. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 132 T. 9 F. 19, 20 (D ♂♀).

Nearktische Arten:

♀ **arizonensis** Gertsch 1933. Arizona

A. a. Gertsch 1933, Amer. Mus. Novit. 593 p. 15 TF. 29 (D ♀).

♀ **similalis** Gertsch 1933. Arizona

A. s. Gertsch 1933, Amer. Mus. Novit. 593 p. 15 TF. 30 (D ♀).

♂♀ **texanus** Banks 1904. Texas, Arizona, Utah

A. **t.** Banks 1904, Journ. N.York Ent. Soc. 12 p. 113 T. 5 F. 12; T. 6 F. 20 (D ♂♀).
Philodromus syntheticus Chamberlin 1925, Proc. Calif. Ac. Sci. (4) 14 p. 124 f. 35, 36 (D ♂).
Philodromus aganus Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 6 p. 182 (D ♂).
Philodromus crenifer Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 6 p. 181 (D ♂, nec ♀).

Gen. **Bacillocnemis** Mello-Leitao 1938.

♀ **anomalus** Mello-Leitao 1938. Argentinien

B. a. Mello-Leitao 1938, Rev. Mus. La Plata; Zool. 1 (4) p. 105 f. 21, 22 (D ♀).

Gen. **Berlandiella** Mello-Leitao 1929.

§ 3 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 123.

♂♀ **insignis** Mello-Leitao 1929. – * Brasilien

B. i. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 123 TF. 124, 125 (D ♂♀).

♂♀ **magna** Mello-Leitao 1929. Pernambuco

B. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 124 TF. 126, 127 (D ♂♀).

♂♀ **polyacantha** Mello-Leitao 1929. Brasilien

B. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 125 TF. 128, 129 (D ♂♀).

Gen. **Catuna** Mello-Leitao 1940.

♂ **ctenops** Mello-Leitao 1940. Argentinien

C. c. Mello-Leitao 1940, Notas Mus. La Plata 5 (43) p. 253 (D ♂).
C. c. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. 20 p. 118 f. 20 (C ♂).

Gen. **Cleocnemis** Simon 1886.

§ 7 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 114.

♂ o **heteropoda** Simon 1886. – * Brasilien

C. h. Simon 1886, Act. Soc. Linn. Bord. 40 p. 186 (D o).
C. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1064 (N).
C. h. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 115 (D ♂).

♀ **lanceolatus** Mello-Leitao 1929. Mato Grosso

C. l. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 118 TF. 123 (D ♀).

♂♀ **meridionalis** (Keyserling) 1891. S.-Brasilien

Philodromus m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 251 T. 10 F. 190 (D ♂).
C. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 114 (D ♀).

♀ **moschatus** Mello-Leitao 1943. Rio Grande do Sul
C. m. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 202 TF. 31 (D ♀).

♀ **mutilatus** (Mello-Leitao) 1917. Brasilien
Gephyrina m. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 124 f. 11 (D ♀).
C. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 120 TF. 37 (D ♀).

♂ **niger** Mello-Leitao 1943. Brasilien
C. n. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 169 (D ♂).

♀ **roseus** Mello-Leitao 1944. Buenos Aires
C. r. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. 24 p. 362 (D ♀).

♂ **rudolphi** Mello-Leitao 1943. Brasilien
C. r. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 168 (D ♂).

♀ **serranus** Mello-Leitao 1929. Brasilien
C. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 119 TF. 36 (D ♀).

♂ **spinosus** Mello-Leitao 1947. Brasilien
C. s. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 273 T. 41 F. 28 (D ♂).

♂♀ **taquarae** (Keyserling) 1891. S.-Brasilien, Peru
Thanatus t. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 252 T. 5 F. 112 (D ♂♀).
Thanatus t. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 236 (D ♀).
C. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 117 (D ♂♀).

♀ **xenotypus** Mello-Leitao 1929. Brasilien
C. x. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 116 TF. 35 (D ♀).

Gen. **Ebo** Keyserling 1884.

♂ **carmineus** Mello-Leitao 1944. Buenos Aires
E. c. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. 24 p. 362 f. 55 (D ♂).

♂♀ **cockerelli** Bryant 1933. Neu-Mexico, Colorado
E. c. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 187 T. 2 F. 15, 18; T. 3 F. 27, 36 (D ♂♀).

♀ **fuscus** Mello-Leitao 1943. Argentinien
E. f. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. 20 p. 118 f. 21 (D ♀).

♂♀ **latithorax** Keyserling 1884. – * U. St. Amerika
E. l. Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 678 T. 21 F. 26 (D ♀).
E. l. Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 377 T. 32 F. 4 (D ♂♀).
E. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1063 (N).
E. l. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 130 T. 9 F. 17 (N ♀).
E. l. Emerton 1902, Common Spid. p. 37 f. 111 (D ♀).
E. l. Comstock 1912, Spider Book p. 547 f. 618 (N).
E. l. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 217 f. (N).
E. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 430 T. 84 F. 1564—68 (D ♂♀).

♀ **meridionalis** Mello-Leitao 1942. Argentinien
E. m. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 405 f. 29—30 (D ♀).

♂♀ **oblongus** Simon 1895. Georgia
E. o. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 442 (D O o).
E. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1063 (N).
E. o. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 179 T. 11 F. 4 (N ♂♀).
E. o. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 p. 188 T. 3 F. 23 (D ♂♀).

♂♀ **pepinensis** Gertsch 1933. Minnesota
E. p. Gertsch 1933, Amer. Mus. Novit. 637 p. 1 (D ♂♀).

Gen. **Fageia** Mello-Leitao 1929.

♀ **amabilis** Mello-Leitao 1929. – * Brasilien
F. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 113 (D ♀).

♀ **clara** Mello-Leitao 1937. S.-Brasilien
F. c. Mello-Leitao 1937, Ann. Ac. Bras. Sci. 11 (1) p. 11 f. 13 (D ♀).

♀ **concolor** Mello-Leitao 1947. Minas Geraes
F. c. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan., Zool. 80 p. 15 (D ♀).

♀ **meridionalis** Mello-Leitao 1943. Rio Grande do Sul
F. m. Mello-Leitao 1943, Arqu. Mus. Nac., R. d. Jan. 37 p. 204 TF. 33 (D ♀).

Gen. **Gephyrellula** Strand 1932.

♂ **paulistana** Soares 1943. San Paulo
G. p. Soares 1943, Pap. Avuls. S. Paulo 3 (1) p. 10 f. (D ♂).

♀ **violacea** (Mello-Leitao) 1918. – * Brasilien
Gephyrella v. Mello-Leitao 1918, Rev. Soc. Bras. Sci. 2 p. 122 (D ♀).
Gephyrella v. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 108 (D ♀).
G. v. Strand 1932, Folia Zool. Hydrobiol. 4 (1) p. 137 (nom. nov.).

Gen. **Cephyrina** Simon 1895.

§ 3 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 109.

o **alba** Simon 1895. – * Venezuela
G. a. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 442 (D o).
G. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1063 (N).

♂ **albimarginata** Mello-Leitao 1929. Brasilien
G. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 109 TF. 196 (D ♂).

♀ **imbecilla** Mello-Leitao 1917. Brasilien
G. i. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 124 (D ♀).
G. i. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 109 TF. 32 (D ♀).

o **insularis** Simon 1897. St. Vincent
G. i. Simon 1897, Proc. Zool. Soc. Lond. p. 876 (D o).

♀ **nigropunctata** Mello-Leitao 1929. Brasilien, Bolivien
G. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 110 (D ♀).

♀ **punctata** Bryant 1948. San Domingo
G. p. Bryant 1948, Bull. Mus. Comp. Zool. Harvard 100 (4) p. 419 T. 10 F. 96—97 (D ♀).

Gen. **Gephyrota** Strand 1932.

Orientalische Arten:

o **candida** (Simon) 1895. Tonking, Cambodja
Gephyra c. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 442 (D o).
Gephyra c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1062 (N).

o **nigrolineata** (Simon) 1909. Tonking
Gephyra n. Simon 1909, Bull. Sci. France Belg. 42 p. 146 (D o).

♀ **pudica** (Simon) 1906. Indien
Gephyra p. Simon 1906, Ann. Soc. Ent. France 75 p. 311 (D ♀).

♂ **virescens** (Simon) 1906. Ceylon
Gephyra v. Simon 1906, Ann. Soc. Ent. France 75 p. 311 (D ♂).

Australische Arten:

♀ **limbata** (L. Koch) 1875. – * Queensland
Gephyra l. L. Koch 1875, Arachn. Austral. 1 (1) p. 614 T. 48 F. 5 (D ♀).
G. l. Strand 1932, Folia Zool. Hydrobiol. 4 (1) p. 137 (nom. nov. gen.).

Gen. **Hirriusa** Strand 1932.

♂♀ **arenacea** (Lawrence) 1927. SW.-Afrika
Hirrius a. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 38 T. 1 F. 27, 28; T. 3 F. 66 (D ♂♀).
Hirrius a. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 125 f. 45 (D ♀).

♂♀ **bidentata** (Lawrence) 1927. SW.-Afrika
Hirrius b. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 38 T. 1 F. 26; T. 3 F. 65 (D ♂♀).

♀ **variegata** (Simon) 1895. – * Transvaal
Hirrius v. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 442 (D ♀).
Hirrius v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1064 (N).
H. v. Strand 1932, Folia Zool. Hydrobiol. 4 (1) p. 138 (nom. nov. gen.).

Gen. **Horodromoides** Gertsch 1933.

♂ **validus** Gertsch 1933. Arizona
H. v. Gertsch 1933, Amer. Mus. Novit. 636 p. 10 TF. 3 (D ♂).

Gen. **Horodromus** Chamberlin 1924.

♀ **absolutus** Chamberlin 1924. Arizona
H. a. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 654 f. 94 (D ♀).

Gen. **Metacleocnemis** Mello-Leitao 1929.

♀ **borgmeyeri** Mello-Leitao 1929. Brasilien
M. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 121 TF. 38 (D ♀).

Gen. **Paracleocnemis** Schiapelli & Gerschman 1942.

♂ **apostoli** Mello-Leitao 1945. Argentinien
P. a. Mello-Leitao 1945, Rev. Mus. La Plata (N. S.) 4, Zool. 29 p. 269 f. 56 (D ♂).

♀ **termalis** Schiapelli & Gerschman 1942. – * Argentinien
P. t. Schiapelli & Gerschman 1942, An. Mus. Argent. B. Aires 40 p. 325 f. 12—14 (D ♀).

Gen. **Paratibellus** Simon 1932.

♂♀ **oblongiusculus** (Lucas) 1846. Mittelmeer-Gebiet, Madeira, Transkaukasien, Kleinasien
Philodromus o. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 200 T. 11 F. 8 (D ♀).
Thanatus o. Simon 1874, Ann. Soc. Ent. France (5) 4 Bull p. 155 (N).
Tibellus o. Simon 1875, Arachn. de France 2 p. 312 (D ♂♀).
Thanatus o. Kulczynski 1911, Rozpraw. Ac. Umiej. Krakow. (2) 16 p. 412 T. 9 F. 107 (N ♀).
P. o. Simon 1932, Arachn. de France 6 (4) p. 864, 887 f. 1325, 1326 (D ♂♀).

♂♀ **oblongiusculus atomarius** Simon 1932. Frankreich
P. o. a. Simon 1932, Arachn. de France 6 (4) p. 865, 887 (D ♂♀).

Gen. **Petrichus** Simon 1886.

(= **Petricus** auct. sequ.)

♂♀ **athleticus** Mello-Leitao 1944. Buenos Aires
P. a. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 3, Zool. 24 p. 369 f. 60—61 (D ♂♀).

o **cinereus** Tullgren 1901. Patagonien
P. c. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 225 (D o).

♀ **corticinus** Mello-Leitao 1944. Buenos Aires
P. c. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.) 2, Zool. 24 p. 370 f. 62 (D ♀).

♂♀ **funebris** (Nicolet) 1849. Chile
Philodromus f. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 410 T. 3 F. 12 (D ♂♀).
P. f. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1061 (N).

♀ **griseus** Berland 1913. Ecuador
P. g. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 96 (D ♀).

O♀ **lancearius** Simon 1908. Patagonien
P. l. Simon 1908, Boll. Mus. Torino 20 (511) p. 11 (D O ♀).

♀ **luteus** (Nicolet) 1849. Chile
Philodromus l. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 412 (D ♀).
P. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1061 (N).

♂♀ **marmoratus** Simon 1886. – * Patagonien
P. m. Simon 1886, Bull. Soc. Zool. France 11 p. 565 (D o).
P. m. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1064 (N).
P. m. Simon 1905, Boll. Mus. Torino 20 (511) p. 11 (N ♂♀).

♂♀ **niveus** (Simon) 1895. Patagonien, Feuerland
Philodromus n. Simon 1895, Ann. Mus. Buenos Aires 4 p. 171 (D ♀).
P. n. Simon 1896, Ann. Mus. Buenos Aires 5 p. 144 (N).
P. n. Simon 1902, Erg. Hambg. Magalh. Sammelreis. 2 Arachn. p. 28 (D ♂).

♂ **ornatus** Schiapelli & Gerschman 1942. Argentinien
P. o. Schiapelli & Gerschman 1942, An. Mus. Argent. B. Aires 40 p. 323 f. 10—11; T. 2 F. 1—2 (D ♂).

♀ **signatus** Hogg 1913. Falkland-I.
P. s. Hogg 1913, Proc. Zool. Soc. Lond. p. 46 T. 1 F. 1 (D ♀).

♀ **sordidus** Tullgren 1901. Feuerland
P. s. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 224 T. 16 F. 8 (D ♀).

♀ **tobioides** Mello-Leitao 1941. Nord-Argentinien
P. t. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 162 T. 9 F. 40 (D ♀).

♂♀ **tullgreni** Simon 1902. Patagonien
P. niveus Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 223 T. 17 F. 7 (D ♂♀).
P. t. Simon 1902, Erg. Hambg. Magelh. Sammelreis. 2 Arachn. p. 29 (N).

♂♀ **zonatus** Tullgren 1901. Patagonien
P. z. Tullgren 1901, Svensk. Exped. Magellan. 2 (10) p. 227 T. 2 F. 9 (D ♂♀)

Gen. **Philodromoides** Scheffer 1904.

♂♀ **pratariae** Scheffer 1904. Kansas
P. p. Scheffer 1904, Canad. Ent. 36 (10) p. 306 f. 8 (D ♂♀).
P. p. Simon 1932, Arachn. de France p. 840 (N).

Gen. **Philodromops** Mello-Leitao 1943.

♀ **coccineus** Mello-Leitao 1943. Brasilien
P. c. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 170 (D ♀).

Gen. **Philodromus** Walckenaer 1825.

Palaearktische Arten:
§ 20 ♂, 22 ♀: Simon 1875, Arachn. de France 2 p. 268—270.
§ 9 ♂, 10 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 102—106.
§ 12 ♂, 17 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 26—29 TF. 279—312.
§ 18 ♂, 18 ♀: Simon 1932, Arachn. de France 6 (4) p. 840—856.
§ 10 (♂, ♀): Tullgren 1944, Svensk Spindelfauna 3 p. 103—104.

♀ **albidus** Kulczynski 1911. Portugal
P. a. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 65 (D ♀).

♀ **albomaculatus** (Bösenberg) 1899. W.-Deutschland, Russland, Schweiz, Balkanländer
Artanes a. Bösenberg 1899, Verh. Nat. Ver. Rheinl. Westf. 56 p. 120 T. 1 F. 9 (D ♀).
Artanes a. Bösenberg 1902, Zoologica 14 (2—4) p. 328 T. 31 F. 486 (D ♀).
P. emarginatus Lessert 1904, Rev. Suisse Zool. 12 (2) p. 380 (N).
P. a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 385 (D ♀).

♀ **albopictus** Simon 1875. Frankreich
P. a. Simon 1875, Ann. Soc. Ent. France (5) 5 Bull. p. 149 (D ♀).

♂ **armoricus** Denis 1938. Bretagne
P. a. Denis 1938, Bull. Soc. Sci. Bretagne 15 (1—2) p. 71 TF. 2, 3 (D ♂).

♂o **auricomus** L. Koch 1878. Japan

P. au. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 763 (D o).
P. au. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 269 T. 10 F. 171 (D ♂).

♀ **beskidus** (Fickert) 1876. Schlesien

Artanes b. Fickert 1876, Zeitschr. Ent. Breslau (5) p. 74 (D ♀).

♀ **blandus** L. Koch 1879. Sibirien

P. b. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 95 (D ♀).

♀ **bösenbergi** Mello-Leitao 1929. Nassau

P. albicans Bösenberg 1902, Zoologica 14 (2—4) p. 330 T. 31 F. 488 (D ♀).
P. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 267 (nom. nov.).

♂♀ **bungei** Kulczynski 1908. Sibirien

P. b. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 62 T. 2 F. 68, 75, 76 (D ♂♀).

♂♀ **buxi** Simon 1884. S.-Frankreich, Spanien

P. b. Simon 1884, Ann. Soc. Espan. Hist. Nat. 13 p. 115 (D ♀).
P. b. Simon 1932, Arachn. de France 6 (4) p. 853, 884 f. 1297, 1298 (D ♂♀).

♂♀ **calidus** Lucas 1846. Algier, Tripolis

P. c. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 195 T. 11 F. 3 (D ♂♀).
Artama callida Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 416 (C).

♀ **catagraphus** Simon 1870. Asturien

P. c. Simon 1870, Mém. Soc. Sci. Liege (2) 3 p. 334 (66) T. 3 F. 18 (D ♀).
P. c. Simon 1875, Arachn. de France 2 p. 283 (D ♀).

♂♀ **cinerascens** Cambridge 1885. Karakorum, Kansu

P. c. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 74 (D ♂♀).
P. c. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 147 (N).

♀ **cinereus** Cambridge 1876. Aegypten

P. c. Cambridge 1876, Proc. Zool. Soc. Lond. p. 594 (D ♀).

♂♀ **collinus** C. L. Koch 1835. Europa, Transkaukasien

P. c. C. L. Koch 1835, in: Herrich-Schäffer, Deutschl. Ins. 130 T. 15, 16 (D).
P. variatus Blackwall 1837, Lond. Edinbg. Phil. Mag. (3) 10 p. 102 (D ♀).
P. variatus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 97 (D ♀).
P. cespiticolis Westring 1862, Aran. Svec. p. 459 (D ♂).
P. auronitens Ausserer 1867, Verh. Zool. Bot. Ges. Wien 17 p. 165 T. 7 F. 6 (D ♀).
P. praedatus Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 409 T. 54 F. 11 (D ♂).
P. praedatus Simon 1875, Arachn. de France 2 p. 299 (D ♂♀).
P. c. L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 324 (D ♂♀).
P. praedatus Cambridge 1881, Proc. Dorset F. Cl. 2 p. 332 (D ♂).
P. auronitens Hansen 1885, in: Schiödte, Zool. Danica p. 145 (D ♂♀).
P. c. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 108 T. 4 F. 18 (D ♂♀).
P. c. Bösenberg 1902, Zoologica 14 (2—4) p. 333 T. 31 F. 493 (D ♂♀).
P. c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 387 (D ♂♀).
P. c. Simon 1932, Arachn. de France 6 (4) p. 853, 883 f. 1295, 1296 (D ♂♀).
P. c. Tullgren 1944, Svensk Spindelfauna 3 p. 114 f. 43 A; T. 16 F. 218—219 (D ♂♀).
P. c. Hull 1950, Ann. Mag. Nat. Hist. (12) 3 p. 426 T. 3 F. 13 (N ♀).

♂♀ **corticinus** (C. L. Koch) 1837. Frankreich, Schweiz, Deutschland

Artamus c. C. L. Koch 1837, Übers. Arachn. Syst. 1 p. 27 (D).
Artamus c. C. L. Koch 1838, Die Arachniden 4 p. 85 TF. 306 (D ♀).
Artamus c. Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 626 (D ♂♀).
Artamus c. Ohlert 1867, Aran. Prov. Preussen p. 120 (D ♂♀).
P. laricium Simon 1875, Arachn. de France 2 p. 273 (D ♀).
P. laricium Lessert 1910, Catal. Invert. Suisse; Araign. p. 383 (D ♀).
P. c. Schenkel 1927, Rev. Suisse Zool. 34 (14) p. 253 f. 14 (N ♂).
P. c. Simon 1932, Arachn. de France 6 (4) p. 844, 882 f. 1275 (D ♂♀).

♂♀ **cufrae** Caporiacco 1936. Kufra-Oase

P. c. Caporiacco 1936, Mem. Soc. Ent. Ital. 15 p. 104 f. 2 (D ♂♀).

♀ **dilutus** Thorell 1875. Russland, Kaukasien

P. d. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 96 (D ♀).
P. d. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 123 (D ♀).

♂♀ **dispar** Walckenaer 1825. Europa, Transkaukasien

P. d. Walckenaer 1825, Aran. de France p. 89 (D).
P. limbatus Sundevall 1832, Vet. Ak. Handl. p. 224 (D ♂).
Thomisus limbatus Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 26 F. a (D ♀).
P. d. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 553 (D ♂♀).
P. limbatus C. L. Koch 1845, Die Arachniden 12 p. 85 TF. 1017, 1018 (D ♂♀).
P. d. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 91 T. 5 F. 55 (D ♂♀).
P. limbatus Westring 1862, Aran. Svec. p. 450 (D ♂).
P. limbatus Ohlert 1867, Aran. Prov. Preussen p. 121 (D ♂♀).
P. d. Menge 1875, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 405 T. 68 F. 229 (D ♂♀).
P. d. Simon 1875, Arachn. de France 2 p. 301 (D ♂♀).
P. d. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 328 (D ♂♀).
P. d. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 233 T. 26 F. 1 (D ♂♀).
P. d. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 71 (D ♂♀).
P. d. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 106 (D ♂♀).
P. d. Bösenberg 1902, Zoologica 14 (2—4) p. 335 T. 31 F. 497 (D ♂♀).
P. d. Lessert 1910, Catal. Invert. Suisse; Araign. p. 380 (D ♂♀).
P. d. Simon 1932, Arachn. de France 6 (4) p. 843, 881 f. 1271, 1272, (D ♂♀).
P. d. Tullgren 1944, Svensk Spindelfauna 3 p. 104 f. 38; T. 14 F. 197—199 (D ♂♀).
P. d. Locket & Millidge 1951, Brit. Spiders I p. 194 f. 98 A, 100 A (D ♂♀).

♂♀ **dispar obscurus** Lebert 1877. Schweiz

P. d. o. Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 27 p. 271 (D ♂♀).

♀ **dubius** Caporiacco 1933. Kufra-Oase

P. d. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 331 f. 11 (D ♀).

♂♀ **elegans** Blackwall 1859. England, Deutschland

P. e. Blackwall 1859, Ann. Mag. Nat. Hist. (3) 3 p. 92 (D ♀).
P. e. Blackwall 1861, Spid. Gr. Brit. Ireland 1 p. 94 T. 5 F. 57 (D ♀).
P. e. Menge 1875, Schrift Nat. Ges. Danzig (N. F.) 3 p. 409 T. 69 F. 230 (D ♀♂).
P. e. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 334 (D ♀).
P. e. Bösenberg 1902, Zoologica 14 (2—4) p. 335 T. 31 F. 496 (D ♂♀).
P. e. Hull. 1950, Ann. Mag. Nat. Hist. (12) 3 p. 426 T. 3 F. 12 (N ♀).

♂♀ **emarginatus** (Schrank) 1803. Europa, Turkestan, Sibirien

Aranea e. Schrank 1803, Faun. Boic. 3 p. 230 (D).
P. pallidus Walckenaer 1825, Aran. de France p. 90 (D).
Thomisus griseus Hahn 1826, Monogr. d. Spinn. 4 p. 2 T. 14 F. A (D ♀).
Thomisus griseus Hahn 1831, Die Arachniden 1 p. 121 TF. 91 (D ♂♀).

Artamus griseus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 27 (N).
Thomisus marginatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 512 (D).
P. pallidus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 554 (D ♂).
Artamus griseus C. L. Koch 1845, Die Arachniden 12 p. 81 TF. 1013, 1014 (D ♂♀).
P. griseus Westring 1862, Aran. Svec. p. 462 (D ♂♀).
Artama pallida Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 416 (C).
Artamus griseus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 625 (D ♂).
Artamus griseus Ohlert 1867, Aran. Prov. Preussen p. 120 (D ♂♀).
P. e. Simon 1875, Arachn. de France 2 p. 277 (D ♂♀).
P. lineatipes Cambridge 1878, Ann. Mag. Nat. Hist. (5) 1 p. 122 T. 11 F. 5 (D ♀).
P. e. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 333 (D ♂♀).
P. lineatipes Cambridge 1881, Proc. Dorset F. Cl. 2 p. 338 (D ♂♀).
P. e. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 225 T. 24 F. 2 (D ♂♀).
P. pallidus Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 71 (D ♂♀).
P. e. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 107 T. 4 F. 15 (D ♂♀).
Artanes e. Bösenberg 1902, Zoologica 14 (2—4) p. 325 T. 31 F. 481 (D ♂♀).
Artanes pallidus Bösenberg 1902, Zoologica 14 (2—4) p. 325 T. 31 F. 482 (D ♂♀).
P. e. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 64 T. 2 F. 85, 86 (N ♂).
P. e. Bogoiavlensky 1928, Bull. Stat. Biol. Bolchevo 2 p. 36 TF. 5 (N ♀).
P. e. Simon 1932, Arachn. de France 6 (4) p. 847, 882 f. 1282—1284 (D ♂♀).
P. e. Tullgren 1944, Svensk Spindelfauna 3 p. 110 f. 41 B; T. 15 F. 209—211 (D ♂♀).
P. e. Locket & Millidge 1951, Brit. Spiders I p. 199 f. 98B, 100 g (D ♂♀).

♂ **emarginatus lusitanicus** Kulczynski 1911. Portugal

P. e. l. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 64 T. 2 F. 83, 84 (D ♂).

♂♀ **erythrops** Caporiacco 1933. Kufra-Oase

P. e. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 328 f. 8 (D ♂♀).

♂♀ **fallax** Sundevall 1832. Europa, Turkestan

P. f. Sundevall 1832, Vet. Ak. Handl. p. 226 (D ♀).
P. f. Westring 1862, Aran. Svec. p. 461 (D ♀).
P. delectus Cambridge 1863, Zoologist 21 p. 8564 (D o).
P. arenarius Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 413 T. 69 F. 233 (D ♂♀).
P. f. Simon 1875, Arachn. de France 2 p. 280 (D ♂♀).
P. f. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 335 (D ♀).
P. f. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 226 T. 24 F. 3 (D ♂♀).
P. f. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 71 (D ♂♀).
P. f. Bösenberg 1902, Zoologica 14 (2—4) p. 336 T. 32 F. 498 (D ♀).
P. f. Simon 1932, Arachn. de France 6 (4) p. 847, 883 f. 1285, 1286 (D ♂♀).
P. f. Tullgren 1944, Svensk Spindelfauna 3 p. 112 f. 42a; T. 15 F. 202—213; T. 16 F. 214 (D ♂♀).
P. f. Locket & Millidge 1951, Brit. Spiders I p. 197 f. 99C, 100H (D ♂♀).

♀ **flavidus** Saito 1934. Japan

P. f. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 283 T. 12 F. 9; T. 14 F. 43 (D ♀).

♂♀ **fuscomarginatus** (De Geer) 1778. Europa, Sibirien, Karakorum

Aranea f. De Geer 1778, Mém. p. s. Hist. Nat. Ins. 7 p. 301 T. 18 F. 23, 24 (D).
P. f. Sundevall 1832, Vet. Ak. Handl. p. 224 (D ♂♀).
P. f. Westring 1862, Aran. Svec. p. 447 (D ♀).
P. cinereus Westring 1862, Aran. Svec. p. 448 (D ♀).

P. limbatus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 629 (N ♂♀).
Artanes f. Thorell 1872, Rem. Syn. Europ. Spid. p. 259 (N).
Artanes f. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 415 T. 70 F. 235 (D ♂♀).
P. f. Simon 1875, Arachn. de France 2 p. 279 (D ♂♀).
P. auronitens Simon 1875, Arachn. de France 2 p. 303 (D ♂♀).
P. auronitens Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 235 T. 26 **F.** 2 (D ♂♀).
P. f. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 71 (D ♂♀).
P. f. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 102, 105 (D ♂♀).
Artanes f. Bösenberg 1902, Zoologica 14 (2—4) p. 326 T. 31 F. 483 (D ♂♀).
P. f. Bogoiavlensky 1928, Bull. Stat. Biol. Bolchevo 2 p. 37 TF. 6 (N ♀).
P. f. Simon 1932, Arachn. de France 6 (4) p. 843, 882 f. 1273, 1274 (D ♂♀).

♀ **generalii** Canestrini 1868. Modena

P. g. Canestrini 1868, Annuar. Soc. Nat. Modena 3 p. 205 (D ♀).
P. g. Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 871 (D ♀).

♂♀ **glaucinus** Simon 1870. Mittelmeer-Gebiet

P. g. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 339 (71) (D ♂♀).
P. medius Cambridge 1872, Proc. Zool. Soc. Lond. p. 311 (D ♂).
P. g. Simon 1875, Arachn. de France 2 p. 289 (D ♂♀).
P. g. Simon 1932, Arachn. de France 6 (4) p. 856, 885 f. 1304, 1305 (D ♂♀).

♀ **glaucinus cinereoalbus** (Strand) 1913. Palästina

P. medius cinereoalbus Strand 1913, Arch. Naturg. 79 (A; 10) p. 156 (D ♀).

♀ **grazianii** Caporiacco 1933. Cyrenaica

P. g. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 329 f. 9 (D ♀).

♀ **hadzii** Silhavy 1944. Macedonien

P. h. Silhavy 1944, Sbornik Kl. Prir. Brno 25 p. 99 f. (D ♀).

♂♀ **histrio** (Latreille) 1819. Palaearctis

Thomisus h. Latreille 1819, Nouv. Dict. Hist. Nat. 34 p. 36 (D).
P. decorus Westring 1862, Aran. Svec. p. 459 (D ♀).
P. h. Simon 1875, Arachn. de France 2 p. 284 (D ♂♀).
P. h. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 228 T. 24 F. 4 (D ♂♀).
P. h. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 107 T. 4 F. 13 (D ♂♀).
P. h. Simon 1932, Arachn. de France 6 (4) p. 848, 883 f. 1287, 1288 (D ♂♀).
P. h. Tullgren 1944, Svensk Spindelfauna 3 p. 113 f. 42b; T. 16 F. 215—217 (D ♂♀).
P. h. Hull 1950, Ann. Mag. Nat. Hist. (12) 3 p. 426 T. 3 F. 15 (N ♀).
P. h. Locket & Millidge 1951, Brit. Spiders I p. 197 f. 99A, 100B (D ♂♀).

♀ **humilis** Kroneberg 1875. Turkestan

P. h. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 31 T. 3 F. 20 (D ♀).

♀ **insulanus** Kulczynski 1905. Madeira

P. i. Kulczynski 1905, Bull. Ac. Sci. Cracov. p. 450 T. 12 F. 14, 17, 22 (D ♀).

O **jaffanus** Strand 1913. Palästina

P. j. Strand 1913, Arch. Naturg. 79 (A; 10) p. 157 (D O).

♀ **juvencus** Kulczynski 1895. Armenien

P. j. Kulczynski 1895, Term. Füzet. 18 p. 23 T. 1 F. 14 (D ♀).

♂♀ **margaritatus** (Clerck) 1757. Europa, Sibirien, Japan

Araneus m. Clerck 1757, Aran. Suec. p. 130 T. 6 F. 3 (D ♀).
Aranea laevipes Linné 1758, Syst. Nat. (10. Ed.) p. 624 (D).
Aranea wilkii Scopoli 1763, Ent. Carniol. p. 400 (D).
Aranea ornata Sulzer 1776, Abg. Gesch. Schweiz. u. Ausl. Insp. p. 254 T. 30 F. 5 (D).
Aranea laevipes Fabricius 1781, Spec. Ins. 1 p. 539 (D).
Aranea laevipes Olivier 1789, Encycl. Méthod. 4 p. 224 (D).
Aranea levipes Petagna 1792, Instit. Ent. p. 434 (D).
Aranea **jejuna** Panzer 1801, Faun. Ins. Germ. 83 p. 21 (D).
P. jejunus Walckenaer 1825, Aran. de France p. 97 (D).
Thomisus laevipes Hahn 1826, Monogr. d. Spinn. 4 p. 2 T. 14 F. B (D ♀).
Artamus laevipes C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 27 (N).
P. jejunus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 551 (D ♀).
Artamus jejunus C. L. Koch 1845, Die Arachniden 12 p. 83 TF. 1015, 1016 (D ♂♀).
Artamus laevipes C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 40 (N).
Artamus m. Thorell 1856, Rec. Crit. Aran. p. 73 (N).
P. pallidus Blackwall 1857, Ann. Mag. Nat. Hist. (2) 20 p. 499 (D ♂♀).
P. pallidus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 93 T. 5 F. 56 (D ♂♀).
P. m. Westring 1862, Aran. Svec. p. 454 (D ♂♀).
Artamus laevipes Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 624 T. 11 F. 13—15 (D ♂♀).
P. ambiguus Blackwall 1867, Ann. Mag. Nat. Hist. (3) 20 p. 208 (nom. nov.).
Artamus jejunus Ohlert 1867, Aran. Prov. Preussen p. 119 (D ♂♀).
Artamus laevipes Ohlert 1867, Aran. Prov. Preussen p. 120 (D ♂♀).
Artanes m. Thorell 1872, Rem. Syn. Europ. Spid. p. 262 (N).
P. elegans Canestrini 1874, Atti Soc. Padova 3 (2) p. 214 (11) T. 9 F. 3 (N ♂).
Artanes m. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 417 T. 70 F. 236 (D ♂♀).
P. m. Simon 1875, Arachn. de France 2 p. 271 (D ♂♀).
P. m. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 326 (D ♂♀).
P. m. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 221 T. 23 F. 3 (D ♂♀).
P. m. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 71 (D ♂♀).
Artanes m. Hansen 1885, in: Schiödte, Zool. Danica p. 144 T. 4 F. 10 (D ♂♀).
P. m. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 106 T. 4 F. 14 (D ♂♀).
P. m. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1057 f. 1097 (N).
Artanes m. Bösenberg 1902, Zoologica 14 (2—4) p. 327 T. 31 F. 485 (D ♂♀).
P. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 381 (D ♂♀).
P. m. Reimoser 1930, Die Natur (Wien) 6 (3) p. 54 f. 8 (N ♂♀).
P. m. Simon 1932, Arachn. de France 6 (4) p. 846, 882 f. 1280, 1281 (D ♂♀).
P. laevipes Tullgren 1944, Svensk Spindelfauna 3 p. 108 f. 40A, 41A; T. 15 f. 206—208 (D ♂♀).
P. m. Locket & Millidge 1951, Brit. Spiders I p. 200 f. 99D, 100F (D ♂♀).

♂♀ **margaritatus tigrinus** (De Geer) 1778. Europa, Japan

Aranea tigrina De Geer 1778, Mém. p. s. Hist. Nat. Ins. 7 p. 302 T. 18 F. 25 (D).
P. tigrinus Sundevall 1832, Vet. Ak. Handl. p. 225 (D ♂♀).
P. tigrinus Westring 1862, Aran. Svec. p. 452 (D ♂♀).
Artama tigrina Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 415 (C).
P. laevipes t. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 269 T. 13 F. 316 (D ♂).
P. m. tigrinus Lessert 1910, Catal. Invert. Suisse; Araign. p. 382 (N).
P. laevipes t. Tullgren 1944, Svensk Spindelfauna 3 p. 109 f. 40B (N).

♀ **lanchowensis** Schenkel 1936. N.-Kansu

P. l. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 280 f. 94 (D ♀).

o **lugens** (Cambridge) 1876. Aegypten
Artanes l. Cambridge 1876, Proc. Zool. Soc. Lond. p. 591 (D o).
P. l. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 185 (C).

♂ **micans** Bösenberg 1902. Schlesien, Rheinland
P. m. Bösenberg 1902, Zoologica 14 (2—4) p. 332 T. 31 F. 491 (D ♂).

♂♀ **mistus** Blackwall 1837. England
P. m. Blackwall 1837, Lond. Edinbg. Phil. Mag. (3) 10 p. 103 (D ♂♀).
P. m. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 98 (D ♂♀).

♀ **molarius** L. Koch 1879. Turkestan
P. m. L. Koch 1879, Verh. Zool. Bot. Ges. Wien 28 p. 483 f. 1 (D ♀).

♂ **mongolicus** Schenkel 1936. Mongolei
P. m. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 278 f. 93 (D ♂).

♂♀ **multispina** Caporiacco 1933. Kufra-Oase
P. m. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 330 f. 10 (D ♂♀).

♀ **nigrostriatipes** Bösenberg & Strand 1906. Japan
P. n. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 270 T. 7 F. 91; T. 10 F. 174 (D ♀).

♂ **obsoletus** Peelle & Saito 1933. Kurilen
P. o. Peelle & Saito 1933, Journ. Sci. Hokkaido Zool. (6) 2 (2) p. 114 f. 4 (D ♂).

♂ **omer-cooperi** Denis 1947. Oase Siwah
P. o. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 56 T. 3 F. 4 (D ♂).

♂♀ **parietalis** Simon 1875. O.-Pyrenäen, Spanien
P. p. Simon 1875, Arachn. de France 2 p. 276 (D ♀).
P. p. Simon 1932, Arachn. de France 6 (4) p. 845, 882 f. 1278, 1279 (D ♂♀).

♀ **pelagonus** Silhavy 1944. Macedonien
P. p. Silhavy 1944, Sbornik Kl. Prir. Brno 25 p. 95 f. (D ♀).

♂♀ **pictus** Kroneberg 1875. Turkestan
P. p. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 30 T. 3 F. 21 (D ♂♀).

♂♀ **poecilus** (Thorell) 1872. Europa, Sibirien, Turkestan, Kamtschatka
Aranea tigrina Walckenaer 1802, Faun. Paris. 2 p. 230 (D).
Aranea tigrina Walckenaer 1805, Tabl. Aran. p. 34 (N).
P. tigrinus Walckenaer 1825, Aran. de France p. 87 (D).
Thomisus laevipes Hahn 1831, Die Arachniden 1 p. 120 TF. 90 (D ♂♀).
P. tigrinus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 551 (D ♀).
Artanes p. Thorell 1872, Rem. Syn. Europ. Spid. p. 261 (N).
P. p. Simon 1875, Arachn. de France 2 p. 274 (D ♂♀).
P. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 223 T. 24 F. 1 (D ♂♀).
P. p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 107 (D ♂♀).
Artanes p. Bösenberg 1902, Zoologica 14 (2—4) p. 326 T. 31 F. 484 (D ♂♀).
P. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 383 (D ♂♀).
P. p. Simon 1932, Arachn. de France 6 (4) p. 844, 882 f. 1276, 1277 (D ♂♀).
P. p. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 87 f. 10 (6) (N ♀).
P. p. Tullgren 1944, Svensk Spindelfauna 3 p. 107 f. 39b; T. 15 F. 203—205 (D ♂♀).

♂♀ **pulchellus** Lucas 1846. W.-Mittelmeergebiet

P. p. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 198 T. 11 F. 4 (D ♂).
Artama p. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 416 (C).
P. bistigma Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 340 (72) T. 3 F. 17 (D ♂♀).
P. p. Canestrini 1874, Atti Soc. Padova 3 (2) p. 214 (11) T. 9 F. 2 (N ♂).
P. bistigma Simon 1875, Arachn. de France 2 p. 290 T. 8 F. 2 (D ♂♀).
P. debilis Simon 1875, Arachn. de France 2 p. 292 (D ♂).
P. p. Simon 1932, Arachn. de France 6 (4) p. 856, 885 f. 1302, 1303 (D ♂♀).

♂♀ **punctigerus** Cambridge 1907. Canaren

P. p. Cambridge 1907, Proc. Zool. Soc. Lond. (2) p. 826 T. 50 F. 35—37 (D ♂♀).
P. p. Denis 1941, Ann. Soc. Ent. France 110 p. 120 f. 8 (N ♂).

♀ **rehobothicola** Strand 1915. Palästina

P. r. Strand 1915, Arch. Naturg. 81 (A; 9) p. 154 (D ♀).

♀ **reussii** Bösenberg 1902. SW.-Deutschland, Balkanländer, Russland, Japan

P. r. Bösenberg 1902, Zoologica 14 (2—4) p. 329 T. 31 F. 487 (D ♀).
P. r. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 87 f. 10 (7) (N ♀).

♀ **roseofemoralis** Karsch 1879. Japan

P. r. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 79 (D ♀).

♂ **rubidus** Simon 1870. Spanien, Algier

P. r. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 338 (70) T. 3 F. 16 (D ♂).

♂o **ruficapillus** Simon 1885. S.-Frankreich, Tunis

P. r. Simon 1885, Arachn. in: Explor. Sci. Tunis. p. 18 (D ♂).
P. r. Simon 1932, Arachn. de France 6 (4) p. 856, 885 f. 1306, 1307 (D ♂o).

♀ **salinarum** Denis 1939. Frankreich

P. s. Denis 1939, Rev. Franc. d'Ent. 6 p. 76 f. 4, 5 (D ♀).

♀ **simoni** Mello-Leitao 1929. Algier

P. pernix Simon 1875, Arachn. de France 2 p. 303 (D ♀).
P. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 269 (nom. nov.).

♂ **sitiens** Fage 1929. Sahara

P. s. Fage 1929, Bull. Mus. Hist. Nat. Paris (2) 1 (4) p. 253 f. 6 (D ♂).

♀ **söderbomi** Schenkel 1936. Kansu

P. s. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 281 f. 95 (D ♀).

♂♀ **spinitarsis** Simon 1895. Japan

Artanes fuliginosus Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 80 (D♀).
P. sp. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1058 (nom. nov.).
P. sp. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 267 T. 7 F. 96; T. 10 F. 157 (D ♂♀).
P. karschi Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 268 (nom. nov. superfl.).

♀ **subaureolus** Bösenberg & Strand 1906. Japan

P. s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 270 T. 13 F. 307 (D ♀).

♂ **torquatus** Cambridge 1873. Corfu

P. t. Cambridge 1873, Journ. Linn. Soc. Lond. 11 (Zool.) p. 545 T. 15 F. 12 (D ♂).

♂♀ **vagulus** Simon 1875. O.-Pyrenäen, Savoyen, Schweiz, Tiro, Karpaten

P. v. Simon 1875, Arachn. de France 2 p. 305 (D ♂♀).
P. alpestris L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 321 (D ♀).
P. alpestris Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 107 T. 4 F. 17 (D ♀).
P. alpestris Lessert 1910, Catal. Invert. Suisse; Araign. p. 386 (D ♀).
P. v. Simon 1932, Arachn. de France 6 (4) p. 849, 883 f. 1291, 1292 (D ♂♀).

♀ **vegetus** L. Koch 1882. Balearen

P. v. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 645 T. 20 F. 22 (D ♀).

♂♀ **venustus** Cambridge 1876. Aegypten

P. v. Cambridge 1876, Proc. Zool. Soc. Lond. p. 595 T. 59 F. 12 (D ♂♀).

Transgredierende Arten:

♂♀ **alascensis** Keyserling 1884. Sibirien, Turkestan, Panama U. St. Amerika, Alaska, Canada

P. inquisitor Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 500 (D ♀).
? P. lentiginosus Keyserling 1882, Verh. Zool. Bot. Ges. Wien 31 p. 312 T. 11 F. 29 (D ♀).
P. a. Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 674 T. 21 F. 22 (D ♀).
P. thorelli Marx 1889, Proc. U. St. Nat. Mus. 12 p. 559 (nom. nov.).
P. inquisitor Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 419 T. 4 F. 8 (D ♀).
P. varians Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 57 T. 1 F. 71—74, 77, 78, 80 (D ♂♀).
P. ubiquitor Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 270 (nom. nov.).
P. oblongus Bryant 1933, Bull. Mus. Zool. Harvard 74 (6) p. 188 T. 3 F. 23 (D ♀).
P. a. Gertsch 1934, Amer. Mus. Novit. 707 p. 19 (N).
P. a. Levi 1951, Zoologica, N. York 36 (4) p. 230 f. 33—34 (N ♂♀).

♂♀ **aureolus** (Clerck) 1757. – * Palaearktis, Nearktis

Araneus a. Clerck 1757, Aran. Suec. p. 133 T. 6 F. 9 (D ♀).
Aranea a. Olivier 1789, Encyclop. Méthod. 4 p. 226 (D).
Aranea cespitum Walckenaer 1802, Faun. Paris. 2 p. 230 (D).
Aranea quadrilineata Panzer 1804, Syst. Nomencl. p. 244, Schäffer . . . Ins. Ratisb. 3 T. 226 F. 7 (D).
Thomisus s. Walckenaer 1805, Tabl. Aran. p. 35 (N).
Thomisus a. Sundevall 1832, Vet. Ak. Handl. p. 223 (D ♀).
Thomisus a. Hahn 1834, Die Arachniden 2 p. 57 TF. 144, 145 (D ♂♀).
P. affinis Wider 1834, Mus. Senckenbg. 1 p. 273 T. 18 F. 7 (D ♂).
P. a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 556 (D ♂♀).
P. a. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 99 T. 5 F. 59 (D ♂♀).
P. a. Westring 1862, Aran. Svec. p. 457 (D ♂♀).
P. a. Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 628 T. 11 F. 6, 16—18 (D ♀).
P. a. Ohlert 1867, Aran. Prov. Preussen p. 121 (D ♂♀).
P. a. Thorell 1872, Rem. Syn. Europ. Spid. p. 264 (N).
P. a. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 403 T. 68 F. 228 (D ♂♀).
P. a. Simon 1875, Arachn. de France 2 p. 296 (D ♂♀).
P. a. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 217 (N).
P. a. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 329 (D ♂♀).
P. a. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 230 T. 25 F. 2 (D ♂♀).
P. a. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 71 (D ♂♀).
P. a. Hansen 1885, in: Schiödte, Zool. Danica p. 145 T. 4 F. 11 (D ♂♀).

P. a. verus Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 108 T. 4 F. 19 (D ♂♀).
P. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1063 (N).
P. a. Bösenberg 1902, Zoologica 14 (2—4) p. 330 T. 31 F. 489 (D ♂♀).
P. a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 388 (D ♂♀).
P. canadensis Emerton 1917, Canad. Ent. 49 p. 270 f. 22 (3—5) (D ♂♀).
P. a. Charitonow 1926, Bull. Inst. Biol. Univ. Perm 4 p. 267 TF. 7 (N ♀).
P. a. Reimoser 1931, Die Natur (Wien) 7 (4) p. 86 f. 4 (N ♂♀).
P. a. Simon 1932, Arachn. de France 6 (4) p. 851, 884 f. 1293, 1294 (D ♂♀).
P. a. Kolosvary 1938, Festschr. Strand 4 p. 585 f. 4 (N).
P. a. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 221 f. (N).
P. a. Tullgren 1944, Svensk Spindelfauna 3 p. 115 f. 43B; T. 16 F. 220—224 (D ♂♀).
P. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 436 T. 83 F. 1557—59 (D ♂♀).
P. a. Locket & Millidge 1951, Brit. Spiders I p. 196 f. 98C, 100C (D ♂♀).

♂♀ **aureolus cespiticolis** (Walckenaer) 1837. W.- u. Mitteleuropa

P. cespiticolis Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 555 (D ♂♀).
P. cespiticolis Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 95 T. 5 F. 58 (D ♂♀).
P. cespiticolens Cambridge 1881, Proc. Dorset F. Cl. 2 p. 331 (D ♂♀).
P. cespiticolis Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 71 (D ♂♀).
P. a. caespiticola Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 109 T. 4 F. 24 (D ♂♀).
P. caespiticolis Bösenberg 1902, Zoologica 14 (2—4) p. 330 T. 31 F. 490 (D ♂♀).
P. a. caespiticola Lessert 1910, Catal. Invert. Suisse; Araign. p. 389 (D).
P. a. caespiticola Locket & Millidge 1951, Brit. Spiders I p. 196 f. 98D, 100E (D ♂♀).

♂♀ **aureolus constellatus** (Simon) 1875. Mitteleuropa, Italien

P. constellatus Simon 1875, Arachn. de France 2 p. 298 (D ♂♀).
P. c. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 333 (D ♀).
P. a. marmoratus Kulczynski 1891, in: Chyzer & Kulczynski, Aran. Hungar. 1 p. 111 T. 4 F. 21 (D ♂♀).
P. c. Bösenberg 1902, Zoologica 14 (2—4) p. 332 T. 31 F. 492 (D ♂).
P. a. c. Simon 1932, Arachn. de France 6 (4) p. 852, 884 (N).

♂♀ **aureolus fuscolimbatus** (Lucas) 1846. Mittelmeergebiet

P. fuscolimbatus Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 197 T. 11 F. 6 (D ♂♀).
Artama fuscolimbata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 416 (C).
P. fuscolimbatus Simon 1932, Arachn. de France 6 (4) p. 852, 884 (D ♂♀).

♂♀ **aureolus japonicola** Bösenberg & Strand 1906. Japan

P. a. j. Bösenberg & Strand 1906, Abh. Senckenberg Mus. 30 (1—2) p. 268 T. 7 F. 93; T. 10 F. 160 (D ♂♀).

♂♀ **aureolus lividus** (Simon) 1875. S.-Europa

P. lividus Simon 1875, Arachn. de France 2 p. 285 (D ♂♀).
P. a. l. Simon 1932, Arachn. de France 6 (4) p. 852, 884 (N).

♂♀ **aureolus longipalpis** (Simon) 1870. Spanien

P. longipalpis Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 336 (68) T. 3 F. 14, 15 (D ♂♀).
P. longipalpis Simon 1875, Arachn. de France 2 p. 293 (D ♂♀).
P. a. l. Simon 1932, Arachn. de France 6 (4) p. 852, 884 (N).

♂♀ **aureolus pallens** Kulczynski 1891. Ungarn, Schweiz

P. a. p. Kulczynski 1891, in: Chyzer & Kulczynski, Aran. Hungar. 1 p. 110 T. 4 F. 20 (D ♂♀).
P. a. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 389 (D ♀).
P. a. p. Simon 1932, Arachn. de France 6 (4) p. 852 (N).
P. a. p. Hull 1950, Ann. Nat. Hist. (12) 3 p. 424 T. 3 F. 8—9 (N ♀).

♂♀ **aureolus politus** (Simon) 1870. Asturien, Corsica, Rhodos

P. politus Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 333 (65) (D ♀).
P. politus Simon 1875, Arachn. de France 2 p. 294 (D ♂♀).
P. a. p. Simon 1932, Arachn. de France 6 (4) p. 852 (N).
P. a. p. Caporiacco 1948, Redia 33 p. 66 (C).

♂♀ **aureolus rufolimbatus** Kulczynski 1891. Schweiz, Österreich, Ungarn

P. a. r. Kulczynski 1891, in: Chyzer & Kulczynski, Aran. Hungar. 1 p. 111 T. 4 F. 23 (D ♂♀).
P. a. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 389 (D ♀).

♀ **aureolus sibiricus** Kulczynski 1908. Sibirien

P. a. s. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 61 (D ♀).

♂ **aureolus similis** Kulczynski 1891. Österreich, Ungarn

P. a. s. Kulczynski 1891, in: Chyzer & Kulczynski, Aran. Hungar. 1 p. 109 T. 4 F. 22 (D ♂).

♀ **aureolus tauricus** Charitonow 1937. Krim

P. a. t. Charitonow 1937, Festschr. Strand 3 p. 138 T. 12 F. 9, 10 (D ♀).

♂ **aureolus variegatus** Kulczynski 1891. Ungarn, Schweiz

P. a. v. Kulczynski 1891, in: Chyzer & Kulczynski, Aran. Hungar. 1 p. 109 T. 4 F. 19 (D ♂).
P. a. v. Lessert 1910, Catal. Invert. Suisse; Araign. p. 390 (N).

♀ **bigibbus** (Cambridge) 1876. Aegypten, Sudan, Arabien, Indien

Artanes b. Cambridge 1876, Proc. Zool. Soc. Lond. p. 590 (D ♀).
P. b. Simon 1907, Arachn. in: Res. Swed. Exped. Egypt. Nil. Blanc (21) p. 7 (C).

♀ **bigibbus australis** Lawrence 1928. S.-Afrika

P. b. au. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 247 T. 22 F. 31 (D ♀).

♂♀ **lepidus** Blackwall 1870. Mittelmeergebiet, Arabien, S.-Russland, Transkaspien, Armenien, Karakorum, Indien

P. l. Blackwall 1870, Ann. Mag. Nat. Hist. (4) 5 p. 398 T. 8 F. 4 (D ♀).
P. maritimus Simon 1875, Arachn. de France 2 p. 282 T. 8 F. 3 (D ♂♀).
P. l. Simon 1932, Arachn. de France 6 (4) p. 849, 883 f. 1289, 1290 (D ♂♀).

♂♀ **rufus** Walckenaer 1825. Europa, Mittelmeergebiet, Sibirien, Japan, Saghalin, N.-Amerika

P. r. Walckenaer 1825, Faune Franç. p. 91 (D).
P. r. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 555 (D ♂).
P. clarkii Blackwall 1850, Ann. Mag. Nat. Hist. (2) 6 p. 338 (D ♂).
P. clarkii Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 96 (D ♂).
Artama r. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 416 (C).
P. obscurus Blackwall 1871, Ann. Mag. Nat. Hist. (4) 8 p. 431 (D o).
P. r. Simon 1875, Arachn. de France 2 p. 287 (D ♂♀).

P. pellax Herman 1879, Ungarns Spinn. Faun. 3 p. 219, 371 (D ♂♀).
P. clarae Bertkau 1880, Verh. Nat. Ver. Rheinl. Westf. 37 p. 246 T. 6 F. 1 (D ♂♀).
P. r. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 217 (C).
P. r. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 229 T. 25 F. 1 (D ♂♀).
P. r. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 107 T. 4 F. 16 (D ♂♀).
P. exilis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 63 T. 2 F. 40 (D ♀).
P. pictus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 373 T. 31 F. 2 (D ♂♀).
P. r. Bösenberg 1902, Zoologica 14 (2—4) p. 333 T. 31 F. 494 (D ♂♀).
P. pictus Emerton 1902, Common Spid. p. 37 f. 108—110 (D ♂♀).
P. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 385 (D ♂♀).
P. r. Simon 1932, Arachn. de France 6 (4) p. 854, 884 f. 1299, 1301 (D ♂♀).
P. r. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 284 (N ♀).
P. r. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 228 f. (N).
P. r. Tullgren 1944, Svensk Spindelfauna 3 p. 117 f. 44; T. 16 F. 225; T. 17 F. 226—227 (D ♂♀).
P. r. Kaston 1945, Amer. Mus. Novit. 1290 p. 9 (N).
P. r. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 434 T. 85 F. 1585; T. 86 F. 1602—06 (D ♂♀).
P. r. Hull 1950, Ann. Mag. Nat. Hist. (12) 3 p. 426 T. 3 F. 14 (N ♀).
P. r. Locket & Millidge 1951, Brit. Spiders I p. 200 f. 99B, 100D (D ♂♀).

♀ **rufus virescens** Simon 1932. Ost-Pyrenäen

P. r. v. Simon 1932, Arachn. de France 6 (4) p. 854, 885 (D ♀).

Aethiopische Arten:

♀ **albofrenatus** Simon 1907. Fernando Poo

P. a. Simon 1907, Ann. Mus. Civ. Genova 43 p. 321 (D ♀).

♀ **alboniger** Caporiacco 1944. Kenya

P. a. Caporiacco 1944, Comment. Pontific. Ac. Sci. 31 (6) p. 453 (D ♀).

♂ o **archetti** Caporiacco 1941. Süd-Abessinien

P. a. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 114 f. 43 (D ♂ o).

♂♀ **bigibbosus** Caporiacco 1941. Süd-Abessinien

P. b. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 115 f. 44 (D ♂♀).

o **borana** Caporiacco 1939. Abessinien

P. b. Caporiacco 1939, Real Accad. Ital. p. 358 (D o).

♀ **brachycephalus** Lawrence 1952. Natal

P. b. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 204 f. 40 (D ♀).

♀ **browningi** Lawrence 1952. Natal

P. b. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 202 f. 39 (D ♀).

♀ **caffer** Strand 1907. Capland

P. c. Strand 1907, Zool. Anz. 31 (17—18) p. 539 (D ♀).
P. c. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 660 (D ♀).

♀ **caporiaccoi** Roewer 1951. Kenya

P. montanus Caporiacco 1949, Comment-Pontific. Ac. Sci. 31 (6) p. 451 f. 79 (D ♀).
P. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 448 (nom. nov.).

♀ **casseli** Simon 1899. Franz. Sudan

P. c. Simon 1899, Bull. Mus. Hist. Nat. Paris 5 p. 416, 417 (D ♀).

♀ **corradii** Caporiacco 1941. Süd-Abessinien
P. c. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 117 f. 45 (D ♀).

♂♀ **dilatatus** Caporiacco 1940. Abessinien
P. d. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 846 F. 43 (D ♂♀).

♀ **epigynatus** Strand 1909. Capland
P. e. Strand 1909. Deutsch. Südpol. Exped. 1901—03; 10 (5), Zool. 2 p. 580 (D ♀).

♂ **grosi** Lessert 1943. Belg. Congo
P. g. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 337 f. 40 (D ♂).

♂♀ **guineensis** Millot 1941. Franz. Guinea, Elfenbeinküste
P. g. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 67 f. 31 (D ♂♀).

♀ **hiulcus** (Pavesi) 1883. Abessinien, Somaliland
Artanes h. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 55 (D ♀).
P. quadrivulva Strand 1906, Zool. Anz. 30 (17—18) p. 627 (D ♀).
P. h. (? = quadrivulva) Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 130 (D ♀).

♀ **legae** Caporiacco 1941. Süd-Abessinien
P. l. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 113 f. 42 (D ♀).

o **maculatovittatus** Strand 1906. Abessinien
P. m. Strand 1906, Zool. Anz. 30 (19—20) p. 684 (D o).
P. m. Strand 1908, Arch. Naturg. 74 (I; 1) p. 39 T. 2 F. 6 (D o).

♀ **maestrii** Caporiacco 1941. Süd-Abessinien
P. m. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 118 f. 46 (D ♀).

♀ **morsus** Karsch 1884. Ins. Rolas
P. m. Karsch 1884, S. B. Ges. Naturw. Marburg (2) p. 66 f. 7 (D ♀).

♀ **niveus** Vinson 1863. Madagascar
P. n. Vinson 1863, Aran. Réun. Mauric. Madagasc. p. 87, 304 (D ♀).

♀ **otjimbumbe** Lawrence 1927. SW.-Afrika
P. o. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 37 T. 1 F. 25 (D ♀).

♀ **panganii** Caporiacco 1947. O.-Afrika
P. p. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 208 T. 2 F. 52 (D ♀).

♀ **partitus** Lessert 1919. O.-Afrika
P. p. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 158 T. 2 F. 4, 5, 13 (D ♀).

♀ **pesbovis** Caporiacco 1949. Kenya
P. p. Caporiacco 1949, Comment. Pontific. Ac. Sci. 31 (6) p. 451 f. 80 (D ♀).

♀ **problematicus** Strand 1906. Somaliland
P. p. Strand 1906, Zool. Anz. 30 (19—20) p. 627 (D ♀).
P. p. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 131 (D ♀).

♂ **punctisternus** Caporiacco 1940. Abessinien
P. p. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 847 f. 44 (D ♂).

o **signatus** Cambridge 1869. St. Helena
P. s. Cambridge 1869, Proc. Zool. Soc. Lond. p. 537 T. 42 F. 5 (D o).
P. s. Simon 1883, Ann. Soc. Ent. France (6) 3 p. 306 (C).

♀ **silvestrii** Caporiacco 1940. Somaliland
P. s. Caporiacco 1940, Bull. Lab. Zool. Agr. Portici 31 p. 300 f. 2 (D ♀).

♀ **sticticus** Lucas 1858. Gabun
P. s. Lucas 1858, Arch. Ent. 2 p. 404 (D ♀).

O o **thanatellus** Strand 1909. Capland
P. t. Strand 1909, Deutsch. Südpol. Exped. 1901—03 10 (5) Zool. 2 p. 580 (D Oo).

♂ **victor** Lessert 1943. Belg. Congo
P. v. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 238 f. 41 (D ♂).

♀ **v-notatus** Caporiacco 1947. Abessinien
P. v. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 207 T. 2 F. 51 (D ♀).

♀ **vulpio** Simon 1910. SW.-Afrika
P. v. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 196 (D ♀).

Orientalische Arten:

♂ **albolimbatus** Thorell 1895. Burma
P. a. Thorell 1895, Descr. Catal. Spid. Burma p. 280 (D ♂).

♀ **amitinus** Chamberlin 1924. S.-China
P. a. Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 22 T. 5 F. 38 (D ♀).

♀ **frontosus** Simon 1897. Indien
P. f. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 293 (D ♀).

♂ **kraepelini** Simon 1905. Java
P. k. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 66 (D ♂).

o **melanostomus** Thorell 1895. Burma
P. m. Thorell 1895, Descr. Catal. Spid. Burma p. 279 (D o).

♀ **tahupunensis** Petrunkevitch 1914. Burma
P. t. Petrunkevitch 1914, Ann. Ent. Soc. Amer. 7 (3) p. 173 T. 26 F. 11 (D ♀).

Australische Arten:

o **austerus** (L. Koch) 1876. Queensland
Opitis a. L. Koch 1876, Arachn. Austral. 1 (2) p. 824 T. 70 F. 9 (D o).
P. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1060 (N).

♀ **luteovirescens** Urquhart 1893. Tasmanien
P. l. Urquhart 1893, Pap. Proc. Soc. Tasman. (for 1892) p. 122 (D ♀).

♀ **planus** (L. Koch) 1875. Queensland
Opitis p. L. Koch 1875, Arachn. Austral. 1 (1) p. 611 T. 48 F. 4 (D ♀).
P. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1060 (N).

♂♀ **rubrofrontus** Urquhart 1890. Neu-Seeland
P. r. Urquhart 1890, Trans. N. Zeal. Inst. 23 p. 179 (D ♂♀).

Neotropische Arten:

§ 8 ♂, 8 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 208 (part.).

♀ **albicans** Cambridge 1897. Mexico
P. a. Cambridge 1897, Biol. Centr. Amer. Aran. 1 p. 227 T. 29 F. 9 (D ♀).

♂♀ **bilineatus** Bryant 1933. Florida
Tibellomimus lineatus Gertsch 1933, Amer. Mus. Novit. 636 p. 9 (D ♀).
P. b. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 181 T. 2 F. 14, 19; T. 3 F. 29 (D ♀).
Tibellomimus lineatus Gertsch 1934, Amer. Mus. Novit. 707 p. 25 (D ♂).

♀ **cayanus** Taczanowski 1872. Guiana
P. c. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 74 (D ♀).
P. cyaneus Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 418 (C).

♂ **deceptus** Gertsch 1934. Florida
P. d. Gertsch 1934, Amer. Mus. Novit. 707 p. 21 (D ♂).

♀ **decolor** Cambridge 1899. Costa Rica
P. d. Cambridge 1899, Biol. Centr. Amer. Aran. 1 p. 291 T. 32 F. 3 (D ♀).

♀ **floridensis** Banks 1904. Florida
P. f. Banks 1904, Proc. Ac. Nat. Sci. Philad. 56 p. 133 T. 7 F. 9; T. 8 F. 21 (D ♀).

♀ **fuliginosus** Nicolet 1849. Chile
P. f. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 409 (D ♀).

♂♀ **junior** Nicolet 1849. Chile
P. j. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 411 (D ♂♀).

♂ **mediocris** Gertsch 1934. Florida, Georgia
P. m. Gertsch 1934, Amer. Mus. Novit. 707 p. 20 TF. 19 (D ♂).

♂ **peninsulanus** Gertsch 1934. Florida
P. p. Gertsch 1934, Amer. Mus. Novit. 707 p. 22 TF. 25 (D ♂).

♂ **setosus** Petrunkevitch 1929. Aconagua
P. s. Petrunkevitch 1929, Ann. Ent. Soc. Amer. 22 (3) p. 523 T. 1 F. 21 (D ♂).

♀ **traviatus** Banks 1929. Panama
P. t. Banks 1929, Bull. Mus. Zool. Harvard 69 (3) p. 78 T. 4 F. 55 (D ♀).

Transgredierende Arten:

♂♀ **barrowsi** Gertsch 1934. Florida, Texas, Georgia
P. b. Gertsch 1934, Amer. Mus. Novit. 707 p. 17 TF. 16 (D ♂♀).

Nearktische Arten:

§ 9 Arten: Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 219.

♂ **agamus** Chamberlin & Gertsch 1928. Utah
P. a. Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 182 (D ♂).

♂♀ **anomalus** Gertsch 1934. Arizona
P. a. Gertsch 1934, Amer. Mus. Novit. 707 p. 16 TF. 20, 26 (D ♂♀).

♂♀ **californicus** Keyserling 1883. Californien, Utah
P. c. Keyserling 1883, Verh. Zool. Bot. Ges. Wien 41 p. 181 (D ♂♀).
P. hoples Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 181 (D ♂♀).
P. c. Gertsch 1934, Amer. Mus. Novit. 707 TF. 15 (N ♂).

♂o **expositus** Keyserling 1880. U. St. Amerika, Canada
P. e. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 220 T. 5 F. 121 (D ♂).
P. signifer Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 59 T. 3 F. 20 (D o).
P. e. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 179 T. 11 F. 12 (N).
P. e. Gertsch 1934, Amer. Mus. Novit. 707 p. 18 TF. 18 (N ♂).

♀ **gracilis** Banks 1892. New York

P. g. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 60 T. 3 F. 21 (D ♀).

♂♀ **imbecillus** Keyserling 1880. Neu-England, Georgia, N.-Carolina

P. i. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 224 T. 5 F. 123 (D ♀).
P. lineatus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 374 T. 31 F. 4 (D ♂♀).
P. lineatus Emerton 1902, Common Spid. p. 37 f. 106, 107 (D ♂♀).
P. carolinus Banks 1911, Proc. Ac. Nat. Sci. Philad. 63 p. 452 T. 35 F. 14, 16 (D ♀).
P. i. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 223 f. (N).
P. i. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 434 T. 85 F. 1584; T. 86 F. 1598—1601 (D ♂♀).

♂♀ **inaequipes** Banks 1900. U. St. Amerika

P. i. Banks 1900, Canad. Ent. 32 p. 99 (D ♀).
P. i. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 183 T. 2 F. 21; T. 3 F. 33 (D ♂).

♂♀ **infuscatus** Keyserling 1880. U. St. Amerika, Canada

P. i. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 222 T. 5 F. 122 (D ♀).
P. unicolor Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 61 T. 3 F. 27 (D ♀).
P. macrotarsus Emerton 1917, Canad. Ent. 49 p. 271 f. 22 (1, 2) (D ♂♀).
P. utus Chamberlin 1921, Canad. Ent. 53 p. 245 T. 10 F. 6 (D ♀).
P. i. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 224 f. (N).
P. i. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 437 T. 85 F. 1589—91 (D ♂♀).

♂ **josemitensis** Gertsch 1934. Californien, Nation. Park

P. j. Gertsch 1934, Amer. Mus. Novit. 707 p. 23 TF. 24 (D ♂).

♀ **keyserlingii** Marx 1889. Dacotah

P. obscurus Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 675 T. 21 F. 23 (D ♀).
P. k. Marx 1889, Proc. U. Stat. Nat. Mus. 12 p. 559, 593 (nom. nov.).

♀ **laticeps** Keyserling 1880. Georgia, Louisiana, New York, Maryland

P. l. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 215 T. 5 F. 118 (D ♀).
P. l. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 64 (N ♂).
P. robustus Emerton 1892, Trans. Connect. Ac. Sci. 8 (21) p. 376 T. 32 F. 1 (D ♀).
P. louisianus Chamberlin 1924, Proc. U. Stat. Nat. Mus. 63 (13) p. 23 T. 5 F. 39 (D ♀).
P. l. Muma 1944, Amer. Mus. Novit. 1257 p. 9 (C ♀).
P. robustus Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 163 (C)
P. l. Kaston 1945, Amer. Mus. Novit. 1290 p. 9 (N).
P. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 436 T. 85 F. 1586—88 (D ♂♀).

♂ **lutulentus** Gertsch 1934. Georgia

P. l. Gertsch 1934, Amer. Mus. Novit. 707 p. 24 (D ♂).

♂♀ **maculatus** Blackwall 1846. New York, Canada

P. m. Blackwall 1846, Ann. Mag. Nat. Hist. (1) 17 p. 39 (D ♂♀).

♀ **marginellus** Banks 1901. Arizona

P. m. Banks 1901, Proc. U. Stat. Nat. Mus. 23 p. 586 T. 22 F. 10 (D ♀).

♂♀ **marxii** Keyserling 1884. U. St. Amerika, Canada

? P. abboti Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 552 (D ♀).
? P. abboti Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 415 (C).
P. m. Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 677 T. 21 F. 25 (D ♀).
P. ornatus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 61 T. 3 F. 24 (D ♀).
P. minusculus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 63 T. 2 F. 39 (D ♀).
P. ornatus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 374 T. 31 F. 3 (D ♂♀).
P. ornatus Emerton 1902, Common Spid. p. 36 f. 105 (D ♂♀).
P. m. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 179 T. 11 F. 17 (N ♀).
P. ornatus Comstock 1912, Spider Book p. 545 f. 617 (N).
P. m. Banks 1913, Proc. Ac. Nat. Sci. Philad 65 p. 179 T. 11 F. 17 (N ♀).
P. banksii Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 267 (nom. nov.).
P. m. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 225 f. (N).
P. abboti Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 161 TF. 52 (N).
P. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 433 T. 84 F. 1575—75; T. 85 F. 1582 (D ♂♀).

♂ **michiganensis** Levi 1951. Michigan

P. m. Levi 1951, Amer. Mus. Novit. 1501 p. 30 TF. 38—39 (D ♂).

♂♀ **mineri** Gertsch 1933. Michigan, N.-Carolina

P. m. Gertsch 1933, Amer. Mus. Novit. 636 p. 14 TF. 21 (D ♂).
P. emertoni Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 184 T. 2 F. 17; T. 3 F. 34 (D ♂♀).
P. m. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 226 f. (N).

♂ **moestus** Banks 1904. Californien

P. m. Banks 1904, Proc. Calif. Ac. Sci. (3. Zool.) 3 (13) p. 353 T. 39 F. 26, 30 (D ♂).

♂♀ **montanus** Bryant 1933. N.-Carolina, Maryland

P. m. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 182 T. 2 F. 20; T. 3 F. 26 (D ♂♀).

♂♀ **oneida** Levi 1951. Michigan, Wisconsin

P. o. Levi 1951, Amer. Mus. Novit. 1501 p. 31 TF. 40—42 (D ♂♀).

♀ **pacificus** Banks 1898. Washington-St.

P. p. Banks 1898, Canad. Ent. 30 p. 187 (D ♀).

♂♀ **pernix** Blackwall 1846. U. St. Amerika, Canada

P. p. Blackwall 1846, Ann. Mag. Nat. Hist. (1) 17 p. 38 (D ♀).
Thomisus vulgaris Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 444 T. 23 F. 1 (D ♀).
P. vulgaris Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 218 T. 5 F. 120 (D ♂♀).
P. praelustris Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 59 T. 3 F. 19 (D ♀).
P. vulgaris Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 59 T. 3 F. 23 (N ♀).
P. vulgaris Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 372 T. 31 F. 1 (D ♂♀).
P. vulgaris Emerton 1902, Common Spid. p. 35 f. 101—104 (D ♂♀).
P. p. Comstock 1912, Spider Book p. 431 f. 610, 614 (N).
P. praelustris Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 179 T. 11 F. 1 (N ♀).
P. p. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 228 f. (N)!
P. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 431 T. 84 F. 1569—1571 (D ♂♀).

♂♀ **placidus** Banks 1892. U. St. Amerika, Canada

P. p. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 62 T. 3 F. 25 (D ♀).
P. bidentatus Emerton 1892, Trans. Connect. Ac. Sci. 8 (21) p. 375 T. 31 F. 5 (D ♂).
P. exilis Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 191 (N).
P. exilis Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 222 f. 57—59 (D ♂♀).
P. exilis Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 162 (N).
P. p. Kaston 1945, Amer. Mus. Novit. 1290 p. 9 (N ♂♀).
P. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 432 T. 83 F 1563; T. 84 F. 1572—1574 (D ♂♀).

♂ **praelustris** Keyserling 1880. Columbia-St., Arizona

P. p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 209 T. 5 F. 114 (D ♂).

♂ **robustus** Emerton 1893. Massachusets, Georgia

P. r. Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 376 T. 32 F. 1 (D ♂).

♂♀ **rodecki** Gertsch & Jellison 1939. Colorado, Montana

P. r. Gertsch & Jellison 1939, Amer. Mus. Novit. 1032 p. 7 f. 4—6 (D ♂♀).

♂♀ **satullus** Keyserling 1880. New York, Massachusets

P. s. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 211 T. 5 F. 116 (D ♂♀).
P. minutus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 62 T. 5 F. 85 (D ♀).
P. brevis Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 375 T. 32 F. 2 (D ♂).
P. minutus Comstock 1912, Spider Book p. 544 f. 615—616 (N).
P. s. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 179 T. 11 F. 5 (N).
P. s. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 229 f. (N).
P. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 435 T. 84 F. 1578—1581; T. 85 F. 1583 (D ♂♀).

♂♀ **speciosus** Gertsch 1934. Idaho, Utah, Californien, Wyoming

P. s. Gertsch 1934, Amer. Mus. Novit. 707 p. 22 TF. 21, 23 (D ♂♀).
P. s. Levi 1951, Zoologca, N. York 36 (4) p. 230 f. 31 (N ♀).

♂ **spectabilis** Keyserling 1880. Columbia-St., Neu-Mexico

P. s. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 210 T. 5 F. 115 (D ♂).

♂ **undarum** Barnes 1953. Nord-Carolina

P. u. Barnes 1953, Amer. Mus. Novit. 1632 p. 18 f. 12—14 (D ♂).

♀ **virescens** Thorell 1877. Columbia-St., Utah, Nevada

P. v. Thorell 1877, Bull. U. Stat. Geol. Surv. 3 (2) p. 500 (D ♀).
P. clarus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 214 T. 5 F. 117 (D ♂♀).
P. crenifer Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 181 (D ♀, nec ♂).
P. v. Levi 1951, Zoologica, N. York 36 (4) p. 230 f. 29—30 (N ♂♀).

♂♀ **washita** Banks 1932. U. St. Amerika

P. w. Banks & Newport 1932, Bull. Univ. Oklahoma 4 (1) p. 28 f. 1—2 (D ♀).
P. keyserlingi Gertsch 1934, Amer. Mus. Novit. 707 p. 18 TF. 22 (D ♂).
P. keyserlingi Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 191 (N).
P. w. Kaston 1945, Amer. Mus. Novit. 1290 p. 9 (N).
P. w. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 431 T. 83 F. 1560—1562 (D ♂♀).

♂ **wyomingensis** Gertsch 1934. Wyoming, Arizona
P. w. Gertsch 1934, Amer. Mus. Novit. 707 p. 18 TF. 17 (D ♂).

Gen. **Procleocnemis** Mello-Leitao 1929.

♀ **concolor** Mello-Leitao 1929. Brasilien
P. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 111 TF. 34 (D ♀).

Gen. **Quemedice** Mello-Leitao 1942.

♀ **enigmaticus** Mello-Leitao 1942. Argentinien
Q. e. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 407 f. 31—32 (D ♀).

Gen. **Suemus** Simon 1895.

Aethiopische Arten:

o **atomarius** Simon 1895. Sierra Leone
S. s. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 443 (D o).
S. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1065 (N).

♂ **punctatus** Lawrence 1938. Natal
S. p. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 490 f. 20 (D ♂).
S. p. Lawrence 1942, Ann. Natal. Mus. 10 (2) p. 166 f. 17 (D ♀).

♀ **tibelloides** Caporiacco 1947. Ost-Afrika
S. t. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 210 T. 2 F. 53 (D ♀).

Orientalische Arten:

o **orientalis** Simon 1909. Tonking
S. o. Simon 1909, Bull. Sci. France Belg. 42 p. 998 (D o).

o **tibelliformis** Simon 1909. Tonking
S. t. Simon 1909, Buss. Sci. France Belg. 42 p. 996 (D o).

Gen. **Thanatus** C. L. Koch 1837.

Palaearktische Arten:

§ 9 ♂, 10 ♀: Simon 1875, Arachn. de France 2 p. 315—316.
§ 5 ♂, 5 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 112—113.
§ 5 ♂, 6 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 29—30 TF. 313—321.
§ 9 ♂, 9 ♀: Simon 1932, Arachn. de France 6 (4) p. 857—863.
§ 3 ♂, 4 ♀: Tullgren 1944, Svensk Spindelfauna 3 p. 118—119.

albicans Franganillo 1918. Spanien
T. a. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 122 (D).

♂ **albini** (Audouin) 1827. Aegypten, Syrien, Palästina, Turkestan
Philodromus a. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 392 T. 6 F. 4 (D ♂).
T. a. Simon 1875, Arachn. de France 2 p. 330 (C).
T. a. Cambridge 1876, Proc. Zool. Soc. Lond. p. 591 (N).
T. a. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 58 T. 4 F. 2—3 (N ♂♀).

♀ **albomaculatus** Kulczynski 1908. Sibirien
T. a. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 65 T. 2 F. 69 (D ♀).

♂♀ **alpinus** Kulczynski 1887. O.-Pyrenäen, Franz. Alpen, Schweiz, Tirol

T. a. Kulczynski 1887, Rozpraw. Ak. Umiej. Krakow. 16 p. 304 T. 5 F. 14, 15 (D ♀).
T. a. Lessert 1910, Catal. Invert. Suisse; Araign. 391 f. 186—188 (D ♂♀).
T. a. Simon 1932, Arachn. de France 6 (4) p. 861, 886 f. 1317, 1318 (D ♂♀).

♂♀ **arenarius** Thorell 1872. Europa, Turkestan, Karakorum

T. a. Thorell 1872, Rem. Syn. Europ. Spid. p. 269 (N).
T. mundus Cambridge 1873, Journ. Linn. Soc. Lond. 11 (Zool.) p. 543 T. 15 F. 11 (D ♀).
T. a. Simon 1875, Arachn. de France 2 p. 321 (D ♂♀).
T. a. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 240 T. 27 F. 1 (D ♂♀).
T. a. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 70 (D ♂♀).
T. a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 114 (D ♂♀).
T. a. Bösenberg 1902, Zoologica 14 (2—4) p. 337 T. 32 F. 501 (D ♂♀).
T. mundus Simon 1932, Arachn. de France 6 (4) p. 863, 886 f. 1321, 1322 (D ♂♀).
T. a. Tullgren 1944, Svensk Spindelfauna 3 p. 223 f. 46 B; T. 17 F. 234—235; T. 18 F. 236 (D ♂♀).

♀ **aridorum** Silhavy 1940. Mähren

T. a. Silhavy 1940, Folia Ent. Brünn 3 (1) p. 14 TF. 1, 2 (D ♀).

♀ **balestrerii** Caporiacco 1935. Karakorum

T. b. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 191 T. 3 F. 14 (D ♀).

♂ **cervini** Simon 1875. Wallis

T. c. Simon 1875, Arachn. de France 2 p. 327 (D ♂).
T. c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 392 f. 189 (D ♂).
T. c. Simon 1932, Arachn. de France 6 (4) p. 859, 886 f. 1311 (D ♂).

♀ **cronebergi** Simon 1895. Wüste Gobi

T. c. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 338 (D ♀).

♀ **dvoraki** Silhavy 1941. W.-Mähren

T. d. Silhavy 1941, Casopis C. Spol. Ent. 38 (2) p. 77 f. (D ♀).

♂♀ **fabricii** (Audouin) 1827. Aegypten

Philodromus f. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egyt. p. 392 T. 6 F. 3 (D ♂).
T. f. Simon 1875, Arachn. de France 2 p. 330 (C).
T. f. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 203 (C).
T. f. Denis 1947, Bull. Soc. Fouad I. Ent. 31 p. 57 T. 2 F. 18; T. 3 F. 5—6 (D ♂♀).

o **flavescens** Cambridge 1876. Aegypten

T. f. Cambridge 1876, Proc. Zool. Soc. Lond. p. 592 (D o).

♂♀ **flavidus** Simon 1875. S.-Russland, Krim, Griechenland, Rhodos

T. f. Simon 1875, Arachn. de France 2 p. 323 (D ♀).
T. testaceus Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 98 (D ♂♀).
T. testaceus Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 127 (D ♂♀).
T. f. Caporiacco 1948, Redia 33 p. 66 (C).

♀ **flavus** Cambridge 1876. Aegypten

T. f. Cambridge 1876, Proc. Zool. Soc. Lond. p. 592 (D ♀).

♂♀ **fuscipes** Denis 1937. Algier
T. f. Denis 1937, Proc. Zool. Soc. Lond. p. 1048 T. 3 F. 11 (D ♂♀).

gigas (C. L. Koch) 1837. Griechenland
Artamus g. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 27 (D).

♀ **imbecillus** L. Koch 1878. Transkaspien, Bulgarien
T. i. L. Koch 1878, Jahresber. Isis p. 45 (D ♀).
T. i. Kulczynski 1895, Term. Füzet. 18 T. 1 F. 3 (♀).

♀ **jugorum** Simon 1916. Pyrenäen, Spanien
T. j. Simon 1916, Ann. Soc. Ent. France 85 Bull. p. 210 (D ♀).
T. j. Simon 1932, Arachn. de France 6 (4) p. 859, 885 f. 1310 (D ♀).

♀ **jugorum saturatior** Simon 1932. Frankreich
T. j. s. Simon 1932, Arachn. de France 6 (4) p. 859 (D ♀).

♀ **lanceolatus** Simon 1875. S.-Russland
T. l. Simon 1875, Arachn. de France 2 p. 322 (D ♀).

♀ **lapponicus** Jackson 1932. Lappland
T. l. Jackson 1932, Proc. Zool. Soc. Lond. (1) p. 109 T. 1 F. 5 (D ♀).

♂♀ **lineatipes** Simon 1870. Mittelmeergebiet
T. l. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 330 (62) (D ♂♀).
T. rufipes Simon 1875, Arachn. de France 2 p. 320 T. 8 F. 15 (D ♂♀).
T. l. Simon 1932, Arachn. de France 6 (4) p. 863, 886 f. 1323, 1324 (D ♂♀).

♀ **mediocris** Kulczynski 1908. Sibirien
T. m. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 66 T. 2 F. 70 (D ♀).

♂ **miniaceus** Simon 1880. Peking
T. m. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 110 (D ♂).

♀ **nigromaculatus** Kulczynski 1885. Kamtschatka
T. n. Kulczynski 1885, Denkschr. Ak. Wiss. Krakau 11 p. 49 T. 11 F. 29 (D ♀).

O♀ **odorus** Strand 1915. Palästina
T. o. Strand 1915, Arch. Naturg. 81 (A; 2) p. 153 (D O ♀).

♀ **ornatus** (Lucas) 1846. Algier
Philodromus o. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 197 T. 11 F. 5 (D ♀).
T. o. Simon 1875, Arachn. de France 2 p. 330 (C).

♂♀ **pictus** L. Koch 1881. Holstein, Schlesien, Ungarn, Dongebiet, Balkanländer, Kleinasien
T. p. L. Koch 1881, Abh. Nat. Ges. Görlitz 17 p. 61 T. 2 F. 11 (D ♂♀).
T. p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 113 T. 4 F. 25 (D ♂♀).
T. p. Bösenberg 1902, Zoologica 14 (2—4) p. 336 T. 32 F. 499 (D ♂♀).

♂ **quadrilineatus** (Lucas) 1838. Canaren
Philodromus q. Lucas 1838, Arachn. in: Barker, Webb, Berthelot, Hist. Nat. Canar. 2 (2) p. 34 T. 6 F. 11 (D O).

♂♀ **raji** Simon 1875. S.-Frankreich, S.-Tirol, Holland

T. r. Simon 1875, Arachn. de France 2 p. 328 (D ♀).
T. r. Simon 1932, Arachn. de France 6 (4) p. 860, 886 f. 1314 (D ♂♀).

♀ **rehobothicola** Strand 1915. Palästina

T. r. Strand 1915, Arch. Naturg. 81 (A; 2) p. 154 (D ♀).

♂♀ **sabulosus** (Menge) 1875. W.- u. Mitteleuropa, S.-Russland, Balkanländer

Philodromus s. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 411 T. 69 F. 232 (D ♂♀).
T. graciosus Simon 1875, Arachn. de France 2 p. 316 (D ♂♀).
Philodromus s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 114 (D ♂♀).
Philodromus s. Bösenberg 1902, Zoologica 14 (2—4) p. 334 T. 31 F. 495 (D ♂♀).
T. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 393 (D ♂♀).
T. s. Simon 1932, Arachn. de France 6 (4) p. 860, 886 f. 1312, 1313 (D ♂♀).

♀ **setigerus** (Cambridge) 1872. Palästina

Philodromus s. Cambridge 1872, Proc. Zool. Soc. Lond. p. 310 (D ♀).
T. s. Strand 1913, Arch. Naturg. 79 (A; 10) p. 158 (N ♀).

♂♀ **sibiricus** Kulczynski 1901. Sibirien

T. s. Kulczynski 1901, in: Horvath, Zool. Erg. 3. Reis. Zichy 2 p. 337 T. 13 F. 9 (D ♂♀).

♂♀ **validus** Simon 1875. Algier

T. v. Simon 1875, Arachn. de France 2 p. 324 (D ♂♀).

♂♀ **vulgaris** Simon 1870. S.-Europa, Algier, Madeira

T. v. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 328 (60) (D ♂♀).
T. v. Simon 1875, Arachn. de France 2 p. 325 T. 8 F. 17 (D ♂, nec ♀).
T. v. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 114 T. 4 F. 26 (D ♂♀).
T. v. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 411 (N ♂♀).
T. v. Simon 1932, Arachn. de France 6 (4) p. 863, 886 f. 1319, 1320 (D ♂♀).

♂♀ **vulgaris atratus** (Simon) 1875. Pyrenäen, Alpen

T. atratus Simon 1875, Arachn. de France 2 p. 318 (D ♂♀).
T. v. a. Simon 1932, Arachn. de France 6 (4) p. 863 (D ♀).

♀ **vulgaris borealis** Tullgren 1942. Schweden

T. v. b. Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 227, 233 T. 2 F. 6 (D ♀).
T. v. b. Tullgren 1944, Svensk. Spindelfauna 3 p. 120 f. 45B; T. 18 F. 237 (D ♀).

♂ **vulgaris brevipes** Kulczynski 1903. Ungarn, Kroatien

T. v. b. Kulczynski 1903, Bull. Ac. Sci. Cracov. p. 50 T. 1 F. 8 (D ♂).

♂ **vulgaris creticus** Kulczynski 1903. Creta

T. v. c. Kulczynski 1903, Bull. Ac. Sci. Cracov. p. 48 T. 1 F. 13 (D ♂).

♂ **vulgaris maderianus** Kulczynski 1903. Madeira

T. v. m. Kulczynski 1903, Bull. Ac. Sci. Cracov. p. 50 T. 1 F. 9, 14 (D ♂).

♂♀ **vulgaris major** (Simon) 1870. S.-Frankreich, Corsica, I. Giglio, Pyrenäen, Marokko

T. major Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 332 (64) (D ♂).
T. major Simon 1875, Arachn. de France 2 p. 323 T. 8 F. 16 (D ♂♀).
T. v. m. Simon 1932, Arachn. de France 6 (4) p. 863 (D ♂♀).

♀ **vulgaris syriensis** Strand 1913. Syrien

T. v. s. Strand 1913, Arch. Naturg. 79 (A; 19) p. 158 (D ♀).

Transgredierende Arten:

♂♀ **adjacens** (Cambridge) 1876. N.-Afrika, Palästina, Syrien, Sansibar, Capland

Philodromus fabricii Cambridge 1872, Proc. Zool. Soc. Lond. p. 310 (N ♂♀).
Philodromus a. Cambridge 1876, Proc. Zool. Soc. Lond. p. 592 T. 59 F. 11 (D ♂♀).
T. a. Lessert 1919, Rev. Suisse Zool. 37 (5) p. 202 (N).

♂♀ **arcticus** Thorell 1872. Grönland, N.-Russland, Sibirien

T. a. Thorell 1872, Oefv. Vet. Ak. Förhandl. 29 (2) p. 157 (D o).
T. a. Lenz 1897, Bibl. Zoologica 20 (3) p. 76 f. 8, 9 (D ♀).
T. a. Soerensen 1898, Vidensk. Meddel (5) 10 p. 225 (D ♂♀).
T. a. Fedotow 1911, Annuar. Mus. Zool. Ac. Sci. St. Petersbg. 16 p. 463 T. 8 F. 10 (D ♀).
T. a. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 24 T. 1 F. 34 (N ♀).

♂♀ **formicinus** (Clerck) 1757. – * Europa, Sibirien, Kamtschatka, N.-Amerika, Grönland

Araneus f. Clerck 1757, Aran. Suec. p. 134 T. 6 F. 2 (D ♀).
Aranea f. Olivier 1789, Encycl. Méthod. 4 p. 226 (D).
Aranea rhomboica Walckenaer 1802, Faun. Paris. 2 p. 228 (N).
Aranea testacea Panzer 1804, Syst. Nomencl. p. 65, Schäffer Ic. Ins. Ratisb. 1 T. 47 F. 8 (D).
Thomisus rhomboicus Walckenaer 1805, Tabl. Aran. p. 38 (N).
Thomisus rhombiferens Walckenaer 1825, Aran. de France p. 95 T. 6 F. 8 (D).
Philodromus rhombiferenz Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt p. 392 T. 6 F. 5 (D ♀).
Thomisus rhomboicus Hahn 1831, Die Arachniden 1 p. 111 TF. 83 (D ♂♀).
Philodromus f. Sundevall 1832, Vet. Ak. Handl. p. 229 (D ♂♀).
Thomisus rhomboicus Hahn 1836, Monogr. d. Spinn. 8 p. 1 T. 30 F. c (D ♀).
T. f. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 28 (N).
Thomisus rhombiferens Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 559 (D ♂♀).
Philodromus f. Westring 1862, Aran. Svec. p. 465 (D ♀).
T. rhomboicus Ohlert 1867, Aran. Prov. Preussen p. 122 (D ♂♀).
T. f. Thorell 1872, Rem. Syn. Europ. Spid. p. 269 (N).
Philodromus f. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 410 T. 69 F. 231 (D ♂♀).
T. f. Simon 1875, Arachn. de France 2 p. 326 (D ♂♀).
T. f. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 241 T. 27 F. 2 (D ♂♀).
T. f. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 70 (D ♂♀).
T. f. Hansen 1885, in: Schiödte, Zool. Danica p. 146 (D ♂♀).
T. f. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 114 (D ♂♀).
T. lycosoides Emerton 1892, Trans. Connect. Ac. Sci. 8 (21) p. 379 T. 32 F. 6 (D ♂♀).
T. pictus Müller & Schenkel 1895, Verh. Nat. Ges. Basel 10 p. 782 (N ♂♀).
T. f. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1064 (N).
T. f. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 130 T. 9 F. 22 (N).
T. f. Bösenberg 1902, Zoologica 14 (2—4) p. 337 T. 32 F. 500 (D ♂♀).
T. f. Lessert 1910, Catal. Invert. Suisse; Araign. p. 390 (D ♂♀).
T. f. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 203 (C).
T. f. Simon 1932, Arachn. de France 6 (4) p. 861, 886 f. 1315, 1316 (D ♂♀).
T. lycosoides Comstock 1912, Spider Book p. 548 f. 619 (N).
T. f. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 203 (C).

T. f. Simon 1932, Arachn. de France 6 (4) p. 861, 886 f. 1315—1316 (D ♂♀).
T. canadensis Gertsch 1933, Amer. Mus. Novit. 636 p. 3 TF. 7, 49 (D ♂♀).
T. lycosoides Gertsch 1933, Amer. Mus. Novit. 636 p. 5 TF. 4 (N).
T. f. Saito 1936, Rep. 1 Sci. Exped. Manchoukuo (5) 1 (3; 11) p. 15, 76 f. 3; T. 9—10 (D ♂♀).
T. f. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 231 f. (N).
T. f. Tullgren 1944, Svensk Spindelfauna 3 p. 121 f. 46A; T. 17 F. 231—233 (D ♂♀).
T. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 438 T. 85 F. 1592—94 (D ♂♀).
T. f. Locket & Millidge 1951, Brit. Spiders I p. 201 f. 101B, D (D ♂♀).

♂♀ **striatus** C. L. Koch 1845. Europa, N.-Amerika, Alaska

T. s. C. L. Koch 1845, Die Arachniden 12 p. 92 TF. 1022 (D ♀).
Philodromus hirsutus Cambridge 1863, Zoologist 21 p. 8565 (D ♀).
Philodromus hirsutus Cambridge 1873, Trans. Linn. Soc. Lond. 28 p. 438 (N).
T. ursus Simon 1875, Arachn. de France 2 p. 319 (D ♂).
T. vulgaris Simon 1875, Arachn. de France 2 p. 325 (D ♀, nec ♂).
T. hirsutus Simon 1875, Arachn. de France 2 p. 329 (D ♀).
T. hirsutus Cambridge 1878, Ann. Mag. Nat. Hist. (5) 1 p. 123 (N ♂♀).
T. hirsutus Cambridge 1881, Proc. Dorset F. Cl. 2 p. 337 (D ♂♀).
T. s. Chyzer & Kulczynski 1897, Aran. Hungar. 2(b) p. 305 (D ♂♀).
T. s. Braendegaard 1920, Ent. Meddel. 13 p. 189 f. 1 (N ♂).
T. s. Simon 1932, Arachn. de France 6 (4) p. 858, 885 f. 1308, 1309 (D ♂♀).
T. walteri Gertsch 1933, Amer. Mus. Novit. 636 p. 6 TF. 6, 47 (D ♂♀).
T. s. Tullgren 1944, Svensk. Spindelfauna 3 p. 119 f. 45A; T. 17 F. 228—230 (D ♂♀).
T. s. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 438 T. 85 F. 1595—1597 (D ♂♀)
T. s. Locket & Millidge 1951, Brit. Spiders I. p. 201 f. 101A (D ♂♀).

Aethiopische Arten:

♀ **africanus** Karsch 1878. Sansibar, Capland

T. a. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 316 T. 8 F. 5 (D ♀).

♀ **atlanticus** Berland 1936. Cap Verde-I.

T. a. Berland 1936, Rev. Franc. Ent. 3 (1) p. 78 f. 22, 23 (D ♀).

♀ **forbesi** Pocock 1903. Sokotra

T. f. Pocock 1903, Arachn. in: Nat. Hist. Sokotra a. Abd-el-Kuri p. 199 (D ♀).

♀ **frederici** Denis 1941. Cap Verde-I.

T. f. Denis 1941, Ann. Soc. Ent. France 110 p. 127 f. 16 (D ♀).

♀ **inconsuetus** Caporiacco 1940. Abessinien

T. i. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 840 f. 45 (D ♀).

♀ **luederitzi** Simon 1910. Namaqualand

T. l. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 197 (D ♀).

♂♀ **multipunctatus** Strand 1906. Abessinien, O.-Afrika

T. m. Strand 1906, Zool. Anz. 30 (19—20) p. 628 (D ♂♀).
T. m. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 135 (D ♂♀).
T. m. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 209 (N ♀).

♀ **namaquensis** Simon 1910. Namaqualand

T. n. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 197 (D ♀).

♀ **notatus** (Reuss) 1834. Arabien
Drassus n. Reuss 1834, in: Wider, Mus. Senckenbg. 1 p. 206 (D ♀).
T. n. Strand 1915, Arch. Naturg. 81 (A; 9) p. 34, 35 (D ♀).

♀ **pagenstecheri** Strand 1906. SW.-Afrika
T. p. Strand 1906, Jahrb. Nassau. Ver. Nat. 59 p. 33 f. 3 (D ♀).
T. p. Strand 1915, Jahrb. Nassau. Ver. Nat. 68 p. 94 (N ♀).

♀ **paucipunctatus** Strand 1906. Somaliland
T. p. Strand 1906, Zool. Anz. 30 (19—20) p. 628 (D ♀).
T. p. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 139 (D ♀).

♀ **philodromicus** Strand 1915. Madagascar
T. p. Strand 1915, Arch. Naturg. 81 (A; 9) p. 65 (D ♀).

♀ **philodromoides** Caporiacco 1940. Somaliland
T. p. Caporiacco 1940, Boll. Lab. Zool. Agr. Portici 31 p. 301 f. 3 (D ♀).

♀ **plumosus** Simon 1890. Yemen
T. p. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 190 (D ♀).

♂♀ **purcelli** Simon 1910. S.-Afrika
T. p. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 196 (D ♂♀).

♀ **rubicundus** L. Koch 1875. Abessinien, Somaliland, O.-Afrika
T. r. L. Koch 1875, Aegypt. Abyss. Arachn. p. 61 T. 6 F. 3 (D ♀).
T. rubicundulus Simon 1887, Bull. Soc. Zool. France 12 p. 452 (N).
T. fabricii Pavesi 1895, Boll. Sci. 17 p. 43 (N).

♂♀ **sahariensis** Millot 1941. Franz. Sudan (Sahara)
T. s. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 70 f. 32 (D ♂♀).

♀ **schubotzi** Strand 1913. Centr.-Afrika
T. s. Strand 1913, Arach. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 397 (D ♀).

o **zavattarii** Caporiacco 1939. Abessinien
T. z. Caporiacco 1939, Real Accad. Ital. p. 359 (D o).

Transgredierende Arten:

♂ **simplicipalpis** Simon 1882. Yemen, Indien
T. s. Simon 1882, Ann. Mus. Civ. Genova 18 p. 226 T. 8 F. 6 (D ♂).

Orientalische Arten:

♂♀ **albescens** Cambridge 1885. NW.-Indien
T. a. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 76 (D ♀).
T. fornicatus Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 293 (D ♂♀).

♀ **indicus** Simon 1885. Indien
T. i. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 16 (D ♀).

♀ **prolixus** Simon 1897. Indien
T. p. Simon 1897, Mém. Soc. Zool. France 10 (2) p. 255 (D ♀).
Tibellus p. Simon 1906, Ann. Soc. Ent. France 75 p. 293 (N).

Neotropische Arten:

§ 2 ♂, 4 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 199 (part.).

♂♀ **chorillensis** Keyserling 1880. Peru
T. c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 202 T. 5 F. 111 (D ♂♀).

♀ **gnaquiensis** Strand 1908. Peru
T. g. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 233 (D ♀).

♀ **granadensis** Keyserling 1880. Columbien
T. g. Keyserling 1880, Spinn. Amer. 1 ((Laterigr.) p. 199 T. 5 F. 109 (D ♀).

♀ **maculatus** Keyserling 1880. Peru
T. m. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 201 T. 5 F. 110 (D ♀).

♀ **mus** Strand 1908. Peru
T. m. Strand 1908, Jahrb. Nassau. Ver. Nat. 61 p. 234 (D ♀).

Transgredierende Arten:

♂♀ **peninsulanus** Banks 1898. Nieder-Californien, Californien, Arizona
T. p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 265 T. 16 F. 11 (D ♂♀).
T. coloradensis Emerton 1918, Ent. News 29 p. 74 (N).
T. retentus Chamberlin 1920, Journ. Ent. Zool. Claremont 12 p. 9 T. 4 F. 5 (D ♀).
T. p. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 439 T. 87 F. 1613—15 (D ♂♀).

Nearktische Arten:

§ 2 ♂, 4 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 199 (part.).
§ 3 (♂, ♀): Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 437—438.

♂♀ **albimontis** Gertsch 1933. Wyoming
T. a. Gertsch 1933, Amer. Mus. Novit. 636 p. 6 TF. 2, 48 (D ♂♀).

♂♀ **coloradensis** Keyserling 1880. Colorado
T. c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 206 T. 5 F. 113 (D ♂♀).
T. c. Emerton 1902, Common Spid. p. 39 f. 117 (D ♀).
T. c. Gertsch 1933, Amer. Mus. Novit. 636 p. 1 TF. 5 (D ♂♀).

♂ **rowani** Gertsch 1933. Canada
T. r. Gertsch 1933, Amer. Mus. Novit. 636 p. 5 TF. 9 (D ♂).

♀ **rubicellus** Mello-Leitao 1929. U. St. Amerika
T. rubicundus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 204 T. 5 F. 112 (D ♀).
T. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 271 (nom. nov.).

Gen. **Tibellinus** Simon 1910.

♀ **australis** Simon 1910. Kalahari
T. au. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 198 (D ♀).

Gen. **Tibelloides** Mello-Leitao 1939.

♀ **spatuliferus** Mello-Leitao 1939. Paraguay
T. sp. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 76 f. 60—62 (D ♀).

Gen. **Tibellus** Simon 1875.

Palaearktische Arten:

§ 4 ♂, 4 ♀: Simon 1875, Arachn. de France 2 p. 307—308.
§ 3 ♂, 3 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 114—115.
§ 2 ♂, 2 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 30 TF. 322—325.
§ 3 ♂, 3 ♀: Simon 1932, Arachn de France 6 (4) p. 865—866.

♂♀ **asiaticus** Kulczynski 1908. Sibirien, Kamtschatka

T. a. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 68 T. 2 F. 79 (D ♀).
T. a. Sytshevskaja 1935, Folia Zool. Hydrobiol. 8 (1) p. 95 f. 12 (N ♂♀).

♀ **lesserti** Roewer 1951. Aegypten

Thanatus lineatipes Cambridge 1876, Proc. Zool. Soc. Lond. p. 591 (D ♀) (praeocc. Simon 1870).
T. lineatipes Lessert 1910, Rev. Suisse Zool. 27 (5) p. 212 (N).
T. l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 448 (nom. nov.).

♂♀ **macellus** Simon 1875. Ungarn, Mediterranea, Balkanländer, Russland

T. m. Simon 1875, Arachn. de France 2 p. 308 (D ♂♀).
Thanatus vittatus Thorell 1875, Hor. Ent. Ross. 11 p. 98 (D Oo).
T. vittatus Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 115 T. 4 F. 29 (D ♂♀).
T. m. Simon 1932, Arachn. de France 6 (4) p. 865, 888 f. 1327, 1328 (D ♂♀).

o **propositus** Roewer 1951. Kaschgar

T. propinquus Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 76 (D o) (praeocc. Simon 1875).
T. p. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 448 (nom. nov.).

♀ **vosseleri** Strand 1906. Algier

T. v. Strand 1906, Zool. Anz. 30 (19—20) p. 629 (D ♀).
T. v. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 144 (D ♀).

Transgredierende Arten:

♂♀ **maritimus** (Menge) 1875. W.- u. Mitteleuropa, Balkanländer, Sibirien, Kamtschatka, U. St. Amerika

Thanatus m. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 398 T. 67 F. 225 (D ♂, nec ♀).
Thanatus oblongus Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 396 T. 67 F. 224 (D ♀, nec ♂).
T. oblongus Simon 1875, Arachn. de France 2 p. 311 (D ♂♀).
T. oblongus Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 238 T. 26 F. 4 (D ♂♀).
T. oblongus Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 115 T. 4 F. 28 (D ♂♀).
T. m. Lessert 1910, Catal. Invert. Suisse; Araign. p. 395 (D ♀).
T. m. Jackson 1911, Lancash. Nat. Darw. 4 (36) p. 387 T. 12 F. 4, 6 (N ♂♀).
T. m. Charitonow 1925, Annuar. Mus. Zool. Ac. Sci. URSS. p. 122 T. 5 F. 11, 12 (N ♂♀).
T. m. Bryant 1933, Bull. Mus. Zool. Comp. Harvard 74 (6) p. 189 T. 3 F. 35; T. 4 F. 46 (D ♀).
T. m. Gertsch 1933, Amer. Mus. Novit. 593 p. 8 TF. 101—12 (D ♂♀).
T. m. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 234 f. (N).
T. m. Tullgren 1944, Svensk Spindelfauna 3 p. 126 f. 47b; T. 18 F. 242—244 (D ♂♀).
T. m. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 441 T. 87 F. 1619—20 (D ♂♀).
T. m. Locket & Millidge 1951, Brit. Spiders I. p. 202 f. 101C; 102B, D (D ♂♀).

♂♀ **oblongus** (Walckenaer) 1802. – * Europa, N.-Afrika, Sibirien, Kamtschatka, N.-Amerika, Mexico

Aranea o. Walckenaer 1802, Faun. Paris 2 p. 228 (D).
Thomisus o. Walckenaer 1805, Tabl. Aran. p. 38 T. 4 F. 39 (N).
Thomisus o. Hahn 1831, Die Arachniden 1 p. 10 TF. 82 (D ♀).
Philodromus trilineatus Sundevall 1833, Vet. Ak. Handl. p. 227 (part.).
Thomisus o. Hahn 1836, Monogr. d. Spinn. 8 p. 1 T. 30 F. a, b (D ♂♀).
Thanatus trilineatus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 28 (N).
Thanatus parallelus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 28 (N).
Philodromus o. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 558 (D ♂♀).
Thanatus parallelus C. L. Koch 1838, Die Arachniden 4 p. 87 TF. 307 (D ♀).
Philodromus gracilentus Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 199 T. 11 F. 7 (D ♀).
Thanatus trilineatus C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 40 (N).
Philodromus o. Blackwall 1861, Spinn. Gr. Brit. Irel. 1 p. 100 T. 5 F. 60 (D ♂♀).
Philodromus o. Westring 1862, Aran. Svec. p. 464 (D ♂).
Thanata gracilenta Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 401 (C).
Thanatus trilineatus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 630 T. 11 F. 19—21 (D ♂♀).
Thanatus o. Ohlert 1867, Aran. Prov. Preussen p. 122 (D ♂♀).
Thanatus o. Thorell 1872, Rem. Syn. Europ. Spid. p. 269 (N).
Thanatus o. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 396 T. 67 F. 224 (D ♂, nec ♀).
Thanatus maritimus Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 398 T. 67 F. 225 (D ♀, nec ♂).
T. propinquus Simon 1875, Arachn. de France 2 p. 309 (D ♂♀).
Metastenus o. Bertkau 1878, Arch. Naturg. 44 p. 377 (N).
Metastenus parallelus Bertkau 1878, Arch. Naturg. 44 p. 377 (N).
T. o. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 194 T. 4 F. 107 (D ♂♀).
T. o. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 339 (D ♂♀).
T. propinquus Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 237 T. 26 F. 3 (D ♂♀).
Thanatus o. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 70 (D ♂♀).
Thanatus o. Hansen 1885, in: Schiödte, Zool. Danica p. 145 T. 6 F. 12 (D ♂♀).
T. parallelus Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 115 T. 4 F. 27 (D ♂♀).
T. duttoni Emerton 1892, Trans. Connect. Ac. Sci 8 (21) p. 378 T. 31 F. 5 (D ♂♀).
T. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1065 (N).
T. o. Bösenberg 1902, Zoologica 14 (2—4) p. 338 T. 32 F. 502 (D ♂♀).
T. duttoni Emerton 1902, Common Spid. p. 39 f. 114—116 (D ♂♀).
T. o. Lessert 1910, Catal. Invert. Suisse; Araign. p. 394 (D ♂♀).
T. o. Jackson 1911, Lancash. Nat. Darw. 4 (36) p. 387 T. 12 F. 5, 7 (N ♂♀).
T. o. Charitonow 1925, Annuar. Mus. Zool. Ac. Sci. URSS. p. 121 T. 5 F. 9, 10 (N ♀).
? Orthops o. Franganillo 1926, Bol, Soc. Ent. Espan. 9 p. 72 (D ♂).
T. parallelus Simon 1932, Arachn. de France 6 (4) p. 866, 888 f. 1329, 1330 (D ♂♀).
T. o. Simon 1932, Arachn. de France 6 (4) p. 866, 888 f. 1331, 1332 (D ♂♀).
Thanatus o. Gertsch 1933, Amer. Mus. Novit. 593 p. 3 TF. 1—3 (D ♂♀).
T. o. Peelle & Saito 1933, Journ. Fac. Sci. Hokkaido Zool. (6) 2 (2) p. 115 f. 5 (N ♀).
T. o. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 286 T. 14 F. 44 (N ♀).
T. o. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 234 f. (N).
T. o. Tullgren 1944, Svensk Spindelfauna 3 p. 124 f. 47a; T. 18 F. 238—241 (D ♂♀).

T. o. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 440 T. 86 F. 1607—1608, T. 87 F. 1616, T. 109 F. 2008 (D ♂♀).
T. o. Locket & Millidge 1951, Brit. Spiders I. p. 203 f. 102A, C (D ♂♀).

♂♀ **tenellus** (L. Koch) 1876. Japan, Saghalin, Queensland
Thanatus t. L. Koch 1876, Arachn. Austral. 1 (2) p. 849 T. 73 F. 2 (D ♀).
T. t. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 271 T. 8 F. 112; T. 10 F. 156 (D ♂♀).
T. t. Saito 1934, Trans. Sapporo Nat. Hist. Soc. 13 (3) p. 327 f. 1 (N ♀).

♂♀ **vossioni** Simon 1884. Aegypten, Abessinien, Sudan, Kleinasien, Aegaeische I., Congo, Obervolta
T. v. Simon 1884, Bull. Soc. Zool. France 9 p. 10 T. 1 F. 4 (D ♂).
T. v. Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 171 (D ♀).
T. v. Berland 1922, Voy. Rothschild Ethiop. Res. Sci. Anim. Artic. 1 p. 61 TA2 F. 5 (N ♀).
T. v. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 72 (N ♂).

♀ **vossioni armatus** Lessert 1928. Congo
T. v. a. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 329 f. 17 (D ♀).

♂♀ **vossioni flavipes** (Caporiacco) 1941. O.-Afrika, Abessinien
T. flavipes Caporiacco 1939, Real. Accad. Ital. p. 360 (D o).
T. v. f. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 120 f. 47 (D ♂♀).

♂♀ **vossioni minor** Lessert 1919. O.-Afrika
T. v. m. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 161 T. 2 F. 11; f. 25—26 (D ♂♀).

Aethiopische Arten:

♀ **bruneitarsis** Lawrence 1952. Natal
T. b. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 205 f. 42 (D ♀).

♀ **hollidayi** Lawrence 1952. Natal
T. h. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 204 f. 41 (D ♀).

♂♀ **kibinotensis** Lessert 1919. O.-Afrika, Abessinien
T. k. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 164 T. 2 F. 34; f. 27, 28 (D ♂♀).

♀ **nigeriensis** Millot 1941. Franz. Sudan
T. n. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 76 f. 34 G, H (D ♀).

♀ **punctifasciatus** Strand 1906. Abessinien
T. p. Strand 1906, Zool. Anz. 30 (19—20) p. 628 (D ♀).
T. p. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 141 (D ♀).

o **robustus** Simon 1885. Senegambien
T. r. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 366 (D o).

♂ **septempunctatus** Millot 1941. Franz. Guinea
T. s. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 74 f. 34 D—F (D ♂).

♀ **seriepunctatus** Simon 1907. Sierra, Leone, Dahomey, Senegal, Congo
T. s. Simon 1907, Ann. Mus. Civ. Genova 43 p. 322 (D ♀).
T. s. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 72 f. 33 A—C (D ♀).

Orientalische Arten:

♀ **vitilis** Simon 1906. Ceylon, Dekan

T. v. Simon 1906, Ann. Soc. Ent. France 75 p. 293 (D ♀).

Neotropische Arten:

§ 5 ♂, 6 ♀: Gertsch 1933, Amer. Mus. Novit. 593 p. 2—3.

o **affinis** Cambridge 1898. Mexico

T. a. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 252 T. 31 F. 11 (D o).
T. a. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 133 T. 9 F. 23 (D o).

♀ **chilensis** Mello-Leitao 1943. Chile

T. c. Mello-Leitao 1943, Rev. Brasil. Biol. R. d. Jan. 3 (4) p. 407 (D ♀).

♀ **insularis** Gertsch 1933. Cuba

T. i. Gertsch 1933, Amer. Mus. Novit. 593 p. 13 TF. 15 (D ♀).

♀ **paraguensis** Simon 1897. Paraguay

T. p. Simon 1897, Boll. Mus. Zool. Torino 12 (270) p. 7 (D ♀).
T. p. Gertsch 1933, Amer. Mus. Novit. 593 p. 10 (N).

♂♀ **punctulatus** (Taczanowski) 1872. Guiana, Peru

Thanatus p. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 73 (D ♂♀).
T. p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 197 T. 5 F. 108 (D ♂♀).
T. p. Gertsch 1933, Amer. Mus. Novit. 593 p. 9 TF. 13 (N).

♀ **spinosus** Schiapelli & Gerschman 1941. Argentinien

T. s. Schiapelli & Gerschman 1941, Physis 19 (51) p. 75 (D ♀).
T. s. Schiapelli & Gerschman 1942, An. Mus. Argent. B. Aires 40 p. 326 f. 15—16 (D ♀).

Transgredierende Arten:

♂♀ **duttoni** (Hentz) 1847. Südl. U. St. Amerika, Mexico

Thomisus d. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 448 T. 23 F. 10 (D ♀).
T. d. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 194 T. 4 F. 107 (D ♂♀).
T. d. Comstock 1912, Spider Book p. 549 f. 620 (N).
T. d. Gertsch 1933, Amer. Mus. Novit. 593 p. 11 TF. 4—6 (D ♂♀).
T. d. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 233 f. (N).
T. d. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 441 T. 87 F. 1617—1618 (D ♂♀).

Nearktische Arten:

§ 3 Arten: Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 232.

♂♀ **chamberlini** Gertsch 1933. Idaho, Utah, Arizona

T. c. Gertsch 1933, Amer. Mus. Novit. 593 p. 10 TF. 7—9, 14 (D ♂♀).

♂♀ **gertschi** Chamberlin & Ivie 1942. Utah, Alaska

T. g. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 81 T. 17 F. 230—231 (D ♂♀).

Gen. **Tibitanus** Simon 1907.

♀ **nomas** Simon 1910. SW.-Afrika

T. n. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 198 (D ♀).

♀ **sexlineatus** Simon 1907. – * Franz. u. Portug. Guinea

T. s. Simon 1907, Ann. Mus. Civ. Genova 43 p. 323 (D ♀).
T. s. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 77 f 33J (D ♀).

Gen. **Titanebo** Gertsch 1933.

Transgredierende Arten:

♀ **mexicanus** (Banks) 1898. Mexico, Arizona

Ebo m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 265 T. 16 F. 9 (D ♀).
T. m. Gertsch 1935, Amer. Mus. Novit. 792 p. 25 (N).

Nearktische Arten:

♂ **californicus** Gertsch 1933. Californien

T. c. Gertsch 1933, Amer. Mus. Novit. 636 p. 14 TF. 12 (D ♂).
Ebo inquisitor Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 186 T. 2 F. 15; T. 3 F. 30 (D ♂).

♂ **macyi** Gertsch 1933. – * Oregon

T. m. Gertsch 1933, Amer. Mus. Novit. 636 p. 11 TF. 11 (D ♂).

♂ **magnificus** Chamberlin & Ivie 1942. Utah

T. m. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 81 T. 17 F. 228—229 (D ♂).

♂ **texanus** Gertsch 1933. Texas

T. t. Gertsch 1933, Amer. Mus. Novit. 636 p. 13 TF. 10 (D ♂).

♂ **tridentatus** Chamberlin & Ivie 1942. Nord-Dakota

T. t. Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 80 T. 17 F. 226—227 (D ♂).

Gen. **Vacchellia** Caporiacco 1935.

♂♀ **baltoroi** Caporiacco 1935. – * Karakorum

V. b. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 193 T. 3 F. 15 (D ♂♀).

♂♀ **thorellii** (Cambridge) 1872. Aegypten, Palästina, Turkestan, Karakorum

Philodromus t. Cambridge 1872, Proc. Zool. Soc. Lond. p. 309 (D ♂♀).
V. t. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 194 (N).

2. Gr. Proerneae

Gen. **Adrastidia** Simon 1900.

♀ **longula** Simon 1900. Hawai

A. l. Simon 1900, Faun. Hawaiiens. 2 (5) p. 504 T. 17 F. 9 (D ♀).

♀ **nebulosa** Simon 1900. Hawai

A. n. Simon 1900, Faun. Hawaiiens. 2 (5) p. 503 (D ♀).

♀ **stigmatica** Simon 1900. – * Hawai

A. s. Simon 1900, Faun. Hawaiiens. 2 (5) p. 503 T. 17 F. 10 (D ♀).

Gen. **Pagiopalpus** Simon 1900.

§ 4 Arten: Simon 1900, Faun. Hawaiiens. 2 (5) p. 500.

♂♀ **atomarius** Simon 1900. – * Hawai

P. a. Simon 1900, Faun. Hawaiiens. 2 (5) p. 500 T. 17 F. 7 (D ♂♀).

♀ **nigriventris** Simon 1900. Hawai
P. n. Simon 1900, Faun. Hawaiiens. 2 (5) p. 502 (D ♀).

♀ **personatus** Simon 1900. Hawai
P. p. Simon 1900, Faun. Hawaiiens. 2 (5) p. 501 T. 18 F. 8 (D ♀).

♂♀ **semipunctatus** Simon 1900. Hawai
P. s. Simon 1900, Faun. Hawaiiens. 2 (5) p. 501 T. 17 F. 15 (D ♂♀).

Gen. **Proernus** Simon 1900.
§ 4 Arten: Simon 1900, Faun. Hawaiiens. 2 (5) p. 497.

♂ **aculeatus** Simon 1900. Hawai
P. a. Simon 1900, Faun. Hawaiiens. 2 (5) p. 498 (D ♂).

♂ **castaneus** Simon 1900. Hawai
P. c. Simon 1900, Faun. Hawaiiens. 2 (5) p. 498 (D ♂).

♂ **schauinslandi** (Simon) 1899. – * Hawai
Pterelas sch. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 418 (D ♂).
P. s. Simon 1900, Faun. Hawaiiens. 2 (5) p. 497 T. 17 F. 6 (D ♂).

♂ **velox** Simon 1900. Hawai
P. v. Simon 1900, Faun. Hawaiiens. 2 (5) p. 499 T. 17 F. 5 (D ♂).

3. Gr. Pselloneae

Gen. **Psellonus** Simon 1897.

♂ **planus** Simon 1897. Indien
P. s. Simon 1897, Hist. Nat. Araign. 2 (1) p. 14 f. 9, 10 (D ♂).

Gen. **Pseudopsellonus** Balogh 1936.

♂♀ **papuanus** Balogh 1936. Neu-Guinea
P. p. Balogh 1936, Zool. Anz. 113 (9—10) p. 244 (D ♂♀).

Gen. **Senoculifer** Balogh 1936.

♀ **conivulva** Balogh 1936. Neu-Guinea
S. c. Balogh 1936, Zool. Anz. 113 (9—10) p. 232 f. 5 (D ♀).

♂ **dentibulbis** Balogh 1936. – * Neu-Guinea
S. d. Balogh 1936, Zool. Anz. 113 (9—10) p. 239 f. 1, 2 (D ♂).

♂♀ **simplicibulbis** Balogh 1936. Neu-Guinea
S. s. Balogh 1936, Zool. Anz. 113 (9—10) p. 241 f. 3, 4 (D ♂♀).

5. Subfam. Dietinae

1. Gr. Taguleae

Gen. **Tagulinus** Simon 1902.

♀ **histrio** Simon 1902. Annam
T. h. Simon 1902, Ann. Soc. Ent. France 71 p. 725 (D ♀).

Gen. **Tagulis** Simon 1895.

Aethiopische Arten:

♀ **granulosus** Simon 1895. – * Sierra Leone
T. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 973 f. 1041 (D ♀).

Orientalische Arten:

♀ **mystacinus** Simon 1895. Ceylon
T. m. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 432 (D ♀).
T. m. Simon 1895, Hist. Nat. Araign. 1 (4) p. 973 f. 1042 (N).

2. Gr. Emplesiogoneae

Gen. **Emplesiogonus** Simon 1903.

♂ **scutulatus** Simon 1903. Madagascar
E. s. Simon 1903, Ann. Mus. Hist. Nat. Paris 9 p. 133 (D ♂).

♀ **striatus** Simon 1903. – * Madagascar
E. s. Simon 1903, Ann. Soc. Ent. France 72, Bull. p. 123 (D ♀).

Gen. **Plastonomus** Simon 1903.

♀ **octoguttatus** Simon 1903. Madagascar
P. o. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 134 (D ♀).

Gen. **Pseudoporrhopis** Simon 1886.

♂♀ **granum** Simon 1886. Madagascar
P. g. Simon 1886, Act. Soc. Linn. Bord. 40 p. 171 (D ♀).
P. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 973 f 1043 (N ♂).

3. Gr. Apyretineae

Gen. **Apyretina** Strand 1932.

♂ **catenulata** (Simon) 1903. Madagascar
Apyre c. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 135 (D ♂).

♀ **nigra** (Simon) 1903. Madagascar
Apyre n. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 134 (D ♀).

♀ **pentagona** (Simon) 1895. – * Madagascar
Apyre p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 974 f. 1044, 1045 (D ♀).
A. p. Strand 1932, Folia Zool. Hydrobiol. 4 (1) p. (nom. nov. gen.).

♂ **quinquenotata** (Simon) 1903. Madagascar
Apyre qu. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 135 (D ♂).

♀ **tessera** (Simon) 1903. Madagascar
Apyre t. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 135 (D ♀).

Gen. **Lampertia** Strand 1907.

♀ **pulchra** Strand 1907. Madagascar
L. p. Strand 1907, Zool. Anz. 31 (23) p. 733 (D ♀).
L. p. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 65 (D ♀).

Gen. **Nyctimus** Thorell 1877.

♂o **bistriatus** Thorell 1877. Celebes, Sumatra

N. b. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 499 (D ♂).
N. b. Hasselt 1882, in: Veth, Midd. Sumatra 4 (11A) Aran. p. 41 (D o).
N. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 976 (N).

Gen. **Zametopias** Thorell 1890.

Aethiopische Arten:

♀ **trimeni** Simon 1895. Capland

Z. t. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 432 (D ♀).

Orientalische Arten:

♀ **speculator** Thorell 1890. – * Sumatra

Z. s. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 152 (D ♀).
Z. s. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 123 (D ♀).
Z. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 976 (N).

Gen. **Zametopina** Simon 1909.

♂ **calcarata** Simon 1909. Tonking

Z. c. Simon 1909, Bull. Sci. France Belg. 42 p. 123 (D ♂).

4. Gr. Alcimochtheae

Gen. **Alcimochthes** Simon 1885.

♂♀ **limbatus** Simon 1885. – * Singapore, Tonking

A. l. Simon 1895, Bull. Soc. Zool. France 10 (4—6) p. 448 T. 10 F. 16 (D ♂♀).
A. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 979 f. 1046 (N).

♀ **melanophthalmus** Simon 1902. Annam

A. m. Simon 1902, Ann. Soc. Ent. France 71 p. 726 (D ♀).

Gen. **Domatha** Simon 1895.

Orientalische Arten:

♂♀ **vivida** Simon 1895. – * Philippinen

D. v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 979 f. 1048 (D ♂♀).

Australische Arten:

♂ **celeris** Kulczynski 1911. Neu-Guinea

D. c. Kulczynski 1911, Res. Exped. Sci. Wichmann, N.-Guinea 5 p. 506 T. 20 F. 75, 76 (D ♂).

Gen. **Peritraeus** Simon 1895.

♀ **hystrix** Simon 1895. Ceylon

P. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 980 (D ♀).

Gen. **Tarrocanus** Simon 1895.

♀ **capra** Simon 1895. – * Ceylon

T. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 979 f. 1047 (D ♀).

♀ **viridis** Dyal 1935. Panjab

T. v. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 200 (D ♀).

5. Gr. Dieteae

Gen. **Browningella** Mello-Leitao 1948.

♀ **browningi** Mello-Leitao 1948. Brit. Guiana
B. b. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 176 f. 19 (D ♀).

Gen. **Cetratus** Kulczynski 1911.

♂ **annulatus** Kulczynski 1911. Neu-Guinea
C. a. Kulczynski 1911, Res. Exped. Sci. Wichmann, N.-Guinea 5 p. 509 T. 20 F. 77, 78 (D ♂).

Gen. **Dieta** Simon 1880.

Palaearktische Arten:

♂♀ **japonica** Bösenberg & Strand 1906. Japan
D. j. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 246 T. 10 F. 158 (D ♂♀).

Transgredierende Arten:

o **parallela** Simon 1880. – * China, Tonking
D. p. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 108 T. 3 F. 7 (D o).

Aethiopische Arten:

♂♀ **argenteooculata** Simon 1886. S.-, O.- u. Centr.-Afrika
D. a. Simon 1886, Act. Soc. Linn. Bord. 40 p. 179 (D ♀).
D. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 981 f. 1049. 1050 (N).
D. a. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 99 f. 1 (D ♂).
D. a. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 306 f. 3 (D ♀).

♀ **concolor** Caporiacco 1947. Aethiopien
D. c. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 212 T. 2 F. 54 (D ♀).

♂ **jannonei** Caporiacco 1940. Abessinien
D. j. Caporiacco 1940, Redia 27 p. 22 (D ♂).

♂ **leruthi** Lessert 1943. Belg. Congo
D. l. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 309 f. 5—6 (D ♂).

O **phaenopomatiformis** Strand 1907. Sansibar
D. p. Strand 1907, Zool. Anz. 31 (23) p. 733 (D O).
D. p. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 68 (D O).

Orientalische Arten:

♀ **chlorion** Simon 1906. Dekan
D. c. Simon 1906, Ann. Soc. Ent. France 75 p. 286 (D ♀).

♂♀ **placata** Cambridge 1899. Ceylon
D. p. Cambridge 1899, Proc. Zool. Soc. Lond. p. 524 T. 30 F. 6 (D ♂♀).

♀ **subvirens** Strand 1907. Ceylon
D. s. Strand 1907, Abh. Nat. Ges. Görlitz 25 p. 92 (D ♀).

♂♀ **virens** (Thorell) 1891. Singapore, Tonking
Orus v. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 91 (D ♀).
D. v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 982 f. 1053 (N ♂).
D. v. Workman 1896, Malays. Spid. p. 91 T. 91 (D ♀).

Australische Arten:

♀ **isolata** Hogg 1914. Montebello-I.
D. i. Hogg 1914, Proc. Zool. Soc. Lond. (1) p. 80 T. 2 F. 7 (D ♀).

Gen. **Dietopsa** Strand 1932.

♂ **castaneifrons** (Simon) 1895. Dekan
Dietopsis c. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 433 (D ♂).

o **parnassia** (Simon) 1895. – * Indien
Dietopsis p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 984 (D o).
Dietopsis p. Simon 1906, Ann. Soc. Ent. France 75 p. 286 (N).
D. p. Strand 1932, Folia Zool. Hydrobiol. 4 (1) p. 135 (nom. nov. gen.).

Gen. **Diplotychus** Simon 1903.

o **longulus** Simon 1903. Madagascar
D. l. Simon 1903, Ann. Soc. Ent. France 72, Bull. p. 124 (D o).

Gen. **Loxobates** Thorell 1877.

♀ **ephippiatus** Thorell 1877. – * Celebes
L. e. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 495 (D ♀).
L. e. Simon 1895, Hist. Nat. Araign. 1 (4) p. 985 (N).

♀ **ornatus** Thorell 1891. I. Pinang
L. o. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 89 (D ♂).
L. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 981 f. 1051 (N).
L. o. Workman 1896, Malays. Spid. p. 83 T. 83 (D ♀).

o **quinquenotatus** Thorell 1895. Burma
L. p. Thorell 1895, Descr. Catal. Spid. Burma p. 283 (D o).

Gen. **Lycopus** Thorell 1895.

Orientalische Arten:

♀ **edax** Thorell 1895. – * Burma
L. e. Thorell 1895, Descr. Catal. Spid. Burma p. 285 (D ♀).
L. e. Simon 1895, Hist. Nat. Araign. 1 (4) p. 986 (N).

♀ **rubropictus** Workman 1896. Singapore
L. r. Workman 1896, Malays. Spid. p. 84 T. 84 (D ♀).

♀ **trabeatus** Simon 1895. Dekan
L. t. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 433 (D ♀).

Australische Arten:

♀ **atypicus** Strand 1911. Aru-I.
L. a. Strand 1911, Abh. Senckenbg. Ges. 34 (2) p. 155 T. 5 F. 52 (D ♀).

♀ **kochi** Kulczynski 1911. Neu-Guinea
L. k. Kulczynski 1911, Res. Exped. Sci. Lorentz; N.-Guinea 9 (2) p. 124 T. 4 F. 10 (D ♀).

Gen. **Ostanes** Simon 1895.

♀ **pristis** Simon 1895. Sierra Leone
O. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 985 (D ♀).

Gen. **Oxytate** L. Koch 1878.

Palaearktische Arten:

♂♀ **setosa** Karsch 1879. Japan

O. s. Karsch 1879, Verh. Nat. Ver. Rheinl. West. 36 p. 78 T. 1 F. 11 (D ♂♀).
O. s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 247 T. 7 F. 94; T. 10 F. 175 (D ♂♀).
O. s. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 272 T. 12 F. 2; T. 14 F. 34 (N ♂♀).

♀ **striatipes** L. Koch 1878. – * Japan

O. s. L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 764 T. 16 F. 26—29 (D ♀).
O. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 985 (N).

Orientalische Arten:

♀ **castetsi** Simon 1906. Indien

O. c. Simon 1906, Ann. Soc. Ent. France 75 p. 310 (D ♀).

♂ **polita** (Thorell) 1890. Sumatra

Musaeus p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 150 (D ♂).
Musaeus p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 72 (D ♂).
O. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 982 (N).

Gen. **Pasias** Simon 1895.

♀ **luzonus** Simon 1895. Philippinen

P. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 984 f. 1052 (D ♀).

Gen. **Pasiasula** Roewer 1942.

♀ **eidmanni** Roewer 1942. Fernando Poo

P. e. Roewer 1942, Veröff. Deutsch. Kol. Übersee Mus. 3 (3) p. 251 T. 19 F. 7 (D ♀).

Gen. **Phaenopoma** Simon 1895.

♂ **nigropunctata** (Cambridge) 1833. – * SO.-Afrika

Nesis n. Cambridge 1883, Proc. Zool. Soc. Lond. p. 361 T. 37 F. 6 (D ♂).
P. n. Simon 1895, Hist. Nat. Araign. 1 (4) p. 983 (N).

o **plana** Simon 1895. Sierra Leone

P. p. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 432 (D o).
P. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 983 (N).

Gen. **Rhytidura** Thorell 1895.

♂ **attenuata** Thorell 1895. Burma

R. a. Thorell 1895, Descr. Catal. Spid. Burma p. 287 (D ♂).
R. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 982 (N).

Gen. **Scopticus** Simon 1895.

herbeus Simon 1895. Java

S. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 986 (D).

6. Gr. Amyciaeeae

Gen. **Amyciaea** Simon 1885.

Aethiopische Arten:

♂♀ **hesperia** Simon 1895. Sierra Leone, Elfenbeinküste

A. h. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 434 (D ♂♀).
A. h. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 7 (N ♂o).
A. h. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 311 f. 8—9 (D ♂♀).

Orientalische Arten:

♂♀ **forticeps** (Cambridge) 1873. – * Ceylon, Indien, Burma, Malakka, Java, Krakatau, Celebes

Amycle f. Cambridge 1873, Proc. Zool. Soc. Lond. p. 122 T. 13 F. 6 (D ♂♀).
Amycle f. Thorell 1895, Descr. Catal. Spid. Burma p. 282 (D ♀).
A. f. Simon 1895, Hist. Nat. Araign. 1 (4) p. 983 f. 1054—1057 (N ♂).
A. f. Szombathy 1913, Allat. Közlem. 12 p. 30 f. 7 (N ♂).
Amyclea f. Badcock 1917, Proc. Zool. Soc. Lond. p. 283 f. 2 (N).

♀ **lineatipes** Cambridge 1901. Singapore, Sumatra

A. l. Cambridge 1901, Proc. Zool. Soc. Lond. p. 14 T. 5 F. 4 (D ♀).
A. l. Roewer 1938, Mém. Mus. Hist. Nat. Belg. (hors Ser.) 3 (19) p. 71 f. 47 (N ♀).

♂ **orientalis** Simon 1909. Tonking

A. o. Simon 1909, Bull. Sci. France Belg. 42 p. 124 (D ♂).

Australische Arten:

♂♀ **albomaculata** (Cambridge) 1874. N.-Australien

Amycle a. Cambridge 1874, Ann. Mag. Nat. Hist. (4) 14 p. 178 (D ♂♀).
A. a. Kulczynski 1911, Res. Exped. Sci. Wichmann, N.-Guinea 5 p. 511 T. 20 F. 79 (N ♀).

Gen. **Pseudamyciaea** Simon 1905.

♀ **fuscicauda** Simon 1905. Java

P. f. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 65 (D o).

7. Gr. Mystarieae

Gen. **Hewittia** Lessert 1928.

♀ **gracilis** Lessert 1928. Congo

H. g. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 310 f. 4, 5 (D ♀).

Gen. **Mystaria** Simon 1895.

rufolimbata Simon 1895. – * Sierra Leone

M. r. Simon 1895, Hist. Nat. Araign. 1 (4) p. 989 (D).

♀ **unicolor** Simon 1895. Sierra Leone

M. u. Simon 1895, Hist. Nat. Araign. 1 (4) p. 990 (D ♀).

Gen. **Paramystaria** Lessert 1919.

♀ **decorata** Lessert 1919. O.-Afrika

P. d. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 106 T. 2 F. 25, 33 (D ♀).

o **flavoguttata** Lawrence 1952. Belg. Congo (Höhlen)
P. f. Lawrence 1952, Rev. Zool. Bot. Afr. 46 (1—2) p. 14 f. 8 (D o).

♀ **lata** Lawrence 1927. SW.-Afrika
P. l. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 32 T. 1 F. 20 (D ♀).

♂♀ **variabilis** Lessert 1919. – * O.-Afrika, Mozambique
P. v. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 103 T. 2 F. 14, 21, 27, 42; f. 2—4 (D ♂♀).

♀ **variabilis delesserti** Caporiacco 1949. Kenya
P. v. d. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 454 (D ♀).

♀ **variabilis occidentalis** Millot 1941. Franz. Guinea
P. v. o. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 8 f. 3 (D ♀).

Gen. **Sylligma** Simon 1895.

♀ **hirsuta** Simon 1895. – * Sierra Leone, Belg. Congo
S. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 990 (D ♀).
S. h. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 314 f. 10—13 (D ♂♀).

♀ **lawrencei** Millot 1941. Franz. Guinea
S. l. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 10 f. 4 (D ♀).

6. Subfam. Misumeninae

1. Gr. Tmareae

Gen. **Acentroscelus** Simon 1886.

§ 4 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 175.

♂♀ **albipes** Simon 1886. – * S.-Brasilien
A. a. Simon 1886, Act. Soc. Linn. Bord. 34 p. 185 (D ♂).
A. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 995 (N).
A. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 175 (D ♂♀).

♀ **gallinii** Mello-Leitao 1943. Argentinien
A. g. Mello-Leitao 1943, Rev. Mus. La Plata (N. S.) 3, Zool. 20 p. 117 f. 19 (D ♀).

♀ **granulosus** Mello-Leitao 1929. Brasilien
A. g. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 177 TF. 59 (D ♀).

♂♀ **guianensis** (Taczanowski) 1872. Guiana, Peru
Acanthonotus g. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 86 T. 4 F. 6 (D ♀).
Acanthonotus g. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 132 T. 3 F. 72 (D ♂♀).
A. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 995 (N).

♂♀ **muricatus** Mello-Leitao 1947. Minas Geraes
A. m. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan. 80, Zool. p. 14 T. 4 F. 32; T. 6, F. 47 (D ♂♀).

♀ **nigrianus** Mello-Leitao 1929. Amazonas
A. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 177 (D ♀).

♂♀ **peruvianus** (Keyserling) 1880. Peru
Acanthonotus p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 134 T. 3 F. 73 (D ♂♀).
A. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 995 (N).

♀ **ramboi** Mello-Leitao 1943. Rio Grande do Sul
A. r. Mello-Leitao 1943, Arch. Mus. Nac. R. d. Jan. 37 p. 201 TF. 30 (D ♀).

♀ **secundus** Mello-Leitao 1929. Brasilien
A. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 176 TF. 18 (D ♀).

♀ **versicolor** Soares 1942. San Paulo
A. v. Soares 1942, Pap. Avuls. S. Paulo 2 (19) p. 260 f. 5—6 (D ♀).

Gen. **Gnoerichia** Dahl 1907.

buettneri Dahl 1907. Camerun
G. b. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 375 (D).

Gen. **Haplotmarus** Simon 1909.

♀ **plumatilis** Simon 1909. Tonking
H. p. Simon 1909, Bull. Sci. France Belg. 42 p. 126 (D ♀).

Gen. **Latifrons** Kulczynski 1911.

♀ **picta** Kulczynski 1911. Neu-Guinea
L. p. Kulczynski 1911, Res. Exped. Sci. Lorentz; N.-Guinea 9 (2) p. 126 T. 4 F. 11—13 (D ♀).

Gen. **Martus** Mello-Leitao 1943.

♂ **albolineatus** Mello-Leitao 1943. Brasilien
M. a. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 171 (D ♂).

Gen. **Mecostrabus** Simon 1902.

♀ **aciculus** Simon 1902. – * Annam, Tonking
M. a. Simon 1902, Ann. Soc. Ent. France 71 p. 727 (D ♀).

O **reticulatus** Simon 1909. Tonking
M. r. Simon 1909, Bull. Sci. France Belg. 42 p. 127 (D O).

Gen. **Monaeses** Thorell 1869.

Transgredierende Arten:

♂♀ **paradoxus** (Lucas) 1846. – * Mittelmeergebiet, Ungarn, Transkaspien, Afrika
Monastes p. Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 193 T. 11 F. 1 (D ♂♀).
Thomisus p. Simon 1866, Ann. Soc. Ent. France (4) 6 p. 286 (N ♀).
M. p. Thorell 1869, On Europ. Spid. p. 182 (N).
M. p. Pavesi 1884, Ann. Mus. Civ. Genova 20 p. 474 (N).

M. caudicula Simon 1884, Ann. Soc. Ent. France (6) 4 p. 324 (D o).
M. caudicula Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 102 T. 4 F. 12 (D ♂♀).
M. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 995 (N).
M. p. Strand 1915, Arch. Naturg. 81 (A; 2) p. 147 (N).
M. p. Simon 1932, Arachn. de France 6 (4) p. 782, 866 f. 1126—1129 (D ♂♀).

paradoxus albidus Simon 1906. Sudan, Uganda
M. p. a. Simon 1906, S. B. Ak. Wiss. Wien 115 (I) p. 1165 (D).

Aethiopische Arten:

♀ **austrinus** Simon 1910. S.-Afrika
M. a. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 194 (D ♀).

♀ **debilispina** Lawrence 1928. SW.-Afrika
M. d. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 245 T. 22 F. 28 (D ♀).

♂♀ **griseus** Pavesi 1897. Abessinien, Franz. Sudan
M. g. Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 73 (D ♀).
M. g. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 23 f. 12 A—D (D ♂).

♂ **guineensis** Millot 1941. Franz. Guinea
M. g. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 26 f. 13 (D ♂).

♀ **magnus** Millot 1941. Obervolta
M. m. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 27 f. 12 K (D ♀).

♂ **nigeriensis** Millot 1941. Franz. Sudan
M. n. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 25 f. 12 E—H (D ♂).

♂♀ **pustulosus** Pavesi 1895. Abessinien, O.-Afrika, Congo, Mozambique, Franz. Guinea, Obervolta
M. p. Pavesi 1895, Ann. Mus. Civ. Genova 35 p. 513 (D ♀).
Tmarus p. Simon 1901, Ann. Soc. Ent. France 70 p. 22 (C).
M. p. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 35 T. 2 F. 51 (D ♀).
M. p. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 113 T. 2 F. 38; f. 9 (D ♂).
M. p. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 234 (N).
M. p. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 22 f. 11 (N ♂♀).

♂♀ **quadrituberculatus** Lawrence 1927. SW.-Afrika
M. qu. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 33 T. 1 F. 21; T. 3 F. 64 (D ♂♀).

♀ **voltaensis** Millot 1941. Obervolta
M. v. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 28 f. 12, I, J (D ♀).

♀ **xiphosurus** Simon 1907. Portug. Guinea
M. xiphosura Simon 1907, Ann. Mus. Civ. Genove 43 p. 313 (D ♀).

Orientalische Arten:

♂ **attenuatus** Cambridge 1899. Ceylon
M. a. Cambridge 1899, Proc. Zool. Soc. Lond. p. 529 T. 30 F. 11 (D ♂).

o **cinerascens** (Thorell) 1887. Ceylon, Burma
Rhynchognatha c. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 285 (D o).
Rhynchognatha c. Karsch 1891, Berlin. Ent. Zeitschr. 36 (2) p. 289 (N o).
M. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 993 (N).

♂ **greeni** Cambridge 1899. Ceylon
M. g. Cambridge 1899, Proc. Zool. Soc. Lond. p. 530 T. 30 F. 12 (D ♂).

o **nigritus** Simon 1909. Tonking
M. n. Simon 1909, Bull. Sci. France Belg. 42 p. 128 (D o).

♂ **tuberculatus** (Thorell) 1895. Burma
Rhynchognatha t. Thorell 1895, Descr. Catal. Spid. Burma p. 296 (D ♂).

Australische Arten:

♀ **brevicaudatus** L. Koch 1873. Queensland
M. b. L. Koch 1873, Arachn. Austral. 1 (1) p. 526 T. 40 F. 3 (D ♀).

O **xyphoides** L. Koch 1873. Queensland
M. x. L. Koch 1873, Arachn. Austral. 1 (1) p. 525 T. 40 F. 2 (D O).

Neotropische Arten:

♂ **lucasii** (Taczanowski) 1872. Guiana
Monastes l. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 81 T. 4 F. 5 (D ♂).

Gen. **Pherecydes** Cambridge 1883.

Palaearktische Arten:

♀ **livens** Simon 1895. Tunis
P. l. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 433 (D ♀).
P. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 992 f. 1058 (N).

Aethiopische Arten:

♀ **tuberculatus** Cambridge 1883. – * S.-Afrika
P. t. Cambridge 1883, Proc. Zool. Soc. Lond. p. 363 T. 37 F. 8 (D ♀).
P. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 995 (N).

♀ **zebra** Lawrence 1927. SW.-Afrika, Zululand
P. z. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 35 T. 1 F. 22 (D ♀).
P. z. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 486 (N ♀).

♀ **zebra tropicalis** Millot 1941. Obervolta
P. z. t. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 20 f. 10 (D ♀).

Gen. **Philodamia** Thorell 1894.

♀ **armillata** Thorell 1895. Burma
P. a. Thorell 1895, Descr. Catal. Spid. Burma p. 303 (D ♀).

♀ **hilaris** Thorell 1894. – * Singapore
P. h. Thorell 1894, Bull. Soc. Ent. Ital. 26 (3) p. 347 (D ♀).
P. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 996 (N).
P. h. Workman 1896, Malays. Spid. p. 89 T. 89 (D ♀).

♀ **variata** Thorell 1894. Singapore
P. v. Thorell 1894, Bull. Soc. Ent. Ital. 26 (3) p. 349 (D ♀).
P. v. Workman 1896, Malays. Spid. p. 90 T. 90 (D ♀).

Gen. **Smodicinus** Simon 1895.

♀ **affinis** Lessert 1943. Belg. Congo
S. a. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 317 f. 15—17 (D ♀).

♀ **coroniger** Simon 1895. – * Sierra Leone
S. c. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 433 (D ♀).
S. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 992 f. 1059, 1060 (N).

Gen. **Titidiops** Mello-Leitao 1929.

♀ **melanosternon** Mello-Leitao 1929. Brasilien
T. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 189 TF. 19 (D ♀).

Gen. **Titidius** Simon 1895.

§ 9 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 178—179.

♂ **albifrons** Mello-Leitao 1929. Brasilien
T. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 187 TF. 93, 94 (D ♂).

♀ **albiscriptus** Mello-Leitao 1940. Rio Negro
T. a. Mello-Leitao 1940, Arqu. Inst. Biol. S. Paulo 11 (30) p. 251 (D ♀).

♀ **brasiliensis** Mello-Leitao 1915. Brasilien
T. b. Mello-Leitao 1915, Broteria 13 p. 140 (D ♀).

♀ **curvilineatus** Mello-Leitao 1940. Rio Negro
T. c. Mello-Leitao 1940, Arqu. Inst. Biol. S. Paulo 11 (30) p. 252 (D ♀).

♀ **difficilis** Mello-Leitao 1929. Brasilien
T. d. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 183 (D ♀).

♂ **dubitatus** Soares 1946. Brasilien
T. d. Soares 1946, Pap. Avuls. S. Paulo 7 (3) p. 65 f. 15—16 (D ♂).

♀ **dubius** Mello-Leitao 1929. S.-Brasilien
T. d. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 186 (D ♀).

♂ **galbanatus** (Keyserling) 1880. Brasilien
Tmarus g. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 147 T. 3 F. 79 (D ♂).
T. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 995 (N).
T. g. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 182 (D ♂).

♀ **geometricus** Mello-Leitao 1943. Rio Grande do Sul
T. g. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 210 (D ♀).

♂♀ **haemorrhous** Mello-Leitao 1947. Parana
T. h. Mello-Leitao 1947, Arqu. Mus. Paranaense (6) p. 277 T. 41 F. 32; T. 38 F. 33 (D ♂♀).

♀ **ignestii** Caporiacco 1947. Brit. Guiana
T. i. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 29 (D ♀).
T. i. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 693 (D ♀).

♀ **longicaudatus** Mello-Leitao 1943. Rio Grande do Sul
T. l. Mello-Laitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 210 TF. 37—38 (D ♀).

♀ **marmoratus** Mello-Leitao 1929. S.-Brasilien
T. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 185 TF. 92 (D ♀).

♂♀ **multifasciatus** Mello-Leitao 1929. Brasilien
T. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 184 TF. 89—91 (D ♂♀).

♂♀ **pauper** Mello-Leitao 1947. Minas Geraes

T. p. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan., Zool. 80 p. 18 T. 4 F. 36—37; T. 6 F. 42 (D ♂♀).

♀ **quinquenotatus** Mello-Leitao 1929. Amazonas

T. q. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 181 TF. 88 (D ♀).

♀ **rubescens** Caporiacco 1947. Brit. Guiana

T. r. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 29 (D ♀).
T. r. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 693 TF. 116 (D ♀).

♂♀ **rubrosignatus** (Keyserling) 1880. – * Brasilien

Tmarus r. Keyserling 1880, Spinn. Amer. 1 (Laterigrad.) p. 150 T. 3 F. 81 (D ♀).
T. r. Simon 1895, Hist. Nat. Araign. 1 (4) p. 995 (N).
T. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 179 TF. 86, 87 (D ♂♀).

♂♀ **uncatus** Mello-Leitao 1929. Brasilien

T. u. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 187 TF. 95—97 (D ♂♀).

Gen. **Tmarus** Simon 1875.

Palaearktische Arten:

§ 3 Arten: Simon 1875, Arachn. de France 2 p. 260.
§ 4 ♂, 4 ♀: Simon 1932, Arachn. de France 6 (4) p. 782—783.

♀ **horvathi** Kulczynski 1895. Transkaukasien

T. h. Kulczynski 1895, Term. Füzet. 18 p. 25 T. 1 F. 15 (D o).

♂♀ **lapidarius** (Lucas) 1846. Algier, Spanien

Monastes l. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 194 T. 11 F. 2 (D ♂♀).
T. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 994 (N).

♂♀ **piger** (Walckenaer) 1802. – * Mittel- u. S.-Europa, Transkaukasien, Sibirien, Japan

Aranea p. Walckenaer 1802, Faun. Paris. 2 p. 86 (D).
Thomisus pigrus Walckenaer 1805, Tabl. Aran. p. 34 T. 4 F. 37 (N).
Thomisus bilineatus Walckenaer 1805, Tabl. Aran. p. 34 (N).
Thomisus lyncheus Latreille 1806, Gen. Crust. Ins. 1 p. 112 (D).
Thomisus p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 536 (D ♀).
Thomisus bilineatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 537 (D ♀).
Xysticus cuneolus C. L. Koch 1838, Die Arachniden 4 p. 79 TF. 302 (D ♂♀).
Thomisus cuneatus Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 470 (D ♂).
Thomisus atomarius Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 74 T. 4 F. 42 (D ♀).
Xysticus cuneolus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 621 (D ♂♀).
T. p. Simon 1875, Arachn. de France 2 p. 262 (D ♂♀).
Monaeses p. Pavesi 1878, Atti Soc. Ital. Sci. Nat. 21 p. 21 (C).
Monaeses cuneolus Bertkau 1880, Verh. Nat. Ver. Rheinl. Westf. 37 p. 245 (N).
T. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 219 T. 23 F. 2 (D ♂♀).
T. p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 101 T. 4 F. 10 (D ♂♀).
T. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 994 (N).
T. p. Bösenberg 1902, Zoologica 14 (2—4) p. 370 T. 34 F. 545 (D ♂♀).
T. p. Lessert 1910, Catal. Invert. Suisse; Araign. p. 348 (D ♂♀).
T. p. Simon 1932, Arachn. de France 6 (4) p. 782, 867 f. 1130—1132 (D ♂♀).
T. p. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 278 T. 12 F. 6; T. 14 F. 39 (N ♂).
T. p. Saito 1936, Rep. 1. Sci. Exped. Manchoukuo (5) 1 (3; 11) p. 11, 75 T. 8 (N ♀).

♂ **punctatissimus** (Simon) 1870. Spanien
Monastes p. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 326 (58) T. 3 F. 19 (D ♂).
T. p. Simon 1875, Arachn. de France 2 p. 265 (D ♂).

♂♀ **staintoni** (Cambridge) 1873. S.-Frankreich, Spanien, Algier
Monastes st. Cambridge 1873, Journ. Linn. Soc. Lond. 11 (Zool.) p. 542 T. 15 F. 10 (D o).
T. st. Simon 1932, Arachn. de France 6 (4) p. 783, 867 f. 1139, 1140 (D ♂♀).

♂♀ **stellio** Simon 1875. Frankreich, Ungarn, Karakorum
T. st. Simon 1875, Arachn. de France 2 p. 264 (D ♀).
T. st. Simon 1878, Ann. Soc. Ent. France (5) 8, Bull. p. 6 (D ♂).
T. st. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 101 T. 4 F. 11 (D ♂♀).
T. st. Simon 1932, Arachn. de France 6 (4) p. 783, 867 f. 1133—1135 (D ♂♀).

Transgredierende Arten:

♂♀ **piochardi** (Simon) 1866. S.-Europa, Algier, Syrien, Yemen, Indien
Thomisus p. Simon 1866, Ann. Soc. Ent. France (5) 6 p. 284 T. 4 F. 10 (D ♀).
T. p. Simon 1875, Arachn. de France 2 p. 261 T. 8 F. 1 (D ♂♀).
Monaeses leo Caffi 1895, I. Ragni di Calabria 8 p. 25 (D).
T. p. Simon 1932, Arachn. de France 6 (4) p. 783, 867 f. 1136—1138 (D ♂♀).

♀ **piochardi judaorum** Strand 1915. Palästina
T. p. j. Strand 1915, Arch. Naturg. 81 (A; 2) p. 147 (D ♀).

Aethiopische Arten:

♂ **africanus** Lessert 1919. O.-Afrika
T. a. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 111 f. 7, 8 (D ♂).

♂ **bedoti** Lessert 1928. Congo
T. b. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 311 f. 6 (D ♂).

♂ **berlandi** Lessert 1928. Congo
T. b. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 313 f. 7 (D ♂).

♂ **bonneti** Lessert 1943. Belg. Congo
T. b. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 316 f. 14 (D ♂).

♀ **cameliformis** Millot 1941. Franz. Guinea
T. c. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 13 f. 6E—G (D ♀).

♂ **cancellatus** Thorell 1899. Kamerun
T. c. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 71 (D ♂).

o **crucifer** Lawrence 1927. SW.-Afrika
T. c. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 34 (D o).

♂♀ **foliatus** Lessert 1928. Congo, O.-Afrika
T. f. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 315 f. 8, 9 (D ♂♀).
T. f. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 212 (C).

♂ **guineensis** Millot 1941. Franz. Guinea
T. g. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 16 f. 7 B, C (D ♂).

♀ **lesserti** Lawrence 1942. Zululand
T. l. Lawrence 1942, Ann. S. Afr. Mus. 10 (2) p. 148 f. 5 (D ♀).

♀ **locketi** Millot 1941. Franz. Guinea
T. l. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 15 f. 7 A (D ♀).

♂o **longicaudatus** Millot 1941. Nigergebiet
T. l. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 12 f. 6 A—D (D ♂♀).

♂ **longipes** Caporiacco 1947. O.-Afrika
T. l. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 213 T. 2 F. 55 (D ♂).

♂♀ **malleti** Lessert 1919. O.-Afrika, Congo
T. m. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 107 T. 2 F. 37; f. 5, 6 (D ♂♀).
T. m. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 12 f. 5 (N ♀).

♂ **natalensis** Lessert 1925. Natal
T. n. Lessert 1925, Rev. Suisse Zool. 32 (21) p. 323 f. 1 (D ♂).

♀ **nigristernus** Caporiacco 1947. Uganda
T. n. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 214 T. 2 F. 56 (D ♀).

♂ **pauliani** Millot 1941. Elfenbeinküste
T. p. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 17 f. 8 (D ♂).

♂♀ **planetarius** Simon 1903. Span. u. Portug. Guinea
T. p. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 94 (D ♀).
T. p. Simon 1907, Ann. Mus. Civ. Genova 43 p. 312 (D ♂).

♂ **riccii** Caporiacco 1941. S.-Abessinien
T. r. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 121 f. 48 (D ♂).

♂ **semicretaceus** Simon 1907. Fernando Poo
T. s. Simon 1907, Ann. Mus. Civ. Genova 43 p. 312 (D ♂).

♂♀ **toschii** Caporiacco 1949. Kenya
T. t. Caporiacco 1949, Comment. Pontific. Ac. Sci. 31 (6) p. 454 f. 81 (D ♂♀).

♂♀ **tuberculitibiis** Caporiacco 1940. Abessinien
T. t. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 853 f. 47 (D ♂♀).

♂ **vachoni** Millot 1941. Elfenbeinküste
T. v. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 19 F. 9 (D ♂).

Orientalische Arten:

♀ **dejectus** (Cambridge) 1885. NW.-Indien
Monastes d. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 70 (D ♀).
T. d. Simon 1895, Hist. Nat. Araign. 1 (4) p. 993 (N).

o **eques** Thorell 1890. Java
T. e. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 151 (D o).
T. e. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 75 (D o).
T. e. Simon 1895, Hist. Nat. Araign. 1 (4) p. 993 (N).

♀ **fasciolatus** Simon 1906. Dekan
T. f. Simon 1906, Ann. Soc. Ent. France 75 p. 287 (D ♀).

♀ **latifrons** Thorell 1895. Burma, Krakatau
T. l. Thorell 1895, Descr. Catal. Spid. Burma p. 298 (D ♀).
T. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 993 (N).

♂ **loriae** Thorell 1890. I. Pinang

T. l. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 333 (D ♂).
T. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 993 (N).

♂♀ **pulchripes** Thorell 1894. Singapore

T. p. Thorell 1894, Bull. Soc. Ent. Ital. 26 (3) p. 342 (D ♂♀).
T. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 993 (N).
T. p. Workman 1896, Malays. Spid. p. 85 T. 85 (D ♂).

o **semiroseus** Simon 1909. Tonking

T. s. Simon 1909, Bull. Sci. France Belg. 42 p. 125 (D o).

♀ **soricinus** Simon 1906. Indien

T. s. Simon 1906, Ann. Soc. Ent. France 75 p. 287 (D ♀).

♀ **tonkinus** Simon 1909. Tonking

T. t. Simon 1909, Bull. Sci. France Belg. 42 p. 124 (D ♀).

Australische Arten:

§ 10 Arten: L. Koch 1876, Arachn. Austral. 1 (2) p. 764 (sub **Monaeses**).

♀ **albidus** L. Koch 1876. Queensland

Monaeses a. L. Koch 1876, Arachn. Austral. 1 (2) p. 778 T. 68 F. 3 (D ♀).

♀ **angulifer** Simon 1895. Queensland

Monaeses angulatus L. Koch 1873, Arachn. Austral. 1 (1) p. 523 T. 40 F. 1 (D ♀) (praeocc. Walckenaer 1837 sub **Thomisus**).
T. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 993 (nom. nov.).
T. angulosus Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 313 (nom. nov.).

♂♀ **cinerascens** (L. Koch) 1876. Queensland

Monaeses c. L. Koch 1876, Arachn. Austral. 1 (2) p. 768 T. 62 F. 5, 6 (D ♂♀).

o **macilentus** (L. Koch) 1876. Queensland

Monaeses m. L. Koch 1876, Arachn. Austral. 1 (2) p. 773 T. 67 F. 8 (D o).

♀ **marmoreus** (L. Koch) 1876. Queensland

Monaeses L. Koch 1876, Arachn. Austral. 1 (2) p. 771 T. 67 F. 7 (D ♀).

♀ **projectus** (L. Koch) 1876. Queensland

Monaeses p. L. Koch 1876, Arachn. Austral. 1 (2) p. 780 T. 68 F. 4 (D ♀).

♂ **rainbowi** Mello-Leitao 1929. S.-Australien

T. punctatus Rainbow 1916, Trans. Soc. S. Austral. 39 p. 784 T. 68 F. 12, 13 (D ♂).
T. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 315 (nom. nov.).

♂♀ **truncatus** (L. Koch) 1876. Queensland

Monaeses t. L. Koch 1876, Arachn. Austral. 1 (2) p. 765 T. 67 F. 3, 4 (D ♂♀).

♂♀ **variabilis** (L. Koch) 1876. Queensland

Monaeses v. L. Koch 1876, Arachn. Austral. 1 (2) p. 775 T. 68 F. 1, 2 (D ♂♀).
Monaeses v. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 325 (D ♀).

Neotropische Arten:

§ 7 ♂, 9 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 137—138 (part.).
§ 4 ♂, 7 ♀: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 154.

§ 44 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 128—132.
§ 14 ♂, 11 ♀: Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 214—217.

♀ **aberrans** Mello-Leitao 1944. Brasilien
T. a. Mello-Leitao 1944, Bol. Mus. Nac. R. d. Jan. (N. S.) Zool. 25 p. 10 (D ♀).

♂ **aculeatus** Chickering 1950. Panama
T. a. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 217 T. 1 F. 1 (D ♂).

♂♀ **albifrons** Piza 1944. Brasilien
T. a. Piza 1944, Rev. Agric. S. Paulo 19 (6—7) p. 267 f. 4 (D ♂♀).

♀ **albisterni** Mello-Leitao 1942. Argentinien
T. a. Mello-Leitao 1942, Rev. Mus. La Plata (N. S.) 2, Zool. 16 p. 410 f. 36 (D ♀).

♀ **albolineatus** Keyserling 1880. Brasilien
T. a. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 159 T. 3 F. 87 (D ♀).
T. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 139 (D ♀).

♀ **alticola** Mello-Leitao 1929. Brasilien
T. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 165 TF. 56 (D ♀).

♂♀ **amazonicus** Mello-Leitao 1929. Amazonas
T. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 158 TF. 70, 71 (D ♂♀).

♀ **ampullatus** Soares 1943. Minas Geraes
T. a. Soares 1943, Pap. Avuls. S. Paulo 3 (1) p. 6 f. . . (D ♀).

♀ **aporus** Soares & Camargo 1948. Mato Grosso
T. a. Soares & Camargo 1948, Bol. Mus. Paraense Göldi 10 p. 385 f. 4 (D ♀).

♀ **atypicus** Mello-Leitao 1929. Amazonas
T. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 143 TF. 7 (D ♀).

♀ **australis** Mello-Leitao 1941. N.-Argentinien
T. a. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 164 T. 9 F. 42 (D ♀).

♀ **bifasciatus** Mello-Leitao 1929. Amazonas, Peru
T. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 141 TF. 57 (D ♀).

♂ **bifidipalpus** Mello-Leitao 1943. Rio Grande do Sul
T. b. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 211 (D ♂).

♀ **biocellatus** Mello-Leitao 1929. Brasilien
T. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 170 (D ♀).

♀ **bisectus** Piza 1944. Brasilien
T. b. Piza 1944, Rev. Agric. S. Paulo 19 (6—7) p. 270 f. 5 (D ♀).

♂ **borgmeieri** Mello-Leitao 1929. Brasilien
T. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 146 TF. 8 (D ♂).

♀ **bucculentus** Chickering 1950. Panama
T. b. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 220 T. 1 F. 2 (D ♀).

♂♀ **caeruleus** Keyserling 1880. Brasilien
T. c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 148 T. 3 F. 80 (D ♀).
T. coeruleus Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 144 TF. 58 (D ♂♀).

♂♀ **camellinus** Mello-Leitao 1929. S.-Brasilien
T. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 151 TF. 63, 64, 66 (D ♂♀).

♀ **candidissimus** Mello-Leitao 1947. Brasilien
T. c. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 278 T. 38 F. 34 (D ♀).

♀ **caretta** Mello-Leitao 1929. S.-Brasilien
T. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 164 TF. 76 (D ♀).

♀ **caxambuensis** Mello-Leitao 1929. S.-Brasilien
T. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 173 TF. 16 (D ♀).

♀ **cinereus** Mello-Leitao 1929. Brasilien, Brit. Guiana
T. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 150 TF. 61 (D ♀).
T. c. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 692 (C ♀).

♀ **clavimanus** Mello-Leitao 1929. Brasilien
T. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 142 TF. 57 (D ♀).

♀ **clavipes** Keyserling 1891. Brasilien
T. c. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 250 T. 10 F. 189 (D ♀).
T. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 133 (D ♀).

♀ **cognatus** Chickering 1950. Panama
T. c. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 222 T. 1 F. 3 (D ♀).

♂♀ **contortus** Chickering 1950. Panama
T. c. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 224 T. 1 F. 4—5 (D ♂♀).

♀ **corruptus** Cambridge 1892. Panama, Mexico
T. c. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 95 T. 12 F. 10 (D ♀).
T. mendax Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 139 T. 18 F. 9 (D ♀).
T. c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 156, T. 10 F. 32 (N ♀).
T. c. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 228 T. 1 F. 6 (N).

♂♀ **curvus** Chickering 1950. Panama
T. c. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 228 T. 1 F. 7—8 (D ♂♀).

♀ **decens** Cambridge 1892. Panama
T. d. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 98 T. 12 F. 9 (D ♀).
T. d. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 155 T. 10 F. 30 (N ♀).
T. d. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 231 T. 2 F. 9 (N).

♀ **decoloratus** Keyserling 1883. Peru
T. d. Keyserling 1883, Verh. Zool. Bot. Ges. Wien 32 p. 224 T. 15 F. 20 (D ♀).

♂ **digitatus** Mello-Leitao 1929. Manaos
T. d. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 172 TF. 83, 84 (D ♂).

♂♀ **elongatus** Mello-Leitao 1929. Brasilien
T. e. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 157 TF. 67—69 (D ♂♀).

♀ **espiritosantense** Soares 1946. Brasilien
T. e. Soares 1946, Pap. Avuls. S. Paulo 7 (3) p. 67 f. 17—18 (D ♀).

♂ **estylifrons** Mello-Leitao 1929. Mato Grosso
T. e. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 161 TF. 73, 74 (D ♂).

♀ **fallax** Mello-Leitao 1929. Mato Grosso, Brit. Guiana
T. f. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 149 TF. 60 (D ♀).
T. f. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 692 (C).

♂♀ **floridensis** Keyserling 1884. Florida
T. f. Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 673 T. 21 F. 21 (D ♂♀).
T. f. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 304 TF. 15, 16, 23 (D ♂♀).

♂♀ **formosus** Mello-Leitao 1917. Mato Grosso
T. f. Mello-Leitao 1917, Arch. Escol. Sup. Agr. 1 p. 120 TF. 1 (D ♂♀).
T. f. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 162 TF. 12, 13 (D ♂♀).

♀ **grandis** Mello-Leitao 1929. Brasilien
T. g. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 153 TF. 197 (D ♀).

♀ **hirsutus** Mello-Leitao 1929. Brasilien
T. h. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 151 TF. 62 (D ♀).

♀ **holmbirgi** Schiapelli & Gerschman 1941 (recte: **holmbergi**). Argentinien
T. h. Schiapelli & Gerschman 1941, Physis 19 (51) p. 74 (D ♀).
T. h. Schiapelli & Gerschman 1942, An. Mus. Argent. Ci. Nat. 40 p. 329 T. 4 F. 5—7 (D ♀).

♀ **incertus** Keyserling 1880. Columbien
T. i. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 161 T. 3 F. 88 (D ♀).

♀ **incognitus** Mello-Leitao 1929. Brasilien
T. i. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 137 TF. 5 (D ♀).

♀ **ineptus** Cambridge 1892. Panama
T. i. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 94 T. 13 F. 3 (D ♀).
T. i. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 155 T. 10 F. 28 (N ♀).
T. i. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 232 T. 2 F. 10—11 (D ♂♀).

♀ **infrasigillatus** Mello-Leitao 1947. Minas Geraes
T. i. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan., Zool. 80 p. 19 T. 6 F. 48 (D ♀).

♂♀ **intentus** Cambridge 1892. Panama, Guatemala
T. i. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 96 T. 13 F. 1, 2 (D ♂♀).
T. i. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 155 T. 10 F. 26, 27 (N ♂♀).
T. i. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 234 T. 2 F. 12 (N ♀).

♀ **interritus** Keyserling 1880. Brasilien, Panama
T. i. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 151 T. 3 F. 82 (D ♀).
T. i. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 160 (D ♀).

♂♀ **jelskii** (Taczanowski) 1872. Guiana
Monastes j. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 83 (D ♂♀).
T. j. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 143 T. 3 F. 77 (D ♀).

♂♀ **jocosus** Cambridge 1898. Costa Rica
T. j. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 288 T. 32 F. 11, 12 (D ♂♀).
T. j. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 156 T. 10 F. 31 (N ♂♀).

♀ **lichenoides** Mello-Leitao 1929. Brasilien
T. l. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 169 TF. 79 (D ♀).

♂♀ **littoralis** Keyserling 1880. Brasilien
T. l. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 144 T. 3 F. 78 (D ♂♀).
T. l. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 166 (D ♂♀).

♀ **maculosus** Keyserling 1880. Columbien
T. m. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 163 T. 3 F. 89 (D ♀).

♀ **metropolitanus** Mello-Leitao 1929. Brasilien
T. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 136 (D ♀).

♀ **minensis** Mello-Leitao 1929. S.-Brasilien
T. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 174 TF. 17 (D ♀).

♀ **misumenoides** Mello-Leitao 1927. S.-Brasilien
T. m. Mello-Leitao 1927, Rev. Mus. Paulista 15 p. 406 (D ♀).
T. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 165 TF. 14 (D ♀).

♀ **montericensis** Keyserling 1880. Peru
T. m. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 141 T. 3 F. 76 (D ♀).

♂♀ **morosus** Chickering 1950. Panama
T. m. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 235 T. 2 F. 13—15 (D ♂♀).

♀ **mourei** Mello-Leitao 1947. Brasilien
T. m. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 279 T. 38 F. 35 (D ♀).

♂♀ **mundulus** Cambridge 1892. Panama
T. m. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 95 T. 12 F. 11 (D ♀).
T. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 155 T. 10 F. 29 (N ♀).
T. m. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 239 T. 3 F. 16—18 (D ♂♀).

♀ **mutabilis** Soares 1944. San Paulo
T. m. Soares 1944, Pap. Avuls. S. Paulo 4 (10) p. 163 f. 9—10 (D ♀).

♀ **nigrescens** Mello-Leitao 1929. Brasilien
T. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 142 (D ♀).

♀ **nigridorsi** Mello-Leitao 1929. S.-Brasilien
T. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 136 TF. 54 (D ♀).

♀ **nigrofasciatus** Mello-Leitao 1929. Amazonas
T. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 136 TF. 55 (D ♀).

♀ **nigroviridis** Mello-Leitao 1929. Mato Grosso
T. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 152 (D ♀).

♀ **obesus** Mello-Leitao 1929. Pernambuco
T. o. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 162 (D ♀).

♀ **pallidus** Mello-Leitao 1929. Brasilien
T. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 159 TF. 72 (D ♀) (in Text: **"palidus"** in F. **"pallidus"**).

♀ **parallelus** Mello-Leitao 1943. Brasilien
T. p. Mello-Leitao 1943, Rev. Chil. Hist. Nat. 45 p. 171 (D ♀).

♂ **parki** Chickering 1950. Panama
T. p. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 242 T. 3 F. 19—20 (D ♂).

paulensis Piza 1935. Brasilien
T. p. Piza 1935, Rev. Biol. Hyg. S. Paulo 6 (2) p. 126 f. 1 (D ?).

♂ **pauper** Cambridge 1892. Panama
T. p. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 96 T. 12 F. 8 (D ♂).
T. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 154, 156 (N ♂).

♀ **perditus** Mello-Leitao 1929. Brasilien
T. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 154 TF. 9 (D ♀).

♂ **peregrinus** Chickering 1950. Panama
T. p. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 245 T. 3 F. 21—22 (D ♂).

♂ **peruvianus** Berland 1913. Peru
T. p. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 95 T. 9 F. 49—50 (D ♂).

♂ **pizai** Soares 1941. Brasilien
T. p. Soares 1941, Pap. Avuls. S. Paulo 1 (28) p. 257 f. 1 (D ♂).

♀ **planifrons** Mello-Leitao 1943. Rio Grande do Sul
T. p. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 212 TF. 39 (D ♀).

♀ **pleuronotatus** Mello-Leitao 1940. Parana
T. p. Mello-Leitao 1940, Arqu. Inst. Biol. S. Paulo 11 (30) p. 253 (D ♀).

♂♀ **plurituberculatus** Mello-Leitao 1929. Brasilien
T. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 169 TF. 80, 81 (D ♂♀).

♂♀ **polyandrus** Mello-Leitao 1929. Brasilien
T. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 155 TF. 10, 11 (D ♂♀).

♀ **posticatus** Mello-Leitao 1929. Amazonas
T. p. Mello-Leitao (Simon nicht publ.) 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 132 TF. 53 (D ♀).

♀ **primitivus** Mello-Leitao 1929. Brasilien
T. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 140 TF. 6 (D ♀).

♂ **probus** Chickering 1950. Panama
T. p. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 247 T. 3 F. 23; T. 4 F. 24 (D ♂).

♂ **productus** Chickering 1950. Panama
T. p. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 249 T. 4 F. 25—26 (D ♂).

♀ **prognathus** Mello-Leitao 1929. Amazonas
T. p. Mello-Leitao (Simon nicht publ.) 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 156 TF. 66 (D ♀).

♀ **pugnax** Mello-Leitao 1929. S.-Brasilien
T. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 171 TF. 15 (D ♀).

♀ **punctatus** (Nicolet) 1849. Chile
Philodromus p. Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 408 (D ♀).
T. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 993 (N).

♂ **rarus** Soares 1946. Brasilien
T. r. Soares 1946, Pap. Avuls. S. Paulo 7 (3) p. 69 f. 19—20 (D ♂).

♀ **separatus** Banks 1898. Panama
T. s. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 264 T. 16 F. 10 (D ♀).

♂ **sigillatus** Chickering 1950. Panama
T. s. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 252 T. 4 F. 27—28 (D ♂).

♂ **striolatus** Mello-Leitao 1943. Rio Grande do Sul
T. s. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 214 TF. 40 (D ♂).

♂♀ **studiosus** Cambridge 1892. Panama
T. s. Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 97 T. 12 F. 6, 7 (D ♂♀).
T. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 155 T. 10 F. 25 (N ♂♀).
T. s. Chickering 1950, Bull. Mus. Comp. Zool. Harvard 103 (4) p. 254 T. 4 F. 29—31 (N ♂♀).

♀ **tinctus** Keyserling 1880. Peru
T. t. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 140 T. 3 F. 75 (D ♀).

♂ **trifidus** Mello-Leitao 1929. Brasilien
T. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 147 TF 59 (D ♂).

♀ **trituberculatus** Mello-Leitao 1929. Brasilien
T. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 168 (D ♀).

♂♀ **variatus** Keyserling 1891. Brasilien
T. v. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 248 T. 10 F. 188 (D ♂♀).
T. v. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 134 (D ♂♀).

♀ **verrucosus** Mello-Leitao 1948. Brit. Guiana
T. v. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 180 D ♀).

♀ **villasboasi** Mello-Leitao 1949. Brasilien
T. v. Mello-Leitao 1949, Bol. Mus. Nac. R. d. Jan., Zool. 92 p. 17 f. 19—20 (D ♂).

♀ **viridis** Keyserling 1880. Brasilien, Peru

T. v. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 153 T. 3 F. 83 (D ♀).
T. v. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 148 (D ♀).

Nearktische Arten:

§ 7 ♂, 9 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 137—138 (part.).
§ 4 Arten: Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 302—303.
§ 2 (♂, ♀): Kaston 1948, State Connect, Publ. Docum. 47, Bull. 70 p. 416.

♂♀ **angulatus** (Walckenaer) 1837. U. St. Amerika

Thomisus a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 537 (D ♀).
Philodromus inquisitor Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 553 (D ♀).
Thomisus caudatus Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 447 T. 23 F. 9 (D ♀).
T. caudatus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 154 T. 3 F. 84 (D ♀).
T. magniceps Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 156 T. 3 F. 85 (D ♂).
T. caudatus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 376 T. 32 F. 3 (D ♂♀).
T. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 993 (N).
T. caudatus Emerton 1902, Common Spid. p. 38 f. 112, 113 (D ♀).
T. a. Comstock 1912, Spider Book. p. 525 f. 572—574 (N).
T. griseus Worley & Pickwell 1927 Univ. Stud. Nebraska 27 p. 63 (D).
T. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 305 TF. 11, 21, 22, 25 (D ♂♀).
T. a. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 201 f. (N).
T. a. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 167 (C ♀).
T. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 416 T. 79 F. 1488; T. 80 F. 1508—11 (D ♂♀).

♂♀ **minutus** Banks 1904. Georgia

T. m. Banks 1904, Journ. N. York Ent. Soc. 12 p. 112 T. 5 F. 10 (D ♂♀).
T. m. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 303 TF. 7, 9, 19, 20, 90 (D ♂♀).

♂♀ **rubromaculatus** Keyserling 1880. SO.-U. St. Amerika

T. r. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 158 T. 3 F. 86 (D ♂).
T. griseus Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 672 T. 21 F. 20 (D ♀).
T. r. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 307 TF. 17, 18, 24 (D ♂♀).
T. r. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 417 T. 79 F. 1489; T. 80 F. 1512—13 (D ♂♀).

o **unicus** Gertsch 1936. Texas

T. u. Gertsch 1936, Amer. Mus. Novit. 852 p. 14 (D o).
T. u. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 302 TF. 12—14 (D o).

2. Gr. Talaeae

Gen. **Lysiteles** Simon 1895.

♀ **catulus** Simon 1895. Dekan

L. c. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 434 (D ♀).
L. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 998 (N).

Gen. **Talaus** Simon 1886.

Aethiopische Arten:

O **limbatus** Simon 1895. Transvaal

T. l. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 434 (D O).

Orientalische Arten:

♀ **elegans** Thorell 1890. Sumatra

T. e. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 154 (D ♀).
Microcyllus e. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 119 (D ♀).

♂♀ **nanus** Thorell 1890. Burma, Java

T. n. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 154 (D ♀).
Microcyllus n. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 121 (D ♀).
T. n. Thorell 1895, Descr. Catal. Spid. Burma p. 312 (D ♂).

♂ **oblitus** Cambridge 1899. Ceylon

T. o. Cambridge 1899, Proc. Zool. Soc. Lond. p. 526 T. 30 F. 8 (D ♂).

♂♀ **opportunus** (Cambridge) 1873. Indien

Thomisus o. Cambridge 1873, Proc. Zool. Soc. Lond. p. 120 T. 13 F. 5 (D ♂♀).
T. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 997 f. 1061 (N).
T. o. Simon 1906, Ann. Soc. Ent. France 75 p. 288 (N).

♀ **semicastaneus** Simon 1909. Tonking

T. s. Simon 1909, Bull. Sci. France Belg. 42 p. 128 (D ♀).

♀ **triangulifer** Simon 1886. Sumatra

T. t. Simon 1886, Act. Soc. Linn. Bord. 40 p. 172 (D ♀).
T. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 998 (N).

3. Gr. Pagideae

Gen. **Pactates** Simon 1895.

♂♀ **compactus** Lawrence 1949. Zululand

P. c. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 28 f. 16 (D ♀).
P. c. Lawrence 1952, Ann. Natal. Mus. 12 (2) p. 201 f. 34 (D ♂).

♂♀ **obesus** Simon 1895. Belg. Congo

P. o. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 435 (D ♀).
P. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 999 f. 1062—1063 (N).
P. o. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 319 f. 18—20 (D ♂♀).

♂ **trimaculatus** Simon 1895. – * Sansibar

P. t. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 434 (D ♂).
P. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1001 f. 1066 (N ♂).

Gen. **Pagida** Simon 1895.

♀ **pseudorchestes** (Thorell) 1890. – * Sumatra

Palaephatus p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 155 (D ♀).
Palaephatus p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 127 (D ♀).
P. p. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1000 (N).

♂o **salticiformis** (Cambridge) 1883. Ceylon

Palaephatus s. Cambridge 1883, Proc. Zool. Soc. Lond. p. 362 T. 37 F. 7 (D o).
P. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1000 f. 1064, 1065 (N ♂).

4. Gr. Porrhopeae

Gen. **Porropis** L. Koch 1876.

(= **Porrhopis** Simon, Kulczynski; **Porrhopis** Mello-Leitao)

Aethiopische Arten:

♀ **homeyerii** (Karsch) 1880. Angola

Platythomisus h. Karsch 1820, Mitt. München. Ent. Ver. 4 (2) p. 145 (D ♀).
P. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1017 (N).

Australische Arten:

♀ **callipoda** Thorell 1881. Queensland, I. Yule

P. c. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 359 (D ♀).
P. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1002 (N).

♀ **flavifrons** L. Koch 1876. – * Queensland

P. f. L. Koch 1876, Arachn. Austral. 1 (2) p. 807 T. 69 F. 6 (D ♀).
P. f. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1002 (N).

♀ **nitidula** Thorell 1881. Queensland

P. n. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 362 (D ♀).
P. n. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1001 f. 1067 (N).

♀ **poecila** Kulczynski 1911. Neu-Guinea

P. p. Kulczynski 1911, Res. Exped. Sci. Lorentz; N.-Guinea 9 (2) p. 129 T. 4 F. 14 (D ♀).

♀ **tristicula** Thorell 1881. Queensland

P. t. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 364 (D ♀).
P. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1002 (N).

5. Gr. Bomeae

Gen. **Avelis** Simon 1895.

♀ **hystricolus** Simon 1895. Capland

A. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1007 (D ♀).

Gen. **Boliscodes** Simon 1909.

♀ **amaenulus** Simon 1909. Tonking

B. a. Simon 1909, Bull. Sci. France Belg. 42 p. 129 (D ♀).

Gen. **Boliscus** Thorell 1891.

Orientalische Arten:

♀ **decipiens** Cambridge 1899. Ceylon

B. d. Cambridge 1899, Proc. Zool. Soc. Lond. p. 527 T. 30 F. 9 (D ♀).

♀ **segnis** Thorell 1891. – * Singapore

B. s. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 98 (D o).
B. s. Thorell 1895, Descr. Catal. Spid. Burma p. 283 (D ♀).
B. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1006 (N).
B. s. Workman 1896, Malays. Spid. p. 93 (D ♀).

♀ **tuberculatus** (Simon) 1886. Siam

Corynethrix t. Simon 1886, Act. Soc. Linn. Bord. 40 p. 146 (D ♀).
B. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1006 (N).

Australische Arten:

♀ **duricorius** (Simon) 1880. Neu-Caledonien
Bomis d. Simon 1880, Ann. Soc. Ent. Belg. 23 C. R. p. 167 (D ♀).
B. d. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1006 (N).

Gen. **Bomis** L. Koch 1873.

♂♀ **larvata** L. Koch 1873. Queensland, W.-Australien
B. l. L. Koch 1873, Arachn. Austral. 1 (1) p. 528 T. 40 F. 4 (D ♀).
B. l. L. Koch 1876, Arachn. Austral. 1 (2) p. 798 T. 69 F. 4 (D ♂).
B. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1005 f. 1068, 1069 (N).

Gen. **Corynethrix** L. Koch 1876.

♀ **obscurus** L. Koch 1876. Queensland
C. o. L. Koch 1876, Arachn. Austral. 1 (2) p. 805 T. 69 F. 8 (D ♀).
C. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1007 (N).

Gen. **Felsina** Simon 1895.

♀ **granulum** Simon 1895. W.-Afrika
F. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1006 f. 1070 (D ♀).

Gen. **Holopelus** Simon 1886.

Aethiopische Arten:

♂♀ **albibarbis** Simon 1895. S.-Afrika, Fernando Poo
H. a. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 435 (D ♀).
H. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1007 (N).
H. a. Simon 1907, Ann. Mus. Civ. Genova 43 p. 314 (D ♂).

irroratus (Thorell) 1899. Camerun
Bomis i. Thorell 1899, Bih. Svensk. Vet. Handl. 25 (4; 1) p. 73 (D pull.).

Orientalische Arten:

♀ **bufoninus** Simon 1886. – * Sumatra
H. b. Simon 1886, Act. Soc. Linn. Bord. 40 p. 173 (D ♀).
H. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1007 (N).

♀ **malati** Simon 1895. Indien
H. m. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 435 (D ♀).
H. m. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1007 (N).

♀ **piger** Cambridge 1899. Ceylon
H. p. Cambridge 1899, Proc. Zool. Soc. Lond. p. 528 T. 30 F. 10 (D ♀).

Gen. **Parabomis** Kulczynski 1901.

♀ **anabensis** Lawrence 1928. SW.-Afrika
P. a. Lawrence 1928, Ann. S.-Afr. Mus. 25 (2) p. 246 T. 22 F. 29 (D ♀).

♂ **levanderii** Kulczynski 1901. – * Erythraea
P. l. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 3, 30 T. 2 F. 25—27 (D ♂).

♂♀ **martini** Lessert 1919. O.-Afrika
P. m. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 116 T. 2 F. 6—8, 15 (D ♂♀).
P. m. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 15A, B (N ♀).

Gen. **Thomisops** Karsch 1879.

♀ **bullatus** Simon 1895. Transvaal
T. b. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 435 (D ♀).

♀ **crassiceps** Strand 1913. Centr.-Afrika
T. c. Strand 1913, Arachn. I, in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 390 (D ♀).

♂ **eremita** Lawrence 1952. Belg. Congo (Höhlen)
T. e. Lawrence 1952, Rev. Zool. Bot. Afr. 46 (1—2) p. 12 f. 7 (D ♂).

♀ **lesserti** Millot 1941. Franz. Guinea
T. l. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 32 f. 14 J, K (D ♀).

♀ **nigroannulatus** Lawrence 1942. Natal
T. n. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 150 f. 6 (D ♀).

♂♀ **pupa** Karsch 1879. – * Trop. Afrika
T. p. Karsch 1879, Zeitschr. ges. Naturw. 52 p. 375 (D ♀).
T. pusio Karsch 1879, Zeitschr. ges. Naturw. 52 p. 376 (D ♂).
Thomisus vastus Bösenberg & Lenz 1895, Mitt. Nat. Mus. Hambg. 12 p. 33 T. 1 F. 10 (D ♀).
T. pusio Simon 1895, Hist. Nat. Araign. 1 (4) p. 1003 f. 1071 (N).
T. p. Thorell 1899, Bih. Svensk. Vet. Ak. Handl. 25 (4; 1) p. 72 (D ♀).
T. p. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 116 f. 33, 34 (D ♂).
T. p. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 486 (N ♀).
T. p. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 29 f. 14 (N ♀).
T. p. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 149 f. 6 (N ♂♀).

♀ **senegalensis** Millot 1941. Senegal
T. s. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 31 f. 14 H, I (D ♀).

♂♀ **sulcatus** Simon 1895. Portug. Guinea, Abessinien, Transvaal
T. s. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 436 (D ♀).
T. s. Simon 1901, Ann. Soc. Ent. France 70 p. 23 (N).
T. s. Simon 1907, Ann. Mus. Civ. Genova 43 p. 314 (N).
T. s. Millot 1947, Bull. Mus. Hist. Nat. Paris (2) 19 (4) p. 314 f. 1—4 (D ♂).

6. Gr. Cymbacheae

Gen. **Cymbacha** L. Koch 1874.

Orientalische Arten:

♀ **simplex** Simon 1895. Ceylon
C. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1010 (D ♀).

Australische Arten:

§ 7 Arten: L. Koch 1876, Arachn. Austral. 1 (2) p. 782.

♀ **cerea** L. Koch 1876. Queensland
C. c. L. Koch 1876, Arachn. Austral. 1 (2) p. 789 T. 69 F. 1 (D ♀).
C. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1009 (N).

♂♀ **festiva** L. Koch 1874. – * Queensland, Neu-S.-Wales
C. f. L. Koch 1874, Arachn. Austral. 1 (1) p. 539 T. 41 F. 3, 4 (D ♂♀).
C. f. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1009 f. 1072—1074 (N ♂).

♂♀ **ocellata** L. Koch 1874. Queensland

C. o. L. Koch 1874, Arachn. Austral. 1 (1) p. 544 T. 41 F. 6 (D ♀).
C. o. L. Koch 1876, Arachn. Austral. 1 (2) p. 788 T. 68 F. 7 (D ♂).
C. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1010 (N).

♂♀ **saucia** L. Koch 1874. Queensland

C. s. L. Koch 1874, Arachn. Austral. 1 (1) p. 542 T. 41 F. 5 (D ♀).
C. s. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 358 (D ♂♀).
C. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1009 f. 1075 (N).

o **setosa** L. Koch 1874. Queensland

C. s. L. Koch 1874, Arachn. Austral. 1 (1) p. 546 T. 42 F. 1 (D o).
C. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1009 (N).

♀ **similis** L. Koch 1876. Neu-S.-Wales, Tasmanien

C. s. L. Koch 1876, Arachn. Austral. 1 (2) p. 785 T. 68 F. 6 (D ♀).

♀ **striatipes** L. Koch 1876. Queensland

C. s. L. Koch 1876, Arachn. Austral. 1 (2) p. 783 T. 68 F. 5 (D ♀).

7. Gr. Camariceae

Gen. **Camaricus** Thorell 1887.

Aethiopische Arten:

♀ **cimex** (Karsch) 1878. O.-Afrika

Platythomisus c. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 775 (D ♀).
C. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1012 (N).

♂ **hastifer** (Percheron) 1833. Patria ?

Epeira h. Percheron 1833, Mag. Zool. Cl. 8 (3) T. 4 F. a—c (D ♂).
Delena h. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 494 (D ♂).
C. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1011 (N).

♀ **mimus** (Pavesi) 1895. Abessinien, O.-Afrika

Platythomisus m. Pavesi 1895, Ann. Mus. Civ. Genova 35 p. 519 (D ♀).
C. m. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1012 (N).
C. m. (= ? **mimosellus**) Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 649 (D o).

♂♀ **nigrotesselatus** Simon 1895. S.- u. SO.-Afrika, Belg. Congo

C. n. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 436 (D ♂).
C. marmoratus Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 332 (D ♀).
C. n. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 651 (D ♂♀).
C. n. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 167 f. 11. 12 (D ♂).
C. n. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 486 (N ♀).
C. n. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 320 (N ♀).

♂♀ **nigrotesselatus lineitarsus** Strand 1907. Capland

C. n. l. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 651 (D ♂♀).

Orientalische Arten:

♂♀ **maugi** (Walckenaer) 1837. – * Indien, Burma, I. Pinang, Sumatra, Java, Krakatau, Tonking

Thomisus m. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 507 (D ♂).
Thomisus stellifer Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 57 T. 14 F. 5 (D ♀).
Chorizopsis maugei Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 428 (N).

Platythomisus striatipes Hasselt 1882, in: Veth, Midd. Sumatra; Aran. 4 (11A) p. 43 T. 3 F. 7, 8 (D ♀).
C. formosus Thorell 1887, Ann. Mus. Civ. Genova 25 p. 262 (D ♂).
C. fornicatus Thorell 1890, Ann. Mus. Civ. Genova 30 p. 60 (N).
C. striatipes Thorell 1894, Bih. Svensk. Vet. Ak. Handl. 20 (4; 4) p. 54 (N).
C. striatipes Thorell 1895, Descr. Catal. Spid. Burma p. 311 (N ♂♀).
C. maugei Simon 1895, Hist. Nat. Araign. 1 (4) p. 1012 (N).
C. formosus Workman 1896, Malays. Spid. p. 4 T. 4 (D ♂).

♀ **pulchellus** Simon 1902. Annam
C. p. Simon 1902, Ann. Soc. Ent. France 71 p. 727 (D ♀).

Australische Arten:

♂ **castaneiceps** Berland 1924. Neu-Caledonien
C. c. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 224 f. 135, 136 (D ♂).

Gen. **Cynathea** Simon 1895.

o **bicolor** Simon 1895. Senegambien
C. b. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 437 (D o).
C. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1012 (N).

♀ **mechovi** (Karsch) 1881. Angola
Platythomisus m. Karsch 1881, Berlin. Ent. Zeitschr. 25 p. 288 (D ♀).

♀ **obliterata** Simon 1895. – * Gabun
C. o. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 436 (D ♀).
C. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1013 (N).

♀ **rutenbergi** (Karsch) 1881. Madagascar
Runcinia r. Karsch 1881, Abh. Nat. Ver. Bremen 7 (2) p. 194 (D ♀).
Cyriogonus r. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 170 (N).

o **vinsonii** (Thorell) 1875. Madagascar
Misumena v. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 146 (D o).
Cyriogonus v. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 171 (N).

8. Gr. Coriarachneae

Gen. **Coriarachne** Thorell 1869.

Palaearktische Arten:

♂♀ **depressa** (C. L. Koch) 1837. – * Europa
Thomisus d. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 25 (D).
Xysticus d. C. L. Koch 1838, Die Arachniden 4 p. 67 TF. 292 (D ♀).
Thomisus deplanatus Westring 1851, Göteborg Vet. Handl. 2 p. 62 (D ♀).
Thomisus d. Westring 1862, Aran. Svec. p. 432 (D ♂♀).
C. d. Thorell 1869, On Europ. Spid. p. 186 (N).
C. d. Thorell 1872, Rem. Syn. Europ. Spid. p. 251 (N).
C. d. Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 420 T. 70 F. 237 (D ♂♀).
C. d. Simon 1875, Arachn. de France 2 p. 210 (D ♂♀).
C. d. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 194 T. 27 F. 3 (D ♂♀).
C. d. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 75 (D ♂♀).
C. d. Hansen 1885, in: Schiödte, Zool. Danica p. 149 (D ♂♀).
C. d. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 97 (D ♂♀).
C. d. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1015 (N).

C. d. Bösenberg 1902, Zoologica 14 (2—4) p. 364 T. 34 F. 537 (D ♂♀).
C. d. Lessert 1910, Catal. Invert. Suisse; Araign. p. 350 (D ♂♀).
C. d. Reimoser 1930, Die Natur (Wien) 6 (3) p. 55 f. 9 (N ♂♀).
C. d. Simon 1932, Arachn. de France 6 (4) p. 784, 867 f. 1141—1143 (D ♂♀).
C. d. Tullgren 1944, Svensk Spindelfauna 3 p. 71 T. 8 F. 127—129 (D ♂♀).

♀ **fulvipes** (Karsch) 1879. Japan

Oxyptila f. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 77 (D ♀).
C. f. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 249 T. 10 F. 180 (D o).

Transgredierende Arten:

♂♀ **versicolor** Keyserling 1880. SW.-Frankreich, U. St. Amerika, Canada

? Thomisus lenta Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 509 (D ♀, part.).
C. v. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 53 T. 1 F. 27 (D ♂♀).
C. v. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 57 T. 3 F. 13 (N).
C. v. Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 367 T. 29 F. 7 (D ♂♀).
Xysticus v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1035 (N).
Xysticus v. Emerton 1902, Common Spiders p. 34 f. 99—100 (D ♂♀).
C. v. Comstock 1912, Spider Book p. 531 f. 586—588 (N ♂♀).
Platyxysticus v. Gertsch 1932, Amer. Mus. Novit. 563 p. 3 TF. 1 (D ♂♀).
C. v. Simon 1932, Arachn. de France 6 (4) p. 785, 867 f. 1144—46 (D ♂♀).
C. v. Gertsch 1939, Amer. Mus. Nat. Hist. 76 p. 405 TF. 254, 255, 269 (D ♂♀).
? C. lenta Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 156 (C ♀).
C. v. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 418 T. 79 F. 1490—91 T. 80 F. 1514 (D ♂♀).
C. v. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 458 f. 60, 61, 64 (N ♂♀).

Orientalische Arten:

♀ **nigrostriata** Simon 1886. Indochina

C. n. Simon 1886, Act. Soc. Linn. Bord. 40 p. 145 (D ♀).
C. n. Simon 1904, Arachn. in: Miss. Pavie Indo-Chin. 3 p. 283 (D ♀).

Transgredierende Arten:

♂♀ **aemula** (Cambridge) 1898. Mexico, Texas

Bassania a. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 249 T. 31 F. 5a—f (D ♀).
Bassania a. F. Cambridge 1905, Biol. Centr. Amer. Aran. 2 p. 148 (N).
C. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 459 f. 67—68 (N ♂♀).

♂♀ **floridana** Banks 1896. Florida, Alabama, Tennessee, Louisiana, Mississippi, New York

C. f. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 71 (D Oo).
Platyxysticus f. Gertsch 1932, Amer. Mus. Novit. 563 p. 2 TF. 3 (D ♂).
C. f. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 409 TF. 256, 257, 270 (D ♂♀).
C. f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 461 f. 65—66 (N ♂♀).

Nearktische Arten:

♂♀ **brunneipes** Banks 1893. Californien, Arizona, Wash.-St., Oregon, Canada, Alaska

C. b. Banks 1893, Journ. N. York Ent. Soc. 1 p. 133 (D ♂♀).
Platyxysticus b. Gertsch 1932, Amer. Mus. Novit. 563 p. 2 TF. 4 (D ♂♀).

C. b. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 410 TF. 258, 259, 271 (D ♂♀).
C. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 461 f. 74—76 (N ♂♀).

♂♀ **nakina** Gertsch 1953. Ontario

C. n. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 462 f. 69—72 (D ♂♀).

♂♀ **utahensis** (Gertsch) 1932. Westl. U. St. Amerika

Platyxysticus u. Gertsch 1932, Amer. Mus. Novit. 563 p. 5 TF. 2 (D ♂♀).
C. u. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 408 (D ♂♀).
? C. versicolor Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 192 f. 1—3 (part.).
C. u. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 460 f. 62—63 (N ♂♀).

Gen. **Firmicus** Simon 1895.

Palaearktische Arten:

♂♀ **bivittatus** Simon 1895. S.-Frankreich, Spanien, Algier

F. b. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 438 (D ♂).
F. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1036 (N).
Synaema b. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 195 (C).
F. b. Simon 1932, Arachn. de France 6 (4) p. 786, 868 f. 1147 (D ♂♀).

♂ **dewitzi** Simon 1899. Unter-Aegypten

F. d. Simon 1899, Ann. Soc. Ent. France 66, Bull. p. 245 f. 4 (D ♂).
Synaema d. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 196 (C).

Aethiopische Arten:

♂ **abnormis** (Lessert) 1923. Capland

Synaema a. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 178 f. 23—25 (D ♂).

O **arushae** Caporiacco 1947. O.-Afrika

F. a. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 219 T. 2 F. 59 (D O).

♀ **biguttatus** Caporiacco 1940. Abessinien

F. b. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 852 (D ♀).

♂♀ **bimaculatus** (Simon) 1886. Madagascar

Synaema b. Simon 1886, Act. Soc. Linn. Bord. 40 p. 181 (D ♀).
F. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1036 (N).
Synaema (Rimanda) b. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 382, 393 (D ♂♀).

♂ **bipunctatus** Caporiacco 1941. S.-Abessinien

F. b. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 131 f. 54 (D ♂).

♂♀ **bragantinus** (Brito Capello) 1866. – * W.-Afrika, Congo, Angola, Nil-Sudan

Thomisus b. Brito Capello 1866, Journ. Sci. Ac. Lisboa 1 p. 86 T. 2 F. 6 (D ♀).
Synaema quadrinotatum Simon 1884, Bull. Soc. Zool. France 9 p. 11 T. 1 F. 3 (D o).
F. quadrinotatus Simon 1895, Hist. Nat. Araign. 1 (4) p. 1036 (N).
Synaema b. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 195 (C).
Synaema b. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 320 f. 11 (D ♀).
Synaema b. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 121 f. 37 (N ♀).
Synaema b. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 260 f. 54, 55 (D ♂).
F. quadrinotatus Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 219 (N).

♂♀ **campestratus** Simon 1907. W.-Afrika, Belg. Congo
F. c. Simon 1907, Ann. Mus. Civ. Genova 43 p. 320 (D ♂♀).
Synaema c. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 195 (C).
F. c. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 321 f. 21—22 (N ♂).

♂♀ **campestratus faradjensis** Lessert 1928. Belg. Congo
Synaema c. f. Lessert 1928, Rev Suisse Zool. 35 (18) p. 325 f. 14, 15 (D ♂♀).
F. c. f. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 322 (N ♂♀).

♀ **campestratus ogoueensis** Simon 1907. Franz. Congo
F. c. o. Simon 1907, Ann. Mus. Civ. Genova 43 p. 320 (D ♀).

♀ **marginatus** Simon 1897. Seychellen
F. m. Simon 1897, Ann. Soc. Ent. France 66 p. 379 (D ♀).
Synaema m. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 199 (C).

♂♀ **paecilipes** Caporiacco 1940. Abessinien
F. p. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 851 f. 46 (D ♂♀).

O **strandi** Caporiacco 1947. O.-Afrika
F. s. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 220 (D O).

♀ **werneri** Simon 1906. Uganda
F. w. Simon 1906, S. B. Ak. Wiss. Wien 115 (1) p. 1165 (D ♀).

Orientalische Arten:

♀ **duriusculus** Simon 1902. Annam
F. d. Simon 1902, Ann. Soc. Ent. France 71 p. 728 (D ♀).

Gen. **Tharpyna** L. Koch 1874.

Orientalische Arten:

o **varica** Thorell 1890. Java
T. v. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 153 (D o).
T. v. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 102 (D o).

Australische Arten:

♂♀ **albosignata** L. Koch 1876. Queensland, Neu-S.-Wales
T. a. L. Koch 1876, Arachn. Austral. 1 (2) p. 791 T. 68, F. 8, 9 (D ♂♀).

♂♀ **campestrata** L. Koch 1874. Queensland, W.-Australien
T. c. L. Koch 1874, Arachn. Austral. 1 (1) p. 551 T. 42 F. 4, 5 (D ♂♀).

♂♀ **decorata** Karsch 1878. Neu-S.-Wales
T. d. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 810 (D ♂♀).

♂♀ **diadematа** L. Koch 1874. – * Australien, Lord Howe-I.
T. d. L. Koch 1874, Arachn. Austral. 1 (1) p. 548 T. 42 F. 2, 3 (D ♂♀).
T. d. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1015 (N).

♂ **hirsuta** L. Koch 1875. Australien
T. h. L. Koch 1875, Arachn. Austral. 1 (2) p. 602 T. 47 F. 4 (D ♂).

♀ **munda** L. Koch 1875. Australien, Neu-Seeland
T. m. L. Koch 1875, Arachn. Austral. 1 (1) p. 602 T. 47 F. 3 (D ♀).
T. m. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1014 (N).

♀ **simpsoni** Hickman 1944. S.-Australien
T. s. Hickman 1944, Trans. R. Soc. S. Austral. 68 (1) p. 45 T. 3 F. 35—39 (D ♀).

♂♀ **speciosa** Rainbow 1920. Lord Howe-I.
T. s. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 251 T. 29 F. 59—62 (D ♂♀).

♂♀ **venusta** (L. Koch) 1874. Neu-S.-Wales
Diaea v. L. Koch 1874, Arachn. Austral. 1 (1) p. 574 T. 44 F. 4, 5 (D ♂♀).
T. v. L. Koch 1876, Arachn. Austral. 1 (2) p. 823 (N).
T. v . Simon 1895, Hist. Nat. Arachn. 1 (4) p. 1015 (N).

9. Gr. Platythomiseae

Gen. **Platythomisus** Doleschall 1859.

Aethiopische Arten:

§ 4 Arten: Pocock 1899, Proc. Zool. Soc. Lond. p. 883.

♀ **deserticolus** Lawrence 1936. Kalahari
P. d. Lawrence 1936, Ann. Transv. Mus. 17 (2) p. 154 f. 6 (D ♀).

♀ **heraldicus** Karsch 1878. Sansibar, O.-Afrika
P. h. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 315 (D ♀).
P. h. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1016 f. 1077 (N ♀).

♀ **insignis** Pocock 1899. Span. Guinea, Franz. u. Belg. Congo
P. i. Pocock 1899, Proc. Zool. Soc. Lond. p. 882 T. 58 F. 33 (D ♀).
P. i. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 318 f. 10 (D ♀).

♀ **nigriceps** Pocock 1899. Span. Guinea, Elfenbeinküste
P. n. Pocock 1899, Proc. Zool. Soc. Lond. p. 881 T. 58 F. 32 (D ♀).
P. n. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 34 f. 15 C, D (N ♀).

♀ **pantherinus** Pocock 1898. Nyassaland
P. p. Pocock 1898, Ann. Mag. Nat. Hist. (7) 2 p. 445 T. 13 F. 7 (D ♀).

♀ **scytodimorphus** (Karsch) 1886. O.-Afrika
Gelotopoeus s. Karsch 1886, Berlin. Ent. Zeitschr. 30 p. 96 T. 3 F. 10 (D ♀).
Gelotopoeus s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1013 (N).
P. s. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 189 (N).

o **sexmaculatus** Simon 1897. Somaliland
P. s. Simon 1897, Arachn. in: Smith, Through unkn. Afric. Countr. p. 388 (D o).

Orientalische Arten:

♂ **jucundus** Thorell 1894. Java
P. j. Thorell 1894, Bih. Svensk. Vet. Ak. Handl. 20 (4; 4) p. 51 (D ♂).
P. j. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1017 (N).

♀ **octomaculatus** (C. L. Koch) 1845. – * Sumatra, Java, Banka
Thomisus o. C. L. Koch 1845, Die Arachniden 12 p. 55 TF. 990 (D ♀).
P. phryniformis Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 60 T. 13 F. 10 (D ♀).
P. o. Hasselt 1882, in Veth, Midd. Sumatra; Aran. 4 (11A) p. 42 T. 3 F. 4 (D ♀).
P. o. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1017 f. 1076 (N ♀).

Gen. **Poecilothomisus** Simon 1895.

♀ **speciosus** (Thorell) 1881. N.-Australien
Platythomisus s. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 327 (D ♀).
P. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1018 (N).

10. Gr. Misumeneae

Gen. **Cyriogonus** Simon 1886.

♂ **fuscitarsis** Strand 1908. Madagascar
C. f. Strand 1908, Zool. Jahrb. Syst. 26 (4) p. 472 (D ♂).

♀ **lactifer** Simon 1886. – * Madagascar
C. l. Simon 1886, Act. Soc. Linn. Bord. 40 p. 176 (D ♀).
C. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1024 (N).

♀ **simoni** Lenz 1891. Madagascar
C. s. Lenz 1891, Mitt. Nat. Mus. Hambg. 9 (1) p. 166 T. 1 F. 3 (D ♀).
C. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1022 (N).

o **triquetrus** Simon 1886. Madagascar
C. t. Simon 1886, Act. Soc. Linn. Bord. 40 p. 177 (D o).
C. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1022 (N).

Gen. **Loxoporetes** Kulczynski 1911.

♀ **nouhuysii** Kulczynski 1911. Neu-Guinea
L. n. Kulczynski 1911, Res. Exped. Sci. Lorentz; N.-Guinea 9 (2) p. 131 T. 4 F. 16, 17 (D ♀).

Gen. **Massuria** Thorell 1887.

♀ **angulata** Thorell 1887. – * Burma
M. a. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 278 (D ♀).
M. a. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1025 (N).

♀ **javana** Simon 1895. Java, Krakatau
M. j. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 437 (D ♀).
M. j. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1025 (N).

Gen. **Misumena** Latreille 1804.

Palaearktische Arten:

§ 2 ♂, 2 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 20 TF. 197—200.
§ 3 ♂, 2 ♀: Simon 1932, Arachn. de France 6 (4) p. 789—791.

♀ **arcigera** (Grube) 1861. O.-Sibirien
Thomisus a. Grube 1861, Bull. Ac. Sci. St. Petersbg. 4 p. 173 (D ♀).

♂ **bicolor** Simon 1875. Corsica
M. b. Simon 1875, Aradın. de France 2 p. 246 T. 7 F. 2 (D ♂).
M. b. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 365 (N ♂).
M. b. Simon 1932, Arachn. de France 6 (4) p. 790, 869 (D ♂).

♂♀ **lutea** Peelle & Saito 1933. Kurilen
M. l. Peelle & Saito 1933, Journ. Fac. Sci. Hokkaido Zool. (6) 2 (3) p. 111 f. 2 (D ♂♀).

♂♀ **munitissima** Dönitz & Strand 1906. Japan

M. m. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 384 T. 7 F. 90 (D ♂♀).
M. m. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 (6) p. 80 f. 10 (3) (N ♀).

♀ **saitoi** Roewer 1951. Japan

M. oblonga Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 (6) p. 82 f. 10 (4); T. 1 F. 16 (D ♀) (praeocc. Cambridge 1885).
M. s. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 448 (nom. nov.).

♂♀ **occidentalis** (Kulczynski) 1911. Frankreich, Spanien, Portugal

M. calycina occidentalis Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 63 (D ♂♀).
M. personata Simon 1916, Ann. Soc. Ent. France 85 Bull. p. 209 (D ♂).
M. o. Simon 1932, Arachn. de France 6 (4) p. 790, 791, 869 f. 1154—1156 (D ♂♀).
M. o. Denis 1934, Ann. Soc. Hist. Nat. Toulon 18 p. 154 T. 2 F. 2 (N ♀).

♂ **pseudovatia** Schenkel 1936. S.-Kansu

M. p. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 132 f. 48 (D ♂).

♂♀ **spinifera** (Blackwall) 1862. Madeira, Canaren

Thomisus s. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 9 p. 370 (D ♂).
Xysticus s. Simon 1883, Ann. Soc. Ent. France (6) 3 p. 281 (N).
M. clarckii Warburton 1892, Ann. Mag. Nat. Hist. (6) 10 p. 219 T. 14 F. 7, 8 (D ♀).
M. s. Schmitz 1895, Ann. Sci. Nat. Porto 2 p. 198 (N).
M. s. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 403 T. 8 F. 82—84 (D ♂♀).

♀ **yunohamensis** Bösenberg & Strand 1906. Japan

M. y. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 257 T. 10 F. 179 (D ♀).

Transgredierende Arten:

♂♀ **vatia** (Clerck) 1757. – * Palaearktis, Nearktis

Araneus vatius Clerck 1757, Aran. Suec. p. 128 T. 6 F. 5 (D ♀).
Aranea calycina Linné 1758, Syst. Nat. (10. Ed.) p. 620 (D).
Aranea quadrilineata Linné 1761, Syst. Nat. (12. Ed.) p. 1032 (D).
Aranea osbekii Scopoli 1763, Ent. Carniol. p. 399 (D).
Aranea hasselquistii Scopoli 1763, Ent. Carniol. p. 399 (D).
Aranea uddmanni Scopoli 1763, Ent. Carniol. p. 400 (D).
Aranea scorpiformis Fabricius 1775, Syst. Ent. p. 436 (D).
Aranea virginea Müller 1776, Zool. Dan. Prodrom. p. 194 (D).
Aranea citrea De Geer 1778, Mém. p. s. Hist. Nat. Ins. 7 p. 298 T. 18 F. 17—22 (D).
Aranea citrina Fourcroy 1785, Ent. Paris 2 p. 531 (D).
Aranea citrea Olivier 1789, Encycl. Méthod. 4 p. 224 (N).
Aranea calicina Olivier 1789, Encycl. Méthod. 4 p. 225 (D).
Aranea scorpiformis Olivier 1789, Encycl. Méthod. 4 p. 225 (D).
Aranea quadrilineata Olivier 1789, Encycl. Méthod. 4 p. 231 (N).
M. citrea Latreille 1804, Nouv. Dict. Hist. Nat. 24 p. 135 (N).
Aranea quinquepunctata Panzer 1804, Syst. Nomencl. p. 164; Schäffer, Ic. Ins. Ratisb. 2 T. 187 F. 7 (D).
Aranea albonigricans Panzer 1804, Syst. Nomencl. p. 173; Schäffer, Ic. Ins. Ratisb. 2 T. 200 F. 7 (D).
Thomisus citreus Walckenaer 1805, Tabl. Aran. p. 31 T. 4 F. 34, 35 (N).
Thomisus calycinus Walckenaer 1805, Tabl. Aran. p. 32 (N).
Thomisus dauci Walckenaer 1805, Tab. Aran. p. 32 (N).

Thomisus dauci Hahn 1820, Monogr. d. Spinn. 1 p. 2 T. 6 F. C (D ♀).
Thomisus citreus Hahn 1831, Monogr. d. Spinn. 6 p. 1 T. 20 F. A (D ♀).
Thomisus calycinus Hahn 1831, Monogr. d. Spinn. 6 p. 1 T. 20 F. B (D ♀).
Thomisus dauci Hahn 1831, Die Arachniden 1 p. 33 TF. 27 (D O).
Thomisus citreus Hahn 1831, Die Arachniden 1 p. 42 TF. 32 (D ♀).
Thomisus pratensis Hahn 1831, Die Arachniden 1 p. 43 TF. 33 (D ♀).
Thomisus spinipes Brullé 1832, Expéd. Morée 3 p. 53 T. 28 F. 5 (D ♀).
Thomisus citreus Sundevall 1832, Vet. Ak. Handl. p. 219 (D ♂♀).
Thomisus scorpiformis Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 27 F. a (D ♀).
Thomisus quadrilineatus Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 27 F. b (D ♀).
Thomisus pratensis Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 27 F. d (D ♀).
Thomisus citreus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 526 (D ♂♀).
Thomisus viridis Walckenaer 1937, Hist. Nat. Ins. Apt. 1 p. 528 (D ♀).
Thomisus calycinus C. L. Koch 1838, Die Arachniden 4 p. 53 TF. 283, 284 (D ♂♀).
Thomisus devius C. L. Koch 1845, Die Arachniden 12 p. 61 TF. 997 (D ♀).
Thomisus fartus Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 445 T. 23 F. 4 (D ♀).
Thomisus v. Thorell 1856, Rec. Crit. Aran. p. 72 (N).
Thomisus citreus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 88 T. 4 F. 53 (D ♂♀).
Thomisus v. Westring 1862, Aran. Svec. p. 442 (D ♂♀).
Pachyptile devia Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 433 (C).
Thomisus calycinus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 608 T. 11 F. 7—9 (D ♂♀).
Thomisus calycinus Ohlert 1867, Aran. Prov. Preussen p. 111 (D ♂♀).
M. v. Thorell 1872, Rem. Syn. Europ. Spid. p. 258 (N).
M. v. Simon 1875, Arachn. de France 2 p. 243 (D ♂♀).
M. v. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 453 T. 75 F. 257 (D ♂♀).
M. v. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 101 (C).
M. v. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 290 (D ♂♀).
M. v. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 208 T. 21 F. 1 (D ♂♀).
M. v. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 72 (D ♂♀).
M. expallidata Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 58 (D ♀).
M. oblonga Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 59 (D ♀).
M. v. Hansen 1885, in: Schiödte, Zool. Danic. p. 146 T. 4 F. 13 (D ♂♀).
M. v. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 83 (D ♂♀).
M. v. Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 368 T. 30 F. 1 (D ♂♀).
M. v. McCook 1893, Amer. Spid. 3 T. 29 F. 10 (♀).
M. v. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1025 f. 1020, 1023, 1080 (N).
M. v. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 141 T. 9 F. 33 (N).
M. v. Bösenberg 1902, Zoologica 14 (2—4) p. 366 T. 34 F. 539 (D ♂♀).
M. v. Emerton 1902, Common Spid. p. 27 f. 76—78 (D ♂♀).
M. calycina Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 255 T. 10 F. 164 (D ♀).
M. v. Lessert 1910, Catal. Invert. Suisse; Araign. p. 353 (D ♂♀).
M. calycina Reimoser 1929, Die Natur (Wien) 5 (4) p. 88 f. 8 (N ♂♀).
M. v. Simon 1932, Arachn. de France 6 (4) p. 790, 869 (D ♂♀).
M. calycina Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 314 (TF. 3, 4, 26, 27, 38, 39, 86, 96, 97 (D ♂♀).
M. calycina Tullgren 1944, Svensk Spindelfauna 3 p. 68 T. 7 F. 121—128 (D ♂♀).
M. calycina Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 411 T. 79 F. 1481—82; T. 80 F. 1496—98 (D ♂♀).
M. v. Locket & Millidge 1951, Brit. Spiders 1 p. 174 f. 88 B, D (D ♂♀).

O♀ **japonica** Bösenberg & Strand 1906. Japan, Formosa
M. j. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 256 T. 10 F. 172 (D ♀).
M. j. Saito 1933, Trans. Sapporo Nat. Hist. Soc. 13 (1) p. 37 T. 3 F. 18 (D O, N ♀).

Aethiopische Arten:

♀ **alluaudi** Simon 1897. Mauritius
M. a. Simon 1897, Ann. Soc. Ent. France 66 p. 279 (D ♀).

♂♀ **nana** Lessert 1933. Angola
M. n. Lessert 1933, Rev. Suisse Zool. 40 (4) p. 118 f. 35, 36 (D ♂♀).

♂ **natalensis** Lawrence 1949. Natal
M. n. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 28 f. 15 (D ♂).

♀ **pallescens** Caporiacco 1949. Kenya
M. p. Caporiacco 1949, Commen. Pontific. Ac. Sci. 13 (6) p. 457 (D ♀).

♂♀ **spinosissima** Berland 1936. Cap Verde-Ins.
M. s. Berland 1936, Rev. Franç. d'Ent. 3 (1) p. 77 f. 19—21 (D ♀).
M. s. Denis 1941, Ann. Soc. Ent. France 110 p. 126 f. 14—15 (D ♂).

Orientalische Arten:

♀ **braminica** Simon 1906. Indien
M. b. Simon 1906, Ann. Soc. Ent. France 75 p. 288 (D ♀).

♀ **frenata** Simon 1909. Tonking
M. f. Simon 1909, Bull. Sci. France Belg. 42 p. 141 (D ♀).

♂ **semicincta** Workman 1896. Singapore
M. s. Workman 1896, Malays. Spid. p. 94 T. 94 (D ♂).

♂♀ **timida** Thorell 1887. Burma
M. t. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 281 (D ♀).
M. t. Thorell 1895, Descr. Catal. Spid. Burma p. 306 (D ♂).

Australische Arten:

♀ **arrogans** Thorell 1881. I. Yule
M. s. Thorell 1881. Ann. Mus. Civ. Genova 17 p. 344 (D ♀).

♀ **bipunctata** Rainbow 1898. Australien
M. b. Rainbow 1898, Proc. Linn. Soc. N. S. Wales 23 (3) p. 342 T. 7 F. 7 (D ♀).

♀ **fasciata** Kulczynski 1911. Neu-Guinea
M. f. Kulczynski 1911, Res. Exped. Sci. Lorentz; N.-Guinea 9 (2) p. 135 T. 4 F. 20 (D ♀).

♀ **innotata** Thorell 1881. Neu-Guinea
M. i. Thorell 1881. Ann. Mus. Civ. Genova 17 p. 336 (D ♀).

♀ **lorentzii** Kulczynski 1911. Neu-Guinea
M. l. Kulczynski 1911, Res. Exped. Sci. Lorentz; N.-Guinea 9 (2) p. 134 T. 4 F. 18, 19 (D ♀).

Neotropische Arten:

§ 8 ♂, 18 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 78—79 (part.).
§ 4 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 220—221.

♀ **adelae** Mello-Leitao 1944. Buenos Aires
M. a. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.), Zool. 3 (24) p. 365 (D ♀).

♂ **amabilis** Keyserling 1880. Peru
M. a. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 105 T. 2 F. 57 (D ♂).

♀ **bianulata** Mello-Leitao 1929. Brasilien
M. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 223, 297 TF. 92 (D ♀) (p. 297: **biannulata**).

♀ **citreoides** (Taczanowski) 1872. Guiana
Thomisus c. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 89 (D ♀).
M. c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 109 T. 2 F. 60 (D ♀).

♀ **conferta** Banks 1898. Mexico
M. c. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 261 T. 16 F. 12 (D ♀).

♀ **luteovariata** Mello-Leitao 1929. Brasilien
M. l. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 222 TF. 113 (D ♀).

♀ **nigripes** (Taczanowski) 1872. Guiana, Peru
Thomisus n. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 89 (D ♀).
M. n. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 111 T. 2 F. 61 (D ♀).

♂ **parva** Piza 1934. Brasilien
M. p. Piza 1934, Rev. Biol. Hyg. S. Paulo 5 (1) p. 2 f. 2 (D ♂).

♂♀ **peninsulana** Banks 1898. Nieder-Californien
M. p. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 263 T. 16 F. 3 (D ♂♀).

picta Franganillo 1925. Cuba
M. p. Franganillo 1925, Belen Habana Cuba 9 (51—52) p. 58 (D).

♂ **platimanu** Mello-Leitao 1929. Brasilien
M. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 221 TF. 102 (D ♂).

♀ **pulchra** Badcock 1932. Paraguay
M. p. Badcock 1932, Journ. Linn. Soc. Lond. 38 (Zool.) p. 30 f. 21 (D ♀).

quadrioculata Franganillo 1935. Cuba
M. q. Franganillo 1935, Belen Habana Cuba 9 (51—52) p. 58 (D).

♀ **rubripes** Keyserling 1880. Peru
M. r. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 106 T. 2 F. 58 (D ♀).

♂ **rubromaculata** Piza 1934. Brasilien
M. r. Piza 1934, Rev. Biol. Hyg. S. Paulo 5 (1) p. 1 f. 1 (D ♂).

♂ **spinigaster** Mello-Leitao 1929. Brasilien
M. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 222 TF. 95—97 (D ♂).

♀ **terrosa** Soares 1944. Parana
M. t. Soares 1944, Bol. Industr. Animal. S. Paulo 7 (3—4) p. 75 f. . . (D ♀).

♂♀ **variegata** Keyserling 1880. Peru
M. v. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 101 T. 2 F. 55 (D ♂♀).

♀ **viridans** Mello-Leitao 1917. Brasilien
M. v. Mello-Leitao 1917, Broteria 15 p. 94 (D ♀).

♀ **viridis** Badcock 1932. Paraguay
M. v. Badcock 1932, Journ. Linn. Soc. Lond. 38 (Zool.) p. 29 f. 20 (D ♀).

Transgredierende Arten:

♀ **fidelis** Banks 1898. Mexico, Arizona
M. f. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 261 T. 16 F. 2 (D ♀).

Gen. **Misumenoides** F. Cambridge 1900.

Australische Arten:

♂♀ **anguliventris** (Simon) 1900. Hawai
Misumena a. Simon 1900, Faun. Hawaiiens. 2 (5) p. 488 T. 17 F. 11 (D ♂♀).

♀ **cretaceus** (Simon) 1900. Hawai
Misumena c. Simon 1900, Faun. Hawaiiens. 2 (5) p. 487 (D ♀).

♀ **nesiotes** (Simon) 1899. Hawai
Misumena n. Simon 1899, Zool. Jahrb. Syst. 12 (4) p. 416 (D ♀).
Misumena n. Simon 1900, Faun. Hawaiiens. 2 (5) p. 485 (D ♀).

♀ **nigrofrenatus** (Simon) 1900. Hawai
Misumena n. Simon 1900, Faun. Hawaiiens. 2 (5) p. 486 T. 17 F. 1 (D ♀).

♀ **oreades** (Simon) 1900. Hawai
Misumena o. Simon 1900, Faun. Hawaiiens. 2 (5) p. 485 (D ♀).

♂♀ **velatus** (Simon) 1900. Hawai
Misumena v. Simon 1900, Faun. Hawaiiens. 2 (5) p. 489 T. 17 F. 12 (D ♂♀).

Neotropische Arten:

§ 3 ♂, 5 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 119 (sub **Runcinia**).
§ 6 ♂, 7 ♀: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 137.
§ 8 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 213—214.

♂♀ **annulipes** (Cambridge) 1891. Mexico, Guatemala
Runcinia a. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 78 T. 9 F. 14 (D ♂).
M. a. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 140 T. 9 F. 30 (N ♂).
M. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 313 TF. 42, 43 (D ♂♀).

♂ **bifissus** F. Cambridge 1900. Guatemala
M. b. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 140 T. 9 F. 31 (D ♂).

♀ **blandus** (Cambridge) 1891. Guatemala, Panama
Runcinia b. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 72 T. 10 F. 2 (D ♀, nec ♂).
Runcinia sagittata Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 77 T. 10 F. 7 (D ♀).
Runcinia lutea Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 78 T. 9 F. 13 (D ♀).
M. b. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 139 T. 9 F. 26 (D ♀).

♀ **carminatus** Mello-Leitao 1941. N.-Argentinien
M. c. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. p. 163 T. 1 F. 1; T. 9 F. 41 (D ♀).

♀ **chlorophilus** (Holmberg) 1881. Patagonien
Diaea c. Holmberg 1881, Exped. Roca Rio Negro. Zool. p. 158 T. 4 F. 11 (D ♀).

♀ **corticatus** Mello-Leitao 1929. S.-Brasilien
M. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 217 TF. 110 (D ♀).

♀ **crassipes** (Keyserling) 1880. Columbien
Runcinia c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 121 T. 2 F. 67 (D ♀).
M. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 409 (C).

♂♀ **dasysternon** Mello-Leitao 1943. Chile
M. d. Mello-Leitao 1943, Rev. Bras. Biol. R. d. Jan. 3 (4) p. 406 (D ♂♀).

♂ **depressus** (Cambridge) 1891. Guatemala
Runcinia d. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 75 T. 10 F. 4 (D ♂, nec ♀).
M. d. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 139 (C ♂).

♂♀ **eroticus** Mello-Leitao 1947. Brasilien
M. e. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 274 T. 32 F. 2 (D ♂♀).

♂ **eximius** Mello-Leitao 1938. Argentinien
M. e. Mello-Leitao 1938, Rev. Mus. La Plata, Zool. 1 (4) p. 106 f. 23—24 (D ♂).

♀ **fusciventris** Mello-Leitao 1929. Brasilien
M. f. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 219 TF. 103 (D ♀).

♀ **gerschmanae** Mello-Leitao 1944. Buenos Aires
M. g. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.), Zool. 3 (24) p. 365 (D ♀).

♀ **illotus** Soares 1944. San Paulo
M. i. Soares 1944, Bol. Industr. Animal. S. Paulo 7 (3—4) p. 76 f. . . (D ♀).

♂♀ **magnus** (Keyserling) 1880. – * Columbien, Centr. Amerika, Mexico
Runcinia m. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 125 T. 2 F. 69 (D ♂♀).
Runcinia blanda Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 74 T. 10 F. 1 (D ♂, nec ♀).
Runcinia signata Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 76 T. 9 F. 6 (D ♀).
Runcinia propinqua Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 77 T. 10 F. 6 (D ♀).
M. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 140 T. 9 F. 27, 28 (C ♂♀).

♂ **mourei** Mello-Leitao 1947. Santa Catharina
M. m. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 275 T. 38 F. 30 (D ♂).

♀ **nicoleti** Roewer 1951. Chile
Thomisus cinereus Nicolet 1849, in: Gay, Hist. Chili 10 (3) p. 396 (D ♀) (praeocc. C. L. Koch 1837).
M. cinereus Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 77 (C ♀).
M. n. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 448 (nom. nov.).

♀ **nigripes** Mello-Leitao 1929. Brasilien
M. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 216 (D ♀).

♀ **nigromaculatus** (Keyserling) 1880. S.-Brasilien
Runcinia a. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 119 T. 2 F. 66 (D ♀).
M. n. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 409 (C).
M. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 215 TF. 24 (D ♀).

♂♀ **parvus** (Keyserling) 1880. Columbien, Panama, Mexico
Runcinia p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 122 T. 2 F. 68 (D ♂♀).
M. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 140 T. 9 F. 29 (C ♂).

♀ **paucispinosus** Mello-Leitao 1929. Brasilien, Brit. Guiana
M. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 219 TF. 25 (D ♀).
M. p. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 694 (C ♀).

♀ **proseni** Mello-Leitao 1944. Buenos Aires
M. p. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.), Zool. 3 (24) p. 366 f. 56 (D ♀).

♀ **roseiceps** Mello-Leitao 1949. Brasilien
M. r. Mello-Leitao 1949, Bol. Mus. Nac. R. d. Jan., Zool. 92 p. 14 f. 15—16 (D ♀).

♂ **rubrithorax** Caporiacco 1947. Brit. Guiana
M. r. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 29 (D ♂).
M. r. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 694 TF. 117 (D ♂).

♂ **rubroniger** Mello-Leitao 1947. Minas Geraes
M. r. Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan., Zool. 80 p. 15 T. 6 F. 45 (D ♂).

♀ **rugosus** (Cambridge) 1891. Panama, Guatemala
Runcinia r. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 75 T. 9 F. 16 (D ♀).
Runcinia depressa Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 75 T. 10 F. 5 (D ♀, nec ♂).
M. r. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 139 (C ♀).

♀ **similis** (Keyserling) 1882. Brasilien
Runcinia s. Keyserling 1882, Verh. Zool. Bot. Ges. Wien 31 p. 308 T. 11 F. 26 (D ♀).
M. s. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 410 (C).
M. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 214 (D ♀).

♂ **tibialis** (Cambridge) 1891. Panama, Amazonas
Runcinia t. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 73 T. 10 F. 3 (D ♂).
M. t. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 139 T. 9 F. 25 (C ♂).
M. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 218 (D ♂).

♂ **variegatus** Mello-Leitao 1941. Santa Fe
M. v. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 218 f. 28—29 (D ♂).

♂♀ **vigilans** (Cambridge) 1890. Guatemala
Runcinia v. Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 72 T. 9 F. 4, 5 (D ♂♀).
M. v. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 139 (C ♂♀).

♂♀ **vulneratus** Mello-Leitao 1929. Pernambuco
M. v. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 216 (D ♂♀).

Nearktische Arten:

♂♀ **eleatorius** (Hentz) 1847. U. St. Amerika, Canada

? Thomisus formosipes Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 504 (D ♂♀).
? Thomisus flavescens Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 519 (D ♀).
? Thomisus pardus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 529 (D ♀).
Thomisus a. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 444 T. 23 F. 2 (D ♀).
Runcinia brendelii Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 127 T. 2 F. 70 (D ♂♀).
Runcinia a. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 59 T. 3 F. 18 (N ♀).
Misumena a. Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 369 T. 30. F. 2 (D ♂♀).
Misumena a. Emerton 1902, Common Spid. p. 27 f. 75, 78—82 (D ♂♀).
M. a. Petrunkewitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 408 (C).
Misumena a. Peelle & Saito 1933, Journ. Fac. Sci. Hokkaido Zool. (6) 2 (2) p. 110 f. 1 (D ♂).
M. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 309 TF. 5, 6, 28, 29, 40, 41, 87, 94, 95 (D ♂♀).
M. formosipes Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 157 TF. 26—27 (N ♂♀).
M. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 413 T. 79 F. 1483—1484; T. 80 F. 1499—1501; T. 135 F. 2071 (D ♂♀).

Gen. **Misumenops** F. Cambridge 1900.

Palaearktische Arten:

♂♀ **tricuspidatus** (Fabricius) 1775. Europa, Transkaukasien, China, Japan

Aranea t. Fabricius 1775, Ent. Syst. 2 p. 433 (D).
Aranea viatica Fourcroy 1785, Ent. Paris 2 p. 531 (D).
Aranea inaurata Olivier 1789, Encycl. Méthod. 4 p. 225 (D).
Aranea t. Olivier 1789, Encycl. Méthod. 4 p. 233 (D ♀).
Aranea delicatula Walckenaer 1802, Faun. Paris. 2 p. 232 (D ♂).
Aranea diana Walckenaer 1802, Faun. Paris 2 p. 232 (D ♀).
Thomisus diana Walckenaer 1805, Tabl. Aran. p. 30 (N).
Thomisus t. Walckenaer 1805, Tabl. Aran. p. 32 (N).
Thomisus delicatulus Walckenaer 1805, Tabl. Aran. p. 32 (N).
Thomisus diana Hahn 1831, Die Arachniden 1 p. 31 TF. 26 (D ♀).
Thomisus diana Hahn 1833, Monogr. d. Spinn. 2 p. 2 T. 6 F. A (D ♀).
Thomisus hermanii Hahn 1833, Monogr. d. Spinn. 2 p. 2 T. 6 F. B (D ♀).
Thomisus diana Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 531 (D ♂♀).
Diana delicata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 433 (C).
Thomisus diana Ohlert 1867, Aran. Prov. Preussen p. 113 (D ♀).
Diaea t. Thorell 1869, On Europ. Spid. p. 184 (N).
Diaea t. Thorell 1872, Rem. Syn. Europ. Spid. p. 539 (N).
Misumena t. Simon 1875, Arachn. de France 2 p. 244 (D ♂♀).
Diaea t. Menge 1877, Schrift. Nat. Ges. Danzig (N. F.) 4 p. 456 T. 76 F. 258 (D ♂♀).
Misumena t. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 211 T. 22 F. 1 (D ♂♀).
Misumena t. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 84 (D ♂♀).
Misumena t. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 38 T. 2 F. 36 (N ♀).
Misumena t. Bösenberg 1902, Zoologica 14 (2—4) p. 365 T. 34 F. 538 (D ♂♀).
Misumena t. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 254 T. 10 F. 169, 170 (D ♂♀).
Misumena t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 354 (D ♂♀).
M. t. Simon 1932, Arachn. de France 6 (4) p. 791, 869 f. 1157—1159 (D ♂♀).

Misumena t. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 275 T. 14 F. 37 (N ♂♀).
Misumena t. Saito 1936, Rep. 1. Sci. Exp. Manchoukuo (5) 1 (3; 11) p. 7, 74 T. 6 (N ♀).
Misumena t. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 82 (N).

♂♀ **tricuspidatus concolor** (Caporiacco) 1935. Karakorum
Misumena t. c. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 183 (D ♂♀).

Aethiopische Arten:

♀ **decolor** (Kulczynski) 1901. Erythraea
Misumena d. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 3, 38 T. 2 F. 37 (D ♀).

♀ **rubrodecorata** Millot 1941. Franz. Guinea
M. r. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 37 f. 17 A, B (D ♀).

♂♀ **tuckeri** (Lessert) 1919. Belg. Congo, O.-Afrika, Franz. Guinea
Misumena t. Lessert 1919, Rev. Suisse Zool. 27 (9) p. 133 f. 14—16 (D ♂♀).
M. t. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 35 f. 16 A—C, 17 E (D ♂♀).

Orientalische Arten:

♂ o **bühleri** Schenkel. Timor
M. b. Schenkel 1944, Rev. Suisse Zool. 51 (4) p. 190 f. 9 (D ♂♀).

o **direythra** (Thorell) 1890. Burma, Singapore
Misumena d. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 152 (D o).
Misumena d. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 93 (D o).

♂♀ **nepenthicola** (Pocock) 1898. Singapore, Borneo
Misumena n. Pocock 1898, Nature 57 p. 274 (N).
M. n. Fage 1928, Journ. Malay. Branch Asiat. Soc. 6 (3) p. 13 f. 1—4 (D ♂♀).
M. n. Bristowe 1930, Ann. Mag. Nat. Hist. (10) 6 p. 345 f. 2 (N ♂♀).

♀ **thienemanni** Reimoser 1931. Sumatra
M. t. Reimoser 1931, Arch. Hydrobiol. Suppl. 8 p. 766 (D ♀).

Australische Arten:

♂♀ **dalmasi** Berland 1927. Marquesas-I.
M. d. Berland 1927, Bull. Mus. Hist. Nat. Paris 38 p. 368 f. 1—3 (D ♀).
M. d. Berland 1933, Pacif. Ent. Surv. Publ. 7 (3) p. 48 f. 13—16 (D ♂).
M. d. Berland 1935, Pacif. Ent. Surv. Publ. 8 (4) p. 44 f. 3—5 (N ♀).

♀ **melloleitaoi** Berland 1942. Tahiti
M. pallida Berland 1934, Pacif. Ent. Surv. Publ. 6 (21) p. 98 f. 1—5 (D ♀).
M. m. Berland 1942, Occ. Pap. Bishop Mus. Honolulu 17 (1) p. 6 (nom. nov.).

♂♀ **rapaensis** Berland 1934. I. Rapa
M. r. Berland 1934, Ann. Soc. Ent. France 103 p. 329 f. 9—13 (D ♂♀).

Neotropische Arten:

§ 8 ♂, 18 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 78—79 (sub **Misumena**, part.).
§ 4 ♂, 5 ♀: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 141.
§ 13 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 224—225.
§ 3 ♂, 3 ♀: Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 39—40.

♀ **anachoretus** (Holmberg) 1871. Patagonien
Xysticus a. Holmberg 1871, An. Agr. Rep. Argentin. 4 p. 150 (27) (D ♀).

♂♀ **bellulus** (Banks) 1896. Florida, Cuba, Virgin-Isl.
Misumena b. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 71 (D ♀).
Misumessus b. Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 50 (N).
M. b. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 410 (C).
M. b. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 321 TF. 46, 47, 65 (D ♂♀).
M. b. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 413 T. 14 F. 188, 191, 192 (D ♂♀).

♀ **bivittatus** (Keyserling) 1880. S.-Brasilien, Uruguay
Misumena b. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 99 T. 2 F. 54 (D ♀).
Misumena b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 225 (D ♀).

♀ **callinurus** Mello-Leitao 1929. Brasilien
M. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 234 TF. 47 (D ♀).

♀ **carneus** Mello-Leitao 1944. Buenos Aires
M. c. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.), Zool. 3 (24) p. 367 f. 57 (D ♀).

♂♀ **conspersus** (Keyserling) 1880. Peru
Misumena c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 107 T. 2 F. 59 (D ♂♀).
M. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 411 (C).

♀ **consuetus** (Banks) 1898. Mexico
Misumena c. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 262 T. 16 F. 4 (D ♀).
M. c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 146 (N ♀).

♂♀ **croceus** (Keyserling) 1880. Brasilien, Columbien, Curaçao
Misumena c. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 97 T. 2 F. 40, 53 (D ♂♀).
Misumena c. Berland 1913, Araign. in: Miss. Mes. Mérid. Equat. 10 (1) p. 94 T. 9 F. 48 (N ♂).
M. c. Mello-Leitao 1929, Arch. Mus. Nac. R.d. Jan. 31 p. 230 (D ♂♀).

♂ **curadoi** Soares 1943. Brasilien
M. c. Soares 1943, Pap. Avuls. S. Paulo 3 (13) p. 215 f. 5---6 (D ♂).

♀ **damnosus** (Keyserling) 1880. Mexico, Guatemala, Panama
Diaea d. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 114 T. 2 F. 63 (D ♀).
Misumena pallida Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 86 T. 11 F. 10 (D ♀).
Misumena particeps Cambridge 1892, Biol. Centr. Amer. Aran. 1 p. 103 T. 14 F. 1 (D ♀).
M. d. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 143 T. 10 F. 5 (D ♀).

♂♀ **decorus** (Banks) 1898. Guatemala, Mexico
Misumena d. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 263 T. 16 F. 13 (D ♂♀).
M. volutus F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 142 T. 10 F. 3 (D ♂).
M. d. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 327 TF. 54, 55 (D ♂♀).

♂♀ **devius** Gertsch 1939. Mexico
M. d. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 330 TF. 58—59 (D ♂♀).

♂ **exanthematicus** (Holmberg) 1881. Patagonien, Argentinien
Misumena e. Holmberg 1881, Exped. Roca Rio Negro; Zool. p. 155 T. 4 F. 10 (D ♂).

♀ **fluminensis** Mello-Leitao 1929. Brasilien
M. f. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 236 TF. 30 (D ♀).

♀ **gibbosus** (Blackwall) 1862. Brasilien
Thomisus g. Blackwall 1862, Ann. Mag. Nat. Hist. (3) 10 p. 421 (D ♀).
M. g. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 236 (D ♀).

♀ **gracilis** (Keyserling) 1880. Mexico
Misumena g. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 92 T. 2 F. 49 (D ♀).
M. g. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 145 (C ♀).

♂♀ **guianensis** (Taczanowski) 1872. Guiana, Brasilien
Thomisus g. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 90 (D ♂♀).
Diaea guyanensis Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 112 T. 2 F. 62 (D ♂♀).
M. g. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 141 (C).
M. g. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 233 (D ♂♀).

♀ **haemorrhous** Mello-Leitao 1941. Brasilien
M. h. Mello-Leitao 1941, Biol. Mus. Nac. R. d. Jan., Zool. 92 p. 15 f. 17 (D ♀).

♂♀ **ignobilis** (Badcock) 1932. Paraguay, Argentin. Chaco
Misumena i. Badcock 1932, Journ. Linn. Soc. London 38 (Zool.) p. 29 (D ♂).
Misumenoides i. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 77 (C).
M. i. Schenkel 1949, Verh. Naturf. Ges. Basel 60 p. 201 f. 5 (D ♀).

♂♀ **inclusus** (Banks) 1902. Galapagos-Ins.
Misumena i. Banks 1902, Proc. Wash. Ac. Sci. 4 p. 62 T. 1 F. 12 (D ♂♀).
M. i. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 412 (C).

♂♀ **insularis** Petrunkevitch 1930. Portorico
M. i. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 43 f. 35—40 (D ♂♀).

♀ **lenis** (Keyserling) 1880. Brasilien
Misumena l. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 88 T. 2 F. 46 (D ♀).
M. l. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 412 (C).
M. l. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 235 (D ♀).

♂♀ **maculisparsus** (Keyserling) 1891. – * Brasilien
Misumena m. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 245 T. 10 F. 186 (D ♂♀).
M. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 141 (C).
M. m. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 232 TF. 29 (D ♂♀).

♀ **mexicanus** (Keyserling) 1880. Mexico
Misumena m. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 89 T. 2 F. 47 (D ♀).
M. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 145 (N ♀).

♂ **obesulus** Gertsch 1940. Mexico
M. o. Gertsch 1940, Amer. Mus. Novit. 1069 p. 3 TF. 5, 6 (D ♂).

♂♀ **ocellatus** (Tullgren) 1905. Argentinien, Bolivien
Misumena o. Tullgren 1905, Ark. Zool. 2 p. 38 T. 5 F. 15 (D ♂♀).
M. o. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 413 (C).

♂ **octoguttatus** Mello-Leitao 1941. Santa Fe
M. o. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 219 (D ♂).

♂♀ **pallens** (Keyserling) 1880. Argentinien bis Guatemala
Misumena p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 96 T. 2 F. 52 (D ♀).
Misumena p. Simon 1904, Ann. Soc. Ent. Belg. 48 p. 97 (C).
M. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 413 (C).
M. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 227 TF. 26—28 (D ♂♀).

♀ **pascalis** (Cambridge) 1891. Panama
Misumena p. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 85 T. 11 F. 6 (D ♀).
Misumena conjuncta Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 86 T. 11 F. 7 (D ♀).
M. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 144 T. 10 F. 7 (N ♀).

♂ **prosper** (Cambridge) 1896. Guatemala
Synaema p. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 213 T. 26 F. 13 (D ♂).
M. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 143 T. 10 F. 4 (D ♂).

♂ **punctatus** (Keyserling) 1880. Peru
Misumana p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 103 T. 2 F. 56 (D ♂.)
M. p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 414 (C).

♀ **robustus** Mello-Leitao (Simon nec publ.) 1929. Brasilien, Peru, Venezuela
M. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. p. 226 TF. 116 (D ♀).

♀ **roseofuscus** Mello-Leitao 1944. Buenos Aires
M. r. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.), Zool. 3 (24) p. 367 f. 58 (D ♀).

♂ **schiapelliae** Mello-Leitao 1944. Buenos Aires
M. s. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.), Zool. 3 (24) p. 368 f. 59 (D ♂).

♀ **silvarum** Mello-Leitao 1929. Brasilien
M. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 228 (D ♀).

♀ **sjöstedti** Berland 1924. I. Juan Fernandez
M. s. Berland 1924, Hist. Nat. Juan Fernandez 3 (3) p. 433 f. 25, 26 (D ♀).

♀ **spinitarsis** Mello-Leitao 1932. Brasilien
M. s. Mello-Leitao 1932, Bol. Mus. Nac. R. d. Jan. 8 p. 74 (D ♀).

♂ **spiralis** F. Cambridge 1900. Guatemala
M. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 142 T. 10 F. 2 (D ♂).

♀ **splendens** (Keyserling) 1880. Mexico
Misumena s. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 93 T. 2 F. 50 (D ♀).
M. sp. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 145 (N ♀).

♂♀ **terribilis** (Holmberg) 1876. Buenos Aires

Xysticus t. Holmberg 1876, An. Agr. Rep. Argentin. 4 p. 150 (27) (D ♂♀).

♀ **variegatus** Mello-Leitao 1917. S.-Brasilien

M. v. Mello-Leitao 1917, Broteria 15 p. 94 (D ♀).

♀ **varius** (Keyserling) 1880. Columbien

Misumena v. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 94 T. 2 F. 51 (D♀).
M. v. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 414 (C).

♀ **zeugma** Mello-Leitao 1929. Pernambuco

M. z. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 51 p. 235 (D ♀).

Transgredierende Arten:

§ 9 Arten: Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 319.

♂♀ **asperatus** (Hentz) 1847. U. St. Amerika, Canada, Mexico, Costa Rica, Westindien

Thomisus a. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 447 T. 23 F. 7 (D ♀).
Misumena rosea Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 82 T. 2 F. 43 (D ♂♀).
Misumena foliata Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 57 T. 2 F. 37; T. 3 F. 17 (D ♀).
Misumena placida Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 58 (D o).
Misumena a. Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 370 T. 30 F. 3 (D ♂♀).
Misumena a. Emerton 1902, Common Spid. p. 28 f. 83, 84 (D ♂♀).
Misumessus a. Banks 1907, Ann. Rep. Dep. Geol. Nat. Res. Indiana 31 p. 742 (N).
Misumessus a. Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 50 (C).
M. a. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 410 (C).
Misumessus a. Comstock 1912, Spider Book p. 530 f. 583—584 (N).
M. a. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 40 f. 30 (N ♀).
M. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 328 TF. 34, 35, 56, 57, 69, 72, 73 (D ♂♀).
M. a. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 196 f. . . . (N).
M. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 414 T. 79 F. 1458; T. 80 F. 1502—03 (D ♂♀).

♂ **asperatus utanus** Gertsch 1933. Utah

M. a. u. Gertsch 1933, Amer. Mus. Novit. 636 p. 15 TF. 14 (D ♂).

♂♀ **celer** (Hentz) 1847. Mexico, Cuba, Colorado, Utah, Arizona, Californien

? Thomisus delphinus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 519 (D).
? Thomisus furcatus Walckenaer 1937, Hist. Nat. Ins. Apt. 1 p. 533 (D ♂).
Thomisus c. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 446 T. 23 F. 5 (D ♀).
Diaea lepida Thorell 1877, U. Stat. Geol. Surv. 3 (2) p. 498 (D ♂).
Misumena spinosa Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 81 T. 2 F. 42 (D ♂).
Misumena georgiana Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 86 T. 2 F. 45 (D ♀).
Misumena alabamensis Keyserling 1883, Verh. Zool. Bot. Ges. Wien 33 p. 666 T. 21 F. 15 (D ♀).
Misumena diegoi Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 481 T. 6 F. 41 (D ♀).
Diaea spinigera Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 241 T. 33 F. 16 (D ♂).

M. spinosus F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 144 T. 10 F. 6 (N ♀).
Misumessus lepidus Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 50 (N).
M. diegoi Petrunkevitch 1911, Bull. Amer. Nat. Hist. 29 p. 411 (C).
M. lepidus Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 412 (C).
Misumena spinosa Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 179 T. 11 F. 2 (N ♂).
Misumena georgiana Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 179 T. 11 F. 16 (N ♀).
M. c. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 652 (C).
M. c. Petrunkevitch 1930, Trans. Connect. Ac. Sci. 31 p. 41 f. 31—34 (N ♂♀).
M. c. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 323 TF. 30, 31, 50, 51, 68 (D ♂♀).
M. delphinus Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 259 (C).
M. c. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 415 T. 79 F. 1487; T. 80 F. 1507 (D ♂♀).

♂♀ **coloradensis** Gertsch 1933. Colorado, Arizona, Utah, Mexico

M. c. Gertsch 1933, Amer. Mus. Novit. 635 p. 17 TF. 15, 46 (D ♂♀).
M. c. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 331 TF. 60, 61, 66 (D ♂♀).
M. c. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 3 (C ♀).

♂♀ **dubius** (Keyserling) 1880. Mexico, Arizona

Misumena d. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 90 T. 2 F. 48 (D ♀).
Misumena ornata Cambridge 1893, Biol. Centr. Amer. Aran. 1 p. 119 T. 15 F. 11, 13 (D ♀).
M. d. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 145 T. 10 F. 10 (N ♀).
Runcinia californica Banks 1900, Canad. Ent. 32 p. 99 (D ♀).
Misumenoides californicus Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 409 (C).
M. d. Chamberlin 1924, Proc. Calif. Ac. Sci. 12 p. 652 (C).
M. d. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 326 TF. 48, 49, 64 (D ♂♀).
M. d. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 3 (N ♂♀).

♂♀ **modestus** (Banks) 1898. Mexico, Californien

Misumena m. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 262 T. 16 F. 1 (D ♂♀).
M. m. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 146 (N ♀).

♂♀ **oblongus** (Keyserling) 1880. U. St. Amerika, St. Vincent, Guatemala

Misumena o. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 79 T. 2 F. 52 (D ♂).
Misumena americana Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 85 T. 2 F. 44 (D ♀).
Misumena o. Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 371 T. 30 F. 4 (D ♂♀).
Misumena americana Simon 1897, Proc. Zool. Soc. Lond. p. 876 (D ♂♀).
M. o. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 144 T. 10 F. 8, 9 (N ♀).
Misumessus o. Banks 1904, Journ. N. York Ent. Soc. 12 p. 112 (N).
M. o. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 320 TF. 44, 45, 62, 63 (D ♂♀).
M. o. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 197 f. . . . (N).
M. o. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 415 T. 79 F. 1486; T. 80 F. 1504—06 (D ♂♀).

♂♀ **pallidus** (Keyserling) 1880. Argentinien, Brasilien, Columbien, Arizona

Diaea p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 117 T. 2 F. 65 (D ♀).
Misumena p. Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 246 (N).
M. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 141 (N).
M. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 229 TF. 27 (D ♂♀).

♂♀ **pallidus reichlini** Schenkel 1949. Argentin. Chaco

M. p. r. Schenkel 1949, Verh. Naturf. Ges. Basel 60 p. 203 f. 6 (D ♂♀).

Nearktische Arten:

§ 3 (♂, ♀): Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 414.

♀ **californicus** (Banks) 1896. Californien

Misumena c. Banks 1896, Journ. N. York Ent. Soc. 4 p. 91 (D ♀).
Misumessus pallidulus Banks 1904, Journ. N. York Ent. Soc. 12 p. 112 T. 5 F. 8 (D ♀).
M. c. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 410 (C).
M. pallidulus Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 413 (C).
M. c. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 326 TF. 52, 53, 67 (D ♀).

♂ **cruentatus** (Walckenaer) 1837. Georgia

Thomisus c. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 534 (D ♂).
M. c. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 158 TF. 50 (D ♂).

♀ **desidiosus** (Walckenaer) 1837. Georgia

Thomisus d. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 501 (D ♀).
M. d. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 159 TF. 47 (D ♀).

♀ **importunus** (Keyserling) 1882. Californien

Misumena i. Keyserling 1882, Verh. Zool. Bot. Ges. Wien 31 p. 307 T. 11 F. 25 (D ♀).
M. i. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 412 (C).
M. i. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 331 (N).

♀ **iners** (Walckenaer) 1837. Georgia

Thomisus i. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 530 (D ♀).
M. i. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 160 TF. 49 (D ♀).

♀ **munieri** (Coolidge) 1909. Californien

Misumessus m. Coolidge 1909, Ent. News 20 p. 243 (D ♀).
M. m. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 412 (C).
M. m. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 332 (N).

Gen. **Pistius** Simon 1875.

♀ **insignitus** L. Koch 1878. Transkaukasien

P. i. L. Koch 1878, Jahresber. Isis p. 47 T. 1 F. 4 (D ♀).

♂♀ **truncatus** (Pallas) 1772. – * Europa, Algier, Palästina, Japan

Aranea t. Pallas 1772, Spicil. Zool. 9 p. 47 T. 1 F. 15 (D ♀).
Aranea horrida Fabricius 1775, Ent. Syst. 2 p. 432 (D).
Aranea horrida Olivier 1789, Encycl. Méthod. 4 p. 225 (D).

Aranea onici Schrank 1795, Naturh. Oekon. Briefe Donaumoor p. 148 (D).
Aranea t. Walckenaer 1802, Faun. Paris. 2 p. 230 (D).
Aranea onici Schrank 1803, Faun. Boic. 3 Ap. 232 (D).
Thomisus t. Walckenaer 1805, Tabl. Aran. p. 31 (N).
Thomisus triangularis Risso 1826, Hist. Nat. Princ. Prod. Europ. Mérid. 5 p. 171.
Thomisus martyni Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 396 T. 6 F. 9 (D ♂♀).
Thomisus t. Hahn 1833, Monogr. d. Spinn. 7 p. T. 27 F. C. (♀).
Thomisus t. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 515 (D ♂♀).
Thomisus horridus C. L. Koch 1838, Die Arachniden 4 p. 49 TF. 280 (D ♀).
Thomisus t. Westring 1862, Aran. Svec. p. 444 (D ♀).
Phloeoides horrida Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 432 (C).
Phloeoides t. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 432 (C).
Thomisus horridus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 606 (D ♂♀).
Thomisus horridus Ohlert 1867, Aran. Prov. Preussen p. 112 (D ♀).
Thomisus wagae Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 325 (57) (D ♀).
Misumena t. Thorell 1872, Rem. Syn. Europ. Spid. p. 259 (N).
P. t. Simon 1875, Arachn. de France 2 p. 258 (D ♂♀).
Misumena t. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 452 T. 75 F. 256 (D ♂♀).
P. t. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 218 T. 23 F. 1 (D ♂♀).
P. t. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 71 (D ♂♀).
Misumena t. Hansen 1885, in: Schiödte, Zool. Danica p. 147 (D ♂♀).
P. t. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 83 (D ♂♀).
P. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1024 (N).
P. t. Bösenberg 1902, Zoologica 14 (2—4) p. 369 T. 34 F. 544 (D ♂♀).
P. t. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 253 T. 10 F. 168; T. 13 F. 309 (D ♂♀).
P. t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 352 (D ♂♀).
P. t. Simon 1932, Arachn. de France 6 (4) p. 795, 870 f. 1163—1165 (D ♂♀).
P. t. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 274 T. 12 F. 4; T. 14 F. 36 (N ♀).
P. t. Tullgren 1944, Svensk Spindelfauna 3 p. 67 T. 7 F. 118—120 (D ♂♀).
P. t. Locket & Millidge 1951, Brit. Spiders 1 p. 175 f. 87C, 88F (D ♂♀).

♀ **undulatus** Karsch 1879. Japan

P. u. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 77 (D ♀).
P. u. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 253 T. 13 F. 308 (D ♀).

Gen. **Plancinus** Simon 1886.

Orientalische Arten:

♀ **advecticius** Simon 1909. Tonking

P. a. Simon 1909, Bull. Sci. France Belg. 42 p. 140 (D ♀).

Neotropische Arten:

♀ **brevipes** Simon 1886. Uruguay

P. b. Simon 1886, Act. Soc. Linn. Bord. 40 p. 175 (D ♀).

♀ **cornutus** Simon 1886. Uruguay

P. c. Simon 1886, Act. Soc. Linn. Bord. 40 p. 175 (D ♀).

O **runcinioides** Simon 1886. – * Uruguay

P. r. Simon 1886, Act. Soc. Linn. Bord. 40 p. 174 (D O).
P. r. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1023 (N).

Gen. **Runcinia** Simon 1875.

Palaearktische Arten:

♂♀ **albostriata** Bösenberg & Strand 1906. Japan

R. a. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 252 T. 10 F. 162 (D ♂♀).

♂♀ **grammica** (C. L. Koch) 1837. Griechenland, östl. Mittelmeergebiet

Xysticus g. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 26 (D).
Xysticus g. C. L. Koch 1838, Die Arachniden 4 p. 57 TF. 285 (D ♀).
Xysticus g. Cambridge 1873, Proc. Zool. Soc. Lond. p. 223 (D ♂♀).
R. g. Simon 1932, Arachn. de France 6 (4) p. 869 (N).

Transgredierende Arten:

♀ **affinis** Simon 1897. N.-Afrika bis Indien, W.- u. O.-Afrika, Sudan

R. a. Simon 1897, Bull. Mus. Hist. Nat. Paris 3 (7) p. 292 (D ♀).

♂♀ **affinis tropica** Simon 1907. W.- u. O.-Afrika

R. a. t. Simon 1907, Ann. Mus. Civ. Genova 43 p. 316 (D ♂♀).
R. a. t. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 37 T. 2 F. 31, 32 (D ♂).
R. a. t. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 124 T. 2 F. 18 (D ♂♀).

♂♀ **cerina** (C. L. Koch) 1845. – * Mittelmeergebiet, Kaukasien, Turkestan, Szechuan

Thomisus lateralis C. L. Koch 1838, Die Arachniden 4 p. 43 TF. 277 (D ♀) (praeocc. Hahn 1831).
Thomisus c. C. L. Koch 1845, Die Arachniden 12 p. 60 TF. 996 (D ♀).
Thomisus amoenus Blackwall 1870, Journ. Linn. Soc. Lond. 10 p. 415 T. 16 F. 7 (D ♀).
R. lateralis Simon 1875, Arachn. de France 2 p. 255 (D ♂♀).
Misumena lateralis Pavesi 1878, Ann. Mus. Civ. Genova 11 p. 38 (C).
Thomisus lateralis Cambridge 1876, Proc. Zool. Soc. Lond. p. 580 (N).
Xysticus c. Herman 1879, Ungarns Spinn. Faun. 3 p. 247, 373 (N).
R. lateralis Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 84 (D ♂♀).
R. lateralis Simon 1895, Hist. Nat. Araign. 1 (4) p. 1024 (N).
R. lateralis Bösenberg 1902, Zoologica 14 (2—4) p. 369 T. 34 F. 543 (D ♂♀).
R. lateralis Simon 1932, Arachn. de France 6 (4) p. 789, 869, f. 1152, 1153 (D ♂♀).
R. lateralis Schenkel 1936, Ark. Zool. 29 (A; 1) p. 131 (D O).

♂♀ **depressa** Simon 1906. N.-Afrika, Sudan, O.- u. W.-Afrika

R. d. Simon 1906, S. B. Akad. Wiss. Wien 115 (I) p. 1166 (D ♀).
R. d. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 123 T. 2 F. 24, 36 (D ♀).
R. d. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 259 f. 53 (D ♂).
R. d. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 39 f. 18 (N ♂♀).

Aethiopische Arten:

♂♀ **aethiops** (Simon) 1901. Abessinien, O.-Afrika, Congo

Runciniopsis a. Simon 1901, Ann. Soc. Ent. France 70 p. 21 (D ♂♀).
R. a. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 110 (D ♀).
Runciniopsis a. Lessert 1915, Rev. Suisse Zool. 23 (1) p. 39 T. 2 F. 40 (D ♂, N ♀).
Runciniopsis a. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 126 T. 2 F. 2, 10 (D ♀).

O o **albida** (Marx) 1893. Congo
Machomenus a. Marx 1893, Proc. U. Stat. Nat. Mus. 16 p. 589 T. 70 F. 4 (D Oo).
R. a. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 191 (N).

♀ **cataracta** Lawrence 1927. SW.-Afrika
R. c. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 36 T. 1 F. 23 (D ♀).

o **dubia** Caporiacco 1940. Somaliland
R. d. Caporiacco 1940, Boll. Lab. Zool. Agr. Portici 31 p. 300 (D o).

♀ **flavida** (Simon) 1881. Dahomey, Sansibar, S.-Afrika
Runciniopsis f. Simon 1881, Bull. Soc. Zool. France 6 p. 1 (D ♀).
Runciniopsis f. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1023 f. 1078 (N).
R. f. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 191 (C).

♂ **johnstoni** Lessert 1919. O.-Afrika
R. j. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 127 T. 2 F. 32, 40; f. 11, 12 (D ♂).

♀ **littorina** Lawrence 1942. Natal
R. l. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 157 f. 12 (D ♀).

o **longipes** Strand 1906. Abessinien
R. l. Strand 1906, Zool. Anz. 30 (19—20) p. 625 (D o).
R. l. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 111 (D o).

♂o **oculifrons** Strand 1907. Madagascar
R. o. Strand 1907, Zool. Anz. 31 (23) p. 734 (D ♂ o).
R. o. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 79 (D ♂o).

♀ **proxima** Lessert 1919. Nyassaland, Senegal, Franz. Guinea
R. p. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 129 T. 2 F. 35, 41 (D ♀).
R. (Runciniopsis) p. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 41 f. 19A—E (N ♀).
R. p. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 329 f. 30 (N ♂♀).

♂ **proxima voltaensis** Millot 1941. Obervolta
R. p. v. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 43 f. 19F—H (D ♂).

♂♀ **sjöstedti** Lessert 1919. O.-Afrika
R. s. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 131 T. 2 F. 39; f. 13 (D ♂♀).
R. s. Caporiacco 1947, Ann. Mus. Nac. Hungar. 40 (3) p. 215 (N ♀).

Orientalische Arten:

♀ **annamita** Simon 1902. Annam, Tonking
R. a. Simon 1902, Ann. Soc. Ent. France 71 p. 728 (D ♀).

♀ **bifrons** (Simon) 1895. Ceylon, Indien, Tonking
Runciniopsis b. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 437 (D ♀).
Runciniopsis b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1024 (N).
R. b. Simon 1909, Bull. Sci. France Belg. 42 p. 141 (C).

♀ **disticta** Thorell 1891. Burma, Sumatra, Java
R. d. Thorell 1891, Svensk. Vet. Akad. Handl. 24 (2) p. 93 (D ♀).

♀ **elongata** (Stoliczka) 1869. Ceylon, Indien
Thomisus e. Stoliczka 1869, Journ. Asiat. Soc. Bengal. 38 (2) p. 227 T. 20 F. 6 (D ♀).

♀ **escheri** Reimoser 1934. Indien
R. e. Reimoser 1934, Rev. Suisse Zool. 41 (32) p. 487 f. 11 (D ♀).

♂♀ **kinbergi** Thorell 1891. Burma, Nicobaren, Java
R. k. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 94 (D ♀).
R. k. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 86 (D ♀).
R. k. Thorell 1895, Descr. Catal. Spid. Burma p. 294 (D ♂).

♂ **manicata** Thorell 1895. Burma
R. m. Thorell 1895, Descr. Catal. Spid. Burma p. 294 (D ♂).

♀ **soëensis** Schenkel 1944. Timor
R. s. Schenkel 1944, Rev. Suisse Zool. 51 (4) p. 187 f. 8 (D ♀).

Transgredierende Arten:

♀ **acuminata** (Thorell) 1881. Australien, Tonking
Misumena elongata L. Koch 1874, Arachn. Austral. 1 (1) p. 529 T. 40 F. 5 (D ♀).
Pistius a. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 333 (D o).
R. elongata Simon 1909, Bull. Sci. France Belg. 42 p. 141 (C).

Neotropische Arten:

plana Simon 1895. Paraguay
R. p. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 437 (D).

Gen. **Runcinioides** Mello-Leitao 1929.

♀ **argenteus** Mello-Leitao 1929. – * Brasilien
B. a. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 211 TF. 22 (D ♀).

♂ **longispinosus** Mello-Leitao 1949. Brasilien
R. l. Mello-Leitao 1949, Bol. Mus. Nac. R. d. Jan., Zool. 92 p. 16 f. 18 (D ♂).

♀ **nigromaculatus** Mello-Leitao 1929. Brasilien
R. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 211 TF. 23 (D ♀).

♀ **pustulatus** Mello-Leitao 1929. Brasilien
R. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 212 TF. 107 (D ♀).

♀ **souzai** Soares 1942. Brasilien
R. s. Soares 1942, Pap. Avuls. S. Paulo 2 (19) p. 258 f. 3—4 (D ♀).

Gen. **Thomisus** Walckenaer 1805.

Palaearktische Arten:

§ 22 ♂, 25 ♀: Simon 1875, Arachn. de France 2 p. 152—155 (part.).
§ 3 ♂, 3 ♀: Simon 1932, Arachn. de France 6 (4) p. 787—789.

o **albidus** Cambridge 1885. Yarkand
T. a. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 56 (D o).

♀ **grubei** Simon 1895. Mongolei
T. g. Simon 1895, Bull. Ac. Sci. St. Petersbg. 5 (2) p. 337 (D ♀).

♂♀ **hilarulus** Simon 1875. S.-Frankreich, Calabrien, Sizilien, N.-Afrika, Canaren
T. h. Simon 1875, Arachn. de France 2 p. 252 (D ♂♀).
T. h. Simon 1908, Zool. Jahrb. Syst. 26 (4) p. 432 (D ♂♀).
T. h. Simon 1932, Arachn. de France 6 (4) p. 789, 868 f. 1151 (D ♂♀).

♀ **labefactus** Karsch 1881. Japan

T. l. Karsch 1881, Berlin, Ent. Zeitschr. 24 p. 38 (D ♀).
T. l. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 249 T. 10 F. 167 (D ♀).

♀ **labefactus bimaculatus** Bösenberg & Strand 1906. Japan

T. l. b. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 250 T. 13 F. 303 (D ♀).

♀ **okinawensis** Strand 1907. Japan

T. o. Strand 1907, Abh. Nat. Ges. Görlitz 25 p. 96 (D ♀).

♂♀ **onustus** Walckenaer 1805. – * Palaearktis

T. o. Walckenaer 1805, Tabl. Aran. p. 32 (N).
T. abbreviatus Walckenaer 1820, Faun. Franç. p. 76 (D).
T. peronii Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 395 T. 6 F. 7, 8 (D ♀).
T. diadema Hahn 1831, Die Arachniden 1 p. 49 F. 37 (D ♂♀).
T. diadema Hahn 1836, Monogr. d. Spinn. 8 p. 1 T. 30 F. d (D ♀).
T. nobilis C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 24 (N).
T. abbreviatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 516 (D ♀).
T. o. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 517 (D ♀).
T. diadema C. L. Koch 1838, Die Arachniden 4 p. 51 TF. 281, 282 (D ♂♀).
T. sanguinolentus Walckenaer 1841, Hist. Nat. Ins. Apt. 2 p. 469 (D ♂).
T. abbreviatus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 90 T. 4 F. 54 (D O♀).
Xystica o. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 428 (C).
Phloeoides abbreviata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 432 (C).
Phloeoides diadema Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 432 (C).
T. auriculatus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 607 (D ♀).
T. o. Thorell 1873, Rem. Syn. Europ. Spid. p. 427 (N).
T. o. Simon 1875, Arachn. de France 2 p. 251 T. 7 F. 1 (D ♂♀).
T. o. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 288 (D ♂♀).
T. o. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 216 T. 22 F. 3 (D ♂♀).
T. albus Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 82 (D ♂♀).
T. albus Simon 1895, Hist. Nat. Araign. 1 (4) p. 1023 (N).
T. albus Bösenberg 1902, Zoologica 14 (2—4) p. 339 T. 32 F. 503 (D ♂♀).
T. albus Lessert 1910, Catal. Invert. Suisse; Araign. p. 351 (D ♂♀).
T. albus Reimoser 1931, Die Natur (Wien) 7 (6) p. 128 f. 2 (N ♂♀).
T. o. Simon 1932, Arachn. de France 6 (4) p. 788, 868 f. 1149, 1150 (D ♂♀).
T. albus Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 273 T. 12 F. 3; T. 14 F. 35 (N ♀).
T. o. Tullgren 1944, Svensk Spindelfauna 3 p. 65 f. 31; T. 7 F. 115—117 (D ♂♀).
T. o. Locket & Millidge 1951, Brit. Spiders 1 p. 170 f. 86; 87A, B, 88E (D ♂♀).

♂ **onustus meridionalis** (Strand) 1907. N.-Afrika

T. albus m. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 106 (D ♂).

taurinus Schenkel 1936. S.-Kansu

T. t. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 129 f. 47 (D juv.).

♀ **transversus** Fox 1937. China

T. t. Fox 1937, Journ. Wash. Ac. Sci. 27 (1) p. 22 f. 8 (D ♀).

Transgredierende Arten:

♀ **albens** Cambridge 1885. Yarkand, Panjab

T. a. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 57 (Do).
T. a. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 202 (D ♀).

♂♀ **citrinellus** Simon 1875. Mittelmeergebiet, Mesopotamien, Arabien, Afrika

T. spinifer Cambridge 1872, Proc. Zool. Soc. Lond. p. 308 T. 14 F. 14 (D ♂♀) (praeocc. Blackwall 1862).
T. c. Simon 1875, Arachn. de France 2 p. 253 (D ♀).
T. spinifer Cambridge 1876, Proc. Zool. Soc. Lond. p. 580 (N).
T. spinifer Simon 1932, Arachn. de France 6 (4) p. 787, 868 f. 1148 (D ♂♀).
T. spinifer Lessert 1936, Rev. Suisse Zool. 43 (9) p. 255 f. 49, 51 (D ♀).
T. spinifer Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 45 f. 20A—C; 21A (N ♂, D ♀).
T. spinifer Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 125 (N ♂♀).

♀ **citrinellus decoratus** (Millot) 1941. Franz. Guinea

T. spinifer d. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 47 f. 21B (D ♀).

♀ **citrinellus maculitibiis** (Caporiacco) 1947. O.-Afrika

T. spinifer m. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 260 (D ♀).

♂♀ **citrinellus obscurior** (Caporiacco) 1941. S.-Abessinien

T. spinifer o. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 127 (D ♂).
T. spinifer o. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 456 N ♂, D ♀).

♂♀ **citrinellus simoni** (Caporiacco) 1941. S.-Abessinien

T. spinifer s. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Biol. 6 p. 126 (D ♀).
T. spinifer s. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 456 (D ♂, N ♀).

♀ **daradioides** Simon 1890. Abessinien, Somaliland, Arabien, Indien

T. d. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 108 (D ♀).
T. d. (?frontinotatus) Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 107 (D ♀).

o **daradioides nigroannulatus** Caporiacco 1947. O.-Afrika

T. d. n. Caporiacco 1947, Ann. Mus. Hungar. 40 (3) p. 218 (D o).

♂♀ **onustoides** Bösenberg & Strand 1906. Japan, Shanghai, Tonking

T. onustus Simon 1880, Ann. Soc. Ent. France (5) 10 p. 107 (N).
T. o. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 251 T. 10 F. 166 (D ♂♀).
T. o. Strand 1907, Abh. Nat. Ges. Görlitz 25 p. 93 (N ♂♀).
T. o. Simon 1909, Bull. Sci. France Belg. 42 p. 132 (D ♂♀).
T. o. Strand 1918, Arch. Naturg. 82 (A; 11) p. 81 T. 1 F. 1 (N ♀).

Aethiopische Arten:

♀ **albertianus** Strand 1913. Uganda, Congo

T. a. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 392 (D ♀).

♂♀ **albohirtus** Simon 1884. Sudan, Abessinien, Somaliland, Yemen

T. a. Simon 1884, Bull. Soc. Zool. France 9 p. 13 (D o).
T. a. (?=dauensis) Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 108 (D ♀).
T. a. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 124 f. 50 (D ♂♀).

♀ **alboirroratus** Simon 1907. W.-Afrika, Congo, Abessinien, Somaliland, S.W.-Afrika

T. a. Simon 1907, Ann. Mus. Civ. Genova 43 p. 316 (D ♀).

♀ **amanicus** Strand 1907. O.-Afrika
T. a. Strand 1907, Zool. Anz. 31 (17—18) p. 537 (D ♀).
T. a. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 652 (D ♀).

♀ **angulatulus** Roewer 1951. Gabun
T. angulatus Lucas 1858, Arch. Ent. 2 p. 398 T. 12 F. 2 (D ♀) (praeocc. Walckenaer 1837).
T. a. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 449 (nom. nov.).

♀ **angustifrons** Lucas 1858. Gabun
T. a. Lucas 1858, Arch. Ent. 2 p. 402 (D ♀).

♀ **anthobioides** Lawrence 1942. Natal
T. a. Lawrence 1942, Ann. Natal. Mus. 10 (2) p. 154 f. 9 (D ♀).

♀ **anthobius** Pocock 1898. Nyassaland, Natal
T. a. Pocock 1898, Ann. Nat. Hist. (7) 2 p. 225 T. 8 F. 18 (D ♀).

♂♀ **arabicus** Simon 1882. Yemen
T. a. Simon 1882, Ann. Mus. Civ. Genova 18 p. 225 T. 8 F. 5 (D ♂♀).

♂♀ **bidentatus** Kulczynski 1901. Erythraea, Abessinien, W.-Afrika
T. b. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 3, 33 T. 2 F. 32—34 (D ♂♀).
T. b. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 44 (N ♂).

♂ **blandus** Karsch 1880. S.O.-Afrika
T. b. Karsch 1880, Zeitschr. ges. Naturw. 52 p. 382 T. 12 F. 10 (D ♂).

♂ **boesenbergi** Lenz 1891. Madagascar
T. b. Lenz 1891, Mitt. Nat. Mus. Hambg. 9 (1) p. 165 T. 1 F. 2 (D ♂).

♀ **bonnieri** Simon 1902. Oman
T. b. Simon 1902, Bull. Mus. Hist. Nat. Paris 8 p. 252 (D ♀).

♀ **bueanus** Strand 1915. Camerun
T. b. Strand 1915, Arch. Naturg. 81 (A; 11) p. 146 (D ♀).

♀ **caffer** Simon 1904. Transvaal
T. c. Simon 1904, Rev. Suisse Zool. 12 p. 69 (D ♀).
T. c. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 171 f. 16 (N ♀).
T. c. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 36 (N ♀).
T. c. Lawrence 1942, Ann. Natal. Mus. 10 (2) p. 157 (N ♀).

♀ **candidus** Blackwall 1866. Trop. Afrika
T. c. Blackwall 1866, Ann. Mag. Nat. Hist. (3) 18 p. 456 (D ♀).

♂ **dalmasi** Lessert 1919. O.-Afrika
T. d. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 119 f. 10 (D ♂).

♂ **dalmasoides** Millot 1941. Franz. Guinea
T. d. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 47 f. 21D, 22A—C (D ♂).

♂♀ **destefanii** Caporiacco 1941. Süd-Abessinien
T. d. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 127 f. 51 (D ♂♀).

♀ **ghesquierei** Lessert 1943. Belg. Congo
T. g. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 323 f. 23—25 (D ♀).

♀ **granulatus** Karsch 1880. Nyassaland, Natal
T. g. Karsch 1880, Zeitschr. ges. Naturw. 53 p. 382 (D ♀).
T. g. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 173 f. 17—19 (D ♀).

♂ **guineensis** Millot 1941. Franz. Guinea
T. g. Millot 1941, Mém. Ac. Sci. Ibst. France 65 p. 48 f. 21C, 22D—F (D ♂).

♀ **hararinus** Caporiacco 1947. Abessinien
T. h. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 217 T. 2 F. 58 (D ♀).

♀ **hottentotus** Strand 1907. Capland
T. h. Strand 1907, Zool. Anz. 31 (17—18) p. 538 (D ♀).
T. h. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 656 (D ♀).

♀ **kalaharinus** Lawrence 1936. Kalahari
T. k. Lawrence 1936, Ann. Transv. Mus. 17 (2) p. 153 (D ♀).

♀ **kiwuensis** Strand 1913. Centr.-Afrika
T. k. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 391 (D ♀).

♂♀ **lamperti** Strand 1907. Madagascar
T. l. Strand 1907, Zool. Anz. 31 (23) p. 734 (D ♂♀).
T. l. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 70 (D ♂♀).

♂ **lawrencei** Roewer 1951. Zululand
T. hystrix Lawrence 1949, Göteborgs Ac. Handl. (B) 5 (9) p. 25 f. 13 (D ♂) (praeocc. Nicolet 1879).
T. l. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 449 (nom. nov.).

♀ **lenzi** Strand 1907. Capland
T. l. Strand 1907, Zool. Anz. 31 (17—18) p. 538 (D ♀).
T. l. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 654 (D ♀).

♂ **lesnei** Lessert 1936. Portug. O.-Afrika
T. l. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 256 f. 50 (D ♂).

o **litoris** Strand 1913. Centr.-Afrika, Congo
T. l. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 394 (D o).

♂♀ **malevolus** Cambridge 1907. Capland, Natal
T. m. Cambridge 1907, Proc. Zool. Soc. Lond. (2) p. 825 T. 50 F. 32—34 (D ♀).
T. chubbi Lessert 1919, Rev. Suisse Zool. 27 (5) p. 121 T. 2 F. 29, 30 (D ♂).
T. m. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 169 f. 13—15 (D ♀).
T. m. Lessert 1936, Rev. Suisse Zool. 43 (9) p. 258 f. 52 (D ♂).

♂ **malevolus delesserti** Caporiacco 1941. Süd-Abessinien
T. m. d. Caporiacco 1941, Miss. Biol. Sagan-Omo 12, Zool. 6 p. 125 (D ♂).

♀ **malevolus ocellitibiis** Caporiacco 1949. Kenya
T. m. o. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 457 (D ♀).

♂ **milloti** Lessert 1943. Belg. Congo
T. m. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 325 f. 26 (D ♂).

♀ **natalensis** Lawrence 1942. Natal
T. n. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 156 f. 11 (D ♀).

♀ **nossibeensis** Strand 1907. Nossibé
T. n. Strand 1907, Zool. Anz. 31 (23) p. 734 (D ♀).
T. n. Strand 1907, Nyt Mag. Naturvid. 46 (1) p. 75 (D ♀).

♀ **obscuratus** Caporiacco 1947. Ost-Afrika
T. o. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 216 T. 2 F. 57 (D ♀).

♂ **quadrituberculatus** Lessert 1943. Belg. Congo
T. q. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 327 f. 27—29 (D ♂).

♀ **schultzei** Simon 1910. S.W.-Afrika, Kalahari
T. s. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 194 (D ♀).
T. s. Lawrence 1936, Ann. Transv. Mus. 17 (2) p. 153 (C ♀).

♂♀ **scrupeus** (Simon) 1886. Senegambien
Daradius s. Simon 1886, Ann. Soc. Ent. France (6) 5 p. 363 (D ♂♀).
T. s. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 210 (C).

♀ **sepiosus** Lawrence 1942. Natal
T. s. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 152 f. 7 (D ♀).

♀ **spiculosus** Pocock 1901. Mashonaland
T. s. Pocock 1901, Ann. Mag. Nat. Hist. (7) 7 p. 340 (D ♀).

♀ **stenningi** Pocock 1900. Abessinien, Capland
T. s. Pocock 1900, Ann. Mag. Nat. Hist. (7) 6 p. 332 (D ♀).
T. s. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 109 (N ♀).

♂ **sus** Strand 1907. O.-Afrika
T. s. Strand 1907, Zool. Anz. 31 (17—18) p. 539 (D ♂).
T. s. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 658 (D ♂).

♂♀ **tetricus** Simon 1890. Arabien
T. t. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 108 (D ♂♀).

♂♀ **tripunctatus** Lucas 1858. W.-Afrika, Camerun
T. t. Lucas 1858, Arch. Ent. 2 p. 400 T. 12 F. 3 (D ♀).
T. yolophus Doumerce 1864, Ann. Soc. Ent. France (4) 4 p. 230 T. 5 F. 2 (D ♀).
Daradius yolophus Simon 1885, Ann. Soc. Ent. France (6) 5 p. 362 (D ♂♀).
Daradius yolophus Simon 1887, Ann. Soc. Ent. France (6) 7 p. 270 (N).
T. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1019 f. 1079 (N).
T. t. Thorell 1899, Bih. Svensk. Ak. Handl. 25 (4; 1) p. 74 (N ♀).
T. t. Millot 1944, Mém. Ac. Sci. Inst. France 65 p. 50 f. 22G—I; 23A—C (N ♂♀).

♀ **urbensis** Lawrence 1942. Natal
T. u. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 153 f. 8 (D ♀).

♂♀ **weberi** Lessert 1923. Congo, Portug. Ost-Afrika, Franz. Guinea
T. w. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 174 f. 20 (D ♂).
T. w. Millot 1944, Mém. Ac. Sci. Inst. France 65 p. 44 (N ♂).
T. w. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 456 (D ♀).

♀ **zuluanus** Lawrence 1942. Zululand
T. z. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 155 f. 10 (D ♀).

Orientalische Arten:
§ 7 ♂, 6 ♀: Simon 1909, Bull. Sci. France Belg. 42 p. 130—131.

♂♀ **amadelphus** Simon 1909. Tonking
T. a. Simon 1909, Bull. Sci. France Belg. 42 p. 134 f. 10, 11 (D ♂♀).

♀ **armillatus** (Thorell) 1891. Nicobaren
Daradius a. Thorell 1891, Svensk. Vet. Ak. Handl. 24 (2) p. 94 (D ♀).

♂♀ **callidus** (Thorell) 1890. Ceylon, Singapore, Sumatra, Nias, Java
Daradius c. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 61 (D ♀).
Daradius c. Workman 1896, Malays. Spid. p. 86 T. 86 (D ♀).
T. javanus Simon 1899, Ann. Soc. Ent. Belg. 43 p. 98 (N).
T. c. Simon 1906, Ann. Soc. Ent. France 75 p. 292 f. 1C (D ♂).

♂♀ **castaneiceps** Simon 1909. Tonking
T. c. Simon 1909, Bull. Sci. France Belg. 42 p. 133 f. 8, 9 (D ♂♀).

♂ **dentiger** (Thorell) 1887. Burma
Daradius d. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 274 (D ♂).
Daradius d. Thorell 1895, Descr. Catal. Spid. Burma p. 294 (N ♂).

♂ **duriusculus** (Thorell) 1877. Celebes
Pistius d. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 505 (D ♂).

♀ **formosae** Strand 1907. Formosa
T. f. Strand 1907, Abh. Nat. Ges. Görlitz 25 p. 98 (D ♀).

♂ **galeatus** Simon 1909. Tonking
T. g. Simon 1909, Bull. Sci. France Belg. 42 p. 139 f. 16 (D ♂).

♂♀ **granulifrons** Simon 1906. Ceylon, Indien
T. g. Simon 1906, Ann. Soc. Ent. France 75 p. 290 f. 1A (D ♂♀).

♀ **histrionicus** (Thorell) 1895. Burma
Daradius h. Thorell 1895, Descr. Catal. Spid. Burma p. 192 (D ♀).

♂♀ **javanus** (Thorell) 1890. Java, Sumatra
Daradius j. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 151 (D ♀).
Daradius j. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 78 (D ♂♀).
T. j. Simon 1905, Mitt. Nat. Mus. Hambg. 22 (2) p. 66 (N).

♂♀ **laglaizei** Simon 1877. Philippinen, Burma
T. l. Simon 1877, Ann. Soc. Ent. France (5) 7 p. 65 (D ♀).
Daradius l. Thorell 1895, Descr. Catal. Spid. Burma p. 289 (D ♂, N ♀).

o **melanostethus** Simon 1909. Tonking
T. m. Simon 1909, Bull. Sci. France Belg. 42 p. 140 (D o).

♂♀ **nepenthiphilus** Fage 1930. Sumatra
T. n. Fage 1930, Treubia 12 (L 1) p. 27 f. 3—5 (D ♂♀).

♂♀ **penicillatus** Simon 1909. Tonking
T. p. Simon 1909, Bull. Sci. France Belg. 42 p. 137 f. 13 (D ♂♀).

o **perspicillatus** (Thorell) 1890. Celebes, Borneo
Daradius p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 152 (D o).
Daradius p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 83 (D o).

♂♀ **picaceus** Simon 1909. Tonking
T. p. Simon 1909, Bull. Sci. France Belg. 42 p. 135 f. 12 (D ♂♀).

♂♀ **pugilis** Stoliczka 1869. Indien, Laccediven, Malediven
T. p. Stoliczka 1869, Journ. Asiat. Soc. Bengal. 38 (2) p. 225 T. 19 F. 3 (D ♂♀).
T. p. Pocock 1904, Arachn. in: Faun. Geogr. Maldiv. Laccadiv. Archip. 2 p. 803 T. 66 F. 5 (N).
T. p. Sherriffs 1939, Hong Kong Nat. 9 (3) p. 133 TF. 1 (N).

♂♀ **retirugus** Simon 1909. Tonking
T. r. Simon 1909, Bull. Sci. France Belg. 42 p. 138 f. 14, 15 (D ♂♀).

♂♀ **rigoratus** Simon 1906. Dekan
T. r. Simon 1906, Ann. Soc. Ent. France 75 p. 291 f. B (D ♂♀).

♂♀ **stoliczkai** (Thorell) 1887. Burma
Daradius st. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 271 (D ♂).
Daradius st. Thorell 1895, Descr. Catal. Spid. Burma p. 289 (D ♀).
Daradius variabilis Thorell 1897, Bih. Svensk. Vet. Ak. Handl. 22 (4; 6) p. 36 (D ♂).

♀ **swatowensis** Strand 1907. S.-China
T. s. Strand 1907, Abh. Nat. Ges. Görlitz 25 p. 94 (D ♀).

♀ **tuberculatus** Dyal 1935. Panjab
T. t. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 102 T. 14 F. 77 (D ♀).

Transgredierende Arten:

♀ **leucaspis** Simon 1906. Indien, Neu-Caledonien
T. l. Simon 1906, Ann. Soc. Ent. France 75 p. 289 (D ♀).

♂♀ **spectabilis** Doleschall 1859. Indien bis Neu-Guinea, Neu-Pommern, Australien
T. sp. Doleschall 1859, Act. Soc. Ind. Neerl. 5 p. 56 T. 6 F. 7 (D ♀).
Xysticus pustulosus L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 220 (D ♀).
Misumena pustulosa L. Koch 1874, Arachn. Austral. 1 ( ) p. 531 T. 40 F. 6, 7 (D ♂♀).
Pistius annulipes Thorell 1877, Ann. Mus. Civ. Genova 10 p. 501 (D o).
Pistius bipunctatus Thorell 1877, Ann. Mus. Civ. Genova 10 p. 504 (D o).
Pistius pustulosus Thorell 1881, Ann. Mus. Civ. Genova 17 p. 331 (D ♀).
Pistius pustulosus Hasselt 1882, in: Veth., Midd. Sumatra IV 11 A, Aran. p. 41 (D ♀).
Daradius annulipes Thorell 1891, Ann. Mus. Civ. Genova 31 p. 78 (N).
Daradius bipunctatus Thorell 1891, Ann. Mus. Civ. Genova 31 p. 83 (N).

Neotropische Arten:

♂♀ **guadahyrensis** Keyserling 1880. Peru
T. g. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 76 **T.** 2 F. 39 (D ♂♀).

♂ **odiosus** Cambridge 1898. Mexico
T. o. Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 271 T. 34 F. 5 (D ♂).

Nearktische Arten:

♀ **bicolor** Walckenaer 1837. Georgia
T. b. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 533 (D).
T. b. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 164 TF. 24 (D ♀).

♀ **bigibbosus** Keyserling 1881. New Hampshire
T. b. Keyserling 1881, Verh. Zool. Bot. Ges. Wien 31 p. 309 T. 11 F. 27 (D ♀).

♀ **conspergatus** Walckenaer 1837. Georgia
T. c. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 524 (D ♀).
T. c. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 164 (D ♀).

♀ **oscitans** Walckenaer 1837. Georgia
T. o. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 508 (D).
T. o. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 165 TF. 51 (D ♀).

♀ **purpuratus** Walckenaer 1837. Georgia
T. p. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 508 (D).
T. p. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 165 (D ♀).

♂ **stigmatisatus** Walckenaer 1837. Georgia
T. s. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 534 (D ♂).
T. s. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 163 TF. 45 (D ♂).

♀ **turgidus** Walckenaer 1837. Georgia
T. t. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 502 (D ♀).
T. t. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 166 TF. 41 (D ♀).

Gen. **Whittickius** Mello-Leitao 1940.

♀ **singularis** Mello-Leitao 1940. Guiana
W. s. Mello-Leitao 1940, Rev. Mus. Paulista 25 p. 183 TF. 12—14 (D ♀).

Gen. **Zygometis** Simon 1901.

o **cristulata** Simon 1901. Malakka
Z. c. Simon 1901, Proc. Zool. Soc. London (2; 4) p. 63 (D o).

11. Gr. Uraarachneae

Gen. **Uraarachne** Keyserling 1880.

♀ **longa** Keyserling 1880. S.-Brasilien
U. l. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 130 T. 2 F. 71 (D ♀).
U. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1025 (N).
Urarachne l. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 207 (D ♀).

12. Gr. Platyarachneae

Gen. **Deltoclita** Simon 1877.

♀ **bioculata** Mello-Leitao 1929. S.-Brasilien
D. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 241 TF. 31 (D ♀).

♀ **rubra** Mello-Leitao 1943. Rio Grande do Sul
D. r. Mello-Leitao 1943, Arqu. Mus. Nac. R. d. Jan. 37 p. 203 TF. 32 (D ♀).

♀ **rubripes** (Keyserling) 1880. – * Brasilien, Peru
Charis r. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 49 T. 1 F. 24 (D ♀).
D. r. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1027 (N).
D. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 240 (D ♀).

Gen. **Philogaeus** Simon 1895.

♀ **campestratus** Simon 1895. – * Pernambuco
P. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1028 f. 1081 (D ♀).
P. c. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 242 (D ♀).

♂ **echimys** Mello-Leitao 1943. Chile
P. e. Mello-Leitao 1943, Rev. Bras. Biol. R. d. Jan. 3 (4) p. 407 f. 4 (D ♂).

Gen. **Platyarachne** Keyserling 1880.

♂ **argentina** Mello-Leitao 1944. Buenos Aires
P. a. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.), Zool. 3 (24) p. 371 f. 63—64 (D ♂).

♂ **episcopalis** (Taczanowski) 1872. – * Guiana
Thomisus e. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 102 (D ♂).
P. e. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 47 T. 1 F. 23 (D ♀).
P. e. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1027 (N).

♂ **histrix** Simon 1895. Brasilien
P. h. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 437 (D ♂).
P. histrio Simon 1895, Hist. Nat. Araign. 1 (4) p. 1027 (N).
P. h. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 239 (D ♂).

♀ **scopulifera** Simon 1895. Peru
P. s. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 437 (D ♀).
P. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1026 f. 1082 (N).

13. Gr. Heriaeeae

Gen. **Herbessus** Simon 1903.

♂♀ **decorsei** Simon 1903. Madagascar
H. d. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 136 (D ♂♀).
H. d. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1013 f. 1115—1117 (N ♂).

Gen. **Heriaeus** Simon 1875.

Palaearktische Arten:

§ 3 ♂, 3 ♀: Simon 1875, Arachn. de France 2 p. 205.
§ 2 ♂, 2 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 85.
§ 5 ♂, 6 ♀: Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 649—652.
§ 2 ♂, 2 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 20 TF. 203—205.
§ 3 ♂, 3 ♀: Simon 1932, Arachn. de France 6 (4) p. 795—797.

♂♀ **buffonii** (Audouin) 1827. Aegypten, Palästina
Thomisus b. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 396 T. 6 F. 10 (D ♂).
Thomisus villosus Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 192 T. 10 F. 8 (D ♀).

Thomisus b. C. Koch 1873, Ber. Senckenbg. Ges. p. 114 (N).
H. b. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 653 T. 1 F. 34 (N ♀).
H. b. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 115 (D ♀).

♀ **difficilis** Strand 1906. Tunis

H. d. Strand 1906, Zool. Anz. 30 (19—20) p. 626 (D ♀).
H. d. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 114 (D ♀).

♂♀ **hirtus** (Latreille) 1819. – * Europa, Mittelmeergebiet, W.- u. Centr.-Asien

Thomisus h. Latreille 1819, Nouv. Dict. Hist. Nat. (2. Ed.) p. 41 (D).
Thomisus hirsutus Walckenaer 1820, Faun. Franç. Arachn. p. 85 (D).
Thomisus pilosus Risso 1826, Hist. Nat. Princ. Prod. Europ. Mérid. 5 p. 172 (D).
Thomisus hirsutus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 25 (N).
Thomisus villosus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 535 (D ♀).
Thomisus graminicola Doleschall 1852, S. B. Ak. Wiss. Wien 9 p. 647 (N).
Pachyptile villosa Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 433 (C).
Misumena villosa Thorell 1873, Rem. Syn. Europ. Spid. p. 539 (N).
H. savignyi Simon 1875, Arachn. de France 2 p. 205 T. 7 F. 6 (D ♂♀).
Misumena savignyi Cantoni 1881, Bull. Soc. Ent. Ital. 13 p. 286 (D).
H. savignyi Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 191 T. 18 F. 4 (D ♂♀).
Misumena savignyi Pavesi 1884, Ann. Mus. Civ. Genova 20 p. 474 (N).
H. hirsutus Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 85 T. 3 F. 16 (D ♂♀).
H. hirsutus Simon 1895, Hist. Nat. Araign. 1 (4) p. 1035 (N).
H. hirsutus Bösenberg 1902, Zoologica 14 (2—4) p. 368 T. 34 F. 542 (D ♂♀).
H. hirsutus Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 653 T. 1 F. 22, 23, 31 (N ♂♀).
H. savignyi Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 653 T. 1. F. 24, 32 (N ♂♀).
H. hirsutus Lessert 1910, Catal. Invert. Suisse; Araign. p. 355 f. 181 (D ♂♀).
H. h. Simon 1932, Arachn. de France 6 (4) p. 796, 797, 870 f. 1168, 1169 (D ♂♀).

O♀ **mellottei** Simon 1886. Japan

H. m. Simon 1886, Act. Soc. Linn. Bord. 40 p. 177 (D o).
H. m. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 257 T. 10 F. 163 (D ♀).
H. m. Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 p. 84 f. 10 (5) (N O ♀).

♂♀ **oblongus** Simon 1918. W.-, Mittel- u. S.-Europa

Misumena hirsuta Thorell 1873, Rem. Syn. Europ. Spid. p. 539 (N).
Misumena villosa Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 150 (N).
H. hirsutus Simon 1875, Arachn. de France 2 p. 206 T. 7 F. 5 (D ♂♀).
H. o. Simon 1932, Arachn. de France 6 (4) p. 796, 797, 871, f. 1166, 1167 (D ♂♀.)

♂♀ **orientalis** Simon 1918. Östl. Mittelmeergebiet

Thomisus hirtus C. L. Koch 1838, Die Arachniden 4 p. 42 TF. 275, 276 (D ♂♀).
Misumena hirta Pavesi 1875, Atti Soc. Ital. Sci. Nat. 18 p. 127 (N).
H. hirtus Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 653 T. 1 F. 19, 20, 28, 35 (N ♂♀).
H. o. Simon 1918, Ann. Soc. Ent. France 87 Bull. p. 51 (nom. nov.).

♀ **pilosus** Nosek 1905. Kleinasien

H. p. Nosek 1905, Ann. Nat. Hofmus. Wien 21 p. 135 (D ♀).

♀ **propinquus** Kulczynski 1903. Kleinasien

H. p. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 657 T. 1 F. 27 (D ♀).

♂♀ **setiger** (Cambridge) 1872. Spanien, Corsica, Bulgarien, Griechenland, Syrien, Algier

Thomisus s. Cambridge 1872, Proc. Zool. Soc. Lond. p. 307 T. 14 F. 15 (D ♂).
H. s. Simon 1875, Arachn. de France 2 p. 208 T. 7 F. 3, 4 (D ♂♀).
H. s. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 653 T. 1 F. 21, 30 (N ♂♀).
H. s. Simon 1932, Arachn. de France 6 (4) p. 796, 797, 871, f. 1170, 1171 (D ♂♀).

♂♀ **simonii** Kulczynski 1903. Kleinasien, Attika

H. s. Kulczynski 1903, S. B. Ak. Wiss. Wien 112 (1) p. 654 T. 1 F. 25, 29 (D ♂♀).
H. s. Hadjissarandos 1940, Araign. de l'Attique p. 90 (N ♂♀) (griech.).

Aethiopische Arten:

♀ **crassispinus** Lawrence 1942. Zululand

H. c. Lawrence 1942, Ann. Natal. Mus. 10 (2) p. 151 f. 13 (D ♀).

♂ **fimbriatus** Lawrence 1942. Natal

H. f. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 160 f. 14 (D ♂).

♀ **latifrons** Lessert 1919. O.-Afrika

H. l. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 137 T. 2 F. 1, 9 (D ♀).

o **melanotrichus** Simon 1903. Span. Guinea

H. m. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 96 (D o).

♀ **transvaalicus** Simon 1895. Transvaal

H. t. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 438 (D ♀).

Gen. **Wechselia** Dahl 1907.

♂ **steinbachi** Dahl 1907. Argentinien

W. st. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 377 (D ♂).

14. Gr. Diaeeae

Gen. **Bassaniana** Strand 1926.

♀ **aemula** (Cambridge) 1898. Mexico, Costa Rica

Bassania Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 249 T. 31 F. 5 (D ♀).
B. a. Strand 1926, Arch. Naturg. 92 (A; 8) p. 42 (nom. nov. gen.).

Gen. **Bassaniodes** Pocock 1903.

♀ **socotrensis** Pocock 1903. Sokotra

B. s. Pocock 1903, Arachn. in: Forbes, Nat. Hist. Sokotra a. Abd-el-Kuri p. 198 T. 26 F. 2 (D ♀).

Gen. **Cymbachina** Bryant 1933.

♀ **albobrunnea** (Urquhart) 1892. Neu-Seeland

Xysticus a. Urquhart 1892, Trans. N. Zeal. Inst. 25 p. 184 (D ♀).
C. a. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 3 (D ♀).

Gen. **Demogenes** Simon 1895.

♂ **lugens** (Thorell) 1881. Neu-Guinea

Demonax l. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 350 (D ♂).
D. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1066 (nom. nov.).

Gen. **Diaea** Thorell 1870.

Palaearktische Arten:

♂♀ **dorsata** (Fabricius) 1781. – * Europa, Mittelmeergebiet, Turkestan

Aranea d. Fabricius 1781, Spec. Ins. 1 p. 539 (D).
Aranea d. Olivier 1789, Encycl. Méthod. 4 p. 233 (D).
Aranea d. Fabricius 1793, Ent. Syst. 2 p. 413 (D).
Aranea floricolens Walckenaer 1802, Faun. Paris. 2 p. 231 (D).
Thomisus floricolens Walckenaer 1805, Tabl. Aran. p. 33 (N).
Thomisus d. Hahn 1831, Die Arachniden 1 p. 44 TF. 34 (D o).
Thomisus d. Sundevall 1832, Vet. Ak. Handl. p. 221 (D ♂♀).
Thomisus d. Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 26 F. b (D ♀).
Thomisus floricolens Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 532 (D ♀).
Thomisus d. C. L. Koch 1845, Die Arachniden 12 p. 56 TF. 991, 992 (D ♂♀).
Thomisus capparinus C. L. Koch 1845, Die Arachniden 12 p. 58 TF. 993, 994 (D ♂♀).
Thomisus floricolens Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 76 T. 4 F. 44 (D ♂♀).
Thomisus d. Westring 1862, Aran. Svec. p. 434 (D ♂♀).
Diana dorsalis Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 433 (C).
Diana caparina Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 433 (C).
Thomisus d. Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 610 (D O ♀).
Thomisus floricolens Ohlert 1867, Aran. Prov. Preussen p. 111 (D ♂♀).
D. d. Thorell 1869, On Europ. Spid. p. 184 (N).
D. d. Thorell 1872, Rem. Syn. Europ. Spid. p. 252 (N).
D. d. Simon 1875, Arachn. de France 2 p. 248 (D ♂♀).
D. livens Simon 1876, Ann. Soc. Ent. France (5) 6 Bull. p. 182 (D ♀).
D. devoniensis Cambridge 1879, Ann. Mag. Nat. Hist. (5) 4 p. 208 (D o).
D. devoniensis Cambridge 1881, Proc. Dorset F. Cl. 2 p. 535 (D o).
D. d. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 293 (D ♂♀).
D. d. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 213 T. 22 F. 2 (D ♂♀).
D. d. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 71 (D ♂♀).
D. d. Hansen 1885, in: Schiödte, Zool. Danica p. 147 T. 4 F. 14 (D ♂♀).
D. d. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 86 (D ♂♀).
D. d. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1035 (N).
D. d. Bösenberg 1902, Zoologica 14 (2—4) p. 367 T. 34 F. 540 (D ♂♀).
D. d. Lessert 1910, Catal. Invert. Suisse; Araign. p. 356 (D ♂♀).
D. d. Simon 1932, Arachn. de France 6 (4) p. 793, 870 f. 1160—1162 (D ♂♀).
D. d. Tullgren 1944, Svensk Spindelfauna 3 p. 69 T. 7 F. 124—126 (D ♂♀).
D. d. Locket & Millidge 1951, Brit. Spiders 1 p. 173 f. 88A, C (D ♂♀).

♂♀ **formosa** (Blackwall) 1850. England

Thomisus f. Blackwall 1850, Ann. Mag. Nat. Hist. (2) 6 p. 337 (D ♂♀).
Thomisus f. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 75 (D ♂♀).

♂ **kochi** Thorell 1881. Japan

D. nitida L. Koch 1878, Verh. Zool. Bot. Ges. Wien 27 p. 769 T. 16 F. 33 (D ♂).
D. k. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 340 (nom. nov.).

O **subadulta** Bösenberg & Strand 1906. Japan

D. s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 258 T. 13 F. 302 (D O).

♂ **suspiciosa** Cambridge 1885. Yarkand

D. s. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 64 (D ♂).

Aethiopische Arten:

♂♀ **albicincta** Pavesi 1883. Abessinien, O.-Afrika, Belg. Congo
D. a. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 61 (D ♂).
D. a. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 141 f. 18, 19; T. 2 F. 31, 44 (D ♂♀).

♂♀ **delata** Karsch 1880. W.-Afrika, Angola
D. d. Karsch 1880, Mitt. München. Ent. Ver. 4 (2) p. 146 (D ♂♀).

♂ **graphica** Simon 1882. Yemen
D. g. Simon 1882, Ann. Mus. Civ. Genova 18 p. 224 (D ♂).

♂♀ **mutabilis** Kulczynski 1901. Erythraea
D. m. Kulczynski 1901, Bull. Ac. Sci. Cracov. 41 p. 3, 39 T. 2 F. 30, 31, 35 (D ♂♀).

♂ **proclivis** Simon 1903. Span. Guinea
D. p. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 97 (D ♂).

♂♀ **puncta** Karsch 1884. W.- u. O.-Afrika, Belg. Congo, Natal
D. p. Karsch 1884, S. B. Ges. Naturw. Marburg (2) p. 66 (D ♂♀).
D. p. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 98 (D ♂).
D. p. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 139 f. 17; T. 2 F. 17 (D ♂♀).
D. p. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 53 f. 24 (N ♂♀).
D. p. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 164 (N ♂).

♂ **rohani** Fage 1923. Angola
D. r. Fage 1923, Bull. Mus. Hist. Nat. Paris 29 p. 224 f. 1 (D ♂).
D. r. Fage 1925, Miss. Rohan. Chabot Angola et Rhodesia 4 (3) p. 194 f. 3, 4 (D ♂).

♂ **semilutea** Simon 1903. Span. Guinea
D. s. Simon 1903, Mem. Soc. Espan. Hist. Nat. 1 (3) p. 99 (D ♂).

♀ **taibeli** Caporiacco 1949. Kenya
D. t. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 (6) p. 459 f. 82 (D ♀).

♀ **viridipes** Strand 1909. Capland
D. v. Strand 1909, Deutsch. Südpol. Exped. 1901—03 10 (5) Zool. 2 p. 577 (D ♀).

Orientalische Arten:

♀ **bitaeniata** (Thorell) 1878. Amboina
Misumena b. Thorell 1878, Ann. Mus. Civ. Genova 13 p. 199 (D ♀).

♂ **concinna** Thorell 1877. Celebes
D. c. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 516 (D ♂).

♀ **flavens** (Thorell) 1877. Celebes
Misumena f. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 510 (D o).
Misumena f. Merian 1911, Zool. Jahrb. Syst. 31 (2) p. 249 (N ♀).

♀ **hilaris** (Thorell) 1877. Celebes
Misumena h. Thorell 1877, Ann. Mus. Civ. Genova p. 511 (D ♀).

♀ **insignis** Thorell 1877. Celebes
D. i. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 513 (D ♀).

♀ **nitida** (Thorell) 1877. Celebes, Amboina
Misumena n. Thorell 1877, Ann. Mus. Civ. Genova 10 p. 508 (D ♀).
Misumena n. Thorell 1878, Ann. Mus Civ. Genova 13 p. 199, 307 (C).
D. n. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 340 (N).

♂♀ **placata** Cambridge 1899. Ceylon
D. p. Cambridge 1899, Proc. Zool. Soc. Lond. p. 524 T. 30 F. 6 (D ♂♀).

o **pougneti** Simon 1885. Indien
D. p. Simon 1885, Bull. Soc. Zool. France 10 (4—6) p. 460 (D o).

♂ **shirleyi** Hogg 1922. Annam
D. s. Hogg 1922, Proc. Zool. Soc. Lond. p. 290 f. 3 (D ♂).

♂ **spinulosa** Cambridge 1885. NW.-Indien
D. s. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 61 (D ♂).

♂♀ **subargentata** Cambridge 1885. NW.-Indien
D. s. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 65 (D ♂♀).

♂♀ **subdola** Cambridge 1885. NW.-Indien
D. s. Cambridge 1885, Sci. Res. Sec. Yarkand Mill.; Aran. p. 62 (D ♂).
D. s. Hogg 1912, Aran. in: Clarck & Sowerby, Thr. Shen Ken p. 207 TF. 3 (D ♀).

♂ **sufflava** Cambridge 1885. NW.-Indien
D. s. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 63 (D ♂).

♂ **terrena** Dyal 1935. Panjab
D. t. Dyal 1935, Bull. Dep. Zool. Panjab Univ. 1 p. 199 T. 17 F. 150 (D ♂).

♀ **zonura** Thorell 1890. Java, Sumatra
D. z. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 332 (D ♀).
D. z. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 95 (D ♀).

Australische Arten:

♀ **adusta** (L. Koch) 1867. Queensland
Xysticus s. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 214 (D ♀).
D. a. L. Koch 1874, Arachn. Austral. 1 (1) p. 576 T. 44 F. 6 (D ♀).

♀ **albiceris** (L. Koch) 1876. Queensland, Lord Howe-I.
Misumena a. L. Koch 1876, Arachn. Austral. 1 (2) p. 801 T. 69 F. 6 (D ♀).

♀ **albolimbata** L. Koch 1875. Neu-Seeland
D. a. L. Koch 1875, Arachn. Austral. 1 (1) p. 588 T. 46 F. 1 (D ♀).
Philodromus ovatus Urquhart 1886, Trans. N. Zeal. Inst. 19 p. 113 (D ♀).
Synaema (Baerella) a. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 382, 391 (D ♀).
D. albomaculata Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 3 (D ♀).

♂♀ **ambara** (Urquhart) 1884. Neu-Seeland
Philodromus a. Urquhart 1884, Trans. N. Zeal. Inst. 17 p. 43 T. 10 F. 8 (D ♀).
Philodromus a. Urquhart 1886, Trans. N. Zeal. Inst. 19 p. 112 (D ♂).
D. a. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 4 T. 1 F. 4; T. 2 F. 14 (D ♂).

♂♀ **bipunctata** Rainbow 1902. Neue Hebriden
D. b. Rainbow 1902, Proc. Linn. Soc. N. S. Wales (2) 16 p. 528 T. 28 F. 4 (D ♀).
D. regalis Rainbow 1902, Proc. Linn. Soc. N. S. Wales (2) 16 p. 529 T. 28 F. 5 (D ♀).
D. b. Berland 1938, Ann. Soc. Ent. France 107 p. 135 f. 14—17 (D ♂).

♀ **blanda** L. Koch 1875. Australien
D. b. L. Koch 1875, Aradn. Austral. 1 (1) p. 594 T. 46 F. 5 (D ♀).

♀ **caecutiens** L. Koch 1876. Queensland
D. c. L. Koch 1876, Aradn. Austral. 1 (2) p. 813 T. 70 F. 3 (D ♀).

♂ **cimicina** Thorell 1881. Queensland, Neu-Guinea, Aru-I.
D. c. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 342 (D ♂).

♀ **circumlita** L. Koch 1876. Queensland, Neu-S.-Wales
D. c. L. Koch 1876, Aradn. Austral. 1 (2) p. 817 T. 70 F. 5 (D ♀).

♀ **colcloughi** Rainbow 1912. N.-Australien
D. c. Rainbow 1912, Mem. Queensl. Mus. 1 p. 205 f. 1, 2 (D ♀).

♀ **decempunctata** Kulczynski 1911. Neu-Guinea
D. d. Kulczynski 1911, Res. Exped. Sci. Lorentz; N. Guinea 9 (2) p. 139 T. 4 F. 23 (D ♀).

♀ **dimidiata** (L. Koch) 1867. Queensland
Xysticus d. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 210 (D ♀).
D. d. L. Koch 1874, Arachn. Austral. 1 (1) p. 591 T. 46 F. 3 (D ♀).

♀ **doleschalli** Hogg 1915. Neu-Guinea
D. d. Hogg 1915, Trans. Zool. Soc. Lond. 20 (14) p. 459 f. 28 (D ♀).

♂ **elegans** L. Koch 1876. Neu-S.-Wales
D. e. L. Koch 1876, Aradn. Austral. 1 (2) p. 815 T. 70 F. 4 (D ♂).

♀ **evanida** (L. Koch) 1867. Queensland
Xysticus e. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 218 (D ♀).
D. e. L. Koch 1874, Aradn. Austral. 1 (1) p. 569 T. 44 F. 1 (D ♀).

♂ **giltayi** Roewer 1938. Neu-Guinea
D. g. Roewer 1938, Mém. Mus. Hist. Nat Belg. (hors Sér.) 3 (19) p. 68 f. 45 (D ♂).

♂ **haematodactyla** L. Koch 1875. Queensland
D. h. L. Koch 1875, Aradn. Austral. 1 (1) p. 584 T. 45 F. 4 (D ♂).

♂ **insecta** L. Koch 1875. Australien
D. i. L. Koch 1875, Aradn. Austral. 1 (1) p. 579 T. 45 F. 1 (D ♂).

♂♀ **insulana** Keyserling 1890. Hawai
D. i. Keyserling 1890, Aradn. Austral. 2 p. 261 T. 24 F. 3, 4 (D ♂♀).
D. i. Simon 1900, Faun. Hawaiiens. 2 (5) p. 490 T. 17 F. 13 (D ♂♀).

♀ **jucunda** Thorell 1881. Queensland
D. j. Thorell 1881, Ann. Mus. Civ. Genova 17 p. 340 (D ♀).

♀ **kanakana** Karsch 1880. Hawai
D. k. Karsch 1880, S. B. Ges. Naturf. Freund. Berlin (5) p. 80 (D ♀).

♀ **lactea** (L. Koch) 1876. Neu-S.-Wales, Victoria
Misumena l. L. Koch 1876, Aradn. Austral. 1 (2) p. 799 T. 69 F. 5 (D ♀).

♂♀ **limbata** Kulczynski 1911. Neu-Guinea
D. l. Kulczynski 1911. Res. Exped. Sci. Lorentz; N. Guinea 9 (2) p. 139 T. 4 F. 24—26 (D ♂♀).

♀ **mollis** L. Koch 1875. Queensland
D. m. L. Koch 1875, Arachn. Austral. 1 (1) p. 587 T. 45 F. 6 (D ♀).

♀ **multimaculata** Rainbow 1904. W.-Australien
D. m. Rainbow 1904, Rec. Austral. Mus. 5 (2) p. 105 f. 30, 31 (D ♀).

♂ **multopunctata** L. Koch 1874. Queensland, Neu-S.-Wales
D. m. L. Koch 1874, Arachn. Austral. 1 (1) p. 565 T. 43 F. 5 (D ♂).

♀ **ocellata** Rainbow 1898. Neu-Guinea
D. o. Rainbow 1898, Proc. Linn. Soc. N. S. Wales 23 (3) p. 344 T. 7 F. 8 (D ♀).

♂ **olivacea** L. Koch 1875. W.-Australien
D. o. L. Koch 1875, Arachn. Austral. 1 (1) p. 589 T. 46 F. 2 (D ♂).

♀ **papuana** Kulczynski 1911. Neu-Guinea
D. p. Kulczynski 1911, Res. Exped. Sci. Lorentz; N. Guinea 9 (2) p. 136 T. 4 F. 21 (D ♀).

♀ **plumbea** L. Koch 1875. Neu-S.-Wales
D. p. L. Koch 1875, Arachn. Austral. 1 (1) p. 595 T. 46 F. 6 (D ♀).

♂♀ **praetexta** (L. Koch) 1865. Samoa
Thomisus p. L. Koch 1865, Verh. Zool. Bot. Ges. Wien 15 p. 869 (D ♀).
D. p. L. Koch 1874, Arachn. Austral. 1 (1) p. 566 T. 43 F. 6, 7 (D ♂♀).

♀ **prasina** L. Koch 1876. Queensland, Neu-S.-Wales
D. p. L. Koch 1876, Arachn. Austral. 1 (2) p. 819 T. 70 F. 6 (D ♀).
D. p. Thorell 181. Ann. Mus. Civ. Genova 17 p. 339 (D o).

♂ **pulleinei** Rainbow 1915. S.-Australien
D. p. Rainbow 1915, Trans. Soc. S. Austral. 39 p. 785 T. 68 F. 14, 15 (D ♂).

♀ **punctata** L. Koch 1875. Queensland, Neu-S.-Wales
D. p. L. Koch 1875, Arachn. Austral. 1 (1) p. 592 T. 46 F. 4 (D ♀).

♂ **punctipes** L. Koch 1875. Queensland
D. p. L. Koch 1875, Arachn. Austral. 1 (1) p. 583 T. 45 F. 3 (D ♂).

♂♀ **rosea** L. Koch 1875. Neu-S.-Wales
D. r. L. Koch 1875, Arachn. Austral. 1 (1) p. 581 T. 45 F. 2 (D ♀).
D. r. L. Koch 1876, Arachn. Austral. 1 (2) p. 821 T. 70 F. 8 (D ♂).

♂♀ **rubropunctata** Rainbow 1920. Lord Howe-I.
D. r. Rainbow 1920, Rec. S. Austral. Mus. 1 p. 252 T. 29 F. 63—66 (D ♂♀).

♂ **rufoannulata** Simon 1880. Neu-Caledonien
D. r. Simon 1880, Ann. Soc. Ent. Belg. 23 C. R. p. 167 (D ♂).
D. r. Berland 1924, Nov. Caledon. Zool. 3 (2) p. 225 (C ♂).

♂ **septempunctata** L. Koch 1874. Neu-Guinea, Tonga-I.
D. s. L. Koch 1874, Arachn. Austral. 1 (1) p. 571 T. 44 F. 2 (D ♂).

♂♀ **sphaeroides** (Urquhart) 1885. Neu-Seeland
Philodromus s. Urquhart 1885, Trans. N. Zeal. Inst. 17 p. 44 (D ♀).
Philodromus s. Urquhart 1886, Trans. N. Zeal. Inst. 19 p. 111 T. 8 F. 10 (D ♂).
D. s. Bryant 1933, Rec. Canterbury Mus. 4 (1) p. 4 T. 3 F. 20 (D ♀).
D. s. Bryant 1935, Rec. Canterbury Mus. 4 (2) p. 86 T. 10 F. 2 (D ♂).

♀ **sticta** Kulczynski 1911. Neu-Guinea
D. s. Kulczynski 1911, Res. Exped. Sci. Lorentz; N. Guinea 9 (2) p. 137 T. 4 F. 22 (D ♀).

o **tenuis** L. Koch 1875. Queensland, Neu-S.-Wales
D. t. L. Koch 1875, Arachn. Austral. 1 (1) p. 586 T. 45 F. 5 (D o).

♀ **tongatabuensis** Strand 1913. Tongatabu
D. t. Strand 1913, Arch. Naturg. 79 (A; 6) p. 118 (D ♀).
D. t. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 237 T. 18 F. 86 (D ♀).

♀ **tristania** (Rainbow) 1900. Neu-S.-Wales
Misumena t. Rainbow 1900, Rec. Austral. Mus. 3 (7) p. 171 T. 30 F. 1 (D ♀).

♀ **tumefacta** L. Koch 1874. Queensland, Neu-S.-Wales
D. t. L. Koch 1874, Arachn. Austral. 1 (1) p. 572 T. 44 F. 3 (D ♀).

♀ **variabilis** L. Koch 1875. Queensland, Neu-S.-Wales
D. v. L. Koch 1875, Arachn. Austral. 1 (1) p. 578 T. 44 F. 7 (D ♀).

♀ **varians** Kulczynski 1911. Neu-Guinea
D. v. Kulczynski 1911, Res. Exped. Sci. Lorentz; N. Guinea 9 (2) p. 142 T. 4 F. 27 (D ♀).

♀ **velata** L. Koch 1876. Queensland
D. v. L. Koch 1876, Arachn. Austral. 1 (2) p. 820 T. 70 F. 7 (D ♀).

♂♀ **vitellina** Simon 1900. Hawai
D. v. Simon 1900, Faun. Hawaiiens. 2 (5) p. 491 T. 17 F. 14 (D ♂♀).

♀ **xanthogaster** (L. Koch) 1875. Neu-S.-Wales
Misumena x. L. Koch 1875, Arachn. Austral. 1 (1) p. 597 T. 47 F. 1 (D ♀).

Neotropische Arten:

♂ **seminola** Gertsch 1939. Florida
D. s. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 333 TF. 76, 77 (D ♂).

♀ **spinosa** Keyserling 1880. Columbien
D. s. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 116 T. 2 F. 64 (D ♀).

Nearktische Arten:

♂♀ **pictilis** (Banks) 1896. Californien
Misumena p. Banks 1896, Journ. N. York Ent. Soc. 4 p. 91 (D ♀).
Misumessus s. Banks 1904, Proc. Calif. Ac. Sci. (3) 3 (13) p. 352 (C).
Misumenops p. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 413 (C).
Parasynaema p. Gertsch 1934, Amer. Mus. Novit. 707 p. 15 (C).
D. p. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 332 TF. 74, 75, 91 (D ♂♀).

Gen. **Dimizonops** Pocock 1903.

♀ **insularis** Pocock 1903. Sokotra
D. i. Pocock 1903, Arachn. in: Forbes, Nat. Hist. Sokotra a. Abd-el-Kuri p. 199 T. 26 F. 1 (D ♀).

Gen. **Heriaesynaema** Caporiacco 1939.

o **flavipes** Caporiacco 1939. Abessinien
H. f. Caporiacco 1939, Real. Ac. Ital. Afric. Orient. Ital. p. 368 f. 20 (D o).

Gen. **Mecaphesa** Simon 1900.

o **cincta** Simon 1900. – * Hawai

M. c. Simon 1900, Faun. Hawaiiens. 2 (5) p. 495 (D o).

o **perkinsi** Simon 1904. Hawai

M. p. Simon 1904, Faun. Hawaiiens. 3 (Arachn. Suppl.) p. 342 (D o).

♀ **semispinosa** Simon 1900. Hawai

M. s. Simon 1900, Faun. Hawaiiens. 2 (5) p. 496 T. 17 F. 4 (D ♀).

Gen. **Metadiaea** Mello-Leitao 1929.

♀ **biannulipes** Mello-Leitao 1929. Pernambuco

M. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 238 (D ♀).

♀ **candidoi** Caporiacco 1947. Brit. Guiana

M. melloleitaoi Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 29 (N) (praeocc. Piza 1935).

M. c. Caporiacco 1948, Proc. Zoll. Soc. London 118 (3) p. 695 TF. 118 (D ♀).

♀ **dimidiata** Piza 1936. Brasilien

M. d. Piza 1936, Rev. Biol. Hyg. S. Paulo 7 (2) p. 86 f. 1 (D ♀).

♀ **dubitata** Piza 1933. Brasilien

M. d. Piza 1933, Rev. Biol. Hyg. S. Paulo 4 (2) p. 48 (D ♀).

M. d. Piza 1934, Rev. Biol. Hyg. S. Paulo 5 (1) p. 4 f. 3 (N ♀).

♂♀ **fidelis** Mello-Leitao 1929. – * S.-Brasilien

M. f. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 237 TF. 118, 119, 129 (D ♂♀).

♀ **lacticeps** Mello-Leitao 1944. Buenos Aires

M. l. Mello-Leitao 1944, Rev. Mus. La Plata (N. S.), Zool. 3 (24) p. 363 (D ♀).

♀ **litterata** Piza 1933. Brasilien

M. l. Piza 1933, Rev. Biol. Hyg. S. Paulo 4 (2) p. 46 f. 2 (D ♀).

♀ **mello-leitaoi** Piza 1933. Brasilien

M. m. Piza 1933, Rev. Biol. Hyg. S. Paulo 4 (2) p. 45 f. 1 (D ♀).

M. m. Piza 1933, Rev. Biol. Hyg. S. Paulo 4 (3) p. 90 f. 2 (N ♀).

♂ **paranensis** Mello-Leitao 1932. Brasilien

M. p. Mello-Leitao 1932, Bol. Mus. Nac. R. d. Janeiro 8 p. 74 (D ♂).

♀ **spinifera** Piza 1937. S.-Brasilien

M. s. Piza 1937, Folia Clinic. Biol. S. Paulo 9 (6) p. 179 f. 1 (D ♀).

♀ **vulgaris** Piza 1933. Brasilien

M. v. Piza 1933, Rev. Biol. Hyg. S. Paulo 4 (3) p. 88 f. 1 (D ♀).

♀ **ypirangae** Piza 1936. Brasilien

M. y. Piza 1936, Rev. Biol. Hyg. S. Paulo 7 (2) p. 88 (D ♀).

Gen. **Narcaeus** Thorell 1890.

♀ **picinus** Thorell 1890. Java

N. p. Thorell 1890, Ann. Mus. Civ. Genova 30 p. 152 (D ♀).

N. p. Thorell 1892, Ann. Mus. Civ. Genova 31 p. 100 (D ♀).

N. p. Simon 1895, Hist. Nat. Araign. 1 (4) 1065 (N).

Gen. **Ocyllus** Thorell 1887.

o **binotatus** Thorell 1887. – * Burma

O. b. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 268 (D o).
O. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1065 (N).

♂ **pallens** Thorell 1895. Burma

O. p. Thorell 1895, Descr. Catal. Spid. Burma p. 301 (D ♂).

Gen. **Ozyptila** Simon 1864.

(= **Oxyptila** Simon 1875 et auct. sequ.)

Palaearktische Arten:

§ 15 (♂, ♀) : Simon 1875, Arachn. de France 2 p. 212—215.
§ 9 ♂, 8 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 97—99.
§ 8 ♂, 6 ♀: Soerensen 1904, Ent. Meddel. (2) 1 p. 380—382.
§ 12 ♂, 13 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 20—22 TF. 211—254.
§ 15 ♂, 15 ♀: Simon 1932, Arachn. de France 6 (4) p. 797—811.
§ 7 ♂, 7 ♀: Tullgren 1944, Svensk Spindelfauna 1 p. 72—73.

O♀ **aculeipes** Strand 1906. Tunis

O. a. Strand 1906, Zool. Anz. 30 (19—20) p. 626 (D ♀).
O. a. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 117 (D O♀).

O♀ **aharonii** Strand 1913. Palästina

O. a. Strand 1913, Arch. Naturg. 79 (A; 10) p. 150 (D O♀).

♂ **annulipes** (Lucas) 1846. Algier

Thomisus a. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 190 T. 10 F. 10 (D ♂).
Xystica a. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 428 (C).
O. a. Simon 1875, Arachn. de France 2 p. 240 (C).

♂♀ **atomaria** (Panzer) 1801. Europa

Aranea a. Panzer 1801, Faun. Ins. Germ. 74 T. 19 (D).
Thomisus a. Walckenaer 1825, Aran. Franç. p. 79 (D).
Thomisus similis Wider 1834, Mus. Senckenbg. 1 (3) p. 268 T. 18 F. 8 (D ♀).
Xysticus horticola C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 26 (D).
Xysticus pulverulentus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 26 (D).
Thomisus a. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 524 (D ♂♀).
Xysticus horticola C. L. Koch 1838, Die Arachniden 4 p. 74 TF. 296—299 (D ♂♀).
Thomisus pallidus Blackwall 1846, Ann. Mag. Nat. Hist. (1) 18 p. 299 (D ♀).
Thomisus versutus Blackwall 1853, Ann. Mag. Nat. Hist. (2) 11 p. 15 (D ♂♀).
Thomisus pallidus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 82 T. 4 F. 48 (D ♀).
Thomisus versutus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 83 T. 4 F. 49 (D ♂♀).
Thomisus horticola Westring 1862, Aran. Svec p. 436 (D ♂♀).
Xysticus horticola Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 619 (D ♂).
Xysticus horticola Ohlert 1867, Aran. Prov. Preussen p. 118 (D ♂♀).
Thomisus pallidus Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 408 T. 54 F. 10 (D ♂).
Xysticus a. Thorell 1872, Rem. Syn. Europ. Spid. p. 252 (N).
O. horticola Simon 1875, Arachn. de France 2 p. 215 (D ♂♀).
O. pallida Simon 1875, Arachn. de France 2 p. 241 (N).

Coriarachne a. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 428 T. 71 F. 241 (D ♂♀).
Coriarachne horticola Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 431 T. 72 F. 243 (D ♂♀).
Xysticus versutus Cambridge 1878, Ann. Mag. Nat. Hist. (5) 1 p. 121 (N).
O. a. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 32 (D ♂♀).
O. horticola Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 194 T. 19 F. 1 (D ♂♀).
O. a. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 74 (D ♂♀).
O. horticola Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 74 (D ♂♀).
O. horticola Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 99 T. 3 F. 38; T. 4 F. 3 (D ♂♀).
O. horticola Bösenberg 1902, Zoologica 14 (2—4) p. 359 T. 33 F. 528 (D ♂♀).
O. a. Bösenberg 1902, Zoologica 14 (2—4) p. 361 T. 33 F. 532 (D ♀).
O. horticola Lessert 1910, Catal. Invert. Suisse; Araign. p. 357 (D ♂♀).
O. horticola Fage 1921, Bull. Mus. Hist. Nat. Paris 27 (1—3) p. 14 f. 5A (N ♂).
O. a. Simon 1932, Arachn. de France 6 (4) p. 800, 809, 872, f. 1179, 1204 (D ♂♀).
O. a. Tullgren 1944, Svensk Spindelfauna 3 p. 73 T. 8 F. 130—132 (D ♂♀).
O. a. Locket & Millidge 1951, Brit. Spiders 1 p. 193 f. 96C; 97F (D ♂♀).

♂♀ **audouini** Roewer 1951. Aegypten, Tunis

Thomisus hirtus Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 397 T. 6 F. 11 (D ♂♀) (praeocc. Latreille 1819).
Thomisus claveatus Lucas 1846, Explor. Sci. Alger. Zool. 1 Arachn. p. 188 (C) (praeocc. Walckenaer 1837).
Xysticus hirtus Cambridge 1876, Proc. Zool. Soc. Lond. p. 581 (C ♀).
O. hirta Simon 1880, Ann. Soc. Ent. France (5) 10 Bull. p. 48 (N).
O. a. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 449 (nom. nov.)

♂♀ **baltistana** Caporiacco 1935. Karakorum

O. b. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 186 T. 4 F. 7 (D ♂♀).

♀ **barbata** Denis 1945. Algier

O. b. Denis 1945, Bull. Soc. Hist. Nat. Toulouse 79 (1) p. 53 T. 2 F. 29 (D ♀).

o **baudueri** Simon 1877. SW.-Frankreich

O. b. Simon 1877, Ann. Soc. Ent. France (5) 7 Bull. p. 41 (D o).
O. b. Simon 1932, Arachn. de France. 6 (4) p. 805, 871 f. 1198 (D o).

♂♀ **bicuspis** Simon 1932. O.-Pyrenäen, Spanien

O. b. Simon 1932, Arachn. de France 6 (4) p. 801, 810, 873, f. 1186, 1187, 1208 (D ♂♀).
O. b. Denis 1934, Ann. Soc. Hist. Nat. Toulon 18 p. 155 T. 2 F. 3 (N ♂♀).

♂♀ **blackwalli** Simon 1875. W.-, S.- u. Mitteleuropa, Algier

Thomisus claveatus Blackwall 1861, Hist. Araign. (1. Ed.) p. 439 (C).
O. b. Simon 1875, Arachn. de France 2 p. 231 T. 7 F. 22 (D ♂♀).
Coriarachne scabricula Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 430 T. 72 F. 242 (D ♂♀).
Coriarachne b. Cambridge 1881, Proc. Dorset F. Cl, 2 p. 318 (D ♂♀).
O. b. Becker 1882, Ann. Mus. Hist. Nat Belg. 10 p. 202 T. 20 F. 2 (D ♂♀).
O. claveata Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 74 (D ♂♀).
O. b. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 100 T. 4 F. 7 (D ♂♀).
O. b. Bösenberg 1902, Zoologica 14 (2—4) p. 359 T. 33 F. 529 (D ♂♀).
O. b. Lessert 1910, Catal. Invert. Suisse Araign. p. 362 (D ♂♀).
O. b. Simon 1932, Arachn. de France 6 (4) p. 798, 806, 873 f. 1177, 1199 (D ♂♀).
O. b. Locket & Millidge 1951, Brit. Spiders 1 p. 187 f. 94C; 95D (D ♂♀).

♂♀ **blitea** Simon 1875. Frankreich, Spanien, Corsica, Sardinien, N.-Afrika, Serbien, Macedonien

O. b. Simon 1875, Arachn. de France 2 p. 236 T. 7 F. 25 (D ♂♀).
O. b. Simon 1932, Arachn. de France 6 (4) p. 799, 805, 871 f. 1178, 1197 (D ♂♀).

♂♀ **brevipes** (Hahn) 1825. – * Europa, Turkestan

Thomisus b. Hahn 1825, Monogr. d. Spinn. 4 p. 1 T. 14 F. C (D ♀).
Thomisus b. Hahn 1831, Die Arachniden 1 p. 30 TF. 25 (D ♀).
Thomisus b. Waldkenaer 1837, Hist. Nat. Ins. Apt. 1 p. 503 (D ♀).
Xysticus b. C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 39 (N).
Thomisus b. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 67 T. 4 F. 37 (D ♀).
Xysticus b. Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 617 (D ♂♀).
Xysticus pusio Thorell 1872, Rem. Syn. Europ. Spid. p. 256 (D ♀, nec ♂).
O. b. Simon 1875, Arachn. de France 2 p. 232 T. 7 F. 26 (D ♂♀).
Coriarachne b. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 426 T. 71 F. 240 (D ♂♀).
O. b. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 203 T. 20 F. 3 (D ♂♀).
O. b. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 75 (D ♂♀).
O. flexa Cambridge 1895, Proc. Dorset F. Cl. 16 p. 117 T. B F. 11 (D).
O. b. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1035 (N).
O. b. Bösenberg 1902, Zoologica 14 (2—4) p. 362 T. 33 F. 534 (D ♂♀).
O. b. Lessert 1910, Catal. Invert. Suisse; Araign. p. 363 (D ♂♀).
O. pusio Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 591 (D ♂♀).
O. b. Simon 1932, Arachn. de France 6 (4) p. 803, 811, 873 f. 1190, 1191, 1211 (D ♂♀).
O. b. Tullgren 1944, Svensk Spindelfauna 3 p. 79 T. 9 F. 147; T. 10 F. 148—149 (D ♂♀).
O. b. Locket & Millidge 1951, Brit. Spiders 1 p. 193 f. 97A, E (D ♂♀).

♀ **callitys** (Thorell) 1875. Tunis

Xysticus c. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 139 (D ♀).
O. c. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 116 (D ♀).

♀ **clavigera** (Cambridge) 1872. Palästina

Thomisus c. Cambridge 1872, Proc. Zool. Soc. Lond. p. 306 (D ♀).
O. c. Simon 1875, Arachn. de France 2 p. 241 (C).

♂♀ **confluens** (C. L. Koch) 1845. S.-Europa, Syrien

Xysticus c. C. L. Koch 1845, Die Arachniden 12 p. 67 TF. 1001 (D ♀).
O. c. Simon 1875, Arachn. de France 2 p. 241 (N).
Xysticus gratus Thorell 1875, Tijdschr. Ent. 18 p. 103 (D ♀).
Xysticus gratus Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 138 (D ♀).
O. guttulata Pavesi 1876, Ann. Mus. Civ. Genova 8 p. 440 (D ♀).
O. c. Fage 1921, Bull. Mus. Hist. Nat. Paris 27 (1—3) p. 117 f. 5 (D ♂).
O. c. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 92 (N).
O. c. Simon 1932, Arachn. de France 6 (4) p. 801, 810, 872 f. 1180, 1181, 1209 (D ♂♀).

crucifera Schenkel 1936. S.-Kansu

O. c. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 135 (D juv.).

♂♀ **decorata** Karsch 1879. Japan

O. d. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 76 (D ♂♀).
O. d. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 258 T. 10 F. 173, 178 (D ♂♀).

♂o **elegans** (Blackwall) 1869. Italien

Thomisus e. Blackwall 1869, Journ. Linn. Soc. Lond. 10 p. 419 T. 16 F. 9 (D ♂).
Thomisus exiguus Blackwall 1869, Journ. Linn. Soc. Lond. 10 p. 416 T. 16 F. 18 (D o).
O. e. Simon 1875, Arachn. de France 2 p. 241 (N).

♀ **flava** Simon 1875. Spanien

O. f. Simon 1875, Arachn. de France 2 p. 229 (D ♀).

♂ **furcula** L. Koch 1882. Balearen

O. f. L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 648 T. 21 F. 23 (D ♂).

♀ **fusca** (Grube) 1861. O.-Sibirien

Thomisus f. Grube 1861, Bull. Ac. Sci. St. Petersbg. 4 p. 172 (D ♀).

♀ **fuscosternum** Denis 1937. Algier

O. f. Denis 1937, Proc. Zool. Soc. Lond. p. 1047 T. 3 F. 10 (D ♀).

jaffa Strand 1915. Palästina

O. j. Strand 1915, Arch. Naturg. 81 (A; 9) p. 151 (D juv.).

♀ **jeholensis** Saito 1936. Jehol

O. j. Saito 1936, Rep. 1. Sci. Exped. Manchoukuo (5) 1 (3; 11) p. 13, 75 T. 2 F. 1; f. 2 (D ♀).

♂♀ **kotulai** Kulczynski 1898. Unt. Oesterreich, Böhmen, Rheinland

O. k. Kulczynski 1898, Symb. Faun. Aran. Austr. Infer. p. 92 T. 2 F. 65—68 (D ♂♀).
O. k. Bösenberg 1902, Zoologica 14 (2—4) p. 363 T. 33 F. 535 (D ♂♀).

♂♀ **leprieuri** Simon 1875. Algier, Marokko

O. l. Simon 1875, Arachn. de France 2 p. 239 (D ♂♀).

♂♀ **lugubris** (Kroneberg) 1875. S.-Russland, Turkestan

Xysticus l. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 35 T. 3 F. 23 (D ♂♀).
Xysticus tuberosus Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 88 (D ♂♀).
Xysticus tuberosus Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 128 (D ♂♀).

♂ **maculosa** Hull 1948. England

O. m. Hull 1948, Essex Nat. 28 p. 63 f. . . . (D ♂).

♂ **nigella** Simon 1875. O.-Pyrenäen, Corsica

O. n. Simon 1875, Arachn. de France 2 p. 225 (D ♂).
O. n. Simon 1932, Arachn. de France 6 (4) p. 801, 872 f. 1182, 1183 (D ♂).

♂ **nigrifrons** Saito 1934. Japan

O. n. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 279 T. 12 F. 7; T. 14 F. 40 (D ♂).

♂♀ **nigristernum** Dalmas 1926. I. Giglio

O. n. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 92 (D ♂♀).

♂♀ **nigrita** (Thorell) 1875. W.-Europa, Mitteleuropa, Balkanländer, Krim

Xysticus n. Thorell 1875, Tijdschr. Ent. 18 p. 104 (D ♂).
Xysticus n. Thorell 1875, Svensk Vet. Ak. Handl. 13 (5) p. 140 (D ♂).
O. n. Simon 1875, Arachn. de France 2 p. 238 T. 7 F. 23 (D ♂♀).

O. n. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 206 T. 20 F. 5 (D ♂♀).
O. n. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 100 T. 4 F. 8 (D ♂♀).
O. n. Bösenberg 1902, Zoologica 14 (2—4) p. 361 T. 33 F. 531 (D ♂♀).
O. n. Lessert 1910, Catal. Invert. Suisse; Araign. p. 361 (D ♂♀).
O. n. Simon 1932, Arachn. de France 6 (4) p. 797, 806, 872, f. 1172, 1173, 1200 (D ♂♀).
O. n. Tullgren 1944, Svensk Spindelfauna 3 p. 77 T. 9 F. 140—143 (D ♂♀).
O. n. Locket & Millidge 1951, Brit. Spiders 1 p. 189 f. 94D, 95A (D ♂♀).

♂ **numida** (Lucas) 1846. Algier

Thomisus n. Lucas 1846, Explor. Sci. Alger.; Zool. 1 Arachn. p. 189 T. 10 F. 9 (D ♂).
Xystica n. Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 428 (C).
O. n. Simon 1875, Arachn. de France 2 p. 240 (N).

♂ **pauxilla** (Simon) 1870. Marokko, Algier, Portugal

Thomisus p. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 322 T. 3 F. 13 (D ♂).
O. p. Simon 1875, Arachn. de France 2 p. 240 (N).
O. p. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 180 (C).
O. p. Machado 1941, Mem. Mus. Zool. Univ. Coimbra (1) 117 p. 33 (N).

♂ **perplexa** Simon 1875. Frankreich, Spanien, Algier

O. p. Simon 1875, Arachn. d. France 2 p. 223 (D ♂).
O. p. Simon 1932, Arachn. de France 6 (4) p. 804, 873 f. 1195, 1196 (D ♂).

♀ **pseudoblitea** Simon 1880. Peking, Karakorum

O. p. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 109 (D ♀).

♂ **pullata** (Thorell) 1875. SO.-Russland

Xysticus p. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 93 (D ♂).
Xysticus p. Thorell 1875, Svensk Vet. Ak. Handl. 13 (5) p. 141 (D ♂).

♂♀ **rauda** Simon 1875. Spanien, Frankreich, Mitteleuropa, Balkanländer, Sibirien

O. r. Simon 1875, Arachn. de France 2 p. 226 T. 7 F. 20 (D ♂♀).
O. septentrionalium L. Koch 1879, Svensk Vet. Ak. Handl. 16 (5) p. 96 T. 3 F. 11 (D ♂♀).
O. obsoleta Kulczynski 1882, Denkschr. Ak. Wiss. Krakau 8 p. 38 T. 3 F. 24 (D ♂♀).
O. r. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 100 T. 3 F. 37; T. 4 F. 2 (D ♂♀).
O. r. Bösenberg 1902, Zoologica 14 (2—4) p. 360 T. 33 F. 530 (D ♂♀).
O. nigrita Bösenberg 1902, Zoologica 14 (2—4) p. 361 T. 33 F. 531 (D ♂♀).
O. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 359 (D ♂♀).
O. r. Simon 1932, Arachn. de France 6 (4) p. 801, 807, 874, f. 1184, 1186, 1201 (D ♂♀).
O. r. typica Holm 1945, Ark. Zool. 36 (A, 15) p. 66 (N).

♂♀ **rauda arctica** Kulczynski 1908. N.-Europa, Sibirien, Kamtschatka

O. r. a. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 51 (D ♂).
O. orientalis Kulczynski 1926, Ann. Mus. Zool. Leningrad 27 p. 64 T. 3 F. 25 (D ♀).
O. septentrionalium Schenkel 1931, Naturw. Unters. Sarekgeb. Zool. 4 p. 970 f. 10 (N ♀).
O. rauda Tullgren 1944, Svensk Spindelfauna 3 p. 75 T. 8 F. 136—137; T. 9 F. 138 (D ♂♀).
O. r. a. Holm 1945, Ark. Zool. 36 (A, 15) p. 66 (N ♂♀).

♀ **rigida** (Cambridge) 1872. Syrien, Palästina, Cypern
Thomisus r. Cambridge 1872, Proc. Zool. Soc. Lond. p. 305 (D ♀).
O. r. Simon 1875, Arachn. de France 2 p. 241 (N).
O. r. Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 70 T. 2 F. 15 (D ♀).

♀ **rubicunda** Bösenberg 1902. Hamburg, Holstein
O. r. Bösenberg 1902, Zoologica 14 (2—4) p. 364 T. 34 F. 536 (D ♀).

♂♀ **sanctuaria** (Cambridge) 1870. W.- u. Mitteleuropa, Bulgarien
Thomisus s. Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 405 T. 54 F. 8 (D ♂).
O. s. Simon 1875, Arachn. de France 2 p. 217 T. 7 F. 18 (D ♂♀).
O. s. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 319 (D ♂).
O. s. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 196 T. 19 F. 2 (D ♂♀).
O. s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 100 T. 4 F. 9 (D ♂).
O. s. Simon 1932, Arachn. de France 6 (4) p. 798, 809, 872 f. 1174, 1175, 1207 (D ♂♀).
O. s. Locket & Millidge 1951, Brit. Spiders 1 p. 189 f. 94E, 95C (D ♂♀).

♂♀ **scabricula** (Westring) 1851. Europa, Turkestan, W.-Sibirien
Thomisus s. Westring 1851, Göteborg Vet. Handl. 2 p. 50 (D ♀).
Thomisus s. Westring 1862, Aran. Svec. p. 441 (D ♂♀).
Xysticus s. Thorell 1872, Rem. Syn. Europ. Spid. p. 257 (N).
Coriarachne claveata Menge 1875, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 423 T. 71 F. 238 (D ♂♀).
O. s. Simon 1875, Arachn. de France 2 p. 229 T. 7 F. 21 (D ♂♀).
O. s. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 200 T. 20 F. 1 (D ♂♀).
O. s. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 74 (D ♂♀).
O. s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 100 T. 4 F. 6 (D ♂♀).
O. s. Bösenberg 1902, Zoologica 14 (2—4) p. 362 T. 33 F. 533 (D ♂♀).
O. s. Cambridge 1907, Proc. Dorset F. Cl. 28 p. 133, 145 T. B F. 57—63 (N ♂).
O. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 360 (D ♂♀).
O. s. Ermolajew 1928, Arch. Naturg. 92 (A; 7) p. 105 f. 6 (D ♂♀).
O. s. Simon 1932, Arachn. de France 6 (4) p. 798, 807, 874 f. 1176, 1203 (D ♂♀).
O. s. Tullgren 1944, Svensk Spindelfauna 3 p. 76 f. 32; T. 9 F. 139 (D ♂♀).
O. s. Locket & Millidge 1951, Brit. Spiders 1 p. 188 f. 94F, 95B (D ♂♀).

♂o **simplex** (Cambridge) 1862. Europa
Thomisus s. Cambridge 1862, Zoologist 20 p. 7951 (D ♂♀).
Xysticus pusio Thorell 1872, Rem. Syn. Europ. Spid. p. 256 (D ♂, nec ♀).
Thomisus s. Cambridge 1873, Trans. Linn. Soc. Lond. 28 (3) p. 436 T. 33 F. 2 (N ♂).
O. s. Simon 1875, Arachn. de France 2 p. 227 T. 7 F. 17 (D ♂♀).
O. s. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 324 (D ♂♀).
O. s. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 199 T. 19 F. 4 (D ♂♀).
O. s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 100 T. 4 F. 5 (D ♂♀).
O. s. Bösenberg 1902, Zoologica 14 (2—4) p. 357 T. 33 F. 525 (D ♂♀).
O. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 364 (D ♂♀).
O. s. Simon 1932, Arachn. de France 6 (4) p. 803, 809, 873 f. 1192, 1205 (D ♂♀).
O. s. Locket & Millidge 1951, Spiders 1 p. 193 f. 96D, 97B (D ♂♀).

♂♀ **sincera** Kulczynski 1926. Kamtschatka
O. s. Kulczynski 1926, Ann. Mus. Zool. Leningrad 27 p. 62 T. 3 F. 24 (D ♀).
O. s. Schenkel 1930, Ark. Zool. 21 (15) p. 28 f. 11 (D ♂).

♀ **spinosissima** Caporacco 1934. Karakorum
O. sp. Caporiacco 1934, Mem. Soc. Ent. Ital. 13 p. 191 T. 4 F. 6 (D ♀).

♀ **strandi** Kolosvary 1939. Dalmatien
O. st. Kolosvary 1939, Festschr. Strand 5 p. 134 f. 2 (D ♀).

♀ **subclavata** (Cambridge) 1876. Aegypten, Tripolis, Cufra
Xysticus s. Cambridge 1876, Proc. Zool. Soc. Lond. p. 584 (D ♀).
O. s. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 180 (C).
O. s. Caporiacco 1933, Ann. Mus. Civ. Genova 56 p. 327 (D ♀).

takashimai Uyemura 1937. Japan
O. t. Uyemura 1937, Act. Arachn. Tokyo 2 p. 153 (D).

♀ **terrea** Kulczynski 1926. Kamtschatka
O. t. Kulczynski 1926, Ann. Mus. Zool. Leningrad 27 p. 65 T. 3 F. 26 (D ♀).

♂ **tricoloripes** Strand 1913. Palästina
O. t. Strand 1913, Arch. Naturg. 79 (A; 2) p. 152 (D ♂).

♀ **truciformis** Bösenberg & Strand 1906. Japan
O. t. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 259 T. 10 F. 154 (D ♀).

♂♀ **trux** (Blackwall) 1846. Europa
Thomisus t. Blackwall 1846, Ann. Mag. Nat. Hist. (1) 18 p. 300 (D ♂).
Thomisus brevipes Westring 1851, Göteborg Vet. Handl. 2 p. 50 (C ♂, nec ♀).
Thomisus t. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 84 T. 4 F. 50 (D ♂).
Thomisus brevipes Westring 1862, Aran. Svec. p. 438 (D ♂).
Xysticus praticola Ohlert 1867, Aran. Prov. Preussen p. 117 (D ♂, nec ♀).
Xysticus westringi Thorell 1873, Rem. Syn. Europ. Spid. p. 572 (N).
O. t. Simon 1875, Arachn. de France 2 p. 234 T. 7 F. 19 (D ♂♀).
O. t. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 320 (D ♂♀).
O. t. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 204 T. 20 F. 4 (D ♂♀).
O. t. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 74 (D ♂♀).
O. westringi Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 74 (D ♂♀).
O. t. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 99 T. 3 F. 39 (D ♂♀).
O. t. Bösenberg 1902, Zoologica 14 (2—4) p. 358 T. 33 F. 527 (D ♂♀).
O. t. Lessert 1910, Catal. Invert. Suisse; Araign. p. 358 (D ♂♀).
O. t. Simon 1932, Arachn. de France 6 (4) p. 804, 809, 873 f. 1193, 1194, 1206 (D ♂♀).
O. t. Tullgren 1944, Svensk Spindelfauna 1 p. 74 T. 8 F. 133—135 (D ♂♀).
O. t. Locket & Millidge 1951, Brit. Spiders 1 p. 190 f. 96B, 97D (D ♂♀).

trux devittata Strand 1901. Norwegen
O. t. d. Strand 1901, Abh. Nat. Ges. Görlitz 23 p. 174 (7) (D).

♂♀ **umbraculorum** Simon 1932. O.-Pyrenäen, Portugal
O. u. Simon 1932, Arachn. de France 6 (4) p. 807, 873 f. 1202 (D ♀).
O. u. Machado 1949, Publ. Inst. Zool. Porto 38 p. 46 f. 23 (D ♂, N ♀).

o **unica** Strand 1915. Palästina
O. u. Strand 1915, Arch. Naturg. 81 (A; 2) p. 150 (D o).

♀ **varica** (Simon) 1874. Algier
Xysticus v. Simon 1874, Ann. Soc. Ent. France (5) 4 Bull. p. 66 (C).
O. v. Simon 1875, Arachn. de France 2 p. 219 (D ♀).
O. v. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 367 (N ♀).

♂♀ **xysticiformis** Caporiacco 1935. Karakorum
O. x. Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 188 T. 4 F. 8 (D ♂♀).

Transgredierende Arten:

♂♀ **praticola** (C. L. Koch) 1837. Palaearktis u. Nearktis

Xysticus p. C. L. Koch 1837, Übers. Arach. Syst. 1 p. 26 (N).
Xysticus p. C. L. Koch 1838, Die Arachniden 4 p. 77 TF. 300—301 (D ♂♀).
Thomisus incertus Blackwall 1846, Ann. Mag. Nat. Hist. (1) 18 p. 297 (D ♂).
Thomisus incertus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 86 T. 4 F. 51 (D ♂♀).
Thomisus brevipes Westring 1863, Aran. Svec. p. 438 (D ♀, nec ♂).
Xysticus p. Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 620 (D ♀).
Xysticus incertus Thorell 1872, Rem. Syn. Europ. Spid. p. 255 (N ♂).
Xysticus brevipes Thorell 1872, Rem. Syn. Europ. Spid. p. 255 (N ♀, nec ♂).
O. p. Simon 1875, Arachn. de France 2 p. 222 T. 7 F. 24 (D ♂♀).
O. caligans Simon 1875, Arachn. de France 2 p. 240 (D ♀).
Xysticus p. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 316 (D ♂♀).
O. p. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 197 T. 19 F. 3 (D ♂♀).
O. p. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 100 T. 3 F. 36; T. 4 F. 1 (D ♂♀).
O. p. divittata Strand 1901, Abh. Naturf. Ges. Görlitz 23 p. 174 (7) (D).
O. p. Bösenberg 1902, Zoologica 14 (2—4) p. 357 T. 33 F. 526 (D ♂♀).
O. p. Lessert 1910, Catal. Invert. Suisse, Araign. p. 363 (D ♂♀).
O. brevipes Dahl 1912, Beitr. z. Naturdenkmalpfl. 3 p. 591 (N).
O. p. Simon 1932, Arachn. de France 6 (4) p. 803, 811, 873 f. 1188—89, 1210 (D ♂♀).
O. p. Tullgren 1944, Svensk Spindelfauna 3 p. 78 T. 9 F. 144—146 (D ♂♀).
O. p. Locket & Millidge 1951, Brit. Spiders 1 p. 190 f. 96A, 97C (D ♂♀).
O. p. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 470 f. 92—93 (N ♂♀).

Aethiopische Arten:

♀ **aspex** Pavesi 1896. Abessinien

O. a. Pavesi 1896, Ann. Mus. Civ. Genova 35 p. 515 (D ♀).

♀ **metschensis** Strand 1906. Abessinien, O.-Afrika

O. m. Strand 1906, Zool. Anz. 30 (19—20) p. 683 (D ♀).
O. m. Strand 1908, Arch. Naturg. 74 (I; 1) p. 37 T. 2 F. 7 (D ♀).

♀ **panganica** Caporiacco 1947. O.-Afrika

O. p. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 225 T. 2 F. 61 (D ♀).

♂ **parvimana** Simon 1885. Senegambien

O. p. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 364 (D ♂).

Orientalische Arten:

♂ **theobaldi** Simon 1885. Indien

O. t. Simon 1885, Bull. Soc. Zool. France 10 p. 459 (D ♂).
O. t. Simon 1906, Ann. Soc. Ent. France 75 p. 292 (C).

Australische Arten:

♀ **heterophthalma** Berland 1938. Neue Hebriden

O. h. Berland 1938, Ann. Soc. Ent. France 107 p. 133 f. 10—13 (D ♀).

Neotropische Arten:

♂ **imitata** Gertsch 1953. Mexico

O. i. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 464 f. 77—78 (D ♂).

♀ **peon** Gertsch 1953. Mexico

O. p. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 465 f. 79 (D ♀).

Transgredierende Arten:

♂♀ **floridana** Banks 1895. Florida, Georgia

? **Thomisus infumatus** Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 508 (D).
O. f. Banks 1895, Psyche 7 p. 243 (D ♀).
O. floridensis Banks 1904, Proc. Ac. Sci. Philad. 54 p. 132 (N).
O. f. Bryant 1930, Psyche 37 (4) p. 380 T. 18 F. 3—4; T. 20 F. 18 (D ♂♀).
O. f. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 341 TF. 106, 107, 129 (D ♂♀).
O. infumata Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 169 (N).
O. (Modysticus) f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 464 (N ♂♀).

♂♀ **formosa** Bryant 1930. Florida, Long Island, New York

O. f. Bryant 1930, Psyche 37 (4) p. 381 T. 18 F. 5 u. 7; T. 20 F. 17 (D ♂♀).
O. f. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 344 TF. 118, 119, 136 (D ♂♀).
O. f. Kaston 1948, State Connect. Publ. Docum. 48, Bull. 70 p. 420 T. 79 F. 1495; T. 82 F. 1537 (D ♂♀).
O. f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 466 (N ♂♀).

Nearktische Arten:

§ 6 Arten: Banks 1895, Psyche 7 p. 241.
§ 9 ♂ : Bryant 1930, Psyche 37 p. 376—377.
§ 6 Arten: Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 201.

♂♀ **americana** Banks 1895. New York, Indiana, Michigan, Canada

O. conspurcata Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 417 T. 4 F. 7a, 7c (D ♀, part.).
O. a. Banks 1895, Psyche 7 p. 242 (D ♀).
O. a. Bryant 1930, Psyche 37 (4) p. 377 T. 18 F. 1; T. 20 F. 15 (D ♂♀).
O. a. Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 191 (N).
O. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 345 TF. 100, 101, 114, 115, 126, 139 (D ♂♀).
O. a. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 199 (part.).
O. a. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 420 T. 79 F. 1493; T. 81 F. 1511; T. 82 F. 1535 (D ♂♀).
O. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 466 (N).

♂♀ **barrowsi** Gertsch 1930. Indiana, Connecticut, Michigan, Ontario

? **O. modesta** Bryant 1930, Psyche 37 (4) p. 383 T. 18 F. 6 (D ♂, nec ♀).
O. americana Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 348 f. 133.
O. americana Chickering 1940, Pap. Michigan Ac. Sci. 25 p. 199 f. 18 (part.).
O. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 466 TF. 80 (N ♂♀).

♂♀ **beaufortensis** Strand 1915. N.-Carolina

O. b. Strand 1915, Arch. Naturg. 81 (A, 9) p. 124 (D O).
? **O. modesta** Bryant 1930, Psyche 37 (4) p. 383 T. 20 F. 20 (D ♀, nec ♂).
O. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 471 (N ♀).

♀ **belma** Gertsch 1953. Montreal, Quebec

O. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 467 TF. 81 (D ♀).

♂ **bison** Gertsch 1953. Colorado

O. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 468 TF. 85—87 (D ♂).

♂♀ **bryantae** Gertsch 1939. Nordöstl. U. St. Amerika

O. monroensis Banks 1895, Journ. N. York Ent. Soc. 3 p. 90 (D).
O. monroensis Bryant 1930, Psyche 37 (4) p. 385 T. 19 F. 9; T. 20 F. 19 (D ♂♀).
O. monroensis Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 90 (N).
O. b. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 348 TF. 108—109 (D ♂♀).
O. b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 420 T. 79 F. 1494, T. 82 F. 1536 (D ♂♀).
O. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 467 (N ♂♀).

♂♀ **conspurcata** Thorell 1877. Nearktis

O. c. Thorell 1877, Bull. U. St. Geol. Surv. 3 (2) p. 496 (D ♀).
O. georgiana Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 52 T. 1 F. 26 (D ♀).
O. georgiana Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 57 T. 3 F. 11 (C ♀).
O. c. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 57 T. 3 F. 12 (C ♀).
O. c. Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 417 T. 4 F. 7 (nec F. 7a, c) (D ♀, part.).
O. c. Comstock 1912, Spider Book p. 531 f. 585 (N).
O. c. Bryant 1930, Psyche 37 (4) p. 379 T. 18 F. 2; T. 20 F. 16 (D ♂♀).
O. c. Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 191 (N).
O. c. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 343 TF. 116, 117, 135 (D ♂♀).
O. c. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 201 f. . . (N).
O. c. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 419 T. 79 F. 1492; T. 81 F. 1517—18; T. 82 F. 1534 (D ♂♀).
O. c. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 469 (N ♂♀).

♀ **creola** Gertsch 1953. Georgia

O. c. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 469 TF. 88 (D ♀).

♂♀ **gertschi** Kurata 1944. Ontario, Alberta

O. g. Kurata 1944, Occ. Pap. R. Ontario Mus. Zool. 8 p. 1 f. 1, 2, 5, 6 (D ♂).
O. g. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 470 TF. 89—91 (D ♂♀).

♀ **hardyi** Gertsch 1953. Texas

O. h. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 471 TF. 83 (D ♀).

♂♀ **modesta** (Scheffer) 1904. Kansas, Californien, Georgia

Xysticus m. Scheffer 1904, Ent. News 15 p. 257 T. 17 F. 1 (D ♀).
O. m. Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 49 (C).
O. beaufortensis Strand 1915, Arch. Naturg. 81 (A; 9) p. 124 (D ♂).
O. marshalli Barrows 1919, Ohio Journ. Sci. 19 p. 357 T. 15 F. 2 (D ♂).
O. marshalli Bryant 1930, Psyche 37 p. 382 f. 8, 10 (D ♂).
O. m. Bryant 1930, Psyche 37 p. 383 f. 20 (D ♀, nec ♂).
O. m. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 340 TF. 104, 105, 127, 128 (D ♂♀).
O. (Modysticus) m. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 464 TF. 82 (N ♂♀).

♂♀ **monroensis** Keyserling 1884. U. St. Amerika

O. m. Keyserling 1884, Verh. Zool. Bot. Ges. Wien 33 p. 671 T. 21 F. 19 (D O ♀).
O. neglecta Bryant 1930, Psyche 37 p. 386 f. 11, 14; T. 19 F. 8—14 (D ♂).
O. m. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 346 TF. 110, 111, 131 (D ♂♀).
O. m. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 466 (N ♂♀).

♂♀ **nevadensis** Keyserling 1880. Westl. U. St. Amerika
O. n. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 50 T. 1 F. 25 (D ♀).
O. n. Banks 1895, Psyche 7 p. 243 (N).
O. n. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 347 TF. 112, 113, 132 (D ♂♀).
O. n. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 467 TF. 84 (D ♂♀).

♀ **okefinokensis** Gertsch 1934. Georgia
O. o. Gertsch 1934, Amer. Mus. Novit. 707 p. 13 (D ♀).
O. okefenokensis Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 342 TF. 130, 138 (D ♀).
O. okefenokensis Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 465 (D ♀).

♂♀ **pacifica** Banks 1895. Washington-St., Canada, Olympia, Colorado
O. p. Banks 1895, Psyche 7 p. 243 (D O♀).
O. p. Bryant 1930, Psyche 37 (4) p. 386 T. 19 F. 12, 13, 21; T. 20 F. 21 (D ♂♀).
O. p. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 349 TF. 122, 123, 137 (D ♂♀).
O. p. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 468 (N ♂♀).

Gen. **Parasynema** F. Cambridge 1900.

♀ **cambridgei** Roewer 1951. Guatemala
Xysticus adustus Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 70 T. 9 F. 11 (D ♀) (praeocc. Simon 1867).
P. adusta F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 153 (C ♀).
P. c. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 499 (nom. nov.).

♂♀ **cirripes** (Cambridge) 1891. – * Guatemala, Mexico
Synaema c. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 79T. 10 F. 11 (D ♂).
Synaema c. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 180 T. 22 F. 2 (D ♀).
P. c. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 153 T. 10 F. 23 (N ♀).

Gen. **Phireza** Simon 1886.

♀ **sexmaculata** Simon 1886. S.-Brasilien, Amazonas
P. s. Simon 1886, Act. Soc. Linn. Bord. 40 p. 182 (D ♀).
P. s. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1037 (N).
P. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 206 (D ♀).

Gen. **Physoplatys** Simon 1895.

o **nitidus** Simon 1895. Paraguay
P. n. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 438 (D o).
P. n. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1037 (N).

Gen. **Platypyresthesis** Simon 1903.

cribrata (Simon) 1901. Abessinien
Pyresthesis c. Simon 1901, Ann. Soc. Ent. France 70 p. 22 (D).
P. c. Simon 1903, Hist. Nat. Araign. 2 (4) p. 1014 (N).

Gen. **Pyresthesis** Butler 1879.

Aethiopische Arten:

♀ **cambridgii** Butler 1879. – * Madagascar
P. c. Butler 1879, Proc. Zool. Soc. Lond. p. 733 T. 58 F. 6 (D ♀).

♀ **laevis** (Keyserling) 1877. Madagascar
Phrynarachne l. Keyserling 1877, Verh. Zool. Bot. Ges. Wien 27 p. 92 T. 3 F. 5 (D ♀).
P. l. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1036 (N).

Neotropische Arten:

♀ **berlandi** Caporiacco 1947. Brit. Guiana
P. b. Caporiacco 1947, Monit. Zool. Ital. 56 (1—6) p. 30 (D ♀).
P. b. Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 696 (D ♀).

Gen. **Saccodomus** Rainbow 1900.

♀ **formivorus** Rainbow 1900. Neu-S.-Wales
S. f. Rainbow 1900, Rec. Austral. Mus. 3 (7) p. 174 T. 30 F. 2 (D ♀).

Gen. **Soelteria** Dahl 1907.

♂ **nigra** Dahl 1907. Madagascar
S. n. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 376 (D ♂).

Gen. **Synaemops** Mello-Leitao 1929.

§ 2 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 208.

♀ **nigrodorsi** Mello-Leitao 1929. – * Brasilien
S. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 208 TF. 20 (D ♀).

♂ **notabilis** Mello-Leitao 1941. Rio Negro
S. n. Mello-Leitao 1941, Arqu. Inst. Biol. S. Paulo 11 (30) p. 251 (D ♂).

♂ **pugilator** Mello-Leitao 1941. Santa Fe
S. p. Mello-Leitao 1941, Rev. Mus. La Plata (N. S.) 2, Zool. 13 p. 219 f. 30 (D ♂).

♀ **rubropunctatum** Mello-Leitao 1929. Brasilien
S. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 209 TF. 18 (D ♀).

Gen. **Synema** Simon 1864.

(= **Synaema** auct. sequ.)

Palaearktische Arten:

♂♀ **candicans** (Cambridge) 1876. Aegypten
Diaea c. Cambridge 1876, Proc. Zool. Soc. Lond. p. 580 (D ♂♀).

o **cervinum** Schenkel 1936. S.-Kansu
S. cervina Schenkel 1936, Ark. Zool. 29 (A; 1) p. 137 (D o).

♂♀ **globosum** (Fabricius) 1775. – * Palaearktis (Makronesien)
Aranea g. Fabricius 1775, Ent. Syst. 2 p. 432 (D).
Aranea plantigera Rossi 1790, Faun. Etrusc. 2 p. 134 (D).
Aranea irregularis Panzer 1801, Faun. Ins. Germ. 74 (D).
Aranea rotundata Walckenaer 1802, Faun. Paris. 2 p. 231 T. 7.
Thomisus rotundatus Walckenaer 1805, Tabl. Aran. p. 30 (N).
Thomisus rotundatus Walckenaer 1825, Faun. Franç. p. 71 T. 6 F. 4 (D).
Thomisus rotundatus Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 400 T. 7 F. 3—5 (D ♀).
Thomisus g. Hahn 1831, Die Arachniden 1 p. 34 TF. 28 (D ♂♀).
Thomisus g. Hahn 1833, Monogr. d. Spinn. 7 p. 1 T. 26 F. d (D ♀).
Thomisus rotundatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 500 (D ♂♀).

S. rotundata Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 433 (C).
Diaea g. Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 151 (N).
Diaea g. Thorell 1873, Rem. Syn. Europ. Spid. p. 542 (N).
S. g. Simon 1875, Arachn. de France 2 p. 202 (D ♂♀).
S. (Diaea) g. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 366 (N ♀).
S. g. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 188 T. 18 F. 3 (D ♂♀).
S. g. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 72 (D ♂♀).
S. g. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 86 (D ♂♀).
S. g. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1036 (N).
S. g. Bösenberg 1902, Zoologica 14 (2—4) p. 368 T. 34 F. 541 (D ♂♀).
S. g. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 378, 389 (D ♂♀).
S. g. Lessert 1910, Catal. Invert. Suisse; Araign. p. 379 (D ♂♀).
S. g. Reimoser 1931, Die Natur (Wien) 7 (6) p. 129 f. 3 (N ♂♀).
S. g. Simon 1932, Arachn. de France 6 (4) p. 811, 874 (D ♂♀).
S. g. Saito 1936, Rep. 1. Sci. Exp. Manchoukuo (5) 1 (3) p. 4, 74 f. 1; T. 7 (N ♀).

globosum canariense Dahl 1907. Canaren

S. g. c. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 378 (D).

♀ **globosum clarum** Franganillo 1913. NW.-Spanien

S. g. c. Franganillo 1913, Broteria 11 p. 132 (D ♀).
S. g. c. Franganillo 1918, Bol. Soc. Ent. Espan. 1 p. 64 (D ♀).

♀ **globosum flavum** Franganillo 1913. NW.-Spanien

S. g. f. Franganillo 1913, Broteria 11 p. 132 (D ♀).

♀ **globosum nigriventre** Kulczynski 1901. Sibirien

S. g. nigriventris Kulczynski 1901, in: Zool. Erg. 3. Reis. Zichy 2 p. 336 T. 13 F. 6, 7 (D ♀).

♂♀ **japonicum** Karsch 1879. Japan

S. j. Karsch 1879, Verh. Nat. Ver. Rheinl. Westf. 36 p. 75 T. 1 F. 10 (D ♂♀).
S. j. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 265 T. 10 F. 165 (D ♂♀).
S. globosa j. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 378 (N).
S. globosa j. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 277 T. 12 F. 5; T. 14 F. 38 (N ♀).

♂♀ **plorator** (Cambridge) 1872. Mittelmeergebiet, SO.-Europa, Sibirien, Centr.-Asien

Thomisus p. Cambridge 1872, Proc. Zool. Soc. Lond. p. 306 (D ♂).
Diaea ornata Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 94 (D ♂).
Diaea ornata Thorell 1875, Svensk Vet. Ak. Handl. 13 (5) p. 128 (D ♂).
S. p. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 322 (N).
S. ornatum Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 87 (D ♂♀).
S. ornatum Kulczynski 1901, in: Zool. Erg. 3. Reis. Zichy 2 p. 336 T. 13 F. 8 (N ♀).
S. p. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 389 (D).
S. p. Strand 1913, Arch. Naturg. 79 (A; 10) p. 154 (N ♂♀).

♀ **valentinieri** Dahl 1907. Oberaegypten

S. v. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 383, 390 (D ♀).

Transgredierende Arten:

♂♀ **audouini** Roewer 1951. Aegypten, Syrien, Arabien, Portug. O.-Afrika, Natal

Thomisus diana Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 399 T. 7 F. 1, 2 (D ♀) (praeocc. Walckenaer 1805).
Diaea diana Cambridge 1876, Proc. Zool. Soc. Lond. p. 580 (D ♂♀).

S. diana Simon 1822, Ann. Mus. Civ. Genova 18 p. 224 (N).
S. diana Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 387, 391 (D ♀).
S. diana Lessert 1919, Rev. Suisse Zool. 27 (5) p. 148 T. 2 F. 19, 23; f. 20 (D ♂♀).
S. diana Lawrence 1942, Ann. Natal Mus. 10 (2) p. 164 (N ♂♀).
S. a. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 449 (nom. nov.).

♂♀ **multipunctatum** (Simon) 1895. Yemen, Congo, Franz. Guinea
Firmicus m. Simon 1895, Ann. Soc. Ent. Belg. 39 p. 438 (D ♀).
S. m. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 328 f. 16 (D ♀).
S. m. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 55 (D ♂).

♂ **multipunctatum dewitzi** (Simon) 1899. Aegypten
Firmicus dewitzi Simon 1899, Ann. Soc. Ent. France 66 Bull. p. 245 f. 4 (D ♂).
S. dewitzi Lessert 1919, Rev. Suisse Zool. 27 (5) p. 196 (C).
S. m. d. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 57 (N).

Aethiopische Arten:

♂ **annulipes** Dahl 1907. O.-Afrika
S. (Weissella) a. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 383, 392 (D ♂).

♂ **berlandi** Lessert 1919. O.-Afrika, Abessinien
S. b. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 152 T. 2 F. 3; f. 22 (D ♂).

♂ **bourgini** Millot 1941. Franz. Guinea
S. b. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 57 f. 26 (D ♂).

♀ **buettneri** Dahl 1907. Camerun, Togo
S. b. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 382, 389 (D ♀).

♀ **camerunensis** Dahl 1907. Camerun
S. c. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 384, 393 (D ♀).

♀ **concolor** Caporiacco 1947. O.-Afrika
S. c. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 221 T. 2 F. 60 (D ♀).

♀ **conradti** Dahl 1907. Camerun
S. c. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 386, 389 (D ♀).

♂♀ **curvatum** Dahl 1907. O.-Afrika
S. c. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 386, 390 (D ♂♀).

♂♀ **decens** (Karsch) 1878. Natal
Diaea d. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 773 (D ♀).
S. d. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 382, 389 (D ♂♀).
S. d. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 196 (C).

♂ **fischeri** Dahl 1907. Somaliland
S. (Gerhardtia) f. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 380, 390 (D ♂).

♂ **flavimanum** Dahl 1907. O.-Afrika
S. (Weissella) f. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379, 392 (D ♂).

flavipes Dahl 1907. Togo
S. (Weissella) f. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 382, 391 (D juv.)

♂♀ **flavum** Dahl 1907. O.-Afrika
S. (Justella) f. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 382, 393 (D ♂♀).

♂♀ **flexuosum** Dahl 1907. O.-Afrika
S. (Baerella) f. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 386, 391 (D ♂♀).
S. (Baerella) f. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 223 (N).

♂ **fuelleborni** Dahl 1907. O.-Afrika
S. (Gerhardtia) f. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 381, 390 (D ♂).

♂♀ **gracilipes** Dahl 1907. O.-Afrika, Franz. Congo
S. (Bueltia) g. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 383, 392 (D ♂♀).

♀ **helvolum** Simon 1907. Portug. Guinea
S. h. Simon 1907, Ann. Mus. Civ. Genova 43 p. 317 (D ♀).

♂♀ **hildebrandti** Dahl 1907. Madagascar
S. (Justella) h. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379, 381, 394 (D ♂♀).

♂ **hirtipes** Dahl 1907. Rhodesien
S. h. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 386, 390 (D ♂).

♂♀ **imitatrix** (Pavesi) 1883. Abessinien, O.-Afrika, Capland
Diaea i. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 59 (D ♀).
S. i. Pavesi 1897, Ann. Mus. Civ. Genova 38 p. 174 (N ♀).
S. (Baerella) imitator Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 382, 391 (D ♀).
S. imitator Lessert 1919, Rev. Suisse Zool. 27 (5) p. 151 T. 2 F. 16; f. 21 (D ♂).
S. (Baerella) imitator Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 850 (C ♂♀).

♀ **imitator meridionale** Strand 1907. Capland
S. i. m. Strand 1907, Zool. Jahrb. Syst. 25 (5—6) p. 660 (D ♀).

♀ **insulare** (Blackwall) 1877. Seychellen
Thomisus i. Blackwall 1877, Proc. Irish Ac. (2) 3 p. 7 T. 1 F. 6 (D ♀).
S. i. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 381 (N).

♂ **jaspideum** Simon 1907. Sierra Leone, Fernando Poo
S. j. Simon 1907, Ann. Mus. Civ. Genova 43 p. 318 (D ♂).

o **langheldi** Dahl 1907. Mohorro, O.-Afrika
S. l. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 383, 390 (D o).
S. l. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 221 (D ♀).
S. l. Lawrence 1949, Göteborgs Vet. Handl. (B) 5 (9) p. 26 f. 14 (D ♀).

♀ **laticeps** Dahl 1907. O.-Afrika
S. (Schilleria) l. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 380, 390 (D ♀).

♀ **latissimum** Dahl 1907. Togo
S. (Weissella) l. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 383, 392 (D ♀).

o **lentiginosum** Simon 1886. Sambesia
S. l. Simon 1886, Act. Soc. Linn. Bord. 40 p. 180 (D o).
S. l. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 385 (N).
Firmicus l. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 321 (C).

♂ **longipes** Dahl 1907. Togo
S. (Baerella) l. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 386, 391 (D ♂).

♂ **longispinosum** Dahl 1907. O.-Afrika
S. l. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 387, 390 (D ♂).

♂♀ **lunulatum** Dahl 1907. Madagascar
S. (Rimania) l. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 384, 393 (D ♂♀).

♂ **mandibulare** Dahl 1907. O.-Afrika
S. (Baerella) m. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 383, 391 (D ♂).

♀ **marcidum** Simon 1907. Portug. Guinea
S. m. Simon 1907, Ann. Mus. Civ. Genova 43 p. 317 (D ♀).

♂♀ **marlothi** Dahl 1907. Capland
S. m. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379, 389 (D ♂♀).

♀ **nigriventer** Dahl 1907. O.-Afrika
S. (Rimania) n. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 381, 392 (D ♀).

♂ **nigrotibialis** Lessert 1919. O.-Afrika
S. n. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 156 T. 2 F. 22; f. 23, 24 (D ♂).

♂ **obscurifrons** Dahl 1907. Madagascar
S. (Rimania) o. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 385, 393 (D ♂).

♂ **obscuripes** Dahl 1907. Madagascar
S. (Rimania) o. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379, 393 (D ♂).

o **pauciaculeis** Caporiacco 1947. O.-Afrika
S. (Baerella) p. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 224 (D o).

quadrifasciatum Dahl 1907. O.-Afrika
S. (Rimania) qu. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 381, 392 (D juv.).

♂♀ **reimoseri** Lessert 1928. Congo
S. r. Lessert 1928, Rev. Suisse Zool. 35 (18) p. 322 f. 12, 13 (D ♂♀).

♂ **riflense** Strand 1909. Capland
S. r. Strand 1909, Deutsch. Südpol. Exped. 1901—03; 10 (5) Zool. 2 p. 579 (D ♂).

O **scalare** Strand 1913. Centr. Afrika
S. s. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 396 (D O).

♂♀ **scheffleri** Dahl 1907. O.-Afrika
S. s. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 384, 387, 390, 394 (D ♂♀).

♀ **simoneae** Lessert 1919. O.-Afrika
S. s. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 154 T. 2 F. 20, 26 (D ♀).

♂♀ **steckeri** Dahl 1907. Togo, Suakim
S. s. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 385, 389 (D ♀).
S. s. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 850 (N ♂).

o **subabnorme** Caporiacco 1947. Uganda
S. s. Caporiacco 1947, Ann. Mus. Nat. Hungar. 40 (3) p. 222 (D o).

♂ **tibiale** Dahl 1907. Nyassaland
S. (Baerella) t. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 380, 385, 391 (D ♂).

togoense Dahl 1907. Togo
S. (Justella) t. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 378, 394 (D juv.).

♀ **vallotoni** Lessert 1923. Capland
S. v. Lessert 1923, Rev. Suisse Zool. 30 (6) p. 176 f. 21, 22 (D ♀).

♀ **variabile** Caporiacco 1939. Abessinien
S. v. Caporiacco 1939, Real Accad. Ital. p. 366 f. 19 (D ♀).

Orientalische Arten:

♀ **batjense** Simon 1886. I. Batjan
S. b. Simon 1886, Act. Soc. Linn. Bord. 40 p. 179 (D ♀).

♀ **excultum** Cambridge 1885. NW.-Indien
S. e. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 60 (D ♂♀).

♀ **lineatum** Thorell 1894. Singapore
S. l. Thorell 1894, Bull. Soc. Ent. Ital. 26 (3) p. 353 (D ♀).
S. l. Workman 1896, Malays. Spid. p. 87 **T.** 87 (D ♀).

♂♀ **margaritaceum** Simon 1909. Tonking
S. m. Simon 1909, Bull. Soc. France Belg. 42 p. 143 (D ♂♀).

♂♀ **opulentum** Simon 1886. Indochina, Sumatra
S. o. Simon 1886, Act. Soc. Linn. Bord. 40 p. 145 (D ♀).
S. o. Thorell 1895, Descr. Catal. Spid. Burma p. 310 (D ♂).
S. o. Simon 1904, Aradın. in: Miss. Pavie Indo-Chin. 3 p. 283 (D ♀).
S. o. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 378, 385, 392 (D ♂♀).

♀ **opulentum birmanicum** Thorell 1887. Burma
S. o. b. Thorell 1887, Ann. Mus. Civ. Genova 25 p. 266 (D ♀).

Australische Arten:

§ 4 Arten: Simon 1900, Faun. Hawaiiens. 2 (5) p. 492.

♀ **dimidiatipes** Simon 1900. Hawai
S. d. Simon 1900, Faun. Hawaiiens. 2 (5) p. 493 T. 17 F. 3 (D ♀).

♀ **fronto** Simon 1900. Hawai
S. f. Simon 1900, Faun. Hawaiiens. 2 (5) p. 493 (D ♀).

♀ **impotens** Simon 1900. Hawai
S. i. Simon 1900, Faun. Hawaiiens. 2 (5) p. 494 (D ♀).

♂♀ **naevigerum** Simon 1900. Hawai
S. n. Simon 1900, Faun. Hawaiiens. 2 (5) p. 494 T. 17 F. 2 (D ♂♀).

♂ **papuanellum** Strand 1913. Neu-Guinea
S. p. Strand 1913, Arch. Naturg. 79 (A; 6) p. 118 (D ♂).
S. p. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 237 T. 18 F. 88 (D ♂).

o **rufithorax** Simon 1904. Hawai
S. r. Simon 1904, Faun. Hawaiiens. 3 (Aradın. Suppl.) p. 342 (D o).

♀ **seranicum** Strand 1913. Neu-Guinea
S. s. Strand 1913, Arch. Naturg. 79 (A; 6) p. 118 (D ♀).
S. s. Strand 1914, Abh. Senckenbg. Ges. 36 (2) p. 238 T. 18 F. 87 (D ♀).

♂♀ **suteri** Dahl 1907. Neu-Seeland
S. (Baerella) s. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 381, 391 (D ♀).

Neotropische Arten:

§ 5 ♂, 6 ♀: F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 149.
§ 17 Arten: Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 190—192.

♂ **abrahami** Mello-Leitao 1948. Brit. Guiana
S. a. Mello-Leitao 1948, An. Ac. Bras. Ci. 20 (2) p. 179 f. 21 (D ♂).

♀ **adjunctum** Cambridge 1891. Panama
S. a. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 84 T. 11 F. 1 (D ♀).
S. a. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 380 (N).

♀ **aequinoctiale** (Taczanowski) 1872. Guiana, Mexico
Xysticus a. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 87 (D ♀).
S. a. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 71 T. 2 F. 37 (D ♀).
S. a. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379 (N).

♂♀ **affinitatum** Cambridge 1891. Centr.-Amerika, Brasilien
S. a. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 82 T. 10 F. 12, 13 (D ♂♀).
S. profuga Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 84 T. 11 F. 3 (D ♀).
S. culta Cambridge 1893, Biol. Centr. Amer. Aran. 1 p. 119 T. 15 F. 15 (D ♀).
S. interrupta Cambridge 1893, Biol. Centr. Amer. Aran. 1 p. 120 T. 15 F. 9, 10 (D ♂♀).
S. polita Cambridge 1898, Biol. Centr. Amer. Aran. 1 p. 241 T. 33 F. 14, 15 (D ♂♀).
S. a. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 151 T. 10 F. 15—17 (N ♂♀).
S. a. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379, 381 (N).
S. profuga Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 385 (N).
S. polita Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 205 (D ♂♀).

♂ **bariguiensis** Mello-Leitao 1947. Brasilien
S. b. Mello-Leitao 1947, Arqu. Mus. Paranaense 6 (6) p. 277 T. 41 F. 31 (D ♂).

♂ **bellum** Soares 1944. Brasilien
S. b. Soares 1944, Bol. Industr. Animal. S. Paulo 7 (3—4) p. 78 f. . . . (D ♂).

♂♀ **bipunctatum** (Taczanowski) 1872. Guiana, Brasilien
Xysticus b. Taczanowski 1872, Hor. Soc. Ent. Ross. 9 p. 88 (D ♀).
S. brasiliana Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 59 T. 1 F. 29 (D ♂).
S. b. Keyserling 1881, Spinn. Amer. 1 (Laterigr.) p. 72 (D ♀).
S. (Justella) b. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 385, 392, 394 (D ♂♀).
S. b. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 201 (D ♀).

♀ **fasciatum** Mello-Leitao 1929. Brasilien
S. f. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 203 (D ♀).

♂♀ **fiebrigi** Dahl 1907. Paraguay
S. (Justella) f. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 380, 394 (D ♂♀).

♂ **fuscomandibulatum** Petrunkevitch 1928. Panama
S. **f.** Petrunkevitch 1928, Trans. Connect. Ac. Sci. 27 p. 131 f. 49 (D ♂).

♀ **glaucothorax** Piza 1934. Brasilien
S. **g.** Piza 1934, Rev. Biol. Hyg. S. Paulo 5 (1) p. 5 f. 4 (D ♀).

♀ **haemorrhoidale** Dahl 1907. Paraguay
S. **h.** Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 385, 394 (D ♀).
S. **h.** Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 201 (D ♀).

♂♀ **haenschi** Dahl 1907. Guatemala, Guiana, Brasilien
S. **bimaculatum** Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 71 T. 9 F. 7, 8 (D ♂♀) (praeocc. Simon 1886).
S. **bimaculatum** F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 152 T. 10 F. 19 (N ♂♀).
S. **(Justella) h.** Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 384, 394 (D juv.).
S. **h.** Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 200 (D ♂♀).
S. **h.** Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 696 (N ♂♀).

♂ **illustre** Keyserling 1880. Peru
S. **i.** Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 68 T. 2 F. 35 (D ♂).
S. **i.** Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379 (N).

♂ **interjectivum** Mello-Leitao 1947. Minas Geraes
S. **i.** Mello-Leitao 1947, Bol. Mus. Nac. R. d. Jan., Zool. 80 p. 16 T. 3 F. 28 (D ♂).

♀ **jocosum** Banks 1929. Panama
S. **j.** Banks 1929, Bull. Mus. Zool. Harvard 69 (3) p. 77 T. 3 F. 43; T. 4 F. 59 (D ♀).

♂ **lanceolatum** Mello-Leitao 1929. Mato Grosso
S. **l.** Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 192 TF. 98 (D ♂).

♂ o **latispina** Keyserling 1882. Peru
S. **l.** Keyserling 1882, Verh. Zool. Bot. Ges. Wien 32 p. 223 T. 15 F. 19 (D ♂ o).
S. **l.** Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 381 (N).

♀ **luridum** Keyserling 1880. Peru
S. **l.** Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 67 T. 2 F. 34 (D ♀).
S. **l.** Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 385 (N).

♂ **luteovittatum** Keyserling 1891. S.-Brasilien
S. **l.** Keyserling 1891, Spinn. Amer. 3 (Bras. Spinn.) p. 247 T. 10 F. 187 (D ♂).
S. **l.** Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 381 (N).
S. **l.** Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 195 (D ♂).

♂♀ **maculosum** Cambridge 1891. Centr.-Amerika
S. **m.** Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 81 T. 10 F. 10 (D O).
S. **m.** F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 152 T. 10 F. 20 (N O, D ♀).
S. **m.** Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 384 (N ♂).

♂ **madidum** Cambridge 1895. Mexico
S. **m.** Cambridge 1895, Biol. Centr. Amer. Aran. 1 p. 153 T. 19 F. 7 (D ♂).
S. **m.** F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 150 (C).
S. **m.** Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 385 (N).

♀ **nigrianum** Mello-Leitao 1929. Brasilien, Peru, Venezuela, Guiana

S. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 203 TF. 106 (D ♀).
S. n. Soares 1943, Pap. Avuls. S. Paulo 3 (1) p. 1 f. . . (D ♀).
S. nigrianus Soares 1946, Pap. Avuls. S. Paulo 7 (3) p. 64 f. 13—14 (D ♂).
S. nigrianus Caporiacco 1948, Proc. Zool. Soc. London 118 (3) p. 696 (N ♀).

♂ **nigrum** Keyserling 1880. Peru

S. n. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 65 T. 1 F. 33 (D ♂).
S. nigricans Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379 (N).

♂ **nitidulum** Mello-Leitao 1929. Brasilien

S. n. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 196 TF. 102 (D ♂).

♀ **palliatum** Cambridge 1891. Panama

S. p. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 81 T. 10 F. 8 (D ♀).
S. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 151 T. 10 F. 18 (N ♀).
S. p. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 381 (N).

♀ **paraense** Mello-Leitao 1929. Brasilien

S. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 197 TF. 103 (D ♀).

♂ **pereirai** Soares 1943. San Paulo

S. p. Soares 1943, Pap. Avuls. S. Paulo 3 (1) p. 2 f. ... (D ♂).

♀ **pluripunctatum** Mello-Leitao 1929. Brasilien

S. p. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 198 TF. 105 (D ♀).

♀ **putum** Cambridge 1891. Guatemala

S. p. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 80 T. 10 F. 9 (D ♀).
S. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 152 (C).
S. p. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 384 (N).

♂♀ **quadratum** Mello-Leitao 1929. Brasilien

S. q. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 193 TF. 99, 100 (D ♂♀).

♀ **rubromaculatum** Keyserling 1880. Brasilien, Columbien

S. r. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 60 T. 1 F. 30 (D ♀).
S. r. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 383 (N).
S. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 199 (D ♀).

♀ **schulzi** Dahl 1907. Brasilien

S. (Justella) s. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379, 394 (D ♀).
S. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 192 (D ♀).

♀ **setiferum** Mello-Leitao 1929. Brasilien

S. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 204 TF. 107 (D ♀).

♂ **socium** Cambridge 1891. Panama

S. s. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 83 T. 11 F. 4 (D ♂).
S. s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 152 T. 10 F. 22 (N ♂).
S. s. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 380 (N).

♀ **spinosum** Mello-Leitao 1929. Mato Grosso

S. s. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 3 (3) p. 197 (D ♀).

♂♀ **spirale** Dahl 1907. S.-Amerika

S. (Justella) sp. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 383, 384, 393 (D ♂♀).

♂ **ternetzi** Mello-Leitao 1939. Paraguay
S. t. Mello-Leitao 1939, Rev. Suisse Zool. 46 (2) p. 77 f. 63, 64 (D ♂).

♂ **tricalcaratum** Mello-Leitao 1929. Brasilien
S. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Janeiro 31 p. 194 (D ♂).

♀ **vittatum** Keyserling 1880. Peru
S. v. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 69 T. 2 F. 36 (D ♀).
S. v. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 380 (N).

Transgredierende Arten:

♂♀ **bicolor** Keyserling 1883. Florida, Massachusets, Connecticut, Canada
S. b. Keyserling 1883, Verh. Zool. Bot. Ges. Wien 33 p. 667 T. 21 F. 16 (D ♀).
Xysticus inornatus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 366 T. 29 F. 5 (D ♀).
S. b. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379 (N).
S. b. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 336 TF. 82, 83, 92 (D ♂♀).
S. b. Comstock 1912, Spider Book p. 541 (N).
S. b. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 337 TF. 82, 83, 92 (D ♂♀).
S. b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 417 T. 81 F. 1515—16 (D ♂♀).

♂♀ **parvulum** (Hentz) 1847. Südl. U. St. Amerika, Mexico
? Thomisus varians Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 504 (D ♀).
Thomisus p. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 447 T. 23 F. 8 (D ♀).
S. p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 57 T. 1 F. 28 (D ♀).
S. nigromaculatum Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 61 T. 1 F. 31 (D ♂♀).
S. p. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 380 (N).
S. nigromaculatum Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 380 (N).
S. p. Emerton 1902, Common Spid. p. 29 f. 85, 86 (D ♂♀).
S. varians Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9) Biol. 8 (5) p. 163 (N ♂♀).
S. p. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 334 TF. 80, 81, 88 (D ♂♀).

♂♀ **viridans** (Banks) 1896. Florida, Texas, Iowa
Misumena v. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 71 (D ♂♀).
Misumessus v. Banks 1910, Bull. U. Stat. Nat. Mus. 72 p. 50 (C).
Misumenops v. Petrunkevitch 1911, Bull. Amer. Mus. Nat. Hist. 29 p. 414 (C).
Parasynaema v. Gertsch 1934, Amer. Mus. Novit. 707 p. 15 (C).
S. v. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 335 TF. 84, 85, 89 (D ♂♀).

Nearktische Arten:

§ 5 Arten: Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 334.

♀ **neomexicanum** Gertsch 1939. Neu-Mexico
S. n. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 338 (D ♀).

♂♀ **obscurum** Keyserling 1880. Texas, New Hampshire, Canada
S. o. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 64 T. 1 F. 32 (D ♂).
S. o. Dahl 1907, Mitt. Zool. Mus. Berlin 3 (3) p. 379 (N).
S. o. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 339 TF. 78, 79, 93 (D ♂♀).

Gen. **Xysticus** C. L. Koch 1835.

Palaearktische Arten:

§ 21 ♂, 25 ♀: Simon 1875, Arachn. de France 2 p. 152—155.
§ 20 ♂, 21 ♀: Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 87—91.
§ 15, ♂, 16 ♀: Soerensen 1904, Ent. Meddel. (2) 1 p. 370—375.
§ 23 ♂, 24 ♀: Roewer 1928, Tierw. Mitteleurop. 3 (6) p. 22—26 TF. 235—278.
§ 28 ♂, 31 ♀: Simon 1932, Arachn. de France 6 (4) p. 812—839.
§ 13 ♂, 13 ♀: Tullgren 1944 Svensk Spindelfauna 3 p. 80—82.

♂♀ **absconditus** (Menge) 1876. O.- u. W.-Preussen

Psammitis a. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 450 T. 75 F. 255 (D ♂♀).
X. a. Simon 1932, Arachn. de France 6 (4) p. 879 (N).

♂♀ **acerbus** Thorell 1872. Mittelmeergebiet, SO.-Europa, Karakorum, Sibirien

X. a. Thorell 1872, Rem. Syn. Europ. Spid. p. 237 (D ♂♀).
X. calcaratus Pavesi 1873, Ann. Mus. Civ. Genova 4 p. 155 (C).
X. a. Simon 1875, Arachn. de France 2 p. 186 (D ♂♀).
X. a. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 181 T. 17 F. 3 (D ♂♀).
X. a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 96 T. 3 F. 31 (D ♂♀).
X. a. Bösenberg 1902, Zoologica 14 (2—4) p. 349 T. 33 F. 515 (D ♂♀).
X. a. Lessert 1910, Catal. Invert. Suisse; Araign. p. 375 (D ♂).
X. a. Simon 1932, Arachn. de France 6 (4) p. 832, 833, 880 f. 1253, 1254, 1257 (D ♂♀).

♀ **acerbus obscurior** Kulczynski 1895. Bessarabien

X. a. o. Kulczynski 1895, Term. Füzet. 18 p. 26 (D ♀).

♀ **aequalis** Franganillo 1926. Andalusien

X. a. Franganillo 1926, Bol. Soc. Ent. Espan. 9 p. 77 (D ♀).

♂♀ **albidus** Grese 1909. Russland, W.-Sibirien

X. a. Grese 1909, Ann. Mus. Zool. St. Petersbg. 14 p. 328 T. 7 F. 6, 7 (D ♂♀).
X. a. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 22 T. 1 F. 36, 37; T. 2 F. 38, 39 (D ♂♀).

♂♀ **albomaculatus** Kulczynski 1891. Ungarn, Deutschland

X. a. Kulczynski 1891, in: Chyzer & Kulczynski, Aran. Hungar. 1 p. 94 (D ♂♀).
X. a. Bösenberg 1902, Zoologica 14 (2—4) p. 352 T. 33 F. 520 (D ♂♀).

♂ **albovittatus** Schenkel 1938. Portugal

X. a. Schenkel 1938, Ark. Zool. 30 (A; 24) p. 8 f. 3 (D ♂).

♂♀ **alpicola** Kulczynski 1882. Tatra

X. a. Kulczynski 1882, Denkschr. Ak. Wiss. Krakau 8 p. 36 T. 3 F. 23 (D ♂♀).
X. a. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 92 (D ♂♀).
X. a. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 679 T. 26 F. 21 (D ♀).

♀ **altaicus** Simon 1895. Altai

X. a. Simon 1895, Bull. Ac. Sci. St. Petersburg 5 (2) p. 338 (D ♀).

♂ **apricans** L. Koch 1876. Tirol

X. a. L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 337 (D ♂).

♀ **arenarius** Thorell 1875. Krim

X. a. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 91 (D ♀).
X. a. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 136 (D ♀).

♀ **arenicola** Simon 1875. SW.-Frankreich

X. a. Simon 1875, Arachn. de France 2 p. 194 (D ♀).
X. a. Simon 1932, Arachn. de France 6 (4) p. 833 (D ♀).

♀ **asiaticus** Nosek 1905. Kleinasien

X. a. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 132 T. 4 F. 12 (D ♀).

♀ **asper** (Lucas) 1838. Canaren

Thomisus a. Lucas 1838, Arachn. in: Barker, Webb, Berthelot, Hist. Nat. Iles Canar. p. 32 T. 7 F. 1 (D ♀).
Thomisus a. C. Koch 1872, Ber. Senckenbg. Nat. Ges. p. 97 (N).
Thomisus a. Bösenberg 1895, Abh. Nat. Ver. Hambg. 13 p. 7 (N).
X. a. Reimoser 1919, Abh. Zool. Bot. Ges. Wien 10 (2) p. 203 (C).

♂♀ **audax** (Schrank) 1803. Europa, Mittelmeergebiet, Sibirien, Saghalin

Aranea a. Schrank 1803, Faun. Boic. 3 A p. 235 (D).
Thomisus pini Hahn 1831, Die Arachniden 1 p. 26 TF. 23 (D ♂♀).
Thomisus lateralis Hahn 1831, Die Arachniden 1 p. 40 TF. 31 (D ♂♀).
Thomisus pini Hahn 1831, Monogr. d. Spinn. 6 p. 1 T. 2 F. C (D ♀).
Thomisus lateralis Hahn 1831, Monogr. d. Spinn. 6 p. 1 T. 21 F. B (D ♀).
X. mordax C. L. Koch 1835, in: Herrich-Scheffer, Deutschl. Ins. 130 (D).
Thomisus cinereus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 26 (D).
Xysticus cinereus C. L. Koch 1838, Die Arachniden 4 p. 63 TF. 290 (D ♀).
X. a. C. L. Koch 1845, Die Arachniden 12 p. 74 TF. 1005—1008 (D ♂♀).
X. pini C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 39 (N).
X. a. C. L. Koch 1850, Uebers. Arachn. Syst. 5 p. 39 (N).
X. pini Thorell 1856, Rec. Crit. Aran. p. 111 (N).
Thomisus a. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 70 T. 4 F. 39 (D ♂♀)
Thomisus a. Westring 1862, Aran. Svec. p. 422 (D ♀, nec ♂).
Thomisus cinereus Westring 1862, Aran. Svec. p. 424 (D ♀, nec ♂).
X. a. Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 615 (D ♂♀).
X. a. Ohlert 1867, Aran. Prov. Preussen p. 114 (D ♂♀).
X. pini Thorell 1872, Rem. Syn. Europ. Spid. p. 236 (N).
X. pini Simon 1875, Arachn. de France 2 p. 164 T. 7 F. 14 (D ♂♀).
X. pini Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 443 T. 74 F. 250 (D ♂♀).
X. pini Cambridge 1881, Proc. Dorset F. Cl. 2 p. 299 (D ♂♀).
X. pini Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 167 T. 15 F. 4 (D ♂♀).
X. pini Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. pini Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 93 T. 3 F. 21 (D ♂♀).
X. pini Bösenberg 1902, Zoologica 14 (2—4) p. 345 T. 32 F. 508 (D ♂♀).
X. lateralis Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 264 T. 13 F. 306 (D ♀).
X. pini Lessert 1910, Catal. Invert. Suisse; Araign. p. 369 (D ♂♀).
X. pini Simon 1932, Arachn. de France 6 (4) p. 816, 828, 874 f. 1215, 1244 (D ♂♀).
X. a. Tullgren 1944, Svensk Spindelfauna 3 9.89 T. 11 F. 162—169 (D ♂♀).
X. a. Locket & Millidge 1951, Brit. Spiders 1 p. 179 f. 90B (D ♂♀).

♀ **audax atrimaculatus** (Bösenberg & Strand) 1906. Japan

X. lateralis a. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 264 T. 13 F. 306 (D ♀).

♂ **audax massanicus** Simon 1932. O.-Pyrenäen

X. a. m. Simon 1932, Arachn. de France 6 (4) p. 816, 875 (D ♂).

♀ **augur** Strand 1900. Norwegen

X. a. Strand 1900, Zool. Anz. 23 (619) p. 368 f. 2 (D ♀).
X. a. Strand 1901, Abh. Nat. Ver. Görlitz 23 p. 178 f. 2 (D ♀).

♂♀ **austerus** L. Koch 1879. Lappland, Sibirien, Kamtschatka

X. a. L. Koch 1879, Svensk. Vet. Ak. Handl. 16 (5) p. 99 T. 3 F. 12 (D ♀).
X. ephippiatus Simon 1880, Ann. Soc. Ent. France (5) 10 p. 107 T. 3 F. 6 (D ♀).
X. exellens Kulczynski 1885, Denkschr. Ak. Wiss. Krakau 11 p. 47 T. 11 F. 26 (D ♂♀).
X. a. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (?) p. 52 T. 2 F. 65 (D ♂).
X. a. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 22 T. 1 F. 25 (N ♀).
X. exellens Schenkel 1930, Ark. Zool. 21 (15) p. 26 f. 10 (D ♀).
X. exellens Schenkel 1931, Naturw. Unters. Sarekgeb. Zool. 4 (10) p. 972 f. 11 (N ♂♀).

o **barbatus** Caporiacco 1936. Libysche Wüste

X. b. Caporiacco 1936, Mem. Soc. Ent. Ital. 15 p. 115 (D o).

♂ **bicolor** L. Koch 1867. I. Syra

X. b. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 867 (D ♂).

♂♀ **bifasciatus** C. L. Koch 1837. Europa, Mittelmeergebiet, Turkestan

X. b. C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 26 (D).
X. b. C. L. Koch 1838, Die Arachniden 4 p. 59 TF. 286—288 (D ♂♀).
Thomisus b. Blackwall 1843, Trans. Linn. Soc. Lond. 19 (2; 15) p. 122 (N).
X. lanio C. L. Koch 1847, Die Arachniden 12 p. 77 TF. 1010, 1011 (D ♀, nec ♂).
Thomisus b. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 79 T. 4 F. 46 (D ♂♀).
Thomisus b. Westring 1862, Aran. Svec. p. 415 (D ♂♀).
X. lanio Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 612 (D ♂♀).
X. b. Thorell 1872, Rem. Syn. Europ. Spid. p. 234 (N).
X. b. Simon 1875, Arachn. de France 2 p. 173 T. 7 F. 10 (D ♂♀).
X. b. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 436 T. 73 F. 246 (D ♂♀).
X. b. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 312 (D ♂♀).
X. b. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 177 T. 16 F. 4 (D ♂♀).
X. b. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. b. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 92 T. 3 F. 20 (D ♂♀).
X. norvegicus Strand 1900, Zool. Anz. 23 (19) p. 366 f. 1 (D ♀).
X. norvegicus Strand 1901, Abh. Nat. Ges. Görlitz 23 p. 175 f. 1 (D ♀).
X. b. Bösenberg 1902, Zoologica 14 (2—4) p. 349 T. 33 F. 516 (D ♂♀).
X. b. Simon 1932, Arachn. de France 6 (4) p. 817, 822, 876 f. 1227, 1229 (D ♂♀).
X. b. Tullgren 1944, Svensk Spindelfauna 3 p. 82 T. 10 F. 150—152; f. 33a (D ♂♀).
X. b. Locket & Millidge 1951, Brit. Spiders 1 p. 183 f. 91E, 92C (D ♂♀).

♂♀ **bonneti** Denis 1937. Andorra

X. b. Denis 1937, Proc. Zool. Soc. Lond. 107 (B 4) p. 584 T. 1 F. 6—8 (D ♂♀).

♀ **bösenbergi** Charitonow 1928. SW.-Deutschland, Serbien

X. concinnus Bösenberg 1902, Zoologica 14 (2—4) p. 353 T. 33 F. 522 (D ♀).
X. b. Charitonow 1928, Bull. Inst. Biol. Univ. Perm 6 (1) p. 56 (nom. nov.).

♀ **breviceps** Cambridge 1885. Yarkand

X. b. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 68 (D ♀).

♂♀ **bufo** (Dufour) 1820. Mittelmeergebiet

Thomisus b. Dufour 1820, Ann. Gen. Sci. Phys. 5 p. 206 T. 76 F. 4 (D ♀).
Thomisus b. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 506 (D ♀).
Thomisus albimanus Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 319 (51) T. 3 F. 11 (D ♂).
X. b. Thorell 1873, Rem. Syn. Europ. Spid. p. 536 (N).
X. lineatus Canestrini 1874, Atti Soc. Padova 3 (2) p. 215 (12) T. 10 F. 4 (N ♀).
Oxyptila albimana Simon 1875, Arachn. de France 2 p. 218 T. 7 F. 16 (D ♀, nec ♂).
Oxyptila b. Simon 1875, Arachn. de France 2 p. 220 (D ♀, nec ♂).
X. fucatus Bösenberg 1902, Zoologica 14 (2—4) p. 354 T. 33 F. 523 (D ♀).
Oxyptila fucata Strand 1907, Jahrb. Nassau. Ver. Naturk. 60 p. 115 (C juv.).
Proxysticus b. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 91 (N).
Oxyptila albimana Berland 1927, Arch. Zool. Expér. Gén. 66 (Not. & Rev. 2 p. 13 f. 6 (N ♀).
X. albimanus Simon 1932, Arachn. de France 6 (4) p. 836, 838, 881 f. 1263, 1267 (D ♂♀).

♂♀ **cambridgii** (Blackwall) 1859. Europa, Transkaukasien, Turkestan

Thomisus c. Blackwall 1859, Ann. Mag. Nat. Hist. (3) 1 p. 426 (D ♀).
Thomisus c. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 81 T. 4 F. 47 (D ♀).
Thomisus lanio Westring 1862, Aran. Svec. p. 412 (D ♀).
Thomisus c. Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 406 T. 54 F. 9 (D ♂).
X. luctator L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 29 (D ♂).
X. impavidus Thorell 1872, Rem. Syn. Europ. Spid. p. 230 (D ♂).
X. c. Thorell 1873, Rem. Syn. Europ. Spid. p. 425 (N).
X. luctator Simon 1875, Arachn. de France 2 p. 160 T. 7 F. 11 (D ♂, nec ♀).
X. impavidus Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 433 T. 72 F. 244 (D ♂♀).
X. c. Cambridge 1881, Proc. Dorset. F. Cl. 2 p. 308 (D ♂♀).
X. luctator Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 163 T. 15 F. 2 (D).
X. impavidus Hansen 1885, in: Schiödte, Zool. Danica p. 148 T. 4 F. 15 (D♂♀).
X. luctator Bösenberg 1902, Zoologica 14 (2—4) p. 352 T. 33 F. 521 (D ♂♀).
X. luctator Lessert 1910, Catal. Invert. Suisse; Araign. p. 366 (D ♂).
X. c. Simon 1932, Arachn. de France 6 (4) p. 817, 823, 877 f. 1218, 1232 (D ♂♀).
X. c. Tullgren 1944, Svensk Spindelfauna 3 p. 85 f. 34a; T. 10 F. 156—157; T. 11 F. 158 (D ♂♀).
X. luctator Locket & Millidge 1951, Brit. Spiders 1 p. 183 f. 92D (D ♂♀).

♂♀ **caperatus** Simon 1875. Corsica, Sardinien, I. Giglio, Spanien, Algier, Syrien

X. c. Simon 1875, Arachn. de France 2 p. 198 (D ♂♀).
X. c. Simon 1899, Bull. Mus. Hist. Nat. Paris 5 p. 84 (N).
Proxysticus c. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 91 (N).
X. c. Simon 1932, Arachn. de France 6 (4) p. 838, 839, 881 f. 1266, 1269 (D ♂♀).

♀ **caucasicus** L. Koch 1878. Kaukasus

X. c. L. Koch 1878, Jahresber. Isis p. 48 T. 1 F. 5 (D ♀).

♀ **cetrariae** Dönitz & Strand 1906. Japan

X. c. Dönitz & Strand 1906, in: Bösenberg & Strand, Abh. Senckenbg. Ges. 30 (1—2) p. 385 T. 7 F. 92 (D ♂).

♀ **challengeri** Denis 1941. Teneriffa

X. c. Denis 1941, Ann. Soc. Ent. France 110 p. 118 f. 7 (D ♀).

♂ **concinnus** Kroneberg 1875. Turkestan

X. c. Kroneberg 1875, Nachr. Ges. Moskau 19 (3) p. 34 T. 3 F. 22 (D ♂).

♀ **connectens** Kulczynski 1901. Peking

X. c. Kulczynski 1901, in: Horvath, Zool. Erg. 3. Reis. Zichy 2 p. 335 T. 13 F. 5 (D ♀).

♂♀ **cor** Canestrini 1873. S.- u. SO.-Europa

X. c. Canestrini 1873, Atti Soc. Venet. Trent. Sci. Nat. Padova 2 (1) p. 39 (5) (D ♂).
X. comptulus Simon 1873, Ann. Soc. Ent. France (5) 3 p. 333 T. 10 F. 3—5 (D ♂, nec ♀).
X. c. Canestrini 1874, Atti Soc. Padova (3) 2 p. 216 (13) T. 10 F. 2 (N ♂).
X. comptulus Simon 1875, Arachn. de France 2 p. 177 (D ♂, nec ♀).
X. c. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1029 f. 1083 (N ♂).
X. c. Kulczynski 1898, Symb. Faun. Aran. Austr. Infer. p. 93 T. 2 F. 69, 70 (N ♂♀).
X. comptulus Schenkel 1918, Verh. Nat. Ges. Basel 29 p. 88 f. 1 (C ♂).
X. c. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 89 (N).
X. c. Simon 1932, Arachn. de France 6 (4) p. 814, 825, 876 f. 1212, 1237 (D ♂♀).

♀ **coronatus** (Grube) 1861. Amur-Gebiet

Thomisus c. Grube 1861, Bull. Ac. Sci. St. Petersbg. 4 p. 173 (D ♀).
X. c. Reimoser 1919, Abh. Zool. Bot. Ges. Wien 10 (2) p. 195 (C).

♀ **corsicus** Simon 1875. Corsica

X. c. Simon 1875, Arachn. de France 2 p. 157 (D ♀).
X. c. Simon 1932, Arachn. de France 6 (4) p. 821, 876 f. 1227 (D ♀).

♂♀ **cristatus** (Clerck) 1757. – * Europa, N.-Afrika, Vorder- u. Centr.-Asien

Araneus c. Clerck 1757, Aran. Suec. p. 136 T. 6 F. 6 (D ♀).
Aranea viatica Linné 1758, Syst. Nat. (10. Ed.) p. 623 (D).
Aranea viatica Fabricius 1781, Spec. Ins. 1 p. 538 (D).
Aranea viatica Olivier 1789, Encycl. Méthod. 4 p. 224 (D).
Aranea c. Olivier 1789, Encycl. Méthod. 4 p. 226 (D).
Thomisus viaticus Hahn 1831, Die Arachniden 1 p. 35 TF. 29 (D ♂♀).
Thomisus c. Sundevall 1832, Vet. Ak. Handl. p. 217 (D ♂♀).
Thomisus c. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 68 T. 4 F. 38 (D ♀).
Thomisus c. Westring 1862, Aran. Svec. p. 418 (D ♂♀).
X. viaticus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 613 T. 11 F. 1, 2, 10—12 (D ♂♀).
X. c. Thorell 1872, Rem. Syn. Europ. Spid. p. 236 (N).
X. c. Simon 1875, Arachn. de France 2 p. 162 T. 7 F. 15 (D ♂♀).
X. c. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 441 T. 73 F. 249 (D ♂♀).
Thomisus c. obscura Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 27 p. 259 (D ♀).
X. c. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 298 (D ♂♀).
X. c. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 165 T. 15 F. 3 (D ♂♀).
X. c. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. c. Hansen 1885, in: Schiödte, Zool. Danica p. 148 T. 4 F. 16 (D ♂♀).
X. c. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 92 T. 3 F. 20 (D ♂♀).
X. c. Bösenberg 1902, Zoologica 14 (2—4) p. 345 T. 32 F. 509 (D ♂♀).
X. c. Lessert 1910, Catal. Invert. Suisse; Araign. p. 368 (D ♂♀).
X. c. Charitonow 1925, Annu. Mus. Zool. Ac. Sci. URSS. p. 120 T. 5 F. 7, 8 (N ♀).

X. viaticus Reimoser 1929, Die Natur (Wien) 5 (4) p. 88 f. 9 (N ♂♀).
X. c. Simon 1932, Arachn. de France 6 (4) p. 816, 828, 874 f. 1216, 1243 (D ♂♀).
X. viaticus Tullgren 1944, Svensk Spindelfauna 3 p. 34b; T. 11 F. 159—161 (D ♂♀).
X. c. Locket & Millidge 1951, Brit. Spiders 1 p. 177 f. 90A, 91B (D ♂♀).

♂♀ **croceus** Fox 1937. China, Japan

X. ephippiatus Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 261 T. 10 F. 159, 161 (D ♂♀).
X. ephippiatus Saito 1934, Journ. Agr. Hokkaido Univ. 35 (5) p. 282 (N ♀).
X. c. Fox 1937, Journ. Wash. Ac. Sci. 27 (1) p. 19 f. 11 (D ♀).
X. ephippiatus Saito 1939, Saito Ho-on Kai Mus. Res. Bull. 18 (6) p. 79 f. 10 (1) (N ♀).

♂♀ **desidiosus** Simon 1875. Franz. Alpen, Schweiz. Tirol, Corsica, Serbien, Bulgarien

X. d. Simon 1875, Arachn. de France 2 p. 193 (D ♀).
X. glacialis L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 332 (D ♂♀).
X. d. Bösenberg 1902, Zoologica 14 (2—4) p. 347 T. 32 F. 511 (D ♂♀).
X. glacialis Lessert 1905, Rev. Suisse Zool. 13 (3) p. 645 f. 11, 12 (N ♂).
X. glacialis Lessert 1910, Catal. Invert. Suisse; Araign. p. 371 f. 182—184 (D ♂♀).
X. d. Simon 1932, Arachn. de France 6 (4) p. 819, 827, 878 f. 1221, 1240 (D ♂♀).

♀ **diversus** (Blackwall) 1870. Sizilien

Thomisus d. Blackwall 1870, Ann. Mag. Nat. Hist. (4) 5 p. 396 T. 8 F. 3 (D ♀).
X. d. Simon 1875, Arachn. de France 2 p. 200 (C).

♀ **doriai** (Dalmas) 1926. I. Giglio, Sizilien

Psammitis d. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 90 (D ♀).

♂♀ **edax** (Cambridge) 1872. Palästina

Thomisus e. Cambridge 1872, Proc. Zool. Soc. Lond. p. 303 (D ♂♀).
X. e. Reimoser 1919, Abh. Zool. Bot. Ges. Wien 10 (20) p. 128 (C).

♂♀ **embriki** Kolosvary 1935. Ungarn

X. e. Kolosvary 1935, Folia Zool. Hydrobiol. 8 (1) p. 37 f. 3, 4 (D ♂).
X. e. Kolosvary 1935, Folia Zool. Hydrobiol. 8(2) p. 885 f. a, b. (N ♂).
X. sabulosus e. Kolosvary 1936, Folia, Zool. Hydrobiol. 9 (1) p. 95, 112 f. 3, 4, 7—10 (D ♂♀).
X. e. Silhavy 1938, Casopis Cs. Spol. Ent. 35 p. 35 f. 1—3 (N ♂, D ♀).

♂♀ **erraticus** (Blackwall) 1834. Europa

Thomisus e. Blackwall 1834, Research in Zool. p. 408 (D ♂♀).
Thomisus e. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 71 T. 4 F. 40 (D ♂♀).
Thomisus ulmi Westring 1862, Aran. Svec. p. 426 (D ♂, part.).
X. ulmi Thorell 1872, Rem. Syn. Europ. Spid. p. 246 (N part.)
X. e. Simon 1875, Arachn. de France 2 p. 171 (D ♂♀).
X. e. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 438 T. 73 F. 247 (D ♂♀).
? X. ulmi Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 448 T. 74 F. 252 (D ♂♀).
X. e. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 309 (D ♂♀).
X. e. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 175 T. 16 F. 3 (D ♂♀).
X. e. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. e. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 93 T. 3 F. 24 (D ♂♀).
X. e. Bösenberg 1902, Zoologica 14 (2—4) p. 344 T. 32 F. 507 (D ♂♀).
X. e. Lessert 1910, Catal. Invert. Suisse; Araign. p. 372 (D ♂♀).
X. e. Bogoiavlensky 1928, Bull. Stat. Biol. Bolchevo 2 p. 35 TF. 2 (N ♀).

X. e. Simon 1932, Arachn. de France 6 (4) p. 817, 822, 877 f. 1219, 1230 (D ♂♀).
X. e. Denis 1937, Proc. Zool. Soc. London 107 (4) p. 584 T. 1 F. 5 (N ♂).
X. e. Tullgren 1944, Svensk Spindelfauna 3 p. 92 f. 35b; T. 12 F. 173—174; T. 13 F. 179—180 (D ♂♀).
X. e. Locket & Millidge 1951, Brit. Spiders 1 p. 180 f. 90D, 91A (D ♂♀).

♂♀ **ferrugineus** Menge 1876. Süd- u. Mitteleuropa, Nord-Afrika
X. f. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 444 T. 74 F. 251 (D ♂♀).
X. f. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 93 T. 3 F. 22 (D ♂♀).
X. f. Simon 1932, Arachn. de France 6 (4) p. 815, 827, 875 f. 1214, 1242 (D ♂♀).

♀ **ferus** Cambridge 1876. Aegypten
X. f. Cambridge 1876, Proc. Zool. Soc. Lond. p. 583 (D ♀).

♀ **furcillifer** Schenkel 1936. S.-Kansu
X. f. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 140 f. 49 (D ♀).

♂♀ **gallicus** Simon 1875. Frankreich, Spanien, Schweiz, S.O. Deutschland, Ungarn, Bessarabien, Kleinasien
X. g. Simon 1875, Arachn. de France 2 p. 158 (D ♂♀).
X. g. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 92 T. 3 F. 23 (D ♂♀).
X. g. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 682 T. 26 F. 25, 26 (N ♀).
X. g. Lessert 1910, Catal. Invert. Suisse; Araign. p. 366 (D ♂♀).
X. g. Simon 1932, Arachn. de France 6 (4) p. 820, 823, 876 f. 1225, 1234 (D ♂♀).

♀ **gortanii** Caporiacco 1922. Carnische Alpen
X. g. Caporiacco 1922, Mem. Soc. Ent. Ital. 1 p. 89 f. 4 (D ♀).

♂♀ **graecus** C. L. Koch 1838. Griechenland, Dalmatien, Bulgarien, Kleinasien, Mesopotamien
X. g. C. L. Koch 1838, Die Arachniden 4 p. 65 TF. 291 (D ♀).
X. g. C. L. Koch 1845, Die Arachniden 12 p. 68 (N ♀, nec ♂).
Thomisus g. Doleschall 1852, S. B. Ak. Wiss. Wien 9 p. 632 (C).
Oxyptila bufo Simon 1875, Arachn. de France 2 p. 220 (D ♂, nec ♀).
X. g. Simon 1884, Ann. Soc. Ent. France (6) 4 p. 319 (N ♂♀).
X. g. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 96 T. 3 F. 19 (D ♂♀).

♂ **grallator** Simon 1932. Corsica
X. g. Simon 1932, Arachn. de France 6 (4) p. 829, 878 f. 1245 (D ♂).

♀ **gymnocephalus** Strand 1915. Palästina
X. g. Strand 1915, Arch. Naturg. 81 (A; 2) p. 148 (D ♀).

♀ **hedini** Schenkel 1936. Mongolei
X. h. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 273 f. 91 (D ♀).

♂♀ **ibex** Simon 1875. S.-Frankreich
X. i. Simon 1875, Arachn. de France 2 p. 175 (D ♂♀).
X. i. Simon 1932, Arachn. de France 6 (4) p. 819, 823, 878 f. 1222, 1233 (D ♂♀).

♂ **ibex dalmasi** Simon 1932. S.-Frankreich
X. i. d. Simon 1932, Arachn. de France 6 (4) p. 819 (D ♂).

♀ **inaequalis** Kulczynski 1901. Chalgan
X. i. Kulczynski 1901, in: Horvath, Zool. Erg. 3. Reis. Zichy 2 p. 333 T. 13 F. 4 (D ♀).

♀ **insulicola** Bösenberg & Strand 1906. Japan

X. i. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 260 T. 13 F. 304 (D ♀).

♂♀ **japonicus** (Simon) 1886. Japan

Coriarachne j. Simon 1886, Act. Soc. Linn. Bord. 40 p. 183 (D ♂♀).

♀ **johannis-lupi** Denis 1952. Nied. Pyrenäen

X. j. l. Denis 1952, Bull. Soc. Hist. Nat. Toulouse 87 (1—2) p. 59 f. 1 (D ♀).

♂♀ **kempelenii** Thorell 1872. Europa

X. k. Thorell 1872, Rem. Syn. Europ. Spid. p. 245 (D ♂).
X. lineatus Simon 1875, Arachn. de France 2 p. 182 T. 7 F. 12 (D ♂♀).
X. frater Herman 1879, Ungarns Spinn. Faun. 3 p. 244, 372 T. 8 F. 177 (D ♀).
X. lineatus Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 179 T. 17 F. 1 (D ♂♀).
X. frater Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 96 T. 3 F. 30 (D ♀).
X. k. Bösenberg 1902, Zoologica 14 (2—4) p. 351 T. 33 F. 518 (D ♂♀).
X. k. Lessert 1910, Catal. Invert. Suisse; Araign. p. 377 (D ♂♀).
X. k. Simon 1932, Arachn. de France 6 (4) p. 832, 835, 879 f. 1252, 1260 (D ♂♀).

♀ **kempelenii nigriceps** Simon 1932. O.-Pyrenäen

X. k. n. Simon 1932, Arachn. de France 6 (4) p. 835, 879 (D ♀).

♂♀ **kochii** Thorell 1872. Europa, N.-Afrika, Mesopotamien, Transkaukasien

X. viaticus C. L. Koch 1845, Die Arachniden 12 p. 70 TF. 1003, 1004 (D ♂♀).
X. viaticus Ohlert 1867, Aran. Prov. Preussen p. 113 (D ♂♀).
X. k. Thorell 1872, Rem. Syn. Europ. Spid. p. 241 (N ♂♀).
Thomisus viaticus Cambridge 1873, Trans. Linn. Soc. Lond. 28 (4) p. 528 (N).
X. k. Simon 1875, Arachn. de France 2 p. 155 T. 7 F. 9 (D ♂♀).
Thomisus k. Lebert 1877, Neue Denkschr. Schweiz Ges. Nat. 26 p. 260 (N).
X. k. Pavesi 1880, Ann. Mus. Civ. Genova 15 p. 366 (C ♀).
X. viaticus Cambridge 1881, Proc. Dorset F. Cl. 2 p. 296 (D ♂♀).
X. k. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 161 T. 15 F. 1 (D ♂♀).
X. viaticus Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. k. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 92 T. 3 F. 26 (D ♂).
X. k. Simon 1895, Hist. Nat. Araign. 1 (4) p. 1030 f. 1084 (N ♂).
X. k. Bösenberg 1902, Zoologica 14 (2—4) p. 343 T. 32 F. 506 (D ♂♀).
X. k. Kulczynski 1909, Bull. Ac. Sci. Cracov. p. 683 T. 26 F. 24 (N ♀).
X. k. Lessert 1910, Catal. Invert. Suisse; Araign. p. 367 (D ♂♀).
X. k. (var.). Schenkel 1925, Rev. Suisse Zool. 32 (19) p. 270 f. 1 (D ♀).
X. k. Simon 1932, Arachn. de France 6 (4) p. 820, 824, 876 f. 1226, 1235 (D ♂♀).
X. k. Tullgren 1944, Svensk Spindelfauna 3 p. 90 f. 35a; T. 11 F. 170; T. 12 F. 171—172 (D ♂♀).
X. k. Locket & Millidge 1951, Brit. Spiders 1 p. 180 f. 90C, 91F (D ♂♀).

♀ **kulczynskii** Werjbitzky 1902. Kaukasus

X. k. Werjbitzky 1902, Mem. Soc. Kiew 17 p. 475 T. 5 F. 3 (D ♀).

♀ **kurilensis** Strand 1917. Kurilen

X. k. Strand 1917, Abh. Nat. Ges. Görlitz 25 p. 100 TF. 41 (D ♀).

♂♀ **laetus** Thorell 1875. S.-Russland

X. l. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 131 (D ♂♀).
X. lestus Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 91 (D ♂♀).

♂♀ **lalandii** (Audouin) 1827. Aegypten, Tripolis

Thomisus l. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 398 T. 6 F. 12 (D ♂♀).
X. l. Reimoser 1919, Abh. Zool. Bot. Ges. Wien 10 (2) p. 129 (C).
Proxysticus l. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 91 (N).

♂♀ **lanio** C. L. Koch 1845. Europa, Transkaukasien, Sibirien, Japan

X. l. C. L. Koch 1845, Die Arachniden 12 p. 77 TF. 1009 (D ♂, nec ♀).
Thomisus l. Doleschall 1852, S. B. Ak. Wiss. Wien 9 p. 631 (C).
X. lateralis Thorell 1873, Rem. Syn. Europ. Spid. p. 537 (N).
X. l. Simon 1875, Arachn. de France 2 p. 169 (D ♂♀).
Coriarachne fusca Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3. p. 424 T. 71 F. 239 (D ♂♀) (in F. **fucca**).
X. l. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 173 T. 16 F. 1 (D ♂♀).
X. l. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. lateralis Chyzer & Kulczynski 1891, Aran. Hungar. 1. p. 93 T. 3 F. 17 (D ♂♀).
X. lateralis Bösenberg 1902, Zoologica 14 (2—4) p. 346 T. 32 F. 510 (D ♂♀).
X. lateralis Lessert 1910, Catal. Invert. Suisse; Araign. p. 370 (D ♂♀).
X. l. Simon 1932, Arachn. de France 6 (4) p. 818, 822, 877 f. 1220, 1231 (D ♂♀).
X. l. Tullgren 1944, Svensk Spindelfauna 3 p. 95 f. 36b; T. 12 F. 181; T. 13 F. 182—183 (D ♂♀).
X. l. Locket & Millidge 1951, Brit. Spiders 1 p. 181 f. 91C, 92A (D ♂♀).

♀ **lanio alpinus** (Kulczynski) 1887. Tirol

X. lateralis a. Kulczynski 1887, Symb. Faun. Aran. Austr. Infer. p. 257 (D ♀).

♂ **lendlii** Kulczynski 1897. Ungarn

X. l. Kulczynski 1897, in: Chyzer & Kulczynski, Aran. Hungar. 2 (2) p. 302 T. 9 F. 64 (D ♂).

♂♀ **lineatus** (Westring) 1851. Europa (außer S.-)

Thomisus l. Westring 1851, Göteborg Vet. Handl. 2 p. 61 (D ♂).
Thomisus l. Westring 1862, Aran. Svec. p. 428 (D ♂♀).
X. l. Thorell 1872, Rem. Syn. Europ. Spid. p. 248 (N).
X. dentiger Simon 1878, Ann. Soc. Ent. France (5) 8 Bull. p. 158 (D ♂♀).
X. dentiger Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 172 T. 16 F. 2 (D ♂♀).
X. l Bösenberg 1902, Zoologica 14 (2—4) p. 355 T. 33 F. 524 (D ♂♀).
X. l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 378 f. 185 (D ♂).
X. l. Schenkel 1932, Ent. Tidskr. 53 (4) p. 208 f. 2 (N ♀).
X. l. Simon 1932, Arachn. de France 6 (4) p. 831, 835, 880 f. 1250, 1259 (D ♂♀).
X. l. Tullgren 1944, Svensk. Spindelfauna 3 p. 98 f. 37a; T. 13 F. 187—189 (D ♂♀).

longipes Simon 1932. Spanien

X. l. Simon 1832, Arachn. de France 6 (4) p. 878 (N.: Dalmas ?).

♂♀ **luctuosus** (Blackwall) 1836. Europa, Centr. Asien, Kamtschatka

Thomisus l. Blackwall 1836, Lond. Edinbg. Phil. Mag. (3) 8 p. 489 (D ♀).
X. convexus Thorell 1856, Rec. Crit. Aran. p. 110 (D).
Thomisus l. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 78 T. 4 F. 45 (D ♂♀).
Thomisus audax Westring 1862, Aran. Svec. p. 422 (D ♂, nec ♀).
X. l. Thorell 1872, Rem. Syn. Europ. Spid. p. 243 (N).
X. l. Simon 1875, Arachn. de France 2 p. 184 (D ♂♀).

X. l. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 305 (D ♂♀).
X. l. Becker 1882, Ann. Mus. Hist. Nat. Araign. 10 p. 180 T. 17 F. 2 (D ♂♀).
X. l. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. l. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 96 (D ♂♀).
X. l. Bösenberg 1902, Zoologica 14 (2—4) p. 350 T. 33 F. 517 (D ♂♀).
X. l. Lessert 1910, Catal. Invert. Suisse; Araign. p. 376 (D ♂♀).
X. l. Simon 1932, Arachn. de France 6 (4) p. 832, 833, 880 f. 1251, 1258 (D ♂♀).
X. l. Tullgren 1944, Svensk Spindelfauna 3 p. 100 f. 37b; T. 13 F. 190—191; T. 14 F. 192—193 (D ♂♀).
X. l. Locket & Millidge 1951, Brit. Spiders 1 p. 185 f. 93D, 94A (D ♂♀).

♂ **macedonicus** Silhavy 1944. Macedonien
X. m. Silhavy 1944, Sbornik Kl. Prir. Brno 25 p. 91 f. ... (D ♂).

♂♀ **maculiger** Roewer 1951. West-Tibet, Karakorum
X. maculatus Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 66 (D ♀) (praeocc. Keyserling 1880).
X. maculatus Caporiacco 1935, Mem. Soc. Ent. Ital. 13 p. 184 T. 3 F. 13 (D ♂♀).
X. m. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 449 (nom. nov.).

♂♀ **maderianus** Kulczynski 1899. Madeira
X. m. Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 407 T. 8 F. 80, 81, 87 (D ♂♀).
X. cristatus Warburton 1892, Ann. Mag. Nat. Hist. (6) 10 p. 219 (N ♀).

♂♀ **marmoratus** Thorell 1875. Russland, Bulgarien, Ungarn
X. m. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 92 (D ♂♀).
X. m. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 135 (D ♂♀).
X. m. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 94 T. 3 F. 34 (D ♀).

o **melancholicus** (Simon) 1880. Peking
Coriarachne m. Simon 1880, Ann. Soc. Ent. France (5) 10 p. 110 (D o).
X. m. Reimoser 1919, Abh. Zool. Bot. Ges. Wien 10 (2) p. 195 (N).

♀ **mojensis** Strand 1907. Japan
X. m. Strand 1907, Abh. Nat. Ges. Görlitz 25 p. 100 (D ♀).

♀ **montanus** Nosek 1905. Kleinasien
X. m. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 134 T. 4 F. 14 (D ♀).

♂ **nigrotrivittatus** (Simon) 1870. Spanien
Thomisus n. Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 320 (52) T. 3 F. 12 (D ♂).
X. n. Simon 1875, Arachn. de France 2 p. 179 (D ♂).

♂♀ **ninnii** Thorell 1872. S.-, S.O.-, O.-Europa, Kleinasien, Algier
X. n. Thorell 1872, Rem. Syn. Europ. Spid. p. 246 (D ♂).
X. defectus Cambridge 1873, Journ. Linn. Soc. Lond. 11 (Zool.) p. 541 T. 15 F. 9 (D ♂).
X. jucundus Simon 1873, Ann. Soc. Ent. France (5) 3 p. 328 T. 10 F. 2 (D ♂, nec ♀).
X. defectus Simon 1874, Ann. Soc. Ent. France (5) 4 Bull. p. 155 (C).
X. n. Simon 1875, Arachn. de France 2 p. 180 (D ♂♀).
X. n. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 137 (D ♂♀).
X. perileucus Simon 1876, Ann. Soc. Ent. France (5) 6 Bull. p. 180 (D ♀).
X. n. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 94 T. 3 F. 35 (D ♂♀).
X. n. Lessert 1910, Catal. Invert. Suisse; Araign. p. 374 (D ♂♀).
X. n. Simon 1932, Arachn. de France 6 (4) p. 829, 833, 879, f. 1246, 1256 (D ♂♀).

♀ **norvegicus** Strand 1900. Norwegen

X. n. Strand 1900, Zool. Anz. 23 (619) p. 366 f. 1 (D ♀).
X. n. Strand 1901, Abh. Nat. Ges. Görlitz 23 p. 175 f. 1 (D ♀).

♂ **noseki** Roewer 1951. Kleinasien

X. spinifer Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 134 (D ♂) praeocc. Simon 1883).
X. n. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 449 (nom. nov.).

♂♀ **nubilus** Simon 1875. W.-Mittelmeergebiet, Sizilien, I. Giglio, Sardinien, Kleinasien, Azoren (Makronesien)

X. comptulus Simon 1875, Ann. Soc. Ent. France (5) 3 p. 333 T. 10 F. 3, 4 (D ♀, nec ♂).
X. cor Pavesi 1875, Atti Soc. Ital. Sci. Nat. 18 p. 284 (N).
X. n. Simon 1875, Arachn. de France 2 p. 166 (D ♀, nec ♂).
X. comptulus Simon 1875, Arachn. de France 2 p. 177 (D ♀, nec ♂).
X. balteatus Simon 1875, Arachn. de France 2 p. 178 (D ♀).
X. insulanus Thorell 1875, Svensk Vet. Ak. Handl. 13 (5) p.132 (D ♂♀).
X. hamatus Thorell 1875, Svensk Vet. Ak. Handl. 13 (5) p. 133 (D ♂♀).
X. balteatus L. Koch 1882, Verh. Zool. Bot. Ges. Wien 31 p. 646 (D ♀).
X. insulanus Simon 1883, Ann. Soc. Ent. France (6) 3 p. 264 T. 8 F. 1 (D ♂, nec ♀).
X. insulanus Kulczynski 1899, Rozpraw. Ak. Umiej. Krakow. (2) 16 p. 406 T. 8 F. 85 86 (D ♂♀).
X. n. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 89 (N).
X. n. Simon 1932, Arachn. de France 6 (4) p. 814, 825, 875, f. 1213, 1236 (D ♂♀).

♀ **obesus** Thorell 1875. S.-Russland

X. o. Thorell 1875, Hor. Soc. Ent. Ross. 11 p. 89 (D ♀).
X. o. Thorell 1875, Svensk Vet. Ak. Handl. 13 (5) p. 130 (D ♀).

♂ **obscurus** Collett 1876. Norwegen

X. o. Collett 1876, Christiania Vid. Selsk. Förh. p. 9 (D ♂).
X. o. Tullgren 1944, Svensk Spindelfauna 3 p. 84 f. 33b; T. 10 F. 153—155 (D ♂♀).

♀ **orientalis** Nosek 1905. Kleinasien

X. o. Nosek 1905, Ann. Nat. Hofmus. Wien 20 p. 133 T. 4 F. 13 (D ♀).

♀ **ovatus** Simon 1876. S.-Frankreich

X. o. Simon 1876, Ann. Soc. Ent. France (5) 6 Bull. p. 180 (D ♀).
X. o. Simon 1932, Arachn. de France 6 (4) p. 826, 877 f. 1239 (D ♀).

♀ **ovatus crassihamatus** Denis 1951. Süd-Frankreich

X. o. c. Denis 1951, Bull. Soc. Hist. Nat. Toulouse 86 (3—4) p. 309 f. 1 (D ♀).

♀ **paniscus** L. Koch 1875. Schlesien, Lausitz

X. p. L. Koch 1875, Abh. Nat. Ges. Görlitz 15 p. 9 T. 1 F. 7 (D ♀).
X. p. Bösenberg 1902, Zoologica 14 (2—4) p. 348 T. 32 F. 513 (D ♂♀).

♂♀ **parallelus** Simon 1873. Corsica, Sardinien

X. p. Simon 1873, Ann. Soc. Ent. France (5) 3 p. 330 T. 10 F. 6, 7 (D ♂♀).
X. p. Simon 1875, Arachn. de France 2 p. 191 (D ♂♀).
X. p. Simon 1932, Arachn. de France 6 (4) p. 829, 836, 879 f. 1247, 1262 (D ♂♀).

♂ **pavesii** Cambridge 1873. Italien

X. p. Cambridge 1873, Journ. Linn. Soc. Lond. 11 (Zool.) p. 540 T. 15 F. 8 (D ♂).

♀ **peccans** Cambridge 1876. Aegypten

X. p. Cambridge 1876, Proc. Zool. Soc. Lond. p. 584 (D o).
X. p. Caporiacco 1936, Mem. Soc. Ent. Ital. 15 p. 103 (D ♀).

♂♀ **promiscuus** Cambridge 1876. Aegypten

X. p. Cambridge 1876, Proc. Zool. Soc. Lond. p. 581 (D ♂♀).

♀ **pseudobifasciatus** Schenkel 1936. S.-Kansu

X. p. s. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 142 f. 50 (D ♀).

♂♀ **rectilineus** (Cambridge) 1872. Syrien, Palästina

Thomisus r. Cambridge 1872, Proc. Zool. Soc. Lond. p. 306 (D o).
X. r. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 31 T. 1 F. 30, 32, 33 (D ♂♀).

♂♀ **robustus** (Hahn) 1831. Europa

Thomisus r. Hahn 1831, Die Arachniden 1 p. 50 TF. 38 (D ♀).
Thomisus obscurus Hahn 1831, Monogr. d. Spinn. 7 p. 1 T. 26 F. C (D ♀).
Thomisus r. Hahn 1836, Monogr. d. Spinn. 8 p. 1 T. 30 F. c (D ♀).
X. fuscus C. L. Koch 1837, Uebers. Arachn. Syst. 1 p. 26 (N).
X. morio C. L. Koch 1838, Die Arachniden 4 p. 61 TF. 289 (D ♂).
X. lanio C. L. Koch 1845, Die Arachniden 12 p. 77 TF. 1012 (♀).
X. fuccatus Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 618 (D ♂♀).
X. morio Ohlert 1867, Aran. Prov. Preussen p. 117 (D ♂).
X. fuccatus Canestrini & Pavesi 1868, Atti Soc. Ital. Sci. Nat. 11 p. 829 (C).
Thomisus brevitarsis Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 317 (49) (D ♀).
X. fucatus Thorell 1872, Rem. Syn. Europ. Spid. p. 535 (N).
X. fuscus Thorell 1872, Rem. Syn. Europ. Spid. p. 538 (N).
X. r. Simon 1875, Arachn. de France 2 p. 195 (D ♂♀).
X. lanio Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 434 T. 72 F. 245 (D ♂♀).
Thomisus fuscus Lebert 1877, Neue Denkschr. Schweiz. Ges. Nat. 26 p. 268 (N).
X. r. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 306 (D ♂♀).
X. r. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 186 T. 18 F. 2 (D ♂♀).
X. fuscus Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. (5) 2 p. 73 (D ♂♀).
X r. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 96 T. 3 F. 18 (D ♂♀).
X. r. Bösenberg 1902, Zoologica 14 (2—4) p. 347 T. 32 F. 512 (D ♂♀).
X. r. Cambridge 1910, Proc. Dorset F. Cl. 31 p. 62 T. A F. 26—28 (N ♂♀).
X. r. Lessert 1910, Catal. Invert. Suisse; Araign. p. 377 (D ♂♀).
X. r. Simon 1932, Arachn. de France 6 (4) p. 837, 839, 880, f. 1265, 1268 (D ♂♀).
X. r. Tullgren 1944, Svensk Spindelfauna 3 p. 96 T. 13 F. 184—186 (D ♂♀).
X. r. Tullgren 1946, Svensk Spindelfauna 3 p. 131 T. 21 F. 275 (N ♀).
X. r. Locket & Millidge 1951, Brit. Spiders 1 p. 186 f. 93B, 94B (D ♂♀).

♀ **robustus strandianus** Ermolajev 1937. Sibirien

X. r. st. Ermolajev 1937, Festschr. Strand 2 p. 522 f. 1 (D ♀).

♂♀ **sabulosus** (Hahn) 1831. Europa, Tunis, Aegypten, Turkestan

Thomisus s. Hahn 1831, Die Arachniden 1 p. 28 TF. 24 (D ♂♀).
X. s. C. L. Koch 1845, Die Arachniden 12 p. 64 TF. 999, 1000 (D ♂♀).
Thomisus setosus Westring 1851, Göteborg Vet. Handl. 2 p. 50 (D ♀).
Thomisus s. Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 72 T. F. 41 (D ♂♀).
Thomisus cinereus Blackwall 1861, Spid. Gr. Brit. Irel. 1 p. 74 T. 4 F. 43 (D ♀).
Thomisus calcaratus Westring 1862, Aran. Svec. p. 420 (D ♂).
Thomisus s. Westring 1862, Aran. Svec. p. 430 (D ♂♀).
Thomisus setosus Westring 1862, Aran. Svec. p. 430 (D ♀).
X. s. Prach 1866, Verh. Zool. Bot. Ges. Wien 16 p. 616 (D ♀).

X. s. Ohlert 1867, Aran. Prov. Preussen p. 116 (D ♂♀).
Thomisus gloveri Blackwall 1868, Ann. Mag. Nat. Hist. (4) 2 p. 405 (D ♀).
Thomisus rufopictus Cambridge 1872, Trans. Linn. Soc. Lond. 28 (3) p. 436 (D ♀).
X. calcaratus Thorell 1872, Rem. Syn. Europ. Spid. p. 242 (N).
X. s. Thorell 1872, Rem. Syn. Europ. Spid. p. 249 (N).
X. setosus Thorell 1872, Rem. syn. Europ. Spid. p. 250 (N).
Psammitis s. Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 449 T. 75 F. 254 (D ♂♀).
X. s. Simon 1875, Arachn. de France 2 p. 189 T. 7 F. 13 (D ♂♀).
X. cinereus Cambridge 1881, Proc. Dorset F. Cl. 2 p. 536 (D ♀).
X. s. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 184 T. 18 F. 1 (D ♂♀).
X. s. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 93 T. 3 F. 32 (D ♂♀).
X. s. Bösenberg 1902, Zoologica 14 (2—4) p. 348 T. 32 F. 514 (D ♂♀).
X. s. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 23 T. 2 F. 40—44 (N ♂♀).
Psammitis s. Dalmas 1926, Ann. Mus. Civ. Genova 50 p. 91 (N).
X. s. Simon 1932, Arachn. de France 6 (4) p. 830, 835, 879 f. 1248, 1261 (D ♂♀).
X. calcaratus Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 226, 233 (N syn.).
X. setosus Tullgren 1942, Ent. Tidskr. 63 (3—4) p. 226, 233 (N syn.).
X. s. Tullgren 1944, Svensk Spindelfauna 3 p. 101 f. 37c; T. 13 F. 194—196 (D ♂♀).
X. s. Locket & Millidge 1951, Brit. Spid. 1 p. 185 f. 93A, C (D ♂♀).

♀ **sabulosus occidentalis** Kulczynski 1916. Sibirien

X. s. o. Kulczynski 1916, Mem. Ac. Sci. Petrograd 28 (11) p. 24 T. 2 F. 45 (D ♀).

♂ **saganus** Bösenberg & Strand 1906. Japan

X. s. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 261 T. 10 F. 155 (D ♂).

♀ **sapporensis** Saito 1934. Japan

X. s. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 280 T. 12 F. 8; T. 14 F. 41 (D ♀).

♀ **sebastianus** Strand 1911. Canaren

X. s. Strand 1911, Arch. Naturg. 77 (I; 2) p. 193 (D ♀).

♂ **secedens** L. Koch 1876. Tirol

X. s. L. Koch 1876, Zeitschr. Ferdinand. Tirol (3) 20 p. 329 (D ♂).

♀ **semicarinatus** Simon 1932. S.-Frankreich, Spanien, Portugal

X. s. Simon 1932, Arachn. de France 6 (4) p. 827, 875 f. 1241 (D ♀).

♀ **sexangulatus** Strand 1900. Norwegen

X. s. Strand 1900, Zool. Anz. 23 (619) p. 370 f. 3 (D ♀).
X. s. Strand 1901, Abh. Nat. Ges. Görlitz 23 p. 180 f. 3 (D ♀).

♂ **sibiricus** Kulczynski 1908. Sibirien

X. s. Kulczynski 1908, Mem. Ac. Sci. St. Petersbg. (8) 18 (7) p. 54 T. 2 F. 66, 67 (D ♂).

♀ **sicus** Fox 1937. China

X. s. Fox 1937, Journ. Wash. Ac. Sci. 27 (1) p. 21 f. 5 (D ♀).

♀ **similis** Kulczynski 1911. Palästina, Cypern

X. tristrami Kulczynski 1908, Bull. Ac. Sci. Cracov. p. 73 T. 2 F. 14 (D ♀).
X. s. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 33 (D ♀).

♂ **sjöstedti** Schenkel 1936. Mongolei
X. sj. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 274 f. 92 (D ♂).

♀ **söderbomi** Schenkel 1936. Mongolei
X. s. Schenkel 1936, Ark. Zool. 29 (A; 1) p. 271 f. 90 (D ♀).

♀ **squalidus** Simon 1883. Canaren, Marokko
X. s. Simon 1883, Ann. Soc. Ent. France (6) 3 p. 286 (D ♀).

♀ **strandi** Kolosvary 1934. Ungarn
X. s. Kolosvary 1934, Folia Zool. Hydrobiol. 6 (1) p. 15 f. 8 (D ♀).

♂♀ **striatipes** L. Koch 1870. Frankreich, Deutschland, S.O.-Europa
X. s. L. Koch 1870, Jahrb. Gel. Ges. Krakau 41 p. 31 (D ♂♀).
X. perogaster Thorell 1872, Rem. Syn. Europ. Spid. p. 249 (D ♂♀).
X. s. Simon 1875, Arachn. de France 2 p. 188 (D ♂♀).
Spiracme striata Menge 1876, Schrift. Nat. Ges. Danzig (N. F.) 3 p. 447 T. 74 F. 253 (D ♂♀).
X. s. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 183 T. 17 F. 4 (D ♂♀).
X. perogaster Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. s. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 95 T. 3 F. 28 (D ♂♀).
X. s. Bösenberg 1902, Zoologica 14 (2—4) p. 342 T. 32 F. 504 (D ♂♀).
X. s. Lessert 1910, Catal. Invert. Suisse; Araign. p. 375 (D ♂).
X. s. Bogoiavlensky 1928, Bull. Stat. Biol. Bolchevo 2 p. 36 TF. 4 (N ♀).
X. s. Simon 1932, Arachn. de France 6 (4) p. 831, 832, 878 f. 1249, 1255 (D ♂♀).

♂ **tenebrosus** Silhavy 1944. Herzegowina
X. t. Silhavy 1944, Sbornik Kl. Prir. Brno 25 p. 93—94 f. ... (D ♂).

♂ **tenebrosus ochridensis** Silhavy 1944. Macedonien
X. t. o. Silhavy 1944, Sbornik Kl. Prir. Brno 25 p. 94 (D ♂).

♂ **thessalicus** Simon 1916. Griechenland
X. graecus C. L. Koch 1845, Die Arachniden 12 p. 68 TF. 1002 (D ♂, nec ♀).
X. t. Simon 1916, Ann. Soc Ent. France 85 p. 275 (D ♂).

♂♀ **tortuosus** Simon 1932. Frankreich, Spanien, Portugal, Algier, Marokko
X. ulmi Simon 1875, Arachn. de France 2 p. 167 T. 7 F. 8 (D ♂♀, part.).
X. t. Simon 1932, Arachn. de France 6 (4) p. 820, 826, 878 f. 1224, 1238 (D ♂♀).

♀ **transversomaculatus** Bösenberg & Strand 1906. Japan
X. t. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 263 T. 13 F. 305 (D ♀).

♂ **tristiculus** Thorell 1875. Pithyusen
X. t. Thorell 1875, Tijdschr. Ent. 18 p. 103 (D ♂).
X. t. Thorell 1875, Svensk. Vet. Ak. Handl. 13 (5) p. 139 (D ♂).
Oxyptila t. Pavesi 1876, Ann. Mus. Civ. Genova 8 p. 440 (N).

♂♀ **tunicatus** Bösenberg & Strand 1906. Japan
X. t. Bösenberg & Strand 1906, Abh. Senckenbg. Ges. 30 (1—2) p. 263 T. 10 F. 176 (D ♀).
X. t. Saito 1934, Journ. Agr. Hokkaido Univ. 33 (5) p. 281 T. 14 F. 42 (N ♂♀).
X. t. Saito 1939, Saito Ho-on Kai Mus. Bull. 18 p. 80 f. 10 (2) (N ♂♀).

♂♀ **ulmi** (Hahn) 1831. Europa, Sibirien, Saghalin

Thomisus u. Hahn 1831, Die Arachniden 1 p. 38 TF. 30 (D ♂♀).
Thomisus u. Hahn 1831, Monogr. d. Spinn. 6 p. 1 T. 21 F. A. (D ♀).
X. u. C.L. Koch 1850, Uebers. Arachn. Syst. 5 p. 39 (N).
Thomisus bivittatus Westring 1862, Aran. Svec. p. 417 (D ♂).
Thomisus westwoodi Cambridge 1870, Trans. Linn. Soc. Lond. 27 (3) p. 403 T. 54 F. 7 (D ♂).
X. u. Thorell 1872, Rem. Syn. Europ. Spid. p. 246 (N, part.).
X. u. Simon 1875, Arachn. de France 2 p. 167 T. 7 F. 7, 8 (D ♂♀, part.).
X. bivittatus Menge 1876, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 439 T. 73 F. 247 (D ♂♀).
X. u. Menge 1876, Schrift. Nat. Ges. Danzig (N.F.) 3 p. 445 T. 74 F. 252 (D ♂♀).
X. u. Cambridge 1881, Proc. Dorset F. Cl. 2 p. 310 (D ♂♀).
X. u. Becker 1882, Ann. Mus. Hist. Nat. Belg. 10 p. 170 T. 16 F. 1 (D ♂♀).
X. u. Dahl 1883, Schrift. Nat. Ver. Schlesw. Holst. 5 (2) p. 73 (D ♂♀).
X. u. Chyzer & Kulczynski 1891, Aran. Hungar. 1 p. 93 T. 3 F. 27 (D ♂♀).
X. u. Bösenberg 1902, Zoologica 14 (2—4) p. 343 T. 32 F. 505 (D ♂♀).
X. u. Lessert 1910, Catal. Invert. Suisse; Araign. p. 373 (D ♂♀).
X. u. Bogoiavlensky 1928, Bull. Stat. Biol. Bolchevo 2 p. 35 TF. 3 (N ♀).
X. u. Simon 1932, Arachn. de France 6 (4) p. 820, 821, 878 f. 1223, 1228 (D ♂♀)
X. u. Tullgren 1944, Svensk Spindelfauna 3 p. 93 f. 36a; T. 12 F. 175—177 (D ♂♀).
X. u. Locket & Millidge 1951, Brit. Spiders 1 p. 181 f. 91D, 92B (D ♂♀).

♂ **uncatus** Thorell 1875. Mittelitalien

X. u. Thorell 1875, Tijdschr. Ent. 18 p. 103 (D ♂).
X. u. Thorell 1875, Svensk Vet. Ak. Handl. 13 (5) p. 134 (D ♂).

♂♀ **varius** (Cambridge) 1872. Palästina

Thomisus v. Cambridge 1872, Proc. Zool. Soc. Lond. p. 303 (D ♂♀).
X. v. Simon 1875, Arachn. de France 2 p. 200 (C).

♀ **verneaui** Simon 1883. Canaren

X. v. Simon 1883, Ann. Soc. Ent. France (6) 3 p. 287 T. 8 F. 13 (D ♀).

♀ **viduus** Kulczynski 1898. Unter-Österreich

X. v. Kulczynski 1898, Symb. Faun. Aran. Austr. Ifer. p. 93 T. 2 F. 71 (D ♀).
X. v. Bösenberg 1902, Zoologica 14 (2—4) p. 351 T. 33 F. 519 (D ♀).

♀ **xerodermus** Strand 1913. Palästina

X. x. Strand 1913, Arch. Naturg. 79 (A; 10) p. 153 (D ♀).

Transgredierende Arten:

♀ **clerckii** (Audouin) 1827. Aegypten, Abessinien

Thomisus c. Audouin 1827, Explic. Planch. Arachn. Savigny Descr. Egypt. p. 398 T. 6 F. 13 (D ♀).
X. c. Pavesi 1883, Ann. Mus. Civ. Genova 20 p. 63 (N ♀).

♂♀ **cribratus** Simon 1885. Mittelmeergebiet, Franz. Sudan

Thomisus pilosus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 524 (D ♂♀).
Thomisus pilosus Simon 1870, Mém. Soc. Sci. Liège (2) 3 p. 323 (55) (D ♀).
X. lalandei Simon 1875, Arachn. de France 2 p. 197 (D ♀).
X. c. Simon 1885, Explor. Sci. Tunis. p. 15 (D ♂♀).
X. c. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 35 T. 1 F. 36, 37 (D ♂).
X. c. Simon 1932, Arachn. de France 6 (4) p. 837, 839, 881 f. 1264, 1270 (D ♂♀).
X. c. Millot 1941, Mém. Ac. Sci. Inst. France 65 p. 58 f. 27 (N ♀).

♂♀ **tristrami** (Cambridge) 1872. Syrien, Palästina, Kleinasien, Cypern, Transkaspien, Indien

Thomisus t. Cambridge 1872, Proc. Zool. Soc. Lond. p. 304 T. 14, F. 16 (D ♂♀).
X. t. Simon 1889, Verh. Zool. Bot. Ges. Wien 39 p. 380 (D ♂♀).
X. t. Kulczynski 1911, Bull. Ac. Sci. Cracov. p. 32 T. 1 F. 31, 34, 35 (N ♂♀).

Aethiopische Arten:

♀ **aethiopicus** L. Koch 1875. Abessinien

X. a. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 65 T. 6 F. 5 (D ♀).
X. a. Strand 1908, Arch. Naturg. 74 (I;1) p. 36 (N ♀).

O **beni** Strand 1913. Centr.-Afrika

X. b. Strand 1913, Arachn. I. in: Wiss. Erg. Dt. Zentr. Afr. Exped. 4 (Zool. 2) (11) p. 395 (D O).

o **blackwalli** Roewer 1951. Cap Verde-I.

Thomisus piger Blackwall 1865, Ann. Mag. Nat. Hist. (3) 16 p. 85 (D ♀) (praeocc. Walckenaer 1837).
X. piger Simon 1883, Ann. Soc. Ent. France (6) 3 p. 302 (C).
X. b. Roewer 1951, Abh. Nat. Ver. Bremen 32 (2) p. 449 (nom. nov.).

♀ **brunneitibiis** Caporiacco 1939. Abessinien

X. b. Caporiacco 1939, Real Accad. Ital. p. 363 f. 13 (D ♀).

♂♀ **egenus** Simon 1885. Senegambien

X. e. Simon 1885, Ann. Soc. Ent. France (6) 5 p. 365 (D ♂♀).

♂♀ **fagei** Lessert 1919. O.-Afrika

X. f. Lessert 1919, Rev. Suisse Zool. 27 (5) p. 146 T. 2 F. 12, 28, 43 (D ♂♀).

♂ **flavitarsis** Simon 1877. Congo

X. f. Simon 1877, Bull. Soc. Zool. France 2 p. 484 (D ♂).

♀ **havilandi** Lawrence 1942. Natal

X. h. Lawrence 1942, Ann. Natal Mus. 10 (2) p. 163 f. 16 (D ♂).

♀ **helophilus** Simon 1890. Yemen

X. h. Simon 1890, Ann. Soc. Ent. France (6) 10 p. 108 (D ♀).

♀ **hepaticus** Simon 1903. Madagascar

X. h. Simon 1903, Bull. Mus. Hist. Nat. Paris 9 p. 135 (D ♀).

♂♀ **jugalis** L. Koch 1875. Abessinien

X. j. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 63 T. 6 F. 4 (D ♂).
X. j. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 126 (D ♂♀).

♂ **jugalis larvatus** Caporiacco 1949. Ost-Afrika

X. j. l. Caporiacco 1949, Comment. Pontific. Ac. Sci. 13 p. 458 (D ♂).

♀ **lucifugus** Lawrence 1937. Zululand

X. l. Lawrence 1937, Ann. Natal Mus. 8 (2) p. 234 f. 12 (D ♀).

♀ **mülleri** Lawrence 1952. Natal

X. m. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 202 f. 33 (D ♀).

o **multiaculeatus** Caporiacco 1940. Abessinien

X. m. Caporiacco 1940, Atti Accad. Ital. 11 (18) p. 849 (D o).

♀ **namaquensis** Simon 1910. S.-Afrika
X. n. Simon 1910, Denkschr. Med. Nat. Ges. Jena 16 p. 195 (D ♀).

♂♀ **natalensis** Lawrence 1938. Zululand, Natal
X. n. Lawrence 1938, Ann. Natal Mus. 8 (3) p. 487 f. 18 (D ♂).
X. n. Lawrence 1952, Ann. Natal Mus. 12 (2) p. 201 f. 30 (D ♀).

♂ **nigriceps** Berland 1922. O.-Afrika
X. n. Berland 1922, Voy. Rothschild Ethiop.; Res. Sci. Anim. Artic. 1 p. 60 T. A 2 F. 2 (D ♂).

♂♀ **sagittifer** Lawrence 1927. S.W.-Afrika
X s. Lawrence 1927, Ann. S. Afr. Mus. 25 (1) p. 37 T. 1 F. 24 (D ♀).
X. s. Lawrence 1928, Ann. S. Afr. Mus. 25 (2) p. 247 T. 22 F. 30 (D ♂).

♂♀ **schoutedeni** Lessert 1943. Belg. Congo
X. s. Lessert 1943, Rev. Suisse Zool. 50 (19) p. 331 f. 31—34 (D ♂♀).

O **simonstownensis** Strand 1909. Capland
X. s. Strand 1909, Dt. Südpol. Exped. 1001—03; 10 (5) Zool. 2 p. 576 (D O).

♂♀ **subjugalis** Strand 1906. Abessinien
X. s. Strand 1906, Zool. Anz. 30 (19—20) p. 626 (D ♂♀).
X. s. Strand 1907, Jahrb. Nassau. Ver. Nat. 60 p. 121 (D ♂♀).

♂♀ **subjugalis nigerrimus** Caporiacco 1941. Süd-Abessinien
X. s. n. Caporiacco 1941, Miss. Biol. Sagan-omo 12, Zool. 6 p. 129 f. 52 (D ♂♀).

♂♀ **tarcos** L. Koch 1875. Abessinien
X. t. L. Koch 1875, Aegypt. Abyss. Arachn. Jickeli p. 67 T. 6 F. 6 (D ♂).

♀ **tugelanus** Lawrence 1942. Natal
X. t. Lawrence 1942, Ann. Natal. Mus. 10 (2) p. 162 f. 15 (D ♀).

♂♀ **urbensis** Lawrence 1952. Natal
X. u. Lawrence 1952, Ann. Natal. Mus. 12 (2) p. 201 f. 31—32 (D ♂♀).

Orientalische Arten:

♂♀ **krakatauensis** Bristowe 1931. Krakatau
X. k. Bristowe 1931, Proc. Zool. Soc. Lond. (4) p. 1410 f. 9—12 (D ♂♀).

O **mundulus** Cambridge 1885. N.W.-Indien
X. m. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 69 (D O).

♀ **nebulo** Simon 1909. Tonking
X. n. Simon 1909, Bull. Sci. France Belg. 42 p. 142 (D ♀).

♀ **setiger** Cambridge 1885. N.W.-Indien
X. s. Cambridge 1885, Sci. Res. Sec. Yarkand Miss.; Aran. p. 67 (D ♀).

Australische Arten:

♀ **autumnalis** L. Koch 1875. Neu-S.-Wales
X. a. L. Koch 1875, Arachn. Austral. 1 (1) p. 609 T. 48 F. 3 (D ♀).

o **bilimbatus** L. Koch 1875. Neu-S.-Wales
X. b. L. Koch 1875, Arachn. Austral. 1 (1) p. 607 T. 48 F. 2 (D o).

♂♀ **bimaculatus** L. Koch 1867. Queensland
X. b. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 215 (D ♀).
X. b. L. Koch 1874, Arachn. Austral. 1 (1) p. 554 T. 42 F. 6 (D ♀).
X. b. L. Koch 1876, Arachn. Austral. 1 (2) p. 809 T. 70 F. 1 (D ♂).

♂♀ **cruentatus** L. Koch 1874. Neu-S.-Wales, Victoria
X. c. L. Koch 1874, Arachn. Austral. 1 (1) p. 558 T. 43 F. 1 (D ♀).
X. c. L. Koch 1875, Arachn. Austral. 1 (1) p. 607 T. 48 F. 1 (D ♂).

♂ **daemelii** L. Koch 1874. Neu-S.-Wales, Victoria
X. d. L. Koch 1874, Arachn. Austral. 1 (1) p. 561 T. 43 F. 3 (D ♂).
Diaea d. L. Koch 1876, Arachn. Austral. 1 (2) p. 812 (N).

♀ **geometres** L. Koch 1874. Queensland
X. g. L. Koch 1874, Arachn. Austral. 1 (1) p. 556 T. 42 F. 7 (D ♀).

♀ **ictericus** L. Koch 1874. Fidji-I.
X. i. L. Koch 1874, Arachn. Austral. 1 (1) p. 559 T. 43 F. 2 (D ♀).

♀ **inornatus** L. Koch 1876. Neu-S.-Wales
X. i. L. Koch 1876, Arachn. Austral. 1 (2) p. 811 T. 70 F. 2 (D ♀).

♀ **japenus** Roewer 1938. Japen-I.
X. j. Roewer 1838, Mém. Mus. Hist. Nat. Belg. (hors. Sér.) 3 (19) p. 70 f. 46 (D ♀).

♀ **nigropunctatus** L. Koch 1867. Queensland
X. n. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 217 (D ♀).

♂ **periscelis** Simon 1908. W.-Australien
X. p. Simon 1908, Faun. S. W. Austral. 1 (12) p. 431 (D ♂).

♀ **pilula** L. Koch 1867. Queensland, Neu-S.-Wales
X. p. L. Koch 1867, Verh. Zool. Bot. Ges. Wien 17 p. 212 (D ♀).
X. p. L. Koch 1874, Arachn. Austral. 1 (1) p. 563 T. 43 F. 4 (D ♀).
Diaea p. L. Koch 1876, Arachn. Austral. 1 (2) p. 813 (N).

♀ **rainbowi** Strand 1901. Neu-Guinea
X. obscurus Reinbow 1898, Proc. Linn. Soc. N. S. Wales 23 (3) p. 345 T. 7 F. 9 (D ♀).
X. r. Strand 1901, Zool. Anz. 24 (635) p. 66 (nom. nov.).

♀ **walesianus** Karsch 1878. Neu-S.-Wales
X. w. Karsch 1878, Zeitschr. ges. Naturw. 51 p. 811 (D ♀).

Neotropische Arten:

§ 13 ♂, 17 ♀: Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 4—7 (part.).

♀ **advectus** Cambridge 1890. Guatemala, Costa Rica
X. a. Cambridge 1890, Biol. Centr. Amer. Aran. 1 p. 71 T. 9 F. 12 (D ♀).
X. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 447 (N).

O♀ **apertus** Banks 1898. Nieder-Californien
X. a. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 259 T. 16 F. 7 (D O ♀).
X. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 444 (N).

♂ **aztecus** Gertsch 1953. TF. Mexico
X. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 455 f. 59 (D ♂).

♂♀ **bolivari** Gertsch 1953. Mexico
X. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 438 TF. 14—16 (D ♂♀).

♂ **bradti** Gertsch 1953. Mexico
X. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 432 TF. 5 (D ♂).

♀ **curtus** Banks 1898. Nieder-Californien
X. c. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 260 T. 16 F. 8 (D ♀).
X. c. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 443 (N).

♂♀ **facetus** Cambridge 1896. Mexico
X. f. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 179 T. 22 F. 1 (D ♂).
X. f. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 148 T. 10 F. 13 (N ♂).
X. verecundus Gertsch 1934, Amer. Mus. Novit. 707 p. 2 TF. 2 (D ♀, nec ♂).
X. f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 447 TF. 51—52 (D ♂♀).

♀ **federalis** Gertsch 1953. Mexico
X. f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 443 TF. 7 (D ♀).

♂♀ **floridanus** Banks 1896. Florida
X. f. Banks 1896, Trans. Amer. Ent. Soc. 23 p. 70 (D ♂).
X. f. Bryant 1930, Psyche 37 (2) p. 134 T. 7 F. 2 u. 5 (D ♂).
X. f. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 394 (D ♂♀).
X. (Spiracme) f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 451 (N ♂).

♂ **ghighi** Caporiacco 1938. Mexico
X. g. Caporiacco 1938, Atti Soc. Ital. Sci. Nat. 77 p. 272 f. 4 (D ♀).

♂♀ **gracilis** Keyserling 1880. Columbien
X. g. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 17 T. 1 F. 5 (D ♂♀).

♂♀ **orizaba** Banks 1898. Mexico
X. o. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 260 T. 16 F. 6 (D ♂♀).
X. o. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 441 TF. 48—50 (N ♂♀).

♂♀ **peninsulanus** Gertsch 1934. Florida
X. p. Gertsch 1934, Amer. Mus. Novit. 707 p. 7 (D ♂).
X. p. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 371 TF. 180, 181, 194 (D ♂♀).
X. p. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 435 (N ♂♀).

♂♀ **pulcherrimus** Keyserling 1880. Columbien
X. p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 14 T. 1 F. 4 (D ♂♀).

♀ **silvestrii** Simon 1905. Patagonien
X. s. Simon 1905, Boll. Mus. Zool. Torino 20 (511) p. 11 (D ♀).

♂ **spiethi** Gertsch 1953. Mexico
X. s. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 437 TF. 23 (D ♂).

♀ **tampa** Gertsch 1953. Florida
X. t. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 432 TF. 3 (D ♀).

♀ **toltecus** Gertsch 1953. Mexico
X. t. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 439 TF. 4 (D ♀).

♂ **verecundus** Gertsch 1934. Mexico

X. v. Gertsch 1934, Amer. Mus. Novit. 707 p. 2 TF. 1 (D ♂, nec ♀).
X. v. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 454 TF. 57 (N ♂).

♂ **wagneri** Gertsch 1953. Mexico

X. w. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 425 TF. 21—22 (D ♂).

Transgredierende Arten:

♂♀ **discursans** Keyserling. Canada, U. St. Amerika bis Mexico

X. d. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 20 T. 1 F. 7 (D ♂♀).
X. d. Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 259 (N ♀).
X. vernalis Bryant 1930, Psyche 37 (2) p. 139 T. 8 F. 13 u. 15 (D ♂).
X. d. Gertsch 1934, Amer. Mus. Novit. 707 p. 11 TF. 10 (N ♂).
X. d. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 364 TF. 150, 151, 168 (D ♂♀).
X. d. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 206 f. 25—27 (part.).
X. d. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 424 T. 82 F. 1542—43 (D ♂♀).
X. d. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 426 TF. 25—26 (N ♂♀).

♂♀ **funestus** Keyserling 1880. U. St. Amerika, Mexico

? Thomisus tumefactus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 502 (D ♂♀).
X. f. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 10 T. 1 F. 2 (D ♀).
X. brunneus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 53 T. 3 F. 4 (D ♀).
X. crudelis Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 53 T. 3 F. 5 (D ♀).
X. nervosus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 55 T. 3 F. 8; T. 4 F. 84 (D ♀).
X. nervosus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 362 T. 28 F. 4 (D ♂♀).
X. nervosus 1893, Common Spiders p. 32 f. 93—94 (D ♂♀).
X. nervosus Comstock 1912, Spider Book p. 538 f. 603—605 (N).
X. f. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 367 TF. 162, 163, 175 (D ♂♀).
X. f. Gertsch & Davis 1940, Amer. Mus. Novit. 1069 p. 5 (N ♀).
X. f. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 212 f. 40—42 (N ♂♀).
X. tumefactus Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 170 TF. 46 (N ♂♀).
X. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 424 T. 81 F. 1530—31; T. 83 F. 1551 (D ♂♀).
X. f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 433 TF. 31—32 (N ♂♀).

♂♀ **laticeps** Bryant 1933. Südöstl. U. St. Amerika, Cuba

X. l. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 178 T. 3. F. 25 (D ♂).
X. l. Gertsch 1934, Amer. Mus. Novit. 707 p. 13 TF. 14 (N ♂).
X. l. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 370 TF. 182, 183, 191 (D ♂♀).
X. l. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 415 f. 198 (D ♂♀).
X. l. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 434 TF. 34—35 (N ♂♀).

♂ **lutzi** Gertsch 1935. Arizona, Nied.-Californien, Mexico

X. l. Gertsch 1935, Amer. Mus. Novit. 792 p. 27 (D ♂).
X. l. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 382 TF. 210—211 (D ♂).
X. l. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 445 (N ♂).

♂♀ **paintus** Gertsch 1933. Utah, Idaho, Arizona, Mexico

X. p. Gertsch 1933, Amer. Mus. Novit. 593 p. 17 TF. 16 u. 20 (D ♂♀).
X. orizaba Gertsch 1934, Amer. Mus. Novit. 707 p. 12 (N).
X. orizaba Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 378 TF. 154, 155, 190 (D ♂♀, part.).
X. p. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 441 TF. 42—44 (N ♂♀).

♂♀ **pellax** Cambridge 1894. Mexico, Guatemala, U. St. Amerika, Cuba

X. p. Cambridge 1894, Biol. Centr. Amer. Aran. 1 p. 138 T. 17 F. 14 (D ♂).
X. fissilis Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 258 T. 16 F. 5 (D ♂, nec ♀).
X. p. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 147 T. 10 F. 11—12 (D ♂♀).
X. ontariensis Emerton 1919, Canad. Ent. 51 p. 108 f. 16 (D ♂).
X. p. Franganillo 1935, Estudios de Belen 29 p. 31 (D).
Xisticus p. Franganillo 1936, Los Aracnidos de Cuba, Habana p. 112 (N).
X. p. Chamberlin & Ivie 1936, Bull. Univ. Utah 27 (5), Biol. 3 (5) p. 4 (C).
X. ontariensis Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 355 TF. 164 (D ♂♀).
X. ontariensis Muma 1945, Bull. Maryland Agr. Exper. Stat. A 38 p. 50 (N).
X. ontariensis Procter 1946, Biol. Surv. Mount Desert Region 7 p. 527 (N).
X. ontariensis Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 423 T. 83 F. 1550 (D ♂♀).
X. p. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 421 TF. 1—2 (D ♂♀).

♂o **robinsoni** Gertsch 1953. Texas, Mexico

X. orizaba Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 378 (part.).
X. r. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 441 TF. 46 (D ♂♀).

♂♀ **texanus** Banks 1904. Texas, Mexico

X. t. Banks 1904, Journ. N. York Ent. 12 p. 112 (D ♀).
X. t. Gertsch 1934, Amer. Mus. Novit. 707 p. 13 TF. 8 (D ♂).
X. t. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 375 TF. 186, 187, 193 (D ♂♀).
X. t. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 439 (N ♂♀).

Nearktische Arten:

§ 13 ♂, 17 ♀ : Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 4—7 (part.).
§ 43 ♂, 51 ♀ : Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 351—353, 379, 383, 392—393.
§ 9 Arten: Chickering 1940, Pap. Michigan Ac. Sci. 25 p. 204.

♂♀ **acquiescens** Emerton 1919. Canada, Nördl. U. St. Amerika

X. a. Emerton 1919, Canad. Ent. 51 p. 107 T. 7 F. 1a u. 15 (D ♂).
X. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 376 TF. 172, 184, 185 (D ♂♀).
X. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 433 (N ♂♀).

♂♀ **apachecus** Gertsch 1933. Utah

X. a. Gertsch 1933, Amer. Mus. Novit. 593 p. 22 f. 24 (D ♀).
X. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 356 TF. 144, 145, 174 (D ♂♀).
X. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 423 (N ♂♀).

♀ **apalacheus** Gertsch 1953. Florida

X. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 428 TF. 24 (D ♀).

♂♀ **aprilinus** Bryant 1930. Texas, Arizona

X. a. Bryant 1930, Psyche 37 (2) p. 132 T. 7 F. 4 (D ♀).
X. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 381 TF. 204, 105 (D ♂♀).
X. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 445 (N ♂♀).

♀ **arizonicus** Gertsch 1939. Arizona, Neu-Mexico

X. fissilis Banks 1898, Proc. Calif. Ac. Sci. (3) 1 (7) p. 259 (D ♀, nec ♂).
X. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 377 TF. 195 (D ♀).
X. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 441 (N ♀).

♂♀ **auctificus** Keyserling 1880. Colorado

X. a. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 25 T. 1 F. 10 (D ♂).
X. maculatus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 45 T. 1 F. 22 (D ♀).
X. trimaculatus Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 179 T. 2 F. 12—13 (D ♂).
X. a. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 361 TF. 176, 177, 188 (D ♂♀).
X. a. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 431 (N ♂♀).

♂♀ **banksi** Bryant 1933. U. St. Amerika, Alaska

X. quinquepunctatus Marx 1892, Pro. Ent. Soc. Wash. 2 (2) p. 159 (N).
X. pallidus Bryant 1930, Psyche 37 (2) p. 138 T. 8 F. 11, 12, 14 (D ♂♀).
X. b. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 178 (nom. nov.).
X. b. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 388 TF. 216, 217, 229 (D ♂♀).
X. b. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 428 T. 88 F. 1555—56 (D ♂♀).
X. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 449 (N ♂♀).

♂♀ **benefactor** Keyserling 1880. U. St. Amerika, Canada

X. b. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 22 T. 1 F. 8 (D ♂♀).
X. vernilis Keyserling 1881, Verh. Zool. Bot. Ges. Wien 31 p. 304 T. 11 F. 23 (D ♀).
X. b. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 178 T. 11 F. 18 (N ♀).
X. (Spiracme) b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 452 (N ♂♀).

♂♀ **bicuspis** Keyserling 1887. Montana, Neu-Mexico, Alaska

X. b. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 478 T. 6 F. 38 (D ♂).
X. graminis Emerton 1893, Trans. Connect. Ac. Sci. 8 (12) p. 364 T. 29 F. 2 (D ♂♀).
X. graminis Kaston 1938, Bull. Connect. Geol. Nat. Hist. Surv. 60 p. 192 (N).
X. b. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 377 TF. 152, 153, 189 (D ♂♀).
X. graminis Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 213 f. 43—44 (N ♂♀).
X. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 438 (N ♂♀).

♂♀ **britcheri** Gertsch 1934. New York, Canada, Alaska

X. b. Gertsch 1934, Amer. Mus. Novit. 707 p. 10 TF. 6 (D ♀).
X. b. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 360 TF. 166 (D ♀).
X. b. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 429 TF. 10—12 (D ♂♀).

♂♀ **canadensis** Gertsch 1934. New Hampshire, Canada, Labrador

Oxyptila cinerea Emerton 1898, Trans. Connect. Ac. Sci. 8 (21) p. 366 T. 29 F.6 (D ♂♀) (praeocc. C. L. Koch 1838 sub **Xysticus**).
X. cinereus Banks 1910, Bull. U. St. Nat. Mus. 72 p. 48 (C).

X. c. Gertsch 1934, Amer. Mus. Novit. 707 p. 5 (nom. nov.).
X. c. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 359 TF. 148, 149, 173 (D ♂♀).
X. discursans Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 206—207 (part.)
X. c. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 425 TF. 13 (N ♂♀).

♂♀ **chippewa** Gertsch 1953. Michigan, Ontario

X. c. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 410 TF. 17—20 (D ♂♀).

♀ **cochise** Gertsch 1953. Arizona

X. c. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 442 TF. 47 (D ♀).

♂♀ **coloradensis** Bryant 1930. Colorado, Texas, Neu-Mexico

X. c. Bryant 1930, Psyche 37 (2) p. 133 T. 7 F. 1, 3, 7 (D ♂, nec ♀).
X. c. Gertsch 1933, Amer. Mus. Novit. 593 p. 19 TF. 18 (D ♂).
X. c. Gertsch, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 380 TF. 206—207 (D ♂, nec ♀).
X. c. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 444 TF. 33 (D ♀).

♂♀ **concursus** Gertsch 1934. Texas

X. c. Gertsch 1934, Amer. Mus. Novit. 707 p. 9 TF. 13 (D ♀).
X. c. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 381 TF. 198, 208, 209 (D ♂♀).
X. c. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 445 (N ♂♀).

♂♀ **cunctator** Thorell 1877. Californien, Utah, Neu-Mexico, Colorado, Canada

X. c. Thorell 1877, Bull. U. Stat. Geol. Surv. 3 (2) p. 494 (D ♀).
X. lenis Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 27 T. 1 F. 11 (D ♀).
X. californicus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 37 T. 1 F. 17 (D ♀).
X. ferox Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 183 (N).
X. nervosus Chamberlin & Gertsch 1928, Proc. Biol. Soc. Wash. 41 p. 183 (N).
X. ancistrophor Chamberlin & Gertsch 1929, Journ. Ent. Zool. Claremont 21 (3) p. 4 T. 4 F. 40 (D ♂).
X. c. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 390 TF. 222, 223, 226, 234, 235 (D ♂♀).
X. c. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 448 (N ♂♀).

♀ **cunctator nigrescens** Cockerell 1890. Colorado

X. c. n. Cockerell 1890, Ent. Monthl. Mag. p. 191 (D ♀).

♀ **cunctator pallidus** Cockerell 1890. Colorado

X. c. p. Cockerell 1890, Ent. Monthl. Mag. p. 191 (D ♀).

♂♀ **durus** (Soerensen) 1898. Grönland, Canada, Colorado, Neu-Mexico

X. ferrugineus Emerton 1894, Trans. Connect. Ac. Svi. 9 (6a) p. 415 T. 4 F. 3 (D ♀).
Oxyptila d. Soerensen 1898, Vidensk. Meddel. 5 (10) p. 230 (D ♂♀).
X. moestus Banks 1910, Bull. U. St. Nat. Mus. 72 p. 48 (nom. nov.).
X. keyserlingi Bryant 1930, Psyche 37 (2) p. 135 T. 8 F. 9—10 (D ♂).
Oxyptila d. Jackson, Ann. Mag. Nat. Hist. (10) 6 p. 640 T. 17 F. 6 (N ♀).
Oxyptila d. Braendegaard 1937, Meddel. om Grönland 108 (4) p. 14 (N).

X. moestus Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 403 TF. 252, 253, 267 (D ♂♀).
X. d. Braendegaard 1946, Meddel. om Grönland 121 (15) p. 57 f. 37—38 (N ♂♀).
X. d. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 455 (N ♂♀).

♂♀ **elegans** Keyserling 1880. Georgia, New Hampshire, Canada, Alaska

X. e. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 31 T. 1 F. 14 (D ♂).
X. limbatus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 35 T. 1 F. 16 (D ♀, nec ♂).
X. borealis Keyserling 1883, Verh. Zool. Bot. Ges. Wien 33 p. 668 T. 21 F. 17 (D ♀).
X. limbatus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 360 (D ♂♀).
X. limbatus Emerton 1902, Common Spid. p. 31 f. 89 (D ♂♀).
X. limbatus Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 177 f. 1a, b (N ♀).
X. e. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 372 TF. 156, 157, 192 (D ♂♀).
X. e. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 207 f. 28—30 (N ♂♀).
X. e. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 425 T. 81 F. 1524—28; T. 82 F. 1544 (D ♂♀).
X. e. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 436 (N ♂♀).

♂♀ **emertoni** Keyserling 1880. U. St. Amerika, Canada, Alaska

X. limbatus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 35 T. 1 F. 16a, b (D ♂, nec ♀).
X. e. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 39 T. 1 F. 18 (D ♀).
X. e. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 178 T. 11 F. 11 (N ♀).
X. e. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 374 TF. 158, 159, 197 (D ♂♀).
X. e. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 208 f. 31—33 (N ♂♀).
X. e. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 426 T. 82 F. 1545—46 (D ♂♀).
X. e. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 436 (N ♂♀).

♂♀ **ferox** (Hentz) 1847. U. St. Amerika, Canada, Labrador

? Thomisus transversatus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 525 (D ♀).
? Thomisus lentus Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 509 (part.).
Thomisus f. Hentz 1847, Boston Journ. Nat. Hist. Soc. 5 p. 445 T. 23 F. 3 (D ♂).
X. stomachosus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 7 T. 1 F. 1 (D ♂♀).
X. distinctus Banks 1892, Proc. Ac. Nat. Sci. Philad. 52 T. 3 F. 89 (D ♀).
X. transversus Banks 1892, Proc. Ac. Nat. Sci. Philad. 52 p. 54 T. 3 F. 6 (D ♀).
X. maculatus Banks 1892, Proc. Ac. Nat. Sci. Philad. 52 p. 57 (N).
X. stomachosus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 362 T. 28 F. 3 (D ♂♀).
X. stomachosus Emerton 1893, Common Spiders p. 30 f. 87, 88 (D ♂♀).
X. f. Banks 1910, Bull. U. St. Nat. Mus. 72 p. 48 (N).
X. f. Comstock 1912, Spider Book p. 534 f. 569, 570, 593, 594 (N).
X. f. Gertsch 1934, Amer. Mus. Novit. 707 p. 11 (N).
X. f. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 385 TF. 212, 213, 225, 233 (D ♂♀).
X. f. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 210 f. 34—36 (N ♂♀).
X. tranversatus Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 170 TF. 28 (N ♂♀).

X. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 427 T. 81 F. 1532—33; T. 83 F. 1554 (D ♂♀).
X. f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 446 (N ♂♀).

♂♀ **fervidus** Gertsch 1953. Colorado, Brit. Columbien

X. f. Gertsch 1953, Bull. Amer. Mus. Nat Hist. 102 (4) p. 427 TF. 27—30 (D ♂♀).

♂ **flavovittatus** Keyserling 1880. U. St. Amerika

X. f. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 33 T. 1 F. 15 (D ♂).
X. (Spiracme) f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 453 (N).

♂♀ **fraternus** Banks 1895. Kentucky, New York, Connecticut, Neu-Mexico

X. hamatus Keyserling 1885, Verh. Zool. Bot. Ges. Wien 34 p. 521 T. 13 F. 22 (D ♂♀) (praeocc. Thorell 1875).
X. f. Banks 1895, Journ. N. York Ent. Soc. 3 p. 90 (D ♂).
X. hamatinus Banks 1910, Bull. U. St. Nat. Mus. 72 p. 48 (nom. nov.).
X. hamatus Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 178 T. 11 F. 7 (N ♂).
X. f. Bryant 1930, Psyche 37 (2) p. 134 T. 7 F. 6 u. 8 (D ♂).
X. f. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 384 TF. 214, 215, 224 (D ♂♀).
X. f. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 211 f. 37—39 (N ♂♀).
X. f. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 427 T. 83 F.1552—53 (D ♂♀).
X. f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 447 (N ♂♀).

♂♀ **furtivus** Gertsch 1936. Texas

X. f. Gertsch 1936, Amer. Mus. Novit. 852 p. 15 (D ♂♀).
X. f. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 388 TF. 218, 219, 227 (D ♂♀).
X. f. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 450 (N ♂♀).

♂♀ **gosiutus** Gertsch 1932. Utah, Oregon, Brit. Columbien, Ontario, Californien

X. g. Gertsch 1932, Amer. Mus. Novit. 593 p. 20 TF. 7 u. 26 (D ♂♀).
X. g. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 358 TF. 146, 147, 170 (D ♂♀).
X. g. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 425 (N ♂♀).

♂♀ **gulosus** Keyserling 1880. U. St. Amerika, Canada

X. g. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 43 T. 1 F. 21 (D ♀).
X. lentus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 55 T. 2 F. 67 (D ♂).
X. g. Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 57 T. 3 F. 7 (N ♀).
X. g. Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 361 T. 28 F. 2 (D ♂♀).
X. g. Emerton 1902, Common Spiders p. 31 f. 91—92 (D ♂♀).
X. g. Comstock 1912, Spider Book p. 534 f. 571, 596—598 (N).
X. g. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 353 TF. 140, 141, 165 (D ♂♀).
X. g. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 214 f. 46—48 (N ♂♀).
X. g. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 422 T. 81 F. 1529; T. 83 F. 1549 (D ♂♀).
X. g. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 422 (N ♂♀).

♀ **imitarius** Gertsch 1953. Utah

X. i. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 442 TF. 45 (D ♀).

♀ **indiligens** (Walckenaer) 1837. Georgia

Thomisus i. Walckenaer 1837, Hist. Nat. Ins. Apt. 1 p. 506 (D).
X. i. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 168 TF. 42 (D ♀).

♂♀ **knowltoni** Gertsch 1939. Utah, Californien

X. k. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 399 TF. 244, 245 (D ♂).
X. k. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 452 TF. 58 (D ♀).

♂♀ **labradorensis** Keyserling 1887. Labrador, O.-Grönland, Alaska, Wyoming, Washington-St., (?Schweden)

X. l. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 479 T. 6 F. 39 (D ♀).
X. bimaculatus Emerton 1894, Trans. Connect. Ac. Sci. 9 (6 a) p. 416 T. 4 F. 5 (D O ♀).
X. deichmanni Soerensen 1898, Vidensk. Meddel. (5) 10 p. 228 (D ♂♀).
X. bimaculatus Emerton 1919, Canad. Arct. Exped. 3 (Ins. 2) p. 6 T. 2 F. 18—20 (D ♂♀).
X. l. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 401 TF. 248, 249, 268 (D ♂♀).
X. deichmanni Braendegaard 1940, Meddel. Grönland 125 (8) p. 22 f. 20, 21 (N ♂♀).
X. l. Tullgren 1944, Svensk Spindelfauna 3 p. 129 f. 48 (N ♂).
X. (Spiracme) l. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 454 (N ♂♀).

♂♀ **lassanus** Chamberlin 1925. Texas, Utah

X. l. Chamberlin 1925, Bull. Mus. Comp. Zool. Harvard 67 p. 218 (D ♂).
X. simplicior Chamberlin & Gertsch 1929, Journ. Ent. Soc. Zool. Claremont 21 p. 105 T. 1 F. 10 (D ♂).
X. coloradensis Bryant 1930, Psyche 37 (2) p. 133 T. 7 F. 7 (D ♀, nec ♂).
X. l. Gertsch 1934, Amer. Mus. Novit. 707 p. 13 TF. 7 (D ♀).
X. l. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 360 TF. 124, 125 (D ♂♀).
X. coloradensis Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 380 TF. 199 (D ♀).
X. l. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 431 (N ♂♀).

♂♀ **locuples** Keyserling 1880. Colorado, Nevada, Utah, Arizona

X. l. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 24 T. 1 F. 9 (D ♂♀).
X. bicuspis Banks 1901, Proc. Ac. Nat. Sci. Philad. p. 353 T. 23 F. 15 (N ♂♀).
X. l. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 178 T. 11 F. 10 (N ♂♀).
X. l. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 357 TF. 142, 143 (D ♂♀).
X. l. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 423 TF. 6 (N ♂♀).

♂♀ **luctans** (C. L. Koch) 1845. Georgia, New York, Connecticut, Canada

Thomisus l. C. L. Koch 1945, Die Arachniden 12 p. 63 TF. 998 (D ♀).
Pachyptile luctuans Simon 1864, Hist. Nat. Araign. (1. Ed.) p. 433 (C).
X. quadrilineatus Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 42 T. 1 F. 20 (D ♀).
X. quadrilineatus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 57 T. 3 F. 10 (C ♀).
X. quadrilineatus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 365 T. 29 F. 4 (D ♀).
X. quadrilineatus Emerton 1902, Common Spid. p. 33 f. 98 (D ♀).
X. l. Banks 1910, Bull. U. stat. Nat. Mus. 72 p. 48 (C).

X. l. Comstock 1912, Spider Book p. 536 f. 602 (N).
X. l. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 369 TF. 160, 161, 196 (D ♂♀).
X. l. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 424 T. 82 F. 1547—48 (D ♂♀).
X. l. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 434 TF. 40—41 (N ♂♀).

♂♀ **lutulentus** Gertsch 1934. Oregon, Utah, Canada

X. pulverulentus Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 417 T. 4 F. 6 (D ♂♀).
X. l. Gertsch 1934, Amer. Mus. Novit. 707 p. 8 TF. 9 (D ♀).
X. l. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 396 TF. 242, 243, 262 (D ♂♀).
X. mysticus Chamberlin & Ivie 1942, Bull. Univ. Utah 32 (13), Biol. 7 (1) p. 79 T. 17 F. 225 (D ♀).
X. (Spiracme) l. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 453 (N ♂♀).

♂♀ **malkini** Gertsch 1953. Oregon, Californien

X. m. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 423 TF. 8—9 (D ♂♀).

♂♀ **montanensis** Keyserling 1887. Montana, Neu-Mexico, Californien, Utah, Canada, Alaska

X. m. Keyserling 1887, Verh. Zool. Bot. Ges. Wien 37 p. 479 T. 6 F. 40 (D ♂♀).
X. m. Banks 1901, Proc. Ac. Nat. Sci. Philad. 53 p. 583 T. 23 F. 19 (N ♀).
X. hesperus Gertsch 1934, Amer. Mus. Novit. 707 p. 6 TF. 11 (D ♂♀).
X. m. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 395 TF. 238, 239, 263 (D ♂♀).
X. (Spiracme) m. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 451 (N ♂♀).

♀ **nicholsi** Gertsch 1939. Alaska, Manitoba

X. n. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 399 TF. 266 (D ♀).
X. (Spiracme) n. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 453 (N ♀).

♂♀ **nigromaculatus** Keyserling 1883. Colorado, Canada

X. n. Keyserling 1883, Verh. Zool. Bot. Ges. Wien 33 p. 670 T. 21 F. 18 (D ♀).
X. n. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 402 TF. 250, 251, 264 (D ♂♀).
X. (Spiracme) n. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 455 (N ♀).

♂♀ **ocala** Gertsch 1953. Georgia

X. o. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 440 TF. 53—56 (D ♂♀).

♂♀ **ontariensis** Emerton 1919. Canada

X. o. Emerton 1919, Canad. Ent. 51 p. 108 f. 16 (D ♂).
X. o. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 355 TF. 164 (D ♂♀).
X. o. Kaston 1948, State Connect. Publ. Docum. 47, Bull. 70 p. 423 T. 83 F. 1550 (D ♂♀).

♂♀ **pretiosus** Gertsch 1934. Californien, Oregon, Brit. Columbien

X. auctificus Worley 1932, Univ. Wash. Publ. Biol. 1 (1) p. 41 (N).
X. p. Gertsch 1934, Amer. Mus. Novit. 707 p. 6 TF. 3 (D ♂)

X. p. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 362 TF. 167, 202, 203 (D ♂♀).
X. p. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 427 (N ♂♀).

♂♀ **punctatus** Keyserling 1880. U. St. Amerika, Canada

X. p. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 30 T. 1 F. 13 (D ♂).
X. formosus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 56 T. 3 F. 9 (D ♀).
X. formosus Emerton 1893, Trans. Connect. Ac. Sci. 8 (21) p. 365 T. 29 F. 3 (D ♂).
X. formosus Comstock 1912, Spider Book p. 534 f. 595 (N).
X. p. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 178 T. 11 F. 9 (N ♂).
X. formosus Chamberlin 1933, Pan Pacific Ent. 9 p. 124 f. 5 (N ♂).
X. p. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 393 TF. 236, 237, 265 (D ♂♀).
X. p. Kaston 1948, State Connect. Publ. Docum 47, Bull. 70 p. 428 T. 81 F. 1520—21; T. 82 F. 1538 (D ♂♀).
X. (Spiracme) p. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 450 (N ♂♀).

♂♀ **quinquepunctatus** Keyserling 1880. Westl. U. St. Amerika

X. q. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 28 T. 1 F. 12 (D ♀).
X. cunctator Banks 1895, Ann. N. York Ac. Sci. 8 p. 427 (N).
X. q. Gertsch 1934, Amer. Mus. Novit. 707 p. 4 TF. 4 (D ♂♀).
X. q. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 389 TF. 220, 221, 228 (D ♂♀).
X. q. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 449 (N ♂♀).

♂♀ **rockefelleri** Gertsch 1953. Canon Prieto

X. r. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 435 TF. 37—39 (D ♂♀).

♀ **sphericus** (Walckenaer) 1837. Georgia

Thomisus s. Walckenaer 1937, Hist. Nat. Ins. Apt. 1 p. 501 (D ♀).
X. s. Chamberlin & Ivie 1944, Bull. Univ. Utah 35 (9), Biol. 8 (5) p. 169 TF. 48 (D ♀).

♂♀ **triangulosus** Emerton 1894. W.-Canada, Alaska

X. t. Emerton 1894, Trans. Connect. Ac. Sci. 9 (6a) p. 416 T. 4 F. 4 (D ♂♀).
X. t. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 397 TF. 240, 241, 261 (D ♂♀).
X. (Spiracme) t. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 453 (N ♂♀).

♂♀ **triguttatus** Keyserling 1880. U. St. Amerika, Canada

X. t. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 12 T. 1 F. 3, 6 (D ♂♀).
X. feroculus Keyserling 1881, Verh. Zool. Bot. Ges. Wien 31 p. 305 T. 11 F. 24 (D ♀).
X. feroculus Banks 1892, Proc. Ac. Nat. Sci. Philad. p. 52 T 3 F. 3 (N ♀).
X. t. Emerton 1893, Trans. Connect Ac. Sci. 8 (21) p. 363 T. 29 F. 1 (D ♂♀).
X. t. Emerton 1902, Common Spid. p. 33 f. 95—97 (D ♂♀).
X. t. Comstock 1912, Spider Book p. 538 f. 606—607 (N).
X. t. Peele & Saito 1933, Journ. Fac. Sci. Hokkaido Zool. (6) 2 (3) p. 113 f. 3 (D ♀).
X. t. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 362 TF. 169, 178, 179 (D ♂♀).
X. t. Chickering 1940, Pap. Michig. Ac. Sci. 25 p. 216 f. 49—51 (N ♂♀).
X. t. Kaston 1948, State Connect. Publ. Docum 47, Bull. 70 p. 423 T. 82 F. 1540—41; T. 109 F. 2009 (D ♂♀).
X. t. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 428 (N ♂♀).

♂♀ **variabilis** Keyserling 1880. Georgia, N.-Carolina

X. v. Keyserling 1880, Spinn. Amer. 1 (Laterigr.) p. 40 T. 1 F. 19 (D ♀).
X. v. Banks 1913, Proc. Ac. Nat. Sci. Philad. 65 p. 179 T. 11 F. 6 (N ♀).
X. v. Bryant 1933, Bull. Mus. Comp. Zool. Harvard 74 (6) p. 180 T. 2 F. 11; T. 3 F. 31 (D ♂♀).
X. v. Gertsch 1934, Amer. Mus. Novit. 707 p. 13 TF. 5 (D ♂).
X. v. Gertsch 1939, Bull. Amer. Mus. Nat. Hist. 76 (7) p. 366 TF. 171, 200, 201 (D ♂♀).
X. v. Gertsch 1953, Bull. Amer. Mus. Nat. Hist. 102 (4) p. 429 (N ♂♀).

50. Fam. APHANTOCHILIDAE

Gen. **Aphantochilus** Cambridge 1870.

♂ **inermipes** Mello-Leitao 1929. Brasilien

A. i. Mello-Leitao (Simon nec publ.) 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 13 (D ♂).

♀ **rogersi** Cambridge 1870. – * Brasilien, Paraguay, Peru, Venezuela, Panama

A. r. Cambridge 1870, Proc. Zool. Soc. Lond. p. 744 T. 44 F. 10 (D ♀).
A. r. Simon 1895, Hist. Nat. Araign. 1 (4) p. 958 f. 1028—1030, 1032 (N ♀).
A. r. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 12 (D ♀).

Gen. **Bucranium** Cambridge 1881.

♂♀ **taurifrons** Cambridge 1881. Brasilien, Paraguay, Peru, Venezuela

B. t. Cambridge 1881, Proc. Zool. Soc. Lond. p. 772 T. 66 F. 5 (D o).
B. t. Simon 1895, Hist. Nat. Araign. 1 (4) p. 957 f. 1026, 1027, 1031 (N ♂♀).
B. t. Mello-Leitao 1929, Arch. Mus. Nac. R. d. Jan. 31 p. 10 (D ♀).
B. t. Canals 1933, Estud. Aracnol. 2 p. 4 f. 1—5 (D ♂♀).

Gen. **Cryptoceroides** Piza 1937.

♂♀ **cambridgei** (Canals) 1933. Argentinien

Aphantochilus c. Canals 1933, Estud. Aracnol. 2 p. 8 f. 6—10 (D ♂♀).
C. c. Piza 1937, Rev. Mus. Paulista 23 p. 313 (N).

♂♀ **cryptocerophagum** Piza 1937. S.-Brasilien

C. c. Piza 1937, Rev. Mus. Paulista 23 p. 313 T. 2 F. 6, 7 (D ♂♀).

Gen. **Majellula** Strand 1932.

♀ **affinis** (Cambridge) 1896. Mexico

Majella a. Cambridge 1896, Biol. Centr. Amer. Aran. 1 p. 191 T. 24 F. 3 (D ♀).
Majella a. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 165 T. 11 F. 6 (D ♀).
M. a. Strand 1932, Folia Zool. Hydrobiol. 4 (1) p. 140 (nom. nov. gen.).

♂ **pulchra** Bryant 1940. Cuba

M. p. Bryant 1940, Bull. Mus. Comp. Zool. Harvard 86 (7) p. 417 T. 14 F. 190, 197 (D ♂).

♀ **spinigera** (Cambridge) 1891. Guatemala

Bucranium s. Cambridge 1891, Biol. Centr. Amer. Aran. 1 p. 87 T. 11 F. 11 (D ♀).
Majella s. F. Cambridge 1900, Biol. Centr. Amer. Aran. 2 p. 165 T. 11 F. 7 (N ♀).