

PARC NATIONAL DE L'UPEMBA  
I. MISSION G. F. DE WITTE  
en collaboration avec  
W. ADAM, A. JANSSENS, L. VAN MEEL  
et R. VERHEYEN (1946-1949).  
Fascicule 25 (7)

NATIONAAL UPEMBA PARK  
I. ZENDING G. F. DE WITTE  
met medewerking van  
W. ADAM, A. JANSSENS, L. VAN MEEL  
en R. VERHEYEN (1946-1949).  
Afllevering 25 (7)

# CHRYSIDIDÆ (HYMENOPTERA APOCRITA)

VON

STEPHAN ZIMMERMANN (Wien)

A. — Unter-Familie **HETERONYCHINÆ** BUYSSON.

Gruppe **ELLAMPINI** MOCSÁRY.

Genus **HOLOPHRIS** MOCSÁRY.

1. — **Holophris congoensis** BUYSSON.

BUYSSON, Rev. Ent. Caen, Vol. 19, p. 127 (1900).

2 ex. : Mabwe, lac Upemba, 585 m, 26.VIII.1947 (lot 723 a); [Masombwe, 1.120 m, 6-8.VII.1948 (lot 1759)] <sup>(1)</sup>.

Gruppe **HEDYCHRINI** MOCSÁRY.

Genus **HEDYCHRUM** LATREILLE.

1. — **Hedychrum caelestinum** SPINOLA.

SPINOLA, Ann. Soc. Ent. France, Vol. 7, p. 454, n. 11 (1838).

3 ex. : Mukana, 1.810 m, 22-23.IV.1949 (lot 2550 a); Mabwe, lac Upemba, 16-17.VI.1945 (lot 143).

2. — **Hedychrum** sp.

3 ex. : Lusinga, 1.760 m, 9-17.XII.1947 (lot 1141 a); 1-8.XII.1947 (lot 1125 a); Lukawe, affl. dr. Lufira, 700 m, 6-9.X.1947 (lot 813 a).

<sup>(1)</sup> Fangorte ausserhalb des « Parc National de l'Upemba » sind zwischen Klammern angeführt.

B. — Unter-Familie **HOLONYCHINÆ** BISCHOFF.Gruppe **PSEUDOCHRYSIDINI** BISCHOFF.Genus **EURYCHRYISIS** BISCHOFF.1. — **Eurychrysis nasuta** MOCSÁRY.

MOCSÁRY, Term. Füzet., Vol. 25, p. 557, n. 35 (1902).

1 ex. : Katongo, affl. Mubale, 1.750 m, 12.IV.1948 (lot 1512 a).

Genus **STILBUM** SPINOLA.1. — **Stilbum cyanurum splendidum** FABRICIUS.

FABRICIUS, Syst. Ent., p. 357, n. 1 (1775).

5 ex. : Mabwe, rive Est lac Upemba, 585 m, 2.III.1949 (lot 2388); 1.II.1949 (lot 2300 a); gorges de la Pelenge, 1.150 m, 22.VI.1947 (lot 431 a); [Masombwe, 1.120 m, 4-16.X.1948 (lot 1874 a)]; Buye-Bala, 1.750 m, 24-31.III.1948 (lot 1450 a).

Gruppe **EUCHRYSIDINI** BUYSSON.Genus **CHRYSIDEA** BISCHOFF.1. — **Chrysidea africana** MOCSÁRY.

MOCSÁRY, Term. Füzet., Vol. 25, p. 541, n. 12 (1902).

2 ex. : Mabwe, lac Upemba, 585 m, 4-8.IX.1947 (lot 737 a); 4.IX.1947 (lot 740 a).

2. — **Chrysidea minuta** MOCSÁRY.

MOCSÁRY, Ann. Mus. Nat. Hung., Vol. 6, p. 501, n. 5 (1908).

1 ex. : Mabwe, 585 m, 29.XI-1.XII.1949 (lot 1980 a).

Genus **CHRYSIS** LINNAEUS.1. — **Chrysis (Trichysis) auromarginata** MOCSÁRY.

MOCSÁRY, Ann. Mus. Nat. Hung., Vol. 10, p. 376, n. 47 (1912).

9 ex. : Kilwezi, affl. dr. Lufira, 750 m, 26-31.VII.1948 (lot 1764 a); Kiamakoto-Kiwakishi, 1.070 m, 4-16.X.1948 (lot 1886 a); Mabwe, lac Upemba, 585 m, 4.IX.1947 (lot 734 a); 1-12.VIII.1947 (lot 660 a); 27-30.XI.1948 (lot 1986 a); 4-8.IX.1947 (lot 737 a); 1.II.1949 (lot 2300 a).

2. — **Chrysis (Tetrachrysis) stanleyana** SCHLETTERER.

SCHLETTERER, Ann. Soc. Ent. Belg., Vol. 35, p. 30 (1891).

1 ex. : Mabwe, 585 m, 12-17.XII.1948 (lot 2107 a).

3. — **Chrysis (Tetrachrysis) sp.**

1 ex. : Mabwe, lac Upemba, 585 m, 4-8.IX.1947 (lot 737 a).

4. — **Chrysis (Pentachrysis) nigeriaca** MOCSÁRY.

MOCSÁRY, Ann. Mus. Nat. Hung., Vol. 11, p. 2, n. 136 (1913).

1 ex. : Mabwe, rive Est lac Upemba, 585 m, 11.I.1949 (lot 2197 a).

5. — **Chrysis (Hexachrysis) stilboides** SPINOLA.

SPINOLA, Ann. Soc. Ent. France, Vol. 7, p. 446, n. 3 (1838).

1 ex. : Lusinga, 1.760 m, 22.X.1948 (lot 1922 a).

6. — **Chrysis (Hexachrysis) rimata** BUYSSON.

BUYSSON, Rev. Entom. Caen, Vol. 17, p. 144 (1898).

1 ex. : Kabwe-sur-Muye, 1.320 m, 12-14.V.1948 (lot 1606 a).

7. — **Chrysis (Hexachrysis) lyncea** FABRICIUS.

FABRICIUS, Syst. Ent., p. 357, n. 4 (1775).

8 ex. : Mabwe, lac Upemba, 585 m, 4.IX.1947 (lot 742 a); Lusinga, 1.760 m, 18.VII-8.VIII.1947 (lot 592 a); Kanonga, 700 m, 17-22.II.1949 (lot 2354 a); Mukana, 1.810 m, 19.IV.1949 (lot 2524 a); riv. Munte, 1.480 m, 16.V.1947 (lot 406 a); Lusinga, riv. Kamitungulu, 1.760 m, 13.VI.1945 (lot 121); [Kembwile, rive g. Kalule-Nord, 28.II.1949 (lot 2405 a)]; Kalumengongo, 1.780 m, 21.I.1948 (lot 1222 a).

## ALPHABETISCHES REGISTER.

## A. — GATTUNGEN UND UNTERGATTUNGEN.

	Seite.		Seite.
<i>Chrysidea</i> BISCHOFF ... ..	136	<i>Holophris</i> MOCSÁRY ... ..	135
<i>Chrysis</i> LINNAEUS ... ..	136	<i>Pentachrysis</i> LICHTENSTEIN ... ..	137
<i>Eurychrysis</i> BISCHOFF . ... ..	136	<i>Stilbum</i> SPINOLA .. ... ..	136
<i>Hedychrum</i> LATREILLE ... ..	135	<i>Tetrachrysis</i> LICHTENSTEIN ... ..	137
<i>Hexachrysis</i> LICHTENSTEIN ... ..	137	<i>Trichrysis</i> LICHTENSTEIN ... ..	136

## B. — ARTEN.

	Seite.		Seite.
<i>africana</i> ( <i>Chrysidea</i> ) ... ..	136	<i>nasuta</i> ( <i>Eurychrysis</i> ) ... ..	136
<i>auromarginata</i> [ <i>Chrysis</i> ( <i>Trichrysis</i> )] ..	136	<i>nigeriaca</i> [ <i>Chrysis</i> ( <i>Pentachrysis</i> )] ...	137
<i>cælestinum</i> ( <i>Hedychrum</i> ) ... ..	135	<i>rimata</i> [ <i>Chrysis</i> ( <i>Hexachrysis</i> )] ... ..	137
<i>congoensis</i> ( <i>Holophris</i> ) .. ... ..	135	<i>splendidum</i> ( <i>Stilbum cyanurum</i> ) . ...	136
<i>cyanurum splendidum</i> ( <i>Stilbum</i> ) ... ..	136	<i>stanleyana</i> [ <i>Chrysis</i> ( <i>Tetrachrysis</i> )] ...	137
<i>lyncea</i> [ <i>Chrysis</i> ( <i>Hexachrysis</i> )] ... ..	137	<i>stilboides</i> [ <i>Chrysis</i> ( <i>Hexachrysis</i> )] ...	137
<i>minuta</i> ( <i>Chrysidea</i> ) ... ..	136		