

Index

Typographic characters used:

- CAPITALS:** All valid names for taxa above the generic level.
- Roman:** All valid names of genera and for taxa below the generic level.
- Italics:** All invalid names of genera and for taxa below the generic level, including nomina dubia, names of doubtful species, errors or emendations, misidentifications.

- abbreviata Loew, 1873, *Gonomyia*, 26
 abbreviata Zetterstedt, 1859, *Sphaerophoria*, 112
abbreviata (Zetterstedt, 1848), *Thaumatomyia*, 162
abbreviatus (Zetterstedt, 1849), *Metasyrphus*, 111
abdominalis (Zetterstedt, 1848), *Dicraeus*, 160
abdominalis (Fallén, 1833), *Diplonevra*, 107
abdominalis (Becker, 1901), *Diplonevra*, 107
abdominalis Zetterstedt, 1838, *Hilara*, 91
abdominalis (Robineau-Desvoidy, 1830), *Orellia*, 125
abdominalis (Staeger, 1840), *Phylidorea*, 25
abdominalis (Fabricius, 1794), *Psarus*, 114
aberrans (Walker, 1848), *Astrolimnophila*, 24
aberrans (Rondani, 1859), *Catagonia*, 200
abesa (Fitch, 1856), *Thaumatomyia*, 162
abiens Meigen, 1822, *Xylota*, 115
Ablabesmyia Johannsen, 1905, 47
abrotani (Macquart, 1835), *Orellia*, 125
absinthii (Fabricius, 1805), *Paroxyna*, 126
absinthii: authors, *Paroxyna*, 126
absintii: error or emend., *Paroxyna*, 126
abstrusa Thuneberg, 1955, *Medetera*, 97
absynthii: error or emend., *Paroxyna*, 126
abusivus Collin, 1931, *Eristalis*, 116
acanthi (Schrank, 1803), *Orellia*, 125
Acanthiophilus Becker, 1908, 125
Acanthophila Duda, 1925, 170
ACARTOPHTHALMIDAE, 145
Acartophthalmus Czerny, 1902, 145
acercrispans (Kieffer, 1888), *Dasineura*, 62
acerplicans (Kieffer, 1889), *Contarinia*, 62
Achalcus Loew, 1857, 98
Achanthiptera Rondani, 1856, 187
ACHANTHAPTERINAE, 187
achilleae Hering, 1937, *Ophiomyia*, 152
Achyrolimonia Alexander, 1965, 28
Acidia Robineau-Desvoidy, 1830, 124
Acidia: authors, 124
acidicola (Tokunaga, 1937), *Forcipomyia*, 42
Acidiostigma Hendel, 1927 subg., 124
Acina: error, 125
Acinia Robineau-Desvoidy, 1830, 125
Aclada Loew, 1850, 65
Aclonempis Collin, 1926, subg., 91
Acnemia Winnertz, 1863, 66
Acricotopus Kieffer, 1921, 48
Acrocera Meigen, 1803, 82
Acrocera Meigen, 1803, subg., 82
ACROCERIDAE, 82
Acrocerina Gil Collado, 1929, subg., 82
acrochaeta (Brauer & Bergenstamm, 1891), *Myxexoristops*, 202
Acrocholidia Kolenati, 1857, subg., 181
Acrodrosophila Duda, 1924, 170
Acrophaga Brauer & Bergenstamm, 1891, subg., 193
acrophila (Winnertz, 1853), *Dasineura*, 62
Acroptena Pokorny, 1893, 185
Acrosathe Irwin & Lyneborg, 1981, 84
Actia Robineau-Desvoidy, 1830, 203
Actora Meigen, 1826, 134
aculeata (Pandellé, 1896), *Bellarzia*, 193
aculeata (Loew, 1871), *Nephrotoma*, 20
aculeipes (Zetterstedt, 1838), *Thricops*, 187
acuminata Rondani, 1859, *Chaetogena*, 200
acuminata Kieffer, 1919, *Dasyhelea*, 42
acuminata (Strobl, 1901), *Katamormia*, 33
acuminatum (Maa, 1962), *Crataerina*, 180
acutangula (Zetterstedt, 1847), *Coproica*, 176
acuticornis (Meigen, 1830), *Cerodontha*, 152
acuticornis Wiedemann, 1817, *Dolichopus*, 100
acuticornis (Loew, 1858), *Pseudonapomyza*, 154
acutilobata Goetghebuer, 1932 *Smittia*, 54
Acutipula Alexander, 1924, subg., 21
acutum Kieffer, 1915, *Polypedilum*, 52
acutus Goetghebuer, 1932 *Limnophyes*, 54
Acydia: error or emend., 124
adaucta Kieffer, 1916, *Macropelopia*, 46
Adelinia A. Costa, 1857, 66
Adenia Robineau-Desvoidy, 1863, subg., 201
Adia Robineau-Desvoidy, 1830, 184
adjuncta (Walker, 1848), *Neolimnomyia*, 24
adjunctus Becker, 1910, *Chlorops*, 161
Admontia Brauer & Bergenstamm, 1889, 199
adspersa Mik, 1886, *Drosophila*, 171
adusta Meigen, 1830, *Diastata*, 163
Aedes Meigen, 1818, 37
Aedes Meigen, 1818, subg., 37

- Aedimorphus* Theobald, 1903, subg., 37
aegle (Edwards, 1938), *Eloeophila*, 24
aemula Loew, 1873, *Empis*, 91
aemula (Loew, 1864), *Tachydromia*, 96
aenea (Fabricius, 1777), *Callicera*, 115
aenea (Meigen, 1824), *Lydina*, 204
aenea (Meigen, 1822), *Neoascia*, 115
aenea (von Roser, 1840), *Oscinella*, 159
aenea (Fallén, 1813), *Pelina*, 167
aenea (Zetterstedt, 1838), *Pyrellia*, 188
aenea (Macquart, 1835), *Siphunculina*, 160
aeneicoxa (Meigen, 1824), *Sympycnus*, 100
aeneoventris (Fallén, 1823), *Melanagromyza*, 151
aenescens (Wiedemann, 1830), *Crossopalpus*, 94
aenescens Robineau-Desvoidy, 1830, *Morellia*, 188
aenescens (Zetterstedt, 1844), *Rhinophora*, 198
aeneum (Fallén, 1820), *Calliopum*, 136
aeneus Fallén, 1810, *Cephalops*, 109
aeneus (Walker, 1871), *Crossopalpus*, 94
aeneus (De Geer, 1776), *Dolichopus*, 101
aeneus (Scopoli, 1763), *Eristalis*, 116
aeneus Meigen, 1822, *Merodon*, 116
aeneus (Fallén, 1820), *Mosillus*, 165
aeneus (Macquart, 1823), *Platypalpus*, 94
aequalis Kieffer, 1898, *Contarinia*, 62
aequalis (Loew, 1865), *Hexatoma*, 24
aequalis (Wood, 1909), *Megaselia*, 105
aequinoctialis Westhoff, 1879, *Tipula*, 22
aerea authors, *Fannia*, 192
aerea (Fallén, 1825), *Spilogona*, 190
eronetha Mik, 1892, *Hilara*, 91
aerosus (Fallén, 1823), *Hercostomus*, 101
aestiva (Winnertz, 1852), *Dasyhelea*, 42
aestiva Loew, 1867, *Empis*, 90
aestiva (Meigen, 1826), *Pegoplata*, 186
aestiva (Meigen, 1824), *Pelatachina*, 205
aestivalis Meigen, 1818, *Dixa*, 35
aestivalis (Goetghebuer, 1921), *Heterotriassocladus*, 49
aestuans (Haliday, 1833), *Scatella*, 167
aestuum (Meigen, 1826), *Helcomyza*, 134
aestuum (Villeneuve, 1902), *Villeneuvia*, 190
aethiops (Goetghebuer, 1920), *Atrichopogon*, 41
aethiops Goetghebuer, 1939 *Orthocladius*, 54
afex (Fabricius, 1794), *Thyridanthrax*, 83
affinis (Fallén, 1817), *Agria*, 196
affinis (Kieffer, 1886), *Dasineura*, 62
affinis (Schummel, 1829), *Dicranomyia*, 28
affinis Lackschewitz, 1925, *Erioptera*, 26
affinis Malloch, 1921, *Hebecnema*, 190
affinis (Fallén, 1810), *Huebneria*, 201
affinis (Zetterstedt, 1838), *Limonia*, 28
affinis (Zetterstedt, 1847), *Lyciella*, 136
affinis (Wood, 1909), *Megaselia*, 105
affinis (Staeger, 1840), *Mycomya*, 67
affinis Fallén, 1823, *Phytomyza*, 153
affinis (Meigen, 1830), *Prochyliza*, 142
affinis Winnertz, 1863, *Rymosia*, 69
affinis (Meigen, 1830), *Suillia*, 173
afficta (Meigen, 1830), *Herina*, 129
africana (Karaman, 1939), *Nycteribia*, 181
Agathomyia Verrall, 1901, 104
agilis (Meigen, 1826), *Bellardia*, 193
agilis (Meigen, 1824), *Blondelia*, 199
agilis (Meigen, 1830), *Borophaga*, 107
agilis Meigen, 1824, *Dolichopus*, 100
agilis (Robineau-Desvoidy, 1830), *Phaonia*, 189
agilis (Meigen, 1822), *Platypalpus*, 94
agnata (Rondani, 1860), *Helicophagella*, 196
agnata (Rondani, 1859), *Phebellia*, 202
agrayloides (Kieffer, 1911), *Lauterborniella*, 52
agrestis (Fallén, 1810), *Macronychia*, 195
Agria Robineau-Desvoidy, 1830, 196
Agrobia Lioy, 1864, 156
Agrolimna Cresson, 1917, subg., 166
Agromyza Fallén, 1810, 152
AGROMYZIDAE, 151
agromyzina (Fallén, 1825), *Coenosia*, 191
agromyzina Meigen, 1830, *Phytomyza*, 153
Agrophila Lioy, 1864, 152
agrosticola Hering, 1927, *Agromyza*, 152
agrostis Nartshuk, 1955, *Oscinella*, 159
alacris (Winnertz, 1852), *Forcipomyia*, 41
alacris (Winnertz, 1863), *Mycomya*, 67
alacris (Meigen, 1824), *Ptesiomyia*, 203
albatella (Zetterstedt, 1849), *Coenosia*, 191
albescens (Zetterstedt, 1845), *Leucophora*, 185
albicans (Winnertz, 1852), *Culicoides*, 43
albicans (Fallén, 1810), *Cyzenis*, 200
albicans (Meigen, 1830), *Hecamede*, 165
albicans (Wood, 1908), *Megaselia*, 106
albicaudata (Wood, 1908), *Megaselia*, 106
albiceps (Meigen, 1830), *Diplotoxa*, 162
albiceps (Meigen, 1830), *Hydrellia*, 166
albiceps Frey, 1915, *Hydrophorus*, 102
albiceps (Meigen, 1826), *Parasarcophaga*, 197
albiceps (Meigen, 1820), *Philonicus*, 87
albiceps Meigen, 1830, *Phytomyza*, 153
albiceps Fallén, 1820, *Sapromyza*, 137
albincincta (Fallén, 1825), *Calythea*, 185
albincollis (Meigen, 1824), *Neaera*, 205
albicorne (Meigen, 1838), *Polypedilum*, 52
albicornis (Meigen, 1818), *Bezzia*, 43
albicornis Meigen, 1826, *Coenosia*, 191
albicornis (Tonnoir, 1919), *Hemimormia*, 33
albicornis (Goetghebuer, 1921), *Nanocladus*, 49
albicornis (Zetterstedt, 1842), *Platypalpus*, 94
albidohalteris (Felt, 1896), *Megaselia*, 106
albifacies (Tonnoir, 1919), *Panimerus*, 33
albifacies (Collin, 1926), *Platypalpus*, 94
albiforceps (Kieffer, 1916), *Cricotopus*, 48
albiforceps (Goetghebuer, 1921), *Phaenopsectra*, 52
albifrons (Fallén, 1813), 167
albifrons (Fallén, 1817), *Paragus*, 113
albifrons Meigen, 1804, *Rhagio*, 77
albifrons Zetterstedt, 1843, *Rhaphium*, 99

albifrons (Meigen, 1830), *Sciapus*, 97
albilateralis Goetghebuer, 1935, *Culicoides*, 43
albilabris (Meigen, 1830), *Hydrellia*, 166
albilabris (Fabricius, 1805), *Phrosia*, 183
albimana (Fabricius, 1787), *Ptychoptera*, 32
albimanus (Meigen, 1830), *Clusiodes*, 146
albimanus (Meigen, 1818), *Paratendipes*, 52
albimanus (Fabricius, 1781), *Platycheirus*, 112
albimargo (Pandellé, 1901), *Pegomya*, 186
albinervis Meigen, 1822, *Empis*, 90
albinervis Kieffer, 1918, *Procladius*, 46
albinervis; auct., *Minilimosina*, 177
albipalpis (Meigen, 1830), *Incertella*, 159
albipennis auct. non Meigen, 1838, *Empis*, 90
albipennis (Meigen, 1830), *Endochironomus*, 51
albipennis (Zetterstedt, 1850), *Logima*, 33
albipennis (Wood, 1909), *Megaselia*, 105
albipennis (Fallén, 1823), *Napomyza*, 153
albipennis (Fallén, 1816), *Rhamphomyia*, 91
albipennis (Goetghebuer, 1921), *Smittia*, 50
albipes Meigen, 1804, *Acrocera*, 82
albipes (Winnertz, 1852), *Bezzia*, 42
albipes (Fallén, 1819), *Cordilura*, 182
albipes (Ström, 1768), *Dolichopeza*, 20
albipes (Zetterstedt, 1843), *Micromorphus*, 100
albipes Meigen, 1830, *Phytomyza*, 153
albipila Meigen, 1838, *Cheilosia*, 113
albipila (Loew, 1866), *Lasiosina*, 162
albipuncta (Zetterstedt, 1854), *Hydrotaea*, 188
albiseta (Zetterstedt, 1838), *Chelipoda*, 92
albiseta (Scopoli, 1763), *Knutsonia*, 131
albiseta (von Roser, 1840), *Leucophora*, 185
albiseta (Meigen, 1830), *Oscinella*, 159
albiseta (Panzer, 1806), *Platypalpus*, 94
albisetosa (Duda, 1932), *Oscinimorpha*, 160
albisetus Macquart, 1835, *Chlorops*, 161
albitarsis Meigen, 1822, *Cheilosia*, 113
albitarsis (Zetterstedt, 1850), *Cookella*, 59
albitarsis Zetterstedt, 1837, *Lonchaea*, 139
albitarsis (Meigen, 1838), *Cryptonevra*, 161
albitarsis (Zetterstedt, 1844), *Dorylomorpha*, 108
albitarsis Meigen, 1818, *Macropeza*, 44
albitarsis (Meigen, 1830), *Porricondyla*, 61
albitibia Edwards, 1921, *Ormosia*, 27
albocapillatus (Fallén, 1815), *Platypalpus*, 94
alboclavata (Kieffer, 1919), *Forcipomyia*, 42
albocostata (Fallén, 1820), *Pherbellia*, 130
albofasciatus (Staeger, 1839), *Cryptochironomus*, 51
albohirta Collin, 1926, *Rhamphomyia*, 91
albolineata (Fallén, 1823), *Polites*, 188
albolineatus (Meigen, 1818), *Metricnemus*, 49
albomarginatus Stephens, 1829, *Sphaeromias*, 45
albopilosa de Meijere, 1935, *Empis*, 90
albopunctata (Becker, 1900), *Chymomyza*, 170
alboscutellatus (von Roser, 1840), *Ellipterooides*, 25
albosetulosa (Strobl, 1900), *Tethina*, 169
albostriatus (Fallén, 1817), *Dasytrophus*, 111
albula (Fallén, 1825), *Delia*, 184

Alcephagus Gimmerthal, 1845, 180
alciphron (Newman, 1833), *Orellia*, 125
alcis Schnabl, 1881, *Lipoptena*, 180
Aldrovandiella Enderlein, 1912, 60
alethe (Newman, 1833), *Paroxyna*, 126
algecirensis (Strobl, 1900), *Culicoides*, 43
Alimosina Roháček, 1983, subg., 177
Alliopsis Schnabl & Dziedzicki, 1911, 185
Alloborborus Duda, 1923, 175
Allocotocera Mik, 1886, 66
Allodia Winnertz, 1863, 68
Allodia Winnertz, 1863, subg., 68
Allodiopsis Tuomikoski, 1966, 68
Allodiopsis Tuomikoski, 1966, subg., 68
Alloeonota Schnabl, 1911, 188
Alloeostylus Schnabl, 1888, 187
Allognota Porkorny, 1893, 191
Allohelea Kieffer, 1917, 44
Alloneura Rondani, 1856, 109
Allophora; error, *Phasia*, 208
Allophyla Loew, 1862, 173
Allopiophila Hendel, 1917, 142
Allopsectrocladius Wülker, 1956, subg., 50
Allostoomma Schmitz, 1915, 71
allotalla (Meigen, 1830), *Helina*, 189
Allotrichoma Becker, 1896, 165
alma (Meigen, 1826), *Caricea*, 191
alneti (Fallén, 1817), *Didea*, 112
alni (F. Loew, 1877), *Dasineura*, 62
alnibetulae Hendel, 1931, *Agromyza*, 152
Alphora Robineau-Desvoidy, 1830, *Phasia*, 208
alpestris (Duda, 1933), *Chlorops*, 161
alpina (Zetterstedt, 1838), *Calliphora*, 193
alpina (Strobl, 1895), *Cheilotrichia*, 25
alpina (Strobl 1910), *Thaumatomyia*, 162
alpina Loew, 1873, *Tipula*, 21
alpina Meigen, 1824, *Trixia*, 207
alpinus (Haliday, 1833), *Campsicnemus*, 100
alpinus (Panzer, 1798), *Eristalis*, 116
alpinus Chvála, 1971, *Platypalpus*, 94
alpium Bergroth, 1888, *Tipula*, 21
alternans (Zetterstedt, 1838), *Allodia*, 68
alternata (Fallén, 1814), *Rhagoletis*, 124
alternata (Say, 1824), *Tinearia*, 34
alticolella (Wood, 1909), *Megaselia*, 105
Allicomerus Rondani, 1856, 150
Amalopus Haliday, 1856, subg., 23
Amasia Meigen, 1800, 58
Amauromyza Hendel, 1931, 151
Amaurosoma Becker, 1894, 182
ambigua (Fallén, 1823), *Zaphne*, 185
ambigua (Zetterstedt, 1843), *Medetera*, 97
ambigua (Fallén, 1810), *Voria*, 207
ambiguus (Fallén, 1817), *Platycheirus*, 112
ambiguus (Eaton, 1893), *Telmatoscopus*, 34
ambulans Meigen, 1826, *Coenosia*, 191
amicorum Mannheims et Theowald, 1959, *Tipula*, 21
Amiota Loew, 1862, 170

ammobates (Haliday, 1851), *Tachytrechus*, 102
Amobia Robineau-Desvoidy, 1830, 195
Amoebaleria Garrett, 1921, 172
amoena Winnertz, 1863, *Acnemia*, 66
amoena Meigen, 1830, *Asteia*, 144
amoena (Winnertz, 1867), *Bradysia*, 70
amoena Meigen, 1824, *Callomyia*, 104
amoena (Meigen, 1830), *Liriomyza*, 152
amoena (Meigen, 1838), *Scaptomyza*, 171
amoena (Meigen, 1824), *Timavia*, 203
amoena (Frauenfeld, 1857), *Trupanea*, 126
amoenus (Winnertz, 1852), *Culicoides*, 43
ampelophila Loew, 1862, *Drosophila*, 171
amphibia (De Geer, 1776), *Dixa*, 35
Amphichaeta Brauer & Bergenstamm, 1889, 201
Amphichaetola Strand, 1928, 201
Amphinome Meigen, 1800, 28
amphion Robineau-Desvoidy, 1863, *Carcelia*, 200
amplicornis (Zetterstedt, 1844), *Blepharomyia*, 206
amplicornis (Czerny, 1924), *Scoliocentra*, 172
Amydroneura Collin, 1926, subg., 91
Anacephalops Aczél, 1940, 109
anaces (Walker, 1849), *Krameromyia*, 197
Anachaetopsis Brauer & Bergenstamm, 1889, 201
Anaclileia Meunier, 1904, 66
Anaclinia Winnertz, 1863, 67
Anacrostichus Bezzi, 1909, subg., 90
Anakempia Kieffer, 1924, 44
analis (Meigen, 1830), *Antichaeta*, 130
analis Meigen, 1926, *Scatophaga*, 186
analis Kieffer, 1925, *Culicoides*, 43
analis Fallén, 1820, *Dryomyza*, 132
analis (Fabricius, 1798), *Ectophasia*, 207
analis Zetterstedt, 1838, *Erioptera*, 26
analis (Meigen, 1824), *Leucostoma*, 207
analis (Meigen, 1818), *Limonia*, 29
analis (Schummel, 1833), *Nephrotoma*, 20
analis Meigen, 1822, *Oxyecera*, 76
analis (Meigen, 1830), *Platypalpus*, 94
analis Egger, 1863, *Sciara*, 71
analis (Macquart, 1835), *Thaumatomyia*, 161
Anapausis Enderlein, 1912, 59
Anapera Meigen, 1830, 180
Anarete Haliday, 1833, 61
Anasimyia Schiner, 1864, 116
Anatella Winnertz, 1863, 68
Anatopynia Johannsen, 1905, 46
ANATOPYNIIINI, 46
anceps (Zetterstedt, 1837), *Helina*, 189
anchineuria Speiser, 1905, *Ornithomya*, 179
ancholiae Goureau, 1851, *Phytomyza*, 153
ancilla (Meigen, 1826), *Mydaea*, 190
andalusiaca Strobl, 1906, *Drosophila*, 171
andalusiaca (Strobl, 1900), *Symplecta*, 27
andalusica (Strobl, 1909), *Rhagio*, 77 subsp.
anderi Tjeder, 1948, *Prionocera*, 20
Andrenosoma Rondani, 1856, 86
Anepsiomyia Bezzi, 1902, 99

Anepsius Loew, 1857, 99
Aneurina emend. auctt., 106
Anevrina Lioy, 1864, 106
angelicae (Scopoli, 1763), *Phaonia*, 189
angelicastri Hering, 1932, *Phytomyza*, 153
Angiometopa Brauer & Bergenstamm, 1889, 196
Angioneura Brauer & Bergenstamm, 1893, 198
ANGIONEURINAE, 198
Anglearia Carlier, 1835, 99
anglokanica Lundbeck, 1913, *Hilara*, 91
angulata Meigen, 1818, *Macrocerca*, 66
angulata (Panzer, 1798), *Odontomyia*, 75
angulatus (Goetghebuer, 1921), *Paraphaenocladius*, 50
angulicornis Kowarz, 1874, *Chrysotus*, 98
angulicornis (Zetterstedt, 1838), *Phaonia*, 189
angusta (Wood, 1909), *Megaselia*, 106
angustata (Zetterstedt, 1844), *Germaria*, 204
angustatus (Zetterstedt, 1843), *Platycheirus*, 112
angusticornis (Loew, 1847), *Ligeria*, 201
angustifrons (Meigen, 1826), *Delia*, 184
angustifrons (Staeger, 1842), *Hercostomus*, 101
angustifrons Strobl, 1892, *Hilara*, 91
angustifrons (Wood, 1912), *Megaselia*, 106
angustifrons (Meigen, 1830), *Siphonella*, 159
angustipennis Winnertz, 1853, *Colpodia*, 61
angustipennis Lackschewitz, 1940, *Dactylolabis*, 24
angustipennis (Zetterstedt, 1838), *Dicranomyia*, 28
angustipennis (Meigen, 1818), *Limnophila*, 24
angustipennis (Tonnoir, 1920), *Mirousiella*, 33
angustipennis (Meigen, 1824), *Nemorilla*, 202
angustipennis Duda, 1933, *Oscinella*, 159
angustipennis Loew, 1854, *Platystoma*, 127 subsp.
angustipennis (Staeger, 1845), *Pteromicra*, 130
angustipennis (Loew, 1844), *Tephritis*, 126
angustitarsis (Lundström, 1911), *Simulium*, 40
angustus Verrall m.s., *Cricotopus*, 48
Anicia Robineau-Desvoidy, 1863, subg., 195
anicula (Zetterstedt, 1860), *Mydaea*, 190
anilis (Linnaeus, 1761), *Dialineura*, 84
anisodactyla (Loew, 1845), *Aulogastromyia*, 136
Anisomera Meigen, 1818, 24
Anisonevra Lioy, 1864, 156
ANISOPODIDAE, 57
ANISOPODINAE, 57
Anisopus Meigen, 1803, 57
Anisostephus Rübsaamen, 1917, 61
annexa (Müller, 1776), *Neoascia*, 115
annianium (Enderlein, 1911), *Rhopalopterum*, 159
Annimyzella Spencer, 1981 subg., 151
annosa (Zetterstedt, 1838), *Helina*, 189
annularis De Geer, 1776, *Chironomus*, 51
annularius Meigen, 1818, *Chironomus*, 51
annulata (Fabricius, 1805), *Acrosathe*, 84
annulata (Meigen, 1818), *Ctenosciara*, 70
annulata (Schrank, 1776), *Culiseta*, 38
annulata (Meigen, 1818), *Mycomya*, 67
annulata Winnertz, 1863, *Phronia*, 69
annulata (Macquart, 1829), *Pipizella*, 113

annulata Haliday, 1833, *Stegana*, 170
annulata Meigen, 1818, *Trichocera*, 18
annulata (Tonnoir, 1919), *Ulomyia*, 34
annulator Goetghebuer, 1927, *Cricotopus*, 48
annulatus (Zetterstedt, 1838), *Parasyrphus*, 112
annulatus (Fallén, 1815), *Platypalpus*, 94
annulatus (De Geer, 1776), *Rhagio*, 77
annulatus Meigen, 1804, *Rhagio*, 77
annulatus (Meigen, 1830), *Symmerus*, 65
annulicornis Meigen, 1830, *Tipula*, 22
annulifera (Zetterstedt, 1848), *Aphanotrigonum*, 160
annulimana (von Roser, 1840), *Leptometopa*, 155
annulimana Meigen, 1822, *Tachydromia*, 96
annulimanus Goetghebuer, 1921 *Chironomus*, 54
annulipes (Meigen, 1830), *Aedes*, 37
annulipes (Meigen, 1830), *Bezzia*, 43
annulipes (Brull, 1833), *Chlorops*, 161
annulipes (Meigen, 1818), *Cricotopus*, 49
annulipes (Zetterstedt, 1838), *Dorylomorpha*, 109
annulipes (von Roser, 1840), *Elachiptera*, 158
annulipes (Hartig, 1839), *Hartigiola*, 63
annulipes (Zetterstedt, 1838), *Megasyrphus*, 112
annulipes Stenhammar, 1844, *Notiphila*, 166
annulipes (Meigen, 1822), *Platypalpus*, 95
annulipes (Meigen, 1824), *Sympycnus*, 100
annulipes (Meigen, 1826), *Themira*, 135
annulipes (Goetghebuer, 1921), *Zavrelia*, 54
annulitarsis (von Roser, 1840), *Leptometopa*, 155
annulitarsis (Zetterstedt, 1848), *Leptometopa*, 155
annulus (Meigen, 1818), *Metalimnobia*, 29
anomala (Macquart, 1826), *Cordyla*, 68
anomala Strobl, 1880, *Gonomyia*, 26
anomalipennis Meigen, 1822, *Rhamphomyia*, 91
Anomaloptera Lioy, 1863, 20
anomalus (Meigen, 1824), *Microphor*, 88
Anomoena: emend., 124
Anomoia Walker, 1835, 124
anonyma Bergroth, 1889, *Tipula*, 22
Anopheles Meigen, 1818, 37
Anopheles Meigen, 1818, subg., 37
ANOPHELINAE, 37
antennalis Goetghebuer, 1944 *Orthocladius*, 54
antennata (Zetterstedt, 1819), *Agathomyia*, 104
antennata (Collin, 1946), *Incertella*, 159
antennata Schummel, 1833, *Tipula*, 21
antennatum (Carlier, 1835), *Rhaphium*, 99
Anthobia Lioy, 1864, 162
anthomyea Rondani, 1866, *Hydromyia*, 185
Anthomyia Meigen, 1803, 184
ANTHOMYIIDAE, 184
ANTHOMYIINAE, 184
Anthomyza Fallén, 1810, 149
ANTHOMYZIDAE, 149
anthophila (Robineau-Desvoidy, 1830), *Eurithia*, 204
anthracias (Séguy, 1949), *Siphonella*, 159
anthracina (Meigen, 1826), *Gastrolepta*, 201
anthracina (Meigen, 1838), *Melinda*, 193
anthracina Meigen, 1822, *Rhamphomyia*, 92

anthracinum (Meigen, 1830), *Rhopalopterum*, 159
anthracira Meigen, 1822, *Pipiza*, 113
Anthracomyia Rondani, 1856, 198
Anthracophaga Loew, 1866, 161
anthracophagoideus Strobl, 1901, *Chlorops*, 161
Anthrax Scopoli, 1763, 83
anthrax (Schrank, 1781), *Anthrax*, 83
anthrax (Meigen, 1826), *Hydrotaea*, 188
anthrisci Hendel, 1924, *Phytomyza*, 153
antica (Wiedemann, 1830), *Anomoia*, 124
Antichaeta Haliday, 1838, 130
Antineura Melander, 1913, 152
Antipalus Loew, 1849, 86
antiqua Meigen, 1822, *Cheilosia*, 113
antiqua Loew, 1857, *Cheilosia*, 114
antiqua (Meigen, 1826), *Delia*, 184
antiqua (Meigen, 1824), *Ocytata*, 202
Antlemon Loew, 1871, 65
Antlemonopsis Tollet, 1953, subg., 65
Antocha Osten Sacken, 1860, 27
Antophilina Zetterstedt, 1837, 149
antricola (Schmitz, 1918), *Triphleba*, 107
anura Goetghebuer, 1932 *Smittia*, 54
anxia (Zetterstedt, 1838), *Hydrotaea*, 188
aobatonis (Matsumura, 1905), *Ornithomya*, 179
subsp.
aparines (Kieffer, 1889), *Dasineura*, 62
Apatelia Stein, 1924, 201
Apatelina Enderlein, 1936, 201
Apelma Kieffer, 1919, *Forcipomyia*, 42
Apemon Johannsen, 1909, 66
aperta (Verrall, 1887), *Euphylidorea*, 24
aperta (Schmitz, 1921), *Megaselia*, 106
aperticauda Collin, 1927, *Chelifera*, 92
Aphanotrigonum Duda, 1932, 160
aphidomyza (Rondani, 1847), *Aphidoletes*, 61
Aphidoletes Kieffer, 1904, 61
Aphria Robineau-Desvoidy, 1830, 203
Aphrosylus Haliday, 1851, 102
apicalis (Meigen, 1826), *Cleigastra*, 182
apicalis (Zetterstedt, 1843), *Medetera*, 97
apicalis (Winnertz, 1863), *Mycomya*, 67
apicalis Loew, 1859, *Oedalea*, 96
apicalis (Strobl, 1898), *Palpomyia*, 44
apicalis Loew, 1847, *Sapromyza*, 137
apicalis Hardy, 1849, *Scaptomyza*, 171
apicalis Becker, 1907, *Tephritis*, 126
apicalis (Meigen, 1830), *Tricimba*, 160
apicalis; Robert, 1834, *Diastata*, 163
apicalis; auct., *Culex*, 38
apiforme (Fabricius, 1794), *Temnostoma*, 115
apiformis (Macquart, 1827), *Criorhina*, 116
apiformis (Schrank, 1781), *Pocota*, 116
Apiloscatopse Cook, 1974, 59
Apiochaeta Brues, 1903, subg., 105
Aplomyia Robineau-Desvoidy, 1830, 199
Apolephthisa Grzegorzek, 1885, 67
apparens (Walker, 1848), *Ormosia*, 27

- Appendicia Stein, 1924, 203
appendiculata (Pierre, 1919), Nephrotoma, 20
appendiculata (Villeneuve, 1918), Opalimosina, 177
appendiculatum Zetterstedt, 1849, Rhaphium, 99
appendiculatum Goetghebuer, 1939 Polypedilum, 54
appendiculatus (Goetghebuer, 1920), Atrichopogon, 41
appendiculatus (Staeger, 1840), Molophilus, 26
appendiculatus sensu de Meijere, Molophilus, 26
appressocaudata Strobl, 1902, Tipula, 21
approximata Zetterstedt, 1847, Drosophila, 171
approximatonervis (Zetterstedt, 1848), Pseudopachy-chaeta, 162
apraca (Meigen, 1830), Calamoncosis, 159
apraca (Meigen, 1824), Pexopsis, 202
apraca (Meigen, 1820), Philipomyia, 80
apraca (Fallén, 1820), Urophora, 123
aprilina (Meigen, 1818), Bradysia, 70
aprilina Meigen, 1818, Dixa, 35
aprilinus Meigen, 1830, Chironomus, 51
aprilinus Goetghebuer, 1931 Orthocladius, 54
Aprionus Kieffer, 1894, 61
Apsectrotanypus Fittkau, 1962, 46
aptera (Linnaeus, 1758), Melophagus, 180
Apterina Macquart, 1835, 175
Apteromyia Vimmer, 1929, 176
apum (A. Costa, 1846), Braula, 178
aquatica Kieffer, 1911, Smittia, 50
aquatalis Goetghebuer, 1923, Bezzia, 43
aquatalis (Goetghebuer, 1921), Zavrelia, 54
aquifolii Goureau, 1851, Phytomyza, 153
aquila (Fallén, 1813), Parydra, 166
aquilegiae Hardy, 1849, Phytomyza, 153
aquilegiae Robineau-Desvoidy, 1851, Phytomyza, 153
aquosa Verrall, 1886, Dicranomyia, 28
aratrix (Pandellé, 1896), Parasarcophaga, 197
arbustorum Stannius, 1831, Dolichopus, 100
arbustorum sensu Jacobs, 1905, Dolichopus, 100
arbustorum (Linnaeus, 1758), Eristalis, 116
Archecetema Nartshuk, 1976 subg., 161
Archicera Szilády, 1934, 78
Archiscenopinus Enderlein, 1914, 85
arciger (Kieffer, 1925), Parametriocnemus, 50
arcipes (Pandellé, 1896), Discachaeta, 196
arctica (Zetterstedt, 1838), Euphylidorea, 24
arctii Zetterstedt, 1848, Chaetorellia, 125
arctii (De Geer, 1776), Orellia, 125
arctii (Kaltenbach, 1856), Phytomyza, 153
arctii Meigen, 1826, Sitarea, 125
arctii Zetterstedt, 1847 (part), Sitarea, 125
Arctoconopa Alexander, 1955, 25
Arctopegomyia Ringdahl, 1938, subg., 185
Arctopelopia Fittkau, 1962, 47
Arctophila Schiner, 1860, 115
arcuata (Meigen, 1830), Gymnophora, 105
arcuata Schrank, 1803, Sphenella, 126
arcuata Loew, 1847, Thereva, 84
arcuata (Fabricius, 1781), Xyphosia, 126
arcuata; auctt., Palloptera, 140
Arcuator Sabrosky, 1985, 159
arcuatum (Linnaeus, 1758), Chrysotoxum, 112
arcuatus (Winnertz, 1852), Culicoides, 44
arcuatus Latreille, 1805, Mosillus, 165
arcuatus (Goetghebuer, 1919), Parachironomus, 52
ardea (Fabricius, 1794), Psilocephala, 84
ardens (Macquart, 1849), Eumea, 200
Ardoptera Macquart, 1827, 92
arduennensis (Goetghebuer, 1922), Virgatanytarsus, 54
arenarius Goetghebuer, 1932 Orthocladius, 54
arenosa (Zetterstedt, 1845), Delia, 184
areolata (Siebke, 1872), Hoplolabis, 26
argentata sensu Jacobs, 1905, Argyra, 99
argentata (Fabricius, 1794), Odontomyia, 75
argentatus (Goetghebuer, 1921), Chaetocladius, 48
argentella (Zetterstedt, 1843), Argyra, 99
argentifer Loew, 1859, Dolichopus, 101
argentifera (Meigen, 1824), Ernestia, 204
argentifrons Hellén, 1914, Cheilosia, 114
argentina (Meigen, 1824), Argyra, 99
Argyra Macquart, 1834, 99
argyra Verbeke, 1967, Pherbellia, 130
argyreata Egger, 1860, Empis, 91
argyreatum Meigen, 1838, Simulium, 40
Argyria lapsus, 99
argyria (Meigen, 1824), Argyra, 99
argyrocephala (Meigen, 1824), Metopia, 195
Argyrometa Schimmer, 1867, 83
argyrostoma (Robineau-Desvoidy, 1830), Parasarcophaga, 197
argyrotarsis Wahlberg, 1850, Dolichopus, 100
Aricia Robineau-Desvoidy, 1830, 189
Aricia Robineau-Desvoidy, 1830, 190
aridella (Fallén, 1823), Chamaemyia, 138
arimosus (Becker, 1900), Eudorylas, 110
aristata (Panzer, 1801), Loxocera, 121
aristatus (Collin, 1926), Platypalpus, 95
armata (Meigen, 1826), Fannia, 192
armata Kieffer, 1921, Palpomyia, 44
armata Winnertz, 1867, Sciara, 71
armaticrus Kieffer, 1919, Bezzia, 42
armatissimus Bangerter, 1947, Molophilus, 26
armatus (Zetterstedt, 1849), Campsicnemus, 99
armatus de Meijere, 1918, Molophilus, 26
armipes (Fallén, 1825), Hydrotaea, 188
armipes (Meigen, 1826), Norellia, 182
armipes (Meigen, 1838), Palpomyia, 44
armoricanus Parent, 1926, Campsicnemus, 99
arnicae (Linnaeus, 1758), Tephritis, 126
eggeri (Frauenfeld, 1857), Tephritis, 126 subsp.
arnicae: authors, Xyphosia, 126
arnicivora (Loew, 1844), Tephritis, 126
arnaudi Theowald, 1971, Limnophila, 24
aromatici Hering, 1931, Phytomyza, 153
arpadi (Szilády, 1923), Hybomitra, 80
Arrhinomyia Brauer & Bergenstamm, 1889, 201

arrogans (Linnaeus, 1761), Tachydromia, 96
 arrogans Meigen, 1830, Tetanocera, 131
 artemisiae (Kaltenbach, 1856), Calycomyza, 153
 artemisiae (Bouché, 1834), Rhopalomyia, 63
 artemisiae (Fabricius, 1794), Trypeta, 124
 artemisiae Walker, 1836, Trypeta, 124
 artemisicola de Meijere, 1924, Liriomyza, 152
 arthriticus (Zeller, 1840), Epitriptus, 86
 articulata (Becker, 1894), Nanna, 182
 articulatoides (Frey, 1918), Platypalpus, 95
 articulatus Macquart, 1827, Platypalpus, 95
 arundineti (Goetghebuer, 1921), Polypedilum, 53
arvensis (Meigen, 1824), Platymyia, 202
arvensis (Robineau-Desvoidy, 1830), Tephritis, 126
Aschabadicola Frey, 1921, 160
Ascia Meigen, 1822, 115
asiatica (Kandybina, 1972), Anomoia, 124 subsp.
asiaticus Lindner, 1923, Chrysopilus, 77
asilica (Fallén, 1817), Criorrhina, 116
ASILIDAE, 86
asiliformis (Preyssler, 1791), Chrysopilus, 78
Asilus Linnaeus, 1758, 86
Asimoneura Czerny, 1910 subg., 123
Asindulum Latreille, 1805, 66
Asphondylia H. Loew, 1850, 61
Aspistes Meigen, 1818, 59
ASPISTINAE, 59
assimilis (Fallén, 1815), Drapetis, 94
assimilis (Staeger, 1842), Hercostomus, 101
assimilis (Fallén, 1823), Muscina, 187
assimilis (Fallén, 1810), Phorocera, 202
assimilis Macquart, 1851, Thaumatomyia, 161
Asteia Meigen, 1830, 144
Asteia Meigen, 1830, subg., 144
ASTEIIDAE, 144
ASTEIINAE, 144
asteris Hendel, 1934, Chromatomyia, 153
asteris Haliday, 1838, Ensina, 125
asteris Kuroda, 1954, Ophiomyia, 152
Astoma Lioy, 1864, 85
Asynapta H. Loew, 1850, 61
Asyndetus Loew, 1869, 98
Ateleneura Macquart, 1833, 108
Atelenevra Macquart, 1834, 108
ATELESTIDAE, 89
Atelestus Walker, 1837, 89
ater Scopoli, 1763, Bombylius, 83
ater (Meigen, 1804), Molophilus, 26
ater Meigen, 1824, Pipunculus, 109
ater Fallén, 1817, Scenopinus, 85
ater Meigen, 1804, Xylophagus, 72
aterrima (Meigen, 1826), Azelia, 187
aterrima Curtis, 1832, Crossopalpus, 94
aterrima Goetghebuer, 1921, Palpomyia, 44
aterrima (Fabricius, 1794), Phora, 107
aterrima (Meigen, 1818), Smittia, 50
aterrium (Haliday, 1833), Elachisoma, 176
atterimus Coucke, Conops, 117

ATHERICIDAE, 79
Atherigona Rondani, 1856, 189
Atherix Meigen, 1803, 79
Athrycia Robineau-Desvoidy, 1830, 206
Athyroglossa Loew, 1860, 165
Athyroglossa Loew, 1860, subg., 165
Atissa Curtis, 1837, 165
atomarius Zetterstedt, 1850 Chironomus, 54
atomus Frey, 1915, Thrypticus, 98
atra (Meigen, 1833), Bicellaria, 96
atra (Meigen, 1826), Chamaepsila, 121
atra Meigen, 1830, Coenosia, 191
atra (Meigen, 1830), Conicera, 107
atra (Duda, 1935), Desmometopa, 155
atra (Macquart, 1826), Dicranomyia, 28
atra Meigen, 1826, Gonia, 201
atra (Meigen, 1830), Lotophila, 175
atra (Panzer, 1798), Pachygaster, 76
atra (Meigen, 1804), Paraplatypeza, 104
atra (Meigen, 1830), Pseudonapomyza, 154
atra Meigen, 1822, Rhamphomyia, 92
atra (Meigen, 1818), Serromyia, 45
atra (Fabricius, 1781), Thecophora, 117
atra (Meigen, 1804), Xylopriona, 61
Atractocera Meigen, 1803, 18
Atractochaeta Brauer & Bergenstamm, 1889, 204
atramentaria (Meigen, 1826), Pollenia, 194
atramentaria (Meigen, 1824), Stevenia, 198
atrata (Zetterstedt, 1846), Cordilura, 182
atrata (Fallén, 1810), Macroprosopa, 205
atrata (Fabricius, 1781), Piophila, 142
atrata (Fabricius, 1805), Platyura, 66
atrata (Linnaeus, 1758), Tanyptera, 21
atratus (Zetterstedt, 1850), Metriocnemus, 49
atratus Meigen, 1824, Dolichopus, 100
atricapilla Meigen, 1804, Dioctria, 86
atricapillus (Fallén, 1814), Machimus, 87
atricauda (Zetterstedt, 1852), Trichonta, 69
atriceps Loew, 1857, Argyra, 99
atriceps (Loew, 1858), Phaonia, 189
Atricha Schrank, 1803, 85
Atrichopogon Kieffer, 1906, 41
Atrichopogon Kieffer, 1906, subg., 41
Atrichopogon subnitens Goetghebuer, Stilobezzia, 45
Atrichops Verrall, 1909, 79
atricillum (Zetterstedt, 1838), Rhopalopterum, 159
atricolor (Fallén, 1825), Helina, 189
atricornis Meigen, 1830, Heteromyza, 173
atricornis Meigen, 1838, Phytomyza, 154
atricornis (Meigen, 1830), Suillia, 173
atriforceps (Goetghebuer, 1928), Demicryptochironomus, 51
atrimana (Meigen, 1826), Chamaepsila, 121
atrimana (Wood, 1910), Megaselia, 105
atrides Meigen, Argyra, 99
atrides (Zetterstedt, 1860), Calycomyza, 153
atrides (Brischke, 1880), Calycomyza, 153
atrides Meigen, 1824, Dolichopus, 100

atripes (Meade, 1889), Helina, 190
atripes (Brues, 1914), Megaselia, 105
atripes (Goetghebuer, 1935), Nanocladius, 49
atripes (Duda, 1933), Rhopalopterum, 159
atriseta Meigen, 1826, Chyliza, 121
atrocincta (Goetghebuer, 1942), Larsia, 47
atrofasciata Kieffer, 1911, Micropsectra, 53
atrolineatus Goetghebuer, 1928, Chironomus, 51
atroparvus van Thiel, 1927, Anopheles, 37
atropos Meigen, 1826, Sarcophaga, 197
atropurpurea Meigen, 1824, Phasia, 208
atrum (Linnaeus, 1758), Andrenosoma, 86
attonna Goetghebuer, 1950, Forcipomyia, 42
Atylostoma Brauer & Bergenstamm, 1889, 203
Atylotus Osten-Sacken, 1876, 81
Atypophthalmus Brunetti, 1911, 27
aucta (Fallén, 1816), Verrallia, 108
auctum Loew, 1857, Rhaphium, 99
audacula (Harris, 1780), Paregle, 185
audibilis; error, Culicoides, 44
Aulacigaster Macquart, 1835, 143
AULACIGASTRIDAE, 143
Aulagromyza Enderlein, 1936, 153
aulicus (Meigen, 1824), Syntormon, 100
Aulogastromyia Hendel, 1925, 136
Aulomyza Enderlein, 1936, 151
aurantiacus (Collin, 1926), Platypalpus, 95
aurata (Stenhammar, 1844), Setacera, 167
aurata Loew, 1854, Thereva, 84
auratus (Fabricius, 1805), Chrysopilus, 77
aurea (Fallén, 1820), Leskia, 204
aureum Fries, 1824, Simulium, 40
aureus (Meigen, 1804), Chrysopilus, 77
auribarbis (Meigen, 1824), Cephenemyia, 210
auriceps (Meigen, 1838), Cylindromyia, 207
auricincta Loew, 1847, Conops, 117
auricollis (Meigen, 1824), Argyra, 99
auricollis (Meigen, 1822), Episyphus, 112
auriculata Hal., Pericomia, 34
aurifacies (Strobl, 1893), Ditrichophora, 165
aurifluae (van der Wulp, 1869), Hyleorus, 206
aurifrons Haliday, 1833, Camarota, 160
aurifrons (Meigen, 1824), Dionaea, 207
aurifrons (Robineau-Desvoidy, 1830), Exorista, 201
aurifrons Robineau-Desvoidy, 1830, Phorinia, 202
auripila (Meigen, 1820), Hybomitra, 80
auripila (Winnertz, 1867), Lycoriella, 71
auripilus Goetghebuer, 1921, Metriocnemus, 49
auritae Rübsaamen, 1915, Dasineura, 62
auronitens (Kieffer, 1919), Forcipomyia, 42
aurulans (Meigen, 1820), Chrysopilus, 77
aurulans (Meigen, 1824), Phasia, 208
aurulenta (Meigen, 1824), Bactromyia, 199
austera (Meigen, 1824), Pexopsis, 202
australominutus Grootaert, 1989, Platypalpus, 95
austriaca Meigen, 1822, Pipiza, 113
austriacus (Kieffer, 1924), Paratanytarsus, 53
Austrolimnophila Alexander, 1920, 24

autumnalis (Winnertz, 1867), Ctenosciara, 70
autumnalis (Staeger, 1840), Dicranomyia, 28
autumnalis Meigen, 1838, Dixa, 35
autumnalis De Geer, 1776, Musca, 188
autumnalis (Goetghebuer, 1926), Prodiamesa, 48
autumnalis Linneaus, 1761, Tabanus, 81
autumnalis Goetghebuer, 1938, Tanytarsus, 54
autumnalis Goetghebuer, 1949 Smittia, 54
Avaritia Fox, 1955, subg., 43
avarorum (Szilády, 1934), Spania, 78
avenae (Bjerkander, 1781), Oscinella, 159
aviculare: error, Ornithomya, 179
avicularia (Linnaeus, 1758), Ornithomya, 179
avicularis: error, Ornithomya, 179
avidus (Rossi, 1790), Merodon, 116
axillaris (Strobl, 1892), Megaselia, 106
Axysta Haliday, 1839, 166
Azelia Robineau-Desvoidy, 1830, 187
azurea (Fallén, 1817), Protocalliphora, 194

Baccha Fabricius, 1805, 112
baciliger (Kieffer, 1922), Parachironomus, 52
bacilliger, lapsus Gtgh., Parachironomus, 52
Bactromyia Brauer & Bergenstamm, 1891, 199
baetica Collin, 1927, Hemerodromia, 92
balcanica Drensky, 1943, Xyphosia, 126 subsp.
balachowskyi Mesnil, 1934, Geomyza, 148
Balioptera Loew, 1864, 148
balteatus (De Geer, 1776), Episyphus, 112
baltica (Ringdahl, 1918), Spilogona, 190
balticus (Meigen, 1824), Hydrophorus, 102
barbata Loew, 1857, Cheilosia, 113
barbata (Macquart, 1823), Rhamphomyia, 92
barbatipes (Kieffer, 1911), Zavrelimyia, 47
barbatipes (Kieffer, 1911), Zavrelimyia, 47 partim
barbatipes, sensu Gtgh., Zavrelimyia, 47 partim
barbicornis Fabricius, 1775 Tipula, 54
barbifrons, (Fallén, 1817), Melangyna, 112
barbipes (Meigen, 1804), Eutonia, 24
barbipes (Staeger, 1839), Glyptotendipes, 52
barbitarsis (Zetterstedt, 1850), Arctopelopia, 47
barbitarsis sensu Gtgh., Arctopelopia, 47
bardanae (Schrantz, 1803), Tephritis, 126
bartholomei (Schmitz, 1921), Triphleba, 107
basale Loew, 1850, Rhaphium, 99
basalis (Meigen, 1818), Boletina, 67
basalis (Meigen, 1830), Campichoeta, 164
basalis Loew, 1873, Chalarus, 108
basalis (Zetterstedt, 1860), Incertella, 159
basalis (Zetterstedt, 1838), Phaonia, 189
basalis Winnertz, 1863, Phronia, 69
basalis Zetterstedt, 1847, Sapromyza, 137
basalis (von Roser, 1840), Siphonella, 159
basilaris (Meigen, 1838), Cerodontha, 152
basispinata (Lundbeck, 1920), Megaselia, 105
bastini (Goetghebuer, 1931), Paracricotopus, 50
batava (Edwards, 1938), Neolimnomyia, 24

batava Goeldlin, 1974, *Sphaerophoria*, 112
Bathycranium Strobl, 1892, 99
baumhaueri (Meigen, 1818), *Orfelia*, 66
Baumhaueria Meigen, 1838, 199
Bayeria Rübsaamen, 1914, 62
Bazarella Vaillant, 1960, 33
beatrixis Coe, 1966, *Verrallia*, 108
bechsteinii (Kolenati, 1857), *Nycteribia*, 181
beckeri (Strobl, 1909), *Elachiptera*, 158
beckeri Strobl, 1892, *Hilara*, 91
beckeri (Séguy, 1932), *Parallelomma*, 183
Beckerias Aczél, 1939, 109
Beckerina Malloch, 1910, 105
belgica Kieffer, 1919, *Bezzia*, 43
belgica (Becker, 1912), *Chionea*, 25
belgica Bischoff, 1924, *Liponeura*, 31
belgica Parent, 1936, *Medetera*, 97
belgicus Kieffer, 1919, *Culicoides*, 43
Belgiella Lehrer, 1977, 197
bella (Becker, 1916), *Eutropha*, 162
bella (Meigen, 1824), *Sturmia*, 203
Bellardia Robineau-Desvoidy, 1863, 193
bellidis (Kaltenbach, 1858), *Calycomyza*, 153
Bellieriomima Rohdendorf, 1937, 196
Bellieriomima Rohdendorf, 1937, subg., 196
bellus Loew, 1869, *Thrypticus*, 98
Beltranmyia Vargas, 1953, subg., 43
benesignata Mannheims, 1954, *Tipula*, 22
bequaerti (Goetghebuer, 1921), *Einfeldia*, 51
bequaerti Goetghebuer, 1942, *Forcipomyia*, 42
bequaerti (Villeneuve, 1917), *Herniosina*, 176
berberina (Fabricius, 1805), *Criorrhina*, 116
berberis (Schrank, 1803), *Euleia*, 124
Bercaea Robineau-Desvoidy, 1863, 196
Berdeniella Vaillant, 1976, 33
bergenstammi Becker, 1894, *Cheilosia*, 113
bergenstammi (Mik, 1864), *Spiniphora*, 107
 BERIDINAE, 75
Beringotipula Savchenko, 1961, subg., 21
Beris Latreille, 1802, 75
berolinensis Meigen, 1818, *Aspistes*, 59
berolinensis Schmitz, 1920, *Phalacrotophora*, 106
Bertieria Kieffer, 1896, 62
bertolonii Rondani, 1857, *Callicera*, 115
Bessa Robineau-Desvoidy, 1863, 199
Bessa fascinans (Meigen, 1838), *Subclytia*, 208
betulicola (Kieffer, 1889), *Plemeliella*, 63
betulinum (Kieffer, 1889), *Anisostephus*, 61
Bezzia Kieffer, 1899, 42
Bezzia Kieffer, 1899, subg., 42
bezzii (Strobl, 1909), *Orfelia*, 66
bezzii (Hendel, 1902), *Pherbellia*, 130
biannulatus (Staeger, 1839), *Parachironomus*, 52
bibens (Meigen, 1824), *Blondelia*, 199
Bibio Geoffroy, 1762, 58
 BIBIONIDAE, 58
 BIBIONINAЕ, 58
Bicellaria Macquart, 1823, 96

bichroma (Pierre, 1924), *Nephrotoma*, 20
bicincta Meigen, 1820, *Dioctria*, 86
bicincta (Staeger, 1840), *Exechia*, 68
bicincta (Meigen, 1824), *Lecanipa*, 201
bicinctellus Goetghebuer, 1921, *Cricotopus*, 48
bicinctum (Linnaeus, 1758), *Chrysotoxum*, 112
bicinctus (Meigen, 1818), *Cricotopus*, 48
bicinctus Goetghebuer, 1913, *Tanytarsus*, 54
bicolor Meigen, 1838, 154
bicolor (Meigen, 1804), *Bezzia*, 43
bicolor (Fallén, 1817), *Brachyopa*, 114
bicolor (Meigen, 1818), *Bradysia*, 70
bicolor (Macquart, 1834), *Brevicornu*, 68
bicolor (Meigen, 1824), *Ceromyia*, 204
bicolor (Olivier, 1812), *Cylindromyia*, 207
bicolor (Macquart, 1827), *Hercostomus*, 101
bicolor (Meigen, 1818), *Hexatoma*, 24
bicolor (Zetterstedt, 1838), *Nanocladius*, 49
bicolor (Macquart, 1826), *Orfelia*, 66
bicolor (Fabricius, 1794), *Paragus*, 113
bicolor (Hoffmannsegg, 1817), *Pegomya*, 186
bicolor (Meigen, 1804), *Phylidorea*, 25
bicolor (Meigen, 1804), *Platypalpus*, 95
bicolor (Macquart, 1823), *Rhamphomyia*, 92
bicolor (Zetterstedt, 1838), *Suillia*, 173
bicoloratus Goetghebuer, 1939, *Glyptotendipes*, 52
bicolorellum (Zetterstedt, 1843), *Bathycranium*, 99
bicornis (Kaltenbach, 1869), *Ophiomyia*, 152
bicornis Lengersdorf, 1943, *Neosciara*, 71
bicornis (de Meijere, 1920), *Ormosia*, 27
bicrenatum (Kieffer, 1921) *Tripodura*, 54
bicuspidata Collin, 1927, *Empis*, 90
bidens Bergroth, 1888, *Tipula*, 21
bidentata (Goetghebuer, 1921), *Micropsectra*, 53
bifasciata (Fabricius, 1794), *Epistrophe*, 111
bifasciata (Schrank, 1781), *Metalimnobia*, 29
bifasciata (Meigen, 1838), *Thelaira*, 207
bifasciatus (Macquart, 1827), *Lamprochromus*, 100
bifasciatus Goetghebuer, 1936 *Procladius*, 54
bifasciella (Fallén, 1820), *Colobaea*, 130
bifida Tonnoir, 1920, *Gonomyia*, 26
bifidus Goetghebuer, 1920, *Molophilus*, 26
bifilatus Verrall, 1886, *Molophilus*, 26
biflexa (Loew, 1844), *Acinia*, 125
biflexuosa Strobl, 1893, *Sepsis*, 135
biformis (Edwards, 1929) sensu Gtgh., *Zavrelia*, 54
bifrons (Stenhammar, 1854), *Spelobia*, 177
Bifronsina Roháček, 1983, subg., 177
bifurcata (Zetterstedt, 1837), *Phylidorea*, 25
bifurcatus Meigen, 1818, *Anopheles*, 37
bifurcatus Goetghebuer, 1920, *Rhypholophus*, 27
Bigonichaeta Rondani, 1845, 206
biguttata (Meigen, 1824), *Clairvillia*, 207
bihamatus de Meijere, 1918, *Molophilus*, 26
bilineata Goetghebuer, 1920, *Dasyhelea*, 42
bilineata Frey, 1915, *Medetera*, 98
bilineella (Zetterstedt, 1838), *Coenosia*, 191
Billaea Robineau-Desvoidy, 1830, 206

- biloba* Dufour, 1827, *Ornithomya*, 179
bimaculata (Meigen, 1830), *Cerodontha*, 152
bimaculata (Schummel, 1829), *Dicranota*, 23
bimaculata (Linnaeus, 1761), *Dictenidia*, 20
bimaculata (Macquart, 1826), *Hybomitra*, 80
bimaculata (Meigen, 1804), *Leia*, 67
bimaculata (Meigen, 1838), *Meigenia*, 202
bimaculata (Fabricius, 1805), *Mycetophila*, 69
bimaculata (von Roser, 1840), *Neoempheria*, 67
bimaculata Meigen, 1822, *Pipiza*, 113
bimaculatus (Macquart, 1828), *Brachypalpus*, 115
bimaculatus (Gobert, 1877), *Rhagio*, 77
binotata (Wiedemann, 1817), *Krenopelopia*, 47
binotata (Meigen, 1838), *Pedicia*, 23
binotata (Zetterstedt, 1837), *Phylidorea*, 25
binotatus Loew, 1866, *Chlorops*, 161
biorrhizae Kieffer, 1909, *Clinodiplosis*, 62
bipartitus (Loew, 1850), *Systenus*, 98
bipectinatus (Goetghebuer, 1933), *Micropsectra*, 53
bipunctata (Haliday, 1833), *Clinocera*, 92
bipunctata (Macquart, 1835), *Dicraeus*, 160
bipunctata (Linnaeus, 1767), *Forcipomyia*, 41
bipunctata Meigen, 1830, *Sapromyza*, 137
bipunctata Meigen, 1820, *Thereva*, 84
bipunctatus (Lehmann, 1822), *Hydraphorus*, 102
bipunctatus (Scopoli, 1763), *Sargus*, 75
bipunctella (Zetterstedt, 1847), *Chyromya*, 147
bipunctella (Goetghebuer, 1932), *Conchapelopia*, 47
bipunctellus; auct., *Nanocladius*, 50
bipunctifrons Duda, 1933, *Chlorops*, 161
bipunctus (Duda, 1933), *Chlorops*, 161
biscutata Gil Collado, 1934, *Nycteribia*, 181
biseta Loew, 1868, *Platystoma*, 127 subsp.
biseta (Kramer, 1917), *Bellardia*, 193
bisetus Loew, 1857, *Hydraphorus*, 102
bisignata (Jaennicke, 1826), *Hybomitra*, 80
bisignata (Meigen, 1824), *Meigenia*, 202
bispinosa (Zetterstedt, 1845), *Hydrotaea*, 188
bispinosa Negrobov, 1967, *Medetera*, 97
bispinosa Goetghebuer, 1936, *Serromyia*, 45
bistigma (Curtis, 1834), *Wiedemannia*, 92
bistortae Meigen, 1822, *Empis*, 90
bistriata Zetterstedt, 1842, *Hilara*, 91
bitensis Kieffer, 1924, *Stenochironomus*, 53
Bithia Robineau-Desvoidy, 1863, 203
bitincta (Rondani, 1866), *Phaonia*, 189
biusta Meigen, 1818, *Mycetophila*, 68
Blaesoxiphia Loew, 1861, 196
Blaesoxiphia Loew, 1861, subg., 196
blanda (Fallén, 1820), *Admontia*, 199
blanda (Winnertz, 1867), *Corynoptera*, 70
blandula Eaton, 1893, *Pericomia*, 34
blandum (van der Wulp, 1858), *Polypedilum*, 53
blasii (Kolenati, 1863), *Nycteribia*, 181
BLEPHARICERIDAE, 31
Blepharidea (Rondani, 1856), 202
Blepharidopsis Brauer & Bergenstamm, 1891, 202
Blepharigena Rondani, 1856, 206
Blepharipa Rondani, 1856, 199
Blepharipoda Brauer & Bergenstamm, 1889, 199
blepharipoda (Brauer & Bergenstamm, 1891), *Nilea*, 202
Blephariptera Macquart, 1835, 172
Blepharomyia Brauer & Bergenstamm, 1889, 206
Blepharoptera; error, 172
blepharosceles Kowarz, 1874, *Chrysotus*, 98
Blera Billberg, 1820, 116
blondeli (Robineau-Desvoidy, 1830), *Myxexoristops*, 202
Blondelia Robineau-Desvoidy, 1830, 199
bohemani Goetghebuer, 1932, *Diamesa*, 48
bohemani (Zetterstedt, 1838), *Wiedemannia*, 93
bohemani (Zetterstedt, 1844), *Winthemia*, 203
bohemanni (Becker, 1901), *Chaetopleurophora*, 107
bohemica Kratochvil, 1936, *Chionea*, 25
boleti (Kieffer, 1901), *Forcipomyia*, 42
Boletina Staeger, 1840, 67
Bolitophila Meigen, 1818, 65
Bolitophila Meigen, 1818, subg., 65
BOLITOPHILINAE, 65
bolivianus Bau, 1930, *Melophagus*, 180 subsp.
Bolopus Enderlein, 1932, 104
bombiformis (Fallén, 1810), *Arctophila*, 115
bombylans Robineau-Desvoidy, 1830, *Carcelia*, 199
bombylans (Fabricius, 1805), *Temnostoma*, 115
bombylans (Linnaeus, 1758), *Volucella*, 115
BOMBYLIIDAE, 83
Bomylius Linnaeus, 1758, 83
Bonellomyia Townsend, 1919, subg., 204
Boophtera Enderlein, 1921, subg., 40
Bophrosia Rondani, 1856, 23
BORBORIDAE, 17
Borborillus Duda, 1923, 175
Borborus Meigen, 1803, 175
borealis (Zetterstedt, 1838), *Ceratinostoma*, 183
borealis Linnaeus, 1758, *Empis*, 91
borealis (Boheman, 1865), *Heleomyza*, 172
borealis (Loew, 1858), *Hybomitra*, 80
borealis (Fabricius, 1781), *Hybomitra*, 80
borealis Zetterstedt, 1842, *Leptopeza*, 96
borealis (Fallén, 1816), *Sericomyia*, 115
boreella (Zetterstedt, 1835), *Agathomyia*, 104
Borophaga Enderlein, 1924, 107
Borophaga s.s., subg., 107
Botanophila Lioy, 1864, 184
Bothria Rondani, 1856, 199
botularia (Winnertz, 1853), *Clinodiplosis*, 62
bovinus Linneaus, 1758, *Tabanus*, 81
bracata Rondani, 1874, *Geomyza*, 148
bracata (Rondani, 1867), *Heleomyza*, 172
brachialis (Rondani, 1877), *Caricea*, 191
Brachicoma Rondani, 1856, 196
Brachiglossum Rondani, 1856, 117
Brachycampta Winnertz, 1863, subg., 68
Brachylimnophila Alexander, 1966, subg., 24
brachyneura (Egger, 1862), *Megaselia*, 106

brachyntera (Schwägrichen, 1835), Thecodiplosis, 64
 Brachyopa Meigen, 1822, 114
Brachypaloides Hippa, 1978, 115
 Brachypalpus Macquart, 1834, 115
brachyptera Goetghebuer, 1934 Smittia, 55
brachypterum (Zetterstedt, 1848), Aphanotrigonum, 160
 brachystoma (Stenhammar, 1854), Thoracochaeta, 176
 Bradysia Winnertz, 1867, 70
brassicae (Winnertz, 1853), Dasineura, 62
brassicae (Hoffmannsegg, 1817), Delia, 185
brassicae (Bouché, 1833), Delia, 185
brassicaria (Fabricius, 1775), Cylindromyia, 207
 braueri (Wasemann, 1893), Forcipomyia, 42
 braueri Dziedzicki, 1889, Phronia, 69
 Braula Nitzsch, 1818, 178
BRAULIDAE, 178
 brayi (Goetghebuer, 1921), Nilothauma, 52
 brayi Goetghebuer, 1922, Tanytarsus, 54
brevicauda (Loew, 1860), Notiphila, 166
 breviceps (Stenhammar, 1854), Leptocera, 176
brevicorne Curtis, 1835, Rhaphium, 99
brevicornis (Loew, 1844), Cylindromyia, 207
brevicornis (Zetterstedt, 1838), Cylindrotoma, 30
brevicornis (Zetterstedt, 1838), Egle, 185
brevicornis (Staeger, 1842), Hercostomus, 101
brevicornis (Loew, 1843), Orthonevra, 114
brevicornis (Zetterstedt, 1842), Platypalpus, 95
brevicornis (Meigen, 1830), Swammerdamella, 60
 Brevicornu Marshall, 1869, 68
 Brevicornu Marshall, 1869, subg., 68
brevicostalis (Wood, 1910), Megaselia, 106
brevicubitus (Goetghebuer, 1920), Forcipomyia, 42
brevidens (Egger, 1865), Neocnemodon, 113
brevifurca (Enderlein, 1912), Ferneiella, 59
brevimanum (Loew, 1871), Antlemon, 65
brevimanus Loew, 1866, Chlorops, 161
brevinervis Kieffer, 1916, Brillia, 48
brevinervis Strobl, 1901, Dactylolabis, 24
brevinervis Rondani, 1856, Siphunculina, 160
brevinervis (Strobl, 1901), Siphunculina, 160
brevipalpis Kieffer, 1909, Cricotopus, 49
brevipalpis Kieffer, 1908, Trissocladius, 51
brevipennis (Zetterstedt, 1846), Antichaeta, 130
brevipennis Meigen, 1824, Dolichopus, 100
brevipennis (Meigen, 1830), Elachiptera, 158
brevipennis (Macquart, 1826), Forcipomyia, 42
brevipennis Loew, 1857, Hydrotaea, 188
brevipennis (Lundbeck, 1920), Megaselia, 106
brevipennis von Roser, 1840, Micropeza, 119
brevipennis Curtis, 1833, Molophilus, 26
brevipilosa Mercier, 1921, Coelopa, 133
brevirostris (Germar), 1817, Leopoldius, 117
brevirostris (Meigen, 1804), Leptarthrus, 87
brevirostris Loew, 1877, Liponeura, 31
brevirostris (Zetterstedt, 1838), Phalacroceria, 30
breviseta (Wood, 1912), Megaselia, 106
breviseta (Zetterstedt, 1838), Rhaphiochaeta, 203

brevispina Pierre, 1920, Tipula, 21
brevistyla Collin, 1927, Hilara, 91
brevitarsa Parent, 1927, Medetera, 98
brevitarsis Theowald, 1971, Dicranota, 23
breviterebrata Macquart, 1826, Tipula, 21
brevitibialis Goetghebuer, (1919), Dasyhelea, 42
brevitibialis (Goetghebuer, 1921), Monopelopia, 47
brevitibialis, Gtgh., Dicrotendipes, 51
brevivittata Macquart, 1827, Hilara, 91
Brillia Kieffer, 1913, 48
bromius Linneaus, 1758, Tabanus, 81
Brontaea Kowarz, 1873, 190
brunicosa Robineau-Desvoidy, 1830, Noeeta, 125
brunneicornis Hering, 1936, Liriomyza, 152
brunneilinea (Zetterstedt, 1845), Botanophila, 185
brunneinervis Pierre, 1921, Tipula, 21
brunneipennis (Costa, 1857), Megaselia, 106
brunnescens (Zetterstedt, 1845), Delia, 184
brunnicornis (Macquart, 1835), Thaumatomyia, 162
brunnipennis Macquart, 1835, Platypeza, 104
brunnipennis (Macquart, 1834), Symplecta, 27
brunnipes (Meigen, 1804), Atrichopogon, 41
brunnipes (Meigen, 1804), Bradysia, 70
brunnipes (Zetterstedt, 1848), Chlorops, 161
brunnipes (Robineau-Desvoidy, 1830), Notiphila, 166
brunnipes (Goetghebuer, 1921), Paracladius, 50
brunnipes (Meigen, 1838), Pherbellia, 130
brunnipes: authors, Chlorops, 161
brunnitarsis (Macquart, 1835), Oscinella, 159
bryoniae (Meigen, 1826), Goniglossum, 124
bryoniae (Bouché, 1847), Jaapiella, 63
bryoniae (Kaltenbach, 1858), Liriomyza, 152
Bryophaenocladius Thienemann, 1934, 48
buccae (Harris, 1776), Myopa, 117
buccata (Fallén, 1826), Chamaepsila, 121
buccata (Fallén, 1820), Heterocheila, 134
buccata (Fallén, 1824), Leucophora, 185
buccata (Linnaeus, 1758), Myopa, 117
Bucentes Latreille, 1809, 205
bucephala (Meigen, 1830), Otites, 129
Bufolucilia Townsend, 1919, subg., 193
bufonivora Moniez, 1876, Lucilia, 193
buhriella Hering, 1954, Agromyza, 152
bullata Loew, 1873, Tipula, 21
bursaria (Bremi, 1847), Rondaniola, 64
busckii Coquillett, 1901, Drosophila, 170
buskii; error, Drosophila, 170
Butomomyza Nowakowski, 1967 subg., 152
by (Say, 1829), Dasyhelea, 42
byssinus (Schränk, 1803), Camptocladius, 48
Byssodon Enderlein, 1925 , subg., 40

Cacoxenus Loew, 1858, 170
 Cacoxenus Loew, 1858, subg., 170
cadaverina: authors,, Pyrellia, 188
Cadurciella Villeneuve, 1927, 199
caecio: error, Myoleja, 124

- caecutiens (Linneaus, 1758), Chrysops, 80
Caelopa: unjustified emend., 133
Caenia; error, 167
 caenosa (Rondani, 1880), Leptocera, 176
caerulea (Meigen, 1826), Melinda, 193
caerulea (Robineau-Desvoidy, 1830), Protocalliphora, 194
caerulescens (Meigen, 1822), Cheilosia, 113
caerulescens (Macquart, 1834), Morellia, 188
caerulescens (Zetterstedt, 1838), Parasarcophaga, 197
caerulescens Meigen, 1824, Trixa, 207
caesar (Linnaeus, 1758), Lucilia, 193
caesar: error, Myoleja, 124
caesarion (Meigen, 1826), Neomyia, 188
caesia (Fallén, 1810), Eurithia, 204
caesia Meigen, 1826, Lispe, 190
caesia (Meigen, 1826), Muscina, 187
caesia Meigen, 1822, Rhaphomyia, 92
caesia (Meigen, 1830), Scoliocentra, 172
caesia Schummel, 1833, Tipula, 22
caesifrons (Macquart, 1850), Phorocera, 202
caesio (Harris, 1776), Myoleja, 124
Calamoncosis Enderlein, 1911, 159
calcarata (Goetghebuer, 1920), Kolenhelea, 44
calcaratus (Collin, 1926), Platypalpus, 95
calcaratus (Edwards, 1929), Psectrocladius, 50
calcaratus (Macquart, 1827), Teuchophorus, 100
calceata Meigen, 1838, 154
calceata (Meigen, 1830), Ditrichophora, 165
calceata Rondani, 1874, Geomyza, 148
calceata (Rondani, 1866), Helina, 189
calceata (Fallén, 1820), Rainieria, 119
calceata Mik, 1866, Thaumastoptera, 29
calceataformis (Schnabl, 1911), Helina, 189
calceatus Meigen, 1830, Chlorops, 161
calceatus Von Roser, 1840, Pipunculus, 109
calceatus (Meigen, 1822), Platypalpus, 95
calcedonicus (Collin, 1912), Clusiodes, 146
calcitrans (Linnaeus, 1758), Stomoxys, 188
calcitrapae (Robineau-Desvoidy, 1830), Trupanea, 126
caligatus Wahlberg, 1850, Dolichopus, 100
caliginosa (Meigen, 1830), 107
caliginosum Meigen, 1824, Rhaphium, 99
caliginosus Goetghebuer, 1952, Culicoides, 43
Caliprobola Rondani, 1844, 115
Callicera Panzer, 1809, 115
calliginosum lapsus, Rhaphium, 99
Calliope Westwood, 1840, 136
Calliophrys Kowarz, 1893, 190
Calliopum Strand, 1928, 136
Calliphora Robineau-Desvoidy, 1830, 193
Calliphora Robineau-Desvoidy, 1830, subg., 193
CALLIPHORIDAE, 193
CALLIPHORINAE, 193
Callomyia Meigen, 1804, 104
Callomyza Fallén, 1810, 104
calmariensis (Linnaeus, 1761), Metalimnobia, 29
Calobata Meigen, 1803, 119
Calocyptera Herting, 1983, subg., 207
Caloforcipomyia Saunders, 1956, subg., 41
caloptera (Bigot, 1886), Euphranta, 124
calthophila Hering, 1931, Phytomyza, 153
calvescens (Edwards, 1929), Tvetenia, 51
Calycomyza Hendel, 1931, 153
Calythea Schnabl & Dziedzicki, 1911, 185
Camarota Meigen, 1830, 160
Camilla Haliday, 1838, 168
CAMILLIDAE, 168
caminaria (Meigen, 1826), Nyctia, 196
Campanulomyza Nowakowski, 1962, 151
campestris (Robineau-Desvoidy, 1863), Blaesoxipha, 196
campestris Meigen, 1824, Dolichopus, 100
campestris (Wood, 1908), Megaselia, 105
campestris (Fallén, 1820), Metopia, 195
campestris Latreille, 1804, Pipunculus, 109
campestris (Edwards, 1929), Potthastia, 48
campestris Meigen, 1822, Rhingia, 114
Campichoeta Macquart, 1835, 164
CAMPICHOETIDAE, 163
Campsicnemus Haliday, 1851, 99
Campsicnemus s.s., subg., 99
campta Czerny, 1934, Palloptera, 140
Camptochironomus Kieffer, 1818, 51
Camptocladius van der Wulp, 1874, 48
Camptokiefferiella Goetghebuer, 1944, 49
camptolabis (Kieffer, 1913), Paracladopelma, 52
camptoneura Kieffer, 1911 Metriocnemus, 55
camptophleps (Edwards, 1929), Krenosmittia, 49
Campylochaeta Rondani, 1859, 206
cana (Loew, 1858), Melieria, 129
cana (Meigen, 1824), Opesia, 207
Canace Haliday, 1839, 157
CANACEIDAE, 157
canaliculata (Goetghebuer, 1920), Forcipomyia, 42
candens (Zetterstedt, 1845), Delia, 184
candicans (Pandellé, 1898), Phaonia, 189
candicans (Fallén, 1815), Platypalpus, 95
candidata Haliday, 1833, Anarete, 61
candidatus Winnertz, 1852, Ceratopogon, 43
candidatus (Loew, 1851), Sphaeromias, 45
canescens Mikan, 1796, Bomylius, 83
canescens (Zetterstedt, 1838), Paregle, 185
canescens Zetterstedt, 1849, Hilara, 91
canescens (Walker, 1856), Panimerus, 34
canescens (Meigen, 1804), Satchelliella, 34
canescens (Meigen, 1830), Tephrochlamys, 173
canescens (Loew, 1865), Trixoscelis, 174
canescens Winnertz, 1863, Zygomyia, 69
canicularis (Panzer, 1801), Cheilosia, 113
canicularis (Linnaeus, 1761), Fannia, 192
canicularis Goetghebuer, 1948, Forcipomyia, 42
canina (Fabricius, 1781), Dexiosoma, 204
cantans (Meigen, 1818), Aedes, 37
canum Meigen, 1838, Simulium, 40

- caparti* Verbeke, 1967, *Pherbellia*, 130
capensis (Wiedemann, 1818), *Hydrotaea*, 188
capitata (Wiedemann, 1824), *Ceratitis*, 123
capitata (Fallén, 1826), *Dithryca*, 125
capitata (De Geer, 1776), *Gonia*, 201
capitata Robert, 1834, *Diastata*, 163
capitigena (Bremi, 1847), *Bayeria*, 62
capitigena (Bremi, 1847), *Dasineura*, 62
capreae (Winnertz, 1853), *Iteomyia*, 63
capreoli (von Olfers, 1816), *Lipoptena*, 180
capucina (Fabricius, 1781), *Exoprosopa*, 83
carbo (Schiner, 1862), *Hebecnema*, 190
carbonaria Egger, 1860, *Cheilosia*, 113
carbonaria (Meigen, 1826), *Fannia*, 192
carbonaria (Zetterstedt, 1848), *Megaselia*, 105
carbonaria (Panzer, 1798), *Periscepsia*, 206
carbonaria (Zetterstedt, 1848), *Phytobia*, 151
carbonaria (Meigen, 1830), *Schwenkfeldina*, 71
carbonaria (Meigen, 1822), *Trichopsomyia*, 113
carbonarius; Gtgh., *Psectrocladius*, 50
carbonella (Zetterstedt, 1845), *Spilogona*, 190
Carcelia Robineau-Desvoidy, 1830, 199
Carcelia Robineau-Desvoidy, 1830, subg., 199
cardamines (Winnertz, 1853), *Dasineura*, 62
cardamines Haliday, 1839, *Hydrellia*, 166
Cardiocladus Kieffer, 1912, 48
Cardiocrepis Enderlein, 1936, 31
cardui (Meigen, 1826), *Delia*, 184
cardui (Robineau-Desvoidy, 1830), *Icterica*, 125
cardui (Linnaeus, 1758), *Urophora*, 123
cardui Robineau-Desvoidy, 1830, *Urophora*, 123
Caricea Robineau-Desvoidy, 1830, 191
Carinagromyza Sasakawa, 1954, 152
carinatus (Verrall, 1901), *Cephalops*, 109
carinifrons (Fallén, 1816), *Dinera*, 206
carinthiaca Strobl, 1892, *Hilara*, 91
carnaria (Linnaeus, 1758), *Sarcophaga*, 197
carnea (Fabricius, 1805), *Thienemannimyia*, 47
carnea (Fabricius, 1805), *Zavrelimyia*, 47 partim
carnea, sensu Gtgh., *Thienemannimyia*, 47 partim
CARNIDAE, 156
caroli Grootaert, 1987, *Platypalpus*, 95
carophila F. Loew, 1874, *Lasioptera*, 63
carpini (F. Loew, 1874), *Zygiobia*, 64
Carpomya Rondani, 1856, 125
carriana Edwards, 1924, *Corynoneura*, 48
carteri (Tonnoir, 1921), *Neolimnophila*, 27
casei (Linnaeus, 1758), *Piophila*, 142
caspicus (Pallas, 1771), *Aedes*, 37
Catabomba Osten-Sacken, 1897, 111
Catagonia Brauer & Bergenstamm, 1891, 200
Catalpomyza Spencer, 1977 subg., 151
caudata (Winnertz, 1863), *Brevicornu*, 68
caudata (Zetterstedt, 1855), *Zaphne*, 185
caudata Fallén, 1813, *Notiphila*, 166
caudata (Rondani, 1859), *Phryxe*, 202
caudata (Walker, 1848), *Trichosia*, 71
caudatula Loew, 1867, *Empis*, 90
caudatus Jacobs, 1905, *Hercostomus*, 101
caulicola Kieffer, 1913 *Chironomus*, 55
cauliginellus (Kieffer, 1913), *Glyptotendipes*, 52
cautum (Harris, 1776), *Chrysotoxum*, 112
cava Riedel, 1913, *Tipula*, 21
cavaticum Becker, 1889, *Lamposoma*, 92
cavernosa (Rübsamen, 1899), *Harmandia*, 63
caviceps (Stenhammar, 1844), *Scatophila*, 167
cavicola Kieffer, 1921, *Metriocnemus*, 49
Cecidomyia Meigen, 1803, 62
CECIDOMYIIDAE, 61
CECIDOMYIINAE, 61
celebs Rondani, 1859, *Macquartia*, 205
celer (Meigen, 1824), *Hercostomus*, 101
celer (Meigen, 1822), *Platypalpus*, 95
celeripes Winnertz, 1852, *Corynoneura*, 48
cellaris (Lengersdorf, 1934), *Lycoriella*, 71
celsa (Harris, 1780), *Helina*, 189
celtiber Haliday 1855, *Aphrosylus*, 102
celtica Edwards, 1924, *Corynoneura*, 48
centaureae (F. Loew, 1875), *Loewiola*, 63
centaureana Hering, 1936, *Liriomyza*, 152
centauriae (Fabricius, 1794), *Euleia*, 124
centauriae (Fallén, 1820), *Myoleja*, 124
centauriae Robineau-Desvoidy, 1830, *Urophora*, 123
Centema, emend., 161
Centor Loew, 1866, 161
Centorella Strand, 1928, 161
centralis Meigen, 1818, *Macroceria*, 66
centralis (Fabricius, 1805), *Otites*, 129
Cephalia Meigen, 1826, 129
Cephalomyza Hendel, 1931, 151
Cephalops Thomson, 1870, 108
Cephalops Fallén, 1810, 109
Cephalosphaera Enderlein, 1936, 109
Cephenemyia Latreille, 1818, 210
CEPHENEMYIINAE, 210
Cephenomyia; error, 210
ceraci; error, *Rhagoletis*, 124
Cerajocera Rondani, 1856, 124
Ceranthia Robineau-Desvoidy, 1830, 204
cerasi (Linnaeus, 1758), *Rhagoletis*, 124
cerasi; auctt., *Herina*, 129
cerasorum (Dufour, 1845), *Rhagoletis*, 124
Ceratinostoma Meade, 1885, 183
Ceratitis Macleay, 1829, 123
ceratocera (Hendel, 1913), *Cerajocera*, 125
Ceratomyza Schiner, 1862, 152
Ceratopogon Meigen, 1803, 43
CERATOPOGONIDAE, 41
CERATOPOGONINAE, 42
Cerdistus Loew, 1849, 86
cerealis Rondani, 1873, *Camarota*, 160
cerealium Reuter, 1902, *Meromyza*, 160
cereris (Fallén, 1820), *Cetema*, 161
ceres Zetterstedt, 1851, *Tipula*, 22
Ceria Fabricius, 1894, 116
Ceriana Rafinesque, 1815, 116

- Ceriocera* Rondani, 1870, 124
Cerioides, Rondani, 1850, 116
Ceroctena Rondani, 1856, 20
Cerodonta, emend., 152
Cerodontha Rondani, 1861, 152
Ceromasia Rondani, 1856, 200
Ceromyia Robineau-Desvoidy, 1830, 204
Ceroptatus; error, 66
Ceroptera Macquart, 1835, 176
CEROPTERINAE, 176
Cerotelion Rondani, 1856, 66
Ceroxys Macquart, 1835, 129
cervi (Linnaeus, 1758), Lipoptena, 180
cervi (Olivier, 1792), Lipoptena, 180
cervina (Nitsch, 1818), Lipoptena, 180
cessans (Harris, 1776), Sicus, 117
cesta (Haliday, 1833), Axysta, 166
Cetema Hendel, 1907, 161
chaerophylli (Fabricius, 1798), Euthycera, 131
chaerophylli Kaltenbach, 1856, Phytomyza, 153
Chaetinella Mesnil, 1949, 202
Chaetoapnaea Hendel, 1930, subg., 166
Chaetocladius Kieffer, 1911, 48
Chaetogena Rondani, 1856, 200
Chaetolonchaea Czerny, 1934, 139
Chaetomus Czerny, 1924, subg., 172
chaetoneura Brauer & Bergenstamm, 1889, Heteronychia, 196
Chaetopleurophora Schmitz, 1922, 107
Chaetopodella Duda, 1920, 177
Chaetorellia Hendel, 1927, 125
Chaetortomella; error, 125
Chaetosa Coquillett, 1898, 182
Chaetosciara Frey, 1942, 70
Chaetostomella; error, 125
Chaetostomella Hendel, 1927, 125
Chaetotachina Brauer & Bergenstamm, 1889, 200
CHALARINAE, 108
Chalarus Walker, 1834, 108
chalconota (Meigen, 1824), Macquartia, 205
chalcosyrphus Curran, 1925, 115
Chalcosyrphus Curran, 1925, 115
chalybata (Forster, 1771), Beris, 75
chalybeata Meigen, 1822, Chrysogaster, 114
chalybeata (Meigen, 1824), Dufouria, 206
chalybeatus (Edwards, 1929), Rheocricotopus, 50
chalybeus (Wiedemann, 1817), Hercostomus, 101
chamaeleon (Linnaeus, 1758), Stratiomys, 76
Chamaemyia Meigen, 1803, 138
CHAMAEYIIDAE, 138
Chamaepsila Hendel, 1917, 121
Chamaesyrphus Mik, 1906, 114
CHAOBORIDAE, 36
Chaoborus Lichtenstein, 1800, 36
Chaoborus Lichtenstein, 1800, subg., 36
Cheilosia Meigen, 1822, 113
Cheilotrichia Rossi, 1848, 25
Cheilotrichia Rossi, 1848, subg., 25
Chelidomyia Rondani, 1879, 180
Chelifera Macquart, 1823, 92
Chelipoda Macquart, 1823, 92
Chelisia Rondani, 1856, 184
Chemalida Rondani, 1856, 26
Chersodromia Walker, 1849, 94
chetifer (Walker, 1849), Hercostomus, 101
chinensis Goetghebuer, 1934, Tanytarsus, 54
Chione Robineau-Desvoidy, 1830, 131
Chionea Dalman, 1816, 25
Chionomyia Ringdahl, 1933, 185
chioptera Meigen, 1804, Empis, 90
chiopterus (Meigen, 1830), Culicoides, 43
Chiromyia: emend. or errors., 147
chiron Gtgh., Prodiamesa, 48
CHIRONOMIDAE, 46
CHIRONOMINAE, 51
CHIRONOMINI, 51
Chironomus Meigen, 1803, 51
Chironomus Meigen, 1803, 51
Chiroisia Rondani, 1856, 184
chloris (Meigen, 1818), Microtendipes, 52
chlorolobus Kieffer, 1918, Cryptochironomus, 51
Chloromyia Duncan, 1837, 75
CHLOROPIDAE, 158
CHLOROPINAE, 160
Chloropisca Loew, 1866, 161
Chlorops Meigen, 1830, 161
chloropus Bergroth, 1901, Ornithomya, 179
chlorus (Meigen, 1822), Cheilosia, 113
Chodopsycha Ježek, 1984, 33
Choerades Walker, 1851, 86
chongjini Bankowska, 1964, Sphaerophoria, 112
chorea (Meigen, 1818), Dicranomyia, 28
Chorega Gistl, 1848, 206
chorea (Fabricius, 1781), Lonchaea, 139
choreus (Meigen, 1804), Procladius, 46
chorica (Fallén, 1816), Hilara, 91
Chorisops Rondani, 1856, 75
Chortophila Macquart, 1835, 185
Chromatomyia Hardy, 1849, 153
chrysalidarum (Rondani, 1859), Exorista, 201
chrysanthemi Robineau-Desvoidy, 1830, Ensina, 125
Chrysochlamys Walker, 1851, 114
chrysocoma (Meigen, 1822), Cheilosia, 113
Chrysogaster Meigen, 1822, 114
chrysophthalma (Zetterstedt, 1847), Chyromya, 147
Chrysopila; error, 77
Chrysopilus Macquart, 1826, 77
Chrysops Meigen, 1803, 80
CHRYSOPSINAE, 80
chrysorrhoea (Meigen, 1824), Physocephala, 117
chrysostoma (Meigen, 1830), Hydrellia, 166
Chrysotimus Loew, 1857, 100
Chrysotoxum Meigen, 1822, 112
Chrysotus Meigen, 1824, 98
chrysozygos (Wiedemann, 1817), Hercostomus, 101
Chyliza Fallén, 1820, 121

Chylizosoma Hendel, 1924, 183
Chymomyza Czerny, 1903, 170
Chyromya Robineau-Desvoidy, 1830, 147
Chyromyia: emend. or errors., 147
CHYROMYIDAE, 147
cibaria (Linnaeus, 1761), Compsobata, 119
cichorii Spencer, 1966, Napomyza, 153
cichorii Spencer, 1966, Phytomyza, 153
ciliaris (Schummel, 1829), Eriocnopa, 26
ciliaris (Fallén, 1816), Platypalpus, 95
ciliata (Meigen, 1826), Cordilura, 182
ciliata Fabricius, 1787, Empis, 90
ciliata (Winnertz, 1852), Forcipomyia, 42
ciliata (Fabricius, 1794), Hydrotaea, 188
ciliata (Zetterstedt, 1848), Megaselia, 105
ciliata Walker, 1849, Egle, 185
ciliatocosta (Zetterstedt, 1845), Delia, 184
ciliatocosta (Zetterstedt, 1845), Helina, 189
ciliatus Meigen, 1838 Tanypus, 55
cilicornis Hering, 1941, Paroxyna, 126
cilicrura (Rondani, 1866), Delia, 185
cilicrus (Kieffer, 1889), Clinodiplosis, 62
cilifemoratus Macquart, 1827, Dolichopus, 100
cilifemoratus sensu Parent, 1938, Dolichopus, 101
cilifemur Villeneuve, 1923, Drosophila, 171
cilipecta (Rondani, 1859), Pales, 202
cilipes (Haliday, 1838), Azelia, 187
cilipes Meigen, 1824, Chrysotus, 98
cilipes Meigen, 1822, Hilara, 91
cilitarsis (Strobl, 1910), Tomosvaryella, 109
cimbiciformis (Fallén, 1817), Mallota, 116
cimiciforme (Haliday, 1855), Clanoneurum, 165
cinarae (Rondani, 1870), Oxyna, 126
cinarae: error or emend., Oxyna, 126
cincta (Fallén, 1817), Melangyna, 112
cincta (Winnertz, 1863), Orfelia, 66
cincta (Fabricius, 1787), Sylvicola, 57
cinctellus (Zetterstedt, 1843), Episyphus, 112
cinctellus (Goetghebuer, 1921), Parachironomus, 52
cinctipes (Meigen, 1830), Lasiosina, 162
cinctus (Egger, 1863), Ellipteroides, 26
cinctus (Fabricius, 1781), Lasiopogon, 86
cinctus (De Geer, 1776), Xylophagus, 72
cinerascens Mikan, 1796, Bomylius, 83
cinerascens (Meigen, 1804), Cheilotrichia, 25
cinerascens sensu de Meijere, Dicranoptycha, 25
cinerascens Loew, 1844, Liponeura, 31
cinerascens (Macquart, 1826), Mycomya, 67
cinerascens Winnertz, 1863, Phronia, 69
cinerea Meigen, 1818, Bolitophila, 65
cinerea Robineau-Desvoidy, 1830, Leucophora, 185
cinerea de Meijere, 1906, Lonchoptera, 103
cinerea de Meijere, 1906, Lonchoptera, 103
cinerea Fallén, 1813, Notiphila, 166
cinerea Rondani, 1870, Oxyna, 126
cinerea Robineau-Desvoidy, 1830, Oxyna, 126
cinerea (Fabricius, 1805), Phasia, 208
cinerea (Banks, 1894), Psychodocha, 34

cinerea (Fabricius, 1779), Trichocera, 18
cinerea (Fallén, 1810), Zaira, 203
cinerea; auctt., Erycia, 200
cinereifrons de Meijere, 1920, Molophilus, 26
cinereiventris (Zetterstedt, 1845), Lophosceles, 189
cinereiventris (Goetghebuer, 1921), Microtendipes, 52
cinerella Meigen, 1838, Diamesa, 48
cinerella Zetterstedt, 1838, Lonchoptera, 103
cinerella Zetterstedt, 1838, Lonchoptera, 103
cinerella (Zetterstedt, 1846), Nanna, 182
cinerella (Fallén, 1825), Adia, 184
cinerella (Haliday, 1837), Pelomyiella, 169
cinerella (Fallén, 1820), Pherbellia, 130
cinereofrons Hardy, 1849, Chromatomyia, 153
cinereovittata Zetterstedt, 1848, Phytomyza, 153
cinereum (Fabricius, 1794), Zodion, 118
cinereus (Haliday, 1851), Achalcus, 98
cinereus Meigen, 1818, Aedes, 37
cinereus (Harris, 1780), Paroxyna, 126
cinereus (Zetterstedt, 1842), Rhagio, 77
cinereus Goetghebuer, 1936 Procladius, 55
cingulata Dahlbom, 1850, Hilara, 91
cingulata (Walker, 1856), Paramerina, 47
cingulata (Pokorny, 1889), Suillia, 173
cingulata (Meigen, 1804), Villa, 83
cingulatus Meigen, 1830, Chironomus, 51
cingulatus Meigen, 1830, Chlorops, 161
cingulatus (Fabricius, 1781), Machimus, 87
cingulum Meigen, 1830, Mycetophila, 69
cinifera Meigen, 1830, Thereva, 84
Cinxia Meigen, 1800, 115
circumdata (Staeger, 1840), Mycomya, 67
circumdata (Meigen, 1830), Thaumatomyia, 162
circumdata (Meigen, 1820), Villa, 83
circundatus (Staeger, 1839), Bezzia, 43
circumscripta Loew, 1847, Thereva, 84
circumscriptus Kieffer, 1918, Culicoides, 43
cirsii (Rondani, 1875), Melanagromyza, 151
cirsii (Schrank, 1803), Urophora, 123
cirsiorum Robineau-Desvoidy, 1830, Xyphosia, 126
Cistogaster Latreille, 1829, 207
Citrago Schmitz, 1924, 107
citreiformis (Becker, 1901), Citrago, 107
citrina von Roser, 1840, Phytomyza, 153
citrinellus (Zetterstedt, 1848), Chlorops, 161
citriperda MacLeay, 1829, Ceratitis, 123
citrofasciatum (De Geer, 1776), Xanthogramma, 112
citrulli Rohdendorf, 1950, Liriomyza, 152
ciureai (Séguy, 1937), Hybomitra, 80
civilis (Rondani, 1859), Exorista, 201
Cladopelma Kieffer, 1921, 51
Cladotanytarsus Kieffer, 1921, 53
Clairvillia Robineau-Desvoidy, 1830, 207
clandestina Meigen, 1818, Tipula, 22
Clanoneurum Becker, 1903, 165
clara (Tonnoir, 1921), Lipsothrix, 26
clarandus (Collin, 1926), Platypalpus, 95
claripennis (Verrall, 1888), Dicranota, 23

- claripennis* (Lundbeck, 1898), *Eukiefferiella*, 49
claripennis (Robineau-Desvoidy, 1863), *Heteronychia*, 196
claripennis Robineau-Desvoidy, 1830, *Onesia*, 194
Clasiopa Stenhammar, 1844, 165
clathrata (Meigen, 1826), *Pierretia*, 197
clausa (Macquart, 1835), *Bellardia*, 193
clavata (Rohdendorf, 1947), *Gymnosoma*, 207
clavata (Tonnoir, 1920), *Ormosia*, 27
clavata (Scopoli, 1763), *Sphegina*, 114
clavaticornis (Goetghebuer, 1927), *Limnophyes*, 49
clavatus Kieffer, 1921, *Culicoides*, 43
clavicornis (Kieffer, 1911), *Thienemanniella*, 51
clavifex (Kieffer, 1891), *Dasineura*, 62
claviger (Meigen, 1804), *Anopheles*, 37
claviger Stannius, 1831, *Dolichopus*, 100
clavigera Lundström, 1913, *Trichonta*, 69
clavipes (Linnaeus, 1767), *Beris*, 75
clavipes Meigen, 1818, *Bibio*, 58
clavipes Haliday, 1832, *Dolichopus*, 100
clavipes (H. Loew, 1846), *Ectaetia*, 59
clavipes Harris, 1776, *Hilara*, 91
clavipes (Wood, 1910), *Megaselia*, 105
clavipes Meigen, 1830, *Trichina*, 96
claviventris (Strobl, 1909), *Apteromyia*, 176
Cleigastra Macquart, 1835, 182
Clemelis Robineau-Desvoidy, 1863, 200
cleomene Egger, 1859, *Exoprosopa*, 83
Cleona Meigen, 1800, 104
Cleptodromia Corti, 1907, 94
Cleptoneria Lioy, 1864, 155
clethrophila Rübsaamen, 1917, *Jaapiella*, 63
Clinoc Meigen, 1803, subg., 92
Clinocera Meigen, 1803, 92
CLINOCERINAE, 92
Clinodiplosis Kieffer, 1895, 62
Clinuhelea Kieffer, 1917, 43
Clinorhyncha H. Loew, 1850, 63
Clinotanypus Kieffer, 1913, 46
Cliopisa Enderlein, 1936, subg., 65
Clitellaria Meigen, 1803, 76
CLITELLARIINAE, 76
Clunio Haliday, 1855, 48
clunipes (Meigen, 1830), *Spelobia*, 177
clunipes (Fallén, 1817), *Sphegina*, 114
Clusia Haliday, 1938, 146
Clusiaria Malloch, 1922, 146
CLUSIIDAE, 146
Clusiodes Coquillett, 1904, 146
clypeata Meigen, 1830, *Eurina*, 160
clypeata (Lundström, 1911), *Exechiopsis*, 68
clypeata Meigen, 1822, *Hilara*, 91
clypeatus (Meigen, 1822), *Platycheirus*, 113
Clythia Meigen, 1800, 104
CLYTHIIDAE, 16
Clytiomyia Rondani, 1861, 207
Clytocerus Eaton, 1904, 33
Cnemacantha Macquart, 1835, 136
Cnemodon Egger, 1865, 113
Cnemoncosis Enderlein, 1921, subg., 20
Cnemoplegas Enderlein, 1927, 155
Cnemopogon Rondani, 1856, 182
Cnephalia Rondani, 1856, 203
Cnodacophora Czerny, 1930, 119
coaequalis (Schmitz, 1919), *Megaselia*, 105
coarctata (Fallén, 1825), *Delia*, 184
coarctata (Fallén, 1813), *Parydra*, 166
coarctata (Winnertz, 1867), *Trichosia*, 71
coarctatus (Collin, 1926), *Platypalpus*, 95
Coboldia Melander, 1916, 59
cochleariae Haliday, 1839, *Hydrellia*, 166
cochleata (Duda, 1928), *Apiloscatopse*, 59
coeca Nitzsch, 1818, *Braula*, 178
Coelomyia Haliday in Westwood, 1840, 192
Coelopa Meigen, 1830, 133
Coelopa Meigen, 1830, subg., 133
COELOPIDAE, 133
Coelosia Winnertz, 1863, 68
COELOTANYPODINI, 46
coemeteriorum (Linnaeus, 1758), *Chrysogaster*, 114
coemetorium (Fabricius, 1775), *Chrysogaster*, 114
Coenia Robineau-Desvoidy, 1830, 167
Coenomyia Latreille, 1796, 73
COENOMYIIDAE, 73
Coenosia Meigen, 1826, 191
COENOSIIINAE, 190
coenotaphii Meigen, 1830, *Chrysogaster*, 114
coerulea; error, *Melinda*, 193
coeruleiventris (Zetterstedt, 1843), *Xylota*, 115
coerulescens Lackschewitz, 1923, *Tipula*, 22
cognata (Wiedemann, 1817), *Acidia*, 124
cognata (Meigen, 1830), *Melinda*, 193
cognata Meigen, 1826, *Myoleja*, 124
cognata Loew, 1860, *Parydra*, 167
cognata (Eaton, 1893), *Ulomyia*, 34
cognatum (Meigen, 1830), *Oscinisoma*, 159
colemani Wirth, 1952, *Forcipomyia*, 42
coleoptrata (Scopoli, 1763), *Stegana*, 170
collaris (Meigen, 1838), *Ellipteroides*, 25
collaris (Fallén, 1820), *Medina*, 201
collarti (Tollet, 1943), *Bolitophila*, 65
collarti (Tollet, 1955), *Macrorrhyncha*, 66
collarti Verbeke, 1848, *Tetanocera*, 131
collarti Goetghebuer, 1941 *Orthocladius*, 55
colligata Duda, 1933, *Calamoncosis*, 159
Collimosina Roháček, 1983, subg., 177
collina (Edwards, 1921), *Neolimnomyia*, 25
Collinella Duda, 1918, 176
Collinellula Strand, 1928, 176
collini Anderson, 1976, *Anthomyza*, 149
collini Hackman, 1956, *Lonchaea*, 139
collini Lyneborg, 1959, *Hybomitra*, 80
Colobaea Zetterstedt, 1837, 130
Coloboneura Melander, 1902, 94
Colobostema Enderlein, 1926, 59
colon (Meigen, 1826), *Orellia*, 125

- coloratus* (Becker, 1897), Eudorylas, 109
Colpodia Winnertz, 1853, 61
Columbiella Malloch, 1922, 146
combinata (Linnaeus, 1767), Geomyza, 148
comitialis sensu Jacobs, 1905, Poecilobothrus, 101
commune (Meigen, 1824), Rhaphium, 99
communis (De Geer, 1776), Aedes, 37
communis Meigen, 1804, Ceratopogon, 43
communis (Robineau-Desvoidy, 1830), Helina, 190
communis Frey, 1925, Sepsis, 135
commutata (Czerny, 1930), Compsobata, 119
compar (Eaton, 1904), Psychodocha, 34
compeditus Loew, 1857, Campsicnemus, 99
compeditus Meigen, 1820, Xylophagus, 72
compositorum (Verrall, 1873), Melangyna, 112
compressa (Fabricius, 1787), Mintho, 205
Compsilura Bouché, 1834, 200
Compsobata Czerny, 1930, 119
Compsobata Czerny, 1930, subg., 119
compta (Meigen, 1830), Psilopa, 166
compta (Eaton, 1893), Satchelliella, 34
compta, error, Linnaemyia, 204
comptus Walker, 1837, Platypalpus, 95
complicata de Meijere, 1918, Dicranomyia, 28 subsp.
compuncta (Wiedemann, 1817), Helina, 190
comta (Fallén, 1810), Linnaemyia, 204
comitus (Harris, 1780), Xanthandrus, 112
Cona Schellenberg, 1803, 85
Conchapelopia Fittkau, 1957, 47
concinna Meigen, 1830, Asteia, 144
concinna (Winnertz, 1867), Corynoptera, 70
concinna (Meigen, 1830), Diplonevra, 107
concinna (Becker, 1901), Diplonevra, 107
concinna (Meigen, 1818), Probezzia, 44
concinnata (Meigen, 1824), Compsilura, 200
concinnicauda collin, 1927, Chelifera, 92
concinnus (Zetterstedt, 1843), Chrysotimus, 100
conicus Kieffer, 1923, Culicoides, 43
concolor Mikan, 1796, Bomylius, 83
concolor (Robineau-Desvoidy, 1830), Morellia, 188
confiformis Chvála et Moucha, 1971, Hybomitra, 81
 subsp.
confinis (Fallén, 1820), Aplomyia, 199
confinis (Zetterstedt, 1849), Argyra, 99
confinis Staeger lapsus, Argyra, 99
confinis (Meigen, 1830), Cerdontha, 152
confinis (Fallén, 1825), Helina, 189
confinis (Meigen, 1830), Microtendipes, 52
confinis (Fallén, 1815), Psilocephala, 84
confirmis (Fallén, 1825), Pegomya, 186
conformis Kowarz, 1867, Rhamphomyia, 92
confundens (Rondani, 1859), Senometopia, 203
confusa (Verrall, 1901), Dorylomorpha, 108
confusa van der Wulp, 1887, Tipula, 22
confusus Egger, Dasysyrphus, 111
confusus Zetterstedt, 1843, Dolichopus, 101
congesta (Becker, 1903), Liriomyza, 152
conica (Panzer, 1798), Brachyopa, 114
conica (Wiedemann, 1817), Hydrophoria, 185
conica (Fallén, 1810), Senotainia, 196
Conicera Meigen, 1830, 107
Conicera s.s., subg., 107
coniophaga (Winnertz, 1853), Mycodiplosis, 63
coniophila Hering, 1931, Phytomyza, 153
Conioscinella Duda, 1929, 159
Coniosternum Becker, 1894, 183
conjugata (Zetterstedt, 1852), Eurithia, 204
conjugens (Ruthe, 1831), Rhagio, 77
conjuncta Loew, 1862, Tephritis, 126
connexa (Fabricius, 1794), Euphranta, 124
connexa (Meigen, 1824), Gaedia, 201
connexa Winnertz, 1863, Rymosia, 69
connexa Meigen, 1822, Tachydromia, 96
connexa (Wood, 1914), Triphleba, 107
connivens (Zetterstedt, 1844), Eurithia, 204
conophorus Meigen, 1803, 83
CONOPIDAE, 117
Conopilla Rondani, 1845, 117
CONOPINAE, 117
conopodii Hering, 1943, Phytomyza, 153
Conops Linnaeus, 1758, 117
conopseus (Fabricius, 1775), Doros, 112
conopoides (Linnaeus, 1758), Ceriana, 116
consanguinea Loew, 1858, Lispe, 190
consimilis (Malm, 1823), Parhelophilus, 116
consobrina (Meigen, 1824), Eurithia, 204
consobrina (Zetterstedt, 1838), Phaonia, 189
consobrina Zetterstedt, 1844, Platypeza, 104
consobrinum Zetterstedt, 1843, Rhaphium, 99
consobrinus (Haliday, 1851), Tachytrechus, 102
consors (Eaton, 1893), Parajungiella, 34
conspersa (Meigen, 1824), Smidtia, 203
conspersa (Harris, 1776), Trixa, 207
conspicua (Winnertz, 1867), Lycoriella, 70
conspicuus Meigen, 1804, Rhagio, 77
conspicuus alpinus (Loew, 1869), Rhagio, 77
conspicuus florentinus Loew, 1869, Rhagio, 77
constrictans Wiedemann, lapsus, Sciapus, 97
constrictans sensu Jacobs, 1905, Sciapus, 97
contaminata Winnertz, 1863, Exechia, 68
contaminata (Linnaeus, 1758), Ptychoptera, 32
contaminata (Stenhammar, 1844), Scatophila, 167
Contarinia Rondani, 1860, 62
contextus, lapsus Gtgh., 1936, Tribelos, 53
contingens (Walker, 1856) Smittia, 54
continua (Panzer, 1798), Clytiomyia, 207
continua (Meigen, 1826), Rhagoletis, 124
contracta Claussen & Torp, 1980, Anasimyia, 116
contractifrons (Zetterstedt, 1838), Spilogona, 190
contristans (Wiedemann, 1817), Sciapus, 97
conura Loew, 1844, Tephritis, 126
conura Zetterstedt, 1847, Tephritis, 126
conversus (Walker, 1856), Paracladius, 50
convictum (Walker, 1856), Polypedilum, 53
Cookella Freeman, 1985, 59

copiosa (Winnertz, 1852), Monohelea, 44
copiosa (Schiner, 1872), Thaumatomyia, 162
Coproica Rondani, 1861, 176
Copromyza Fallén, 1810, 175
COPROMYZINAE, 175
Coprophila Duda, 1918, 176
Coptophlebia Bezzi, 1909, subg., 90
Coquillettidia Dyar, 1905, 38
coracellus (Kieffer, 1918), Tribelos, 53
coracina (Zetterstedt, 1850), Bezzia, 42
coracina (Loew, 1873), Fannia, 192
cordatus Kieffer, 1921, Culicoides, 43
cordiformitarsis Carter, 1916, Culicoides, 43
cordiger Meigen, 1820, Tabanus, 81
Cordilura Fallén, 1810, 182
Cordilura Fallén, 1810, subg., 182
Cordilurina James, 1955, subg., 182
Cordyla Meigen, 1803, 68
Cordylura; error, 182
CORDILURIDAE, 17
Coremacera Rondani, 1856, 130
Corethra Meigen, 1803, 36
corinnae Gosseries, nom.nov., Dasyhelea, 42
corinnae Gosseries, nom. nov., Thereva, 84
corni (Giraud, 1863), Craneobia, 62
corni (Scopoli, 1763), Mydaea, 190
cornicina (Fabricius, 1781), Neomyia, 188
cornicina (Linnaeus, 1758), Nephrotoma, 20
cornicula Loew, 1873, Hilara, 91
corniculata (Zetterstedt, 1819), Acinia, 125
corniger de Meijere, 1920, Molophilus, 26
corniger Goetghebuer, 1921 Chironomus, 55
cornuta (Fabricius, 1794), Cerajocera, 125
cornuta (Bigot, 1856), Dohrniphora, 107
cornuta (Fallén, 1820), Elachiptera, 158
cornuta (de Meijere, 1918), Ormosia, 27
cornuta Walker, Pericomia, 34
cornuta (Tonnoir, 1919), Taramormia, 34
cornutus Goetghebuer, 1921, Tanytarsus, 54
corollae (Fabricius, 1794), Metasyrphus, 111
coronatus Rondani, 1857, Leopoldius, 117
corriginata (Linnaeus, 1767), Micropeza, 119
corrugans (F. Loew, 1877), Macrolabis, 63
corticicola (Kieffer, 1919), Forcipomyia, 42
corticina Rondani, 1870, Oxyna, 126
corvi (Scopoli, 1763), Ornithomya, 179
corvina Fabricius, 1781, Musca, 188
coryleti (Scopoli, 1763), Pherbina, 131
Corynetta Meigen, 1800, 94
Corynoneura Winnertz, 1846, 48
Corynoptera Winnertz, 1867, 70
costalis Zetterstedt, 1847, Borborillus, 175
costalis (Becker, 1901), Megaselia, 106
costalis (von Roser, 1840), Megaselia, 106
costalis (von Roser, 1840), Tachydromia, 96
costata (Zetterstedt, 1838), Chymomyza, 170
costata (Zetterstedt, 1838), Forcipomyia, 42
costata Meigen, 1830, Diastata, 163

costata (Panzer, 1800), Gymnosoma, 207
costata (Zetterstedt, 1848), Megaselia, 106
costata (Fallén, 1815), Wagneria, 207
cothurnata (Macquart, 1826), Cheilotrichia, 25
cothurnata Meigen, 1820, Dioctria, 86
cothurnatus (Meigen, 1820), Neoitamus, 87
cothurnatus Macquart, 1827, Platypalpus, 95
Cotilea Lioy, 1864, 161
couckeii Tonnoir, 1921, Tipula, 22
coxata (Stenhammar, 1854), Opacifrons, 176
coxendix (Verrall, 1912), Rhegmoclema, 60
crabroniformis (Linnaeus, 1758), Asilus, 86
craccae Kieffer, 1897, Contarinia, 62
Crahterina: error or emend., 180
Craneobia Kieffer, 1913, 62
Craspedocheata; error, 184
Craspedochoeta Macquart, 1850, 184
Craspedothrix Brauer & Bergenstamm, 1893, 205
crassicauda Agrell, 1945, Ula, 24
crassicorn (Stannius, 1831), Brevicornu, 68
crassicornis (Meigen, 1824), Actia, 203
crassicornis Meigen, 1818, Cordyla, 68
crassicornis (Becker, 1901), Diplonevra, 107
crassicornis Wahlberg, 1848, Haematopota, 81
crassicornis (Panzer, 1806), Symphoromyia, 78
crassiforceps Goetghebuer, 1935, Culicoides, 43
crassiforceps Kieffer, 1924, Culicoides, 43
crassimana (Haliday, 1836), Spelobia, 177
crassimargo (Pandellé, 1896), Helicophagella, 196
crassinervis (Goetghebuer, 1920), Ceratopogon, 43
crassipennis (Fabricius, 1794), Ectophasia, 207
crassipennis (Fabricius, 1794), Melieria, 129
crassipes (Meigen, 1820), Atrichops, 79
crassipes (Panzer, 1813), Eurycnemus, 49
crassipes (Winnertz, 1852), Forcipomyia, 42
crassipes (Wood, 1909), Megaselia, 105
crassipes Macquart, 1827, Microphor, 88
crassipes (Curtis, 1835), Molophilus, 26
crassipes Goetghebuer, 1920, Palpomyia, 44
crassipes (Meigen, 1824), Rhaphium, 99
crassipygus de Meijere, 1918, Molophilus, 26
crassirostris (Fallén, 1816), Rhamphomyia, 91
Crassiseta von Roser, 1840, 158
crassiseta Oldenberg, 1916, Thrypticus, 98
crassiuscula Loew, 1847, Lispe, 190
crassivenosa Lengersdorf, 1943, Neosciara, 71
Crassivenula Sabrosky, 1941, 160
Crastemyza Nowakowski, 1967, 152
crataegi (Winnertz, 1853), Dasineura, 62
Crataerhina: error or emend., 180
Crataerina von Olfers, 1816, 179
Crataerrhina: error or emend., 180
Cratarrhina: error or emend., 180
Craterhina: error or emend., 180
Craterina: error or emend., 180
Crathaerhina: error or emend., 180
Crathaerina: error or emend., 180
Crathaerrhina: error or emend., 180

- Crathaerryna*: error or emend., 180
Cratoerina: error or emend., 180
crenata; auctt., Ischiolepta, 175
crenatus (Macquart, 1834), Metasyrphus, 111
cretifer (Walker, 1856), Hercostomus, 101
cibrata (Stenhammar, 1844), Scatophila, 167
cibratum (Villeneuve, 1918), Puncticorpus, 176
cibriformis (Becker, 1907), Calamoncosis, 159
cibrina Rondani, 1870, Oxyna, 126
Cricotopus van der Wulp, 1874, 48
Cricotopus van der Wulp, 1874, subg., 48
crinicauda (Riedel, 1910), Nephrotoma, 20
crinipes (Staeger, 1842), Hypophyllus, 101
Criorrhina Meigen, 1822, 116
cristata (Staeger, 1840), Allodiopsis, 68
cristata (Meigen, 1826), Estheria, 206
cristata (Zetterstedt, 1845), Lophosceles, 189
cristata (Fabricius, 1805), Siphona, 205
cristatus (Fabricius, 1775), Chrysopilus, 77
croatica (Egger, 1863), Dicranomyia, 28
crocata (Linnaeus, 1758), Nephrotoma, 20
croceiventris (Mannheims, 1951), Nephrotoma, 20
Crocuta Meigen, 1800, 205
Crossopalpus Bigot, 1857, 94
cruenta (Pandellé, 1896), Heteronychia, 196
cruentata (Meigen, 1826), Bercea, 196
cruentata (Rondani, 1859), Winthemia, 203
Crumomyia Macquart, 1835, 175
Crunobia Kolenati, 1859, subg., 23
cruralis Wahlberg, 1850, Dolichopus, 100
cruralis (Collin, 1961), Platypalpus, 95
cryophilum (Rubzov, 1959), Simulium, 40
Cryptaciura Hendel, 1927, 124
cryptarum (Fabricius, 1794), Eristalis, 116
Crypteria Bergroth, 1913, 25
Crypteriella Soot-Ryen, 1928, 27
Cryptochironomus Kieffer, 1918, 51
Cryptolucilia Brauer et Bergenstamm, 1893, 188
Cryptoneura, emend., 161
Cryptonevra Lioy, 1864, 161
cryptospina Frey, 1909, Platypalpus, 95
Cryptotendipes Lenz, 1941, 51
crystallinus (De Geer, 1776), Chaoborus, 36
Ctenophora Meigen, 1803, 20
Ctenophora Meigen, 1803, subg., 20
ctenoptenus Mikan, 1796, Systoechus, 83
Ctenosciara Tuomikoski, 1960, 70
cubitalis Edwards, 1939, Culicoides, 43
cubitalis (Becker, 1901), Megaselia, 106
cucularia (Linnaeus, 1767), Elgiva, 131
cuculliae Robineau-Desvoidy, 1863, Masicera, 201
cucumidis Macquart, 1854, Chromatomyia, 153
Culex Linnaeus, 1758, 38
Culex Linnaeus, 1758, subg., 38
Culicella Felt, 1904, subg., 38
CULICIDAE, 37
culiciformis (Fabricius, 1775), Hybos, 94
culiciformis (De Geer, 1776), Mochlonyx, 36
culiciformis (Linnaeus, 1767), Procladius, 46
CULICINAE, 37
Culicoides Latreille, 1809, 43
Culicoides Latreille, 1809, subg., 43
Culiseta Felt, 1904, 38
Culiseta Felt, 1904, subg., 38
culmorum Fallén, 1820, Platyncephala, 160
cultellata (Pandellé, 1896), Parasarcophaga, 197
cultellatum Goetghebuer, 1931, Polypedilum, 53
cultriger Kieffer, 1908, Diplocladius, 49
cunctans (Meigen, 1830), Melanagromyza, 151
cunctans (Winnertz, 1852), Culicoides, 45
cunctans (Meigen, 1826), Thricops, 187
cunctans (Meigen, 1824), Wagneria, 207
cuprarius (Linnaeus, 1758), Sargus, 75
cuprea (Scopoli, 1763), Ferdinandea, 114
cupreum Macquart, 1827, Rhaphium, 99
cupreus Macquart, 1827, Chrysotus, 98
cupreus (Fallén, 1823), Hercostomus, 101
curriei Coquillett, 1901, Aedes, 37
cursitans (Zetterstedt, 1819), Chersodromia, 94
cursitans (Rondani, 1861), Drino, 200
cursitans (Fabricius, 1775), Platypalpus, 95
curticornis Goetghebuer, 1933, Forcipomyia, 42
curticornis Kieffer, 1911 Tanytarsus, 54
curticornis Goetghebuer, 1938 Limnophyes, 55
curtongoose Goetghebuer, 1928, Bezzia, 42
curtilamellata (Malloch, 1915), Harnischia, 52
curtipenne Collin, 1946, Aphanotrigonum, 160
curtisi Collin, 1927, Hilara, 91
curtistylus (Goetghebuer, 1921), Pseudorthocladius, 50
curtistylus (Goetghebuer, 1921), Rheotanytarsus, 54
Curtonevra Macquart, 1834, 190
curvatus Tonnoir, 1920, Molophilus, 26
curvicauda (Meigen, 1830), Coenia, 167
curvicornis (Macquart, 1849), Epicampocera, 200
curviligula (Lengersdorf, 1952), Corynoptera, 70
curvinervis (Zetterstedt, 1844), Athrycia, 206
curvinervis (Stenhammar, 1854), Leptocera, 176
curvinervis (Kieffer, 1911), Zavrelia, 54
curvipalpis (Zetterstedt, 1848), Ophiomyia, 152
curvipennis (Latreille, 1805), Camarota, 160
curvipennis (Fallén, 1823), Stegana, 170
curvipes (Fallén, 1823), Campsicnemus, 99
curvipes (Meigen, 1822), Crossopalpus, 94
curvipes (fallén, 1825), Hydrotaea, 188
curvipes (Macquart, 1834), Morellia, 188
curvipes Latreille, 1805, Sphaerocera, 175
curvipes Loew, 1854, Xylota, 115
curvula Frey, 1913, Rhamphomyia, 92
cuspidata Collin, 1941, Medetera, 98
cyaneiventris (Zetterstedt, 1842), Microchrysa, 75
cyanella (Meigen, 1826), Eudasyphepha, 188
cyanicolor (Zetterstedt, 1845), Eudasyphepha, 188
cyanurus (Loew, 1849), Neoitamus, 87
Cyclocercula Beschovski, 1978 subg., 159
cylindraceus (Kieffer, 1908) Cricotopus, 54

cylindrica (De Geer, 1776), *Leptogaster*, 87
cylindrica (Fabricius, 1794), *Nemopoda*, 135
cylindrica (Fallén, 1810), *Oebalia*, 195
cylindrica (Robineau-Desvoidy, 1830), *Sitarea*, 125
cylindricornis (Fabricius, 1794), *Lauxania*, 136
Cylindromyia Meigen, 1803, 207
Cylindromyia Meigen, 1803, subg., 207
Cylindrotoma Macquart, 1834, 30
CYLINDROTOMIDAE, 30
Cymomyia Väisänen, 1984, subg., 67
cynipsea (Linnaeus, 1758), *Sepsis*, 135
cynocephala Loew, 1840, *Cheilosia*, 113
Cynomyia Robineau-Desvoidy, 1830, 193
Cynorrhina Williston, 1887, 116
Cynthia Robineau-Desvoidy, 1863, 203
Cypselia Meigen, 1800, 175
cypseli (Rondani, 1879), *Crataerina*, 180
CYSELIDAE, 17
CYRTIDAE, 16
Cyrtoma Meigen, 1824, 96
cyrtoneurina (Zetterstedt, 1845), *Hydrotaea*, 188
Cyrtonevra error, 190
Cyrtophleba Rondani, 1856, 206
Cyrtopogon Loew, 1847, 86
Cystiphora Kieffer, 1892, 62
cytisi Brischke, 1881, *Phytomyza*, 153
Cyzenis Robineau-Desvoidy, 1863, 200
czernyi (Collart, 1933), *Heleomyza*, 172
czizeki Lackschewitz, 1931, *Molophilus*, 27
czizeki (Duda, 1918), *Spelobia*, 177
czizeki de Jong, 1925, *Tipula*, 22
czizekii Landrock, 1912, *Mycetophila*, 69

dactylata (Lundbeck, 1920), *Megaselia*, 105
Dactylolabis Osten Sacken, 1860, 24
dahli (Becker, 1901), *Megaselia*, 105
dajtica Dirlbek & Dirlbek, 1966, *Tephritis*, 126
 subsp.
dalii (Eaton, 1893), *Clytocerus*, 33
Dalmannia Robineau-Desvoidy, 1830, 118
DALMANNIINAE, 118
dalmaticus Szilády, 1934, *Rhagio*, 77 subsp.
Dasineura Rondani, 1840, 62
Dasyhelea Kieffer, 1911, 42
DASYHELEINAE, 42
Dasymolophilus Goetghebuer, 1920, subg., 27
Dasyyna Robineau-Desvoidy, 1830, 121
Dasyneura; error, 62
Dasyopa Malloch, 1918, 160
Dasyphora Robineau-Desvoidy, 1830, 188
Dasypogon Meigen, 1803, 86
Dasyptera Schiner, 1863, 27
Dasysyrphus Enderlein, 1938, 111
dasythrix de Meijere, 1918, *Empis*, 90
dauci (Meigen, 1830), *Conicera*, 107
dauci (Fabricius, 1787), *Urophora*, 123
daucivora Hering, 1931, *Phytomyza*, 153

debilis (Egger, 1862), *Chamaepsila*, 121
debilis (Haliday, 1833), *Gymnophora*, 105
debilis (Meigen, 1830), *Tanytarsus*, 54
decemmaculata (Loew, 1873), *Achyrolimonia*, 28
decempunctata (Fallén, 1820), *Lyciella*, 136
decidua Egger, 1860, *Cheilosia*, 114
decipiens Meigen, 1826, *Coenosia*, 191
decipiens Bezzi, 1912, *Liponeura*, 31
decipiens (Loew, 1847), *Lyciella*, 136
decipiens (Eaton, 1893), *Paramormia*, 34
decolor (Fallén, 1824), *Drymeia*, 188
decoloratum Lackschewitz, 1940, *Epiphragma*, 24
decora (Haliday, 1833), *Eloeophila*, 24
decora Meigen, 1822, *Empis*, 90
decora Frey, 1908, *Meromyza*, 161
decorus Goetghebuer, 1927, *Cricotopus*, 49
decorus (Meigen, 1822), *Episyrphus*, 112
decrepita Zetterstedt, 1838, *Dryomyza*, 132
defectus (Kieffer, 1913), *Cryptochironomus*, 51
Degeeria Meigen, 1838, 201
dejeanii Robineau-Desvoidy, 1830, *Urophora*, 123
delarouzei Bigot, 1858, *Heteromyza*, 173
delecta (Meigen, 1824), *Eloceria*, 204
Delia Robineau-Desvoidy, 1830, 184
delicata (Meigen, 1824), *Microsoma*, 206
DELININAE, 183
delpinii (Rondani, 1869), *Tricimba*, 160
demandata (Fabricius, 1798), *Physiphora*, 128
Demeijerea Kruseman, 1933, 51
demeijerei Hering, 1930, *Liriomyza*, 152
Demicryptochironomus Lenz, 1941, 51
demissa (Haliday, 1833), *Dicranota*, 23
Demoticus Macquart, 1854, 204
dendrobaena Kowarz, 1877, *Medetera*, 98
Dendromyza Hendel, 1931, 151
Dendrophaonia Malloch, 1923, 188
Dendrotipula Savchenko, 1964, subg., 21
denigrata (Meigen, 1826), *Spilogona*, 190
dentata de Meijere, 1920, *Gonomyia*, 26
dentata (Meigen, 1838), *Nephrotoma*, 20
dentata Loew, 1844, *Terellia*, 125
dentatus Bangerter, 1947, *Molophilus*, 27
denticornis (Panzer, 1806), *Cerodontha*, 152
denticulata (Meigen, 1830), *Ischiolepta*, 175
denticulata (Duda, 1924), *Opalimosina*, 177
denticulatus (Goetghebuer, 1921), *Cryptochironomus*, 51
denticulatus (Zetterstedt, 1843), *Syntormon*, 100
dentiens (Pandellé, 1900), *Pegomya*, 186
dentifer Agrell, 1945, 26
Dentilimosina Roháček, 1983, subg., 177
dentipes (Fabricius, 1805), *Hydrotaea*, 188
dentipes Meigen, 1838, *Pipunculus*, 109
dentipes Zetterstedt, 1842, *Rhamphomyia*, 92
denudata Zetterstedt, 1838, *Phylidorea*, 25
denudata (Zetterstedt, 1845), *Helina*, 189
depilata Edwards, 1938, *Ormosia*, 27
depressa (Meigen, 1826), *Pollenia*, 194

depressifrons (Zetterstedt, 1845), Heteronychia, 196
 depuncta (Fallén, 1825), Helina, 189
derasa (Wood, 1909), Megaselia, 106
Desmometopa Loew, 1866, 155
desmometopa (de Meijere, 1907), Minettia, 136
Desmometopina Curran, 1930, 155
desouteri Parent, 1925, Sympycnus, 100
despecta (Haliday, 1839), Scatophila, 167
dessarti Grootaert, 1983, Platypalpus, 95
destructor (Say, 1817), Mayetiola, 63
detritus (Haliday, 1833), Aedes, 37
devia (Fallén, 1820), Brachicoma, 196
devius (Linnaeus, 1761), Microdon, 115
devonica (Edwards, 1929), Eukiefferiella, 49
dewulfi Goetghebuer, 1936, Culicoides, 43
Dexia Meigen, 1826, 206
DEXIINAE, 206
Deximorpha Rondani, 1856, 206
Dexiomorpha; error, 206
Dexiopsis Porkorny, 1893, 191
Dexiosoma Rondani, 1856, 204
Dexodes Brauer & Bergenstamm, 1889, 202
diabolus (Harris, 1780), Hydrotaea, 188
diadema (Meigen, 1838), Aulacigaster, 143
diadema Fabricius, 1781, Chrysopilus, 77
diadema (Meigen, 1830), Cryptonevra, 161
diadema (Fabricius, 1781), Dasypogon, 86
diadema Haliday, 1832, Dolichopus, 101
diadema (Linnaeus, 1767), Medetera, 98
Diadocidia Ruthé, 1831, 65
Diadocidia Ruthé, 1831, subg., 65
DIADOCIDINAE, 65
Dialineura Rondani, 1856, 84
Dialyta Meigen, 1826, 189
Dialytina Ringdahl, 1945, 189
Diamesa Meigen, 1835, 48
DIAMESINAE, 48
DIAMESINI, 48
diana (Meigen, 1818), Prionocera, 20
dianthicola (Venturi, 1949), Liriomyza, 152
diaphana (Fabricius, 1775), Argyra, 99
diaphana (Zetterstedt, 1843), Epistrophe, 111
diaphana (Fallén, 1820), Hyalurgus, 204
diaphana (Rondani, 1861), Solieria, 205
diaphanus (Wiedemann, 1817), Thricops, 187
DIAPHORINAE, 98
Diaphorus Meigen, 1824, 98
DIASOPINAE, 139
Diasops Rondani, 1856, 139
DIASTATINAE, 163
diastema Collin, 1946, Elachiptera, 158
Dicera Lioy, 1863, 20
Dichaeta Meigen, 1830, subg., 166
dichaeta Loew, 1860, Lamproscatella, 167
Dichetophora Rondani, 1868, 131
Dichiracantha Enderlein, 1934, subg., 195
dickebuschense Goetghebuer, 1936 Polypedilum, 55
Dicasiopa Hendel, 1917, 165

Dicraeinus Enderlein, 1936, 160
Dicraeoptera Duda, 1932, 155
Dicraeus Loew, 1873, 160
Dicranomyia Stephens, 1829, 28
Dicranomyia Stephens, 1829, subg., 28
Dicranoptyla Osten Sacken, 1860, 25
Dicranota Zetterstedt, 1838, 23
Dicranota Zetterstedt, 1838, subg., 23
Dicrobezzia Kieffer, 1919, 44
Dicrotendipes Kieffer, 1913, 51
Dicryptoscelis Enderlein, 1936, subg., 42
Dictenidia Brullé, 1833, 20
Dictya Meigen, 1803, 131
Didea Macquart, 1834, 112
didimiata von Roser, 1840, Loxocera, 121
didyma (Meigen, 1804), Dicranomyia, 28
didyma (Zetterstedt, 1838), Spilogona, 191
Didymomyia Rübsaamen, 1912, 62
difficilis (Stein, 1895), Fannia, 192
difficilis (Frey, 1907), Platypalpus, 95
diffinis (Edwards, 1929), Microtendipes, 52
difformis (Loew, 1858), Lyciella, 136
digitata Lundström, 1914, Boletina, 67
Digonichaeta; error, 206
digramma Meigen, 1835, Empis, 91
dilacerata Zetterstedt, 1855, Tephritis, 126
dilacerata Zetterstedt, 1849, Tephritis, 126
dilatata Strobl, 1900, Dixa, 35
dilatata (Goetghebuer, 1928), Einfeldia, 51
dilatata Schummel 1833, Tipula, 21
dilatatus (van der Wulp, 1858), Psectrocladius, 50
Dilophus Meigen, 1803, 58
diluta (Zetterstedt, 1851), Cheilotrichia, 25
diluta Lackschewitz, 1940, Dactylolabis, 24
dilutior Alexander, 1953, Dactylolabis, 24
dimidiata Staeger, 1840, Mycetophila, 69
dimidiata (de Meijere, 1918), Neolimnomyia, 24
Dinera Robineau-Desvoidy, 1830, 206
Dinevra Lioy, 1864, 153
Dinomyia Becker, 1926, 157
Dioctria Meigen, 1803, 86
Diodaulus Rübsaamen, 1917, 62
Diogma Edwards, 1938, 30
diomedae (Kishida, 1932), Ornithomya, 179
Dionaea Robineau-Desvoidy, 1830, 207
Diplocladius Kieffer, 1908, 49
Diploneura Schmitz, 1929, 107
Diplonevra Lioy, 1864, 107
Diplonevra s.s., subg., 107
Diplotoxa Loew, 1836, 162
Diplotoxoides Andersson, 1977 subg., 162
Discachaeta Enderlein, 1928, 196
discdens auctor., Argyra, 99
discollis (Meigen, 1818), Pilaria, 25
discicornis Loew, 1866, Chlorops, 161
discifer Stannius, 1831, Dolichopus, 100
discigerum Stenhammer, 1850, Rhaphium, 99
discimanus Loew, 1871, Platycheirus, 113

disciples (Germar, 1821), Hypophyllus, 101
Discocerina Macquart, 1835, 165
Discochaeta Brauer & Bergenstamm, 1889, 200
discoidalis Lundbeck, 1910, Hilara, 91
discoidea Meigen, 1826, Myoleja, 124
discoidea (Fabricius, 1787), Platyparea, 124
discoidea; auctt., Rymosia, 69
discolor Mikan, 1796, Bomylus, 83
discolor Stenhammar, 1844, Hydrellia, 166
discolor Zetterstedt, 1838, Rhaphium, 99
discoloria (Meigen, 1818), Orfelia, 66
Discomyza Meigen, 1830, 165
discors Kuntze, 1919, Dicranomyia, 28
discreta (Meigen, 1826), Botanophila, 184
disjuncta (Walker, 1848), Dicranomyia, 28
disjunctus Loew, 1857, Diaphorus, 98
dispar (Winnertz, 1863), Anaclyleia, 66
dispar (Meigen, 1830), Endochironomus, 51
dispar (Meigen, 1818), Euphylidorea, 24
dispar (Robineau-Desvoidy, 1830), Helina, 189
dispar Dufour, 1839, Keroplatus, 66
dispar (Fallén, 1820), Macquartia, 205
dispar (Meigen, 1822), Neoascia, 115
dispar (Zetterstedt, 1847), Orellia, 125
dispar Zetterstedt, 1838, Pipunculus, 109
dispar (Goetghebuer, 1913), Rheocricotopus, 50
dispar Loew, 1840, Sphaerophoria, 112
dispar (Fallén, 1823), Spilogona, 190
dispar Haliday, 1833, Tipula, 22
dispecta Dziedzicki, 1885, Boletina, 67
dissecta (Meigen, 1826), Botanophila, 184
dissidens (Walker, 1856), Einfeldia, 51
dissimilis (Meigen, 1826), Heteronychia, 196
dissimilis Zetterstedt, 1849, Rhaphomyia, 91
dissimilis (Fallén, 1815), Symbalophthalmus, 95
dissonans Collin, 1961, Atelestus, 89
distans (Loew, 1847), Orellia, 125
distantipennis (Macquart, 1854), Billaea, 206
distendens Lundström, 1912, Dicranomyia, 28
distendens (Meigen, 1824), Nematoprotus, 99
disticha (Duda, 1921), Scaptomyza, 171
distichera Czerny, 1932, Sapromyza, 137
distinctus Kieffer, 1916, Culicoides, 44
distigma Meigen, 1830, Gitona, 170
distigma (Meigen, 1820), Rhagio, 77
distincta (Meigen, 1830), Colobaea, 130
distincta (Egger, 1862), Diplonevra, 107
distincta (Egger, 1863), Ormosia, 27
distincta (von Roser, 1840), Oscinella, 159
distincta (Haliday, 1833), Palpomyia, 44
distincta (Wiedemann, 1824), Thecophora, 117
distinctissima (Meigen, 1818), Cylindrotoma, 30
distinctus (Becker, 1921), Eudorylas, 110
distinguenda (Verrall, 1909), Hybomitra, 80
distinguenda (Strobl, 1892), Triphleba, 107
distylus (Kieffer, 1915), Hydrobaenus, 49
Ditaeniella Sack, 1939, 130
Dithryca Rondani, 1856, 125

Ditomyia Winnertz, 1846, 65
DITOMYIINAE, 65
Ditrichia: error or emend., 125
Ditrichophora Cresson, 1924, 165
Ditrycha: error or emend., 125
divagor Harris, 1776, Tipula, 21
divergens Parent, 1926, Argyra, 99
divergens (Loew, 1866), Cryptonevra, 161
diversa (Rondani, 1867), Heteromyza, 173
diversa (Wood, 1909), Megaselia, 105
diversa Tonnoir, 1920, Pericomia, 34
diversicauda collin, 1927, Chelifera, 92
diversipes Goetghebuer, 1936, Forcipomyia, 41
diversus (Theobald, 1901), Aedes, 37
divicoi (Goeldlin, 1974), Pipizella, 113
divisa Loew, 1866, Chlorops, 161
divisa (Walker, 1848), Erioptera, 26
divisa Meigen, 1826, Gonia, 201
divisa (Meigen, 1826), Zaphne, 185
divisa (Walker, 1856), Paramerina, 47
divisus Walker, 1851, Platypalpus, 95
divisus (Strobl, 1880), Thrypticus, 98
divisus Kieffer, 1921 Orthocladius, 55
Dixa Meigen, 1818, 35
Dixa Meigen, 1818, subg., 35
Dixella Dyar & Shannon, 1924, subg., 35
DIXIDAE, 35
dizona Edwards, 1924, Exechia, 68
dizonias (Meigen, 1830), Cricotopus, 48
Dizygomyza Hendel, 1920 subg., 152
Docosia Winnertz, 1863, 66
Dohrniphora Dahl, 1898, 107
Dolichocephala Macquart, 1823, 92
Dolichopeza Curtis, 1825, 20
Dolichophorus Lichtwardt, 1902, 97
DOLICHOPODIDAE, 97
DOLICHOPODINAE, 100
Dolichopus Latreille, 1796, 100
Dolichopus s.s., subg., 100
Dolichosciara Tuomikoski, 1960, subg., 71
dolum (Fabricius, 1805), Megamerina, 122
domestica (Meigen, 1830), Allodiopsis, 68
domestica Linnaeus, 1758, Musca, 188
domestica (Wood, 1906), Spiniphora, 107
domesticus Meigen, 1824, Scenopinus, 85
domitor (Harris, 1780), Polites, 188
Domomyza: authors, 152
Dorcadophagus Bequaert, 1942 subg., 180
Doria Meigen, 1838, 200
Dorilas Meigen, 1800 p.p., 108
Dorilas Meigen, 1800 p.p., 109
Dorilas Meigen, 1800, 109
doronici Robineau-Desvoidy, 1830, Ensina, 125
Doros Meigen, 1803, 112
dorsalis (Meigen, 1830), Aedes, 37
dorsalis (Fabricius, 1775), Hydromya, 131
dorsalis Fabricius, 1794, Myopa, 117
dorsalis (Fabricius, 1782), Nephrotoma, 20

- dorsalis* (Staeger, 1840), *Orfelia*, 66
dorsalis (Meigen, 1804), *Plesioclythia*, 104
dorsalis (Macquart, 1835), *Sitarea*, 125
dorsalis (von Roser, 1840), *Spanochaeta*, 191
dorsalis (Zetterstedt, 1850), *Stilobezzia*, 45
dorsalis Macquart, 1827, *Tropidia*, 115
dorsalis; auct., *Chironomus*, 51
dorsata Stenhammar, 1844, *Notiphila*, 166
dorsata (Zetterstedt, 1846), *Pherbellia*, 130
Dorsilopha Sturtevant, 1942, subg., 170
DORYLAIDAE, 16
Dorylas Kertesz, 1912, 109
Dorylomorpha Aczél, 1939, 108
dracunculi (Rondani, 1870), *Paroxyna*, 126
Drapetis Meigen, 1822, 94
Drapetis Meigen, 1822, subg., 94
Drino Robineau-Desvoidy, 1863, 200
Drosophila Fallén, 1823, 170
Drosophila Fallén, 1823, subg., 171
DROSOPHILIDAE, 170
DROSOPHILINAE, 170
Drymeia Meigen, 1826, 187
dryobia (F. Loew, 1877), *Macrodiplosis*, 63
Dryodromia Rondani, 1856, 92
Dryomyza Fallén, 1820, 132
DRYOMYZIDAE, 132
dryomyzina Zetterstedt, 1846, *Sciomyza*, 130
dubia (Meigen, 1804), *Boletina*, 67
dubia Schnabl, 1911, *Coenosia*, 191
dubia (Fallén, 1810), *Lypha*, 205
dubia (Fallén, 1820), *Pherbellia*, 130
dubia (Zetterstedt, 1848), *Phora*, 107
dubia Dziedzicki, 1889, *Phronia*, 69
dubiosa Hennig, 1961, *Coenosia*, 191
dubitata (Fallén, 1825), *Hydrophoria*, 185
dubitata (Séguy, 1940), *Trichocera*, 18
dubius Edwards, 1921, *Helius*, 28
dubius (Meigen, 1804), *Nilotanypus*, 47
ducalis (Loew, 1857), *Poecilobothrus*, 101
dufouri (Laboulbène, 1869), *Dasyhelea*, 42
Dufouria Robineau-Desvoidy, 1830, 206
dufourii (Westwood, 1835), *Penicillidia*, 181
dufourii tainani Karaman, 1939, *Penicillidia*, 181
dumetorum (Meigen, 1804), *Neolimonia*, 29
dunfellense (Davies, 1966), *Simulium*, 40
duplicata (Meigen, 1826), *Helina*, 190
duplicata auct., *Rhipidia*, 29
duplicata Haliday, 1838, *Sepsis*, 135
dupliciseta (Strobl, 1894), *Scoliocentra*, 172
duplosetosa (Becker, 1896), *Polytrichophora*, 166
dyari (Malloch, 1912), *Megaselia*, 106
dydimus (Zetterstedt, 1848), *Chlorops*, 161
Dynatosoma Winnertz, 1863, 68
Dysmachus Loew, 1860, 86
Dziedzickia Johannsen, 1909, 68
dziedzickii (Landrock, 1911), *Anaclileia*, 66
dziedzickii (Edwards, 1941), *Tarnania*, 69
Eccoptomera Loew, 1862, 172
Ecculex Felt, 1904, *Aedes*, 37
Echestypus Speiser, 1907, 180
echinata (Séguy, 1923), *Delia*, 184
echinata Meigen, 1824, *Tachina*, 205
Echinodes Meigen, 1800, 205
Echinomyia Latreille, 1804, 205
Ectaetia Enderlein, 1912, 59
ECTAETINAE, 59
Ectomus Mik, 1878, subg., 100
Ectophasia Townsend, 1912, 207
Ectrepesthoneura Enderlein, 1911, 66
edentata Schmitz, 1920, *Phora*, 107
edwardsi Goetghebuer, 1921, *Culicoides*, 43
edwardsi Goetghebuer, 1926, *Culicoides*, 43
edwardsi Freeman, 1983, *Epidapus*, 70
edwardsianus Goetghebuer, 1933, *Culicoides*, 43
effoetus Walker, 1856, *Mochlonyx*, 36
effusi (Karl, 1926), *Cerodontha*, 153
egens (Winnertz, 1852), *Dasyhelea*, 42
Egeria Robineau-Desvoidy, 1830, 184
eggeri Mik, 1897, *Microdon*, 115
Eggeria Schiner, 1861, 200
Eginia Robineau-Desvoidy, 1830, 189
Egle Robineau-Desvoidy, 1830, 185
egregia (Lundbeck, 1922), *Megaselia*, 105
Einfeldia Kieffer, 1924, 51
ejuncidus (Walker, 1856), *Tanytarsus*, 54
Elachiptera Macquart, 1835, 158
Elachisoma Rondani, 1880, 176
Elaphropeza Macquart, 1827, subg., 94
elata (Fabricius, 1781), *Tetanocera*, 131
elatus (Meigen, 1838), *Hyleorus*, 206
elegans Meigen, 1804, *Callomyia*, 104
elegans (Panzer, 1809), *Chamaemyia*, 138
elegans Loew, 1841, *Chrysotoxum*, 112
elegans Meigen, 1818, *Ctenophora*, 20
elegans Schiner & Egger, 1853, *Eumerus*, 115
elegans (Meigen, 1813), *Eurycnemus*, 49
elegans (Meigen, 1830), *Lamprochromus*, 100
elegans (Meigen, 1830), *Lamprochromus*, 100
elegans (Zetterstedt, 1838), *Metalimnobia*, 29
elegans (Meigen, 1830), *Napomyza*, 153
elegans (Meigen, 1822), *Orthonevra*, 114
elegans Goureau, 1851, *Phytomyza*, 153
elegans Egger, 1860, *Pipunculus*, 109
elegans (Winnertz, 1867), *Trichosia*, 71
elegantula (Zetterstedt, 1848), *Metopomyza*, 152
elegantula (Zetterstedt, 1844), *Paragusia*, 196
elegantulum (Meigen, 1824), *Rhaphium*, 99
elengantula (Fallén, 1815), *Agathomyia*, 104
Elfia Robineau-Desvoidy, 1850, 205
Elgiva Meigen, 1838, 131
eligans (Harris, 1780), *Epistrophe*, 111
elisae (Meigen, 1826), *Calliopum*, 136
ellipsoidalis Kieffer, 1911 *Tanytarsus*, 55
Elliptera Schiner, 1863, 28
Ellipteroides Becker, 1907, 25

- Ellipteroides* Becker, 1907, subg., 25
Eloceria Robineau-Desvoidy, 1863, 204
Elodia Robineau-Desvoidy, 1863, 200
Eloeophila Rondani, 1856, 24
elongata (Zetterstedt, 1843), *Argyra*, 99
elongata (Fabricius, 1773), *Baccha*, 112
elongata (Meigen, 1830), *Cetema*, 161
elongata Meigen, 1826, *Loxocera*, 121
elongata Haliday, 1833, *Trichina*, 96
elongatula (Loew, 1844), *Paroxyna*, 126
eluta (Meigen, 1826), *Acanthiophilus*, 125
emarginatus (Goetghebuer, 1933), *Lithotanytarsus*, 53
eminulus (Walker, 1856), *Tanytarsus*, 54
Empalia Winnertz, 1863, 68
Empeda Osten Sacken, 1869, subg., 25
Empheria Winnertz, 1863, 67
EMPIDIDAE, 90
EMPIDINAE, 90
empirica (Hutton, 1901), *Kimosina*, 177
Empis Linnaeus, 1758, 90
Empis Linnaeus, 1758, subg., 90
enderleini Parent, 1938, *Chrysotus*, 98
Endochironomus Kieffer, 1918, 51
engeli Noskiewitz, 1953, *Dioctria*, 86
engstfeldi (Rübsamen, 1889), *Dasineura*, 62
Enicita Westwood, 1840, 135
Enoplopteryx Hendel, 1902, 189
ensicornis Meigen, 1824, *Rhaphium*, 99
ensifer (Meigen, 1826), *Diasops*, 139
Ensina Robineau-Desvoidy, 1830, 125
Entomibia A. Costa, 1846, 178
Entomophaga Lioy, 1864, 204
Eocarcelia Townsend, 1919, 203
Eoeristalis Kanervo, 1838, 116
Ephelia Schiner, 1863, 24
ephippiata Fallén, 1815, *Drapetis*, 94
ephippium (Fabricius, 1775), *Clitellaria*, 76
ephippium (Zetterstedt, 1838), *Cricotopus*, 48
ephippium (Fabricius, 1781), *Laphria*, 86
ephippium (Fabricius, 1794), *Neria*, 119
ephippium (Zetterstedt, 1855), *Palpomyia*, 44
ephippium (Zetterstedt, 1846), *Pegomya*, 186
ephippium (Zetterstedt, 1842), *Rhagio*, 77
Ephydria Fallén, 1810, 167
EPHYDRIDAE, 165
EPHYDRINAE, 167
Epibolus, error, 159
Epicampocera Macquart, 1849, 200
Epichlorops Becker, 1910, 161
Epicypta; auctt., 69
Epidapus Haliday, in Walker, 1851, 70
Epidapus Haliday, in Walker, 1851, subg., 70
Epidesmia Rondani, 1856, 124
Epiphramma Osten Sacken, 1860, 24
Epistrophe Walker, 1852, 111
Epistrophella Dusek & Laska, 1967, 111
Episyrphus Matsumura & Adachi, 1917, 112
Epitriptus Loew, 1849, 86
eques (Johannsen, 1908), *Forcipomyia*, 42
equestris (Wagner, 1871), *Haplodiplosis*, 63
equestris (Fabricius, 1794), *Merodon*, 116
equi (Clark, 1797), *Gasterophilus*, 209
equi: emend., *Hippobosca*, 180
equina Fallén, 1820, *Copromyza*, 175
equina Linnaeus, 1758, *Hippobosca*, 180
equinum (Linnaeus, 1758), *Simulium*, 40
Erax Scopoli, 1763, 86
ercolanii Rondani, 1879, *Nycteribia*, 181
Eremomyia Stein, 1898, 185
Eribolus Becker, 1910, 159
erichsoni (Zetterstedt, 1843), *Neurigona*, 97
Erichsonia Robineau-Desvoidy, 1863, *Heteronychia*, 196
Erichsonii sensu Jacobs, 1905, *Neurigona*, 97
erici Rydén, 1952, *Agromyza*, 152
Erigone Robineau-Desvoidy, 1830, 204
erinacea (Fallén, 1824), *Phaonia*, 189
erinaceus (Fabricius, 1794), *Peteina*, 206
Erinna Meigen, 1800, 72
ERINNIDAE, 16
Eriocoopa Stary, 1976, 26
Erioptera Meigen, 1803, 26
ERIOPTERINAE, 25
eriopterus (Fabricius, 1805), *Molophilus*, 26
Eriothrix Meigen, 1803, 206
Eriozena Schiner, 1860, 111
ERISTALINAE, 116
Eristalinus Rondani, 1845, 116
Eristalis Latreille, 1804, 116
eristaloides Loew, 1857, *Mallota*, 116
Eristalomyia Rondani, 1857, 116
Ernestia Robineau-Desvoidy, 1830, 204
errans (Walker, 1848), *Lipsothrix*, 26
errans (Meigen, 1826), *Phaonia*, 189
erratica (Fallén, 1825), *Phaonia*, 189
erronea (Schnabl, 1887), *Phaonia*, 189
erucarum (Rondani, 1859), *Exorista*, 201
Erycia Robineau-Desvoidy, 1830, 200
Erycilla Mesnil, 1957, 200
Erycina Mesnil, 1955, 200
Erynnia Robineau-Desvoidy, 1830, 200
erythrocephala (Meigen, 1826), *Calliphora*, 193
erythrocephala (Staeger, 1839), *Palpomyia*, 44
erythrocephalum (De Geer, 1776), *Simulium*, 40
Erythrocera Robineau-Desvoidy, 1848, 200
erythrocera Robineau-Desvoidy, 1830, *Caricea*, 191
erythronota (Strobl, 1892), *Chaetopleurophora*, 107
erythrophthalma Meigen, 1830, *Rhamphomyia*, 91
erythrophthalma Meigen, 1826, *Ulidia*, 128
erythrura (Meigen, 1826), *Servaisia*, 197
erythrura (Meigen, 1838), *Winthemia*, 203
escorialensis (Strobl, 1909), *Nephrotoma*, 20
Estheria Robineau-Desvoidy, 1830, 206
esuriens (Meigen, 1826), *Pegomya*, 186
euchroma (Kowarz, 1855), *Epistrophe*, 111
Eucorynoneura Goetghebuer, 1939, 48

- Eudactylocladius* Thienemann, 1935, subg., 50
Eudasyphora Townsend, 1911, 188
Eudasyphora Townsend, 1911, subg., 188
Eudicraeus Nartshuk, 1967, 160
Eudora Robineau-Desvoidy, 1863, 205
Eudoromyia Bezzi, 1906, subg., 205
Eudorylas Acczél, 1940, 109
Euempis Frey, 1953, subg., 90
Euforcipomyia Malloch, 1915, Forcipomyia, 41
Euibia: error, 123
Eukiefferiella Thienemann, 1926, 49
Euleia Walker, 1835, 124
Eulimosina Roháček, 1983, subg., 177
Eumea Robineau-Desvoidy, 1863, 200
eumera Loew, 1873, Hilara, 91
Eumerus Meigen, 1822, 115
eunotus Loew, 1873, Brachypalpus, 115
Eupachygaster Kertész, 1911, 76
eupatori (Kaltenbach, 1873), Liriomyza, 152
eupatori Hendel, 1927, Phytomyza, 153
Euphranta Loew, 1862, 124
Euphylidorea Alexander, 1972, 24
Eupierretia Rohdendorf, 1937, subg., 196
Euprojoannisia Brèthes, 1914, subg., 41
Eurhina emend., 160
Euribia Meigen, 1800, 123
Euribia Hendel, 1914, 126
Euribia: authors, 124
Eurina Meigen, 1830, 160
Eurinella Meunier, 1893, 159
Eurithia Robineau-Desvoidy, 1844, 204
Eurychaeta Brauer & Bergenstamm, 1891, 194
Euryclea Robineau-Desvoidy, 1863, subg., 200
Eurycnemus van der Wulp, 1874, 49
Euryomma Stein, 1899, 192
eurypterus Gerstaeker, 1864, Dolichopus, 100
Eurythaea Robineau-Desvoidy, 1863, 200
Eusapromyza Malloch, 1923, 136
Eusimilium Roubaud, 1906 , subg., 40
Eustalomyia Kowarz, 1873, 185
Eutachina Brauer & Bergenstamm, 1889, 200
Eutarsus Loew, 1857, 100
Euthycera Latreille, 1829, 131
Euthyneura Macquart, 1836, 96
Eutolmus Loew, 1848, 86
Eutonia van der Wulp, 1874, 24
Eutrichota Kowarz, 1893, 185
Eutropha Loew, 1866, 162
evecta (Harris, 1780), Helina, 189
evecta Schmitz, 1957, Megaselia, 105
Evibrissa Rondani, 1861, 207
exarticulatus (Loew, 1857), Hercostomus, 101
excavata (Zetterstedt, 1844), Carcelia, 200
excavatus Edwards, 1929, Tanytarsus, 54
excellens Frey, 1909, Medetera, 98
excerptus (Walker, 1856), Paratrissocladius, 50
excisa (Loew, 1845), Cylindromyia, 207
excisa (Walker, 1848), Dicranomyia, 28
excisa Loew, 1862, Eccoptomera, 172
excisa (Fallén, 1820), Senometopia, 203
excisa (Lundbeck, 1921), Triphleba, 107
excisus Loew, 1859, Dolichopus, 100
excisus (Schiner, 1862), Metasyrphus, 111
excisus (Becker, 1907), Platypalpus, 95
exclusa (Lundbeck, 1920), Megaselia, 105
Exechia Winnertz, 1865, 68
Exechiopsis Tuomikoski, 1966, 68
Exechiopsis Tuomikoski, 1966, subg., 68
exigua (Meigen, 1824), Microsoma, 206
exigua (Rondani, 1880), Minilimosina, 177
exigua (Winnertz, 1863), Mycomya, 67
exigua Collin, 1946, Oscinella, 159
exigua (Zetterstedt, 1852), Phronia, 69
exigua (Goetghebuer, 1935), Probezzia, 44
exiguus (Haliday, 1833), Chalarus, 108
exiguus (Goetghebuer, 1913), Limnophyes, 49
exilis Meigen, 1822, Drapetis, 94
exilis (Meigen, 1826), Pegomya, 186
exilis (Meigen, 1822), Platypalpus, 95
eximia (Stenhammar, 1854), Coelopa, 133
exoleta (Meigen, 1824), Entomophaga, 204
Exoprosopa Macquart, 1840, 83
Exorista Meigen, 1803, 200
Exorista Meigen, 1803, subg., 201
EXORISTINAE, 199
expollicata (Pandellé, 1883), Hybomitra, 80
exquisita Eaton, 1893, Pericomia, 34
exsul (Zetterstedt, 1845), Helina, 189
extensa Maa, 1967, Ornithomya, 179 subsp.
extenuata (Rossi, 1790), Chyliza, 121
extrema (Holmgren, 1869) Smittia, 54
extricata (Collin, 1937), Dorylomorpha, 108
extricata Collin, 1959, Myopa, 117
extricata (Collin, 1926), Platypalpus, 95
extricata (Eaton, 1893), Satchelliella, 34

Fabricia Meigen, 1838, 203
Fabricia Latreille, 1829, 205
Fabriciella Bezzi, 1906 , subg., 205
fagi (Hartig, 1839), Mikiola, 63
falaenensis Goetghebuer, 1932 Limnophyes, 55
falcata (Scopoli, 1763), Orellia, 125
falcata *compta* Hering, 1951, Orellia, 125
falcata *podolica* Hering, 1951, Orellia, 125
falcata *uralensis* Hering, 1951, Orellia, 125
falcata Lundström, 1911, Trichonta, 69
falciger Goetghebuer, 1920, Molophilus, 26
falciger (Kieffer, 1911), Polypedilum, 53
falciger, lapsus Gtgh., Xenopelopia, 47
falcigera (Kieffer, 1911), Xenopelopia, 47
falcigerum, lapsus Gtgh., Polypedilum, 53
falenaria (Rondani, 1859), Carcelia, 200
fallax (Linnaeus, 1758), Blera, 116
fallax (de Meijere, 1906), Lonchoptera, 103
fallax (de Meijere, 1906), Lonchoptera, 103

- fallax* Eaton, 1893, *Pericoma*, 34
falleni Pape, 1986, *Angiometopa*, 196
falleni (Rydén, 1952), *Paraphytomyza*, 153
falleni Michelsen, 1977, *Phaonia*, 189
Fallenia Meigen, 1838, 201
Fannia Robineau-Desvoidy, 1830, 192
FANNIIDAE, 192
fasciata (Loew, 1858), *Chamaemyia*, 138
fasciata Schiner & Egger, 1853, *Cheilosia*, 113
fasciata Macquart, 1834, *Didea*, 112
fasciata (Meigen, 1818), *Ditomyia*, 65
fasciata Meigen, 1830, *Drosophila*, 171
fasciata (Fallén, 1820), *Exorista*, 201
fasciata Meigen, 1826, *Gonia*, 201
fasciata (Linnaeus, 1767), *Idioptera*, 24
fasciata Rohdendorf, 1961, *Rhagoletis*, 124 subsp.
fasciata Meigen, 1824, *Lophosia*, 207
fasciata Meigen, 1804, *Macrocerca*, 66
fasciata (Fallén, 1826), *Minettia*, 136
fasciata (Fabricius, 1805), *Myennis*, 129
fasciata Meigen, 1804, *Myopa*, 117
fasciata (Meigen, 1826), *Nanna*, 182
fasciata (Meigen, 1804), *Orfelia*, 66
fasciata (Fallén, 1823), *Phalacrotophora*, 106
fasciata Meigen, 1804, *Platypeza*, 104
fasciata (Walker, 1851), *Polyporivora*, 104
fasciata (Meigen, 1804), *Rymosia*, 69
fasciata Meigen, 1818, *Synapha*, 68
fasciata Meigen, 1822, *Tropidia*, 115
fasciatum Meigen, 1824, *Rhaphium*, 99
fasciatus auct. non (Meigen, 1822), *Platypalpus*, 95
fasciatus (Schrank, 1803), *Scenopinus*, 85
fasciatus Walker, 1851, *Scenopinus*, 85
fasciatus (Meigen, 1804), *Sphaeromias*, 45
fasciatus (Geoffroy, 1785), *Stenochironomus*, 53
fasciatus (Von Roser, 1840), *Verrallia*, 108
fasciola (Meigen, 1818), *Leia*, 67
fasciola (Meigen, 1838), *Liriomyza*, 152
fascipennis (Staeger, 1839), *Culicoides*, 44
fascipennis Meigen, 1818, *Leia*, 67
fascipennis (Winnertz, 1853), *Lestodiplosis*, 63
fascipennis (Zetterstedt, 1851), *Nephrotoma*, 20
fascipennis (Girschner, 1886), *Phasia*, 208
fascipennis auct., *Scleroprocta*, 27
fascipennis (Zetterstedt, 1838), *Stenochironomus*, 53
fascipennis Meigen, 1818, *Tipula*, 21
fascipes (Zetterstedt, 1844), *Eudorylas*, 109
fascipes (Verrall, 1901), *Eudorylas*, 110
fascipes (Meigen, 1822), *Platypalpus*, 95
fascipes (Meigen, 1824), *Rhaphium*, 99
fascitibia (von Roser, 1840), *Hydrellia*, 166
fastuosa Loew, 1869, *Macrocerca*, 66
fastuosus Haliday, 1832, *Dolichopus*, 101
fatua (Meigen, 1824), *Erycia*, 200
Fausta Robineau-Desvoidy, 1830, 204
febrilis (Linnaeus, 1758), *Dilophus*, 58
fediae Kaltenbach, 1860, *Chromatomyia*, 153
felix (Schmitz, 1919), *Lycoriella*, 71
femineus (Edwards, 1929), *Bryophaenocladius*, 48
feminina Negrobov, 1976, *Medetera*, 98
femorale (Collin, 1946), *Rhopalopterum*, 159
femoralis (Robineau-Desvoidy, 1830), *Coenosia*, 191
femoralis (Meigen, 1826), *Compsobata*, 119
femoralis (Meigen, 1838), *Elachiptera*, 158
femoralis Robineau-Desvoidy, 1830, *Oxyna*, 126
femoralis (Zetterstedt, 1842), *Platypalpus*, 95
femorata (Meigen, 1830), *Borophaga*, 107
femorata Fabricius, 1798, *Empis*, 91
femorata Macquart, 1835, *Meromyza*, 160
femorata (Schiner, 1864), *Odinia*, 150
femorata (Meigen, 1804), *Serromyia*, 45
femorata (Linnaeus, 1758), *Xylota*, 115
femoratus Zetterstedt, 1843, *Chrysotus*, 98
femoratus Meigen, 1804, *Dilophus*, 58
femoratus (Müller, 1776), *Hybos*, 94
femorella (Fallén, 1820), *Chyromya*, 147
fenestralis (Zetterstedt, 1838), *Bradysia*, 70
fenestralis (Fallén, 1820), *Oecothea*, 172
fenestralis (Fallén, 1820), *Pteremis*, 176
fenestralis (Linnaeus, 1758), *Scenopinus*, 85
fenestralis (Fabricius, 1781), *Scenopinus*, 85
fenestralis (Scopoli, 1763), *Sylvicola*, 57
fenestralis (Meigen, 1818), *Tarnania*, 69
fenestrarum Fallén, 1823, *Drosophila*, 171
fenestrata (Meigen, 1818), *Bradysia*, 70
fenestrata Meigen, 1822, *Pipiza*, 113
fenestrata (Meigen, 1824), *Solieria*, 205
fenestratum Robineau-Desvoidy, 1830, *Chyromya*, 147
fenestratus (Fallén, 1814), *Thyridanthrax*, 83
fennicus (Duda, 1933), *Chlorops*, 161
fennicus Duda, 1933, *Dicraeus*, 160
fera (Linnaeus, 1761), *Tachina*, 205
fera Speiser, 1908, *Melophagus*, 180 subsp.
Ferdinandea Rondani, 1844, 114
ferina (Fallén, 1816), *Dinera*, 206
fermoratus lapsus, *Chrysotus*, 98
 Ferneiella Cook, 1985, 59
ferox Haliday, 1851, *Aphrosylus*, 102
ferox (Panzer, 1809), *Nowickia*, 205
ferruginatus (Linnaeus, 1767), *Bibio*, 58
ferruginata (Stenhammar, 1854), *Coproica*, 176
ferruginea (Scopoli, 1763), *Coenomyia*, 73
ferruginea (Meigen, 1824), *Erycilla*, 200
ferruginea von Roser, 1840, *Hilara*, 91
ferruginea (Meigen, 1830), *Palpomyia*, 44
ferruginea (Meigen, 1818), *Phylidorea*, 25
ferruginea Fallén, 1820, *Tetanocera*, 131
ferruginea Lackschewitz, 1923, *Tipula*, 22
ferrugineicollis (Meigen, 1818), sensu Gtgh., *Mono-pelopia*, 47
ferrugineovittatus Zetterstedt, 1850, *Chironomus*, 51
ferrugineus (Linnaeus, 1761), *Sicus*, 117
ferruginosa (Meigen, 1830), *Diadocidia*, 65
festinans (Meigen, 1824), *Erycia*, 200
festiva Meigen, 1804, *Ctenophora*, 20

festiva (Zetterstedt, 1845), *Eustalomyia*, 185
festiva (Meigen, 1830), *Napomyza*, 153
festiva Meigen, 1822, *Pipiza*, 113
festivellus (Kieffer, 1906), *Cricotopus*, 48
festivum (Linnaeus, 1758), *Chrysotoxum*, 112
festivus (Meigen, 1830), *Cricotopus*, 48
festivus Haliday, 1832, *Dolichopus*, 100
Feuerborniella Vaillant, 1971, 33
figuratus (Zetterstedt, 1848), *Chlorops*, 161
filata Loew, 1862, *Eccoptomera*, 172
filata (Walker, 1856), *Neolimnomyia*, 24
filata Zetterstedt, 1842, *Rhamphomyia*, 92
filia (Rondani, 1860), *Heteronychia*, 196
filicina (Kieffer, 1889), *Dasineura*, 62
filiformis (Robineau-Desvoidy, 1830), *Heteromyza*, 173
filiformis Zetterstedt, 1838, *Leptopa*, 183
filiformis (Zetterstedt, 1846), *Micropselapha*, 183
filiger Verrall, 1912, *Syntormon*, 100
filipalpis Rondani, 1859, *Chaetogena*, 200
fimbriata (Meigen, 1826), *Angioneura*, 198
fimbriata (Lundström, 1909), *Exechiopsis*, 68
fimbriata (Meigen, 1818), *Mycomya*, 67
fimbriata (Meigen, 1824), *Platymyia*, 202
fimbriata (Meigen, 1818), *Symplecta*, 27
fimbriata Meigen, 1818, *Tipula*, 22
fimbriatus Meigen, 1820, *Bomylius*, 83
fimbriatus Coe, 1966, *Chalarus*, 108
fiometaria (Meigen, 1830), *Crumomyia*, 175
fiometaria (Linnaeus, 1761), *Psila*, 121
finitima (Walker, 1848), *Dicranota*, 23
finitimus Goeldlin, 1971, *Paragus*, 113
finlandica Verbeke, 1964, *Dichetophora*, 131
Finlaya Theobald, 1903, subg., 37
fissicauda (Lundström, 1911), *Brevicornu*, 68
fissicornis (Strobl, 1909), *Peribaea*, 205
fissiglobula Pandellé, 1895, *Linnaemyia*, 204
flabellata (Lengersdorf, 1942), *Lengersdorfa*, 70
Flabellifera Meigen, 1800, 20
flagripes (Rondani, 1866), *Helina*, 190
flammeus Goeldlin, 1971, *Paragus*, 113
flava (Linnaeus, 1758), *Chyromya*, 147
flava (Meigen, 1830), *Clusia*, 146
flava (Schummel, 1829), *Gonempeda*, 26
flava (Linnaeus, 1761), *Laphria*, 86
flava Winnertz, 1846, *Macrorrhyncha*, 66
flava (Fallén, 1823), *Megaselia*, 106
flava (Winnertz, 1863), *Mycomya*, 67
flava (Macquart, 1826), *Orfelia*, 66
flava Fallén, 1823, *Phytomyza*, 153
flava (Schellenberg, 1803), *Psila*, 121
flava (Fallén, 1816), *Rhamphomyia*, 91
flava (Fallén, 1823), *Scaptomyza*, 171
flava (Meigen, 1830), *Suillia*, 173
flava (Meigen, 1820), *Villa*, 83
flava Loew, 1844, *Xyphosia*, 126
flava: authors, not Linnaeus, 1758, *Chyromya*, 147
flavata (Westhoff, 1882), *Erioptera*, 26

flavella (Zetterstedt, 1838), *Chelifera*, 92
flavella (Zetterstedt, 1848), *Dasyopa*, 160
flaveola (Fabricius, 1794), *Dryomyza*, 132
flaveola (Fallén, 1823), *Liriomyza*, 152
flaveola Fallén, 1810, *Phytomyza*, 153
flaveola (Meigen, 1830), *Scaptomyza*, 171
flaveolata (Fabricius, 1794), *Ctenophora*, 20
flaveolus (Meigen, 1820), *Chrysopilus*, 77
flaveolus Meigen, 1818 *Chironomus*, 55
flavescens (Müller, 1764), *Aedes*, 37
flavescens Meigen, 1804, *Erioptera*, 26
flavescens (Linnaeus, 1758), *Nephrotoma*, 20
flavescens Robineau-Desvoidy, 1830, *Oxyna*, 125
flavescens Rondani, 1870, *Oxyna*, 126
flavescens Goetghebuer, 1942 *Smittia*, 55
flavicans (Meigen, 1830), *Chaoborus*, 36
flavicans Ruthé, 1831, *Diadocidia*, 65
flavicauda Winnertz, 1863, *Anatella*, 68
flavicauda Meigen, 1824, *Lonchoptera*, 103
flavicauda (Wood, 1908), *Megaselia*, 105
flavicauda (Meigen, 1826), *Norellia*, 182
flavicauda Zetterstedt, 1843, *Sphaerophoria*, 112
flavicauda (Meigen, 1826), *Tephritis*, 126
flaviceps Fallén, 1823, *Agromyza*, 152
flaviceps (Staeger, 1840), *Cordyla*, 68
flaviceps (Zetterstedt, 1847), *Gigalimosina*, 176
flaviceps (Zetterstedt, 1838), *Onychogonia*, 202
flavicollis (Meigen, 1824), *Achalcus*, 98
flavicollis (Meigen, 1818), *Apiloscatopse*, 59
flavicollis Winnertz, 1863, *Phronia*, 69
flavicornis (Staeger, 1839), *Bezzia*, 42
flavicornis (Egger, 1862), *Cerodontha*, 152
flavicornis Schiner, 1857, *Cheilosia*, 113
flavicornis (Fabricius, 1781), *Cheilosia*, 113
flavicornis Robineau-Desvoidy, 1830, *Chyromya*, 147
flavicornis Meigen, 1826, *Dexia*, 206
flavicornis (Fallén, 1823), *Hydrellia*, 166
flavicornis (Meigen, 1822), *Microchrysa*, 75
flavicornis Zetterstedt, 1844, *Nephrocerus*, 108
flavicornis Fallén, 1823, *Phytomyza*, 153
flavicornis (Meigen, 1822), *Platypalpus*, 95
flavicornis Macquart, 1826, *Rhagio*, 77
flavicornis (Meigen, 1818), *Tanyptera*, 21
flavicoxa (Zetterstedt, 1848), *Megaselia*, 105
flavicoxa Strobl, 1900, *Phytomyza*, 154
flavida (Meigen, 1824), *Hyalurgus*, 204
flavidus (Winnertz, 1870), *Aprionus*, 61
flavifacies Collin, 1930, *Meoneura*, 156
flavifrons (Meigen, 1830), *Amauromyza*, 151
flavifrons Meigen, 1824, *Conops*, 117
flavifrons (Macquart, 1850), *Eumea*, 200
flavifrons (Staeger, 1849), *Siphona*, 205
flavifrons (Macquart, 1835), *Thaumatomyia*, 162
flavilabris (Stenhammar, 1844), *Hydrellia*, 166
flavimana (Zetterstedt, 1845), *Coenosia*, 191
flavimana (Macquart, 1835), *Dicraeus*, 160
flavimana Meigen, 1826, *Sepsis*, 135
flavipalpis (Winnertz, 1852), *Bezzia*, 42

- flavipalpis* (Haliday, 1838), Chamaemyia, 138
flavipalpis (Meigen, 1830), Nephrotoma, 20
flavipalpis (Meigen, 1822), Platypalpus, 95
flavipalpis (Zetterstedt, 1843), Thinophilus, 102
flavipennis (Haliday, 1836), Alloborborus, 175
flavipennis (Fallén, 1823), Chirosia, 184
flavipennis (Loew, 1844), Oxyna, 125
flavipennis (Zetterstedt, 1838), Scaptomyza, 171
flavipes (Meigen, 1824), Cephalops, 109
flavipes (Walker, 1834), Cephalops, 109
flavipes (Panzer, 1798), Cheilosia, 113
flavipes Linnaeus, 1758, Conops, 117
flavipes sensu Parent, 1938, Dolichopus, 100
flavipes Robineau-Desvoidy, 1830, Hebia, 201
flavipes Meigen, 1822, Hilara, 91
flavipes (Meigen, 1820), Leptopeza, 96
flavipes (Fabricius, 1787), Limonia, 28
flavipes (Meigen, 1824), Macquartia, 205
flavipes Meigen, 1824, Medetera, 98
flavipes (Fallén, 1819), Nanna, 182
flavipes Robineau-Desvoidy, 1830, Noeeta, 125
flavipes Zetterstedt, 1842, Oedalea, 96
flavipes (Olivier, 1813), Oscinella, 159
flavipes (Meigen, 1804), Palpomyia, 44
flavipes (Fallén, 1825), Pegomya, 186
flavipes (Meigen, 1818), Phaenopsectra, 52
flavipes (Fallén, 1823), Philygria, 166
flavipes Winnertz, 1863, Phronia, 69
flavipes (Meigen, 1830), Phyllomyza, 155
flavipes (Meigen, 1804), Phytosciara, 71
flavipes (Fabricius, 1794), Platypalpus, 95
flavipes Meigen, 1822, Sargus, 75
flavipes (Meigen, 1830), Telomerina, 177
flavipes (Zetterstedt, 1838), Tephrochlamys, 173
flavipes (Meigen, 1830), Trichinomyia, 96
flavipubens Goetghebuer, 1927, Forcipomyia, 42
flavipubens (Goetghebuer, 1921), Natarsia, 47
flavirostris (Strobl, 1909), Nephrotoma, 20
flavirostris (Winnertz, 1852), Stilobezzia, 45
flaviscutellata Becker, 1916, Eutropha, 162
flavitarse (Meigen, 1822), Trichopsomyia, 113
flavitarsis Meigen, 1830, Camarota, 160
flavitarsis (Meigen, 1830), Cryptonevra, 161
flavitarsis Zetterstedt, 1843, Eumerus, 115
flavitarsis (Meigen, 1830), Madiza, 155
flavitarsis (Meigen, 1830), Phyllomyza, 155
flavitarsis (Meigen, 1830), Phyllomyza, 155
flavitarsis (Zetterstedt, 1846), Scatophila, 167
flavitarsis (Collin, 1920), Tomosvaryella, 109
flaviventris (Meigen, 1824), Anepsiomya, 99
flaviventris (Strobl, 1894), Boletina, 67
flaviventris (von Roser, 1840), Chrysotimus, 100
flaviventris (Goetghebuer, 1910), Dasyhelea, 42
flaviventris (von Roser, 1840), Elachiptera, 158
flaviventris (Costa, 1844), Minettia, 136
flaviventris (Winnertz, 1863), Zygomyia, 69
flavoantennata Strobl, 1898, Phytomyza, 153
flavocincta (Strobl, 1880), Cerodontha, 152
flavocinctus (Kieffer, 1924), Cricotopus, 48
flavofasciata (De Geer, 1776), Nephrotoma, 20
flavofemoratus Strobl, 1909, Tabanus, 81
flavolimbatus (Dale, 1842), Ellipteroides, 25
flavolineata Meigen, 1804, Tipula, 21
flavolineatus (Strobl, 1880), Atrichopogon, 41
flavomaculata (De Geer, 1776), Nephrotoma, 20
flavomaculatus (Strobl, 1910), Cephalops, 109
flavanervosum (Staeger, 1839), Zavrelia, 54
flavopilosellus Goetghebuer, 1932 Orthocladius, 55
flavoscutellata (Zetterstedt, 1850), Dasyhelea, 42
flavoscutellata (Goetghebuer, 1919), Paramerina, 47
flavoscutellata Fallén, 1823, Phytomyza, 153
flavoscutellata; auctt., Blepharipa, 199
flavotestacea (Zetterstedt, 1838), Scoliocentra, 172
flavotibialis Strobl, 1902, Phytomyza, 153
flavoviride Goetghebuer, 1939 Polypedilum, 55
flavus Goetghebuer, 1920, Molophilus, 26
flavus, lapsus Gtgh., Zavrelia, 55
flexilis; Gtgh., Stenochironomus, 53
flexuella Edwards, 1929, Mesosmittia, 49
flexuosa (Egger, 1862), Diplonevra, 107
flexuosa (German, 1814), Urophora, 123
flexuosus (Loew, 1840), Crossopalpus, 94
floccosa (Meigen, 1822), Criorrhina, 116
floccosa Macquart, 1835, Hydrotaea, 188
floralis (Fallén, 1824), Delia, 184
floralis (Fallén, 1810), Nemorilla, 202
floralis (Meigen, 1822), Neoascia, 115
floralis Robineau-Desvoidy, 1830, Onesia, 194
floralis (Robineau-Desvoidy, 1830), Polistes, 188
floralis; auctt., Meigenia, 202
floreæ (Fabricius, 1794), Diplonevra, 107
floreæ (Linnaeus, 1758), Myathropa, 116
florescentiae: authors, Orellia, 125
floricola (Meigen, 1826), Fannia, 192
florilega (Zetterstedt, 1845), Delia, 184
florum (Fabricius, 1794), Opomyza, 148
florum (Fabricius, 1805), Xylota, 115
foeda (Meigen, 1824), Loewia, 204
foersteri Meigen, 1838, Gonia, 201
foliacea (Kieffer, 1921), Smittia, 50
foliata (Kieffer, 1921), Smittia, 50
foliicola Kieffer, 1918, Glyptotendipes, 52
foliifera Goetghebuer, 1937 Smittia, 55
foliorum (H. Loew, 1850), Rhopalomyia, 63
fonsecai Coe, 1966, Pipunculus, 109
fontinalis (Haliday, 1833), Clinocera, 92
fontinalis (Fallén, 1826), Leptocera, 176
forcipata Robineau-Desvoidy, 1830, Dionaea, 207
forcipata Collin, 1952, Drosophila, 171
forcipata (Meigen, 1824), Labigaster, 207
forcipata Winnertz, 1863, Phronia, 69
forcipata (Goetghebuer, 1921), Pseudosmittia, 50
forcipatus (Winnertz, 1852), Atrichopogon, 41
Forcipomyia Meigen, 1818, 41
Forcipomyia Meigen, 1818, subg., 41
FORCIPOMYIINAE, 41

forcipula de Meijere, 1918, *Dicranomyia*, 28
Forellia Robineau-Desvoidy, 1830, 124
forficulata (Bezzi, 1914), *Bradysia*, 70
formicarum (Verrall, 1877), *Pseudacteon*, 106
formosa (Scopoli, 1763), *Chloromyia*, 75
formosa Landrock, 1911, *Mycetophila*, 69
formosa (Panzer, 1798), *Otites*, 129
formosa (Loew, 1844), *Tephritis*, 126
formosus (Goetghebuer, 1910), *Microtendipes*, 52
forsiusi (Frey, 1932), *Tomosvaryella*, 109
Fortisia Rondani, 1861, 204
fossarum (Haliday, 1833), *Parydra*, 167
foveolata (Meigen, 1826), *Stearibia*, 142
foveolatus (Zetterstedt, 1845), *Thricops*, 187
frameata Schmitz, 1927, *Megaselia*, 105
fratercula (Zetterstedt, 1845), *Helina*, 189
fratercula (Eaton, 1893), *Paramormia*, 34
fraterna (Meigen, 1830), *Cheilosia*, 113
fraterna (Meigen, 1826), *Trichopalpus*, 182
frauenfeldi Egger, 1863, *Dactylolabis*, 24
frauenfeldi (Kolenati, 1856), *Penicillidia*, 181
frauenfeldi Nowicki, 1867, *Platystoma*, 127 subsp.
Frauenfeldia Egger, 1865, 198
fraxini (Bremi, 1847), *Dasineura*, 62
fraxini (Kieffer, 1897), *Dasineura*, 62
frenata (Pandellé, 1896), *Heteronychia*, 196
Frendelia Collin, 1948, subg., 136
frequens Borgmeier, 1962, *Megaselia*, 106
frequens (Johannsen, 1905), *Parachironomus*, 52
frigida (Fabricius, 1805), *Coelopa*, 133
frigidus (Zetterstedt, 1838), *Orthocladius*, 50
fringilla: error, *Ornithomya*, 179
fringillae: error, *Ornithomya*, 179
fringillaria: error, *Ornithomya*, 179
fringillarum: error, *Ornithomya*, 179
fringillina Curtis, 1836, *Ornithomya*, 179
frit (Linnaeus, 1758), *Oscinella*, 159
friuliensis (van der Goot, 1960), *Dasysyrphus*, 111
Frivaldszia Schiner, 1861, 201
frondescantiae (Linnaeus, 1758), *Herina*, 129
frontalis (Macquart, 1845), *Actia*, 203
frontalis Meigen, 1834, *Diastata*, 163
frontalis Loew, 1857, *Cheilosia*, 113
frontalis (Staeger, 1840), *Dicranomyia*, 28
frontalis (Macquart, 1835), *Nanna*, 182
frontalis (Meigen, 1830), *Trigonometopus*, 137
frontata (Bohemian, 1852), *Bithia*, 204
frontella (Fallén, 1820), *Conioscinella*, 159
Frontina Meigen, 1838, 201
frontosa (Meigen, 1824), *Bothria*, 199
frurgax Wiedemann, ap. Meigen, *Bomylius*, 83
frutetorum (Winnertz, 1852), *Forcipomyia*, 42
frutetorum (Fabricius, 1775), *Parhelophilus*, 116
frutetorum; auctt., *Forcipomyia*, 42
fucata (Rondani, 1880), *Paralimosina*, 177
Fucellia Robineau-Desvoidy, 1842, 185
fuciformis (Fabricius, 1794), *Mallota*, 116
Fucomyia Haliday, 1938, subg., 133

fugax Becker, 1895, *Lonchaea*, 139
fugax (Rondani, 1861), *Bessa*, 199
fugax (Meigen, 1826), *Botanophila*, 184
fulgens (Meigen, 1824), *Linnaemyia*, 204
fulgens (Meigen, 1826), *Pegomya*, 186
fulgens Meigen, 1826, *Sepsis*, 135
fuliginaria (Rondani, 1861), *Periscepsia*, 206
fuliginosa (Meigen, 1818), *Forcipomyia*, 42
fuliginosa (Gimmerthal, 1834), *Nigrotipula*, 20
fuliginosa (Meigen, 1804), *Ulomyia*, 34
fuliginosa (Goetghebuer, 1921), *Zavrelimyia*, 47
fulva (Harris, 1776), *Arctophila*, 115
fulva (Meigen, 1804), *Choerades*, 86
fulva (Kieffer, 1919), *Odontomesa*, 48
fulva (Macquart, 1826), *Palpomyia*, 44
fulva (Meigen, 1804), *Thereva*, 84
fulva (Fallén, 1820), *Zenillia*, 203
fulvella (Rondani, 1875), *Liriomyza*, 152
fulvescens Lackschewitz, 1940, *Antocha*, 27
fulvescens (Meigen, 1818), *Phylidorea*, 25
fulvibarbis Robineau-Desvoidy, 1830, *Calliphora*, 193
fulvicaudis (Haliday, 1851), *Hercostomus*, 101
fulvicaudis partim sensu Parent, 1926, *Hercostomus*, 101
fulviceps (von Roser, 1840), *Chlorops*, 161
fulviceps (Rondani, 1880), *Spelobia*, 177
fulvicolor Pierre, 1924, *Tipula*, 21
fulvicornis auct., *Hybomitra*, 80
fulvifrons (Haliday, 1833), *Eutropha*, 162
fulvipennis De Geer, 1776, *Tipula*, 21
fulvipes (Meigen, 1830), *Cerodontha*, 153
fulvipes (Macquart, 1834), *Dorylomorpha*, 108
fulvipes (Meigen, 1822), *Platypalpus*, 95
fulvipes (Robineau-Desvoidy, 1830), *Thecophora*, 117
fulvipes (Meigen, 1838), *Thoracochaeta*, 176
fulviventre (Schrank, 1781), *Platystoma*, 127
fulviventris (Meigen, 1838), *Dicraeus*, 160
fulviventris Meigen, 1826, *Loxocera*, 121
fulviventris (Macquart, 1828), *Platycheirus*, 113
fulvonervosa (Schummel, 1829), *Phylidorea*, 25
fulvus (Meigen, 1820), *Atylotus*, 81
fumigata (Scopoli, 1763), *Euthycera*, 131
fumipennis (Stephens, 1825), *Culiseta*, 38
fumipennis (Meigen, 1830), *Oscinella*, 159
fumipennis (Meigen, 1830), *Campichoeta*, 164
fumipennis (Zetterstedt, 1846), *Pelidnoptera*, 130
fumipennis sensu Parent, 1938, *Poecilobothrus*, 102
fumosa (Meigen, 1826), *Hebecnema*, 190
fumosa (Stenhammar, 1844), *Paracoenia*, 167
funebris (Goetghebuer, 1921), *Acricotopus*, 48
funebris (Meigen, 1830), *Diplonevra*, 107
funebris (Fabricius, 1787), *Drosophila*, 171
funebris Meigen, 1804, *Penthetria*, 58
funebris Meigen, 1822, *Pipiza*, 113
funeralis (Meigen, 1822), *Cheilosia*, 114
funesta (Meigen, 1824), *Phania*, 208
fungicola (Winnertz, 1867), *Bradysia*, 70
fungicola (Haliday, 1836), *Minilimosina*, 177

Fungivora Meigen, 1800, 68
FUNGIVORIDAE, 16
Fungobia Lioy, 1864, 175
fungorum (De Geer, 1776), *Mycetophila*, 69
fungorum (De Geer, 1776), *Mycophaga*, 185
furcata (Fallén, 1823), *Lonchoptera*, 103
furcata (Fallén, 1823), *Orthovenia*, 104
furcata (Say, 1823), *Scathophaga*, 183
furcatus (Egger, 1860), *Cephalops*, 109
furcinervis Zetterstedt, 1859, *Scenopinus*, 85
Furcomyia Meigen, 1818, 28
furibunda (Zetterstedt, 1844), *Erycia*, 200
furta (Linnaeus, 1767), *Stegana*, 170
furva (Tonnoir, 1940), *Yomormia*, 34
fusca (Meigen, 1830), *Asphondylia*, 61
fusca Meigen, 1818, *Bolitophila*, 65
fusca Meigen, 1804, *Cordyla*, 68
fusca (Meigen, 1804), *Dicranomyia*, 28
fusca (Meigen, 1804), *Exechia*, 68
fusca (Wood, 1909), *Megaselia*, 106
fusca (Macquart, 1924), *Peripsychoda*, 34
fusca (Macquart, 1835), *Scatella*, 167
fusca Goetghebuer, 1932, *Stilobezzia*, 45
fusca Staeger, 1840, *Tipula*, 22
fusca Landrock, 1918, *Trichonta*, 69
fusca; Gtgh., non Meigen, 1804, *Micropsectra*, 53
fuscala (Fallén, 1823), *Diastata*, 163
fuscana Robineau-Desvoidy, 1848, *Solieria*, 205
fuscata (Fallén, 1825), *Phaonia*, 189
fuscata (Fabricius, 1775), *Sylvicola*, 57
fuscata Meigen, 1818, *Trichocera*, 18
fuscella (Stenhammar, 1844), *Ditrichophora*, 165
fuscescens (Schummel, 1829), *Dicranopticha*, 25
fuscicornis (Meigen, 1818), *Dynatosoma*, 68
fuscicornis Czerny, 1924, *Neoleria*, 172
fuscicornis (Zetterstedt, 1842), *Platypalpus*, 95
fuscifolium Kieffer, 1921, *Camptocladius*, 55
fuscimana (Zetterstedt, 1838), *Chymomyza*, 170
fuscimana Kieffer, 1921, *Harnischia*, 52
fuscimanus (Kieffer, 1908), *Nanocladius*, 50
fuscinervis (Zetterstedt, 1835), *Chamaepsila*, 121
fuscinervis (Wood, 1908), *Megaselia*, 106
fuscinervis Schiner, 1862, *Scenopinus*, 85
fuscinervis (Zetterstedt, 1838), *Tetanocera*, 131
fuscinervis Pierre, 1919, *Tipula*, 21
fuscipenne (Staeger, 1840), *Brevicornu*, 68
fuscipennis (Robineau-Desvoidy, 1830), *Chyliza*, 121
fuscipennis Meigen, 1818, *Erioptera*, 26
fuscipennis Meigen, 1822, *Gloma*, 93
fuscipennis (Haliday, 1833), *Leptocera*, 176
fuscipennis (Macquart, 1835), *Parydra*, 166
fuscipennis (Meigen, 1830), *Pelidnoptera*, 130
fuscipennis (Meigen, 1818), *Pilaria*, 25
fuscipennis (Fallén, 1815), *Tachypeza*, 96
fuscipennis (Macquart, 1850), *Meigenia*, 208
fuscipes (Meigen, 1830), *Coboldia*, 59
fuscipes (von Roser, 1840), *Elachiptera*, 158
fuscipes (Zetterstedt, 1844), *Eudorylas*, 109

fuscipes, *Metriocnemus*, 49 partim
fuscipes (Meigen, 1818), *Metriocnemus*, 49 partim
fuscipes (Fabricius, 1794), *Hilara*, 91
fuscipes (Meigen, 1818), *Metriocnemus*, 49
fuscipes (Macquart, 1835), *Pherbellia*, 130
fuscipes sensu Jacobs, 1905, *Rhaphium*, 99
fuscipes (Kieffer, 1909), *Rheocricotopus*, 50
fuscipes (von Roser, 1840), *Syntormon*, 100
fuscipes, (Macquart, 1835), *Conioscinella*, 159
fusciatarsis (Zetterstedt, 1859), *Symballophthalmus*, 95
fuscohalterata (Strobl, 1906), *Cheilotrichia*, 25
fuscohalterata (Schmitz, 1919), *Megaselia*, 106
fusco pedunculata (Malloch, 1912), *Megaselia*, 106
fuscula (Fallén, 1825), *Fannia*, 192
fuscula Zetterstedt, 1838, *Rhamphomyia*, 92
fusculus (Zetterstedt, 1844), *Eudorylas*, 109
fucus (Meigen, 1804), *Atrichopogon*, 41
fucus Kieffer, 1924, *Cardiocladius*, 48
fucus (Staeger, 1839), *Chaoborus*, 36
fucus Goetghebuer, 1952, *Culicoides*, 43
fucus (Harris, 1776), *Myopa*, 117
fucus (Kieffer, 1909) *Cricotopus*, 54

gaedei: lapsus Gtgh., *Potthastia*, 48
gaedi: lapsus Gtgh., *Potthastia*, 48
Gaedea Meigen, 1838, 201
gaedii (Meigen, 1830), *Anomoia*, 124
gaedii (Meigen, 1830), *Hexatoma*, 24
gaedii (Meigen, 1838), *Potthastia*, 48
galactoptera (Nowicki, 1873), *Potthastia*, 48
galeata (Haliday, 1833), *Metopina*, 106
galii (H. Loew, 1850), *Geocrypta*, 62
galiicola (F. Loew, 1880), *Dasineura*, 62
gallorum Kieffer, 1889, *Schizomyia*, 64
gallarum (Duda, 1933), *Conioscinella*, 159
gallica (Meigen, 1804), *Hilara*, 91
galliparda (F. Loew, 1889), *Parallelodiplosis*, 63
gandavensis (Goetghebuer, 1935), *Probezzia*, 44
gangraenosa Robineau-Desvoidy, 1830, *Melieria*, 129
gangraenosa (Fabricius, 1805), *Otites*, 129
GASTEROPHILIDAE, 209
GASTEROPHILINAE, 209
Gasterophilus Leach, 1817, 209
Gastrolepta Rondani, 1862, 201
Gastrophilus; error, 209
gemina Tjeder, 1967, *Erioptera*, 26
gemina (Eaton, 1904), *Psychodocha*, 34
geminatus Meigen, 1830, *Chlorops*, 161
gemmarum (Rübsamen, 1915), *Dasineura*, 62
gimmicola (Kieffer, 1896), *Dasineura*, 62
genarum (Zetterstedt, 1838), *Calliphora*, 193
geniculata (Zetterstedt, 1838), *Chamaemyia*, 138
geniculata von Roser, 1840, *Cheilosia*, 113
geniculata (Fallén, 1825), *Coenosia*, 191
geniculata (Zetterstedt, 1838), *Dorylomorpha*, 108
geniculata (Macquart, 1835), *Lotophila*, 175
geniculata (Meigen, 1822), *Neoascia*, 115

geniculata Meigen, 1830, *Orthonevra*, 114
geniculata (Meigen, 1818), *Pedicia*, 23
geniculata (Bouché, 1834), *Pegomya*, 186
geniculata Macquart, 1835, *Phytomyza*, 154
geniculata Meigen, 1822, *Pipiza*, 113
geniculata (Zetterstedt, 1850), *Reichertella*, 60
geniculata Meigen, 1830, *Rhamphomyia*, 92
geniculata (De Geer, 1776), *Siphona*, 205
geniculata (Meigen, 1824), *Tomosvaryella*, 109
geniculata (Meigen, 1824), *Tomosvaryella*, 109
geniculatus (Olivier, 1791), *Aedes*, 37
geniculatus (Meigen, 1820), *Cerdistus*, 86
genisticola (F. Loew, 1877), *Jaapiella*, 63
genitalis Schmitz, 1927, *Gymnoptera*, 107
gentilis (Collin, 1912), *Clusiodes*, 146
gentilis Robineau-Desvoidy, 1830, *Melinda*, 193
genualis (Stein, 1895), *Fannia*, 192
Geocrypta Kieffer, 1913, 62
Geomyza Fallén, 1810, 148
Geomyzella Enderlein, 1936, 148
georgianus (Brèthes, 1925), *Trichocera*, 18
Geotipula Savchenko, 1964, *Tipula*, 21
Gephyraulus Rübsaamen, 1915, 62
germanica Duda, 1926, *Themira*, 135
germanicus (Aczél, 1940), *Cephalops*, 109
germanicus (Linnaeus, 1758), *Pamponerus*, 87
germanus (Wiedemann, 1817), *Hercostomus*, 101
germari Meigen, 1824, *Miltogramma*, 195
Germaria Robineau-Desvoidy, 1830, 204
germinationis (Rossi, 1790), *Herina*, 129
germinationis (Linnaeus, 1758), *Opomyza*, 148
gibba Winnertz, 1863, *Anatella*, 68
gibba (Fallén, 1816), *Rhamphomyia*, 91
gibbosa (Linnaeus, 1758), *Laphria*, 86
gibbosus (Linnaeus, 1758), *Ogcodes*, 82
gibbus (Fabricius, 1794), *Stenochironomus*, 53
Gigalimosina Roháček, 1983, 176
gigantea Schrank, 1776, *Tipula*, 21
gigas (Herbst, 1787), *Therioplectes*, 81
gilva (Linnaeus, 1758), *Choerades*, 86
gilva (Zetterstedt, 1846), *Pegomya*, 186
gilvipes (Zetterstedt, 1843), *Cheilosia*, 113
gilvipes (Walker, 1856), *Docosia*, 66
gilvipes (Loew, 1858), *Oscinismoma*, 159
gilvus (Goetghebuer, 1919), *Glyptotendipes*, 52
giraudi (Schiner, 1864), *Bradysia*, 70
giraudii (Egger, 1862), *Megaselia*, 106
giraudii auctt., *Megaselia*, 106
Gitona Meigen, 1830, 170
glabra (Meigen, 1830), *Athyroglossa*, 165
glabra (Fallén, 1823), *Camilla*, 168
glabra (Duda, 1933), *Cryptonevra*, 161
glabra Fallén, 1820, *Madiza*, 155
glabra (Macquart, 1835), *Thaumatomyia*, 161
glabra (Meigen, 1830), *Trichosia*, 71
glabrata Loew, 1869, *Bolitophila*, 65
glabrata (Walker, 1856), *Dicranomyia*, 28
glabrata (Meigen, 1818), *Diogma*, 30

glabericula (Fallén, 1813), *Ditrichophora*, 165
glabericula (Meigen, 1830), *Leiomyza*, 144
glabericula (Fallén, 1816), *Ocydromia*, 96
glabericula (Meigen, 1830), *Phylidorea*, 25
glabericula (Fallén, 1820), *Pteromicra*, 130
glabrifrons (Meigen, 1830), *Crumomyia*, 176
glabripennis (Goetghebuer, 1921), *Orthocladius*, 50
glabriventris (van der Wulp, 1869), *Chaetogena*, 200
glabrus Becker, 1910, *Chlorops*, 161
glacialis (Meigen, 1830), *Crumomyia*, 176
gladiatrix (Pandellé, 1896), *Blaesoxipha*, 196
gladius de Meijere, 1920, *Molophilus*, 27
Glaphyroptera Winnertz, 1863, 66
glaucha Macfie, 1934, *Forcipomyia*, 41
glaucha (Meigen, 1824), *Phebellia*, 202
glaucella Kowarz, 1877, *Medetera*, 98
glaucellus (Stenhammar, 1844), *Hecamedoides*, 165
glaucescens (Zetterstedt, 1845), *Fannia*, 192
glaucus (Linnaeus, 1758), *Ischyropsyrphus*, 111
glaucopis Meigen, 1820, *Tabanus*, 81
glaucus (Meigen, 1818), *Glyptotendipes*, 52
glechomae (Kieffer, 1889), *Dasineura*, 62
glechomae Kaltenbach, 1862, *Phytomyza*, 153
Glenanthe Haliday, 1839, 165
girrina (Rondani, 1859), *Phebellia*, 202
globata (Walker, 1848), *Dicranomyia*, 28
globosa (Fabricius, 1775), *Cistogaster*, 207
globula (Panzer, 1804), *Acrocera*, 82
globula (Meigen, 1824), *Strongygaster*, 208
globuli (Rübsaamen, 1889), *Harmandia*, 63
globulifer Goetghebuer, 1921 *Tanytarsus*, 55
globulifera, *lapsus* Gtg., *Zavrelia*, 55
globuliventris (Zetterstedt, 1845), *Coenosia*, 191
Glochina Meigen, 1830, subg., 28
Gloma Meigen, 1822, 93
glyceriae Nartshuk, 1958, *Calamoncosis*, 159
Glyptotendipes Kieffer, 1913, 52
gmundensis (Egger, 1863), *Micropsectra*, 53
gmundensis (Egger, 1863), *Pedicia*, 23
gnava (Meigen, 1824), *Carcelia*, 200
gnava (Meigen, 1826), *Botanophila*, 184
Gnophomyia Osten Sacken, 1860, 26
GNORISTINAE, 67
gobertii (Mik, 1881), *Phaonia*, 189
goebelii (Strobl, 1893), *Rhagio*, 78 subsp.
goetghebueri Arnaud, 1956, *Culicoides*, 43
goetghebueri Kieffer, 1919, *Dasyhelea*, 42
goetghebueri (Kieffer, 1915), *Dicrotendipes*, 51
goetghebueri (Kieffer, 1918), *Macropelopia*, 47
goetghebueri Kieffer, 1919, *Palpomyia*, 44
goetghebueri (Tonnoir, 1919), *Panimerus*, 33
Gonempeda Alexander, 1924, 26
Gonia Meigen, 1803, 201
goniaeformis (Meigen, 1824), *Baumhaueria*, 199
Goniglossum Rondani, 1856, 124
Gonioglossum: emend., 124
gonioides (Zetterstedt, 1838), *Pseudopachystylum*, 205

- Gonomyia* Meigen, 1818, 26
Gonomyia Meigen, 1818, subg., 26
Gonomyella Kuntze, 1919, 25
Gonyglossum: emend., 124
Grabhamia; auct., *Aedes*, 37
gracile (Meigen, 1822), *Melanostoma*, 112
gracilenta Lackschewitz, 1923, *Tipula*, 22
gracilentus (Holmgren, 1883), *Tanytarsus*, 54
gracilior (Kieffer, 1918), *Parachironomus*, 52
gracilipes Loew, 1869, *Dactylolabis*, 24
gracilipes Wahlgren, 1905, *Dicranota*, 23
gracilipes Loew, 1871, *Erioptera*, 26
gracilipes Dziedzicki, 1923, *Rymosia*, 69
gracilis Fallén, 1823, *Anthomyza*, 149
gracilis (Winnertz, 1852), *Bezzia*, 43
gracilis (Meigen, 1826), *Chamaepsila*, 121
gracilis Meigen, 1830, *Chlorops*, 161
gracilis (Winnertz, 1853), *Epidapus*, 70
gracilis Kieffer, 1918, *Glyptotendipes*, 52
gracilis (Stannius, 1831), *Hercostomus*, 101
gracilis (Goetghebuer, 1913), *Pseudosmittia*, 50
gracilis (Haliday, 1833), *Stilobezzia*, 45
gracilis (Zetterstedt, 1847), *Themira*, 135
gracilis Kieffer, 1909, *Thienemannia*, 51
gramineus (Fallén, 1823), *Chrysotus*, 98
graminicola (Zetterstedt, 1846), *Piezura*, 192
graminicola Zetterstedt, 1859, *Scenopinus*, 85
graminum (Fallén, 1823), *Scaptomyza*, 171
graminum (Fallén, 1815), *Stilpon*, 95
granarius (Curtis, 1846), *Oscinella*, 159
grandis Meigen, 1818, *Chironomus*, 51
granditarsa (Forster, 1771), *Pyrophaena*, 113
granulata (Kramer, 1908), *Pierretia*, 197
Graphomya Robineau-Desvoidy, 1830, 190
grata Loew, 1857, *Argyra*, 99
gratiosa Winnertz, 1863, *Mycetophila*, 69
gratus Meigen, 1838 *Tanypus*, 55
Gravenhorstia Robineau-Desvoidy, 1863, 199
gravis (Haliday, 1833), *Coelopa*, 133
gregarius Kieffer, 1909, *Tanytarsus*, 54
grimshawi (Edwards, 1929), *Heterotrissocladius*, 49
gripekoveni (Kieffer, 1913), *Glyptotendipes*, 52
gripha Dziedzicki, 1885, *Boletina*, 67
griscipennis lapsus, *Dolichopus*, 100
grisea (Macquart, 1826), *Dicranomyia*, 28
grisea Fallén, 1816, *Empis*, 90
grisea (Fallén, 1823), *Leucophora*, 185
grisea (Wiedemann, 1830), *Lipara*, 159
grisea (Fallén, 1810), *Macquartia*, 205
grisea (Fallén, 1823), *Rhinoessa*, 169
grisea (Meigen, 1820), *Syphoromyia*, 78
grisea (Meigen, 1826), *Tephromyia*, 197
griseicolle (Staeger, 1840), *Brevicornu*, 68
griseifrons Collin, 1927, *Hilara*, 91
griseifrons (Strobl, 1899), *Tomosvaryella*, 109 subsp.
griseipennis Stannius, 1831, *Dolichopus*, 100
griseipennis Meigen, 1838, *Erioptera*, 26
griseipennis (Goetghebuer, 1913), *Hydrobaenus*, 49
griseipennis (Verrall, 1901), *Tomosvaryella*, 109
griseipennis van der Wulp, 1858 *Tanypus*, 54
grisella Hennig, 1967, *Leucophora*, 185
griseola (Fallén, 1813), *Hydrellia*, 166
griseola (Fallén, 1823), *Leucopis*, 138
griseola (Fallén, 1820), *Macronychia*, 195
griseola (Fallén, 1820), *Pherbellia*, 130
griseola (Fallén, 1814), *Syphoromyia*, 78
griseola (van der Wulp, 1871), *Tethina*, 169
griseolum (Zetterstedt, 1852), *Brevicornu*, 68
griseolus (Zetterstedt, 1855), *Atrichopogon*, 41
grisescens Lackschewitz, 1928, *Dicranomyia*, 28
grisescens (Fallén, 1816), *Dinera*, 206
grisescens (Meigen, 1830), *Ditaeniella*, 130
grisescens Robineau-Desvoidy, 1830, *Lydella*, 201
grisescens (Tonnoir, 1922), *Psycha*, 34
grisescens Zetterstedt, 1851, *Tipula*, 22
grisescens Goetghebuer, 1921 *Chironomus*, 55
griseum Collin, 1946, *Aphanotrigonum*, 160
griseus (Meigen, 1804), *Molophilus*, 26
grossa (Fallén, 1817), *Cheilosia*, 113
grossa (Linnaeus, 1758), *Tachina*, 205
grossicauda (Strobl, 1899), *Chirosia*, 184
grossicornis (Zetterstedt, 1860), *Cerodontha*, 153
grossipes (Linnaeus, 1767), *Hybos*, 94
grossipes Goetghebuer, 1920, *Palpomyia*, 44
grossulariae (Meigen, 1822), *Epistrophe*, 111
grossus Kieffer, 1925, *Metriocnemus*, 49
guadarramensis Strobl, 1906, *Tipula*, 22
guestfalica (Westhoff, 1879), *Nephrotoma*, 20
guilleaumei Goetghebuer, 1935, *Forcipomyia*, 45
guttata Meigen, 1818, *Ctenophora*, 20
guttata (Haliday, 1833), *Dolichocephala*, 92
guttata (Macquart, 1834), *Eloeophila*, 24
guttata (Fallén, 1813), *Hyadina*, 166
guttata (Fallén, 1817), *Melangyna*, 112
guttata (Meigen, 1830), *Otites*, 129
guttata Meigen, 1822, *Pipiza*, 113
guttatus (Curtis, 1835), *Aedes*, 37
Guttipelopia Fittkau, 1962, 47
guttipennis (van der Wulp, 1861), *Guttipelopia*, 47
guttipennis Meigen, 1818, *Tipula*, 22
guttiventris (Meigen, 1830), *Exechia*, 68
guttiventris Zetterstedt, 1842, *Leptogaster*, 87
guttiventris (Zetterstedt, 1852), *Polylepta*, 67
guttiventris (Zetterstedt, 1855), *Tanyptera*, 21
guttularis Kieffer, 1919, *Culicoides*, 44
guttularis (Meigen, 1826), *Dithryca*, 125
guttulifera Zetterstedt, 1838, *Tipula*, 22
gutturalis: error, *Dithryca*, 125
gyllenhali (Zetterstedt, 1838), *Euthyneura*, 96
Gymnochaeta Robineau-Desvoidy, 1830, 204
Gymnochiromyia Hendel, 1933, 147
Gymnodia Robineau-Desvoidy, 1863, 190
Gymnogaster Lioy, 1864, 186
Gymnohelea Kieffer, 1921, 41
Gymnomera Rondani, 1867, 183
Gymnomus Loew, 1863, subg., 172

- Gymnopareia* Brauer & Bergenstamm, 1889, 203
Gymnophora Macquart, 1835, 105
Gymnophora s.s., subg., 105
gymnophorina (Zetterstedt, 1848), *Diplonevra*, 107
Gymnopoda Macquart, 1835, 159
Gymnoptera Lioy, 1864, 107
Gymnopternus Loew, 1857, 101
Gymnopternus Loew, 1857, 101
Gymnosoma Meigen, 1803, 207
- Haematobia* Le Peletier & Serville, 1828, 188
Haematobia Le Peletier & Serville, 1828, 189
Haematobosca Bezzi, 1907, 189
haematodes (Meigen, 1826), *Ravinia*, 197
Haematopota Meigen, 1803, 81
Haemobora Curtis, 1824, 180
haemorrhoa (Meigen, 1826), *Heteronychia*, 196
haemorrhoidalis (Fallén, 1817), *Bercea*, 196
haemorrhoidalis Zetterstedt, 1838, *Dorylomorpha*, 108
haemorrhoidalis (Linnaeus, 1758), *Gasterophilus*, 209
haemorrhoidalis (Fallén, 1810), *Linnaemyia*, 204
haemorrhoidalis (Zetterstedt, 1838), *Rhynolophus*, 27
haemorrhoides (Böttcher, 1913), *Heteronychia*, 196
haemorrhous Meigen, 1822, *Paragus*, 113
hahnlei Lindner, 1923, *Rhagio*, 77 subsp.
Halidayella Hendel, 1925, 136
Halidayina Duda, 1918, 177
Halocladius Hirvenoja, 1973, 49
halophilus (Kieffer, 1909), *Halocladius*, 49
halteralis (Adams, 1903), *Thaumatomyia*, 162
halterata (Winnertz, 1852), *Forcipomyia*, 42
halterata (Wood, 1910), *Megaselia*, 106
halterata (Staeger, 1840), *Monoclonia*, 67
halterata (Panzer, 1798), *Nyctia*, 196
halterata (Stein, 1893), *Phaonia*, 189
halterata (Zetterstedt, 1852), *Xylopriona*, 61
halteratum (Meigen, 1838), *Rhegmoclema*, 60
halteratus (Meigen, 1838), *Eudorylas*, 109
Halterophora Rondani, 1861, 123
hamata (Fallén, 1823), *Drymeia*, 187
hamata (Macquart, 1835), *Fannia*, 192
hamata Mik, 1880, *Trichonta*, 69
hamifer (Goetghebuer, 1920), *Atrichopogon*, 41
hamifera Loew, 1846, *Trypetia*, 124
hamifera Zetterstedt, 1847, *Vidalia*, 124
Hammomyia Rondani, 1877, 185
handlirschi Kröber, 1912, *Thereva*, 84
Hapleginella Duda, 1933, 158
haplegioides (Strobl, 1898), *Hapleginella*, 158
Haplegis Loew, 1866, 161
Haplodiplosis Rübsaamen, 1911, 63
Haplomyza Hendel, 1914, 152
harlemensis Weyenbergh, 1870, *Phytomyza*, 153
Harmandia Kieffer, 1896, 63
Harnischia Kieffer, 1921, 52
Harrisia Meigen, 1838, 204
- hartigi* Hering, 1940, *Tephritis*, 126 subsp.
hartigi (Mannheims, 1951), *Nephrotoma*, 20
Hartigiola Rübsaamen, 1912, 63
hastata (Schmitz, 1922), *Megaselia*, 105
hastatus (Fabricius, 1805), *Urophora*, 123
havifrons Walker, 1849, *Pegomya*, 186
Hayesomyia Murray & Fittkau, 1985, 47
Hebecnema Schnabl, 1889, 190
hebes (Fallén, 1820), *Spallanzania*, 203
Hebia Robineau-Desvoidy, 1830, 201
Hecamede Curtis, 1837, 165
Hecamedoides Hendel, 1917, 165
hecate (Haliday, 1833), *Parydra*, 167
hederae auct., *Ormosia*, 27
hederae (Curtis, 1835), *Ormosia*, 27
Helcomyza Curtis, 1825, 134
HELCOMYZIDAE, 134
Helea Meigen, 1800, 43
HELEIDAE, 16
Heleodromia Haliday, 1833, 92
Heleomyza Fallén, 1810, 172
Heleomyza Fallén, 1810, subg., 172
HELEOMYZIDAE, 172
HELEOMYZINAE, 172
helianthi (Rossi, 1790), *Acanthiophilius*, 125
helicivora (Dufour, 1841), *Spiniphora*, 107
Helicobosca Bezzi, 1906, 194
HELICOBOSCINAE, 194
Helicophagella Enderlein, 1928, 196
Helina Robineau-Desvoidy, 1830, 189
Helina separata (Meigen, 1826), *Coenosia*, 191
helophilus Edwards, 1921, *Culicoides*, 43
Heliozeta Rondani, 1856, 207
Helius Lepeletier & Serville, 1828, 28
helluo (Fabricius, 1805), *Heliozeta*, 207
Helobia Lepeletier et Serville, 1828, 27
Helomyza; error, 172
Helomyza; auctt., 173
Helophilus Meigen, 1822, 116
helvetica (Walker, 1856), *Pseudobrachypeza*, 69
helvola Loew, 1873, *Tipula*, 21
helvola; error, *Heliozeta*, 207
Hemerodromia Meigen, 1822, 92
HEMERODROMIINAE, 92
Hemimasicera Brauer & Bergenstamm, 1889, 200
Hemimormia Krek, 1971, 33
Hemineurina Frey, 1942, subg., 70
Hemipenthes Loew, 1869, 83
hemiptera (Fabricius, 1794), *Phasia*, 208
Hemyda Robineau-Desvoidy, 1830, 207
Hendelomyza Duda, 1935, 155
Henops Meigen, 1803, 82
henselli Sintenis, 1895, *Opomyza*, 148
Heptatoma Meigen, 1803, 81
Hera Schnabl, 1888, 187
heracleella (Bouché, 1834), *Megaselia*, 106
heraclei (Kaltenbach, 1862), *Macrolabis*, 63
heraclei (Meigen, 1824), *Phryxe*, 202

- heraclei* Kaltenbach, 1862, *Phytomyza*, 154
heraclei Walker, 1835, *Tephritis*, 126
heracleii (Linnaeus, 1758), *Euleia*, 124
herbarum Robineau-Desvoidy, 1830, *Ensina*, 125
herbarum Robineau-Desvoidy, 1830, *Rivelia*, 127
Herbstia Robineau-Desvoidy, 1851, 205
hercclei: error, *Euleia*, 124
hercegovinae (Strobl, 1898), *Limonia*, 28
Hercostomus Loew, 1857, 101
hercyniae Duda, 1933, *Meromyza*, 160
Herina Robineau-Desvoidy, 1830, 129
heringi (Zetterstedt, 1843), *Heringia*, 113
Heringia Rondani, 1856, 113
Herniosina Roháček, 1983, 176
herpini (Guérin-Méneville, 1843), *Lasiosina*, 162
Hertwigia Dziedzicki, 1885, 68
Hesychilla Robineau-Desvoidy, 1830, 127
Heterocheila Rondani, 1857, 134
heterogyna (Bergroth, 1913), *Phylidorea*, 25
heterolabis (Kieffer, 1915), *Dicrotendipes*, 51
Heteromyellia Hendel, 1910, 173
Heteromyza Fallén, 1820, 173
HETEROMYZINAE, 173
Heteroneura Fallén, 1810, 104
Heteroneura Fallén, 1823, 146
heteroneura (Haliday, 1836), *Pullimosina*, 177
heteroneura (Meigen, 1830), *Taxigramma*, 196
Heteronychia Brauer & Bergenstamm, 1889, 196
Heteronychia Brauer & Bergenstamm, 1889, subg., 196
Heteropterina Macquart, 1854, 196
Heterostyloides Hennig, 1967, 185
Heterostylus Schnabl & Dziedzicki, 1911, 185
Heterotrissocladius Spärck, 1923, 49
heusdensis Goetghebuer, 1935, *Bezzia*, 43
heusdensis Goetghebuer, 1923, *Tanytarsus*, 54
heusdensis Goetghebuer, 1923, *Tanytarsus*, 54 partim
hexachaeta Becker, 1907, *Chaetorellia*, 125
Hexatoma Latreille, 1809, 24
HEXATOMINAE, 24
Hexomyza Enderlein, 1936, 151
hiemalis (De Geer, 1776), *Trichocera*, 18
hieracii (F. Loew, 1874), *Cystiphora*, 62
Hilara Meigen, 1822, 91
Hilara auct., 93
Hilarella Rondani, 1856, 195
hilarella (Zetterstedt, 1844), *Hilarella*, 195
hilaris (Zetterstedt, 1843), *Dasytrophus*, 111
hilaris (Fallén, 1823), *Eustalomyia*, 185
hilaris Edwards, 1938, *Rhabdomastix*, 27
hilaris (Zetterstedt, 1847), *Suillia*, 173
himalayae Maa, 1969, *Melophagus*, 180 subsp.
Hippobosca Linnaeus, 1758, 180
HIPPOBOSCIDAE, 179
HIPPOBOSCINAE, 180
hirsuta (Wood, 1910), *Megaselia*, 105
hirsutula (Zetterstedt, 1838), *Thricops*, 187
hirsutus Loew, 1866, *Chlorops*, 161
hirta (Walker, 1835), *Chersodromia*, 94
hirta (Winnertz, 1846), *Ectrepesthoneura*, 66
hirta Meigen, 1818, *Sciophila*, 67
hirtella Loew, 1843, *Chrysogaster*, 114
hirtella von Olfers, 1816, *Melophagus*, 180
hirtella (Tonnoir, 1919), *Trichopsychoda*, 34
hirtellus Goetghebuer, 1921, *Metriocnemus*, 49
hirticeps (Stein, 1892), *Fannia*, 192
hirticeps Verrall, 1901, *Platypeza*, 104
hirticollis (Staeger, 1839), *Metriocnemus*, 49
hirticrus (Pandellé, 1896), *Helicophagella*, 196
hirticrus (Schmitz, 1918), *Megaselia*, 105
hirtimana (Kieffer, 1918), *Zavrelimyia*, 47
hirtipennis (Zetterstedt, 1838), *Trichosia*, 71
hirtipes Collin, 1927, *Hilara*, 91
hirtipes (Fries, 1824), *Prosimulium*, 40
hirtula (Rondani, 1880), *Coproica*, 176
hirundinis (Linnaeus, 1758), *Crataerina*, 180
hirundinis var. *nigriventris* (Strobl, 1906), *Crataerina*, 180
hirundinum: emend., *Crataerina*, 180
hispanica De Brême, 1842, *Ceratitis*, 123
hispanica auct., *Haematopota*, 81
hispaniense Stein, 1899, *Euryomma*, 192
hispida (Winnertz, 1871), *Trichosia*, 71
histrio Meigen, 1830, *Drosophila*, 171
histrio (Zetterstedt, 1838), *Eustalomyia*, 185
histrio (Fabricius, 1794), *Nephrotoma*, 20
histrio (Fabricius, 1794), *Stictochironomus*, 53
hockaiensis Goetghebuer, 1950, *Forcipomyia*, 45
hockaiensis Goetghebuer, 1932, *Orthocladius*, 55
hoffmannseaggi Meigen, 1830, *Diaphorus*, 98
hoffmeisteri (Loew, 1850), *Argyra*, 99
hofmannseaggi Meigen, 1826, *Loxocera*, 121
hollandica (Duda, 1932), *Oscinimorpha*, 160
holmgreni Zetterstedt, 1852, *Oedalea*, 96
holochlorus Edwards, 1929, *Tanytarsus*, 54
Holoclera Schiner, 1860, subg., 91
Holoplagia Enderlein, 1912, 59
Holopogon Loew, 1847, 86
holosericea Bouché, 1847, 154
holosericea Meigen, 1818, *Penthetria*, 58
holosericea Schmitz, 1920, *Phora*, 107
holosericea (Meigen, 1824), *Plesioclythia*, 104
holosericeus (Meigen, 1824), *Chalarus*, 108
holosericeus (Meigen, 1804), *Microphor*, 88
Holotanypus Roback, 1982, subg., 46
Homalomyia Bouché, 1834, 192
Homobezzia Macfie, 1932, subg., 43
Homoneura van der Wulp, 1891, 136
HOMONEURINAE, 136
hnesta (Rondani, 1868), *Cheilosia*, 114
Hoplocheta: error or emend., 125
Hoplogaster Rondani, 1871, 191
Hoplolabis Osten Sacken, 1869, 26
hordei (Matsumura, 1927), *Meromyza*, 160
hordei (Bjerkander, 1777), *Oscinella*, 159
Hormopeza Zetterstedt, 1838, 93

horridus (Becker, 1897), *Eudorylas*, 109
hortensis (Fitch, 1872), *Thaumatomyia*, 162
hortensis Meigen, 1818, *Tipula*, 21
horticola (Goureau, 1851), *Chromatomyia*, 153
horticola (De Geer, 1776), *Eristalis*, 116
hortorum (Fallén, 1817), *Morellia*, 188
hortorum Herbst, 1784, *Tipula*, 21
hortorum Linnaeus, 1758, *Tipula*, 22
hortulana (Meigen, 1824), *Nilea*, 202
hortulana (Meigen, 1818), *Palpomyia*, 44
hortulana Meigen, 1818, *Tipula*, 21
hortulana auct., *Tipula*, 21
hortulana: auctt., *Palpomyia*, 44
hortulanus (Linnaeus, 1758), *Bibio*, 58
hospes (Egger, 1863), *Prionolabis*, 25
hospita (Edwards, 1929), *Eukiefferiella*, 49
hottentotta (Linnaeus, 1758), *Villa*, 83
Huebneria Robineau-Desvoidy, 1847, 201
hueyi Goetghebuer, 1942, *Tanytarsus*, 54
humeralis Loew, 1869, *Callomyia*, 104
humeralis (von Roser, 1840), *Calycomyza*, 153
humeralis Zetterstedt, 1850, *Dilophus*, 58
humeralis (Zetterstedt, 1838), *Megaselia*, 106
humeralis Robineau-Desvoidy, 1830, *Mydaea*, 190
humeralis Hennig, 1970, *Botanophila*, 184
humeralis (Robineau-Desvoidy, 1830), *Phaonia*, 189
humeralis (Meigen, 1918), *Philosepedon*, 34
humeralis Zetterstedt, 1851, *Sciara*, 71
humeralis (Loew, 1858), *Tricimba*, 160
humeralis (Wiedemann, 1817), *Zygomyia*, 69
humarella; auctt., *Botanophila*, 184
humida (Haliday, 1836), *Opacifrons*, 176
humilis (Zetterstedt, 1860), *Brontaea*, 190
humilis Meigen, 1826, *Coenosia*, 191
humilis (Frey, 1913), *Crossopalpus*, 94
humilis Winnertz, 1863, *Phthinia*, 67
humilis (Meigen, 1830), *Suillia*, 173
humilis, Loew, 1866, *Chlorops*, 161
humphriesae (Goetghebuer, 1937), *Paratanytarsus*, 53
humphryesiae, lapsus Gtgh., *Paratanytarsus*, 53
hungarica (Aczél, 1939), *Dorylomorpha*, 108
hungarica Becker, 1910, *Elachiptera*, 158
hungaricus (Duda, 1933), *Chlorops*, 161
hungaricus Becker, 1910, *Eribolus*, 159
Hyadina Haliday, 1839, 166
hyalinata (Meigen, 1830), *Mycomya*, 67
hyalinata (Meigen, 1826), *Sapromyza*, 137
hyalinata (Meigen, 1830), *Triphleba*, 107
hyalinatus (Fallén, 1817), *Xanthandrus*, 112
hyalipenne (Strobl, 1899), *Melanum*, 161
hyalipennis (Meigen, 1804), *Ctenosciara*, 70
hyalipennis (Fabricius, 1794), *Dioctria*, 86
hyalipennis Fallén, 1816, *Empis*, 90
hyalipennis (Fallén, 1815), *Litophasia*, 207
hyalipennis (Zetterstedt, 1851), *Neolimnophila*, 27
hyalipennis von Roser, 1840, *Tetanocera*, 131
Hyalomyia Robineau-Desvoidy, 1830, subg., 208
Hyalurgus Brauer & Bergenstamm, 1893, 204

Hybomitra Enderlein, 1922, 80
Hybos Meigen, 1803, 94
HYBOTIDAE, 94
hybotina (Fallén, 1816), *Oedalea*, 96
HYBOTINAE, 94
hybrida (Meigen, 1804), *Bolitophila*, 65
hybrida (Meigen, 1804), *Symplecta*, 27
hybridus Loew, 1846, *Helophilus*, 116
hydei Sturtevant, 1921, *Drosophila*, 171
Hydrellia Robineau-Desvoidy, 1830, 166
Hydrina Robineau-Desvoidy, 1830, 166
Hydrobaenus Fries, 1830, 49
Hydrodromia Macquart, 1835, subg., 92
hydroleon (Linnaeus, 1758), *Odontomyia*, 75
Hydromya Robineau-Desvoidy, 1830, 131
Hydromya Fallén, 1823, 183
hydromyzina Fallén, 1825, *Lispe*, 190
hydromyzina (Fallén, 1819), *Spaziphora*, 182
hydrophila Kieffer, 1909, *Bezzia*, 43
hydrophilus (Goetghebuer, 1921), *Paralimnophyes*, 50
Hydrophoria Robineau-Desvoidy, 1830, 185
HYDROPHORINAE, 102
Hydrophorus Fallén, 1823, 97
Hydrophorus Fallén, 1823, 102
Hydropota Rondani, 1861, 166
Hydrotaea Robineau-Desvoidy, 1830, 188
Hyetodesia, error, 189
hygropetricus Kieffer, 1912, *Metriocnemus*, 49
hygrophila (Mik, 1883), *Dasineura*, 62
Hylemya Robineau-Desvoidy, 1830, 185
Hylemya; error, 185
Hyleorus Aldrich, 1926, 206
hyosciami: error or emend., *Tephritis*, 126
hyoscyami (Panzer, 1809), *Pegomya*, 186
hyoscyami (Linnaeus, 1758), *Tephritis*, 126
Hypaspistomyia Hendel, 1907, 155
hyperici (Bremi, 1847), *Dasineura*, 62
Hypobosca: error, 180
Hypocera Lioy, 1864, 107
Hypodermodes Townsend, 1912, 188
hypoleuca Meigen, 1830, *Stegana*, 170
Hypophyllus Haliday, 1832, 101
Hystonea Meigen, 1838, 206
hypostigma Meigen, 1830, *Chlorops*, 161
Hypobosca: error, 180
Hypselura Meigen, 1803, 85
Hyria Robineau-Desvoidy, 1863, 205

ibis (Fabricius, 1798), *Atherix*, 79
Ibisia Rondani, 1856, 79
ichneumonea (Linnaeus, 1761), *Loxocera*, 121
ichneumonea (De Geer, 1776), *Tanyptera*, 21
Icterica Loew, 1873, 125
icterica (Egger, 1863), *Lipsothrix*, 26
ictericus (Meigen, 1830), *Bryophaenocladius*, 48
Icteromyza Hendel, 1931 subg., 152
Idia Meigen, in Wiedemann, 1820, 194

- Idioptera* Macquart, 1834, 24
Idiopyga Savchenko, 1987, subg., 28
idriensis (Scopoli, 1763), *Dictenidia*, 20
ignava (Harris, 1780), *Hydrotaea*, 188
ignava (Panzer, 1798), *Xylota*, 115
ignota (Walker, 1848), *Lipsothrix*, 26
ilicis Curtis, 1846, *Phytomyza*, 153
Ilisia Rondani, 1856, 26
Ilisomyia Rondani, 1856, 27
Ilisophila Rondani, 1856, 26
illota (Loew, 1847), *Lyciella*, 136
illota Haliday, 1838, *Tethina*, 169
illustrata (Harris, 1780), *Cheilosia*, 114
illustris (Meigen, 1826), *Lucilia*, 193
illustris (Winnertz, 1852), *Monohelea*, 44
ilonae Gosseries, 1989, *Argyra*, 99
Ilythea Haliday, 1839, 166
Imantimyia Frey, 1925, 121
imbecilla Lackschewitz, 1941, *Dicranomyia*, 28
imbecillis (Walker, 1856), *Glyptotendipes*, 52
imberbipes (Kieffer, 1818), *Cryptochironomus*, 51
imbuta (Meigen, 1818), *Cheilotrichia*, 25
immaculata Haliday, 1833, *Heleodromia*, 92
immaculata (von Roser, 1840), *Psila*, 121
immaculata (Meigen, 1804), *Syphoromyia*, 78
immaculata (Meigen, 1804), *Tricyphona*, 23
immaculata (Macquart, 1835), *Trypetta*, 124
immaculatus Meigen, 1804, *Rhagio*, 77
immaculatus hahnleae Lindner, 1923, *Rhagio*, 77
immarginatus (Zetterstedt, 1843), *Platycheirus*, 113
immigrans Sturtevant, 1921, *Drosophila*, 171
imparata (Collin, 1937), *Dorylomorpha*, 108
impatientis (Brischke, 1881), *Phytoliriomyza*, 152
impensus (Walker, 1856), *Paraphaenocladius*, 50
imperfectus Goetghebuer, 1944 *Orthocladius*, 55
imperialis (Meigen, 1818), *Nephrotoma*, 20
impigra Collin, 1941, *Medetera*, 98
impotens (Rondani, 1865), *Exorista*, 201
impressa Loew, 1840, *Cheilosia*, 114
impudica (Rondani, 1859), *Linnaemyia*, 204
impudica (Reiche, 1857), *Scathophaga*, 183
impuncta (Fallén, 1825), *Helina*, 189
impunctata, error., *Helina*, 189
impunctatus Goetghebuer, 1920, *Culicoides*, 43
inaequalipes sensu Meunier, 1903, *Hydrophorus*, 102
inaequalis Schmitz, 1927, *Metopina*, 106
inaequalis Goetghebuer, 1921, *Tanytarsus*, 54
inanis (Fallén, 1825), *Achanthiptera*, 187
inanis (Fallén, 1810), *Solieria*, 205
inanis (Linnaeus, 1758), *Volucella*, 115
incana Haliday, 1851, *Chersodromia*, 94
incana (Wiedemann, 1817), *Phaonia*, 189
incana (Meigen, 1830), *Scaptomyza*, 171
incerta (Eaton, 1893), *Psychomorimia*, 34
incerta (Verrall, 1894 m.s.), *Zavrelimyia*, 47
Incertella Sabrosky, 1980, 159
incertus (Collin, 1926), *Platypalpus*, 95
incisa Macquart, 1835, *Phytomyza*, 153
incisa Strobl, 1894, *Sepsis*, 135
incisilobata (Pandellé, 1896), *Thrysocnema*, 197
incisuralis (Macquart, 1855), *Microsoma*, 206
incisurata (Zetterstedt, 1838), *Fannia*, 192
incisurata Tonnoir, 1920, *Gonomyia*, 26
incisurata (Zetterstedt, 1838), *Mycomya*, 67
incisurus (Zetterstedt, 1850), *Cricotopus*, 49
inclusa (Walker, 1848), *Neolimnomyia*, 24
incognita (Verrall, 1901), *Dorylomorpha*, 108
incognita incognita Aczél, 1939, *Dorylomorpha*, 108
incompleta (Verrall, 1886), *Ferneiella*, 59
incomptus (Zetterstedt, 1838) *Metroclemus*, 55
inconclusa (Walker, 1856), *Ula*, 24
inconspicua (Meigen, 1830), *Drino*, 200
inconstans auct., *Pedicia*, 23
incrassata (Meigen, 1830), *Borophaga*, 107
incurva (Fallén, 1823), *Discomyza*, 165
incurvata (Goetghebuer, 1921), *Thienemannimyia*, 47
indagator Loew, 1858, *Cacoxenus*, 170
indecisa (Walker, 1856), *Exechiopsis*, 68
inepta (Meigen, 1824), *Campylochaeta*, 206
inermisfrons Goetghebuer, 1921, *Chironomus*, 51
inermis (Ruthé, 1831), *Anapausis*, 59
inermis (Collin, 1933), *Gymnochiromyia*, 147
inermis (Kieffer, 1909), *Mallochohelea*, 44
iners (Meigen, 1830), *Schroederella*, 172
infantina Oldenberg, 1926, *Scatophila*, 167
infectus (Collin, 1926), *Platypalpus*, 95
inferus Collin, 1956, *Eudorylas*, 109
infirmata (Collin, 1937), *Dorylomorpha*, 108
inflata (Winnertz, 1867), *Lycoriella*, 70
inflata (Winnertz, 1852), *Probezzia*, 44
inflata (Fabricius, 1794), *Volucella*, 115
infumata Loew, 1857, *Medetera*, 98
infumata (Haliday, 1838), *Polyporivora*, 104
infuscata Lackschewitz, 1928, *Dicranomyia*, 28
infuscata (Meigen, 1830), *Meoneura*, 156
infuscatus sensu Parent, 1938, *Poecilobothrus*, 101
infuscus Goetghebuer, 1928, *Atrichopogon*, 41
ingratus (Loew, 1866), *Dicraeus*, 160
innocens (Zetterstedt, 1845), *Drymeia*, 188
innoxia (Meigen, 1824), *Leiophora*, 201
innoxia Robineau-Desvoidy, 1863, *Nilea*, 202
inopertus (Walker, 1856), *Paratanytarsus*, 53
inornata Loew, 1864, *Diastata*, 163
inornatus (Meigen, 1830), *Helius*, 28
inornatus (Loew, 1857), *Hercostomus*, 101
inquilina (Kramer, 1917), *Calamoncosis*, 159
inquinata (Meigen, 1826), *Scathophaga*, 183
inquisita Eaton, *Pericomia*, 34
inscripta (Meigen, 1830), *Neoleria*, 172
insensilis Collin, 1939, *Brachyopa*, 114
inserpens (Walker, 1856), *Paracladius*, 50
insidiosa (Robineau-Desvoidy, 1863), *Pseudoperichaeta*, 202
insignipalpis Kieffer, 1925, *Dasyhelea*, 45
insignis (Stannius, 1831), *Tachytrechus*, 102
inspissata Collin, 1952, *Medetera*, 98

interjecta Lundbeck, 1910, Platypalpus, 95
intermedia Lundbeck, 1910, Bicellaria, 96
intermedia (Macquart, 1835), Chamaepsila, 121
intermedia (Fallén, 1825), Coenosia, 191
intermedia (Vanschuytbroeck, 1943), Copromyza, 175
intermedia (Meigen, 1824), Cylindromyia, 207
intermedia Loew, 1854, Didea, 112
intermedia (Zetterstedt, 1844), Eurithia, 204
intermedia (Fallén, 1816), Hilara, 91
intermedia Robineau-Desvoidy, 1830, Loxocera, 121
intermedia Lundbeck, 1916, Orthonevra, 114
intermedia Verbeke, 1948, Pherbina, 131
intermedia Frey, 1922, Rhamphomyia, 92
intermedium Meigen, 1822, Chrysotoxum, 112
intermedium (Becker, 1918), Rhaphium, 99
intermedius Staeger, 1839, Chironomus, 51
interna (Nielsen, 1964), Parajungiella, 34
interpuncta (Harris, 1776), Anasimyia, 116
interrupta (Meigen, 1824), Cylindromyia, 207
interrupta (Zetterstedt, 1852), Execchia, 68
interrupta (Zetterstedt, 1838), Megaselia, 106
interrupta (Meigen, 1822), Neoascia, 115
interrupta (Fallén, 1814), Trypeta, 124
interruptus Meigen, 1830, Chlorops, 161
interruptus Goetghebuer, 1938, Limnophyes, 49
intersecta (Meigen, 1818), Exechiopsis, 68
intersecta (Meigen, 1826), Paradelia, 186
intersectus (Staeger, 1839), Cricotopus, 49
interstincta (Fallén, 1816), Hilara, 91
interstincta (Fallén, 1820), Homoneura, 136
interstinctus (Collin, 1926), Platypalpus, 95
intestinalis (De Geer, 1776), Gasterophilus, 209
intextus (Walker, 1856), Tribelos, 53
intonsa Loew, 1857, Cheilosia, 114
intricarius (Linnaeus, 1758), Eristalis, 116
intricatus (Goetghebuer, 1921), Paratanytarsus, 53
inusta (Meigen, 1826), Minettia, 136
inustus (Meigen, 1818), Atypophthalmus, 27
inversa Loew, 1869, Macrocerca, 66
inversa Lundström, 1913, Tipula, 21
involuta (Wood, 1910), Megaselia, 105
iraeos (Robineau-Desvoidy, 1851), Cerodontha, 153
ircos: error, Cerodontha, 153
Irenomyia Nowakowski, 1960, 151
ireos (Goureau, 1851), Cerodontha, 153
iridatus (Scopoli, 1763), Sargus, 75
iridicolor (Schummel, 1833), Nephrotoma, 20
iridipennis (Zetterstedt, 1838), Bradysia, 70
irregularis (Wood, 1912), Borophaga, 107
irregularis (Bremi, 1847), Dasineura, 62
irritans (Linnaeus, 1758), Haematobia, 189
irritans (Fallén, 1823), Hydrotaea, 188
irrorata (Meigen, 1826), Billaea, 206
irrorata (Fallén, 1815), Dolichocephala, 92
irrorata (Macquart, 1835), Scatella, 167
irrorata Macquart, 1826, Tipula, 21
Ischiolepta Lioy, 1864, 175
Ischyropsyrphus Bigot, 1882, 111

isis Meigen, 1820, Spogostylum, 83
islandica Rydén, 1953, Phytomyza, 153
islandicus Goetghebuer, 1931, Trichotanypus, 54
Isocladius Kieffer, 1909, subg., 49
Isohelea Kieffer, 1917, 44
Isoneuromyia Brunetti, 1912, subg., 66
Isopogon Loew, 1849, 87
Istochaeta Rondani, 1859, 201
italica Meigen, 1804, Haematopota, 81
Iteomyia Kieffer, 1913, 63
Itionida Meigen, 1800, 62
ITONIDAE, 16

Jaapiella Rübsamen, 1915, 63
jacchus (Fabricius, 1805), Exoprosopa, 83
jaceae (Robineaux-Desvoidy, 1830), Acinia, 125
jaceae (Robineau-Desvoidy, 1830), Chaetorellia, 125
jacea (Hering, 1935), Urophora, 123
jacobeae (Panzer, 1805), Urophora, 123
jacobsi Tonnoir, 1921, Arcuator, 159
jacobsi Parent, 1922, Diaphorus, 98
jacula (Fallén, 1823), Medetera, 98
Janetiella Kieffer, 1898, 63
janotae (Nowicki, 1867), Rhagio, 77
Jantia Rohdendorf, 1937, subg., 197
japonica Hervé-Bazin, 1974, Cheilosia, 114
Jassidophaga Aczél, 1939, 108
jeanneli (Bezzi, 1911), Pullimosina, 177
jenkinsoni Coe, 1966, Eudorylas, 109
johannis (Linnaeus, 1767), Bibio, 58
Johannsenomyia; autt., 44
jugalis Collin, 1941, Medetera, 98
jugorum Egger, 1858, Eristalis, 116
jugorum (Strobl, 1910), Phaonia, 189
junci (Meigen, 1818), Micropsectra, 53
junci (Meigen, 1818), Micropsectra, 53
juncorum (Fallén, 1823), Chamaemyia, 138
juncorum (Fallén, 1820), Rivelia, 127
Jungiella Vaillant, 1972, 33
juniperinus (Linnaeus, 1758), Oligotrophus, 63
juvenilis (Rondani, 1861), Lydella, 201

kaltenbachii (Winnertz, 1852), Forcipomyia, 42
Kaltenbachiola Rübsamen & Hedicke, 1938, 63
Katamormia Ježek, 1984, 33
kaurii Chvála et Lyneborg, 1970, Hybomitra, 80
Kempia Kieffer, 1913, 41
KEROPLATINAE, 65
Keroplatoides Bosc, 1792, 66
kerteszi Lichtwardt, 1902, Dolichophorus, 97
kerteszi (Becker, 1910), Incertella, 159
kibitaki (Kishida, 1932), Ornithomya, 179
kibunensis Tokunaga, 1937, Culicoides, 43
kiefferi Goetghebuer, 1912, Culicoides, 43
kiefferi (Goetghebuer, 1921), Mallochohelea, 44
Kiefferia Mik, 1895, 63

- kiefferiana* (Rübsaamen, 1891), *Dasineura*, 62
Kiefferulus Goetghebuer, 1922, 52
kimakowiczi Strobl, 1897, *Sphegina*, 114
Kimosina Roháček, 1983, 177
Kimosina Roháček, 1983, subg., 177
kirbyanum (Leach, 1817), *Crataerina*, 180
kirtlingensis Grootaert, 1986, *Platypalpus*, 95
Klugia Robineau-Desvoidy, 1863, 206
knockensis Goetghebuer, 1938, *Forcipomyia*, 42
Knutsonia Verbeke, 1964, 131
kohli Schmitz, 1914, *Braula*, 178
kolenati Theodor et Moscona, 1954, *Nycteribia*, 181
Kolenuhelea de Meillon, 1981, 44
kowarzi Lundbeck, 1912, *Chrysotus*, 98
kowarzi (Becker, 1897), *Eudorylas*, 109
Kowarzia Thalhammer, 1900, 27
Kowarzia Mik, 1881, subg., 92
kraatzii (Kieffer, 1912), *Tanypus*, 46
Kramerella Enderlein, in Rohdendorf, 1937, 197
kramerella (Stein, 1924), *Prosethilla*, 202
Krameromyia Verves, 1982, 197
Krenopelopia Fittkau, 1962, 47
Krenosmittia Thienemann & Krüger, 1939, 49
Kritempis Collin, 1926, subg., 90
kroeberi Duda, 1935, *Oscinella*, 159
krusemani (Goetghebuer, 1935), *Cladopelma*, 51
kuntzei (Schultze, 1920), *Atypophthalmus*, 27
kuntzei Duda, 1924, *Drosophila*, 171
kuntzei (Czerny, 1928), *Pelomyiella*, 169
kuthyi Aczél, 1944, *Tomosvaryella*, 109

labeculosus (Eaton, 1893), *Telmatoscopus*, 34
labiatarum (Hendel, 1920), *Amauromyza*, 151
labiatarum (Verrall, 1901), *Melangyna*, 112
Labidigaster; error, 207
Labidomyia Stephens, 1829, *Forcipomyia*, 41
Labigaster Macquart, 1834, 207
Labrundinia Fittkau, 1962, 47
lactaeppennis: error, *Ensina*, 125
lacteipennis Kieffer, 1906, *Anarete*, 61
lacteipennis Zetterstedt, 1840, *Ceratopogon*, 43
lacteipennis (Zetterstedt, 1845), *Dexiopsis*, 191
lacteipennis (Loew, 1862), *Diclasiopta*, 165
lacteipennis Hendel, 1915, *Ensina*, 125
lacteipennis (Fallén, 1823), *Meoneura*, 156
lacteolus Goetghebuer, 1921, *Metriocnemus*, 49
lactescens Edwards, 1929, *Tanytarsus*, 54
lactipennis Lindemann, 1846, *Tipula*, 21
lactipes, lapsus Gtgh., 1937, *Paratanytarsus*, 53
lactucae (Vimmer, 1926), *Chromatomyia*, 153
lactucae (Bouché, 1834), *Botanophila*, 184
lacunarum Goetghebuer, 1931 *Smittia*, 55
lacustre (Scopoli, 1763), *Orthoceratium*, 102
lacustris Meigen, 1824, *Lonchoptera*, 103
lacustris Meigen, 1830, *Ptychoptera*, 32
lacustris (Meigen, 1830), *Scatella*, 167
lacuum Edwards, 1929, *Cricotopus*, 48

laesus (Wiedemann, 1817), *Chrysotus*, 98
laesus sensu Jacobs, 1905, *Chrysotus*, 98
laeta Zetterstedt, 1847, *Drosophila*, 171
laeta (Meigen, 1824), *Frontina*, 201
laeta Meigen, 1838, *Meromyza*, 160
laeta (Fallén, 1823), *Phaonia*, 189
laeta (Loew, 1873), *Rhabdomastix*, 27
laeta (Meigen, 1830), *Tephrochlamys*, 173
laeta (Meigen, 1818), *Thienemannimyia*, 47
laeta; auctt., *Dixa*, 35
laetabilis Collin, 1926, *Empis*, 91
laetabilis Zetterstedt, 1838, *Tipula*, 21
laetifica (Robineau-Desvoidy, 1830), *Helina*, 189
laetipes (Zetterstedt, 1850), *Paratanytarsus*, 53
laetum (Meigen, 1818), *Polypedilum*, 53
laetus Meigen, 1830, *Chlorops*, 161
laetus (Zetterstedt, 1842), *Chrysopilus*, 77
laetus (Fabricius, 1805), *Olbiosyrphus*, 112
laetus (Meigen, 1838), *Sciapus*, 97
laevifrons (Loew, 1858), *Hapleginella*, 158
laevigata (Fallén, 1820), *Cryptonevra*, 161
laevigata (Macquart, 1826), *Dicranomyia*, 28
laevigata (Meigen, 1838), *Ernestia*, 204
laevigata (Meigen, 1830), *Leiomyza*, 144
laevigata (Loew, 1860), *Scatophila*, 167
laevipes (Fallén, 1816), *Rhamphomyia*, 92
lagopodis Sharp, 1907, *Ornithomya*, 179
laguncula Kieffer, 1919, *Forcipomyia*, 42
lamellicornis Becker, 1887, *Empis*, 90
lamia (Meigen, 1838), *Actia*, 203
lamii (Kaltenbach, 1858), *Amauromyza*, 151
Lampetia Meigen, 1800, 116
Lamposoma Becker, 1889, 92
Lamprochromus Mik, 1878, 100
Lamproscatella Hendel, 1917, 167
Lamproscatella Hendel, 1917, subg., 167
lanceolatum Loew, 1850, *Rhaphium*, 99
lancifer (Harris, 1780), *Hydrophoria*, 185
langhoferi Becker, 1894, *Cheilosia*, 114
lanigerus Meigen, 1818, *Bibio*, 58
Laphria Meigen, 1803 partim, 86
Laphria Meigen, 1803, 86
laphriformis (Fallén, 1816), *Brachypalpus*, 115
lappae Zetterstedt, 1847, *Orellia*, 125
lappae (Meigen, 1826), *Orellia*, 125
lappae Goureau, 1851, *Phytomyza*, 153
lappae (Robineau-Desvoidy, 1830), *Tephritis*, 126
lappina Goureau, 1851, *Phytomyza*, 153
lappona (Linnaeus, 1758), *Sericomyia*, 115
lapponica (Stenhammar, 1844), 167
lapponica Duda, 1928, *Scatopse*, 60
lapponicus (Zetterstedt, 1838), *Metasyrphus*, 111
lapponicus Zetterstedt, 1838, *Nephrorerus*, 108
Lapposyrphus Dusek & Laska, 1967, 111
lardaria (Fabricius, 1781), *Polietes*, 188
Larsia Fittkau, 1962, 47
Larvaevora Meigen, 1800, 200
Larvaevora; auctt., 205

LARVAEVORIDAE, 17
larvarum (Linnaeus, 1758), Exorista, 201
larvarum; auctt., Exorista, 201
lasciva (Zetterstedt, 1838), Hylemya, 185
Lasiobezzia Kieffer, 1925, 42
Lasiochaeta Corti, 1909, 158
Lasiochlorops Duda, 1934, 161
Lasiohelea Kieffer, 1921, subg., 42
Lasiolonchaea Enderlein, 1936, 139
lasiophthalma (Macquart, 1835), Helina, 189
lasiophthalma (Zetterstedt, 1843), Melangyna, 112
Lasiopogon Loew, 1847, 86
Lasiops authors, 187
Lasioptera Meigen, 1818, 63
Lasiopticus Rondani, 1844, 111
Lasiosina Becker, 1910, 162
Lasiosoma Winnertz, 1863, 67
lata (Wood, 1910), Megaselia, 106
latelimbatus emend., Dolichopus, 100
latemi Grootaert, 1983, Platypalpus, 95
laterale (Loew, 1860), Allotrichoma, 165
laterale (Haliday, 1833), Melanum, 161
lateralis Meigen, 1818, Aedes, 37
lateralis (Fallén, 1814), Cyrtopogon, 86
lateralis Meigen, 1804, Dioctria, 86
lateralis (Macquart, 1835), Diplotoxa, 162
lateralis (Macquart, 1833), Dorylomorpha, 108
lateralis (Macquart, 1835), Ellipteroides, 25
lateralis (Fabricius, 1775), Eriothrix, 206
lateralis (Meigen, 1818), Exechia, 68
lateralis (Bouché, 1834), Forcipomyia, 42
lateralis (Meigen, 1820), Lomatia, 83
lateralis Meigen, 1826, Micropeza, 119
lateralis (Fallén, 1817), Myolepta, 114
lateralis (Fallén, 1823), Napomyza, 153
lateralis Meigen, 1804, Tipula, 22
laterella (Zetterstedt, 1838), Cerodontha, 152
laternarius (O.F. Müller, 1776), Ischyropsyrphus, 111
latevittata Schummel, 1833, Tipula, 21
Lathyrophthalmus Mik, 1897, 116
laticauda Walker, 1836, Oxyna, 125
laticinctus Walker, 1851, Platypalpus, 95
laticola Verrall, 1904, Dolichopus, 100
laticollis Goetghebuer, 1922, Palpomyia, 44
laticorne (Fallén, 1823), Rhaphium, 99
laticornis (Meigen, 1818), Cerotelion, 66
laticornis Meigen, 1826, Lonchaea, 139
laticornis (Meigen, 1824), Neaera, 205
latidens (Goetghebuer, 1921), Einfeldia, 51
latifasciatus (Macquart, 1829), Metasyrphus, 111
latifrons (Loew, 1857), Asyndetus, 98
latifrons Hardy, 1943, Chalarus, 108
latifrons (Schnabl & Dziedzicki, 1911), Hylemya, 185
latifrons Schiner, 1862, Lucilia, 193
latifrons (Zetterstedt, 1844), Ramonda, 206
latifrons (Zetterstedt, 1845), Botanophila, 184
latifrons (Fallén, 1817), Sarcophila, 196
latigenis (Hendel, 1931), Phytobia, 151

latihamatus Bangerter, 1947, Molophilus, 27
latilimbatum Collin, 1940, Chrysotoxum, 112
latilimbatus Macquart, 1827, Dolichopus, 100
latilunulatus (Collin, 1931), Metasyrphus, 111
latipalpis (Stein, 1892), Fannia, 192
latipalpis (Kieffer, 1901), Forcipomyia, 42
latipennis (Girschner, 1886), Phasia, 208
latipes Tollet, 1943, Bolitophila, 65
latipes (Meigen, 1830), Leptometopa, 155
latipes (Meigen, 1838), Protopiophila, 142
latipes (Meigen, 1804), Simulium, 40
latitarsis (Goetghebuer, 1921), Diamesa, 48
latitarsis (Egger, 1865), Neocnemodon, 113
latitarsis (Zetterstedt, 1846), Pegomya, 186
latitarsis Ringdahl, 1924, Phaonia, 189
latreilli Curtis, 1829, Nycteribia, 181
latreilli Westwood, 1835, Nycteribia, 181
latrellii (Leach, 1817), Nycteribia, 181
laudatoria Collin, 1927, Hemerodromia, 92
laufferi (Strobl, 1906), Limonia, 29
Lauterborniella Thienemann & Bause, 1913, 52
Lauxania Latreille, 1804, 136
Lauxania Latreille, 1804, subg., 136
LAUXANIIDAE, 136
LAUXANIINAE, 136
lavata (Boheman, 1863), Delia, 184
leachi (Meigen, 1826), Themira, 135
leachii (Curtis, 1824), Pachygaster, 76
leachii (Kolenati, 1857), Penicillidia, 181
Lecanipa Rondani, 1859, 201
leclercqi Lengersdorf, 1950, Rhynchosciara, 71
ledicola Kieffer, 1925, Seromyia, 45
leguminosarum de Meijere, 1924, Liriomyza, 152
lehmanni Müller, 1922, Sarcophaga, 197
Leia Meigen, 1818, 66
Leiomyza Macquart, 1835, 144
Leiophora Robineau-Desvoidy, 1863, 201
Lejogaster Rondani, 1857, 114
Lejops Rondani, 1857, 116
Lemurimyza Spencer, 1965, 152
Lengersdoria Kratochvil, 1936, 70
lenis Becker, 1894, Cheilosia, 114
lenta Meigen, 1822, Xylota, 115
lensis (Meigen, 1824), Ramonda, 206
leonina (Panzer, 1798), Oxyecera, 76
leontodontis (De Geer, 1776), Tephritis, 126
leontodontis Zetterstedt, 1847, Tephritis, 126
Leopoldius Rondani, 1843, 117
lepida (Wiedemann, 1817), Fannia, 192
lepida (Meigen, 1824), Rhinophora, 198
Lepidomphrale Krber, 1913, 85
lepidus Loew, 1871, Bibio, 58
lepidus Staeger, 1842, Dolichopus, 100
lepidus (Meigen, 1830), Endochironomus, 51
Lepimormia Enderlein, 1936, 33
Lepoptena: error or emend., 180
Leptarthrus Stephens, 1829, 87
Leptempis Collin, 1926, subg., 90

- LEPTIDAE**, 16
leptiformis (Fallén, 1810), *Callomyia*, 104
Leptis Fabricius, 1805, 77
Leptocera Olivier, 1813, 176
Leptocera Olivier, 1813, subg., 176
Leptogaster Meigen, 1803, 87
leptogaster (Panzer, 1798), *Chyliza*, 121
leptogaster (Winnertz, 1863), *Speolepta*, 67
Leptometopa Becker, 1903, 155
Leptomorphus Curtis, 1831, 67
Leptomyza Macquart, 1835, 149
leptomyzoides (de Meijere, 1918), *Eribolus*, 159
Leptopa Zetterstedt, 1838, 183
Leptopeza Macquart 1827, 96
Leptopus Fallén, 1823, 97
Leptosciarella Tuomikoski, 1960, subg., 71
Leria Robineau-Desvoidy, 1830, 172
leruthi (Duda, 1938), *Spelobia*, 177
Leskia Robineau-Desvoidy, 1830, 204
lestagei Goetghebuer, 1922, *Tanytarsus*, 54
Lestodiplosis Kieffer, 1894, 63
Lestremia Macquart, 1826, 61
LESTREMIINAE, 61
leucacanthei (Schrank, 1803), *Urophora*, 123
leucanthemi (Kieffer, 1889), *Ozirhincus*, 63
leucanthei: error, *Urophora*, 123
leucocephala (Meigen, 1824), *Argyra*, 99
leucocephala (Rossi, 1790), *Metopia*, 195
leucocephala (Schummel, 1829), *Dicranomyia*, 28
leucocephalus (von Roser, 1840), *Platypalpus*, 95
leucogaster (Zetterstedt, 1850), *Bezzia*, 43
leucomaculata Vimmer, 1931, *Agromyzta*, 152
leucopeza (Meigen, 1830), *Aulacigaster*, 143
leucopeza (Meigen, 1804), *Monohelea*, 44
leucopeza (Meigen, 1838), *Pteromicra*, 130
leucophaea (Meigen, 1824), *Cyzenis*, 200
leucophaea (Meigen, 1818), *Lestremia*, 61
leucophaea (Meigen, 1818), *Neolimnomyia*, 24
leucophaea de Meijere, 1921, *Neolimnomyia*, 24
Leucophora Robineau-Desvoidy, 1830, 185
Leucopis Meigen, 1830, 138
Leucopis Meigen, 1830, subg., 138
leucopogon (Meigen, 1804), *Smittia*, 50
leucoptera (Czerny, 1909), *Melanagromyza*, 151
leucopterus (Meigen, 1804), *Bibio*, 58
leucopus (Meigen, 1830), *Polypedilum*, 53
Leucostola Loew, 1857, 99
Leucostoma Meigen, 1803, 207
leucostoma (Wiedemann, 1817), *Hydrotaea*, 188
leucostoma (Meigen, 1830), *Psilopa*, 166
leucostoma (Meigen, 1830), *Scatella*, 167
leucothrix (Strobl, 1910), *Platypalpus*, 95
Leucozona Schiner, 1860, 111
leucozona (Panzer, 1809), *Thelaira*, 207
leucurus Loew, 1859, *Systemus*, 98
levida (Harris, 1780), *Muscina*, 187
levis (Macquart, 1849), *Eumea*, 200
lhoneuxi (Goetghebuer, 1921), *Parachironomus*, 52
Liancalus Loew, 1857, 102
Lianculus lapsus, 102
libatrix (Panzer, 1798), *Zenillia*, 203
liebeli (Kieffer, 1889), *Monodiplosis*, 63
Ligeria Robineau-Desvoidy, 1863, 201
liliputana (Rondani, 1880), *Opalimosina*, 177
limbata von Roser, 1840, *Drosophila*, 171
limbata Loew, 1873, *Erioptera*, 26
limbata (Meigen, 1830), *Lasiosina*, 162
limbata (Winnertz, 1863), *Mycomya*, 67
limbata (Meigen, 1830), *Pherbellia*, 130
limbata Zetterstedt, 1838, *Tipula*, 22
limbatella (Zetterstedt, 1848), *Metopomyza*, 152
limbatellus (Holmgren, 1869), *Psectrocladius*, 50
limbinervis (Rondani, 1880), *Crumomyia*, 176
limitata Schummel, 1833, *Tipula*, 21
limnanthemi Kieffer, 1910, *Cricotopus*, 49
Limnellia Malloch, 1925, 167
Limnia Robineau-Desvoidy, 1830, 131
Limnoagromyza Malloch, 1921, 151
Limnobia Meigen, 1818, 28
Limnochironomus Kieffer, 1920, 51
Limnoea Rondani, 1856, 26
Limnoica Rondani, 1861, 26
Limnomya Rondani, 1861, 24
Limnomyza Rondani, 1856, 28
Limnophila Macquart, 1834, 24
limnophilaeformis (Nowicki, 1887), *Molophilus*, 26
limnophiloides Bergroth, 1913, *Crypteria*, 25
Limnophora Robineau-Desvoidy, 1830, 190
Limnophora Robineau-Desvoidy, 1830, 190
Limnophyes Eaton, 1875, 49
Limonia Meigen, 1803, 28
LIMONIIDAE, 23
LIMONIINAE, 27
limosa (Fallén, 1820), *Leptocera*, 176
Limosina Macquart, 1835, 176
limosina Becker, 1896, *Atissa*, 165
LIMOSININAE, 176
linariae Kaltenbach, 1862, *Chromatomyia*, 153
linariae (Winnertz, 1853), *Diodaulus*, 62
linariae Robineau-Desvoidy, 1830, *Ensina*, 125
linariae Robineau-Desvoidy, 1830, *Sphenella*, 126
lindneri (Mannheims, 1951), *Nephrotoma*, 20 subsp.
linearicornis (Zetterstedt, 1844), *Eumea*, 200
linearis (Fabricius, 1787), *Dioctria*, 86
linearis Meigen, 1824, *Dolichopus*, 100
lineariventris (Zetterstedt, 1845), *Delia*, 184
lineata (Fabricius, 1787), *Anasimyia*, 116
lineata (Fallén, 1817), *Blaesoxiphia*, 196
lineata Macquart, 1824, *Dixa*, 35
lineata (Fallén, 1820), *Knutsonia*, 131
lineata (Scopoli, 1763), *Nephrotoma*, 20
lineata (Macquart, 1835), *Noeeta*, 125
lineata (Meigen, 1804), *Ormosia*, 27
lineata (Meigen, 1804), *Palpomyia*, 44
lineata Staeger, 1840, *Tipula*, 21
lineatipes (Zetterstedt, 1845), *Coenosia*, 191

lineatocornis Zetterstedt, 1843, *Dolichopus*, 100
lineatopunctata von Roser, 1840, *Opomyza*, 148
lineatum (Meigen, 1804), *Simulium*, 40
lineatus (Fabricius, 1775), *Cerotelion*, 66
lineatus (Fabricius, 1781), *Chlorops*, 161
lineella (Fallén, 1820), *Tricimba*, 160
lineola (Meigen, 1804), *Euphylidorea*, 24
lineola (Meigen, 1818), *Neoempheria*, 67
lineola (Zetterstedt, 1843), *Parasyrphus*, 112
lineola Fabricius, 1794, *Rhagio*, 77
lineola Meigen, 1818, *Tipula*, 21
lineola (Schiner, 1864), *Tricimba*, 160
lineolella (Verrall, 1887), *Phylidorea*, 25
lineolus Zetterstedt, 1848, *Chlorops*, 161
lineolus (Brull, 1833), *Chlorops*, 161
Linnaemyia Robineau-Desvoidy, 1830, 204
Linnaemyia Robineau-Desvoidy, 1830, subg., 204
linogrisea (Meigen, 1826), *Hydromyria*, 185
Liodesma Duda, 1935, 155
Liodesmometopa Duda, 1935, 155
Liomyrina Enderlein, 1936, 151
Liomyzina Enderlein, 1936, 151
Liopiophila Duda, 1924, 142
Lioptera: error or emend., 180
Liosarcophaga Enderlein, 1928, subg., 197
Lipara Meigen, 1830, 159
Lipolepha: error or emend., 180
Liponeura Loew, 1844, 31
Lipoptema: error or emend., 180
Lipoptena Nitzsch, 1818, 180
Lipoptenella Bequaert, 1942 subg., 180
LIOPOTENINAE, 180
Lipoptenus: error or emend., 180
lipoptera: error or emend., 180
lipopterna: error or emend., 180
Lipotena: error or emend., 180
Lipotepna: error or emend., 180
Lipotina: error or emend., 180
Lipsothrix Loew, 1873, 26
Liptotaena: error or emend., 180
Liptotaenia: error or emend., 180
Liptotena: error or emend., 180
Liptotena: error or emend., 180
Liriomyza Mik, 1894, 152
Liriope Meigen, 1800, 32
LIRIOPEIDAE, 16
Lisella Robineau-Desvoidy, 1830, 147
Lispe Latreille, 1796, 190
Lispocephala Pokorny, 1893, 191
Lissa Meigen, 1826, 122
Lissempis Bezzi, 1909, subg., 91
Listropoda Kolenati, 1857, 181
Listropodia: error, 181
Lithotanytarsus Thienemann, 1933, 53
Litophasia Girschner, 1887, 207
litoralis Zetterstedt, 1845, *Dexiopsis*, 191
litorea (Fallén, 1816), *Hilara*, 91
litorea Fallén, 1825, *Lispe*, 190

litorea (Edwards, 1925), *Parascatopse*, 59
litorea (Fallén, 1819), *Scathophaga*, 183
litorea (Fallén, 1823), *Spilogona*, 190
litorella (Fallén, 1823), *Schoenomyza*, 191
litoreus Fallén, 1823, *Hydrophorus*, 102
littoralis Goetghebuer, 1934, *Dasyhelea*, 42
littoralis (Meigen, 1830), *Parydra*, 167
littoralis (Meigen, 1804), *Pedicia*, 23
littoralis Robineau-Desvoidy, 1830, *Potamia*, 188
littoralis (Becker, 1897), *Tomosvaryella*, 109
littorellus (Goetghebuer, 1931), *Parachironomus*, 52
littorellus Goetghebuer, 1927 *Camptocladius*, 55
litura (Meigen, 1826), *Peplomyza*, 137
liturata (Wiedemann, 1826), *Norellia*, 182
liturata (Robineau-Desvoidy, 1830), *Rhagoletis*, 124
liturata (Robineau-Desvoidy, 1830), *Anthomyia*, 184
livens (Fabricius, 1794), *Hydromyza*, 183
livida Linnaeus, 1758, *Empis*, 90
livida van der Wulp, 1858, *Tipula*, 21
lividus (Meigen, 1830), *Microtendipes*, 52
lobata (Tonnoir, 1940), *Chodopsycha*, 33
lobata Edwards 1924, *Corynoneura*, 48
lobatifrons Kieffer, 1913, *Tanytarsus*, 54
lobifera Bangerter, 1947, *Gonomyia*, 26
lobiger (Kieffer, 1921), *Dicrotendipes*, 51
lobipes (Meigen, 1824), *Sciapus*, 97
loewi Zetterstedt, 1843, *Sphaerophoria*, 112
Loewia Egger, 1856, 204
loewiana Hendel, 1927, *Paroxyna*, 126
loewianus (Villeneuve, 1920), *Atylotus*, 81
loewii (Rübsaamen, 1892), *Harmandia*, 63
Loewiola Kieffer, 1896, 63
Logima Eaton, 1904, 33
Lomatia Meigen, 1822, 83
LONCHAEIDAE, 139
LONCHAEINAE, 139
Lonchoptera Meigen, 1803, 103
lonchoptera von Olfers, 1816, *Crataerina*, 180
LONCHOPTERIDAE, 103
lonchopterooides Curtis, 1832, *Opetia*, 104
longchampsi Lehrer, 1977, *Parasarcophaga*, 197
longibrachiata Landrock, 1917, *Macrocerca*, 66
longicalcar (Kieffer, 1909), *Apsectrotanypus*, 46
longicauda (Goetghebuer, 1921), *Demicyptochironomus*, 51
longicauda (Zetterstedt, 1860), *Pseudocoenosia*, 190
longicauda Tonnoir, 1919, *Ptychoptera*, 32
longicollis Rondani, 1840, *Ozirhincus*, 63
longicorne (Fallén, 1823), *Rhaphium*, 99
longicornis (Brauer & Bergenstamm, 1889), *Campylochaeta*, 206
longicornis Meigen, 1820, *Dioctria*, 86
longicornis Stannius, 1831, *Dolichopus*, 100
longicornis Wiedemann lapsus, *Dolichopus*, 100
longicornis (Fallén, 1810), *Istochaeta*, 201
longicornis (Tonnoir, 1919), *Parajungiella*, 34
longicornis (Fallén, 1820), *Parectecephala*, 161
longicornis (Schummel, 1829), *Phylidorea*, 25

- longicornis* (Meigen, 1822), *Platypalpus*, 95
longicornis (Scopoli, 1763), *Stratiomys*, 76
longicornis Schummel, 1833, *Tipula*, 21
longicornis Curtis, 1834, *Tipula*, 21
longicornis Zetterstedt, 1838, *Tipula*, 22
longicornis (Meigen, 1822), *Trichopeza*, 92
longicostalis Schmitz, 1933, *Gymnoptera*, 107
longicostalis (Wood, 1912), *Megaselia*, 106
longidens Strobl, 1909, *Tipula*, 21
longifilus Loew, 1857, *Nematoprotus*, 99
longiforceps (Kieffer, 1921), *Parachironomus*, 52
longifrons Coe, 1966, *Eudorylas*, 109
longifurca Kieffer, 1921, *Brillia*, 48
longimana (Kieffer, 1922), *Potthastia*, 48
longimana Fallén, 1820, *Tanypeza*, 120
longimana (Staeger, 1839), *Trissopelopia*, 47
longimanus (Corti, 1907), *Platypalpus*, 95
longipalpis (Goetghebuer, 1921), *Labrundinia*, 47
longipalpis (Schmitz, 1924), *Phyllomyza*, 155
longipennis (Fabricius, 1794), *Minettia*, 136
longipennis (Goetghebuer, 1921), *Trissopelopia*, 47
longipes Winnertz, 1863, *Acnemia*, 66
longipes (Staeger, 1839), *Einfeldia*, 51
longipes (Meigen, 1804), *Rhamphomyia*, 91
longipes (Meigen, 1824), *Solieria*, 205
longipes (Zetterstedt, 1845), *Thricops*, 187
longirostris (Meigen, 1824), *Aphria*, 203
longirostris (Meigen, 1818), *Helius*, 28
longirostris (Loew, 1858), *Oscinimorpha*, 160
longirostris (Robineau-Desvoidy, 1830), *Thecophora*, 118
longiseta (Meigen, 1830), *Eccoptomera*, 172
longiseta (Wood, 1909), *Megaselia*, 106
longiseta (Loew, 1847), *Minettia*, 136
longiseta (Zetterstedt, 1842), *Platypalpus*, 95
longiseta (Kieffer, 1913), *Polypedilum*, 52
longistylus Goetghebuer, 1921, *Chironomus*, 51
longitarsis Bergroth, 1891, *Dicranota*, 23
longitarsis Stannius, 1831, *Dolichopus*, 100
longitarsus Goetghebuer, 1921, *Metriocnemus*, 49
longiventris (Loew, 1857), *Hercostomus*, 101
longiventris (Zetterstedt, 1851), *Trichosia*, 71
longula (Zetterstedt, 1838), *Cheilosia*, 114
longula (Fallén, 1824), *Subhylemyia*, 185
longulus Meigen, 1838, *Chlorops*, 161
longulus (Fallén, 1823), *Sciapus*, 97
loniceræ Robinneau-Desvoidy, 1851, *Phytomyza*, 153
loniceræ Brischke, 1881, *Phytomyza*, 153
lonicerarum (Frey, 1946), *Paraphytomyza*, 153
Lophosceles Ringdahl, 1922, 189
Lophosia Meigen, 1824, 207
Lophosia Meigen, 1824, subg., 207
Lordiphosa Basden, 1961, subg., 171
loripes (Haliday, 1832), *Campsicnemus*, 99
lota (Meigen, 1824), *Drino*, 200
loti (De Geer, 1776), *Contarinia*, 62
Lotobia Lioy, 1864, 175
Lotophila Lioy, 1864, 175
Loxocera Meigen, 1803, 121
loxocerina (Fallén, 1820), *Megamerina*, 122
lucens (Zetterstedt, 1850), *Acricotopus*, 48
lucens Meigen, 1830, *Lipara*, 159
lucida de Meijere, 1918, *Dicranomyia*, 28
lucida (Fallén, 1826), *Myoleja*, 124
lucida (Hendel, 1902), *Sciomyza*, 130
lucida (Meigen, 1838), *Thaumatomyia*, 162
lucida (Staeger, 1844), *Themira*, 135
lucida (Meigen, 1822), *Trichopsomyia*, 113
lucidipennis (Edwards, 1921), *Dicranota*, 23
lucidiventris Becker, 1895, *Lonchaea*, 139
lucidipennis (Curtis, 1836), *Hexatoma*, 24
Lucidomphrale Kröber, 1937, 85
lucidula de Meijere, 1920, *Gonomyia*, 26
lucidula Zetterstedt, 1842, *Rhamphomyia*, 92
lucidus (Staeger, 1839), *Acricotopus*, 48
lucidus (Meigen, 1824), *Hyalurgus*, 204
lucifrons (Schmitz, 1918), *Megaselia*, 105
lucifugus (Walker, 1856), *Threticus*, 34
Lucilia Robineau-Desvoidy, 1830, 193
Lucilia Robineau-Desvoidy, 1830, subg., 193
lucorum (Meigen, 1818), *Atrichopogon*, 41
lucorum (Goetghebuer, 1937), *Bryophaenocladius*, 48
lucorum (Meigen, 1824), *Carcelia*, 200
lucorum (Fallén, 1823), *Helina*, 189
lucorum (Linnaeus, 1758), *Leucozona*, 111
lucorum Winnertz, 1863, *Mycomya*, 67
lucorum (Meigen, 1818), *Pseudolimnophila*, 25
lucorum; auct., *Atrichopogon*, 41
luctuosa (Meigen, 1830), *Cerodontha*, 153
luctuosa Meigen, 1838, *Cheilosia*, 114
luctuosa (Meigen, 1838), *Diplonevra*, 107
luctuosa (Meigen, 1824), *Medina*, 201
luctuosa Meigen, 1830, *Mycetophila*, 69
luctuosa Macquart, 1827, *Pipiza*, 113
luctuosum Meigen, 1830, *Orygma*, 135
Ludicia Hutson et Vane-Wright, 1969, *Dicranota*, 23
lugens (Wiedemann, 1817), *Allodia*, 68
lugens sensu Jacobs, 1905, *Sciapus*, 97
lugubrina (Zetterstedt, 1838), *Fannia*, 192
lugubris (Haliday, 1836), *Coproica*, 176
lugubris (Zetterstedt, 1838), *Gnophomyia*, 26
lugubris (Meigen, 1826), *Herina*, 129
lugubris (Zetterstedt, 1819), *Hilara*, 91
lugubris Fries, 1830, *Hydrobaenus*, 49
lugubris (Meigen, 1826), *Phaonia*, 189
lugubris Winnertz, 1867, *Sciara*, 71
lugubris (Fabricius, 1775), *Pipiza*, 113
lugubris (Meigen, 1830), *Triphleba*, 107
lugubris (Wood, 1906), *Triphleba*, 107
lugubris Kieffer, 1921 *Microtendipes*, 55
lumbatus Loew, 1857, *Campsicnemus*, 99
luna Westhoff, 1879, *Tipula*, 21
lunata Meigen, 1804, *Mycetophila*, 69
lunata (Fabricius, 1805), *Stomorrhina*, 194
lunata Linnaeus, 1758, *Tipula*, 21
Lunatipula Edwards, 1931, subg., 21

lunatus (Haliday, 1851), Stilpon, 95
lundbecki Frey, 1913, Hilara, 91
lundbecki Lyneborg, 1959, *Hybomitra*, 80
lundstroemi Strand, 1914, *Tipula*, 22
lundstroemi (Bergroth, 1922), *Dicranoptycha*, 25
lundstromi (Enderlein, 1921), *Simulium*, 40
lunifer Becker, 1910, *Chlorops*, 161
luniger (Meigen, 1822), *Metasyrphus*, 111
lunulata (Meigen, 1822), *Anasimyia*, 116
lunulatus (Meigen, 1822), *Dasyphorus*, 111
lunulatus Meigen, 1822, *Eumerus*, 115
lunulicornis (Schummel, 1833), *Nephrotoma*, 20
lupulina (Fabricius, 1787), *Minettia*, 137
lurida Meigen, 1830, *Eurina*, 160
lurida (Fallén, 1816), Hilara, 91
lurida (Fallén, 1817), *Hybomitra*, 80
lurida (Loew, 1844), *Sitarea*, 125
lurida rossica (Hendel, 1927), *Sitarea*, 125
lurida (Fabricius, 1781), *Tachina*, 205
lurida: error, Myoleja, 124
luridiventris Zetterstedt, 1838, *Tipula*, 22
luridus (Meigen, 1820), *Chrysopilus*, 77
lusitanicus Mik, 1906, *Chamaesyrphus*, 114
lustrator (Harris, 1780), *Fannia*, 192
lutaria (Fabricius, 1794), *Scathophaga*, 183
lutea (Fallén, 1820), *Chyromya*, 147
lutea (Meigen, 1804), *Dicranomyia*, 28
lutea (Meigen, 1818), *Dicranomyia*, 28
lutea Lackschewitz, 1928, *Dicranomyia*, 28
lutea Meigen, 1804, *Empis*, 91
lutea Meigen, 1804, *Erioptera*, 26
lutea (Meigen, 1830), *Liriomyza*, 152
lutea Panzer, 1809, *Lonchoptera*, 103
lutea Meigen, 1804, *Macrocerca*, 66
lutea (Meigen, 1830), *Megaselia*, 106
lutea Macquart, 1826, *Sciophila*, 67
luteata (Haliday, 1833), *Alliophilida*, 142
luteicornis (Meigen, 1838), *Platypalpus*, 95
luteicornis Parent, 1927, *Syntormon*, 100
luteifemorata Edwards, 1926, *Palpomyia*, 44
luteilabris (Rondani, 1880), *Spelobia*, 177
luteipennis Goetghebuer, 1920, *Dicranomyia*, 28
luteipennis Meigen, 1830, *Tipula*, 21
luteipes Zusková, 1966, *Platypalpus*, 95
luteitarsis (Meigen, 1838), *Neurohelea*, 44
luteitarsis Zetterstedt, 1843, *Pipiza*, 113
luteola (Scopoli, 1763), *Chyromya*, 147
luteola (Gmelin, 1788), *Myolepta*, 114
luteola (Wiedemann, 1830), *Orellia*, 125
luteola Robineau-Desvoidy, 1830, *Terellia*, 125
luteoloides Grootaert, 1983, *Platypalpus*, 95
luteolus (Fallén, 1814), *Chrysopilus*, 77
luteolus (Collin, 1926), *Platypalpus*, 95
luteolus Goetghebuer, 1921 *Psectrocladius*, 55
luteoscutellata (de Meijere, 1924), *Paraphytomyza*, 153
lutescens Lundström, 1907, *Chionea*, 25
lutescens (Rondani, 1874), *Clusia*, 146

lutescens Rondani, 1856, *Clusia*, 146
lutescens Lackschewits, 1928, *Dicranomyia*, 28
lutescens (Macquart, 1850), *Eumea*, 200
lutescens (Wood, 1910), *Megaselia*, 106
lutescens Fabricius, 1805, *Tipula*, 21
luteus (Meigen, 1804), *Platypalpus*, 95
lutosa (Stenhammar, 1854), *Leptocera*, 176
lutosa (Haliday, 1833), *Scatella*, 167
lutosoidea (Duda, 1938), *Leptocera*, 176
lychnidis (von Heyden, 1861), *Neomikiella*, 63
Lyciella Collin, 1948, 136
lycnidis: error, Myoleja, 124
Lycoria Meigen, 1800, 71
Lycoriella Frey, 1942, 70
Lycoriella Frey, 1942, subg., 71
Lydella Robineau-Desvoidy, 1830, 201
Lydina Robineau-Desvoidy, 1830, 204
lynchnidis (Fabricius, 1787), Myoleja, 124
lynchnidis Meigen, 1826, *Platyparea*, 124
LYCORIDAE, 16
Lyperosia Rondani, 1856, 188
Lypha Robineau-Desvoidy, 1830, 205
Lypoptena: error or emend., 180
lyrica Gagné, 1981, *Trichonta*, 69

m-atrium (Meigen, 1830), *Desmometopa*, 155
macedonicus Szilády, 1934, *Rhagio*, 77 subsp.
macellaria Egger, 1862, *Ephydra*, 167
Machaeraea Rondani, 1859, 200
Machaerium Haliday, 1832, 102
Machairia: error, 200
Machimus Loew, 1849, 87
macquarti (Goureau, 1851), *Amauromyzida*, 151
macquarti (Staeger, 1843), *Azelia*, 187
macquarti Loew, 1843, *Chrysogaster*, 114
Macquartia Robineau-Desvoidy, 1830, 205
macra (Meigen, 1826), *Pegomya*, 186
macrocephala Harris, 1776, *Conops*, 117
Macrocerca Meigen, 1803, 66
macrocerata Zetterstedt, 1851, *Tipula*, 22
macrocerum sensu Parent, 1938, *Rhaphium*, 99
macrocerus (Goetghebuer, 1937), *Mesosmittia*, 49
Macrochaetum, emend., 158
Macrochetum Rondani, 1856, 158
Macrochira Zetterstedt, 1938, 146
Macrodiplosis Kieffer, 1895, 63
Macrodolichopus Stackelberg, 1933, subg., 101
Macrolabis Kieffer, 1892, 63
Macronevra Macquart, 1834, 65
Macronichia: error, 195
Macronychia Rondani, 1859, 195
MACRONYCHIINAE, 195
macronymyx Goetghebuer, 1933, *Serromyia*, 45
Macropelopia Thienemann, 1916, 46
MACROPELOPIINI, 46
Macropeza Meigen, 1818, 44
macrophthalma Loew, 1871, *Erioptera*, 26

- Macroprosopa* Brauer & Bergenstamm, 1889, 205
Macroptera Lioy, 1863, 24
macroptera Winnertz, 1852, *Ditomyia*, 65
macroptera (Macquart, 1826), *Ula*, 24
Macroptilum Becker, 1903, 44
Macrorchis Rondani, 1877, 191
Macrorrhyncha Winnertz, 1846, 66
macrosandalum Kieffer, 1925, *Tanytarsus*, 54
Macrosoma Robineau-Desvoidy, 1830, 188
macrostigma (Schummel, 1829), *Limonia*, 28
Macrothorax Lioy, 1864, 158
macrura (Rondani, 1874), *Chyromya*, 147
macrura Goetghebuer, 1932, *Smittia*, 50
Macrurus Lioy, 1864, 155
macularis (Zetterstedt, 1838), *Parasyrphus*, 112
maculata (Fallén, 1817), *Cheilosia*, 114
maculata (Linnaeus, 1758), *Dictenidia*, 20
maculata Meigen, 1818, *Dixa*, 35
maculata (Walker, 1834), *Dorylomorpha*, 108
maculata (Meigen, 1804), *Eloeophila*, 24
maculata Fabricius, 1781, *Empis*, 90
maculata (Scopoli, 1763), *Graphomya*, 190
maculata Macquart, 1834, *Idioptera*, 24
maculata (Meigen, 1804), *Ilisia*, 26
maculata Meigen, 1818, *Macrocerca*, 66
maculata (Meigen, 1804), *Nephrotoma*, 20
maculata Stenhammar, 1844, *Notiphila*, 166
maculata (Meigen, 1830), *Odinia*, 150
maculata (Robineau-Desvoidy, 1830), *Paroxyna*, 126
maculata Meigen, 1818, *Rhipidia*, 29
maculata (Meigen, 1830), *Spiniphora*, 107
maculatum (Meigen, 1804), *Simulium*, 40
maculatus (Meigen, 1804), *Aedes*, 37
maculatus (De Geer, 1776), *Rhagio*, 77
maculicornis (Zetterstedt, 1843), *Episyrrhus*, 112
maculicornis Zetterstedt, 1842, *Tabanus*, 81
maculicosta (Coquillett, 1905), *Limonia*, 29
maculifacies (Macquart, 1850), *Oswaldia*, 202
maculifrons (Becker, 1903), *Tricimba*, 160
maculimana (Zetterstedt, 1842), *Platypalpus*, 95
maculipennis Meigen, 1818, *Anopheles*, 37
maculipennis (Meigen, 1818), *Limonia*, 29
maculipennis Macquart, 1826, *Macrocerca*, 66
maculipennis (Robineau-Desvoidy, 1830), *Philygria*, 166
maculipennis (Meigen, 1822), *Pipizella*, 113
maculipennis Zetterstedt, 1842, *Rhamphomyia*, 91
maculipennis (Meigen, 1818), *Stictochironomus*, 53
maculipennis (Zetterstedt, 1838), *Thienemannimyia*, 47
maculipennis Meigen, 1818, *Trichocera*, 18
maculipes (Meigen, 1830), *Clinohelea*, 43
maculipes Brullé, 1832, *Phytomyza*, 153
maculipes Zetterstedt, 1848, *Phytomyza*, 153
maculipes (Meigen, 1822), *Platypalpus*, 95
maculipes (Zetterstedt, 1846), *Scathophaga*, 183
maculipes Goetghebuer, 1933 *Polypedilum*, 55
maculosa (Meigen, 1818), *Allodiopsis*, 68
maculosa (Strobl, 1900), *Dicranomyia*, 28
maculosa Kertész, 1902, *Dixa*, 35
maculosa (Meigen, 1826), *Limnophora*, 190
maculosa (Meigen, 1824), *Nemorilla*, 202
maculosa (Meigen, 1818), *Nephrotoma*, 20
maculosum (Meigen, 1822), *Melanostoma*, 112
Madiza Fallén, 1810, 155
Madiza; authors, 159
madizans (Fallén, 1813), *Trimerina*, 166
magius (Loew, 1845), *Campsicnemus*, 99
magnicauda Strobl, 1895, *Tipula*, 21
magnicornis sensu Parent, 1938, *Hydrophorus*, 102
magnicornis (Zetterstedt, 1845), *Phaonia*, 189
magnicornis (Zetterstedt, 1844), *Tachina*, 205
major Linnaeus, 1758, *Bomylius*, 83
major (Kieffer, 1898), *Iteomyia*, 63
major (Wood, 1912), *Megaselia*, 105
major (Zetterstedt, 1842), *Platypalpus*, 95
major Brauer & Bergenstamm, 1889, *Pseudoperichaeta*, 203
major Goetghebuer, 1921 *Chironomus*, 55
major; auct., *Blepharipa*, 199
majoranae Rondani, 1857, *Paragus*, 113
majuscula (Rondani, 1859), *Meigenia*, 201
malanotrichota: error, *Tephritis*, 126
malinellus (Collin, 1952), *Parasyrphus*, 112
mallochi (Sturtevant, 1923), *Pelomyiella*, 169
Mallochohelea Wirth, 1962, 44
Mallophaga: error or emend., 180
Mallophagus: error or emend., 180
Mallota Meigen, 1822, 116
malmundariensis Tollet, 1953, *Antlemon*, 65
Malophagus: error or emend., 180
mamillata (Pandellé, 1896), *Agria*, 196
manchuriensis Tokunaga, 1941, *Culicoides*, 43
mancus (Walker, 1856), *Cladotanytarsus*, 53
mancus (Walker, 1856), *Cladotanytarsus*, 53 partim
mancus, sensu Gtgh., *Cladotanytarsus*, 53 partim
manicata (Tonnoir, 1920), *Berdeniella*, 33
manicata (Meigen, 1826), *Fannia*, 192
manicata Meigen, 1822, *Hilara*, 91
manicata (Wood, 1910), *Megaselia*, 105
manicatus (Meigen, 1822), *Platycheirus*, 113
manifestus (Walker, 1848), *Ellipterooides*, 25
mantis (De Geer, 1776), *Ochthera*, 166
marchalii (Pierre, 1889), *Rhagio*, 77
marci (Linnaeus, 1758), *Bibio*, 58
marcidus (Walker, 1856), *Heterotrissocladius*, 49
marginata (Linnaeus, 1758), *Choerades*, 86
marginata (Fabricius, 1775), *Coremacera*, 131
marginata (Meigen, 1824), *Dalmannia*, 118
marginata (Dziedzicki, 1885), *Dziedzickia*, 68
marginata (von Roser, 1840), *Haplodiplosis*, 63
marginata (Fabricius, 1781), *Ibisia*, 79
marginata (Meigen, 1824), *Klugia*, 206
marginata Winnertz, 1863, *Mycetophila*, 69
marginata (Meigen, 1818), *Mycomya*, 67
marginata Meigen, 1804, *Platyura*, 66

- marginata* (Loew, 1858), Polyodaspis, 158
marginata (Fabricius, 1787), Rhamphomyia, 92
marginata (Meigen, 1820), Solva, 74
marginata (Fallén, 1814), Sphenella, 126
marginata Meigen, 1818, Tipula, 22
marginatus Loew, 1857, Campsicnemus, 99
marginella (Macquart, 1854), Exorista, 201
marginella Theowald, 1980, Tipula, 22
marginemtorquens (Bremi, 1847), Dasineura, 62
marina Walker, 1849, Coelopa, 133
marina (Pierre, 1924), Symplecta, 27
marinus Haliday, 1855, Clunio, 48
marinus Kieffer, 1924 Psectrocladius, 55
maritima (Zetterstedt, 1846), Chamaemyia, 138
maritima (Haliday, 1838), Fucellia, 185
maritima (Villeneuve, 1921), Neoleria, 172
maritima (Röder, 1887), Neolimnophora, 190
maritimae Haliday, 1832, Machaerium, 102
maritimum Meade, 1885, Ceratinostoma, 183
maritimus Kieffer, 1924, Culicoides, 43
maritimus Kieffer, 1921, Endochironomus, 51
maritimus Becker, 1918, Sciapus, 97
marmorata (Meigen, 1818), Eloephila, 24
marmorata (Zetterstedt, 1860), Phaonia, 189
marmorata (Fabricius, 1805), Thelymorpha, 203
marmorata Meigen, 1818, Tipula, 22
marmorata (van der Wulp, 1858), Zavreliella, 53
marsupialis (F. Loew, 1889), Putoniella, 63
martinii Peus, 1934, Dixa, 35
martinii Thienemann, 1921, Metriocnemus, 49
Masicera Macquart, 1834, 201
Massalongia Kieffer, 1896, 63
matricariae (Loew, 1844), Tephritis, 126
matrona Haliday, 1833, Hilara, 91
matsutakei Sasaki, 1935, Megaselia, 106
maura Meigen, 1838, 167
maura (Fabricius, 1776), Hilara, 91
maura (Meigen, 1838), Ophiomyia, 152
maura (Fallén, 1820), Oscinella, 159
mauricii (Kruseman, 1933), Parachironomus, 52
maurus (Linnaeus, 1758), Hemipenthes, 83
maxi Goetgebuer, 1923 Tanypus, 55
maxima (Agrell, 1945), Euphylidorea, 24
maxima Poda, 1761, Tipula, 21
mayeri Liebel, 1889, Asphondylia, 61
Mayetiola Kieffer, 1896, 63
maynei Tonnoir, 1920, Panimerus, 33
means (Meigen, 1822), Cheilosia, 114
means Meigen, 1826, Coenosia, 191
meconicera (Speiser, 1925), Megaselia, 105
Medetera Fischer von Waldheim, 1819, 97
MEDETERINAE, 97
Medeterus Meigen, 1824, 97
media Kieffer, 1925, Bezzia, 43
Medina Robineau-Desvoidy, 1830, 201
Mediotipula Pierre, 1924, subg., 21
meditabunda (Fabricius, 1781), Myospila, 190
meditata (Fallén, 1825), Macrorchis, 191
mediterranea Becker, 1910, Eutropha, 162
medius Linnaeus, 1758, Bomylius, 83
medius de Meijere, 1918, Molophilus, 26
medius Reiss & Fittkau, 1971, Tanytarsus, 54
Medoria; auctt., 201
medorina (Schiner, 1862), Medina, 201
Megachetum Rondani, 1856, 121
Megacyttarus Bigot, 1880, subg., 91
Megaglossa Rondani, 1869, 127
Megalopelma Enderlein, 1911, 67
Megamerina Rondani, 1861, 122
MEGAMERINIDAE, 122
Megaphthalma Becker, 1894, 182
Megarrhagoletis Rohdendorf, 1961, 124
Megaselia Rondani, 1856, 105
Megaselia s.s., subg., 106
megaspis (Loew, 1858), Elachiptera, 158
Megasyrphus Dusek & Laska, 1967, 112
Megistopoda Kolenati, 1857, 181
Mehria Enderlein, 1928, subg., 197
meigeni Schiner, 1857, Brachypalpus, 115
meigeni Mannheims, 1966, Tipula, 21
meigeni (Schiner, 1862), Wohlfahrtia, 196
Meigenia Robineau-Desvoidy, 1830, 201
meigeniana Stackelberg, 1970, Xylota, 115
meigenii (Fallén, 1823), Cerodontha, 152
meigenii Loew, 1866, Chlorops, 161
meigenii (Verrall, 1887), Euphylidorea, 24
meigenii Staeger, 1844, Oxycera, 76
meijerei (Duda, 1933), Aphanotrigonum, 160
Meiosimyza Hendel, 1925, 136
melaena Haliday, 1833, Bicellaria, 96
melaleucus (Meigen, 1818), Chaetocladius, 48
melampodia (Loew, 1873), Arctoconopa, 25
melampodium Loew, 1857, Chrysotus, 98
melampyga (Loew, 1869), Phytoliriomyza, 152
Melanagromyza Hendel, 1920, 151
melancholica Lundbeck, 1912, Medetera, 98
melancholica (Meigen, 1822), Trichopsomyia, 113
melancholicus (Loew, 1869), Melanostolus, 98
Melangyna Verrall, 1901, 112
Melania Meigen, 1838, 206
melania (Meigen, 1826), Stevenia, 198
melania (Haliday, 1836), Trachyopella, 176
melanocephala Haliday, 1833, Chelifera, 92
melanocephala Meigen, 1804, Conops, 117
melanocephala (von Roser, 1840), Megaselia, 106
melanocephala (Fabricius, 1794), Phyllodromia, 92
melanocephala (Meigen, 1824), Phyto, 198
melanoceros Schummel, 1833, Tipula, 21
Melanochaeta Bezzi, 1906, 158
melanogaster Meigen, 1830, Drosophila, 171
melanogaster (Muschamp, 1947), Nigrotipula, 20
Melanolimonia Alexander, 1965, subg., 28
Melanomyia Rondani, 1856, 198
Melanophora Meigen, 1803, 198
Melanophytobia Hering, 1960, 151
melanops (Meigen, 1818), Conchapelopia, 47

- melanoptera* (Fallén, 1810), *Anthracomyia*, 198
melanoptera (Lackschewitz, 1940), *Eloeophila*, 24
melanopus Meigen, 1824, *Dolichopus*, 101
melanorhabda Hendel, 1931, *Liriomyza*, 152
Melanosoma Robineau-Desvoidy, 1853, 117
Melanostolus Kowarz, 1884, 98
melanostolus (Becker, 1897), *Eudorylas*, 109
Melanostoma Schiner, 1860, 112
melanostoma (Zetterstedt, 1843), *Epistrophe*, 111
melanostomoides (Strobl, 1880), *Epistrophe*, 111
Melanota Rondani, 1857, 206
melanotrichota Hendel, 1903, *Tephritis*, 126
Melanum Becker, 1910, 161
melanura (Meigen, 1826), *Helicophagella*, 196
melanura (Staeger, 1840), *Trichonta*, 69
melanura (Meigen, 1804), *Zavrelimyia*, 47
Melaphagus: error or emend., 180
Melieria Robineau-Desvoidy, 1830, 129
Meligramma Frey, 1946, 112
melina (Robineau-Desvoidy, 1841), *Scoliocentra*, 172
Melinda Robineau-Desvoidy, 1830, 193
Meliscaeva Frey, 1946, 112
Melithreptus Loew, 1840, 112
Melittomyia Bigot, 1885, 178
mellense Goetghebuer, 1942 *Pentapedilum*, 55
mellinum (Linnaeus, 1758), *Melanostoma*, 112
mellinus Becker, 1921, *Rhagio*, 77
Mellophagus: error or emend., 180
Melochelea Wirth, 1956, subg., 41
Melopha von Olfers, 1816, 180
Melophagus Latreille, 1802, 180
Melophila Nitsch, 1818, 180 subgen.
Melusina Meigen, 1800, 18
MELUSINIDAE, 16
mendax Tuomikoski, 1960, *Sciara*, 71
mensurata (Becker, 1894), *Nanna*, 182
menthastris (Linnaeus, 1758), *Sphaerophoria*, 112
Meoneura Rondani, 1856, 156
mercurialis Hering, 1932, *Liriomyza*, 152
merdaria (Fabricius, 1794), *Scathophaga*, 183
Meriania Robineau-Desvoidy, 1830, 204
meridiana (Linnaeus, 1758), *Mesembrina*, 188
meridionalis Bezzi, 1898, *Chrysopilus*, 77 subsp.
meridionalis Portschinsky, 1882, *Hydrotaea*, 188
meridionalis Rohdendorf, 1937, *Sarcophaga*, 197
meridionalis (A.Costa, 1854), *Xyphosia*, 126
Merodon Meigen, 1822, 116
meromelaena (Dufour, 1841), *Neopachygaster*, 76
Meromyia, emend., 160
Meromyza Meigen, 1830, 160
Meroplus Rondani, 1874, 135
Mesembrina Meigen, 1826, 188
mesogramma (Loew, 1862), *Scatophila*, 167
Mesonevra Lioy, 1864, 152
Mesosmittia Brundin, 1956, 49
Messala Curtis, 1836, 65
messeae Falleroni, 1926, *Anopheles*, 37
messoria (Fallén, 1820), *Diplotoxa*, 162
metaleucus, lapsus Gtgh., *Chaetocladius*, 48
Metalimnobia Matsumura, 1911, 29
metallicus sensu Jacobs, 1905, *Hercostomus*, 101
metallicus (Stannius, 1831), *Hercostomus*, 101
metallina (Fabricius, 1777), *Lejogaster*, 114
Metasyrphus Dusek & Laska, 1967, 111
meteorica (Linnaeus, 1758), *Hydrotaea*, 188
meticulosa (Scopoli, 1763), *Neoascia*, 115
metolicus lapsus, *Hercostomus*, 101
Metopia Meigen, 1803, 195
Metopia Meigen, 1803, subg., 195
Metopina Macquart, 1835, 106
METOPINIIHAE, 105
Metopomyza Enderlein, 1936, 152
metraloas Meinert, 1865, *Miastor*, 61
Metriocnemus van der Wulp, 1874, 49
Meunieria Johannsen, 1909, 66
Miastor Meinert, 1864, 61
micacea Loew, 1857, *Medetera*, 98
micans (Meigen, 1804), *Hybomitra*, 80
micans (Meigen, 1824), *Rhaphium*, 99
micans (Haliday, 1833), *Setacera*, 167
micans Zetterstedt, 1851, *Tipula*, 21
microcavernaria Lengersdorf, *Bradysia*, 70
Microcephalops De Meyer, 1989, 109
Microcera Meigen, 1803, 109
Microcerata Felt, 1908, 61
Microceris Beschovski, 1978, 159
microcerus Kowarz, 1874, *Chrysotus*, 98
Microchironomus Kieffer, 1918, 52
Microchrysa Loew, 1855, 75
microdentata Bangerter, 1947, *Gonomyia*, 26
Microdon Meigen, 1803, 115
Microhelea Kieffer, 1917, subg., 42
Micromma Philippi, 1865, 152
Micromorphus Mik, 1878, 100
Microneurum Becker, 1903, 160
Micronychia Brauer & Bergenstamm, 1889, 205
Micropalpus Macquart, 1834, 204
Micropeza Meigen, 1803, 119
MICROPEZIDAE, 119
Microphor Macquart, 1827, 88
MICROPHORIDAE, 88
Microphorus Macquart, 1834, 88
microphthalma (Zetterstedt, 1847), *Eccoptomera*, 172
microps (Meigen, 1830), *Eccoptomera*, 172
microps; error, *Terrilimosina*, 176
Micropsectra Kieffer, 1909, 53
Micropselapha Becker, 1894, 183
microptera Duda, 1932, *Aphanotrigonum*, 160
Microrhagoletis Rohdendorf, 1961, 124
Microsania Zetterstedt, 1837, 104
Microsoma Macquart, 1855, 206
Microtendipes Kieffer, 1915, 52
migrans Zetterstedt, 1843, *Dolichopus*, 101
miki Brauer, 1880, *Tabanus*, 81
mikii (Becker, 1890), *Platypalpus*, 95
Mikiola Kieffer, 1896, 63

mikrops (Duda, 1916), *Terrilimosina*, 176
milesiiformis (Fallén, 1817), *Tropidia*, 115
MILESIINAE, 113
miliara: error, *Xyphosia*, 126
miliaria (Schrank, 1781), *Xyphosia*, 126
MILICHIIDAE, 155
miliii (Kaltenbach, 1864), *Chromatomyia*, 153
militaris (Meigen, 1826), *Hydrotaea*, 188
millefolii (Wachtl, 1884), *Ozirhincus*, 63
millefolii (H. Loew, 1850), *Rhopalomyia*, 64
Miltogramma Meigen, 1803, 195
Miltogramma Meigen, 1803, subg., 195
MILTOGRAMMATINAE, 195
mimula Collin, 1946, *Conioscinella*, 159
mimula (Meigen, 1824), *Exorista*, 201
Minella Robineau-Desvoidy, 1830, 205
Minella; auctt., 206
Minettia Robineau-Desvoidy, 1830, 136
Minettia Robineau-Desvoidy, 1830, subg., 136
Minilimosina Roháček, 1983, 176
Minilimosina Roháček, 1983, subg., 177
minima (Strobl, 1893), *Calamoncosis*, 159
minima (Van Schuytbroeck, 1945), *Crassivenula*, 160
minima Macquart, 1835, *Halidayina*, 177
minima Hendel, 1931, *Liriomyza*, 152
minima (Becker, 1897), *Tomosvaryella*, 109
minimus (Meigen, 1838), *Crossopalpus*, 94
minimus (Meigen, 1818), *Limnophyes*, 49
minor Linnaeus, 1758, *Bomylius*, 83
minor Szilády, 1917, *Chrysops*, 80
minor (Nielsen, 1917), *Ernestia*, 204
minor (Zetterstedt, 1840), *Megaselia*, 106
minor (Strobl, 1900), *Oscinimorpha*, 160
minor (Edwards, 1929), *Stempellinella*, 54
minor (Haliday, 1833), *Themira*, 135
Mintho Robineau-Desvoidy, 1830, 205
minuscula (Edwards, 1921), *Neolimnomyia*, 25
minuscula Goureau, 1851, *Phytomyza*, 153
minuta Goetghebuer, 1947, *Forcipomyia*, 42
minuta (Fabricius, 1787), *Meromyza*, 161
minuta (Fallén, 1810), *Oebalia*, 195
minuta (Macquart, 1850), *Phorocera*, 202
minuta (Fabricius, 1805), *Phthiria*, 83
minuta (Banks, 1894), *Psychodula*, 34
minuta Tonnoir, 1919, *Ptychoptera*, 32
minuta Zetterstedt, 1842, *Ragas*, 93
minutalis (Zetterstedt, 1860), *Dexiopsis*, 191
minutipalpis (Stein, 1895), *Fannia*, 192
minutissima (Wood, 1910), *Megaselia*, 106
minutissima (Strobl, 1900), *Oscinimorpha*, 160
minutissima (Zetterstedt, 1847), *Telomerina*, 177
minutissimus (Zetterstedt, 1855), *Culicoides*, 43
minutum (Macquart, 1827), *Melanostoma*, 112
minutus (Meigen, 1830), *Atrichopogon*, 41
minutus Loew, 1866, *Chlorops*, 161
minutus Wiedemann, 1830, *Meroplus*, 135
minutus (Meigen, 1804), *Platypalpus*, 95
mirabilis (Collin, 1902), *Opalimosina*, 177

miranda (Wollaston, 1858), *Sphenella*, 126
miricornis (Kieffer, 1919), *Sphaeromias*, 45
miriforceps (Kieffer, 1922), *Dicrotendipes*, 51
Mirousiella Vaillant, 1974, 33
mitis (Meigen, 1830), *Dicranomyia*, 28
mitis (Meigen, 1824), *Eumea*, 200
mitis (Meigen, 1826), *Pegomya*, 186
mixta (Schmitz, 1918), *Megaselia*, 106
Mochlonyx Loew, 1844, 36
modesta (Meigen, 1824), *Bithia*, 203
modesta (Meigen, 1830), *Brillia*, 48
modesta Egger, 1860, *Cheilosia*, 114
modesta (Winnertz, 1852), *Dasyhelea*, 42
modesta (Meigen, 1818), *Dicranomyia*, 28
modesta (Meigen, 1838), *Heleomyza*, 172
modesta Loew, 1860, *Hydrellia*, 166
modesta (Duda, 1924), *Leptocera*, 176
modesta (Staeger, 1840), *Lycoriella*, 70
modesta (Winnertz, 1863), *Orfelia*, 66
modesta (Zetterstedt, 1844), *Protoclythia*, 104
modesta (Winnertz, 1867), *Sciara*, 71
modesta (Meigen, 1820), *Villa*, 83
modestus (Say, 1823), *Dicrotendipes*, 51
modestus (Meigen, 1822), *Episyphus*, 112
modestus (Schniner, 1862), *Verrallia*, 108
moedligensis (Schnabl, 1911), *Phaonia*, 189
moesta (Villeneuve, 1917), *Pullimosina*, 177
mollicula (Fallén, 1825), *Coenosia*, 191
molliculus (Fallén, 1823), *Chrysotimus*, 100
mollissima (Haliday, 1840), *Fannia*, 192
mollissima Haliday, 1833, *Ula*, 24
Molophilus Curtis, 1833, 26
monacanthus Loew, 1859, *Teuchophorus*, 100
monachantus lapsus, *Teuchophorus*, 100
monachautus lapsus, *Teuchophorus*, 100
monedula Collin, 1927, *Hilara*, 91
monilicornis (Coquillett, 1905), *Forcipomyia*, 42
monilis (Linnaeus, 1758), *Ablabesmyia*, 47
monilis (Meigen, 1826), *Anthomyia*, 184
monilis (Haliday, 1838), *Fannia*, 192
monilis (Meigen, 1830), *Pherbellia*, 130
monilis (Haliday, 1851), *Syntormon*, 100
Monochaeta Brauer & Bergenstamm, 1889, 200
monocheetus Kowarz, 1874, *Chrysotus*, 98
monochromus (van der Wulp, 1874), *Parachironomus*, 52
monochromus sensu Gtgh., *Parachironomus*, 52
monochromus (van der Wulp, 1874), *Parachironomus*, 52
Monocloena Mik, 1886, 67
Monoculicoides Khalaf, 1954, subg., 43
Monodiplosis Rübsaamen, 1910, 63
Monopelea Kieffer, 1917, 44
Monopelea Kieffer, 1917, subg., 44
Monopelopia Fittkau, 1962, 47
Monopsectrocladius Wülker, 1956, subg., 50
monostrichum lapsus, *Rhaphium*, 99
monotomus (Kieffer, 1924), *Parachironomus*, 52

- monotrichum* Loew, 1850, *Rhaphium*, 99
monotropus (Harris, 1870), *Rhagio*, 77
montaguei Kolenati, 1856, *Nycteribia*, 181
montana Hendel, 1920, *Agromyza*, 152
montana (Meigen, 1820), *Hybomitra*, 80
montana (Meigen, 1818), *Ormosia*, 27
montana Oldenberg, 1915, *Rhamphomyia*, 92
montana Day, 1881, *Tetanocera*, 131
montanus Ferr. & Cole, 1922, *Melophagus*, 180
 subsp.
montanus Goetghebuer, 1932 *Limnophyes*, 55
monticola (Egger, 1860), *Rhagio*, 77 subsp.
monticola Friederichs, 1920, *Simulium*, 40
monticula Schumm, 1836, *Pipunculus*, 109
montium (Becker, 1897), *Eudorylas*, 109
montium Egger, 1863, *Tipula*, 22
montivagus (Goetghebuer, 1912), *Cricotopus*, 49
mordellaria (Fallén, 1823), *Hypocera*, 107
Morellia Robineau-Desvoidy, 1830, 188
morio (Fabricius, 1794), *Bradysia*, 70
morio (Zetterstedt, 1835), *Chamaepsila*, 121
morio (Fabricius, 1787), *Dicranomyia*, 28
morio (Fallén, 1820), *Elodia*, 200
morio (Linnaeus, 1758), *Hemipenthes*, 83
morio (Fabricius, 1775), *Serromyia*, 45
Mormia Enderlein, 1935, 33
morosa (Meigen, 1830), *Cerodontha*, 153
Morpholeria Garrett, 1921, 172
morrisii Dale, 1841, *Beris*, 75
morrisii Curtis, 1833, *Oxycera*, 76
morsitans (Theobald, 1901), *Culiseta*, 38
morsitans Edwards, 1915, *Simulium*, 40
mortuorum (Linnaeus, 1761), *Cynomyia*, 193
morulus (Eaton, 1893), *Telmatoscopus*, 34
moschi (Pallas, 1777), *Lipoptena*, 180
moschi (Wiedemann, 1830), *Lipoptena*, 180
Moschusa Robineau-Desvoidy, 1863, subg., 195
mosellana (Géhin, 1857), *Sitodiplosis*, 64
Mosillus Latreille, 1804, 165
Mosina Rondani, 1871, 124
motitator Linnaeus, 1758, *Cricotopus*, 49
mucronatus (Goetghebuer, 1919), *Parachironomus*, 52
muehlfeldi (Brauer, 1880), *Hybomitra*, 80
muliebris (Harris, 1780), *Palloptera*, 140
multiannulata Strobl, 1906, *Ceratopogon*, 43
multicincta (Santos Abreu, 1923), *Trichocera*, 18
multipunctata (Fallén, 1820), *Eusapromyza*, 136
mundata (Loew, 1871), *Eloeophila*, 24
mundus (Loew, 1869), *Probezzia*, 44
muntensis Goetghebuer, 1937 *Metriocnemus*, 55
muralis (Zetterstedt, 1843), *Medetera*, 98
muralis Meigen, 1824, *Medetera*, 98
murina Winnertz, 1863, *Cordyla*, 68
murina (Winnertz, 1852), *Forcipomyia*, 42
murina (Goetghebuer, 1920), *Ormosia*, 27
murina (Meigen, 1818) strobl, *Tasiocera*, 27
murinum Meigen, 1824, *Miltogramma*, 195
murinus Goetghebuer, 1923 *Tanypus*, 55
- Musca* Linnaeus, 1758, 188
Musca Linnaeus, 1758, 188
muscaria (Fallén, 1823), *Cnemacantha*, 136
muscaria (Fabricius, 1777), *Egle*, 185
muscaria (Meigen, 1826), *Eurychaeta*, 194
muscaria (Fallén, 1810), *Oswaldia*, 202
muscaria (Fallén, 1815), *Phasia*, 208
muscaria; auctt., *Eurysthaea*, 200
muscarius (Fabricius, 1794), *Syneches*, 94
muscicola (Kieffer, 1924), *Polypedilum*, 52
muscicola; Gtgh., *Nanocladius*, 50
MUSCIDAE, 187
Muscideicus emend., 101
Muscidideicus Becker, 1917, 101
Muscina Robineau-Desvoidy, 1830, 187
MUSCINAE, 187
Musidora Meigen, 1800, 103
MUSIDORIDAE, 16
musilator Kremer & Callot, 1961, *Culicoides*, 43
mussitans Fabricius, 1777, *Arctophila*, 115
mutabilis (Fallén, 1817), *Cheilosia*, 114
mutabilis (Fallén, 1810), *Meigenia*, 202
mutabilis (Linnaeus, 1758), *Microdon*, 115
mutata (Zetterstedt, 1846), *Hydrellia*, 166
mutica (Zetterstedt, 1845), *Fannia*, 192
mutulus Goetghebuer, 1921 *Chironomus*, 55
mutua (Eaton, 1893), *Satchelliella*, 34
Myathropa Rondani, 1845, 116
Mycetobia Meigen, 1818, 57
MYCETOBIINAE, 57
Mycetophila Meigen, 1803, 68
MYCETOPHILIDAE, 65
MYCETOPHILINAE, 68
Mycodiplosis Rübsamen, 1895, 63
Mycomya Rondani, 1856, 67
Mycomya Rondani, 1856, subg., 67
Mycomya; auctt., 67
Mycomyopsis Väisänen, 1984, subg., 67
Mycophaga Rondani, 1856, 185
Mycothera Winnertz, 1863, 68
Mydaea Robineau-Desvoidy, 1830, 190
MYDAEINAE, 190
Myennis Robineau-Desvoidy, 1830, 129
Myiobla Enderlein, 1935, 157
Myoleja: error or emend., 124
Myiolia: error or emend., 124
Myobia Robineau-Desvoidy, 1830, 205
Myocera Robineau-Desvoidy, 1830, 206
Myochromum Rohdendorf, 1930, subg., 195
Myodina Robineau-Desvoidy, 1830, 129
myoidea Robineau-Desvoidy, 1830, *Smidtia*, 203
Myoleja Rondani, 1856, 124
Myolepta Newman, 1838, 114
Myopa Fabricius, 1775, 117
Myopina Robineau-Desvoidy, 1830, 185
myopina (Loew, 1866), *Cetema*, 161
myopina (Zetterstedt, 1847), *Eccoptomera*, 172
myopina (Fallén, 1824), *Myopina*, 185

- myopina Fallén, 1820, *Tetanops*, 129
MYOPINAE, 117
Myopites Blot, 1827, 123
MYOPITINAE, 123
Myospila Rondani, 1856, 190
Myrmecomorpha Corti, 1909, 158
Myrosia Tuomikoski, 1966, subg., 68
myrtilli Macquart, 1836, *Euthyneura*, 96
mystacea (Linnaeus, 1758), *Mesembrina*, 188
mystica (Meigen, 1826), *Phaonia*, 189
Myxexorista Brauer & Bergenstamm, 1891, 203
Myxexoristops Townsend, 1911, 202
- nadayanus* Kieffer, 1918, *Culicoides*, 43
nagatomii Rozkošný, 1979, *Chorisops*, 75
nana (Zetterstedt, 1845), *Coenosia*, 191
nana (Zetterstedt, 1938), *Eribolus*, 159
nana Macquart, 1835, *Lispe*, 190
nana (Meigen, 1826), *Melanomyia*, 198
nana (Fallén, 1820), *Pherbellia*, 130
nana (Rondani, 1880), *Spelobia*, 177
nana; auctt., *Exechia*, 68
Nanna Becker, 1894, 182
Nanocladius Kieffer, 1913, 49
nanulus Kieffer, 1919, *Culicoides*, 43
nanus (Macquart, 1827), *Hercostomus*, 101
nanus (Oldenberg, 1924), *Platypalpus*, 95
nanus Meigen, 1818 *Chironomus*, 54
Napaea Robineau-Desvoidy, 1830, 166
Napomyza Westwood, 1840, 153
Napomyza Curtis, 1837, 153
Nartshukiella Beschovski, 1981 subg., 160
nasica (Haliday, 1839), *Canace*, 157
nasoni (Malloch, 1914), *Megaselia*, 105
nasturtii (Kieffer, 1888), *Contarinia*, 62
nasturtii Collin, 1928, *Hydrellia*, 166
nasutula Becker, 1894, *Cheilosia*, 114
nasutum (Fallén, 1823), *Rhaphium*, 99
nasutus (Schrank, 1781), *Chlorops*, 161
Natarsia Fittkau, 1962, 47
NATARSIINI, 47
Neaera Robineau-Desvoidy, 1830, 205
nebrodesia (Rondani, 1870), *Orellia*, 125
nebulosa (Fallén, 1823), *Diastata*, 163
nebulosa Robineau-Desvoidy, 1830, *Azelia*, 187
nebulosa Verrall, 1871, *Cheilosia*, 114
nebulosa Meigen, 1830, *Dixa*, 35
nebulosa (Zetterstedt, 1838), *Limonia*, 28
nebulosa (Meigen, 1804), *Macropelopia*, 47
nebulosa (Stein, 1893), *Mydaea*, 190
nebulosa (Macquart, 1835), *Orellia*, 125
nebulosa (Olivier, 1811), *Oties*, 129
nebulosa (Wiedemann, 1817), *Oxyna*, 126
nebulosa (Girschner, 1886), *Phasia*, 208
nebulosus Fallén, 1823, *Hydrophorus*, 102
neglecta (Eaton, 1893), *Bazarella*, 33
neglecta (Winnertz, 1852), *Dasyhelea*, 45
neglecta Tonnoir, 1921, *Cetema*, 161
neglectus (Wiedemann, 1817), *Chrysotus*, 98
Nematocera Meigen, 1818, 24
Nematoprocus Loew, 1857, 99
nemea (Meigen, 1824), *Phryxe*, 202
Nemopoda Robineau-Desvoidy, 1830, 135
Nemoraea Robineau-Desvoidy, 1830, 205
nemoralis (Meigen, 1818), *Bradysia*, 70
nemoralis Meigen, 1826, *Coenosia*, 191
nemoralis (Meigen, 1818), *Neolimnomyia*, 24
nemoralis (Meigen, 1818), *Neuratelia*, 67
nemoralis (Meigen, 1818), *Orfelia*, 66
nemoralis (Edwards, 1941), *Tarnania*, 69
Nemorilla Rondani, 1856, 202
nemorivaga Goetghebuer, 1920, *Palpomyia*, 44
nemorosus (Meigen, 1818), *Aedes*, 37
nemorum (Linnaeus, 1758), *Eristalis*, 116
nemorum (Meigen, 1824), *Fausta*, 204
nemorum Meigen, 1830, *Rhaphium*, 99
nemorum (Goetghebuer, 1921), *Telmatopelopia*, 47
nemorum (Fabricius, 1805), *Xylota*, 115
Nemosturmia Townsend, 1926, 203
Nemotelus Geoffroy, 1762, 76
Neoascia Williston, 1886, 115
Neocnemodon Goffe, 1944, 113
Neoculex Dyar, 1905, subg., 38
Neocyptera Townsend, 1916, subg., 207
Neoempheria Osten-Sacken, 1878, 67
Neoglyptoptera Osten-Sacken, 1878, 66
Neohaplegis Beschovski, 1981 subg., 161
Neoitamus Osten Sacken, 1878, 87
Neoleria Malloch, 1919, 172
Neolimnomyia Séguy, 1937, 24
Neolimnomyia Séguy, 1937, subg., 25
Neolimnophila Alexander, 1920, 27
Neolimnophora Schnabl, 1902, 190
Neolimonia Alexander, 1964, 29
Neomikiella Hedicke, 1938, 63
Neomochtherus Osten Sacken, 1878, 87
Neomycomya Väisänen, 1984, subg., 67
Neomyia Walker, 1859, 188
Neopachygaster Austin, 1901, 76
Neoplatyura Malloch, 1928, subg., 66
Neoscatella Malloch, 1933, subg., 167
Neosciara Pettey, 1918, 70
Neostilobezzia Goetghebuer, 1934, subg., 45
NEOTTIOPHILIDAE, 141
Neottiophilum Frauenfeld, 1868, 141
NEPHROcerinae, 108
Nephrocerus Zetterstedt, 1838, 108
Nephrotoma Meigen, 1803, 20
Neria Robineau-Desvoidy, 1830, 119
nervosa (Meigen, 1818), *Bradysia*, 70
nervosa (Meigen, 1835), *Crumomyia*, 176
nervosa (Meigen, 1826), *Norellia*, 182
nervosa Meigen, 1818, *Tipula*, 21
nervosus (Meigen, 1818), *Clinotanypus*, 46
nervosus (Staeger, 1839), *Dicrotendipes*, 51

- nervosus (Lehmann, 1822), *Sciapus*, 97
Nesomyza Spencer, 1973, 152
Neuratelia Rondani, 1856, 67
Neurigona Rondani, 1856, 97
NEURIGONINAE, 97
Neuroctena Rondani, 1868, 132
Neurohelea Kieffer, 1925, 44
Neuropachys Thalhammer, 1913, 160
neurotica Mannheims, 1966, *Tipula*, 21
nevadensis Strobl, 1900, *Phytomyza*, 154
nielseni de Meijere, 1921, *Erioptera*, 26
nielseni (Villeneuve, 1921), *Ernestia*, 204
nielseni Dusek & Laska, 1967, *Metasyrphus*, 111
niger Goetghebuer, 1920, *Molophilus*, 26
niger (Kieffer, 1913), *Paracricotopus*, 50
niger (Meigen, 1804), *Platypalpus*, 95
niger (De Geer, 1776), *Scenopinus*, 85
nigerrima (Strobl, 1893), *Ditrichophora*, 165
nigerrima (Strobl, 1909), *Orfelia*, 66
nigerrimus Goetghebuer, 1921, *Trissocladius*, 51
nigra (Meigen, 1824), *Bicellaria*, 96
nigra (Fallén, 1820), *Chamaepsila*, 121
nigra Loew, 1840, *Cheirosia*, 114
nigra (Meigen, 1830), *Chromatomyia*, 153
nigra Meigen, 1804, *Clinocera*, 92
nigra (Meigen, 1826), *Protearomyia*, 139
nigra (Meigen, 1830), *Crumomyia*, 176
nigra Macquart, 1826, *Erioptera*, 26
nigra (Winnertz, 1852), *Forcipomyia*, 42
nigra (Robineau-Desvoidy, 1830), *Hebecnema*, 190
nigra Olivier, 1813, *Leptocera*, 176
nigra (Meigen, 1830), *Megaselia*, 106
nigra (Linnaeus, 1758), *Nigrotipula*, 20
nigra Meigen, 1830, *Opetia*, 104
nigra (Olivier, 1813), *Oscinella*, 159
nigra (Tucker, 1908), *Oscinella*, 159
nigra (Degeer, 1776), *Physocephala*, 117
nigra (Zetterstedt, 1838), *Phytobia*, 151
nigra Tonnoir, *Psychoda*, 34
nigra Zetterstedt, 1842, *Ptiolina*, 78
nigra (Meigen, 1804), *Reichertella*, 60
nigra (Meigen, 1804), *Sceptonia*, 69
nigra Meigen, 1830, *Spania*, 78
nigra Meigen, 1822, *Sphegina*, 114
nigra Meigen, 1830, *Stegana*, 170
nigrans (Meigen, 1826), *Periscepsia*, 206
nigrescens (Lackschewitz, 1928), *Limonia*, 28
nigrescens (Lackschewitz, 1940), *Neolimnophila*, 27
nigribarbatum (Becker, 1900), *Rhaphium*, 99
nigricans (Robineau-Desvoidy, 1830), *Calythea*, 185
nigricans Szilády, 1934, *Rhagio*, 77 subsp.
nigricans Meigen, 1824, *Diaphorus*, 98
nigricans Meigen, 1804, *Empis*, 91
nigricans (Egger, 1861), *Exorista*, 201
nigricans (Goetghebuer, 1927), *Xenopelopia*, 47
nigricans Goetghebuer, 1927 *Chironomus*, 55
nigricauda (Strobl, 1893), *Orfelia*, 66
nigricauda (Stenhammar, 1844), *Philygria*, 166
nigriceps (Rondani, 1880), *Crumomyia*, 176
nigriceps (Strobl, 1909), *Elachiptera*, 158
nigriceps (Loew, 1866), *Megaselia*, 105
nigriceps (Walker, 1856), *Orfelia*, 66
nigriceps (Meigen, 1826), *Stearibia*, 142
nigricollis Goetghebuer, 1939, *Tanytarsus*, 54
nigricolor (Fallén, 1825), *Hebecnema*, 190
nigricoma (Loew, 1844), *Orellia*, 125
nigricornis (Meigen, 1826), *Chamaepsila*, 121
nigricornis Macquart, 1827, *Cheirosia*, 114
nigricornis (Robineau-Desvoidy, 1830), *Chyromya*, 147
nigricornis (Zetterstedt, 1838), *Compsobata*, 119
nigricornis (Verrall, 1873), *Dasysyrphus*, 111
nigricornis sensu Parent, 1938, *Dolichopus*, 100
nigricornis Gobert, 1881, *Haematopota*, 81
nigricornis Meigen, 1838, *Heteromyza*, 173
nigricornis Edwards, 1941, *Neuratelia*, 67
nigricornis (Erichson, 1842), *Ornithomya*, 179 subsp.
nigricornis Stenhammar, 1844, *Notiphila*, 166
nigricornis (Fabricius, 1805), *Orfelia*, 66
nigricornis Olivier, 1812, *Oxycera*, 76
nigricornis (Zetterstedt, 1852), *Phronia*, 69
nigricornis (Meigen, 1818), *Tanyptera*, 21
nigricornis Strobl, 1909, *Tipula*, 21
nigricornis Macquart, 1826, *Tipula*, 21
nigricosta (von Roser, 1840), *Teuchophorus*, 100
nigricoxa (Zetterstedt, 1852), *Dynatosoma*, 68
nigricoxa (Mik, 1884), *Platypalpus*, 95
nigrigridita Rondani, 1866, *Coenosia*, 191
nigrifemorata (Macquart, 1827), *Metasyrphus*, 111
nigrifemorata (Meigen, 1838), *Oxyna*, 126
nigrifemur Hendel, 1931, *Agromyza*, 152
nigrifrons (Eger, 1860), *Ferdinandea*, 114
nigrifrons (Robineau-Desvoidy, 1830), *Thricops*, 187
nigrimana (Meigen, 1826), *Hylemya*, 185
nigrimana Meigen, 1824, *Lonchoptera*, 103
nigrimana (von Roser, 1840), *Oscinella*, 159
nigrimana (Meigen, 1826), *Prochyliza*, 142
nigrimana (Meigen, 1830), *Pteromicra*, 130
nigrimana (Macquart, 1835), *Thaumatomyia*, 161
nigrimanus; Gtgh. not Staeger, 1839, *Dicrotendipes*, 51
nigrina (Meigen, 1830), *Euphylidorea*, 24
nigrina (Meigen, 1826), *Herina*, 129
nigrina (Fallén, 1816), *Hilara*, 91
nigrinus (Zetterstedt, 1848), *Acartophthalmus*, 145
nigrinus Fallén, 1817, *Nemotelus*, 76
nigripalpis Rondani, 1859, *Cyrtophleba*, 206
nigripalpis Goetghebuer, 1920, *Erioptera*, 26
nigripalpis (Goetghebuer, 1922), *Odontomesa*, 48
nigripalpis (Robineau-Desvoidy, 1847), *Phebellia*, 202
nigripenne (Meigen, 1830), *Colobostema*, 59
nigripenne (Meigen, 1830), *Philotelma*, 167
nigripennis (Fallén, 1823), *Hercostomus*, 101
nigripennis (Meigen, 1820), *Holopogon*, 86
nigripennis (Fabricius, 1794), *Pelidnoptera*, 130
nigripennis Fallén, 1823, *Phytomyza*, 153

nigripennis (Meigen, 1830), *Porricondyla*, 61
nigripennis (Fabricius, 1794), *Rhamphomyia*, 91
nigripennnis Meigen, 1822, *Baccha*, 112
nigripes Meigen, 1830, *Agromyza*, 152
nigripes Staeger, 1839, *Anopheles*, 37
nigripes (Zetterstedt, 1848), *Aphanotrigonum*, 160
nigripes Rohdendorf, 1961, *Rhagoletis*, 124 subsp.
nigripes (Fallén, 1810), *Blondelia*, 199
nigripes (Meigen, 1822), *Cheilosia*, 114
nigripes Strobl, 1894, *Elachiptera*, 158
nigripes Fabricius, 1794, *Empis*, 90
nigripes (Robineau-Desvoidy, 1830), *Erythroceria*, 200
nigripes Zetterstedt, 1838, *Hydrellia*, 166
nigripes (Robineau-Desvoidy, 1830), *Limnophora*, 190
nigripes (Wood, 1909), *Megaselia*, 105
nigripes (Strobl, 1894), *Oscinella*, 159
nigripes (Strobl, 1898), *Oscinella*, 159
nigripes (Meigen, 1830), *Palpomyia*, 44
nigripes (F. Loew, 1877), *Placochela*, 63
nigripes Meigen, 1824, *Scenopinus*, 85
nigripes Meigen, 1826, *Sepsis*, 135
nigripes (Fabricius, 1794), *Thelaira*, 207
nigriplantis (Stannius, 1831), *Hercostomus*, 101
nigripleura Rydén, 1956, *Liriomyza*, 152
nigrirostris (Gimmerthal, 1847), *Limonia*, 28
nigrirostris (Roser, 1840), *Lipoptena*, 180
nigrita (Fallén, 1810), *Dufouria*, 206
nigrita (Fallén, 1823), *Hebecnema*, 190
nigrita (Meigen, 1838), *Oscinella*, 159
nigrita Goetghebuer, 1939 *Smittia*, 55
nigritarsis (Meigen, 1830), *Cerodontha*, 152
nigritarsis Strobl, 1894, *Chlorops*, 161
nigritarsis (Duda, 1933), *Cryptonevra*, 161
nigritarsis Meigen, 1804, *Empis*, 91
nigritarsis (Zetterstedt, 1843), *Parasyrphus*, 112
nigritarsis (Zetterstedt, 1838), *Pegomya*, 186
nigritarsis (Fallén, 1816), *Platypalpus*, 95
nigritarsis (Zetterstedt, 1850), *Xylodiplosis*, 64
nigritella Stenhammar, 1844, *Psilopa*, 166
nigritellus (Zetterstedt, 1842), *Crossopalpus*, 94
nigritellus (Zetterstedt, 1838), *Thricops*, 187
nigrithorax Strobl, 1894, *Chlorops*, 161
nigrithorax Strobl, 1894, *Drosophila*, 171
nigrithorax (Egger, 1861), *Winthemia*, 203
nigritula (Zetterstedt, 1838), *Bezzia*, 42
nigritula (Zetterstedt, 1844), *Tomosvaryella*, 109
nigritula Goetghebuer, 1921, *Zavrelia*, 54
nigriventris Haliday, 1833, *Bibio*, 58
nigriventris (Strobl, 1900), *Cerodontha*, 152
nigriventris (Goetghebuer, 1933), *Lauterborniella*, 52
nigriventris Macquart, 1835, *Meromyza*, 160
nigriventris Macquart, 1826, *Sciophila*, 69
nigriventris (Loew, 1869), *Rhagio*, 78 subsp.
nigriventris (Meigen, 1826), *Pierretia*, 197
nigroviridellus (Goetghebuer, 1942), *Paratanytarsus*, 53
nigroannulata Strobl, 1895, *Tipula*, 21

nigroclavatum (Strobl, 1910), *Megalopelma*, 67
nigrocrocea (De Geer, 1776), *Ctenophora*, 20
nigrofasciata (Brullé, 1832), *Tanyptera*, 21
nigrofasciatus (Goetghebuer, 1921), *Paratanytarsus*, 53
nigrofasciatus Meigen, 1804, *Rhagio*, 77
nigrohalterata (Villeneuve, 1921), *Entomophaga*, 204
nigrolineata (Walker, 1853), *Pseudoperichaeta*, 202
nigrolineatus (Goetghebuer, 1921), *Demicryptochironomus*, 51
nigromaculata Strobl, 1894, *Elachiptera*, 158
nigropicea Lundström, 1907, *Macrocera*, 66
nigropunctata (Staeger, 1839), *Krenopelopia*, 47
nigropunctata (Schummel, 1829), *Limonia*, 28
nigroscutellata (Goetghebuer, 1923), *Arctopelopia*, 47
nigroscutellata (Strobl, 1900), *Cerodontha*, 152
nigroscutellata Landrock, 1912, *Exechia*, 68
nigroscutellatus Frey, 1945, *Scenopinus*, 85
nigrosetosa Frey, 1925, *Chamaepsila*, 121
nigrotibialis Goetghebuer, 1933, *Palpomyia*, 44
nigrotibialis Goetghebuer, 1921 *Chironomus*, 55
Nigrotipula Hutson et Vane-Wright, 1969, 20
nigroviridellus, lapsus Gtgh., *Paratanytarsus*, 53
nigrovittata (Strobl, 1899), *Thaumatomyia*, 162
nigrovittatus (Goetghebuer, 1922), *Cladotanytarsus*, 53
nigrum Latreille, 1805, *Asindulum*, 66
Nilea Robineau-Desvoidy, 1863, 202
Nilotanypus Kieffer, 1923, 47
Nilothauma Kieffer, 1921, 52
Niphadobata Enderlein, 1936, 25
nippensis (Kishida, 1932), *Ornithomya*, 179
nipponica (Kishida, 1932), *Crataerina*, 180
Nirmomyia Nitzsch, 1818 subg., 180
nitens (Loew, 1858), *Calliopum*, 136
nitens (Robineau-Desvoidy, 1830), *Coenosia*, 191
nitens Meigen, 1824, *Gymnosoma*, 207
nitens (Robineau-Desvoidy, 1830), *Helina*, 189
nitens (Zetterstedt, 1843), *Metasyrphus*, 111
nitens (Wiedemann, in Gistel, 1857), *Morellia*, 188
nitens Loew, 1873, *Pelina*, 167
nitens Goetghebuer, 1920, *Serromyia*, 45
nitens Loew, 1845, *Ulidia*, 128
nitida (Meigen, 1830), *Crumomyia*, 176
nitida (Macquart, 1835), *Hyadina*, 166
nitida (Duda, 1920), *Ischiolepta*, 175
nitida (Verrall, 1886), *Limonia*, 29
nitida (Zetterstedt, 1838), *Macquartia*, 205
nitida (Macquart, 1826), *Mallochohelea*, 44
nitida (Macquart, 1834), *Medetera*, 98
nitida (Zetterstedt, 1852), *Mycomya*, 67
nitida (Macquart, 1835), *Phaonia*, 189
nitida (Meigen, 1830), *Siphonella*, 159
nitida Meigen, 1826, *Ulidia*, 128
nitida Meigen, 1838, *Diastata*, 163
nitidicollis (Meigen, 1818), *Acnemia*, 66
nitidicollis (Meigen, 1818), *Bradysia*, 70

- nitidicollis* (Goetghebuer, 1913), *Bryopaenocladius*, 48
nitidicollis (Meigen, 1822), *Epistrophe*, 111
nitidicollis (Meigen, 1818), *Paradelphomyia*, 25
nitidicollis Frey, 1913, *Rhamphomyia*, 92
nitidicollis Zetterstedt, 1843, *Sphaerophoria*, 112
nitidifrons (Duda, 1923), *Borborillus*, 175
nitidifrons (Brues, 1904), *Diplonevra*, 107
nitidifrons Strobl, 1898, *Lonchoptera*, 103
nitidifrons Edwards, 1920, *Simulium*, 40
nitidifrons Becker, 1921, *Syrphus*, 111
nitidissima (Meigen, 1838), *Oscinella*, 159
nitidiventris Goetghebuer, 1923, *Bezzia*, 43
nitidiventris (van der Wulp, 1858), *Phronia*, 69
nitidula (Zetterstedt, 1847), *Coelopa*, 133
nitidula (Meigen, 1830), *Diplonevra*, 107
nitidula (Edwards, 1921), *Isohelea*, 44
nitidula (Fallén, 1820), *Nemopoda*, 135
nitidula (Fallén, 1813), *Psilopa*, 166
nitidus Fallén, 1823, *Dolichopus*, 101
nivalis (Zetterstedt, 1837), *Helina*, 189
nivalis (Haliday, 1833), *Pteremis*, 176
niveipennis Meigen, 1818, *Ceratopogon*, 43
niveipennis Fabricius, 1805, *Chironomus*, 51
niveipennis Zetterstedt, 1838, *Rhamphomyia*, 92
niveipennis Zetterstedt, 1838, *Rhamphomyia*, 92
niveiseta (Zetterstedt, 1842), *Platypalpus*, 95
nobilis (Winnertz, 1852), *Bezzia*, 42
nobilis (Fallén, 1817), *Orthonevra*, 114
nobilis (Winnertz, 1867), *Plastosciara*, 71
nobilitata (Fabricius, 1775), *Thereva*, 84
nobilitatus (Linnaeus, 1767), *Poecilobothrus*, 101
noctiluca (Linnaeus, 1758), *Pipiza*, 113
noctula (Meigen, 1830), *Scatophila*, 167
Nodicornis Rondani, 1843, 101
nodicornis (Meigen, 1824), *Nodicornis*, 101
nodososa (Brullé, 1832), *Nephrotoma*, 20
nodososa (Macquart, 1826), *Ormosia*, 27
Noeeta Robineau-Desvoidy, 1830, 125
noelleri Friederichs, 1920, *Simulium*, 40
Noeta: error or emend., 125
nollerii Friederichs, 1920, *Simulium*, 40
Norellia Robineau-Desvoidy, 1830, 182
Norellia Robineau-Desvoidy, 1830, subg., 182
Norellisoma Wahlgren, 1917, subg., 182
norica Hackman, 1955, *Scaptomyza*, 171
noscibilis (Edwards, 1921), *Neolimnomyia*, 24
Nostima Coquillett, 1900, 166
notabilis Zetterstedt, 1843, *Dolichopus*, 101
notabilis (Staeger, 1840), *Mycomya*, 67
notabilis (Meigen, 1824), *Nemorilla*, 202
notabilis (Eaton, 1893), *Panimerus*, 33
notata Goetghebuer, 1920, *Dasyhelea*, 42
notata (Fallén, 1820), *Homoneura*, 136
notata (Fallén, 1823), *Limnophora*, 190
notata (Meigen, 1818), *Macropelopia*, 47
notata Meigen, 1822, *Pipiza*, 113
notata (Staeger, 1839), *Prodiamesa*, 48
notata (Linnaeus, 1758), *Scatopse*, 60
notata (Zetterstedt, 1848), *Spiniphora*, 107
notata (Meigen, 1830), *Suillia*, 173
notata (Meigen, 1830), *Thaumatomyia*, 162
notata (Stannius, 1831), *Zygomyia*, 69
notatum Meigen, 1804, *Zodion*, 118
notatus (Meigen, 1818), *Dicrotendipes*, 51
notatus Staeger, 1842, *Dolichopus*, 101
notatus Zetterstedt, 1842, *Nemotelus*, 76
notatus (Meigen, 1822), *Platypalpus*, 95
notatus (Meigen, 1820), *Rhagio*, 77
notatus (Fabricius, 1781), *Scellus*, 102
notatus (Stannius, 1831), *Tachytrechus*, 102
notescens (Walker, 1856), *Micropsectra*, 53
Notiphila Fallén, 1810, 166
Notiphila Fallén, 1810, subg., 166
NOTIPHILINAE, 166
Notolopha Tuomikoski, 1966, subg., 68
Notonaulax Becker, 1903, 160
nova (Meigen, 1830), *Dicranomyia*, 28
novakii Strobl, 1902, *Chlorops*, 161
novakii (Strobl, 1893), *Oscinimorpha*, 160
novemmaculata (Strobl, 1906), *Dicranomyia*, 28
noverca (Rondani, 1860), *Helicophagella*, 196
novus Schiner, 1868, *Chrysops*, 80
Nowickia Wachtl, 1894, 205
nubecula (Fallén, 1814), *Chrysopilus*, 77
nubecula Becker, 1896, *Parydra*, 167
nubeculosa (Burmeister, 1829), *Hexatoma*, 24
nubeculosa (Meigen, 1804), *Limonia*, 28
nubeculosa auct., *Tipula*, 22
nubeculosa Meigen, 1804, *Tipula*, 22
nubeculosum (Meigen, 1804), *Polypedilum*, 53
nubeculosus (Meigen, 1830), *Culicoides*, 43
nubila (Schummel, 1829), *Cheilotrichia*, 25
nubila (Meigen, 1818), *Satchelliella*, 34
nubila (Meigen, 1804), *Tachypeza*, 96
nubila (Meigen, 1830), *Zavrelimyia*, 47
nubilipennis Curtis, 1832, *Dixa*, 35
nubilipennis (Meigen, 1838), *Polypedilum*, 53
nubilosa Harris, 1776, *Tipula*, 21
nubilus Meigen, 1824, *Dolichopus*, 101
nubilus Collin, 1926, *Stilpon*, 95
nucis (Perris, 1839), *Polyodaspis*, 158
nuda Macquart, 1827, *Chrysogaster*, 114
nuda (Strobl, 1899), *Delia*, 184
nuda Duda, 1932, *Elachiptera*, 158
nuda Loew, 1858, *Eurina*, 160
Nudaria Karl, 1928, 186
nudibasis Stein, 1924, *Actia*, 203
nudicornis (Schummel, 1829), *Phalacrocera*, 30
nudifrons Herting, 1966, *Gymnosoma*, 207
nudipalpis (Becker, 1901), *Triphleba*, 107
nudipennis (Goetghebuer, 1913), *Smittia*, 50
nudipes (Loew, 1866), *Cetema*, 161
nudipes (Goetghebuer, 1921), *Paratrichocladius*, 50
nudipes (Zetterstedt, 1850), *Prodiamesa*, 48
nudiventris (Wood, 1909), *Megaselia*, 106

nugax (Walker, 1856), *Natarsia*, 47
Numantia Bigot, 1854, subg., 28
nuntia Meigen, 1838, *Empis*, 90
Nupedia Karl, 1930, 186
Nycteribia Latreille, 1796, 181
Nycteribia Latreille, 1796, subg., 181
NYCTERIBIIDAE, 181
NYCTERIBIINAE, 181
Nycteriphila Grulich et Povolny, 1955, 181
Nyctia Robineau-Desvoidy, 1830, 196
nymphaeae Willem, 1908 *Chironomus*, 55
nymphaearum (Robineau-Desvoidy, 1830), *Phaonia*, 189
nympheae (Stenhammar, 1844), *Hydrellia*, 166

obesa Goetghebuer, 1927, *Palpomyia*, 44
obesa (Fabricius, 1798), *Phasia*, 208
objectans (Walker, 1856), *Dicrotendipes*, 51
Oblicia Robineau-Desvoidy, 1830, 121
obliqua Coe, 1940, *Neoascia*, 115
obliquata; autt., *Bothria*, 199
obliquus Coe, 1966, *Eudorylas*, 109
obliterata (Fabricius, 1805), *Dichetophora*, 131
obliterata Zetterstedt, 1838, *Hormopeza*, 93
obliviosa Enderlein, 1939, *Antichaeta*, 130
obreptans (Walker, 1856), *Cryptochironomus*, 51
obscura Strobl, 1906, *Antocha*, 27
obscura (Kröber, 1912), *Cacoxenus*, 170
obscura (Winnertz, 1852), *Dasyhelea*, 42
obscura Fallén, 1823, *Drosophila*, 171
obscura (Meigen, 1830), *Eccoptomera*, 172
obscura (Tonnoir, 1919), *Feuerborniella*, 33
obscura Meigen, 1822, *Hilara*, 91
obscura (Meigen, 1830), *Hydrellia*, 166
obscura (Brullé, 1833), *Orellia*, 125
obscura (Girschner, 1887), *Phasia*, 208
obscura (Zetterstedt, 1848), *Phora*, 107
obscura (Fallén, 1810), *Phorocera*, 202
obscura (Fabricius, 1794), *Pollenia*, 194
obscura (Fallén, 1814), *Ptiolina*, 78
obscura Lühe, 1906, *Lipoptena*, 180 subsp.
obscura (Fallén, 1819), *Scathophaga*, 183
obscurata (Meigen, 1826), *Helina*, 189
obscurata (Rohdendorf, 1937), *Heteronychia*, 196
obscurata Duda, 1933, *Lasiosina*, 162
obscurella (Fallén, 1813), *Discocerina*, 165
obscurella (Fallén, 1823), *Meoneura*, 156
obscurella Fallén, 1823, *Phytomyza*, 153
obscurella (Fallén, 1823), *Trixoscelis*, 174
obscurellus (Zetterstedt, 1838), *Chlorops*, 161
obscurellus (Fallén, 1823), *Hypophyllus*, 101
obscuricornis (Beling, 1873), *Atypophthalmus*, 27
obscurifrons (Loew, 1858), *Calamoncosis*, 159
obscurimanus (Zetterstedt, 1850), *Cricotopus*, 49
obscurinervis Wahlgren, 1905, *Tipula*, 21
obscurior (Strobl, 1906), *Chamaepsila*, 121
obscuripennis Meigen, 1822, *Baccha*, 112

obscuripennis (Meigen, 1830), *Campichoeta*, 164
obscuripennis Loew, 1858, *Chyliza*, 121
obscuripennis (Meigen, 1824), *Hemyda*, 207
obscuripennis (Zetterstedt, 1843), *Hercostomus*, 101
obscuripennis (Meigen, 1838), *Phasia*, 208
obscuripennis Meigen, 1830, *Rhamphomyia*, 92
obscuripennis Loew, 1847, *Sapromyza*, 137
obscuripes (van der Wulp, 1859), *Chaoborus*, 36
obscuripes (Meigen, 1830), *Glyptotendipes*, 52
obscuroides Pomini, 1940, *Drosophila*, 171
obscurus (Zetterstedt, 1838), *Chalarus*, 108
obscurus Goetghebuer, 1921, *Chironomus*, 51
obscurus (Strobl, 1898), *Rhagio*, 77 subsp.
obscurus Coe, 1966, *Eudorylas*, 109
obscurus (Meigen, 1818), *Molophilus*, 26
obscurus Lackschewitz, 1940, *Molophilus*, 27
obscurus (Von Roser, 1840), *Platypalpus*, 95
obsoleta (Meigen, 1824), *Bellardia*, 193
obsoleta (Meigen, 1826), *Ensina*, 125
obsoleta Fallén, 1820, *Sapromyza*, 137
obsoleta Meigen, 1818, *Tipula*, 22
obsoletus (Meigen, 1818), *Culicoides*, 43
obtecta Becker, 1896, *Philygria*, 166
obtusa (Zetterstedt, 1838), *Leucophora*, 185
obtusa Tonnoir, 1919, *Pericoma*, 34
obtusa (Fallén, 1820), *Pherbellia*, 130
obtusidens Goetghebuer, 1921, *Chironomus*, 51
obtusinervis (Zetterstedt, 1844), *Cephalops*, 109
obvius (Walker, 1856), *Psectrocladius*, 50
Occemyia Robineau-Desvoidy, 1853, 117
occlusa Edwards, 1913, *Bolitophila*, 65
occulta (Meigen, 1838), *Cerodontha*, 153
occulta (Meigen, 1826), *Hydrotaea*, 188
occulta Wiedemann, 1824, *Myopa*, 117
occulta (Meigen, 1830), *Pedicia*, 23
occultus de Meijere, 1818, *Molophilus*, 26
occultus Brundin, 1949, *Tanytarsus*, 54
oceana (Macquart, 1838), *Ceratinostoma*, 183
oceanus (Macquart, 1838), *Hydrophorus*, 102
ocellare (Linnaeus, 1761), *Epiphragma*, 24
ocellaris (Hendel, 1920), *Agromyza*, 152
ocellaris (Meigen, 1804), *Clytocerus*, 33
ocellaris Kieffer, 1921, *Culicoides*, 43
ocellus Walker, 1848, *Mycetophila*, 69
Ochlerotatus Lynch Arribalzaga, 1891, subg., 37
ochracea (Meigen, 1804), *Austrolimnophila*, 24
ochracea (Meigen, 1818), *Orfelia*, 66
ochracea (Winnertz, 1852), *Stilobezzia*, 45
ochracea Meigen, 1804, *Tipula*, 21
ochraceus (Goetghebuer, 1921), *Bryophaenocladius*, 48
ochraceus sensu de Meijere, *Molophilus*, 26
ochraceus (Meigen, 1818), *Molophilus*, 26
ochrescens Edwards, 1938, *Molophilus*, 26
ochripes (Meigen, 1830), *Spelobia*, 177
ochrocera (Collin, 1961), *Platypalpus*, 95
ochropus Meigen, 1838, *Macquartia*, 205
ochrostoma (Zetterstedt, 1849), *Epistrophe*, 111

- Ochthera Latreille, 1802, 166
Ochtiphila Fallén, 1823, 138
OCHTIOPHILIDAE, 17
Ocneros Costa, 1844, 140
Octavia Bigot, 1854, 26
octomaculatum Curtis 1837, *Chrysotoxum*, 112
octopunctata (Coquebert, 1798), *Myennis*, 129
octopunctata (Macquart, 1835), *Orellia*, 125
oculata Fallén, 1820, *Heteromyza*, 173
oculata (Motschulsky, 1860), *Ornithomya*, 179
oculata Egger, 1859, *Thereva*, 84
oculatus (Fallén, 1823), *Diaphorus*, 98
Ocydromia Meigen, 1820, 96
OXYDROMIINAE, 96
ocyni (Fabricius, 1794), *Pyrophaena*, 113
Ocyptera Latreille, 1804, 207
ocypterata (Meigen, 1826), *Eginia*, 189
ocypterata (Fallén, 1810), *Erynnia*, 200
ocypterina Schiner, 1862, *Clairvillia*, 207
ocypterina (Zetterstedt, 1838), *Erynnia*, 200
ocypterina; auctt., *Ligeria*, 201
Ocypterus Rondani, 1856, subg., 207
Ocytata Gistl, 1848, 202
Odagmia Enderlein, 1921, subg., 40
odibilis Austen, 1921, *Culicoides*, 44
Odinia Robineau-Desvoidy, 1830, 150
ODINIIDAE, 150
Odontocera Macquart, 1835, 152
Odontomesa Pagast, 1947, 48
Odontomyia Meigen, 1803, 75
Oebalia Robineau-Desvoidy, 1863, 195
Oebalia Robineau-Desvoidy, 1863, subg., 195
Oecacta Poey, 1851, subg., 43
Oecothea Haliday, 1837, 172
Oedalea Meigen, 1820, 96
Oedesiella Becker, 1910 subg., 160
Oedoparea Loew, 1862, 134
oelandica (Linnaeus, 1758), *Dioctria*, 86
oelandica (Stenhammar, 1854), *Leptocera*, 176
oestracea (Schellenberg, 1803), *Cheilosia*, 114
oestraceum (Fallén, 1820), *Miltogramma*, 195
OESTRIDAE, 210
OESTRINAE, 210
oestroidea (Robineau-Desvoidy, 1830), *Trixia*, 207
Oestrus Linnaeus, 1758, 210
ofenkaulis (Lengersdorf, 1925), *Corynoptera*, 70
offuscata (Meigen, 1826), *Heteronychia*, 196
offuscata; auctt., *Heteronychia*, 196
Ogcodes Latreille, 1796, 82
Olbiosyrphus Mik, 1847, 112
oldenbergi (Duda, 1918), *Leptocera*, 176
oldenbergi Collin, 1956, *Pipunculus*, 109
olens (Meigen, 1830), *Suillia*, 173
oleracea Linnaeus, 1758, *Tipula*, 22
Oligochaetes lapsus, 97
Oligochaetus Mik, 1878, 97
Oligotrophus Latreille, 1805, 63
Olina; error, 175
Olinea Richards, 1965, 175
olivacea (Meigen, 1818), *Prodiamesa*, 48
Olivieria Meigen, 1838, 203
Olivieria Robineau-Desvoidy, 1830, 206
Omapanta Schmitz, 1932, subg., 106
omissa Schiner, 1863, *Elliptera*, 28
omissa (Meigen, 1826), *Melieria*, 129
omnivora Hudson, 1892, *Megaselia*, 106
Omphrale Meigen, 1800, 85
OMPHRALIDAE, 16
Omphralosoma Kröber, 1937, 85
Oncodes Meigen, 1822, 82
ONCODIDAE, 16
Oncomyia Loew, 1866, 117
Onesia Robineau-Desvoidy, 1830, 194
Onesia Robineau-Desvoidy, 1830, subg., 194
Onithomyia: error or emend., 179
Onodontha Rondani, 1856, 188
onoperdi: error, *Trypeta*, 124
onopordi (Schrank, 1803), *Euleia*, 124
onopordi (Robineau-Desvoidy, 1830), *Trypeta*, 124
onopordinis (Fabricius, 1775), *Euleia*, 124
onopordinis Hendel, 1927, *Trypeta*, 124
onotropes (Loew, 1846), *Sitarea*, 125
Onychogonia Brauer & Bergenstamm, 1889, 202
opaca Mik, 1869, *Dolichopeza*, 20
opaca Meigen, 1804, *Empis*, 91
opaca (Duda (1932), *Incertella*, 159
opaca (Egger, 1863), *Pedicia*, 23
opaca Siebke, 1872, *Tipula*, 21
opaca (Meigen, 1830), *Triphleba*, 107
Opacifrons Duda, 1918, 176
opacifrons Duda, 1932, *Tricimba*, 160
opus (Meigen, 1830), *Molophilus*, 27
Opalimosina Roháček, 1983, 177
Opalimosina Roháček, 1983, subg., 177
operosa (Meigen, 1826), *Hydrophoria*, 185
Opesia Robineau-Desvoidy, 1863, 207
Opetia Meigen, 1830, 104
OPETINAE, 104
Ophina Robineau-Desvoidy, 1863, subg., 204
Ophiomyia Braschnikov, 1897, 151
Ophyra Robineau-Desvoidy, 1830, 188
Oplocheta Rondani, 1856, 125
Oplodontha Rondani, 1863, 76
Opomyza Fallén, 1820, 148
OPOMYZIDAE, 148
Oppia Robineau-Desvoidy, 1863, 202
oppidana (Scopoli, 1763), *Chyromya*, 147
opposita (Strobl, 1909), *Elachiptera*, 158
opposita (Walker, 1849), *Ornithomya*, 179
optimus (Collin, 1926), *Platypalpus*, 95
oratoria auct., *Hemerodromia*, 92
orbicula (Fabricius, 1787), *Acrocera*, 82
orbitella Hendel, 1931, *Liriomyza*, 152
ordinata (Becker, 1894), *Scathophaga*, 183
ordinatus Goetghebuer, 1935, *Tanytarsus*, 54
Orellia Robineau-Desvoidy, 1830, 125

OREOGETONINAE, 93
Oreomyza Pokorný, 1887, *Tipula*, 21
Orfelia A. Costa, 1857, 66
Orfelia A. Costa, 1857, subg., 66
orientalis (Rohndendorf, 1961), *Rhagoletis*, 124
 subsp.
orientalis Hering, 1936, *Xyphosia*, 126 subsp.
Ormosia Rondani, 1856, 27
ornata (Meigen, 1830), *Bezzia*, 42
ornata Meigen, 1818, *Ctenophora*, 20
ornata (Meigen, 1818), *Dicranomyia*, 28
ornata Meigen, 1826, *Gonia*, 201
ornata (Meigen, 1838), *Medina*, 201
ornata (Meigen, 1830), *Metopomyza*, 152
ornata (Meigen, 1818), *Mycomya*, 67
ornata (Meigen, 1822), *Odontomyia*, 75
ornata (Meigen, 1838), *Polyporivora*, 104
ornata (Meigen, 1838), *Rheopelopia*, 47
ornata (Meigen, 1830), *Thaumatomyia*, 162
ornaticollis (Meigen, 1822), *Allodia*, 68
ornatipes Schmitz, 1926, *Megaselia*, 105
ornatum Meigen, 1818, *Simulium*, 40
ornatum (Meigen, 1830), *Xanthogramma*, 112
ornatus Meigen, 1818, *Aedes*, 37
ornatus (Meigen, 1818), *Cricotopus*, 49
ornatus Meigen, 1822, *Eumerus*, 115
ornatus (Haliday, 1832), *Xanthochlorus*, 100
Ornithobia Meigen, 1830, 180
Ornithoceaa: error or emend., 179
Ornithocirca: error or emend., 179
Ornithoeca: error or emend., 179
Ornithoecia: error or emend., 179
Ornithoica Rondani, 1878, 179
 ORNITHOICINAE, 179
Ornithomayia: error or emend., 179
Ornithomia: error or emend., 179
Ornithomya Latreille, 1802, 179
Ornithomyia: error or emend., 179
 ORNITHOMYINAE, 179
Ornithomyja: error or emend., 179
Ornithomys: error or emend., 179
Ornithomyza: error or emend., 179
Ornithymia: error or emend., 179
Ornitomyia: error or emend., 179
Ornothomyia: error or emend., 179
Ornythomia: error or emend., 179
Oropezilla Collin, 1926, 96
orophila (Edwards, 1929), *Pagastiella*, 52
Orphnephila Haliday, 1832, 39
 ORTALIDAE, 16
Orthellia Robineau-Desvoidy, 1863, 188
Orthoceratium Schrank, 1803, 102
 ORTHOCLADINAE, 48
Orthocladius van der Wulp, 1874, 50
Orthocladius van der Wulp, 1874, subg., 50
orthocnemis Frey, 1908, *Sepsis*, 135
Orthomyia: error or emend., 179
Orthonevra Macquart, 1829, 114

Orthovenia Kessel & Buegler, 1972, 104
Orygma Meigen, 1830, 135
oscillans Haliday, 1833, *Dicranomyia*, 28
oscillans (Meigen, 1826), *Herina*, 129
oscillans Allen, 1976, *Medetera*, 98
oscillator (Meigen, 1818), *Cricotopus*, 48
Oscinella Becker, 1909, 159
 OSCINELLINAE, 158
Oscinimorpha Lioy, 1864, 160
oscinina (Fallén, 1820), *Siphonella*, 159
Oscinis Latreille, 1804, 161
Oscinis bicolor Macquart, 1835, *Lasiosina*, 162
Oscinis: authors, 159
Oscinisoma Lioy, 1864, 159
Oscinomorpha, emend., 160
Oscinosoma, error, 159
ostensackeni Westhoff, 1882, *Dicranomyia*, 28
ostiorum (Haliday, 1832), *Ceratinostoma*, 183
Oswaldia Robineau-Desvoidy, 1863, 202
Oties Latreille, 1804, 129
 OTITIDAE, 129
ovalis Becker, 1921, *Platycheirus*, 113
overmeirensis Goetghebuer, 1932 *Orthocladius*, 55
overmeirensis Goetghebuer, 1932 *Harnischia*, 55
oviformis Becker, 1894, *Cheilosia*, 114
ovilla: error, *Melophagus*, 180
ovinus (Linnaeus, 1758), *Melophagus*, 180
ovinus (J. Ray, 1710), *Melophagus*, 180
ovis: error, *Melophagus*, 180
ovis Linnaeus, 1758, *Oestrus*, 210
oxyacantahae (Meigen, 1822), *Criorhina*, 116
oxyacanthalae (Perris, 1876), *Anomoia*, 124
Oxyapium Becker, 1912 subg., 160
Oxycera Meigen, 1803, 76
Oxydiscus de Meijere, 1913, 25
Oxyna Robineau-Desvoidy, 1830, 125
Oxyphora Loew, 1862, 126
Oxypterum Leach, 1817, 179
Oxyrhiza de Meijere, 1946, subg., 25
Ozirhincus Rondani, 1840, 63

pabulina (Meigen, 1824), *Nemorilla*, 202
pabulina Meigen, 1818, *Tipula*, 21
pabulorum (Fallén, 1817), *Muscina*, 187
Pachychaeta Loew, 1845, 158
Pachychaeta, emend., 158
Pachychaetina Hendel, 1907, 158
Pachychoeta Bezzi, 1895, 158
Pachygaster Meigen, 1803, 76
 PACHYGASTERINAE, 76
pachymera Egger, 1858, *Criorhina*, 116
Pachymeria Stephens, 1829, subg., 91
Pachyophthalmus Brauer & Bergenstamm, 1889, 195
Pachyrhina Macquart, 1834, 20
Pachysphyrria Enderlein, 1938, 112
pacifica (Meigen, 1824), *Solieria*, 205
pacifica (Meigen, 1826), *Spilogona*, 190

- pagana* (Meigen, 1824), *Blepharomyia*, 206
pagana (Meigen, 1822), *Cheilosia*, 114
pagana (Meigen, 1838), *Einfeldia*, 51
pagana (Fabricius, 1794), *Mydaea*, 190
pagana Meigen, 1818, *Tipula*, 22
Pagastiella Brundin, 1949, 52
Palaeopetaurista Séguy, 1940, 18
palaestrica (Meigen, 1826), *Hydrotaea*, 188
Pales Meigen, 1800, 20
Pales Robineau-Desvoidy, 1830, 202
palesoidea (Robineau-Desvoidy, 1830), *Pseudoperichaeta*, 203
palilda: error, *Crataerina*, 180
pallens Loew, 1866, *Chlorops*, 161
pallens (Meigen, 1804), *Glyptotendipes*, 52
pallens (Meigen, 1804), *Glyptotendipes*, 52 partim
pallens (Loew, 1873), *Hoplolabis*, 26
pallens (Wiedemann, 1830), *Sciapus*, 97
pallens (Wiedemann, 1824), *Terellia*, 125
pallescens (Meigen, 1830), *Eccoptomera*, 172
pallida (Beling, 1873), *Austrolimnophila*, 24
pallida (Fallén, 1820), *Chamaepsila*, 121
pallida (Leach, 1812), *Crataerina*, 180
pallida (Stannius, 1831), *Exechia*, 68
pallida (Winnertz, 1852), *Forcipomyia*, 42
pallida (Fallén, 1819), *Megaphthalma*, 182
pallida (Fallén, 1823), *Neurigona*, 97
pallida (Staeger, 1840), *Orfelia*, 66
pallida von Olfers, 1816, *Ornithomya*, 179
pallida Say, 1823, *Ornithomya*, 179
pallida (Fabricius, 1787), *Phaonia*, 189
pallida Meigen, 1830, *Phytomyza*, 153
pallida (Fallén, 1820), *Renocera*, 131
pallida (Zetterstedt, 1847), *Scaptomyza*, 171
pallida (Fallén, 1820), *Suillia*, 173
pallidicornis Kieffer, 1919, *Culicoides*, 44
pallidicornis (Collin, 1926), *Platypalpus*, 95
pallidicornis (Walker, 1856), *Tanytarsus*, 54
pallidicoxa (Frey, 1913), *Platypalpus*, 95
pallidipes Goetghebuer, 1942 *Psectrocladius*, 55
pallidiseta Kovalev, 1978, *Platypalpus*, 95
palliditarsis (Becker, 1896), *Discocerina*, 165
palliditarsis (Collin, 1931), *Tomosvaryella*, 109
pallidiventris (Macquart, 1835), *Dicraeus*, 160
pallidiventris (Meigen, 1830), *Lotobia*, 175
pallidiventris (Fallén, 1820), *Lyciella*, 136
pallidiventris (Fallén, 1820), *Pherbellia*, 130
pallidiventris (Meigen, 1822), *Platypalpus*, 95
pallidivittatus (Malloch, 1915), *Chironomus*, 51
pallidula (Meigen, 1818), *Conchapelopia*, 47
pallidus (Fabricius, 1794), *Chaoborus*, 36
pallidus (Meigen, 1822), *Platypalpus*, 95
pallifrons Fallén, 1820, *Alloborborus*, 175
pallipalpis Zetterstedt, 1838, *Delia*, 184
pallipennis (Zetterstedt, 1855), *Chaetolonchaea*, 139
pallipes Macquart, 1835, 154
pallipes (Curtis, 1824), *Lipoptena*, 180
pallipes (Zetterstedt, 1843), *Medetera*, 98
pallipes (Latreille, 1809), *Megaselia*, 106
pallipes (Meigen, 1830), *Microsania*, 104
pallipes Meigen, 1818, *Mycetobia*, 57
pallipes (Meigen, 1820), *Neomochtherus*, 87
pallipes (Fallén, 1820), *Ocytata*, 202
pallipes (Mueller, 1924), *Pherbellia*, 130
pallipes (Fallén, 1815), *Platypalpus*, 95
pallipes (Fabricius, 1794), *Syntormon*, 100
pallipes Fabricius, 1787, *Tipula*, 71
pallipes (von Roser, 1840), *Systemus*, 98
pallipes (Zetterstedt 1838), *Trichina*, 96
pallitibia (Rondani, 1866), *Fannia*, 192
Palloptera Fallén, 1820, 140
PALLOPTERIDAE, 140
palmata (Richards, 1927), *Spelobia*, 177
palpata (Stein, 1897), *Phaonia*, 189
palpata Robineau-Desvoidy, 1830, *Terellia*, 125
Palpomyia Meigen, 1818, 44
palposa (Tonnoir, 1919), *Lepimormia*, 33
palposa Zetterstedt, 1847, *Lonchaea*, 139
paludicola Elberg, 1965, *Limnia*, 131
paludosa (Fabricius, 1794), *Dictenidia*, 20
paludosa (Wood, 1908), *Megaselia*, 105
paludosa Meigen, 1804, *Ptychoptera*, 32
paludosa Mesnil, 1960, *Siphona*, 205
paludosa Meigen, 1830, *Tipula*, 22
paludosa Goetghebuer, 1931 *Stempellina*, 55
paludum (Meigen, 1830), *Scatella*, 167
paludum Goetghebuer, 1939 *Tanytarsus*, 55
palustris Verrall, 1876, *Chrysotus*, 98
palustris (Fallén, 1823), *Coenia*, 167
palustris (Meigen, 1804), *Forcipomyia*, 41
palustris (Saunders, 1925), *Forcipomyia*, 42
palustris (Meigen, 1826), *Herina*, 129
palustris Meigen, 1824, *Lonchoptera*, 103
palustris (Meigen, 1804), *Satchelliella*, 34
Pamponerus Loew, 1849, 87
pandellei Stein, 1899, *Hydrotaea*, 188
Pandelleisca Rohdendorf, 1937, subg., 197
Pandelleola Rohdendorf, 1937, subg., 196
pandia (Walker, 1849), *Bellardia*, 193
Pandora Haliday, 1833, 135
Panhelea Remm, 1980, subg., 42
Panimerus Eaton, 1913, 33
paniscus Verrall, 1909, *Villa*, 83
pannonicus Aczél, 1939, *Beckerias*, 109
pantherina (Fallén, 1820), *Oxyna*, 126
pantherinus (Linnaeus, 1758), *Nemotelus*, 76
panzeri Goffe, 1945, *Brachyopa*, 114
Panzeria Robineau-Desvoidy, 1830, 204
papilionivora Edwards, 1923, *Forcipomyia*, 42
papillata (Wingate, 1906), *Triphleba*, 107
Pappiella Roháček, 1983, subg., 177
Parachironomus Lenz, 1921, 52
Paracladius Hirvenoja, 1973, 50
Paracladopelma Harnisch, 1923, 52
Paracoenia Cresson, 1935, 167
Paracoenia Cresson, 1935, subg., 167

Paracollinella Duda, 1924, 176
Paracorynoneura Goetghebuer, 1939, 48
paracrenata (Duda, 1920), *Ischiolepta*, 175
Paracricotopus Thienemann & Harnisch, 1932, 50
Paracrocera Mik, 1886, 82
Paradelia Ringdahl, 1933, 186
Paradelphomyia Alexander, 1936, 25
Paradicranota Alexander, 1934, subg., 23
Paradixa Tonnoir, 1924, *Dixa*, 35
paradoxa (Robineau-Desvoidy, 1830), *Loxocera*, 121
Paragitona Kröber, 1912, 170
Paragus Latreille, 1804, 113
Paragusia Schiner, 1861, 196
Parajungiella Vaillant, 1972, 34
Paralauxania Hendel, 1908, 137
Paralimnophyes Brunndin, 1956, 50
Paralimosina Papp, 1973, 177
Paralimosina Papp, 1973, subg., 177
parallela (Meigen, 1824), *Bessa*, 199
Parallelodiplosis Rübsaamen, 1910, 63
Parallelomma Becker, 1894, 183
PARAMACRONYCHIINAE, 196
Paramerina Fittkau, 1962, 47
Parametriocnemus Goetghebuer, 1932, 50
Paramormia Enderlein, 1935, 34
Paranoeeta Shiraki, 1933 subg., 125
Parapenium Collin, 113
Paraphaenocladius Thienemann, 1924, 50
Paraphorocera Brauer & Bergenstamm, 1889, 201
Paraphoromyia Becker, 1921, subg., 78
Paraphylidorea Savchenko, 1986, subg., 25
Paraphytomyza Enderlein, 1936, 153
Parapiophila McAlpine, 1977, 142
Paraplatypeza Kessel & Maggioncalda, 1968, 104
Paraprosalpia Villeneuve, 1922, 185
Parapterychoptera Tonnoir, 1919, 32
parapusilla (Duda, 1920), *Ischiolepta*, 175
parapusio (Dahl, 1909), *Spelobia*, 177
Pararhamphomyia Frey, 1922, subg., 91
Parasarcophaga Johnston & Tiegs, 1921, 197
Parasarcophaga Johnston & Tiegs, 1921, subg., 197
Parascaptomyza Duda, 1924, subg., 171
Parascatopse Cook, 1955, 59
Parasetigena Brauer & Bergenstamm, 1891, 202
Parastia Pandellé, 1898, 160
Parasyrphus Matsumura, 1917, 112
Paratanytarsus Thienemann & Bause, 1913, 53
Paratendipes Kieffer, 1911, 52
Paratinia Mik, 1874, 67
Paratrichocladius Santos-Abreu, 1918, 50
Paratrissocladius Zavrel, 1937, 50
pardalina (Meigen, 1826), *Noeeta*, subsp., 125
pardalina Meigen, 1822, *Oxycera*, 76
pardalina Rondani, 1866, *Piezura*, 192
Parectecephala Becker, 1910, 161
Paregle Schnabl, 1911, 185
parenti Stackelberg, 1925, *Medetera*, 98
parenti Goetghebuer, 1931 *Tanytarsus*, 55

Parepidosis Kieffer, 1913, 61
Parexyna: error, 126
Parhelophilus Girschner, 1897, 116
paridis Hering, 1923, *Parallelomma*, 183
parietina Zetterstedt, 1847 (part), *Oxyna*, 125
parietina Zetterstedt, 1855 (part), *Oxyna*, 126
parietina (Linnaeus, 1758), *Oxyna*, 126
parilis Collin, 1926, *Drapetis*, 94
parilis (Walker, 1856), *Parachironomus*, 52
Parilisia Savchenko, 1976, subg., 26
paripes (Edwards, 1929), *Glyptotendipes*, 52
parisiensis (Robineau-Desvoidy, 1830), *Trupanea*, 126
Paroecus Becker, 1895, 137
Paroedesiella Sabrosky, 1941 subg., 160
Paromphrale Kröber, 1937, 85
Paroxyna Hendel, 1927, 126
parroti Kieffer, 1922, *Culicoides*, 43
partita (Meigen, 1826), *Hylemya*, 185
parva Robineau-Desvoidy, 1830, *Egle*, 185
parva Lundström, 1909, *Exechia*, 68
parva (Stein, 1895), *Fannia*, 192
parva Meade, 1889, *Hydrotaea*, 188
parva Hendel, 1931, *Liriomyza*, 152
parva (Wood, 1909), *Megaselia*, 106
parva (Macquart, 1850), *Meigenia*, 202
parva Meigen, 1804, *Trichocera*, 18
parvicauda Hansen, 1881, *Tipula*, 22
parvicornis (Zetterstedt, 1845), *Chirosia*, 184
parvicornis (Duda, 1918), *Opacifrons*, 176
parviforceps Kieffer, 1925, *Palpomyia*, 44
parvilamellatus (Macquart, 1827), *Hercostomus*, 101
parvula (Haliday, 1833), *Coelopa*, 133
parvula (Zetterstedt, 1852), *Exechia*, 68
parvula (Loew, 1862), *Paroxyna*, 126
parvula (Zetterstedt, 1848), *Thaumatomyia*, 162
parvulus Kieffer, 1918 *Trichotanypus*, 55
Parydra Stenhammar, 1844, 166
Parydra Stenhammar, 1844, subg., 166
PARYDRINAE, 166
paschalis Goetghebuer, 1933, *Tanytarsus*, 54
pascuorum Rondani, 1859, *Bothria*, 199
pascuorum (Meigen, 1826), *Muscina*, 187
pascuum (Meigen, 1838), *Liriomyza*, 152
patelliformis (Becker, 1895), *Homoneura*, 136
pauliani (Séguy, 1942), *Symplecta*, 27
pauperata (Winnertz, 1867), *Bradysia*, 70
pauxilla Schmitz, 1920, *Conicera*, 107
pavida (Haliday, 1833), *Dicranota*, 23
pavida (Meigen, 1824), *Pales*, 202
pavida (Winnertz, 1867), *Scatopsiara*, 71
pavidus (Winnertz, 1852), *Atrichopogon*, 41
pavoniae (Robineau-Desvoidy, 1830), *Masicera*, 201
pecorum (Fabricius, 1794), *Gasterophilus*, 209
pectinata (Gmelin, 1790), *Dictenidia*, 20
pectinata (Meigen, 1830), *Meoneura*, 156
pectinatum (Becker, 1908), *Rhaphium*, 99
pectinatum (Loew, 1859), *Rhaphium*, 99
pectinicornis (Linnaeus, 1758), *Ctenophora*, 20

- pectinifera* (Villeneuve, 1917), Kimosina, 177
pectinipennis (Meigen, 1830), Microsania, 104
pectinulata Loew, 1873, Nemopoda, 135
pectinulatus Loew, 1864, Campsicnemus, 99
pectoralis Winnertz, 1853, Asynapta, 61
pectoralis (Meigen, 1826), Chamaepsila, 121
pectoralis (Zetterstedt, 1847), Colobaea, 130
pectoralis (Wood, 1910), Megaselia, 105
pectoralis (Fallén, 1815), Platypalpus, 95
pectoralis Macquart, 1835, Sepsis, 135
pedella (Fallén, 1825), Coenosia, 191
pedellus (De Geer, 1776), Microtendipes, 52
pedestre (Meigen, 1830), Polypedilum, 53
pedestris (Meigen, 1830), Crumomyia, 176
pedicellata Edwards, 1928, Dicranomyia, 28
Pedicia Latreille, 1809, 23
Pedicia Latreille, 1809, subg., 23
PEDICINAE, 23
pedicularia Latreille, 1805, Nycteribia, 181
pedicularis Hering, 1949, Phytomyza, 154
pedissequum (Harris, 1776), Xanthogramma, 112
Peggomyia emend., 186
pegobius Kieffer, 1922, Culicoides, 43
Pegohylemyia Schnabl, 1911, 184
Pegomya Robineau-Desvoidy, 1830, 186
PEGOMYINAE, 185
Pegomyza Schnabl, 1911, 186
Pegoplata Schnabl & Dziedzicki, 1911, 186
Pelatachina Meade, 1894, 205
Pelecocera Meigen, 1822, 115
peleterii (Robineau-Desvoidy, 1830), Chyliza, 121
Peletoiphila Hagenbach, 1822, 121
Pelidnoptera Rondani, 1856, 130
Pelina Curtis, 1837, 167
pelioistigma Schummel, 1833, Tipula, 21
pellucens (Fallén, 1820), Heliozeta, 207
pellucens (Fabricius, 1776), Heptatoma, 81
pellucens Portschiinsky, 1879, Hydrotaea, 188
pellucens (Linnaeus, 1758), Volucella, 115
pellucida (Meigen, 1824), Nemoraea, 205
Pelomyiella Hendel, 1934, 169
pelopea Mannheims, 1965, Tipula, 21
peltatus (Meigen, 1822), Platycheirus, 113
pendulus (Linnaeus, 1758), Helophilus, 116
penetralis (Collin, 1925), Spelobia, 177
penicillaris (Stein, 1916), Phorbia, 185
penicillata (Egger, 1865), Dasyphora, 188
penicillatum Loew, 1850, Rhaphium, 99
Penicillidia Kolenati, 1863, 181
pennaria Fallén, 1816, Empis, 90
pennatus Meigen, 1824, Dolichopus, 101
pennina (Goedlin, 1974), Pipizella, 113
pennipes Linnaeus, 1758, Empis, 90
pennitarsis sensu Jacobs, 1905, Dolichopus, 101
Penquistus Kieffer, 1906, 149
pentagonalis (Loew, 1873), Scleroprocta, 27
pentalinearialis Kuroda, 1954, Phytomyza, 153
PENTANEURINI, 47
Pentapedilum Kieffer, 1913, subg., 52
pentatoma Kieffer, 1913, Zavrelia, 54
Penthesilea Meigen, 1800, 116
Penthetria Meigen, 1803, 58
Pephritis: error or emend., 126
Peplomyza Haliday, 1837, 137
perangustatus Goetghebuer, 1952 Chironomus, 55
Peratochetus Rondani, 1856, 146
Peratochetus Rondani, 1874, 146
perdita (Meigen, 1830), Phaonia, 189
peregrina (Malloch, 1912), Megaselia, 106
peregrinum (Meigen, 1826), Euryomma, 192
perelegans (Harris, 1776), Trypeta, 124
perenniformis Schmitz, 1934, Triphleba, 107
perennis (Meigen, 1830), Chaetocadius, 48
perennis (Meigen, 1838), Triphleba, 107
perfida Parent, 1932, Medetera, 98
Peribaea Robineau-Desvoidy, 1863, 205
pericarpiocola (Bremi, 1847), Kiefferia, 63
Perichaeta Rondani, 1859, 202
periclymeni (de Meijere, 1924), Chromatomyia, 153
Pericomia Walker, 1856, 34
Peripsychoda Enderlein, 1935, 34
Periscepsia Gistl, 1848, 206
permixta Rondani, 1876, Chyliza, 121
permunda (Harris, 1776), Anomoia, 124
pernix (Harris, 1780), Ravinia, 197
Peromitra Enderlein, 1924, subg., 107
Peronecera Curtis, 1836, 24
perpallidus Verrall, 1901, Platycheirus, 113
perplexa Becker, 1918, Argyra, 99
perpulcher (Harris, 1776), Nephrotoma, 20
perpungens Kieffer, 1925, Culicoides, 44
perpusilla (Winnertz, 1867), Corynoptera, 70
Perrisia Rondani, 1846, 62
persicariae (Linnaeus, 1767), Wachtliella, 64
personata (Harris, 1780), Pocota, 116
personatae Loew, 1869, Tephritis, 126
perspicuus (de Meijere, 1905), Cephalops, 109
pertinax (Scopoli, 1763), Eristalis, 116
pertusa (Meigen, 1826), Helina, 189
Petalopholeus Borkent, 1984, subg., 53
Petalophora Macquart, 1835, 123
Petaurista Meigen, 1800, 18
PETAURISTIDAE, 16
Peteina Meigen, 1838, 206
petiolata (Zetterstedt, 1838), Nephrotoma, 20
petiolata (Linnaeus, 1767), Physocephala, 117
petioli (Kieffer, 1898), Contarinia, 62
petrei Mesnil, 1934, Opomyza, 148
petronella (Linnaeus, 1761), Calobata, 119
petrophila Kowarz, 1877, Medetera, 98
petrophiloides Parent, 1925, Medetera, 98
Peusomyia Saether, 1970, subg., 36
pexops (Brauer & Bergenstamm, 1891), Myxexoris-tops, 202
Pexopsis Brauer & Bergenstamm, 1889, 202
Phaenicia Robineau-Desvoidy, 1863, subg., 193

- Phaenobezzia Haeselbaerth, 1965, subg., 43
 Phaenopsectra Kieffer, 1921, 52
Phaeomyia Schiner, 1862, 130
PHAEOMYIINAE, 130
 phaeoptera (Meigen, 1824), Loewia, 204
 phaeopus Haliday, 1851, Dolichopus, 101
 phaeostigma (Schummel, 1829), Euphylidorea, 24
 phaeton Coe, 1966, Pipunculus, 109
Phagocarpus Rondani, 1870, 124
 Phalacrocerina Schiner, 1863, 30
Phalacrodira Enderlein, 1937, 112
 Phalacrotophora Enderlein, 1912, 106
 phalaenoides (Linnaeus, 1758), Psychoda, 34
 phalerata Meigen, 1830, Drosophila, 171
 phalerata Meigen, 1818, Macrocerina, 66
 Phania Meigen, 1824, 207
Phania; auctt., 207
 Phaonia Robineau-Desvoidy, 1830, 189
PHAONIINAE, 189
Pharyngomyia Schiner, 1861, 210
 Phasia Latreille, 1804, 208
 Phasia Latreille, 1804, subg., 208
PHASIINAE, 207
 phatta (Egger, 1863), Ablabesmyia, 47
Phebellia Robineau-Desvoidy, 1846, 202
Pherbellia Robineau-Desvoidy, 1830, 130
Pherbina Robineau-Desvoidy, 1830, 131
 philantus (Meigen, 1822), Sphaerophoria, 112
Philea Robineau-Desvoidy, 1863, 203
Philia Meigen, 1800, 58
Philipomyia Olsufjev, 1964, 80
Philophylla: error or emend., 124
Philoluthra Mik, 1881, subg., 93
Philonicus Loew, 1849, 87
Philophylla Rondani, 1870, 124
Philospedon Eaton, 1904, 34
Philotelma Becker, 1896, 167
Philygria Stenhammar, 1844, 166
Philyriola Hendel, 1917, 166
Phiophylla: error or emend., 124
Phlyarus Gistl, 1848, 160
phoenissa Mannheims, 1965, Tipula, 21
 Phora Latreille, 1796, 107
Phoraea Robineau-Desvoidy, 1830, 186
Phorbia Robineau-Desvoidy, 1830, 185
Phorellia: error or emend., 124
Phorichaeta Rondani, 1861, 206
PHORIDAE, 105
PHORINAE, 106
Phorinia Robineau-Desvoidy, 1830, 202
Phormia Robineau-Desvoidy, 1830, 194
PHORMIINAE, 194
Phorocera Robineau-Desvoidy, 1830, 202
Phorodonta; auctt., 71
Phoroxypha Rondani, 1856, 94
Phortica Schiner, 1862, subg., 170
 photophilus (Goetghebuer, 1921), Rheotanytarsus, 54
phragmitidis (Schrank, 1781), Limonia, 28
Phronia Winnertz, 1863, 69
Phrosia Robineau-Desvoidy, 1830, 183
Phryne Meigen, 1800, 57
PHRYNEIDAE, 16
Phryno Robineau-Desvoidy, 1830, 202
Phryxe Robineau-Desvoidy, 1830, 202
Phthinia Winnertz, 1863, 67
Phthiria Meigen, 1803, 83
Phylidorea Bigot, 1854, 25
Phylidorea Bigot, 1854, subg., 25
Phyllodromia Zetterstedt, 1837, 92
Phylomyia Robineau-Desvoidy, 1830, 206
Phylomyza Fallén, 1810, 155
phyllophora Melander, 1920, Tetanocera, 131
Physiphora Fallén, 1810, 128
Physocephala Schiner, 1861, 117
Phytagromyza Hendel, 1920 subg., 152
Phytagromyza: authors, 153
Phyto Robineau-Desvoidy, 1830, 198
Phytobia Lioy, 1864, 151
Phytoliriomyza Hendel, 1931, 152
Phytomyptera Rondani, 1845, 205
Phytomyza Fallén, 1810, 153
Phytosciara Frey, 1942, 71
picea (Meigen, 1818), Apiloscatopse, 59
picea (Winnertz, 1852), Forcipomyia, 42
picea (Robineau-Desvoidy, 1830), Gonia, 201
piceipes (van der Wulp, 1871), Phytomyza, 153
piceus (Fallén, 1816), Eristalis, 116
picipes (Zetterstedt, 1838), Bradysia, 70
picipes (Meigen, 1826), Cordilura, 182
picipes Meigen, 1824, Dolichopus, 101
picipes (Meigen, 1820), Dysmachus, 86
picipes Meigen, 1804, Empis, 90
picipes (Meigen, 1818), Metriocnemus, 49
picta (Meigen, 1824), Linnaemyia, 204
picta (Lehmann, 1822), Megaselia, 106
picta (Meigen, 1826), Melieria, 129
picta Panzer, 1798, Myopa, 117
picta (Meigen, 1838), Nephrotoma, 20
picta (Fallén, 1813), Nostima, 166
picta (Meigen, 1830), Orellia, 125
picta (Meigen, 1824), Pharyngomyia, 210
picticornis (Zetterstedt, 1843), Campsicnemus, 99
picticornis (Zetterstedt, 1851), Tipula, 21
picticornis Zetterstedt, 1855, Tipula, 22
pictipennis (Winnertz, 1852), Culicoides, 44
pictipennis (Staeger, 1839), Culicoides, 44
pictipennis Rondani, 1874, Geomyza, 148
pictipennis (Meigen, 1818), Limnophila, 24
pictipennis (Haliday, 1833), Neoempheria, 67
pictipennis Staeger, 1840, Tipula, 21
pictipennis Alexander, 1930, Trichocera, 18
pictipennis (Staeger, 1840), Zygomyia, 69
pictipes (Schiner, 1864), Clusiodes, 146
pictipes (Zetterstedt, 1855), Clusiodes, 146
pictipes (Becker, 1889), Symbalophthalmus, 95
pictitarsis (Becker, 1902), Platypalpus, 95

- pictula Meigen, 1830, *Mycetophila*, 69
pictulus (Meigen, 1830), *Stictochironomus*, 53
pictum (Fabricius, 1798), *Epiphrama*, 24
pictus Meigen, 1820, *Chrysops*, 80
pictus (Meigen, 1818), *Sphaeromias*, 45
pierrei Tonnoir, 1921, *Tipula*, 22
Pierretia Robineau-Desvoidy, 1863, 197
Pierretia Robineau-Desvoidy, 1863, subg., 197
Pierretia; auctt., *Heteronychia*, 196
Piezura Rondani, 1866, 192
piger (Goetghebuer, 1913), *Chaetocladius*, 48
pigra (Fabricius, 1794), *Xylota*, 115
Pilaria Sintenis, 1889, 25
pilicornis (Fabricius, 1787), *Chironomus*, 51
pilifer (Loew, 1859), *Hercostomus*, 101
pilifer Meigen, 1838, *Rhamphomyia*, 92
pilimanus Goetghebuer, 1934 *Psectrocladius*, 55
pilipennis Robineau-Desvoidy, 1830, *Actia*, 203
pilipennis (Fallén, 1810), *Actia*, 203
pilipennis (Egger, 1863), *Dicranomyia*, 28
pilipennis (Strobl, 1880), *Paradelphomyia*, 25
pilipes (Stein, 1916), *Paregle*, 185
pilipes Haliday, 1838, *Coelopa*, 133
pilipes Zetterstedt, 1838, *Hilara*, 91
pilipes (Rondani, 1862), *Morellia*, 188
pilipes Loew, 1873, *Sepsis*, 135
pilipes (Fabricius, 1787), *Symplecta*, 27
pilitarsis (Zetterstedt, 1850), *Cricotopus*, 49
pilitarsis (Stenhammar, 1844), *Hydrellia*, 166
pilosa Lundbeck, 1910, *Bicellaria*, 96
pilosa Collin, 1939, *Brachyopa*, 114
pilosa Pierre, 1924, *Ctenophora*, 20
pilosa Zetterstedt, 1842, *Hilara*, 91
pilosa (Robineau-Desvoidy, 1830), *Tachina*, 205
pilosa (Schummel, 1829), *Ula*, 24
pilosa (Zetterstedt, 1838), *Verrallia*, 108
pilosella Schmitz, 1927, *Diplonevra*, 107
pilosellae Kieffer, 1892, *Cystiphora*, 62
pilosellae (Binnie, 1877), *Macrolabis*, 63
pilosigenis (Becker, 1896), *Lamproscatella*, 167
pilosipennis (Kieffer, 1919), *Forcipomyia*, 42
pilosiventris Kramer, 1910, *Lucilia*, 193
pimpinellae (F. Loew, 1874), *Kiefferia*, 63
pinetorum Zetterstedt, 1849, *Hilara*, 91
pinguis (Fallén, 1820), *Ophiomyia*, 152
pini (De Geer, 1782), *Cecidomyia*, 62
pinicola Kowarz, 1877, *Medetera*, 98
Piophila Fallén, 1810, 142
PIOPHILIDAE, 142
pipiens Linnaeus, 1758, *Culex*, 38
pipiens (Linnaeus, 1758), *Syritta*, 115
Pipiza Fallén, 1817, 113
Pipizella Rondani, 1856, 113
PIPUNCULIDAE, 108
PIPUNCULINAE, 108
Pipunculus Latreille, 1802 p.p., 108
Pipunculus Latreille, 1802 p.p., 109
Pipunculus Latreille, 1802, 109
Pipunculus Latreille, 1802 p.p., 109
Pipunculus Latreille, 1804 p.p., 109
pisi Kaltenbach, 1864, *Chromatomyia*, 153
pisi (Winnertz, 1854), *Contarinia*, 62
Plachycephala, error, 160
placida (Meigen, 1830), *Neolimnophila*, 27
Placochela Rübsamen, 1916, 63
Plagia Meigen, 1838, 207
plagiatus (Loew, 1857), *Hercostomus*, 101
plana Walker, 1856, *Boletina*, 67
plana (de Meijere, 1918), *Eribolus*, 159
planetica Collin, 1927, *Empis*, 90
planifrons Loew, 1866, *Chlorops*, 161
planifrons (Fabricius, 1798), *Platycephala*, 160
planipalpis (Stein, 1898), *Delia*, 184
planitarsis Fallén, 1823, *Dolichopus*, 101
plantaginis (Haliday, 1833), *Paroxyna*, 126
Plastosciara Berg, 1899, 71
Platiparea: error or emend., 124
platura (Meigen, 1826), *Delia*, 184
Platurocypta Enderlein, 1910, 69
Platycephala Fallén, 1820, 160
platycephala (Loew, 1847), *Lyciella*, 136
Platycheirus Lepeletier & Serville, 1828, 112
Platychira Rondani, 1856, 204
Platymyia Robineau-Desvoidy, 1830, 202
Platypalpus Macquart, 1827, 94
Platyparea Loew, 1862, 124
Platyparella Hendel, 1914, 124
Platypeza Meigen, 1803, 104
PLATYPEZIDAE, 104
PLATYPEZINAE, 104
Platyptera Meigen, 1803, subg., 91
platyptera (Zetterstedt, 1849), *Potamia*, 188
platyptera (Macquart, 1834), *Prionolabis*, 25
platyptera Panzer, 1794, *Rhamphomyia*, 92
platypterus (Fabricius, 1805), *Sciapus*, 97
platypus (Edwards, 1929), *Psectrocladius*, 50
Platystoma Meigen, 1803, 127
PLATYSTOMATIDAE, 127
Platystyla Macquart, 1835 subg., 121
Platytipula Matsumura, 1916, subg., 21
Platytoma Lioy, 1863, *Cheilotrichia*, 25
Platyura Meigen, 1803, 66
Platyura; auctt., 66
Plaxemya Robineau-Desvoidy, 1830, 188
plebeia (Meigen, 1818), *Neolimnomyia*, 24
plebeius auct., *Atylotus*, 81
plebeius (Meigen, 1818), *Paratendipes*, 52
plebeja (Linnaeus, 1758), *Thereva*, 84
plebejus (Fallén, 1810), *Demoticus*, 204
plebejus, lapsus Gtgh., *Paratendipes*, 52
PLECHINAE, 58
Plemeliella Seitner, 1908, 63
Plesiastina Winnertz, 1852, 65
Plesioclythia Kessel & Maggioncalda, 1968, 104
pleuralis (Wood, 1909), *Megaselia*, 105
pleuralis de Meijere, 1920, *Molophilus*, 27

plicata Meigen, 1804, *Tipula*, 22
plicatrix (H. Loew, 1850), *Dasineura*, 62
plumata Tonnoir, 1920, *Pericomia*, 34
plumbella Meigen, 1824, *Medetera*, 98
plumbella (Meigen, 1838), *Pherbellia*, 130
plumbeus Stephens, 1828, *Anopheles*, 37
plumicornis (Zetterstedt, 1859), *Blaesoxipha*, 196
plumicornis (Fabricius, 1794), *Chaoborus*, 36
plumicornis (Fallén, 1820), *Minettia*, 137
plumipes (Fries, 1823), *Anatopynia*, 46
plumipes (Scopoli, 1763), *Dolichopus*, 101
plumipes Fallén, *Rhamphomyia*, 92
plumipes (Fallén, 1823), *Tachytrechus*, 102
plumiseta Duda, 1933, *Oscinella*, 159
plumitarsis sensu Jacobs, 1905, *Dolichopus*, 101
plumitarsis Fallén, 1823, *Dolichopus*, 101
plumosa (Fallén, 1823), *Ditrichophora*, 165
plumosula (Rondani, 1880), *Kimosina*, 177
plumosus (Linnaeus, 1758), *Chironomus*, 51
plurilineata Villeneuve, 1911, *Drosophila*, 170
plurisetosa (Strobl, 1900), *Leptocera*, 176
plurispinosa (Lundbeck, 1920), *Megaselia*, 106
plurispinulosa (Zetterstedt, 1860), *Megaselia*, 106
pluvialis (Linnaeus, 1758), *Anthomyia*, 184
pluvialis (Linnaeus, 1758), *Haematopota*, 81
Pnyxia Johannsen, 1912, 71
poae (Bosc, 1817), *Mayetiola*, 63
Pocota Lepeletier & Serville, 1828, 116
podagrifica (Loew, 1857), *Morellia*, 188
podagrifica (Fabricius, 1775), *Neoascia*, 115
Podotachina Brauer & Bergenstamm, 1891, subg., 201
Poecilobothrus Mik, 1878, 101
Poecilolycia Shewell, 1986, 137
Poeciloptera Loew, 1846, 124
poeciloptera (Schrank, 1776), *Platyparea*, 124
Poecilstola Schiner, 1863, 24
Poemyza Hendel, 1931 subg., 152
Pogonocladius Brundin, 1956, subg., 50
Pogonomyia Rondani, 1871, 187
poissoni (Tréhen, 1966), *Rhamphomyia*, 91
pokornyi Duda, 1924, *Drosophila*, 171
Polidea Macquart, 1848, 204
Polites Rondani, 1866, 188
polita Edwards, 1921, *Dasyhelea*, 42
polita (Linnaeus, 1758), *Microchrysa*, 75
polita (Macquart, 1835), *Psilopa*, 166
politus (Collin, 1926), *Platypalpus*, 95
Pollenia Robineau-Desvoidy, 1830, 194
POLLENIINAE, 194
polleti Meuffels & Grootaert, 1989, *Dolichopus*, 101
pollinosa (Mesnil, 1941), *Senometopia*, 203
polonica Szilády, 1934, *Rhagio*, 77 subsp.
Polphorina Enderlein, 1921, 155
Polyblepharis Bezzi, 1909, subg., 91
polychaeta (Stein, 1895), *Fannia*, 192
polychaeta (Macquart, 1849), *Huebneria*, 201
Polydecta Gistl, 1848, 160

Polylepta Winnertz, 1863, 67
Polymeda Meigen, 1800, 26
Polyodaspis Duda, 1933, 158
polyodon (Meigen, 1824), *Macronychia*, 195
Polypedilum Kieffer, 1912, 52
Polypedilum Kieffer, 1912, subg., 52
Polyporivora Kessel & Maggioncalda, 1968, 104
Polyraphia Meigen, 1818, 26
polystigma (Meigen, 1830), *Chamaemyia*, 138
polystigma partim., *Myopa*, 117
Polytrichophora Cresson, 1924, 166
Polyxena Meigen, 1800, 68
pononae (Fabricius, 1775), *Bibio*, 58
Poomyia Rübsaamen, 1910, 63
poperinghensis Goetghebuer, 1953, *Culicoides*, 44
popularis Wiedemann, 1817, *Dolichopus*, 101
populeti (Rübsaamen, 1889), *Dasineura*, 62
populi (Meigen, 1826), *Phaonia*, 189
populnea Wachtl, 1883, *Lasioptera*, 63
Porphyrops Meigen, 1824, 99
Porridonyla Rondani, 1840, 61
PORRCONDYLINAE, 61
Portevinia Goppe, 1944, 113
portshinskyi Rohdendorf, 1937, *Parasarcophaga*, 197
postica (Stein, 1895), *Fannia*, 192
posticata (Meigen, 1826), *Fannia*, 192
posticata (Strobl, 1898), *Megaselia*, 105
posticata Collin, 1939, *Microceris*, 159
posticatum Meigen, 1838, *Simulium*, 40
Potamia Robineau-Desvoidy, 1830, 188
potamida Meigen, 1822, *Stratiomys*, 76
potentillae (Kaltenbach, 1864), *Agromyza*, 152
Potthastia Kieffer, 1922, 48
praecatoria Fallén, 1815, *Chelifera*, 92
praeceps Loew, 1869, *Hercostomus*, 101
praeceps; auctt., Mintho, 205
praecinctus (Collin, 1926), *Platypalpus*, 95
praecox (Meigen, 1818), *Bradysia*, 70
praecox (Meigen, 1824), *Campylochaeta*, 206
praecox (Zetterstedt, 1843), *Cheilosia*, 114
praecox Goetghebuer, 1942, *Cricotopus*, 49
praecox (Lehmann, 1822), *Hydrophorus*, 102
praecox Loew, 1862, *Oecothea*, 172
praecox (Wiedemann, 1818), *Paratanytarsus*, 53
praecox Efflatoun, 1924, *Paroxyna*, 126
praecox Meigen, 1830, *Phytomyza*, 153
praecox (Kieffer, 1900), *Prodiamesa*, 48
praecox (Wiedemann, 1818), *Micropsectra*, 53 partim
praecox (Loew, 1844), *Tephritis*, 126
praecox Goetghebuer, 1944 *Limnophyes*, 55
praefica (Meigen, 1824), *Macquartia*, 205
praepotens (Wiedemann, 1817), *Eutriochota*, 185
praerosum Loew, 1850, *Rhaphium*, 99
praesectus Loew, 1869, *Nematoprotus*, 99
praetextatus (Haliday, 1855), *Muscidideicus*, 101
praeusta (Loew, 1869), *Palpomyia*, 44
praeusta (Schummel, 1829), *Phylidorea*, 25
praeusta (Meigen, 1830), *Suillia*, 173

- praeusta* (Fallén, 1820), *Tricholauxania*, 137
praeustum (Meigen, 1826), *Neottiophilum*, 141
praevia Collin, 1927, *Empis*, 90
Praomyia Kertész, 1916, 76
prasinatus (Staeger, 1839), *Pseudochironomus*, 53
prasinus Meigen, 1804, *Chironomus*, 51
Praspedomyza Hendel, 1931, 152
pratenis (Linnaeus, 1758), *Nephrotoma*, 20
pratensis (Meigen, 1824), *Blepharipa*, 199
pratensis (Meigen, 1830), *Conioscinella*, 159
pratensis Goetghebuer, 1920, *Dasyhelea*, 42
pratensis Robineau-Desvoidy, 1830, *Ensina*, 125
pratensis (Meigen, 1826), *Heterostylodes*, 185
pratensis De Geer, 1776, *Tipula*, 22
pratincola (Meigen, 1809), *Calythea*, 185
pratorum (Meigen, 1826), *Dasyphora*, 188
pratorum Meigen, 1822, *Eristalis*, 116
pratorum (Meigen, 1830), *Euphylidorea*, 24
pratorum Meigen, 1830, *Meromyza*, 160
pratorum Verrall, 1901, *Pipunculus*, 109
pratorum (Goetghebuer, 1927), *Smittia*, 50
precabunda Collin, 1961, *Chelifera*, 92
precatoria (Fallén, 1815), *Chelifera*, 92
pretiosa (Schiner, 1862), *Fannia*, 192
pretiosa Duda, 1933, *Thaumatomyia*, 162
primulae Robineau-Desvoidy, 1851, *Chromatomyia*, 153
primus Loew, 1840, *Triglyphus*, 113
principalis (Loew, 1861), *Poecilobothrus*, 102
Priomimera: error or emend., 124
Priominera: error or emend., 124
Prionimera Rondani, 1861, 124
Prionocera Loew, 1844, 20
Prionolabis Osten Sacken, 1860, 25
Probezzia Kieffer, 1906, 44
proboscidae: error or emend., *Oxyna*, 126
proboscidea (Strobl, 1900), *Ophiomyia*, 152
proboscidea (Loew, 1844), *Oxyna*, 126
proboscidea Schiner, 1858, *Oxyna*, 126
Proboscina Rondani, 1856, 206
procellaris Rondani, 1866, *Anthomyia*, 184
procera (Meigen, 1824), *Phyllomyia*, 206
processioneae (Ratzeburg, 1840), *Carcelia*, 200
Prochyliza Walker, 1849, 142
PROCLADIINI, 46
Procladius Skuse, 1889, 46
Prodesmometopa Hendel, 1914, 155
Prodiamesa Kieffer, 1906, 48
PRODIAMESINAE, 48
prodigiosa Zenker, 1833, *Thaumatomyia*, 162
prodromus Loew, 1856, *Empis*, 90
producta (Loew, 1844), *Paroxyna*, 126
Proforcipomyia Saunders, 1956, *Forcipomyia*, 41
projecta (Becker, 1901), *Megaselia*, 105
Prokempia Kieffer, 1913, subg., 42
prolapsa (Harris, 1780), *Muscina*, 187
Prolipophleps Savchenko, 1972, subg., 26
prolixitarsis (Lundström, 1916), *Polypedilum*, 53
prolongatus (Kieffer, 1921), *Limnophyes*, 49
prominens (Becker, 1908), *Ophiomyia*, 152
Prooppia Townsend, 1926, 202
properans (Rondani, 1859), *Erycia*, 200
propinquua (Wood, 1909), *Megaselia*, 106
propinquus (Egger, 1863), *Molophilus*, 27
propinquus sensu de Meijere, *Molophilus*, 27
Prorhaphochaeta Czerny, 1932, 136
Prosalia Prokorný, 1893
Prosena LePeletier & Serville, 1828, 206
Prosethilla Herting, 1984, 202
Prosimulum Roubaud, 1906, 40
Prosimulum s. str., subg., 40
Protearomyia McAlpine, 1962, 139
Prothechus Becker, 1897, 108
Prothechus Rondani, 1856, 109
Prothecus Hough, 1899, 108
Protocalliphora Hough, 1899, 194
Protoclythia Kessel, 1949, 104
Protogonomyia Alexander, 1934, subg., 25
Protophormia Townsend, 1908, 194
Protopiophila Duda, 1924, 142
Protostegana Hendel, 1920, 170
protuberans (Zetterstedt, 1845), *Helina*, 189
proxima (Zetterstedt, 1843), *Cheilosia*, 114
proxima (Kuntze, 1920), *Limonia*, 29
proxima (Lundbeck, 1920), *Megaselia*, 105
pruinosa Wiedemann, 1822, *Hilara*, 91
pruinosa Wiedemann, 1817, *Tipula*, 22
pruinosus Parent, 1932, *Thrypticus*, 98
pruinosus Kieffer, 1924 *Trichotanypus*, 55
prunaria (Rondani, 1861), *Ramonda*, 206
pruni (Kaltenbach, 1872), *Putoniella*, 63
pruniperda Rondani, 1867, *Asphondyla*, 61
prunorum (Wachtl, 1888), *Asphondyla*, 61
Psacadina Enderlein, 1939, 131
Psalida Rondani, 1856, 207
Psalidotus Becker, 1903, 156
Psammopogon Remm, 1979, subg., 41
Psarus Latreille, 1806, 114
Psectrocladius Kieffer, 1906, 50
Psectrocladius Kieffer, 1906, subg., 50
Psectrosciara; auctt., 60
PSECTROSCIARINAE, 59
Psectrotanypus Kieffer, 1909, 47
Pseudacteon Coquillett, 1907, 106
pseudoapicalis Thuneberg, 1955, *Medetera*, 98
Pseudobrachypeza Tuomikoski, 1966, 69
pseudochiopterus Downes & Kettle, 1952, *Culicoides*, 43
Pseudochirosia Ringdahl, 1928, 185
PSEUDOCHIRONOMINI, 53
Pseudochironomus Malloch, 1915, 53
pseudochorica Strobl, 1892, *Hilara*, 91
pseudochracea (Landrock, 1925), *Orfelia*, 66
pseudociliaris (Strobl, 1910), *Platypalpus*, 95
pseudocilifemoratus Stackelberg, 1933, *Dolichopus*, 100

- Pseudocoenosia Stein, 1916, 190
Pseudoculicoides Malloch, 1915, subg., 42
pseudoexquisita Tonnoir, 1940, *Pericomia*, 34
Pseudoformosina Malloch, 1938, 162
pseudofulvipes Frey, 1909, *Platypalpus*, 95
pseudofunesta (Villeneuve, 1931), *Phania*, 208
pseudohybrida Landrock, 1912, *Bolitophila*, 65
pseudoirrorata Goetghebuer, 1921, *Tipula*, 21
pseudolaevigata (Strobl, 1880), *Siphunculina*, 160
pseudolateralis (Bangerter, 1947), *Ellipterooides*, 25
pseudolateralis Tonnoir, 1921, *Tipula*, 22
pseudoleucoptera, sensu Vanschuytbroeck, 1942,
Halidayina, 177
Pseudolimnophila Alexander, 1919, 25
pseudomalleola Strobl, 1893, *Empis*, 90
Pseudonapomyza Hendel, 1920, 154
Pseudopachychaeta Strobl, 1902, 162
Pseudopachystylum Mik, 1891, 205
pseudopedellus (Goetghebuer, 1921), *Microtendipes*, 52
Pseudoperichaeta Brauer & Bergenstamm, 1889, 202
Pseudophorocera Brauer & Bergenstamm, 1889, 202
pseudopraecox (Goetghebuer, 1934), *Paratanytarsus*, 53
pseudopulchella (Lundström, 1912), *Exechiopsis*, 68
Pseudopyrellia Girschner, 1894, 188
pseudorapidus Kovalev, 1971, *Platypalpus*, 95
pseudornata (Goetghebuer, 1921), *Thienemannimyia*, 47
Pseudornithomyia Lutz, 1915, 179
Pseudorthocladius Goetghebuer, 1932, 50
pseudoscripta Pierre, 1921, *Tipula*, 22
Pseudoseps Becker, 1902, 142
pseudosetaria (Duda, 1918), *Spelobia*, 177
pseudosimilis (Lundström, 1912), *Ormosia*, 27
pseudosimilis (Goetghebuer, 1921), *Thienemanniella*, 51
pseudosimplex Goetghebuer, 1923, *Harnischia*, 52
Pseudosmittia Goetghebuer, 1932, 50
Pseudospheniscus: authors, 124
pseudotenellulus Goetghebuer, 1922 *Tanytarsus*, 55
pseudotener (Goetghebuer, 1922), *Cryptotendipes*, 51
pseudovariipennis Czizek, 1912, *Tipula*, 21
Psila Meigen, 1803, 121
PSILIDAE, 121
Psilocephala Zetterstedt, 1838, 84
Psiloconopa Zetterstedt, 1838, subg., 27
Psilohelea Kieffer, 1915, 43
Psilokempia Enderlein, 1936, subg., 41
Psilomyia Latreille, 1829, 121
Psilopa Fallén, 1823, 166
PSIOPINAE, 165
psilopterus (Kieffer, 1906), *Psectrocladius*, 50
Psilopus Meigen, 1824, 97
Psilotanypus Kieffer, 1906, subg., 46
psittacinus (Meigen, 1830), *Cryptochironomus*, 51
Psycha Ježek, 1984, 34
Psychoda Latreille, 1798, 34
PSYCHODIDAE, 33
PSYCHODINAE, 33
Psychodocha Ježek, 1984, 34
Psychodula Ježek, 1984, 34
Psychomora Ježek, 1984, 34
Psychomorimia Ježek, 1983, 34
ptarmicae (Vallot, 1849), *Rhopalomyia*, 64
Ptatiparea: error or emend., 124
ptenoletis Loew, 1857, *Ornithomya*, 179
Ptenotaenia Enderlein, 1936, 149
Pterelachisus Rondani, 1842, subg., 21
Pteremis Rondani, 1856, 176
pteridicola (Kieffer, 1901), *Dasineura*, 62
Pteridomyza Nowakowski, 1962, 152
Pteromicra Lioy, 1864, 130
Ptesiomyia Brauer & Bergenstamm, 1893, 203
Ptilonota Loew, 1868, 129
Ptilops Rondani, 1857, 206
Ptilotachina Brauer & Bergenstamm, 1891, subg., 201
Ptiolina Zetterstedt, 1842, 78
Ptychomyia Brauer & Bergenstamm, 1889, 199
Ptychoneura Brauer & Bergenstamm, 1889, subg., 195
Ptychoptera Meigen, 1803, 32
PTYCHOPTERIDAE, 32
pubera (Zetterstedt, 1838), *Cheilosia*, 114
pubera (Linnaeus, 1758), *Cordilura*, 182
pubera Loew, 1860, *Parydra*, 167
puberula Loew, 1849, *Dixa*, 35
puberula (Becker, 1894), *Nanna*, 182
pubescens (Latreille, 1805), *Acrocera*, 82
pubescens Stein, 1908, *Fannia*, 192
pubescens (Stein, 1893), *Helina*, 189
pubescens (Thalhammer, 1898), *Melanochaeta*, 158
pubescens Delucchi & Pschor-Walcher, 1955, *Neocnemodon*, 113
pubescens Loew, 1844, *Prionocera*, 20
pubicornis Hendel, 1920, *Phytomyza*, 153
pubicornis (Zetterstedt, 1838), *Platypalpus*, 95
pubipes Loew, 1873, *Hilara*, 91
pubipes Schmitz, 1920, *Phora*, 107
pudica (Meigen, 1826), *Cordilura*, 182
pudica (Rondani, 1859), *Linnaemyia*, 204
puella (Meigen, 1826), *Hydromyia*, 185
puerula (Rondani, 1880), *Spelobia*, 177
pughi Coe, 1966, *Chalarus*, 108
pugionata (Meigen, 1926), *Urophora*, 123
pulchella (Curtis, 1837), *Allocotocera*, 66
pulchella (Meigen, 1830), *Ditrichophora*, 165
pulchella (Winnertz, 1863), *Exechiopsis*, 68
pulchella (Meigen, 1830), *Idioptera*, 24
pulchellus Kowarz, 1874, *Chrysotus*, 98
pulcher von Zilahi, 1934, *Culicoides*, 43
pulchra Egger, 1860, *Rhamphomyia*, 91
pulchra (Eaton, 1893), *Tonnoiriella*, 34
pulchripes Loew, 1857, *Cheilosia*, 114
pulchripes (Kieffer, 1890), *Contarinia*, 62
pulchripes Verrall, 1912, *Cricotopus*, 49

- pulchripes* (Loew, 1857), Pegomya, 186
pulchripes Thomson, 1870, Pipunculus, 109
pulchrithorax Edwards, 1924, Forcipomyia, 42
pulchrus Schiner, 1864, Chlorops, 161
pulicaria (Fallén, 1823), Megaselia, 106
pulicaria (Meigen, 1830), Ophiomyia, 152
pulicaria Meigen, 1818, Sciara, 71
pulicaria (Mikan, 1796), Phthiria, 83
pulicaria (Haliday, 1839), Psilopa, 166
pulicaria (H. Loew, 1846), Reichertella, 60
pulicaris (Linnaeus, 1758), Culicoides, 43
pulicarius (Fallén, 1816), Atelestus, 89
pulicarius (Meigen, 1830), Platypalpus, 95
pulicarius (Fallén, 1823), Sympycnus, 100
pulla (Meigen, 1830), Triogma, 30
pullata (Meigen, 1824), Clemelis, 200
pullatus Kieffer, 1915, Culicoides, 43
Pullimosina Roháček, 1983, 177
Pullimosina Roháček, 1983, subg., 177
pullitarsis Doskocil et Chvála, 1971, Lipara, 159
pullula (Winnertz, 1867), Bradysia, 70
pullula (Zetterstedt, 1845), Anthomyia, 184
pullula (Zetterstedt, 1847), Pullimosina, 177
pullum (Zetterstedt, 1838), Polypedilum, 53
pullum (Zetterstedt, 1838), Polypedilum, 53
pullum; Gtgh., Polypedilum, 52
pulsus (Walker, 1856), Dicrotendipes, 51 partim
pulsus (Walker, 1856), Einfeldia, 51 partim
pumicata (Meigen, 1824), Pales, 202
pumila (Fallén, 1825), Coenosia, 191
pumila (Meigen, 1826), Discachaeta, 196
pumila (Meigen, 1830), Megaselia, 105
pumilio (Zetterstedt, 1848), Chlorops, 161
pumilio Meigen, 1830, Halidayina, 177
pumilio: authors, Dasyopa, 160
pumilionis (Bjerkander, 1778), Chlorops, 161
pumilus (Winnertz, 1852), Culicoides, 44
pumilus sensu Parent, 1938, Syntormon, 100
pumilus (Meigen, 1824), Syntormon, 100
pumrundis: error, Anomoia, 124
punctata Robineau-Desvoidy, 1830, Agria, 196
punctata (Loew, 1844), Chaetorellia, 125
punctata (Lundbeck, 1923), Colobaea, 130
punctata (Fabricius, 1794), Dalmannia, 118
punctata Meigen, 1804, Empis, 91
punctata (Schrank, 1781), Limnophila, 24
punctata Meigen, 1804, Mycetophila, 69
punctata (Meigen, 1804), Natarsia, 47
punctata (Fabricius, 1805), Natarsia, 47
punctata (Fallén, 1814), Orellia, 125
punctata (Fabricius, 1794), Pherbellia, 130
punctata (Fabricius, 1787), Sylvicola, 57
punctatellus (Goetghebuer, 1923), Limnophyes, 49
punctaticollis Goetghebuer, 1920, Culicoides, 43
punctatidorsum Kieffer, 1924, Culicoides, 43
punctatonervosa Loew, 1865, Opomyza, 148
punctatonervosa (Fallén, 1813), Phlygria, 166
punctatum (Meigen, 1818), Epiphragma, 24
punctatum Meigen, 1824, Miltogramma, 195
punctatus (Meigen, 1804), Aedes, 37
punctatus (Meigen, 1804), Culicoides, 43
punctatus (Loew, 1840), Rhagio, 77 subsp.
punctatus (Meigen, 1804), Erax, 86
punctella (Fallén, 1814), Paroxyna, 126
puncticollis (Becker, 1903), Culicoides, 43
puncticollis Goetghebuer, 1912, Culicoides, 43
puncticollis (Zetterstedt, 1848), Epichlorops, 161
puncticornis Loew, 1866, Chlorops, 161
puncticornis (Hagenbach, 1822), Chyromya, 147
puncticornis Meigen, 1830, Leucopis, 138
Puncticorpus Duda, 1918, 176
punctifer Becker, 1912, Meromyza, 160
punctifrons Rondani, 1868, Tetanocera, 131
punctifrons Becker, 1914, Tricimba, 160
punctigera (Walker, 1856), Limonia, 28
punctipennis (Meigen, 1818), Symplecta, 27
punctipennis Hendel, 1927, Xyphosia, 126 subsp.
punctipennis Meigen, 1818, Tanypus, 46
punctipennis Goetghebuer, 1919 Camptocladius, 55
punctipes (Staeger, 1840), Brevicornu, 68
punctipes (Wiedemann, 1817), Paratanytarsus, 53
partim
punctipes (Meigen, 1826), Chaetosa, 182
punctipes (Wiedemann, 1817), Phaenopsectra, 52
punctor (Kirby, 1837), Aedes, 37
punctulata (Scopoli, 1763), Trypetoptera, 131
punctulatus (Goetghebuer, 1913), Limnophyes, 49
punctulatus (Verrall, 1873), Parasyrphus, 112
punctum Meigen, 1824, Lonchoptera, 103
punctum (Meigen, 1830), Campichoeta, 164
punctum (Stannius, 1831), Platurocypta, 69
punctum (Fabricius, 1794), Sepsis, 135
pungens (Kieffer, 1901), Culicoides, 44
puparum (Fabricius, 1794), Ernestia, 204
pupillata (Fallén, 1814), Noeeta, 125
pupiphaga (Rondani, 1861), Sturmia, 203
pusilla (Meigen, 1826), Bellardia, 193
pusilla (Meigen, 1824), Cylindromyia, 207
pusilla Loew, 1859, Drapetis, 94
pusilla (Fallén, 1820), Ischiolepta, 175
pusilla (Kieffer, 1918), Lauterborniella, 52
pusilla (Meigen, 1830), Liriomyza, 152
pusilla Meigen, 1830, Macroceria, 66
pusilla (Meigen, 1830), Megaselia, 105
pusilla (Meigen, 1826), Adia, 184
pusilla (Meigen, 1830), Parydra, 166
pusilla Meigen, 1824, Phasia, 208
pusilla (Meigen, 1818), Scatopsciara, 71
pusilla auctt., Thecophora, 117
pusilla (Wiedemann, 1824), Thecophora, 118
pusilla; auctt., Coproica, 176
pusillus Eaton, 1875, Limnophyes, 49
pusillus (Meigen, 1818), Nilotanypus, 47
pusio Egger, 1860, Empis, 90
pusio Meigen, 1830 Chironomus, 55
pusio; auctt., Spelobia, 177

pusio; auctt., Thoracochaeta, 176
pustulans (Rübsaamen, 1889), Dasineura, 62
pustulata Pierre, 1920, Tipula, 21
Putoniella Kieffer, 1896, 63
putris (Linnaeus, 1758), Themira, 135
pygialis Chvála, 1973, Platypalpus, 95
pygmaea (Haliday, 1833), Atissa, 165
pygmaea Goetghebuer, 1920, Bezzia, 42
pygmaea (Zetterstedt, 1845), Coenosia, 191
pygmaea (Meigen, 1830), Dasyopa, 160
pygmaea Duda, 1923, Drosophila, 171
pygmaea Fallén, 1825, Lispe, 190
pygmaea (Zetterstedt, 1848), Megaselia, 106
pygmaea (Wood, 1910), Megaselia, 106
pygmaea (Macquart, 1835), Ornithoica, 179
pygmaea (Fallén, 1817), Oxycera, 76
pygmaea (Macquart, 1826), Tasiocera, 27
pygmaeoides (Lundbeck, 1922), Megaselia, 106
pygmaeus (Meigen, 1838), Platypalpus, 95
Pygobezzia Remm, 1974, subg., 43
pyrastri (Linnaeus, 1758), Scaeva, 111
Pyratula Edwards, 1929, subg., 66
Pyrellia Robineau-Desvoidy, 1830, 188
pyrenaea (Bergrøth, 1907), Hexatoma, 24
pyri (Bouché, 1847), Dasineura, 62
pyrivora (Riley, 1886), Contarinia, 62
Pyrophaena Schiner, 1860, 113

quadra (Meigen, 1838), Dicranomyia, 28
quadrata (Fallén, 1813), Limnellia, 167
quadrata (Edwards, 1921), Neolimnomyia, 25
quadratus Meigen, 1820, Chrysops, 80
quadratus (Macquart, 1827), Platycheirus, 113
quadricincta Becker, 1895, Sapromyza, 137
quadrifaria (Meigen, 1804), Nephrotoma, 20
quadrifasciata (Fabricius, 1781), Neurigona, 97
quadrifasciata (Meigen, 1926), Urophora, 123
quadrifasciatus Degeer, 1776, Conops, 117
quadriguttata Macquart, 1827, Pipiza, 113
quadriguttata (Meigen, 1830), Scatophila, 167
quadriguttatum Kieffer, 1921, Polypedilum, 53
quadrimaculata (Fallén, 1823), Helina, 189
quadrimaculata (Verrall, 1873), Melangyna, 112
quadrimaculata (Linnaeus, 1761), Metalimnobia, 29
quadrimaculata (Panzer, 1802), Pipiza, 113
quadrimaculata (von Roser, 1840), Thaumatomyia, 162
quadrimaculatum (Meigen, 1838), Polypedilum, 53
quadrinotata (Meigen, 1826), Helina, 189
quadrinotata (Meigen, 1818), Metalimnobia, 29
quadripunctata Rossi: authors, Atherigona, 189
quadripunctata (Meigen, 1830), Pelina, 167
quadripunctata (Linnaeus, 1758), Sapromyza, 137
quadripustulata (Fabricius, 1794), Winthemia, 203
quadriseta (Villeneuve, 1910), Phebellia, 202
quadrispinosa Goetghebuer, 1920, Palpomyia, 44
quadrispinosum (Strobl, 1898), Rhaphium, 99

quadrifasciata (Schummel, 1833), Nephrotoma, 20
quadrivittata (Meigen 1830), Aphanotrigonum, 160
quadrivittata Meigen, 1822, Hilara, 91
quadrivittata (Loew, 1861), Poecilolycia, 137
quadrivittata (Lioy, 1863), Ula, 24
quadrum (Fabricius, 1805), Helina, 189
quartomollis Schmitz, 1920, Gymnophora, 105
quartus Martini, 1920, Aedes, 37
quatuormaculata (Meigen, 1804), Metalimnobia, 29
quatuornotatus Meigen, 1820, Tabanus, 81
quercei (Bouché, 1834), Potamia, 188
quercina (Rübsaamen, 1890), Contarinia, 62
quinquelineata (Macquart, 1834), Scatopsciara, 71
quinquemaculata (Macquart, 1835), Palloptera, 140
quinquepunctatus Goetghebuer, 1921, Culicoides, 43

Rabdophaga Westwood, 1847, 62
Rachispoda Lioy, 1864, subg., 176
Racodineura Rondani, 1861, 202
racovitzai (Bezzi, 1911), Terrilimosina, 176
radialis Goetghebuer, 1934, Bezzia, 43
radiata Schrank, 1795, Trupanea, 126
radicicola Edwards, 1924, Forcipomyia, 42
radicum (Linnaeus, 1758), Delia, 185
radicum (Linnaeus, 1758), Paregle, 185
Ragas Walker, 1837, 93
raignieri Goetghebuer, 1931, Palpomyia, 44
Rainieria Rondani, 1843, 119
ramicola (Rübsaamen, 1915), Dasineura, 62
Ramonda Robineau-Desvoidy, 1863, 206
ranula (Loew, 1874), Xanthocanace, 157
ranunculi (Panzer, 1804), Criorrhina, 116
ranunculi (Bremi, 1847), Dasineura, 62
ranunculi Haliday, 1839, Hydrellia, 166
ranunculi (Schrank, 1803), Phytomyza, 153
ranunculi Robineau-Desvoidy, 1851, Phytomyza, 153
ranunculi Kaltenbach, 1867, Phytomyza, 153
rapax (Harris, 1780), Pyrellia, 188
raphanistri (Kieffer, 1886), Gephyraulus, 62
rapidoides Chvála, 1975, Platypalpus, 95
rapidus (Meigen, 1822), Platypalpus, 95
raptoria Meigen, 1830, Hemerodromia, 92
rara (Scopoli, 1763), Oxycera, 76
rasa (Macquart, 1849), Carcelia, 200
rata (Wood, 1908), Megaselia, 106
Ravinia Robineau-Desvoidy, 1863, 197
reamuriana (F. Loew, 1878), Didymomyia, 62
reamurii Robineau-Desvoidy, 1830, Urophora, 123
recedens Walker, 1851, Hilara, 91
reciprocum (Walker, 1848), Dynatosoma, 68
recta Tonnoir, 1920, Gonomyia, 26
recta (Edwards, 1929), Pseudosmittia, 50
recurvata Goetghebuer, 1928, Micropsectra, 53
Redia lioy, 1864, 151
Redia Robineau-Desvoidy, 1830, 201
reduvius (Moufet, 1634), Melophagus, 180
reflexa Robineau-Desvoidy, 1830, Myopina, 185

- regalis (Meigen, 1824), *Poecilobothrus*, 102
 regelationis (Linnaeus, 1758), *Trichocera*, 18
 regina (Meigen, 1826), *Phormia*, 194
Reichertella Enderlein, 1912, 60
Reichertella Enderlein, 1912 subg., 60
 relictus Meigen, 1820, *Chrysops*, 80
 remota (Walker, 1848), *Lipsothrix*, 26
Renocera Hendel, 1900, 131
 repanda Johannsen, 1912, *Exechia*, 68
reperta (Walker, 1848), *Dicranomyia*, 28
 repleta Wollaston, 1858, *Drosophila*, 171
replicata (Linnaeus, 1758), *Phalacrocerca*, 30
reptans Fallén, 1823, *Agromyza*, 152
reptans (Linnaeus, 1758), *Simulium*, 40
reticulata Scrank, 1803, *Noeeta*, 125
reticulatus Loew, 1846, *Bibio*, 58
retroflexa Bangerter, 1948, *Dicranomyia*, 28
retroflexa Pandellé, 1895, *Linnaemyia*, 204
retusus (Goetghebuer, 1921), *Paratanytarsus*, 53
reuteri Lundström, 1906, *Boletina*, 67
reversio (Harris, 1780), *Helina*, 190
revisenda (Eaton, 1893), *Mormia*, 33
Rhabdomastix Skuse, 1890, 27
Rhabdophaga; error, 62
Rhacochlaena Loew, 1862, 124
Rhacodineura; error, 202
Rhadiurgus Loew, 1849, 87
Rhaeboza Enderlein, 1936, 59
Rhagas Agassiz, 1846, 93
Rhagio Fabricius, 1775, 77
RHAGIONIDAE, 77
RHAGIONINAE, 77
Rhagoletis Loew, 1862, 124
Rhamphomyia Meigen, 1822, 91
Rhamphomyia s.s. Meigen, 1822, subg., 92
Rhaphidolabina Alexander, 1916, subg., 23
RHAPHIINAE, 99
Rhaphiochaeta Brauer & Bergenstamm, 1889, 203
Rhaphipyga Nartshuk, 1971 subg., 159
Rhaphium Meigen, 1803, 99
Rhegmoclema Enderlein, 1912, 60
Rheocricotopus Thienemann & Harnisch, 1932, 50
Rheopelopia Fittkau, 1962, 47
Rheotanytarsus Thienemann & Bause, 1913, 54
Rhexosa Enderlein, 1936, 60
Rhicnoessa Loew, 1862, 169
Rhincoptila Nowicki, 1867, 24
Rhingia Scopoli, 1763, 114
RHINIINAE, 194
Rhinomorinia Brauer & Bergenstamm, 1893, 198
Rhinophora Robineau-Desvoidy, 1830, 198
RHINOPHORIDAE, 198
RHINOPHORINAE, 198
Rhinotachina Brauer & Bergenstamm, 1889, 203
Rhipidia Meigen, 1818, 29
Rhodogyne Meigen, 1800, 207
Rhopalomyia Rübsaamen, 1892, 63
Rhopalopterum, emend, 159
Rhopalopterum Duda, 1929, 159
Rhymosia; error, 69
Rhynchista Rondani, 1861, 206
rhynchos (Nowicki, 1868), *Wiedemannia*, 93
Rhynchosciara Rübsaamen, 1894, 71
RHYPHIDAE, 16
Rhypholophus Kolenati, 1860, 27
Rhyphus Latreille, 1804, 57
ribesii (Linnaeus, 1758), *Syrphus*, 111
richiardii (Ficalbi, 1889), *Coquillettidia*, 38
rieli Pierre, 1926, *Tipula*, 21
riethi Kieffer, 1914, *Culicoides*, 43
riparia Fallén, 1813, *Ephydra*, 167
riparia (Fallén, 1824), *Limnophora*, 190
riparia Meigen, 1830, *Notiphila*, 166
riparia (Winnertz, 1853), *Wachtliella*, 64
riparium sensu Jacobs, 1905, *Rhaphium*, 99
riparium sensu Parent, 1938, *Rhaphium*, 99
riparium (Meigen, 1824), *Rhaphium*, 99
riparius Meigen, 1804, *Chironomus*, 51
ripicola (Haliday, 1839), *Glenanthe*, 165
ripicola Loew, 1857, *Tachytrechus*, 102
ripiculus Gachet, 1967, *Molophilus*, 26
rivale (Loew, 1869), *Rhaphium*, 99
rivalis Meigen, 1824, *Lonchoptera*, 103
Rivelia Robineau-Desvoidy, 1830, 127
rivicola Kieffer, 1921, *Culicoides*, 43
rivosa (Meigen, 1826), *Minettia*, 137
rivosa (Linnaeus, 1758), *Pedicia*, 23
rivosus (Tonnoir, 1919), *Clytocerus*, 33
roberti Meigen, 1938, *Sapromyza*, 137
robertii (Macquart, 1850), *Sturmia*, 203
Robineauella Enderlein, 1928, subg., 197
robusta (Wahlgren, 1905), *Phylidorea*, 25
robusta Loew, 1847, *Tetanocera*, 131
roederi Girschner, 1889, *Psilopa*, 166
Roeselia Robineau-Desvoidy, 1830, 202
rohrelliformis (Robineau-Desvoidy, 1830), *Achanthiptera*, 187
rondanii (Strobl, 1893), *Fannia*, 192
Rondaniola Rübsaamen & Hedicke, 1938, 64
rondensis Strobl, 1900, *Agromyza*, 152
roralis (Linnaeus, 1758), *Melanophora*, 198
rrorida (Fallén, 1820), *Lyciella*, 136
rosae (Fabricius, 1794), *Chamaepsila*, 121
rosaria (H. Loew, 1850), *Dasineura*, 62
rosarum (Hardy, 1850), *Dasineura*, 62
rosarum (Fabricius, 1787), *Pyrophaena*, 113
rosarum (Hardy, 1850), *Wachtliella*, 64
roseanae (Brauer & Bergenstamm, 1891), *Pseudoperichaeta*, 203
roseiventris (Kieffer, 1909), *Micropsectra*, 53
Rosellea Rohdendorf, 1937, subg., 197
rosellei (Böttcher, 1912), *Helicophagella*, 196
roserii (Rondani, 1880), *Crumomyia*, 176
rossica Landrock, 1912, *Bolitophila*, 65
rostrata (Zetterstedt, 1843), *Cheilosia*, 113
rostrata (Egger, 1860), *Ectophasia*, 207

rostrata (Linnaeus, 1758), *Rhingia*, 114
rostratum Zetterstedt, 1851, *Asindulum*, 66
rostratus (Winnertz, 1852), *Atrichopogon*, 41
rostratus Kieffer, 1921, *Cryptochironomus*, 51
Rostropogon Remm, 1979, subg., 41
rotschildi Eaton, 1912, *Telmatoscopus*, 34
rotundata (Linnaeus, 1758), *Gymnosoma*, 207
rotundicornis (Zetterstedt, 1847), *Heteromyza*, 173
rotundiventris Becker, 1894, *Cheilosia*, 114
rotundiventris (Fallén, 1814), *Cryptaciura*, 124
rotundiventris (Fallén, 1820), *Subclytia*, 208
rousseaui (Goetghebuer, 1921), *Xenochironomus*, 53
rubi (Schrank, 1803), *Lasioptera*, 63
rubicunda (Lundbeck, 1920), *Megaselia*, 106
rubicundus (Meigen, 1818), *Orthocladius*, 50
rubidipes Becker, 1910, *Oscinella*, 159
rubiginosa (Winnertz, 1852), *Bezzia*, 43
Rubiomyza Nowakowski, 1962, 153
rubivora (Coquillett, 1897), *Pegomya*, 186
rubra (Kieffer, 1890), *Massalongia*, 63
rubricornis (Zetterstedt, 1849), *Caricea*, 191
rubricosa (Meigen, 1824), *Tricogena*, 198
rubrifrons (Macquart, 1834), *Ceromasia*, 200
rubripes Villen, 1908, *Melanosoma*, 117
rubripes Schummel, 1833, *Tipula*, 22
rubrostriata Becker, 1908, *Drosophila*, 170
rudis (Fallén, 1810), *Ernestia*, 204
rudis Winnertz, 1863, *Mycetophila*, 69
rudis (Fabricius, 1794), *Pollenia*, 194
rudis Vanschuytbroeck, 1951, *Thoracochaeta*, 176
Ruebsaamenia Kieffer, 1894, 61
ruellpellii (Wiedemann, 1830), *Sphaerophoria*, 112
rufa Schummel, 1841, *Callicera*, 115
rufa (Panzer, 1798), *Elgiva*, 131
rufa (Meigen, 1830), *Protoclythia*, 104
rufa (Scopoli, 1763), *Psila*, 121
rufa Meigen, 1830, *Sciophila*, 67
rufa (Fallén, 1820), *Suillia*, 173
rufa (Macquart, 1835), *Thaumatomyia*, 162
rufescens Oldenberg, 1923, *Chlorops*, 161
rufibarbis (Meigen, 1820), *Eutolmus*, 86
ruficauda (Zetterstedt, 1838), *Lypha*, 205
ruficauda (Zetterstedt, 1847), *Neoleria*, 172
ruficauda (Fabricius, 1794), *Orellia*, 125
ruficauda (Zetterstedt, 1838), *Ormosia*, 27
ruficaudis (Degeer, 1776), *Blera*, 116
ruficeps (Fallén, 1820), *Germania*, 204
ruficeps (Zetterstedt, 1838), *Neoleria*, 172
ruficeps (Meigen, 1826), *Paregle*, 185
ruficollis Becker, 1894, *Cheilosia*, 114
ruficollis (Meigen, 1830), *Clusiodes*, 146
ruficorne Meigen, 1824, *Miltogramma*, 195
ruficornis (Macquart, 1835), *Dexiopsis*, 191
ruficornis Hendel, 1931, *Eutropha*, 162
ruficornis (Fabricius, 1775), *Ferdinandea*, 114
ruficornis (Meigen, 1830), *Megaselia*, 106
ruficornis Meigen, 1822, *Merodon*, 116
ruficornis (Meigen, 1830), *Morpholeria*, 172

ruficornis Goetghebuer, 1934, *Palpomyia*, 44
ruficornis (von Roser, 1840), *Platypalpus*, 95
ruficornis (Macquart, 1835), *Polyodaspis*, 158
ruficornis (Meigen, 1830), *Tanyptera*, 21
ruficornis (Haliday, 1838), *Thinophilus*, 102
rufifrons (Loew, 1866), *Cryptonevra*, 161
rufilabris (Stenhammar, 1854), *Spelobia*, 177
rufilatera (Walker, 1837), *Monoclona*, 67
rufimana von Roser, 1840, *Camarota*, 160
rufimana Loew, 1873, *Platystoma*, 127 subsp.
rufimana Becker, 1894, *Cheilosia*, 114
rufimana (Macquart, 1835), *Dicraeus*, 160
rufina (Fallén, 1825), *Pegomya*, 186
rufina Meigen, 1818, *Tipula*, 22
rufinus (Zetterstedt, 1848), *Chlorops*, 161
rufipalpis Meigen, 1826, *Coenosia*, 191
rufipalpis (Macquart, 1835), *Phaonia*, 189
rufipectus (Winnertz, 1852), *Palpomyia*, 44
rufipennis Meigen, 1830, *Tipula*, 21
rufipes Meigen, 1830, *Agromyza*, 152
rufipes Meigen, 1826, *Cephalia*, 129
rufipes Meigen, 1820, *Chrysops*, 80
rufipes (Meigen, 1826), *Cordilura*, 182
rufipes (Linnaeus, 1761), *Demeijerea*, 51
rufipes (De Geer, 1776), *Dioctria*, 86
rufipes insignis Aczél, 1939, *Dorylomorpha*, 108
rufipes (Meigen, 1824), *Dorylomorpha*, 109
rufipes (Gimmerthal, 1834), *Megamerina*, 122
rufipes (Meigen, 1804), *Megaselia*, 106
rufipes Meigen, 1838, *Meroplus*, 135
rufipes (Meigen, 1830), *Oscinisoma*, 159
rufipes (Meigen, 1818), *Palpomyia*, 44
rufipes (Fabricius, 1781), *Physocephala*, 117
rufipes (Meigen, 1830), *Scaptomyza*, 171
rufipes sensu Parent, 1938, *Syntormon*, 100
rufitarsis Macquart, 1835, *Aulacigaster*, 143
rufitarsis (Meigen, 1830), *Ceroptera*, 176
rufitarsis (Macquart, 1835), *Conioscinella*, 159
rufitarsis Loew, 1858, *Lipara*, 159
rufitarsis (Meigen, 1938), *Madiza*, 155
rufitarsis (Meigen, 1838), *Oscinella*, 159
rufitarsis; error, *Spelobia*, 177
rufithorax (Duda, 1932), *Melanochaeta*, 158
rufiventris (Macquart, 1834), *Bradysia*, 70
rufiventris (Macquart, 1835), *Dicraeus*, 160
rufiventris (Fallén, 1816), *Mintho*, 205
rufiventris (Meigen, 1830), *Paratrichocladius*, 50
rufiventris (Scopoli, 1763), *Phaonia*, 189
rufiventris (Macquart, 1835), *Protoclythia*, 104
rufiventris (Meigen, 1830), *Tephrochlamys*, 173
rufiventris (Macquart, 1849), *Winthemia*, 203
rufolineatus (Goetghebuer, 1928), *Dicrotendipes*, 51
rufomaculata (De Geer, 1776), *Eriothrix*, 206
rufopicea (Westhoff, 1879), *Nigrotipula*, 20
rufovittata Goetghebuer, 1932, *Prodiamesa*, 48
rufovittata (Strobl, 1899), *Thaumatomyia*, 162
rufovittatus (Goetghebuer, 1922), *Cladotanytarsus*, 53
rufovittatus (van der Wulp, 1874), *Procladius*, 46

rufovittatus Goetghebuer, 1921 Chironomus, 55
rufulenta Edwards, 1938, Trichocera, 18
rufus Meigen, 1838, Merodon, 116
rufus (Scopoli, 1763), Rhagio, 77
rufus Meigen, 1830 Tanypus, 55
rugosus (Fabricius, 1794), Scenopinus, 85
rugulosum (Dahl, 1912), Oscinisoma, 159
ruminis (H. Loew, 1850), Contarinia, 62
rupestris Haliday, 1833, Dolichopus, 101
rupicola (Kieffer, 1923), Smittia, 50
rupium Fabricius, 1805, Eristalis, 116
ruralis (Fallén, 1817), Angiometopa, 196
ruralis (Meigen, 1822), Cheilosia, 114
ruralis (Strobl, 1894), Eudorylas, 109
ruralis (Meigen, 1824), Eudorylas, 110
ruralis (Meigen, 1826), Hydrophoria, 185
ruralis (Meigen, 1838), Pilaria, 25
ruralis (Loew, 1844), Tephritis, 126
ruralis (Walker, 1834), Verrallia, 108
ruralis (Fallén, 1810), Voria, 207
uricola (Meigen, 1824), Cyrtophleba, 206
rustica (Fabricius, 1775), Dexia, 206
rustica auct., Empis, 91
rustica (Fallén, 1810), Exorista, 201
rustica (Panzer, 1803), Psilocephala, 84
rusticus (Rossi, 1790), Aedes, 37
rusticus (Linneaus, 1767), Atylotus, 81
rusticus (Meigen, 1824), Hercostomus, 101
rusticus (Meigen, 1820), Machimus, 87
rusticus Goetghebuer, 1932 Orthocladius, 55
rusticus Meigen, 1838 Chironomus, 55
rutilla (Meigen, 1824), Erycilla, 200
rutilla (Rondani, 1859), Erycilla, 200
rutilla; auctt., Senometopia, 203
rydalensis (Edwards, 1929), Microtendipes, 52
rydeniana Hering, 1949, Phytomyza, 153
Rymosia Winnertz, 1863, 69

sabinus Haliday, 1838, Dolichopus, 101
sabulonum (Fallén, 1817), Eumerus, 115
sabulosa Meigen, 1830, Tachydromia, 96
Sacandaga Alexander, 1911, subg., 27
sagittalis (Kieffer, 1909), Procladius, 46
Salebria Savchenko, 1976, Dicranomyia, 28
Salebriella Savchenko, 1978, Dicranomyia, 28
Salia Robineau-Desvoidy, 1830, 200
salicina (Bouché, 1834), Nephrotoma, 20
saliciperda (Dufour, 1841), Dasineura, 62
salicis (Schrank, 1803), Dasineura, 62
salicola Kieffer, 1924, Culicoides, 43
salinarius Kieffer, 1914, Culicoides, 43
salinus Ficalbi, 1896, Aedes, 37
Salmacia Meigen, 1800, 201
saltator (Harris, 1776), Trichocera, 18
saltatrix (Lineaus, 1761), Meromyza, 161
Saltella Robineau-Desvoidy, 1830, 135
saltitans (Scopoli, 1763), Scenopinus, 85

saltuum (Linnaeus, 1758), Palloptera, 140
saltuum (Fabricius, 1794), Spilomyia, 115
saltuum (Goetghebuer, 1921), Stempellinella, 54
saltuum (Meigen, 1824), Thelymyia, 203
sanguinea Meigen, 1804, Acrocera, 82
sanguinea (Bremi, 1847), Cystiphora, 62
sanguisorbae Hendel, 1931, Agromyza, 152
sanguisuga (Coquillett, 1901), Culicoides, 43
sannio (Meigen, 1838), Nephrotoma, 20
Sapromyza Fallén, 1810, 137
Sapromyza Fallén, 1810, subg., 137
SAPROMYZIDAE, 16
Sapromyzosoma Lioy, 1864, subg., 137
Sarcophaga Meigen, 1826, 197
SARCOPHAGIDAE, 195
sarcophagina (Schiner, 1862), Rhinomorinia, 198
SARCOPHAGINAE, 196
Sarcophila Rondani, 1856, 196
Sarcotachinella Townsend, 1892, 197
SARGINAE, 75
Sargus Fabricius, 1798, 75
sarothamni H. Loew, 1850, Asphondyla, 61
Satchelliella Vaillant, 1979, 34
saudersi (Curtis, 1836), Bolitophila, 65
Savtshenkia Alexander, 1966, subg., 21
saxatilis Collin, 1941, Medetera, 98
saxicola Kieffer, 1916, Cricotopus, 49
saxonum (Loew, 1865), Hexatoma, 24
scabiei (Hopkins, 1895), Pnyxia, 71
Scaenopius Dalla Torre, 1878, 85
Scaeva Fabricius, 1805, 111
scaevoides (Fallén, 1817), Chamaesyrphus, 114
scalaenum (Schrank, 1803), Polypedilum, 53
scalare (Fabricius, 1794), Melanostoma, 112
scalaris Meigen, 1830, Chlorops, 161
scalaris (Fabricius, 1794), Fannia, 192
scalaris (Meigen, 1818), Nephrotoma, 20
scambus (Fallén, 1823), Campsicnemus, 100
scambus (Staeger, 1843), Platycheirus, 113
Scaptomyza Hardy, 1849, 171
Scaptomyza Hardy, 1849, subg., 171
Scaptomyzella Hendel, 1928, 171
scapularis Goetghebuer, 1933, Forcipomyia, 45
scapularis Kieffer, 1924 Procladius, 55
Scatella Robineau-Desvoidy, 1830, 167
Scatella Robineau-Desvoidy, 1830, subg., 167
Scathophaga Meigen, 1803, 183
SCATHOPHAGIDAE, 182
SCATHOPHAGINAE, 182
Scatina Robineau-Desvoidy, 1830, 183
Scatomyza Fallén, 1810, 183
SCATOMYZIDAE, 17
Scatophaga; error, 183
scatophagina (Zetterstedt, 1838), Delia, 184
scatophagina (Fallén, 1823), Leiomyza, 144
Scatophila Becker, 1896, 167
Scatopsciara Edwards, 1927, 71
Scatopse Geoffroy, 1762, 60

- SCATOPSIDAE, 59
 SCATOPSINAЕ, 59
scatopsoides (Meigen, 1818), *Scatopsciara*, 71
saura (Schmitz, 1921), *Megaselia*, 105
Scellus Loew, 1857, 102
 SCENOPINIDAE, 85
Scenopinus Latreille, 1802, 85
Scenopius Agassiz, 1846, 85
Sceptonia Winnertz, 1863, 69
schineri (Mesnil, 1939), *Blepharipa*, 199
schineri (Hendel, 1931), *Dasyopa*, 160
schineri (Giraud, 1861), *Hexomyza*, 151
schineri Lyneborg, 1959, *Hybomitra*, 80
schineri Goetghebuer, 1920, *Palpomyia*, 44
schineri (Schnabl, 1911), *Pegomya*, 185
schineri (Becker, 1901), *Phora*, 107
schineri (Strobl, 1880), *Schineriella*, 47
Schineriella Murray & Fittkau, 1988, 47
schinerii (Kolenati, 1860), *Pedicia*, 23
Schizohelea Kieffer, 1917, subg., 44
Schizomyia Kieffer, 1889, 64
schoenherri (Fallén, 1826), *Pherbellia*, 130
Schoenomyza Haliday, 1833, 191
Schoenophilus Mik, 1878, subg., 102
scholtzii (Loew, 1850), *Systemus*, 98
Schroederella Enderlein, 1920, 172
schulzi Müller, 1922, *Sarcophaga*, 197
Schumanniella Beschovski, 1981 subg., 160
Schumannimyia L. Papp, 1978, subg., 137
schummeli Edwards, 1921, *Tricyphona*, 23
Schummelia Edwards, 1931, subg., 22
schummelii (Riedel, 1910), *Nephrotoma*, 20
Schwenkfeldina Frey, 1942, 71
 SCIAPODINAE, 97
Sciapus Zeller, 1842, 97
Sciara Meigen, 1803, 71
 SCiaridae, 70
sciarina Staeger, 1840, *Boletina*, 67
sciarina (Meigen, 1830), *Docosia*, 66
sciarina Mik, 1874, *Paratinia*, 67
sciarina Meigen, 1830, *Zygoneura*, 71
Sciomyza Fallén, 1820, 130
 SCIOMYZIDAE, 130
 SCIOMYZINAE, 130
Sciophila Meigen, 1818, 67
Sciophila; auctt., 67
 SCIOPHILINAE, 66
sciophilus Loew, 1869, *Hypophyllus*, 101
Sciopus emend. Becker, 1918, 97
scirpeti (Goetghebuer, 1936), *Paratanytarsus*, 53
scita (Harris, 1780), *Tropidia*, 115
Sclerophallus Beschovski, 1978 subg., 161
Scleroprocta Edwards, 1938, 27
Scoliaphleps Becker, 1894, subg., 182
Scoliocentra Loew, 1862, 172
Scoliocentra Loew, 1862, subg., 172
scolopaceus (Linnaeus, 1758), *Rhagio*, 77
scolopaceus (De Geer, 1776), *Rhagio*, 77
scolopendri Robineau-Desvoidy, 1851, *Phytomyza*, 154
scolopendrii Goureau, 1851, *Phytomyza*, 153
scoparia (Pandellé, 1896), *Parasarcophaga*, 197
scoparii (Rübsaamen, 1889), *Contarinia*, 62
scoparius (Cresson, 1911), *Tomosvaryella*, 109
Scopeuma Meigen, 1800, 183
Scopolia Robineau-Desvoidy, 1830, 206
scorzonerae Robineau-Desvoidy, 1830, *Ensina*, 125
scorzonerae Robineau-Desvoidy, 1830, *Sitarea*, 125
scoticus Downes & Kettle, 1952, *Culicoides*, 43
Scotophilella Duda, 1918, 176
scripta (Linnaeus, 1758), *Sphaerophoria*, 112
scripta Meigen, 1830, *Tipula*, 22
scrabiculata (Strobl, 1901), *Elachiptera*, 158
scrupulosa (Zetterstedt, 1845), *Limnophora*, 190
scurrā (Meigen, 1818), *Nephrotoma*, 20
scutatus (Meigen, 1822), *Platycheirus*, 113
scutellariformis (Schmitz, 1925), *Megaselia*, 106
scutellaris Robineau-Desvoidy, 1844, *Brachyopa*, 114
scutellaris (Haliday, 1836), *Chaetopodella*, 177
scutellaris (Robineau-Desvoidy, 1848), *Eurythaea*, 200
scutellaris Rondani, 1874, *Lonchaea*, 139
scutellaris (Wood, 1909), *Megaselia*, 106
scutellaris Robineau-Desvoidy, 1830, *Mydaea*, 190
scutellaris (Fallén, 1825), *Phaonia*, 189
scutellaris (Von Roser, 1840), *Pherbellia*, 130
scutellaris Meigen, 1818, *Ptychoptera*, 32
scutellaris (Fallén, 1820), *Saltella*, 135
scutellata (H. Loew, 1846), *Apiloscatopse*, 59
scutellata (Robineau-Desvoidy, 1830), *Blepharipa*, 199
scutellata (Fallén, 1817), *Cheilosia*, 114
scutellata (Fabricius, 1798), *Chyliza*, 121
scutellata Winnertz, 1846, *Corynoneura*, 48
scutellata (Meigen, 1830), *Dasyhelea*, 42
scutellata (von Roser, 1840), *Dasyopa*, 160
scutellata (Zetterstedt, 1860), *Dasyopa*, 160
scutellata Curtis, 1835, *Empis*, 91
scutellata Olsufjev, Moucha, Chvála 1964, *Haemato-pota*, 81
scutellata Stein, 1890, *Lonchoptera*, 103
scutellata Meigen, 1830, *Phytomyza*, 153
scutellata (Staeger, 1840), *Pilaria*, 25
scutellata Goetghebuer, 1920, *Stilobezzia*, 45
scutellata Rondani, 1870, *Urophora*, 123
scutellatus Panzer, 1806, *Cetema*, 161
scutellatus Meigen, 1824, *Conops*, 117
scutellatus (Egger, 1863), *Ellipteroides*, 25
scutellatus (Macquart, 1834), *Nephrócerus*, 108
scutellatus Macquart, 1843, *Scenopinus*, 85
scybalaria (Linnaeus, 1758), *Scathophaga*, 183
Scyphella Robineau-Desvoidy, 1830, 147
Sebessia Remm, 1979, subg., 42
secreta (Walker, 1856), *Dicranota*, 23
securicornis Fallén, 1823, *Phyllomyza*, 155
securifer (Goetghebuer, 1934), *Virgatanytarsus*, 54

- segnis (Linnaeus, 1758), *Xylota*, 115
 segregata (Frauenfeld, 1864), *Tephritis*, 126 subsb.
segregata (Rondani, 1861), *Solieria*, 205
segregata; auctt., *Parasetigena*, 202
 seguyi Parent, 1926, *Medetera*, 98
Seioptera Kirby, 1817, 129
sejuncta Becker, 1907, *Urophora*, 123
selecta (Meigen, 1824), *Bessa*, 199
selecta (Pandellé, 1894), *Ceranthia*, 204
 selene Meigen, 1830, *Tipula*, 21
selenitica (Meigen, 1822), *Scaeva*, 111
Selidopogon Bezzì, 1902, 86
sellata (Meigen, 1826), *Cnodaecophora*, 119
semiate Meigen, 1820, *Hemipenthes*, 83
semiatricornis (Duda, 1935), *Scaptomyza*, 171
semicinerea Meigen, 1824, *Phasia*, 208
semicinereus (Wiedemann, 1817), *Thricops*, 187
semiermis Goetghebuer, 1914, *Palpomyia*, 44
semifasciata Becker, 1894, *Cheilosia*, 114
semiflava (Staeger, 1840), *Cordyla*, 68
semiflava (Hartig, 1837), *Megaselia*, 106
semifumosa (Goetghebuer, 1920), *Palpomyia*, 44
semifumosus (Kowarz, 1887), *Cephalops*, 109
semifusca Meigen, 1818, *Mycetophila*, 69
semigyrans (Rydén, 1954), 154
semilunaris Goetghebuer, 1921 *Tanytarsus*, 56
semimaculatus (Becker, 1898), *Dorylomorpha*, 109
seminiationis (Fabricius, 1775), *Platystoma*, 127
seminigra (Panzer, 1798), *Probezzia*, 44
seminitida Goetghebuer, 1947, *Atrichopogon*, 41
semirufa (Meigen, 1818), *Orfelia*, 66
semistriata Goetghebuer, 1921, *Dasyhelea*, 42
semivillosus Goetghebuer, 1923 *Tanytarsus*, 55
semivirgo Macá, 1977, *Amiota*, 170
semiviridis (Goetghebuer, 1919), *Phaenopsectra*, 52
semivittata (Strobl, 1909), *Cerodontha*, 152
seneciella (Meade, 1892), *Botanophila*, 184
senecionis Kaltenbach, 1869, *Phytomyza*, 154
senelis Goetghebuer & Tonnoir, 1921, *Paradelphomyia*, 25
senicula Kowarz, 1877, *Medetera*, 98
senilis Sack, 1938, *Heringia*, 113
senilis (Haliday, 1833), *Paradelphomyia*, 25
senilis (Fabricius, 1794), *Scenopinus*, 85
senilis; auctt., *Lydella*, 201
Senometopia Macquart, 1834, 203
Senotainia Macquart, 1846, 196
Senotainia Macquart, 1846, subg., 196
separata (Meigen, 1824), *Medina*, 201
separata (Walker, 1848), *Neolimnomyia*, 24
Sepedon Latreille, 1804, 131
sepia (Meigen, 1826), *Phorbia*, 185
sepium (Verrall, 1886), *Pseudolimnophila*, 25
SEPSIDAE, 135
Sepsidimorpha Frey, 1908, 135
Sepsis Fallén, 1810, 135
septemlineata Macquart, 1834, *Tipula*, 21
septemnotata (Zetterstedt, 1845), *Spilogona*, 190
sepulchralis (Fabricius, 1794), *Chrysops*, 80
sepulchralis (Linnaeus, 1758), *Eristalis*, 116
sepulcralis (Meigen, 1826), *Onesia*, 194
sera (Walker, 1848), *Dicranomyia*, 28
serena (Fallén, 1825), *Fannia*, 192
serena (Meigen, 1826), *Pyrellia*, 188
serenus Loew, 1866, *Chlorops*, 161
seriata (Meigen, 1830), *Exechia*, 68
sericans (Becker, 1895), *Dasiops*, 139
sericata (Winnertz, 1852), *Dasyhelea*, 42
sericata (Meigen, 1830), *Dicranomyia*, 28
sericata (Meigen, 1826), *Lucilia*, 193
sericea (Macquart, 1826), *Erioconopa*, 26
sericea Robineau-Desvoidy, 1830, *Leucophora*, 185
sericomum (Meigen, 1830), *Brevicornu*, 68
Sericomyia Meigen, 1803, 115
serotina (Winnertz, 1853), *Dasineura*, 62
serotina Meigen, 1818, *Dixa*, 35
serotina Loew, 1856, *Empis*, 90
serotina Borgmeier, 1962, *Megaselia*, 106
serrata (Linnaeus, 1758), *Heleomyza*, 172
serratulae (Linnaeus, 1758), *Terellia*, 125
serripes (Meigen, 1818), *Palpomyia*, 44
Serromyia Meigen, 1818, 45
serva (Meigen, 1826), *Phaonia*, 189
Servaisia Robineau-Desvoidy, 1863, 197
Servaisia Robineau-Desvoidy, 1863, subg., 197
Servillia Robineau-Desvoidy, 1830, subg., 205
sessilis (Macquart, 1826), *Austrolimnophila*, 24
Setacera Cresson, 1930, 167
setaria (Meigen, 1826), *Pegomya*, 186
setaria (Villeneuve, 1917), *Xenolimosina*, 177
setibarbis (Loew, 1849), *Machimus*, 87
setifemur Ringdahl, 1924, *Mydaea*, 190
Setigena Brauer & Bergenstamm, 1889, 202
setiger (Loew, 1859), *Crossopalpus*, 94
setiger Goetghebuer, 1938, *Culicoides*, 43
setigera (Winnertz, 1867), *Chaetosciara*, 70
setigera Loew, 1859, *Crossopalpus*, 94
setigera (Loew, 1864), *Mallochohelea*, 44
setigera (Tonnoir, 1922), *Ypsychoda*, 34
setinerva Schnabl, 1911, *Limnophora*, 190
setinerva (Schnabl, 1911), *Phaonia*, 189
setipennis (Rondani, 1860), *Krameromyia*, 197
setipennis (Fallén, 1810), *Triarthria*, 206
setiventris Ringdahl, 1924, *Helina*, 190
setiventris Thuneberg 1955, *Medetera*, 98
setiventris Zetterstedt, 1847, *Sapromyza*, 137
setosa Villeneuve, 1921, *Drosophila*, 171
setosa Loew, 1856, *Empis*, 90
setosa Verrall, 1901, *Verrallia*, 108
setosinervis Kieffer, 1913, *Culicoides*, 43
setosulus (Zeller, 1840), *Machimus*, 87
setulipalpis Schmitz, 1938, *Megaselia*, 105
severini (Goetghebuer, 1923), *Glyptotendipes*, 52
severini (Tonnoir, 1922), *Logima*, 33
severini Goetghebuer, 1939 *Trichocladius*, 56
sexannulatus Goetghebuer, 1921 *Tanytarsus*, 56

sexmaculata Meigen, 1838, *Coenosia*, 191
sexmaculata (Macquart, 1826), *Dactylolabis*, 24
sexmaculata (Preyssler, 1791), *Helina*, 190
sexmaculata Becker, 1896, *Philygria*, 166
sexnotata Meigen, 1826, *Coenosia*, 191
sexnotata (Schummel, 1829), *Limonia*, 28
sexpunctata (Fabricius, 1782), *Limonia*, 28
sexpunctata (Fabricius, 1805), *Pierretia*, 197
sexpunctata Meigen, 1826, *Sapromyza*, 137
sexpunctata Curtis, 1839, *Tinearia*, 34
sexspinosa (Wood, 1908), *Megaselia*, 105
Shizukoa Sasakawa, 1963, 151
Siagona Meigen, 1830, *Dicranomyia*, 28
siberita (Fabricius, 1775), *Prosena*, 206
sibilans (Haliday, 1833), *Lamproscatella*, 167
sibiriana (Gimmerthal, 1847), *Crataerina*, 180
sibirica Stackelberg, 1953, *Sphegina*, 114
sibynata Rondani, 1870, *Urophora*, 123
sicula; auctt., *Gonia*, 201
Sicus Scopoli, 1763, 117
siebkei Zetterstedt, 1852, *Tipula*, 21
SIGALOESSINAE, 144
signata (Meigen, 1824), *Amobia*, 195
signata (Meigen, 1804), *Bezzia*, 43
signata Meigen, 1830, *Mycetophila*, 69
signata (Meigen, 1826), *Phaonia*, 189
signata Meigen, 1822, *Pipiza*, 113
signata (Fallén, 1820), *Pseudoseps*, 142
signata (Meigen, 1826), *Rhagoletis*, 124
signata (Loew, 1860), *Scatophila*, 167
signata Staeger, 1840, *Tipula*, 22
signaticollis Goetghebuer, 1921 *Chironomus*, 56
signaticornis Loew, 1857, *Medetera*, 98
signatipes (Loew, 1856), *Paroecus*, 137
signatipes van der Wulp, 1859, *Rymosia*, 69
signatus (Becker, 1900), *Cephalops*, 109
signatus sensu Jacobs, 1905, *Dolichopus*, 101
signatus Meigen, 1824, *Dolichopus*, 101
signatus (Wiedemann, 1824), *Leopoldius*, 117
signatus (Zetterstedt, 1850), *Procladius*, 46
signatus (van der Wulp, 1859), *Tanytarsus*, 54
signatus (Zetterstedt, 1849), *Teuchophorus*, 100
signifer Haliday, 1831, *Dolichopus*, 101
silacea (Meigen, 1824), *Ceromyia*, 204
silacea (Meigen, 1826), *Pegomya*, 186
silacea Loew, 1860, *Scatella*, 167
silacea Curtis, 1839, *Sycorax*, 33
silentis (Harris, 1776), *Sericomyia*, 115
silvarum (Meigen, 1826), *Lucilia*, 193
silvatica (Meigen, 1818), *Bradysia*, 70
silvatica Landrock, 1918, *Coelosia*, 68
silvatica (Meigen, 1830), *Limosina*, 176
silvatica (Fallén, 1810), *Masicera*, 201
silvatica Meigen, 1830, *Tetanocera*, 131
Silvaticulicoides Gluchova, 1972, subg., 44
silvestris (Fallén, 1824), *Alliopsis*, 185
silvestris (Robineau-Desvoidy, 1863), *Parasetigena*, 202

silvicola Meigen, 1830, *Dolichopeza*, 20
silvicola Loew, 1857, *Hydrotaea*, 188
silvicola (Robineau-Desvoidy, 1830), *Hylemya*, 185
silvicola (Goetghebuer, 1920), *Mallochohelea*, 44
similifrons Schmitz, 1934, *Megaselia*, 106
similis (Haliday, 1833), *Conicera*, 107
similis (Collin, 1930), *Copromyza*, 175
similis Goetghebuer, 1921, *Cricotopus*, 49
similis (Stein, 1895), *Fannia*, 192
similis Meade, 1887, *Hydrotaea*, 188
similis Schiner, 1857, *Lipara*, 159
similis Goetghebuer, 1927, *Monohelea*, 44
similis (Staeger, 1840), *Ormosia*, 27
similis (Meade, 1876), *Parasarcophaga*, 197
similis (Goetghebuer, 1928), *Paratanytarsus*, 53
similis Brischke, 1881, *Phytomyza*, 153
similis Lašťovka & Macá, 1982, *Stegana*, 170
similis (Meigen, 1838), *Suillia*, 173
similis (Schummel, 1829), *Symplecta*, 27
simillimum (Collin, 1933), *Calliopum*, 136
simplex (Haliday, 1833), *Coelopa*, 133
simplex (Meigen, 1830), *Dicranomyia*, 28
simplex sensu Jacobs, 1905, *Dolichopus*, 101
simplex Meigen, 1824, *Dolichopus*, 101
simplex Tonnoir, 1920, *Gonomyia*, 26
simplex (Goetghebuer, 1921), *Harnischia*, 52
simplex (Fallén, 1815), *Leucostoma*, 207
simplex (Meigen, 1838), *Rhagio*, 77 subsp.
simplex (Wood, 1910), *Megaselia*, 105
simplex (Loew, 1857), *Morellia*, 188
simplex Zetterstedt, 1849, *Rhamphomyia*, 92
simplex Loew, 1847, *Sapromyza*, 137
simplex Fallén, 1820, *Sciomyza*, 130
simplex Goetghebuer & Bastin, 1925, *Sepsis*, 135
simplex Mik, 1880, *Teuchophorus*, 100
simplex (Meigen, 1838), *Thaumatomyia*, 162
simplex (Wiedemann, 1817), *Thricops*, 187
simplicicornis Zetterstedt, 1838, *Tipula*, 21
simplicimana (Rondani, 1880), *Spelobia*, 177
simplicior Hendel, 1908, *Sapromyza*, 137
simplices (Zetterstedt, 1842), *Bicellaria*, 96
simplicissima (Loew, 1847), *Stevenia*, 198
simulans Lackschewitz, 1940, *Dicranota*, 23
simulans Collin, 1961, *Drapetis*, 94
simulans Sturtevant, 1919, *Drosophila*, 171
simulator Edwards, 1939, *Culicoides*, 44
SIMULIIDAE, 40
Simulium (Latreille, 1802), 40
Simulium (Latreille, 1802), 40 subg.
simulium Nowicki, 1868, *Empis*, 90
Sineura: emend., 126
Sinevra Lioy, 1864, 126
singularior (Harris, 1776), *Stratiomys*, 76
sinuata (Meigen, 1826), *Sarcotachinella*, 197
sinuata Fabricius, 1775, *Tipula*, 21
sinuatus Meigen, 1804, *Anthrax*, 83
Siphona Meigen, 1803, 205
Siphonella Macquart, 1835, 159

- Siphonomyza* Enderlein, 1936, 151
Siphunculina Rondani, 1856, 160
Siridomyza Enderlein, 1936, 151
sisymbrii (Schrank, 1803), *Dasineura*, 62
Sitarea Robineau-Desvoidy, 1830, 125
Sitodiplosis Kieffer, 1913, 64
Sivalimnobia Alexander, 1963, subg., 28
smaragdinus Gerstaeker, 1864, *Thrypticus*, 98
Smidtia Robineau-Desvoidy, 1830, 203
smithi Chvála, 1966, *Tachydromia*, 96
Smittia Holmgren, 1869, 50
socculata (Zetterstedt, 1845), *Pegomya*, 185
socia (Meigen, 1830), *Incertella*, 159
sociabilis (Goetghebuer, 1920), *Isohelea*, 44
socialis (Winnertz, 1871), *Plastosciara*, 71
sociata (Meigen, 1826), *Leucophora*, 185
sociella (Zetterstedt, 1845), *Fannia*, 192
socius Loew, 1871, *Neoitamus*, 87
soenderupi Frey, 1950, *Cerodontha*, 153
soenderupiana (Rydén, 1958), *Phytomyza*, 153
sogdianus Stackelberg, 1952, *Eumerus*, 115
solani Hering, 1927, *Liriomyza*, 152
soleata (Walker, 1856), *Jungiella*, 33
Solenomyza Enderlein, 1936, 152
solenioides (Meigen, 1826), *Pegomya*, 186
solicita (Harris, 1780), *Elgiva*, 131
solidaginis Hendel, 1920, *Phytomyza*, 154
Solieria Robineau-Desvoidy, 1848, 205
solitaria (Zetterstedt, 1838), *Pseudocoenosia*, 190
solitarius (Harris, 1870), *Rhagio*, 77
solivagus (Harris, 1780), *Rhagio*, 77
solstitialis (Winnertz, 1852), *Bezzia*, 43
solstitialis (Fallén, 1817), *Chrysogaster*, 114
solstitialis (Meigen, 1820), *Hybomitra*, 80
solstitialis (Schiner, 1862), *Hybomitra*, 80
solstitialis Sulzer, 1761, *Rhagoletis*, 124
solstitialis Westhoff, 1879, *Tipula*, 22
solstitialis (Linnaeus, 1758), *Urophora*, 123
solstitialis Robineau-Desvoidy, 1830, *Urophora*, 123
solstitialis Zetterstedt, 1855, *Urophora*, 123
solstitialis: authors, *Urophora*, 123
soluta (H. Loew, 1846), *Anapausis*, 59
Solva Walker, 1859, 74
SOLVIDAE, 16
sonchi (Bremi, 1847), *Cystiphora*, 62
sonchi (F. Loew, 1875), *Cystiphora*, 62
sonchi (Linnaeus, 1767), *Ensina*, 125
sonchi Hendel, 1931, *Liriomyza*, 152
sonchi Robineau-Desvoidy, 1830, *Urophora*, 123
Sophophora Sturtevant, 1939, subg., 171
sorbillans (Wiedemann, 1830), *Exorista*, 201
sorbillans Haliday, 1839, *Scatella*, 167
sordens (van der Wulp, 1874), *Polypedilum*, 52
sordida (Fallén, 1820), *Desmometopa*, 155
sordida (Zetterstedt, 1838), *Megaselia*, 105
sordida (Wood, 1909), *Megaselia*, 106
sordida (Haliday, 1833), *Sapromyza*, 137
sordida (Zetterstedt, 1838), *Scaptomyza*, 171
sordidatus Kieffer, 1913 *Chironomus*, 56
sordidella (Zetterstedt, 1848), *Anthomyza*, 149
sordidella (Zetterstedt, 1848), *Conioscinella*, 159
sordidellus (Zetterstedt, 1838), *Psectrocladius*, 50
sordidisquama (Zetterstedt, 1844), *Oswaldia*, 202
sordidissima (Strobl, 1893), *Oscinimorpha*, 160
sordidus Zetterstedt, 1847, *Borborillus*, 175
soror (Zetterstedt, 1843), *Cheilosia*, 114
sororcula auct., *Scleroprocta*, 27
Spallanzania Robineau-Desvoidy, 1830, 203
Spania Meigen, 1830, 78
SPANIINAE, 78
Spanochaeta Stein, 1919, 191
Spanoparea Czerny, 1924, subg., 172
sparganii Kieffer, 1908 *Chironomus*, 56
sparsa Loew, 1857, *Cheilosia*, 113
Spathobdella Frey, 1948, subg., 71
spathulata (Zetterstedt, 1845), *Fannia*, 192
spathulata (Fallén, 1820), *Ramonda*, 206
spatiosus (Becker, 1895), *Dasiops*, 139
Spatulapica Fan, 1964 , subg., 196
Spaziphora Rondani, 1856, 182
speciosa (Rossi, 1790), *Caliprobola*, 115
speciosa Meigen, 1824, *Callomyia*, 104
speciosa (Loew, 1844), *Myoleja*, 124
speciosa (Egger, 1861), *Winthemia*, 203
speciosissima Mesnil, 1949, *Winthemia*, 203
speciosus Meigen, 1830, *Chlorops*, 161
speciosus Goetghebuer, 1921, *Cricotopus*, 49
spectabilis Winnertz, 1863, *Mycetophila*, 69
spectabilis (Loew, 1862), *Scoliocentra*, 172
Spelobia Spuler, 1924, 177
Spelobia Spuler, 1924, subg., 177
Speolepta Edwards, 1925, 67
Sphaeconophilus Becker, 1912, subg., 25
sphaerocephali (Schrank, 1803), *Xyphosia*, 126
Sphaerocera Latreille, 1804, 175
SPHAEROCHERIDAE, 175
SPHAEROCHERINAE, 175
Sphaeromias Curtis, 1829, 45
Sphaerophoria Lepeletier & Serville, 1828, 112
Sphaeroptera; error, 175
Sphaeropyga Savchenko, 1976, *Dicranomyia*, 28
sphegea (Fabricius, 1775), *Sepedon*, 131
Sphegina Meigen, 1822, 114
Sphenella Robineau-Desvoidy, 1830, 126
sphenoptera (Loew, 1873), *Oropezella*, 96
sphenopterus Loew, 1859, *Hypophyllus*, 101
spherica Tonnoir, 1920, *Pericomia*, 34
sphingivora (Robineau-Desvoidy, 1830), *Masicera*, 201
Sphiximorpha Rondani, 1850, 116
sphondylii (Schrank, 1803), *Saltella*, 135
spicatus (Loew, 1857), *Syntormon*, 100
spiculatus Gerstaeker, 1864, *Sympycnus*, 100
Spilogaster Macquart, 1835, 189
Spilogona Schnabl, 1911, 190
Spilographa Loew, 1862, 124

Spilomyia Meigen, 1803, 115
spilota (Curtis, 1832), *Ilythea*, 166
spinicoxa Loew, 1850, *Rhaphium*, 99
spinifera Goetghebuer, 1920, *Bezzia*, 42
spinifrons (Schroeder, 1913), *Vidalia*, 124
spiniger (Zetterstedt, 1859), *Sciapus*, 97
spinigera Winnertz, 1863, *Exechia*, 68
spinigera (Zetterstedt, 1838), *Norellia*, 182
spinigerellus (Zetterstedt, 1843), *Teuchophorus*, 100
spinimana Zetterstedt, 1838, *Hilara*, 91
spinimana (Fallén, 1819), *Norellia*, 182
spinipennis (Haliday, 1836), *Halidayina*, 177
spinipennis (Meigen, 1824), *Triarthria*, 206
spinipes Fabricius, 1794, *Merodon*, 116
spinipes (Meigen, 1826), *Norellia*, 182
spinipes (Meigen, 1804), *Palpomyia*, 44
spinipes Meigen, 1830, *Pipunculus*, 109
spinipes (Fallén, 1816), *Rhamphomyia*, 92
spinipes Winnertz, 1863, *Rymosia*, 69
spinipes (Scopoli, 1763), *Sepedon*, 131
Spiniphora Malloch, 1909, 107
spinosa (Collin, 1930), *Kimosina*, 177
spinosula Tollet, 1948, *Diadocidia*, 65
spinosum Doby & Deblock, 1957, *Simulium*, 40
Spinotarsella Richards, 1929, 176
Spinulophila Duda, 1923, 170
spiraeae Kaltenbach, 1867, *Agromyza*, 152
splendens (Meigen, 1804), *Microchrysa*, 75
splendens (Meigen, 1822), *Orthonevra*, 114
splendida (Meigen, 1822), *Lejogaster*, 114
splendidus (Meigen, 1820), *Chrysopilus*, 77
splendor (Harris, 1776), *Ctenophora*, 20
Spogostylum Macquart, 1840, 83
spoliata (Loew, 1871), *Eloeophila*, 24
spoliata (Scopoli, 1763), *Scenopinus*, 85
spondylii Robineau-Desvoidy, 1851, *Phytomyza*, 154
spreta (Meigen, 1824), *Bithia*, 204
spreta (Meigen, 1826), *Paregle*, 185
spreta (Tonnoir, 1940), *Psychodula*, 34
spurca (Haliday, 1833), *Clusia*, 146
spurca (Meigen, 1826), *Scathophaga*, 183
spuria (Fallén, 1816), *Bicellaria*, 96
spurius (Fallén, 1816), *Chalarus*, 108
squalens (Zetterstedt, 1838), *Phylidorea*, 25
squalida Loew, 1871, *Erioptera*, 26
squalida (Meigen, 1826), *Scathophaga*, 183
squamaticrus (Kieffer, 1919), *Forcipomyia*, 42
Squamensina Hering, 1938, 125
stabilis (Collin, 1961), *Platypalpus*, 95
stabulans (Meigen, 1824), *Lydella*, 201
stabulans (Fallén, 1817), *Muscina*, 187
stachydis (Bremi, 1847), *Wachtliella*, 64
Stachynia Macquart, 118
stackelbergi (Frey, 1946), *Agromyza*, 152
stackelbergi Parent, 1927, *Medetera*, 98
staegeri Nielsen, 1922, *Tipula*, 22
Staegeria van der Wulp, 1876, 67
staegeriana Alexander, 1953, *Ormosia*, 27

stagnalis (Haliday, 1833), *Clinocera*, 92
stagnalis (Fallén, 1813), *Scatella*, 167
stagnalis Goetghebuer, 1932 *Eukiefferiella*, 56
stagnicola (Robineau-Desvoidy, 1830), *Notiphila*, 166
stagnicola Goetghebuer, 1948, *Orthocladius*, 50
stagnicola Goetghebuer, 1948 *Orthocladius*, 56
Statinia Meigen, 180, 130
Staurella Bezzii, 1913 subg., 124
Stearibia Lioy, 1864, 142
stecki (Kieffer, 1915), *Monohelea*, 44
Stegana Meigen, 1830, 170
Stegana Meigen, 1830, subg., 170
Steganina Wheeler, 1960, subg., 170
STEGANINAE, 170
steini (Karsch, 1881), *Contarinia*, 62
steinii (Ringdahl, 1913), *Polistes*, 188
stellariae (Liebel, 1889), *Macrolabis*, 63
stellata Loew, 1844, *Trupanea*, 126
stellata (Fuessly, 1775), *Trupanea*, 126
Stemnocera: error, 124
Stemonocera Rondani, 1870, 124
Stempellinella Brundin, 1947, 54
Steneapteryx Leach, 1817, 179
stenhammari (Zetterstedt, 1846), *Limnellia*, 167
Stenhammaria Duda, 1918, 176
Stenochironomus Kieffer, 1919, 53
Stenochironomus Kieffer, 1919, subg., 53
Stenoparia Stein, 1924, 204
stenoptera (von Olfers, 1816), *Crataerina*, 180
Stenopteryx Agassiz, 1847, 180
stercoraria (Meigen, 1830), *Copromyza*, 175
stercoraria (Linnaeus, 1758), *Scathophaga*, 183
stercorarius (De Geer, 1776), *Camptocladius*, 48
stercorarius (Robineau-Desvoidy, 1830), *Merohipus*, 135
stercorea Linnaeus, 1761, *Empis*, 91
Stevenia Robineau-Desvoidy, 1830, 198
stictica (Fabricius, 1805), *Euthycera*, 131
stictica (Meigen, 1830), *Philygria*, 166
stictica Meigen, 1830, *Phora*, 107
stictica (Meigen, 1818), *Symplecta*, 27
sticticus (Meigen, 1838), *Aedes*, 38
sticticus (Meigen, 1822), *Platycheirus*, 113
sticticus (Fabricius, 1781), *Stictochironomus*, 53
Stictochironomus Kieffer, 1919, 53
stigma (Meigen, 1818), *Culicoides*, 43
stigma (Meigen, 1818), *Limonia*, 28
stigma Curtis, 1837, *Macrocera*, 66
stigma (Collin, 1926), *Platypalpus*, 95
stigma (Schummel, 1837), *Rhagio*, 78
stigmatella (Zetterstedt, 1838), *Dicranota*, 23
stigmatella Zetterstedt, 1842, *Oedalea*, 96
stigmatella Schummel, 1833, *Tipula*, 21
stigmatica auct., *Chelifera*, 92
stigmatica (Schiner, 1860), *Chelifera*, 92
stigmatica (Meigen, 1830), *Dicranomyia*, 28
stigmaticalis Zetterstedt, 1837, *Microsania*, 104
stigmaticalis sensu Collart, 1933, *Microsania*, 104

- stigmaticus* (Lamb, 1912), Arcuator, 159
stigmaticus (Zetterstedt, 1849), Rhagio, 77
Stigmatomeria Tuomikoski, 1966, subg., 68
stigmoïdes Edwards, 1925, Macrocera, 66
stigmosa Macquart, 1827, Rhamphomyia, 92
Stilobezzia Kieffer, 1911, 45
Stilobezzia Kieffer, 1911, subg., 45
Stilpon Loew, 1859, 95
stimulans (Meigen, 1824), Haematobosca, 189
stimulator (Clark, 1815), Cephenemyia, 210
Stiphrosoma Czerny, 1928, 149
Stiropomyza Enderlein, 1936, 151
Stirops Enderlein, 1936, 152
Stizambia Sabrosky, 1941, 159
stolida Walker, 1856, Mycetophila, 69
Stomacrypeolus Enderlein, 1936, 152
Stomacrypolus Enderlein, 1936, 152
Stomatomyia Brauer & Bergenstamm, 1889, 200
Stomorhina Rondani, 1861, 194
Stomoxys Geoffroy, 1762, 188
Stomphastica Loew, 1864, 146
straeleni Collart, 1954, Microsania, 104
straminea (Malloch, 1912), Megaselia, 106
straminea (Meigen, 1838), Pedicia, 23
Strandimyza Duda, 1940, 109
Stratioborborus Duda, 1923, 175
STRATIOMYIDAE, 75
STRATIOMYINAE, 75
Stratiomys Geoffroy, 1762, 76
stratiotis Kieffer, 1908, Psectrocladius, 50
strenua (Meigen, 1824), Ernestia, 204
strenua Robineau-Desvoidy, 1830, Hylemya, 185
striata (Fabricius, 1794), Hexatoma, 24
striata Parent, 1927, Medetera, 98
striata Robert, 1834, Diastata, 163
striata (Meigen, 1818), Neoempheria, 67
striata (Fabricius, 1794), Ravinia, 197
striata (Meigen, 1830), Renocera, 131
strigata (Meigen, 1830), Liriomyza, 152
strigata Staeger, 1845, Sphaerophoria, 112
strigata (Fabricius, 1794), Thereva, 84
strigatus Wiedemann, 1824, Conops, 117
strigatus (Fallén, 1817), Eumerus, 115
strigifrons (Zetterstedt, 1849), Platypalpus, 95
strigipes Verrall, 1875, Dolichopus, 101
strigipes (Zetterstedt, 1846), Pegomya, 186
strigosa (Fabricius, 1794), Hylemya, 185
strigosus Meigen, 1804, Rhagio, 77
strigulipes (Verrall, 1901), Cephalops, 109
strigulus (Fabricius, 1794), Chlorops, 161
striola (Meigen, 1838), Rhagio, 78
striolata (Meigen, 1826), Norellia, 182
striolata (Fallén, 1824), Botanophila, 184
strobi (Winnertz, 1853), Kaltenbachiola, 63
strobli (Nielsen, 1920), Atypophthalmus, 27
strobi Dusek & Rozkošný, 1968, Beris, 75
strobi (Verrall, 1901), Cephalops, 109
strobi (Corti, 1909), Elachiptera, 158
strobli Parent, 1925, Lamprochromus, 100
strobli (Czerny, 1909), Oscinimorpha, 160
strobliana Mercier, 1923, Rhicnoessa, 169
stroblii (Mik, 1900), Platypalpus, 95
stroblii Hendel, 1900, Renocera, 131
Strongygaster Macquart, 1834, 208
stulta (Zetterstedt, 1844), Phebellia, 202
Sturmia Robineau-Desvoidy, 1830, 203
Stygeropis Loew, 1863, 20
stygia (Meigen, 1826), Fannia, 192
stylata (Fabricius, 1775), Urophora, 123
Stylias: authors, 126
suavis Loew, 1857, Chrysotus, 98
subaequalis Goetghebuer, 1921, Tanytarsus, 54
subangusta Collin, 1961, Chelifera, 92
subciliata (Malloch, 1913), Megaselia, 105
subcylindrica Pandellé, 1883, Haematopota, 81 var.
subcinerascens Collin, 1926, Rhamphomyia, 92
Subclytia Pandellé, 1894, 208
subcoeruleus Edwards, 1929, Cricotopus, 48 var.
subcoleoptrata (Linnaeus, 1767), Phasia, 208
subcoleoptrata; auctt., Phasia, 208
subcunctans Alexander, 1921, Tipula, 22
subcylindrica Pandellé, 1883, Haematopota, 81
subexcisum Edwards, 1915, Simulium, 40
subfaciata (Meigen, 1824), Plesioclythia, 104
subfasciata (Meigen, 1818), Leia, 67
subfasciata (Zetterstedt, 1838), Lyciella, 136
subfasciata Shummel, 1838, Thereva, 84
subfasciipennis Kieffer, 1919, Culicoides, 44
subfascipennis; auctt., Culicoides, 44
subfascipes Collin, 1956, Eudorylas, 110
subflavus (Becker, 1921), Cephalops, 109
subfuscata Lundström, 1909, Trichonta, 69
subguttata (Meigen, 1830), Scatella, 167
Subhylemyia Ringdahl, 1933, 186
subincana (Curtis, 1837), Apolephthisa, 67
subincurvata (Goetghebuer, 1923), Thienemannimyia, 47
sublugubris (Wood, 1906), Triphleba, 107
sublunaticornis (Zetterstedt, 1842), Atylotus, 81
sublunatus Collin, 1961, Stilpon, 95
submaculata Edwards, 1920, Dixa, 35
submaculata (Staeger, 1840), Trichonta, 69
submaculosa Edwards, 1928, Nephrotoma, 20
submarmorata Schummel, 1833, Tipula, 21
submeigeni (Wood, 1914), Megaselia, 106
submendosa Tjeder, 1941, Tipula, 22
subneglecta (Tonnoir, 1922), Bazarella, 33
subnigrinus Chvála, 1975, Platypalpus, 95
subnitens Goetghebuer, 1928, Micropsectra, 53
subnitens (Verrall, 1886), Rhexosa, 60
subnitens Goetghebuer, 1929 Camptocladius, 56
subnodicornis Zetterstedt, 1838, Tipula, 22
subnubilus Chvála, 1988, Stilpon, 95
subnudipennis (Schmitz, 1919), Megaselia, 106
subobscura Collin, in Gordon, 1936, Drosophila, 171
subpatula (Bremi, 1847), Dasineura, 62

subpennatus d'Assis Fonseca, 1976, *Dolichopus*, 101
subphurens (Mikan, 1796), *Systoechus*, 83
subsessilis (Goetghebuer, 1921), *Neurohelea*, 44
subsessilis (Illiger, 1807), *Siphiximorpha*, 116
subsimilis Ringdahl, 1934, *Fannia*, 192
subsultans (Fabricius, 1794), *Mosillus*, 165
subterminalis Collin, 1956, *Eudorylas*, 110
subterranea (Schmitz, 1913), *Pnyxia*, 71
subtilis Loew, 1871, *Dicranota*, 23
subtincta (Zetterstedt, 1851), *Pilaria*, 25
subulata (Pandellé, 1896), *Bellieriomima*, 196
subulata (Winnertz, 1863), *Exechiopsis*, 68
subulata Coquillett, 1907, *Lipoptena*, 180
subultimus Collin, 1956, *Cephalops*, 109
subvafra Lackschewitz, 1936, *Tipula*, 22
subventa (Harris, 1780), *Phaonia*, 189
subvicina Rohdendorf, 1937, *Sarcophaga*, 197
subviridis (Goetghebuer, 1921), *Micropsectra*, 53
succincta (Meigen, 1824), *Epicampocera*, 200
succincta (Meigen, 1838), *Orfelia*, 66
sudetica Czizek, 1931, *Limonia*, 28
sudeticus Becker, 1910, *Eribolus*, 159
sudeticus Zeller, 1847, *Tabanus*, 81
suecicus (Kieffer, 1916), *Chaetocladius*, 48
suilla (Fabricius, 1794), *Scathophaga*, 183
Suillia Robineau-Desvoidy, 1830, 173
SUILLIINAE, 173
suillorum (Haliday, 1836), *Crumomyia*, 175
sulcata (Zetterstedt, 1842), *Bicellaria*, 96
sulcata (van der Wulp, 1871), *Eutropha*, 162
sulcata (Meigen, 1804), *Rhamphomyia*, 92
Sulcatella Goffe, 1944, 114
sulcatella Collin, 1926, *Rhamphomyia*, 92
sulcatus (Becker, 1897), *Eudorylas*, 110
sulcella (Zetterstedt, 1848), *Tricimba*, 160
sulcicollis (Meigen, 1824), *Scenopinus*, 85
sulcipes (Meigen, 1824), *Syntormon*, 100
sulciventris (Zetterstedt, 1845), *Pegoplata*, 186
sulfuriceps Strobl, 1898, *Agromyza*, 152
sulphurea Goetghebuer, 1942 *Ablabesmyia*, 56
sulphuripes (Lundbeck, 1922), *Megaselia*, 106
sulphuripes (Meigen, 1830), *Megaselia*, 106
sundewalli Kloet et Hincks, 1945, *Elgiva*, 131
sundewalli (Zetterstedt, 1844), *Thecophora*, 117
superata Goetghebuer, 1939, *Smittia*, 50
superba (Haliday, 1833), *Themira*, 135
supplicans (Meigen, 1830), *Cryptochironomus*, 51
specta (Malloch, 1912), *Triphleba*, 107
suturalis (Fallén, 1823), *Neurigona*, 97
Svarciella Roháček, 1983, subg., 176
Swammerdamella Enderlein, 1912, 60
Sybistroma Meigen, 1824, 101
Sybistroma Meigen, 1824, 101
SYCORACINAE, 33
Scorax Curtis, 1839, 33
sylvarum Megerle, 1822, *Chrysotoxum*, 112
sylvarum Callot & Kremer, 1961, *Culicoides*, 44
sylvarum (Linnaeus, 1758), *Xylota*, 115

sylvarum; error, *Lucilia*, 193
sylvatica Beling, 1873, *Lonchaea*, 139
sylvatica (Curtis, 1837), *Tetragoneura*, 67
sylvatica (Meigen, 1824), *Tomosvaryella*, 109
sylvatica (Meigen, 1818), *Ula*, 24
sylvatica; error, *Limosina*, 176
sylvaticus (Winnertz, 1852), *Atrichopogon*, 41
sylvaticus (Goetghebuer, 1937), *Rheocricotopus*, 50
sylvaticus (van der Wulp, 1859), *Tanytarsus*, 54
sylvaticus, lapsus Gtgh. 1937, *Cricotopus*, 49
sylvestris Theobald, 1901, *Aedes*, 37
sylvestris Goetghebuer, 1921, *Brillia*, 48
sylvestris (Fabricius, 1794), *Cricotopus*, 49
Sylvicola Harris, 1776, 57
sylvicola Curtis, 1825, *Dolichopeza*, 20
sylvicola (Schummel, 1829), *Limonia*, 28
sylvicola (Collin, 1926), *Platypalpus*, 95
sylvicola Goetghebuer, 1939 *Limnophyes*, 56
sylvicola; error, *Mallochohelea*, 44
Symbolophthalmus Becker, 1889, 95
Symmerus Walker, 1848, 65
symmetrica Bangerter, 1947, *Gonomyia*, 26
Sympheromyia Schiner, 1868: error, 78
Symphoromyia Frauenfeld, 1867, 78
Symphoromyia Frauenfeld, 1867, subg., 78
Sympicnus lapsus, 100
Symplecta Meigen, 1830, 27
Symplecta Meigen, 1830, subg., 27
Symplectomorpha Mik, 1886, 27
SYMPYCNINAE, 99
Sympycnus Loew, 1857, 100
Synapha Meigen, 1818, 68
Syneches Walker, 1852, 94
Syngenesiae (Fabricius, 1781), *Rivelia*, 127
Synthyridomyia Saunders, 1956, subg., 42
Syntomogaster Egger, 1860, 206
Syntormon Loew, 1857, 100
Syphonella Perris 1834, 159
Syritta Lepeletier & Serville, 1825, 115
SYRPHIDAE, 111
SYRPHINAE, 111
syrphoides (Fallén, 1817), *Eriozona*, 111
Syrphus Fabricius, 1775, 111
SYSTEMINAE, 98
Systemus Loew, 1857, 98
Systoechus Loew, 1855, 83

TABANIDAE, 80
TABANINAE, 80
Tabanus Linneaus, 1758, 81
tabida (Meigen, 1826), *Pegomya*, 186
Tabuda auctt., 84
Tachina Meigen, 1803, 205
Tachina Meigen, 1803, subg., 205
tachinaria Meigen, 1824, *Siphona*, 205
TACHINIDAE, 199
TACHININAE, 203

- Tachista* Loew, 1864, 96
Tachydromia auct., 94
Tachydromia Meigen, 1803, 96
TACHYDROMIINAE, 94
Tachypeza Meigen, 1830, 96
Tachytrechus Haliday, 1851, 102
taeniata (Meigen, 1822), *Sphaerophoria*, 112
taeniatus Macquart, 1835, *Chlorops*, 161
taenionota Meigen, 1818, *Erioptera*, 26
taeniopa (Rondani, 1867), *Scathophaga*, 183
taeniopus Meigen, 1830, *Chlorops*, 161
Taeniorhynchus Lynch Arribalzaga, 1891, *Aedes*, 37
talpae (Verrall, 1912), *Anapausis*, 59
talparum (Richards, 1927), *Spelobia*, 177
Tamclea Macquart, 1836, 208
tanacei (Schrink, 1803), *Orellia*, 125
tanaceti (Kieffer, 1889), *Ozirhincus*, 63
tanacetica (Karsch, 1879), *Rhopalomyia*, 64
tangerii (Guérin, 1835), *Crataerina*, 180
Tanypeza Fallén, 1820, 120
TANYPEZIDAE, 120
TANYPODINAE, 46
TANYPODINI, 46
Tanyptera Latreille, 1804, 20
Tanypus Meigen, 1803, 46
tanysphyra Loew, 1873, *Empis*, 90
TANYTARSINI, 53
Tanytarsus van der Wulp, 1874, 54
tanythrix Loew, 1869, *Dolichopus*, 101
Taphrophila Rondani, 1856, 27
Taphrosia Rondani, 1856, 26
Taramormia Ježek, 1984, 34
taraxaci (Kieffer, 1888), *Cystiphora*, 62
taraxaci Hering, 1927, *Liriomyza*, 152
tarda (Walker, 1848), *Phylidorea*, 25
tarda Meigen, 1822, *Xylota*, 115
Tarnania Tuomikoski, 1966, 69
tarnanii (Dziedzicki, 1910), *Tarnania*, 69
tarsalis Loew, 1848, *Eumerus*, 115
tarsalis (Zetterstedt, 1842), *Eupachygaster*, 76
tarsalis (Wood, 1910), *Megaselia*, 106
tarsalis (Walker, 1856), *Microtendipes*, 52
tarsalis (Schummel, 1836), *Platycheirus*, 113
tarsalis (Zetterstedt, 1847), *Tephrochlamys*, 173
tarsalis Parent, 1932, *Thrypticus*, 98
tarsata (Meigen, 1838), *Cerodontha*, 154
tarsata Macquart, 1827, *Cheilosia*, 114
tarsata (Fallén, 1820), *Cryptonevra*, 161
tarsata Fallén, 1820, *Lonchaea*, 139
tarsata Fallén, 1931, *Empis*, 90
tarsata (Staeger, 1840), *Phronia*, 69
tarsata (Zetterstedt, 1848), *Phyllomyza*, 155
tarsata Meigen, 1822, *Rhamphomyia*, 92
tarsatus (Panzer, 1806), *Scenopinus*, 85
tarsatus (Fallén, 1823), *Syntormon*, 100
tarsea (Fallén, 1819), *Gymnomera*, 183
tarsella (Zetterstedt, 1848), *Cerodontha*, 152
Tasiocera Skuse, 1890, 27
tasmanensis (Macquart, 1851), *Ornithomya*, 179
tasmanensis Macquart, 1851, *Ornithomya*, 179
tatrica (Enderlein, 1936), *Lepimormia*, 33
taurica (Strobl, 1895), *Limonia*, 28
taurina Rondani, 1879, *Hippobosca*, 180
Taxigramma Perris, 1852, 196
Teichomyza Macquart, 1835, subg., 167
Telecephala Pierre, 1921, 28
Telmatopelopia Fittkau, 1962, 47
Telmatoscopus Eaton, 1904, 34
Telmaturgus Mik, 1874, 100
Telomerina Roháček, 1983, 177
Temnostoma Lepeletier & Serville, 1825, 115
tempestiva (Walker, 1848), *Austrolimnophila*, 24
tempestiva Fallén, 1817, *Musca*, 188
temula (Scopoli, 1763), *Zophomyia*, 206
tenax (Linnaeus, 1758), *Eristalis*, 116
tendens (Fabricius, 1775), *Endochironomus*, 52
TENDIPEDIDAE, 16
tendipediformis (Goetghebuer, 1921), *Kiefferulus*, 52
tenebrarum Krogerus, 1937, *Cylindrotoma*, 30
tenebricola Schmitz, 1934, *Megaselia*, 106
tenebricosa Goetghebuer, 1912, *Bezzia*, 42
tenebricosa (Meigen, 1824), *Macquartia*, 205
tenella Winnertz, 1863, *Bolitophila*, 65
tenella (Walker, 1856), *Cheilotrichia*, 25
tenella (Wahlberg, 1844), *Clinocera*, 92
tenella (Zetterstedt, 1852), *Coelosia*, 68
tenella (Meigen, 1818), *Gonomyia*, 26
tenella (Fallén, 1816), *Hilara*, 91
tenella Schiner, 1864, *Ornithomya*, 179
tenella Meigen, 1830, *Phytomyza*, 154
tenella (Jaennicke, 1866), *Zabradia*, 76
tenellulus (Goetghebuer, 1921), *Paratanytarsus*, 53
tenellus Frauenfeld, 1863, *Myopites*, 123
tenellus (Wiedemann, 1817), *Xanthochlorus*, 100
tener (Kieffer, 1918), *Microchironomus*, 52
tener Loew, 1859, *Systenus*, 98
teneriffensis (Bigot, 1892), *Sphenella*, 126
teneriffensis: error or emend., *Sphenella*, 126
tentaculata (De Geer, 1776), *Lispe*, 190
tentans Fabricius, 1805, *Chironomus*, 51
tenuicalcar (Kieffer, 1918), *Monopelopia*, 47
tenuicauda Duda, 1928, *Anapausis*, 59
tenuicaudatus (Malloch, 1915), *Parachironomus*, 52
tenuicaudatus Goetghebuer, 1950 *Chironomus*, 56
tenuicornis (van der Wulp, 1859), *Exechiopsis*, 68
tenuicornis (Macquart, 1834), *Vanoyia*, 76
tenuipennis Singh & Ipe, 1973, *Phytomyza*, 153
tenuipes Lackeschewitz, 1940, *Hexatoma*, 24
tenuirostris Kozánek, 1981, *Pipunculus*, 109
tenuirostris (Fallén, 1816), *Rhamphomyia*, 91
tenuis (Walker, 1856), *Mycomya*, 67
tenuis (Meigen, 1830), *Paratanytarsus*, 53
tenuis Winnertz, 1863, *Phronia*, 69
tenuis Meigen, 1838 *Tanypus*, 56
tenuiseta Frey, 1947, *Elachiptera*, 158
tenuisquama Kieffer, 1924, *Forcipomyia*, 42

tenur Harris, 1780, *Neoascia*, 115
TEPHRITIDAE, 123
TEPHRITINAE, 124
Tephritis Latreille, 1804, 126
tephritisoides (Lioy, 1864), *Icterica*, 125
tephritisoides: error or emend., *Icterica*, 125
Tephrochlamys Loew, 1862, 173
Tephromyia Brauer & Bergenstamm, 1891, 197
Tephrytis: error or emend., 126
Terellia Robineau-Desvoidy, 1830, 125
teretirostris (Pandellé, 1896), *Parasarcophaga*, 197
tergestina Egger, 1863, *Dactylolabis*, 24
tergina (Zetterstedt, 1845), *Fucellia*, 185
terminalis (H. Loew, 1850), *Dasineura*, 62
terminalis (Strobl, 1893), *Eudorylas*, 110
terminalis (Verrall, 1901), *Eudorylas*, 110
terminalis (Thomson, 1869), *Eudorylas*, 110
terminalis Meigen, 1830, *Phytomyza*, 153
terminalis (Walker, 1856), *Trichonta*, 69
terminata (Fallén, 1814), *Trupanea*, 126
terraenovae (Robineau-Desvoidy, 1830), *Protophormia*, 194
terrestris (Linnaeus, 1758), *Limonia*, 28
terrictola Zetterstedt, 1819, *Tachydromia*, 96
Terrilimosina Roháček, 1983, 176
territans Walker, 1856, *Culex*, 38
tesquae (Becker, 1895), *Homoneura*, 136
tessellata: error, *Paroxyna*, 126
tessellans (Robineau-Desvoidy, 1830), *Linnaemyia*, 204
tessellata Fabricius, 1794, *Empis*, 90
tessellata (Zetterstedt, 1850), *Monohelea*, 44
tessellata (Loew, 1844), *Paroxyna*, 126
tessellata (Fabricius, 1794), *Tachina*, 205
tessellatipennis Motschulsky, 1859, *Myopa*, 117
testacea (Fallén, 1817), *Brachyopa*, 114
testacea (Robineau-Desvoidy, 1830), *Coenosia*, 191
testacea von Roser, 1840, *Drosophila*, 171
testacea (Rondani, 1858), *Dryodromia*, 92
testacea (Gimmerthal, 1834), *Mycophaga*, 185
testacea (Linnaeus, 1759), *Myopa*, 117
testacea (De Geer, 1776), *Pegomya*, 186
testacea (Robineau-Desvoidy, 1830), *Psila*, 121
testacea Macquart, 1835, *Sciomyza*, 130
testacea (Zetterstedt, 1838), *Suillia*, 173
testacea Ruthé, 1831, *Thaumalea*, 39
testaceus Dalman, 1818, *Keroplatys*, 66
testaceus Lackschewitz, 1940, *Molophilus*, 26
Tetanocera Dumril, 1800, 131
TETANOCERIDAE, 16
Tetanops Fallén, 1820, 129
Tethina Haliday, 1838, 169
TETHINIDAE, 169
tetrachaetus Goetghebuer, 1919 *Tanytarsus*, 56
Tetragoneura Winnertz, 1846, 67
Tetropsila Frey, 1925 subg., 121
tetraptera (Meigen, 1824), *Leucostoma*, 207
tetrasticha Becker, 1908, *Scaptomyza*, 171

tetrasticta (Bergroth, 1888), *Pseudolimnophila*, 25
tetrastigma (Meigen, 1826), *Helina*, 190
Teuchophorus Loew, 1857, 100
Teucophorus lapsus, 100
teutonus (Linnaeus, 1767), *Dasygordon*, 86
thalassophila (Bequaert & Goetghebuer, 1913), *Thalassosmittia*, 50
Thalassosmittia Strenzke & Remmert, 1957, 50
Thaumalea Ruthé, 1831, 39
THAUMALEIDAE, 39
Thaumastoptera Mik, 1866, 29
Thaumatomyia Zenker, 1833, 161
Thecodiplosis Kieffer, 1895, 64
Thecophora Rondani, 1845, 117
Thelaira Robineau-Desvoidy, 1830, 207
Thelida Robineau-Desvoidy, 1830, 173
Thelymorpha Brauer & Bergenstamm, 1889, 203
Thelymyia Brauer & Bergenstamm, 1891, 203
Themira Robineau-Desvoidy, 1830, 135
Theobaldia Neveu-Lemaire, 1902, 38
Thephritis: error or emend., 126
Thereva Latreille, 1796, 84
Thereva Latreille, 1796, 84
THEREVIDAE, 84
Theria Robineau-Desvoidy, 1830, 194
Therioplectes Zeller, 1842, 81
Thienemannia Kieffer, 1909, 51
Thienemanniella Kieffer, 1911, 51
Thienemannimyia Fittkau, 1957, 47
Thinophilus Wahlberg, 1844, 102
Thinophilus Wahlberg, 1844, subg., 102
thomae (Linnaeus, 1767), *Sciara*, 71
thomasiana (Kieffer, 1888), *Dasineura*, 62
Thomsonea Rohdendorf, 1937, subg., 197
thomsoni Becker, 1897, *Pipunculus*, 109
thoracica (Meigen, 1804), *Anevrina*, 106
thoracica Macquart, 1827, *Hilara*, 91
thoracica Haliday, 1839, *Hydrellia*, 166
thoracica (Robineau-Desvoidy, 1830), *Sepsis*, 135
Thoracochaeta Duda, 1918, 176
Threticus Eaton, 1904, 34
Thricops Rondani, 1856, 187
Thrypticus Gerstaeker, 1864, 98
Thryptocera Macquart, 1834, 203
thummi (Kieffer, 1911), *Chironomus*, 51
thymi (Kieffer, 1888), *Janetiella*, 63
thymicola (Kieffer, 1888), *Bayeria*, 62
Thyridanthrax Osten-Sacken, 1886, 83
Thyridomyia Saunders, 1925, subg., 42
Thyrimyza Zetterstedt, 1847, 147
Thrysocnema Enderlein, 1928, 197
Thrysocnema Enderlein, 1928, subg., 197
tibiale von Roser, 1840, *Rhaphium*, 99
tibialis (Robineau-Desvoidy, 1863), *Carcelia*, 200
tibialis (Meigen, 1820), *Chorisops*, 75
tibialis Zetterstedt, 1847, *Copromyza*, 175
tibialis (Meigen, 1804), *Cricotopus*, 49
tibialis (Macquart, 1835), *Dicraeus*, 160

- tibialis (Zetterstedt, 1838), Morpholeria, 172
 tibialis (Meigen, 1818), Palpomyia, 44
 tibialis (Fallén, 1817), Paragus, 113
 tibialis (Fallén, 1810), Pelatachina, 205
 tibialis (Robineau-Desvoidy, 1851), Peribaea, 205
tibialis (Macquart, 1850), Pexopsis, 202
 tibialis Meigen, 1822, Rhamphomyia, 92
tibialis (von Roser, 1840), Solieria, 205
tibialis (Kieffer, 1908) Camptocladius, 56
 tibiella (Zetterstedt, 1838), Nanna, 182
 tibiella Zetterstedt, 1842, Rhamphomyia, 92
 tibilais Macquart, 1827, Oedalea, 96
 tigrina (Fabricius, 1775), Coenosia, 191
 tigrina (Am Stein, 1860), Limnophora, 190
 tigrina (Fabricius, 1775), Odontomyia, 76
 tiliacea (Bremi, 1847), Didymomyia, 62
 tiliae (Schrank, 1803), Dasineura, 62
tiliamvolvens (Rübsaamen, 1889), Dasineura, 62
 tiliarum (Kieffer, 1890), Contarinia, 62
tilicola (Loew, 1850), Scatopsciara, 71
 Timavia Robineau-Desvoidy, 1863, 203
timeo (Harris, 1788), Platycheirus, 113
tincta (Zetterstedt, 1845), Mydaea, 190
tincta Schmitz, 1920, Phora, 107
tinctipennis (Rondani, 1866), Phaonia, 189
 Tinearia Schellenberg, 1803, 34
 Tipula Linnaeus, 1758, 21
 Tipula Linnaeus, 1758, subg., 22
 tipularia auct. non Fallén, 1816, Rhamphomyia, 92
TIPULIDAE, 19
tipuloides Bosc, 1792, Keroplatus, 66
titania Coe, 1966, Cephalops, 109
 titillans (Winnertz, 1852), Forcipomyia, 41
 titillans (Bezzi, 1907), Haematobia, 189
tolleti Goetghebuer, 1944 Orthocladius, 56
tomentosa (Macquart, 1835), Lipara, 159
 Tomosvaryella Aczél, 1939, 109
 tomosvaryi (Enderlein, 1821), Prosimulium, 40
 tonnoiri (Goetghebuer, 1920), Forcipomyia, 42
 tonnoiri (Goetghebuer, 1921), Micropsectra, 53
 Tonnoiriella Vaillant, 1972, 34
 tonsus (Collin, 1961), Platypalpus, 95
topiarius Meigen, 1822, Syrphus, 111
torgnyensis Goetghebuer, 1949, Atrichopogon, 41
 tortilis (Bremi, 1847), Dasineura, 62
 torvus Meigen, 1822, Syrphus, 111
Toxoneura Macquart, 1835, 140
 toxoneura (Loew, 1846), Euphranta, 124
toxoneura apicalis Hering, 1947, Euphranta, 124
 Trachyopella Duda, 1918, 176
 Trachyopella Duda, 1918, subg., 176
 traili (Kieffer, 1889), Diodaulus, 62
 transfuga (Linnaeus, 1758), Anasimyia, 116
transfuga Séguy, 1938, Ornithomya, 179
transfuga (Staeger, 1839), Palpomyia, 44
 transversa (Meigen, 1804), Dactylolabis, 24
 transversa Fallén, 1823, Drosophila, 171
 transversa (Fallén, 1825), Pegomya, 186
transversa (Macquart, 1848), Voria, 207
 transversalis (H. Loew, 1846), Holoplagia, 59
transversalis (Walker, 1856), Neolimonia, 29
 trapezina (Zetterstedt, 1845), Botanophila, 184
 trapezina (Zetterstedt, 1838), Chelifera, 92
trapezina (Corti, 1909), Elachiptera, 158
 tremulae (Winnertz, 1853), Harmandia, 63
 tremulus (Linnaeus, 1758), Cricotopus, 49
 trepida (Meigen, 1824), Athrycia, 206
Trepidaria Meigen, 1800, 119
 triangula (Fallén, 1825), Limnophora, 190
 triangularis Becker, 1910, Chlorops, 161
 triangularis Becker, 1903, Eurina, 160
triangularis (Fabricius, 1775), Pedicia, 23
 triangularis (Goetghebuer, 1928), Virgatanytarsus, 54
 triangulifera (Zetterstedt, 1844), Billaea, 206
 triangulifera (Zetterstedt, 1843), Melangyna, 112
 triangulifera (Zetterstedt, 1838), Spilogona, 190
triannulata (Goetghebuer, 1921), Conchapelopia, 47
 triannulatus (Macquart, 1826), Cricotopus, 49
triappendiculata (Goetghebuer, 1931), Pseudosmittia, 50
 Triarthria Stephens, 1829, 206
 Tribelos Townes, 1945, 53
Trichiaspis Duda, 1923, 175
 Trichina Meigen, 1830, 96
 Trichinomyia Tuomikoski, 1959, 96
 Trichocera Meigen 1803, 18
 Trichocera Meigen, 1803, subg., 18
TRICHOCERIDAE, 18
TRICHOCERINAE, 18
Trichocerodes Brèthes, 1925, 18
trichocadius (Kieffer, 1916), Cricotopus, 49 subsp.
trichodactyla (Rondani, 1866), Delia, 184
 Trichohelea Goetghebuer, 1920, subg., 42
 Tricholauxania Hendel, 1925, 137
Tricholonthaea Czerny, 1934, 139
 Trichomyia Curtis, 1839, 33
TRICHOMYIINAE, 33
 Trichonta Winnertz, 1863, 69
 Trichopalpus Rondani, 1856, 182
Trichopareia Brauer & Bergenstamm, 1889, 199
 Trichopeza Rondani, 1856, 92
 Trichopsomyia Williston, 1888, 113
 Trichopsychoda Tonnoir, 1922, 34
trichoptera Meigen, 1818, Forcipomyia, 41
 trichoptera (Lengersdorf, 1926), Sciara, 71
Trichopticoides Ringdahl, 1931, 187
Trichoscelis; error, 174
 Trichosia Winnertz, 1867, 71
 Trichosia Winnertz, 1867, subg., 71
Trichosticha Schiner, 1863, 26
 Trichoterellia Hendel, 1927 subg., 125
 Trichoxyphosia Hendel, 1927 subg., 126
 Tricimba Lioy, 1864, 160
 tricincta Meigen, 1822, Pelecocera, 115

- tricinctum* Rondani, Chrysotoxum, 112
tricinctus (Meigen, 1818), Cricotopus, 49
tricinctus (Fallén, 1817), Dasysyrphus, 111
Tricogena Rondani, 1856, 198
tricolor (Mik, 1884), Atylostoma, 203
tricolor Zetterstedt, 1845, Coenosia, 191
tricolor Meigen, 1822, Eumerus, 115
tricolor van der Wulp, 1874 Chironomus, 56
Tricopthicus Rondani, 1861, 187
tricuspidata (Winnertz, 1867), Scatopsziara, 71
Tricyphona Zetterstedt, 1837, 23
tridentata (Loew, 1858), Paraphytomyza, 153
trifascia Edwards, 1929, Cricotopus, 49
trifascia Verrall, m.s., Cricotopus, 49
trifasciata Meigen, 1804, Anthrax, 83
trifasciata (von Olfers, 1816), Lipoptena, 180
trifasciata (Meigen, 1804), Pericomia, 34
trifasciata (Zetterstedt, 1848), Thaumatomyia, 162
trifasciatus Kieffer, 1918, Atrichopogon, 41
trifasciatus (Meigen, 1813), Cricotopus, 49
trifascipennis (Zetterstedt, 1838), Apsectrotanypus, 46
trifolii (F. Loew, 1874), Dasineura, 62
trifolii: authors, Liriomyza, 152
trifurcatus Goetghebuer, 1943 Orthocladius, 56
Triglyphus Loew, 1840, 113
trigonella Duda, 1933, Microceris, 159
trigonica Hennig, 1956, Azelia, 187
Trigonometopus Macquart, 1835, 137
trigonus (Meigen, 1804), Dysmachus, 86
trigramma Wiedemann, 1822, Empis, 91
trilineata Zetterstedt, 1848, Lonchoptera, 103
trilineata (Zetterstedt, 1838), Mycomya, 67
trilineata (Linnaeus, 1767), Oxycera, 76
trilineata de Meijere, 1907, Philygria, 166
trilineata (Meigen, 1824), Tricogena, 198
trilineatum (Meigen, 1830), Aphanotrigonum, 160
trilineella (Zetterstedt, 1838), Coenosia, 191
trilobata (Edwards, 1929), Pseudosmittia, 50
Trilobomyza Hendel, 1931, 151
Trilophyrobata Hennig, 1938, subg., 119
Trimacromera Enderlein, 1936, 24
trimacula (Meigen, 1826), Palloptera, 140
trimaculata (Zetterstedt, 1838), Elophilida, 24
Trimerina Macquart, 1835, 166
Trimicra Osten Sacken, 1861, subg., 27
trinervis (Becker, 1901), Triphleba, 107
tringarius (Linnaeus, 1758), Rhagio, 77
tripustulatus Szilády, 1934, Rhagio, 78
tringarius Panzer, 1794, Rhagio, 78
trinodulosa (Tonnoir, 1922), Psychomora, 34
trinotata (Meigen, 1818), Dicranomyia, 28
trinotata Robineau-Desvoidy, 1830, Odinia, 150
trinotata (Rondani, 1856), Odinia, 150
trinotatum (van der Wulp, 1874), Polypedilum, 53
Triogma Schiner, 1863, 30
Triopisopa Enderlein, 1936, 152
Tripeda: error or emend., 124
Tripeta: error or emend., 124
Triphleba Rondani, 1856, 107
Tripodura Townes, 1945, subg., 53
tripudians Bergroth, 1891, Gnophomyia, 26
tripunctata Fallén, 1823, Geomyza, 148
tripunctata (Goetghebuer, 1922), Hayesomyia, 47
tripunctata (Zetterstedt, 1838), Limonia, 28
tripunctata (Fabricius, 1782), Limonia, 28
triquetra (Wiedemann, 1817), Azelia, 187
triseriata (Winnertz, 1867), Bradysia, 70
triseta Kieffer, 1916 Chironomus, 56
Trissocladius Kieffer, 1908, 51
Trissopelopia Kieffer, 1923, 47
triste (Zetterstedt, 1850), Colobostema, 59
tristicula (Winnertz, 1867), Bradysia, 70
tristis (Loew, 1858), Calamoncosis, 159
tristis (Harris, 1780), Coremacera, 131
tristis (Schummel, 1829), Dicranomyia, 28
tristis Meigen, 1824, Lonchoptera, 103
tristis (Zetterstedt, 1840), Medetera, 98
tristis (Lundström, 1911), Orfelia, 66
trisulcata Becker, 1894, Cheilosia, 114
trisulcata (Schummel, 1829), Triogma, 30
tritaeniata (Rondani, 1859), Cadurciella, 199
tritici (Kirby, 1798), Contarinia, 62
Triticomyza Blanchard, 1938, 152
Tritochaeta Brauer & Bergenstamm, 1889, 200
Tritoconicera Schmitz, 1952, subg., 107
tritum (Walker, 1856), Polypedilum, 52
trivialis Haliday, 1832, Dolichopus, 101
trivialis sensu Jacobs, 1905, Dolichopus, 101
trivialis (Meigen, 1818), Eriocnopa, 26
trivialis (Eaton, 1893), Satchelliella, 34
trivialis (Loew, 1863), Thaumatomyia, 162
trivittata (Meigen, 1818), Boletina, 67
trivittata (Zetterstedt, 1860), Helina, 190
trivittata (Schummel, 1829), Limonia, 28
trivittata (Zetterstedt, 1838), Mycomya, 67
trivittatus (Fabricius, 1805), Helophilus, 116
Trixia Meigen, 1824, 207
TRIXOSCELIDIDAE, 174
Trixoscelis Rondani, 1856, 174
trochanterata (Zetterstedt, 1851), Trichosia, 71
troglodytes (Zetterstedt, 1848), Chlorops, 161
trojani Elberg, 1968, Anthomyza, 149
tropaeoli Dufour, 1857, Chromatomyia, 153
tropica (Panzer, 1794), Hybomitra, 80
tropica (Linnaeus, 1758), Hybomitra, 80
Tropidia Meigen, 1822, 115
Tropidoscincis: authors, 159
truncata (Zetterstedt, 1838), Appendicia, 203
truncata Winnertz, 1863, Rymosia, 69
truncata Edwards, 1929, Thaumalea, 39
truncatus Kieffer, 1913, Cricotopus, 49
truncorum Edwards, 1939, Culicoides, 44
truncorum (Goetghebuer, 1921), Limnophyes, 49
truncorum sensu Jacobs, 1905, Medetera, 98
truncorum Meigen, 1824, Medetera, 98
truncorum Meigen, 1830, Tipula, 21

- Trupanea* Schrank, 1795, 126
Trycimba, emend., 160
Tryciphona Zetterstedt, 1838, 23
Trypanea: emend., 126
Trypetia Meigen, 1803, 124
TRYPETIDAE, 16
TRYPETINAE, 123
Tryptoptera Hendel, 1900, 131
tuberculata (Zetterstedt, 1849), *Fannia*, 192
tuberculata Rondani 1866, *Hydrotaea*, 188
tuberculatus (Edwards, 1929), *Bryophaenocladus*, 48
tuberculatus Rondani, 1857, *Eumerus*, 115
tuberculi (Rübsaamen, 1889), *Janetiella*, 63
tuberculifera (Corti, 1909), *Elachiptera*, 158
tuberosa (Pandellé, 1896), *Parasarcophaga*, 197
tuberosum (Lundström, 1911), *Simulium*, 40
tubifer (Meigen, 1826), *Minettia*, 137
Tubifera Meigen, 1800, 116
tuguriorum (Scopoli, 1763), *Phaonia*, 189
tulliolana Schmitz, 1938, *Megaselia*, 105
tumida Erichson, 1840, *Acrocera*, 82
tumida (Wood, 1909), *Megaselia*, 106
tumidula (Schmitz, 1918), *Triphleba*, 107
tumidulus (Raddatz, 1873), *Telmaturgus*, 100
tunisica (Duda, 1933), *Oscinimorpha*, 160
turcica (Fabricius, 1787), *Prionocera*, 20
turdi (Latreille, 1812), *Ornithoica*, 179
turficola Kieffer, 1925, *Dasyhelea*, 42
turpis (Walker, 1856), *Dicranomyia*, 28
tusca Loew, 1869, *Macrocera*, 66
tussilaginis (Fabricius, 1775), *Orellia*, 125
tuxeni Lyneborg, 1959, *Hybomitra*, 80
Tvetenia Kieffer, 1922, 51
TYLIDAE, 16
Tylomyza Hendel, 1931, 151
- Ula* Haliday, 1833, 24
Ulidia Meigen, 1826, 128
ULIDIIDAE, 128
uliginosa (Fallén, 1825), *Helina*, 190
uliginosa Fallén, 1825, *Lispe*, 190
uliginosa (Wood, 1909), *Megaselia*, 106
uliginosa Haliday, 1839, *Notiphila*, 166
uliginosus (Linnaeus, 1767), *Nemotelus*, 76
ulmaria (Bremi, 1847), *Dasineura*, 62
Ulomyia Walker, 1856, 34
ultimus (Becker, 1900), *Cephalops*, 109
ultramontanus Becker, 1918, *Xanthochlorus*, 100
umbellatarum (Fabricius, 1794), *Melangyna*, 112
umbellatarum (Fabricius, 1775), *Palloptera*, 140
umbelliferarum (Scopoli, 1763), *Chlorops*, 161
umbrarum Meigen, 1826, 127
umbrarum (Linnaeus, 1758), *Dictya*, 131
umbrarum Haliday, 1833, *Tachydromia*, 96
umbratica (Meigen, 1826), *Hebecnema*, 190
umbratica (Fallén, 1820), *Stevenia*, 198
umbrimargo (Becker, 1901), *Beckerina*, 105
umbripennis Loew, 1856, *Campsicnemus*, 100
umbripennis Meigen, 1824, *Phasia*, 208
umbripennis (Girschner, 1886), *Phasia*, 208
umbripennis Meigen, 1822, *Rhamphomyia*, 91
umbripennis (Schummel, 1829), *Symplecta*, 27
umbrosa (Loew, 1873), *Cordilura*, 182
umbrosa (Stein, 1895), *Fannia*, 192
unca Wiedemann, 1817, *Tipula*, 21
uncinata (de Meijere, 1918), *Ormosia*, 27
uncinatum (Goetghebuer, 1921), *Polypedilum*, 52
uncinatus (Duda, 1923), *Borborillus*, 175
undulata Strobl, 1906, *Tachydromia*, 96
undulata Tonnoir, 1919, *Ulomyia*, 34
undulatus Tonnoir, 1920, *Molophilus*, 27
unguicornis (Scopoli, 1763), *Limnia*, 131
unguiculatus auct. non (Zetterstedt, 1838), *Platypalpus*, 95
ungulatus (Linnaeus, 1758), *Dolichopus*, 101
unica Walker, 1837, *Ragas*, 93
unicalcarata (Becker, 1901), *Triphleba*, 107
unicolor (Lackschewitz, 1936), *Arctoconopa*, 25
unicolor (Strobl, 1898), *Dicranomyia*, 28
unicolor (Schmitz, 1919), *Megaselia*, 105
unicolor Stannius, 1831, *Mycetophila*, 69
unicolor (Staeger, 1840), *Orfelia*, 66
unicolor (Fallén, 1820), *Perichaeta*, 202
unicolor (Walker, 1856), *Phylidorea*, 25
unicolor Loew, 1847, *Tetanocera*, 131
unicolor (Schummel, 1829), *Tricyphona*, 23
unicornis Czerny, 1900, *Scatophila*, 167
unifasciata (Zetterstedt, 1838), *Epistrophe*, 111
unifasciata (Strobl, 1898), *Neoascia*, 115
unifasciatus (Macquart, 1826), *Cricotopus*, 48
unilineata (Zetterstedt, 1847), *Chamaepsila*, 121
unilineata Zetterstedt, 1842, *Hemerodromia*, 92
unimaculata (Macquart, 1826), *Clinohelea*, 43
unimaculatus Goetghebuer, 1920, *Culicoides*, 43
unipunctata Zetterstedt, 1847, *Diastata*, 163
uniseriata Schiner, 1864, *Rhipidia*, 29
uniseta Collin, 1939, *Elachiptera*, 158
unispinosa (Tonnoir, 1919), *Berdeniella*, 33
univittata Loew, 1867, *Empis*, 91
univittata (von Roser, 1840), *Pegomya*, 186
Unomyia Meigen, 1818, 28
urbana (Meigen, 1830), *Anevrina*, 106
urbana (Meigen, 1826), *Mydaea*, 190
urbana (Goetghebuer, 1932), *Rheocricotopus*, 50
urbana Goetghebuer, 1937, *Forcipomyia*, 45
urbanum (Davies, 1966), *Simulium*, 40
urbanus Meigen, 1824, *Dolichopus*, 101
urbica Curtis, 1839, *Trichomyia*, 33
urbica (Van der Wulp, 1896), *Hylemyia*, 185
Urellia Robineau-Desvoidy, 1830, 126
Urophora Robineau-Desvoidy, 1830, 123
ursina Meigen, 1824, *Tachina*, 205
urticæ (Linnaeus, 1758), *Ceroxys*, 129
urticæ (Perris, 1840), *Dasineura*, 62
Urytalpa Edwards, 1929, subg., 66

usmaënsis Pagast, 1931, *Tanytarsus*, 54
usta (Meigen, 1826), *Palloptera*, 140
ustulata (Zetterstedt, 1838), *Cordilura*, 182
ustulata Curtis, 1825, *Helcomyza*, 134
ustulata Fallén, 1820, *Palloptera*, 140
ustulata (Walker, 1856), *Paramormia*, 34

v-atrum (Villeneuve, 1917), *Minilimosina*, 176
vacua (Fallén, 1816), *Dexia*, 206
vacua Meigen, 1826, *Gonia*, 201
vacua (Rondani, 1861), *Solieria*, 205
vafra Riedel, 1913, *Tipula*, 22
vagabunda (Meigen, 1826), *Pollenia*, 194
vagans (Haliday, 1833), *Coproica*, 176
vagans Loew, 1864), *Diastata*, 163
vagans (Meigen, 1838), *Dicraeus*, 160
vagans (Meigen, 1826), *Heteronychia*, 196
vagans (Panzer, 1798), *Hylemya*, 185
vagans (Fallén, 1825), *Phaonia*, 189
vagans (Walker, 1848), *Ula*, 24
vaginalis Fallén, 1820, *Lonchaea*, 139
vaginata (Loew, 1862), *Suillia*, 173
vailanti Brunhes, 1987, *Achalcus*, 98
vailanti Thomas, 1968, *Limonia*, 28
valachiae Hendel, 1913, *Platystoma*, 127 subsp.
valgus (Panzer, 1798), *Brachypalpus*, 115
valida Winnertz, 1863, *Docosia*, 66
valida (Harris, 1780), *Phaonia*, 189
valida Loew, 1847, *Thereva*, 84
valida Winnertz, 1863, *Zygomyia*, 69
vallata (Forster, 1771), *Beris*, 75
vana Collin, 1926, *Bicellaria*, 96
vana Zetterstedt, 1843, *Pipiza*, 113
vana (Zetterstedt, 1845), *Spilogona*, 190
vanellus Fabricius, 1794, *Rhagio*, 77 subsp.
vanderwieli (Schmitz, 1920), *Lycoriella*, 71
vanderwulpi (Edwards, 1929), *Cladotanytarsus*, 53
Vanoya Villeneuve, 1908, 76
vaporariorum (Haliday, 1836), *Ischiolepta*, 175
vara (Panzer, 1798), *Myolepta*, 114
vara (Staeger, 1840), *Zygomyia*, 69
varia Fabricius, 1794, *Anthrax*, 83
varia (Meigen, 1826), *Atherigona*, 189
varia (Meigen, 1826), *Pollenia*, 194
varia (Winnertz, 1863), *Sciophila*, 67
variabilis (Panzer, 1798), *Cheilosia*, 114
variabilis (Staeger, 1839), *Halocladius*, 49
variabilis (Stein, 1916), *Hylemya*, 185
variabilis (Wood, 1909), *Megaselia*, 106
variabilis (Loew, 1862), *Morpholeria*, 172
variabilis (Zetterstedt, 1840), *Rhadiurgus*, 87
variabilis (Fallén, 1816), *Rhamphomyia*, 91
variabilis (Fallén, 1823), *Thricops*, 187
variabilis Staeger, 1839 *Chironomus*, 54
variana Schmitz, 1929, *Megaselia*, 105
varians Kowarz, 1874, *Chrysotus*, 98

varians (Staeger, 1839), *Halocladius*, 49
variata (Fallén, 1823), *Hylemya*, 185
Varichaeta Speiser, 1903, 204
varicolor (Meigen, 1826), *Botanophila*, 184
varicornis (Macquart, 1848), *Ernestia*, 204
varicornis (Strobl, 1900), *Leptocera*, 176
variegata (Fallén, 1823), *Amiota*, 170
variegata (Winnertz, 1852), *Clinohelea*, 43
variegata Meigen, 1804, *Empis*, 91
variegata (Macquart, 1826), *Lestodiplosis*, 63
variegata Meigen, 1830, *Meromyza*, 161
variegata (Macquart, 1826), *Metalimnobia*, 29
variegata Meigen, 1824, *Myopa*, 117
variegata Bigot, 1885, *Ornithomya*, 179
variegata (Meigen, 1826), *Phaonia*, 189
variegata (Meigen, 1830), *Phytoliriomyza*, 152
variegata (Loew, 1860), *Scatophila*, 167
variegata (Loew, 1862), *Suillia*, 173
variegata (Strobl, 1899), *Thaumatomyia*, 162
variegata Linnaeus, 1758, *Tipula*, 21
variegata (Meigen, 1824), *Winthemia*, 203
variegatum Meigen, 1818, *Simulium*, 40
variegatus (Schrank, 1781), *Aedes*, 37
variicornis Schummel, 1833, *Tipula*, 22
varipalpis (Macquart, 1850), *Phorocera*, 202
varipennis Meigen, 1818, *Tipula*, 21
varipes (Meigen, 1820), *Antipalus*, 86
varipes Meigen, 1830, *Bibio*, 58
varipes (Goetghebuer, 1927), *Glyptotendipes*, 52
varipes (Meigen, 1830), *Liopiphila*, 142
varipes Loew, 1870, *Oxycera*, 76
varipes (Meigen, 1822), *Pipizella*, 113
varipes Meigen, 1824, *Pipunculus*, 109
varium Meigen, 1818, *Simulium*, 40
varius (Winnertz, 1852), *Culicoides*, 43
varius (Fabricius, 1787), *Psectrotanypus*, 47
varius (Meigen, 1818), *Rhypholophus*, 27
varus (Goetghebuer, 1921), *Parachironomus*, 52
vegetationis (Rondani, 1869), *Platystoma*, 127
vegrandis Frey, 1943, *Platypalpus*, 95
veles Loew, 1861, *Medetera*, 98
velox (Winnertz, 1852), *Forcipomyia*, 42
velutina (Macquart, 1834), *Chalarus*, 108
velutina Loew, 1840, *Cheilosia*, 114
velutina Robineau-Desvoidy, 1830, *Hydrotaea*, 188
velutina Meigen, 1830, *Phora*, 107
velutinus (Meigen, 1820), *Hemipenthes*, 83
velutinus Macquart, 1827, *Microphor*, 88
velutinus (Ruthé, 1831), *Mochlonyx*, 36
venabulata Rondani, 1870, *Urophora*, 123
venosa (Staeger, 1840), *Lycoriella*, 70
venosa (Staeger, 1840), *Trichonta*, 69
venosus (Meigen, 1804), *Bibio*, 58
venosus Mikan, 1796, *Bomylius*, 83
ventralis (Schummel, 1829), *Dicranomyia*, 28
ventralis (Fallén, 1820), *Pherbellia*, 130
venusta (Winnertz, 1853), *Parepidosis*, 61
venusta (Meigen, 1818), *Probezzia*, 44

- venusta* (Meigen, 1824), *Winthemia*, 203
venustum Say, 1823, *Simulium*, 40
venustus Staeger, 1839, *Chironomus*, 51
venustus (Meigen, 1822), *Dasytisyrphus*, 111
verbasci (Bouché, 1847), *Amauromyza*, 151
verbasci (Vallot, 1827), *Asphondylia*, 61
verbekei (Mesnil, 1952), *Gymnosoma*, 207
verbekei Rozkošný, 1975, *Psacadina*, 131
verbekei (Goetghebuer, 1942), *Xenopelopia*, 47
vereunda Collin, 1937, *Sphegina*, 114
veris Hering, 1951, *Agromyza*, 152
veris Goetghebuer, 1935 *Orthocladius*, 56
vermileo Fabricius, 1775, *Rhagio*, 77
vermileo (Schrank, 1781), *Rhagio*, 77
verna (Fabricius, 1794), *Caricea*, 191
vernale Loew, 1841, *Chrysotoxum*, 112
vernalis (Zetterstedt, 1851), *Bradysia*, 70
vernalis (Goetghebuer, 1921), *Bryophaenocladius*, 48
vernalis (Fallén, 1817), *Cheilosia*, 114
vernalis Meigen, 1822, *Empis*, 90
vernalis (Wood, 1909), *Megaselia*, 106
vernalis (Goetghebuer, 1931), *Paratanytarsus*, 53
vernalis Robineau-Desvoidy, 1830, *Phorocera*, 202
vernalis Meigen, 1804, *Tipula*, 21
vernus Macquart, 1826, *Simulium*, 40
vernus Goetghebuer, 1929, *Cricotopus*, 48
veronicae (Vallot, 1827), *Jaapiella*, 63
verralli Collin, 1940, *Chrysotoxum*, 112
verralli Edwards, 1921, *Erioptera*, 26
verralli (Collin, 1926), *Platypalpus*, 95
verralli Edwards, 1929, *Thaumalea*, 39
verralli (Edwards, 1929), *Tvetenia*, 51
Verrallia Mik, 1899, 108
verrucosa Pierre, 1919, *Tipula*, 21
verruculosus Goetghebuer, 1922 *Tanytarsus*, 56
versicolor (Winnertz, 1852), *Dasyhelea*, 42
versicolor (Meigen, 1826), *Dasyphora*, 188
versicolor (Fabricius, 1794), *Parhelophilus*, 116
versicolor (Meigen, 1826), *Pegomya*, 186
versicolor Loew, 1871, *Trichocera*, 18
versicolor Kieffer, 1918 *Psectrocladius*, 56
versutus (Haliday, 1851), *Thinophilus*, 102
verticalis (Collin, 1912), *Clusiodes*, 146
verticalis (Becker, 1907), *Nephrotoma*, 20
verticalis (Meigen, 1824), *Voria*, 207
verticillata (Fabricius, 1794), *Nigrotipula*, 20
vertiginosa (Fallén, 1820), *Thelymorphida*, 203
veruina Wallengren, 1822, 25
vesicularis Linnaeus, 1761, *Conops*, 117
vesparum (Goetghebuer, 1921), *Smittia*, 50
vespertilionea (Robineau-Desvoidy, 1841), *Heteromyza*, 173
vespertilionis (Dufour, 1831), *Penicillidia*, 181
vespertina (Fallén, 1823), *Hebecnema*, 190
vespertina (Loew, 1844), *Tephritis*, 126
vespiforme (Linnaeus, 1758), *Temnostoma*, 115
vespillo (Fabricius, 1794), *Pollenia*, 194
Vestiplex Bezzi, 1924, subg., 22
vestita (Wiedemann, 1817), *Argyra*, 99
vestitus (Becker, 1900), *Microcephalops*, 109
veterima (Zetterstedt, 1845), *Spilogona*, 190
vetula (Meigen, 1824), *Phryno*, 202
vetusta; auctt., *Bithia*, 203
vexans Meigen, 1830, *Aedes*, 37
vexans (Staeger, 1839), *Culicoides*, 44
vexata Westwood, 1835, *Nycteribia*, 181
vialis (Raddatz, 1873), *Sciapus*, 97
vibrans (Linnaeus, 1758), *Seiopatra*, 129
vicana (Harris, 1780), *Drymeia*, 188
vicana Goetghebuer, 1943, *Pseudosmittia*, 50
vicaria Walker, 1849, *Myopa*, 117
vicina Robineau-Desvoidy, 1830, *Calliphora*, 193
vicina (de Meijere, 1907), *Homoneura*, 137
vicina (Zetterstedt, 1849), *Drino*, 200
vicina (Tonnoir, 1920), *Hoplolabis*, 26
vicina Villeneuve, 1899, *Sarcophaga*, 197
Vidalia Robineau-Desvoidy, 1830, 124
Vidalia: authors, 124
vidua (Meigen, 1822), *Cheilosia*, 113
vidua (Meigen, 1824), *Exorista*, 201
viduata (Linnaeus, 1758), *Chrysogaster*, 114
viduatus Fabricius, 1794, *Chrysops*, 80
vierrensis, lapsus Gtgh., *Cricotopus*, 49
vierriensis Goetghebuer, 1935, *Cricotopus*, 49
vilipennis (Kieffer, 1918), *Tanypus*, 46
Villa Lioy, 1864, 83
villaretiana (Brullé, 1832), *Tanyptera*, 21
villeneuvei (Böttcher, 1912), *Pierretia*, 197
Villeneuvia Schnabl et Dziedzicki, 1911, 190
villosa Landrock, 1912, *Boletina*, 67
villosa (Meigen, 1830), *Scoliocentra*, 172
villosa (Von Roser, 1840), *Verrallia*, 108
villosula (Meigen, 1826), *Chamaepsila*, 121
villosula Czerny, 1924, *Scoliocentra*, 172
violacea Meigen, 1826, *Sepsis*, 135
violae (Curtis, 1844), *Liriomyza*, 152
virens (Scopoli, 1763), *Liancalus*, 102
virens Efflatoun, 1924, *Orellia*, 125
virens (Fabricius, 1805), *Pipizella*, 113
virens Dziedzicki, 1910, *Rymosia*, 69
virescens Loew, 1854, *Chrysogaster*, 114
virescens (Meigen, 1818), *Cladopelma*, 51
virescens (Fabricius, 1787), *conophorus*, 83
virgata Goeldlin, 1974, *Sphaerophoria*, 112
virgata (Collin, 1946), *Vidalia*, 124
Virgatanytarsus Pinder, 1982, 54
virginea Meigen, 1830, *Drosophila*, 171
virginea (Meigen, 1826), *Pegoplata*, 186
viridanus (Ruthe, 1831), *Parachironomus*, 52
viridescens (Robineau-Desvoidy, 1830), *Neomyia*, 188
viridescens (Macquart, 1835), *Oscinella*, 159
viridescens Goetghebuer, 1922 *Psectrotanypus*, 56
viridescens, lapsus Gtgh., 1936, *Cladopelma*, 51
viridicollis van der Wulp, 1858, *Chironomus*, 51
viridipennis (Gimmerthal, 1847), *Gnophomyia*, 26

viridis (Macquart, 1834), *Glyptotendipes*, 52
viridis (Fallén, 1810), *Gymnochaeta*, 204
viridis (Meigen, 1824), *Hydrophorus*, 102
viridis (Latreille, 1805), *Ornithomya*, 179
viridominalis Spencer, 1957, *Agromyza*, 152
viridula (Linnaeus, 1767), *Cladopelma*, 51
viridula Haliday, 1833, *Meromyza*, 160
viridula (Fabricius, 1775), *Oplodontha*, 76
viridula (Meigen, 1830), *Ornithomya*, 179
virtunensis Goetghebuer, 1921, *Cryptochironomus*, 51
virtunensis Goetghebuer, 1932 *Orthocladius*, 56
vitalbae Kaltenbach, 1872, *Phytomyza*, 154
vitellina Kieffer, 1916 *Pelopia*, 54
vitellinus (Kieffer, 1908), *Chaetocladius*, 48
vittiosa Winnertz, 1863, *Phronia*, 69
vittiosus (Goetghebuer, 1921), *Parachironomus*, 52
vitrea (Meigen, 1822), *Trichopsomyia*, 113
vitripenne (Meigen, 1830), *Oscinisoma*, 159
vitripennis Rondani, 1859, *Actia*, 203
vitripennis (Meigen, 1830), *Antocha*, 27
vitripennis (Meigen, 1830), *Borborillus*, 175
vitripennis (Meigen, 1820), *Chrysopilus*, 77
vitripennis Meigen, 1824, *Dolichopus*, 101
vitripennis Meigen, 1822, *Empis*, 90
vitripennis Strobl, 1893, *Eristalis*, 116
vitripennis (Meigen, 1830), *Gymnoptera*, 107
vitripennis (Meigen, 1818), *Halocladius*, 49
vitripennis (Zetterstedt, 1847), *Minilimosina*, 176
vitripennis Meigen, 1826, *Musca*, 188
vitripennis (Meigen, 1822), *Neocnemodon*, 113
vitripennis (Meigen, 1830), *Orfelia*, 66
vitripennis Meigen, 1830, *Phytomyza*, 153
vitripennis (Meigen, 1820), *Rhagio*, 78
vitripennis (Meigen, 1818), *Scatopsciara*, 71
vitripennis (Meigen, 1818), *Synapha*, 68
vitripennis Meigen, 1822, *Syrphus*, 111
vitta (Meigen, 1830), *Trichonta*, 69
vittata (Zetterstedt, 1843), *Brachyopa*, 114
vittata Meigen, 1826, *Chyliza*, 121
vittata (Meigen, 1824), *Hemyda*, 207
vittata (Meigen, 1830), *Hexatoma*, 24
vittata (Meigen, 1822), *Lejops*, 116
vittata Meigen, 1830, *Macrocerca*, 66
vittata (Meigen, 1826), *Parallelomma*, 183
vittata Tonnoir, 1919, *Pericomia*, 34
vittata (Fabricius, 1794), *Physocephala*, 117
vittata Meigen, 1804, *Tipula*, 21
vittifera (Zetterstedt, 1845), *Phaonia*, 189
vittiger (Zetterstedt, 1843), *Parasyrphus*, 112
vittigera (Schiner, 1864), *Psacadina*, 131
vittipes (Zetterstedt, 1844), *Cephalops*, 109
vittipes Zetterstedt, 1852, *Mycetophila*, 69
vivax (Loew, 1857), *Hercostomus*, 101
Viviania Rondani, 1861, 203
vivida (Zetterstedt, 1838), *Eurithia*, 204
vivida Robineau-Desvoidy, 1830, *Pyrellia*, 188
vivida (Winnertz, 1867), *Scatopsciara*, 71
vocatoria (Fallén, 1815), *Chelipoda*, 92

vogesiaca Hubault, 1927, *Liponeura*, 31
Volucella Geoffroy, 1762, 115
volucris Wiedemann, 1822, *Empis*, 90
volvens Kieffer, 1895, *Macrodiplosis*, 63
volvulus (Fabricius, 1794), *Phyllomyia*, 206
vomitoria (Linnaeus, 1758), *Calliphora*, 193
Voria Robineau-Desvoidy, 1830, 207
vrydaghi Collart, 1954, *Microsania*, 104
vulgaris Meigen, 1818, *Dilophus*, 58
vulgaris (Fallén, 1823), *Megaselia*, 106
vulgaris M'Murtrie, 1831, *Melophagus*, 180
vulgaris (Fallén, 1820), *Parapiophila*, 142
vulgaris (Robineau-Desvoidy, 1830), *Paregle*, 185
vulgaris (Fallén, 1810), *Phryxe*, 202
vulgaris Rohdendorf, 1937, *Sarcophaga*, 197
vulgata (Malloch, 1912), *Megaselia*, 105
vulnerata (Schiner, 1862), *Heteronychia*, 196
vulneratus (Zetterstedt, 1838), *Demicryptochironomus*, 51
vulpina (Meigen, 1822), *Cheilosia*, 114
vulpina (Fallén, 1810), *Linnaemyia*, 204
vulpinus Wiedemann, 1820, *Bomylius*, 83

waagei Schmitz, 1935, *Megaselia*, 106
wachtli (Mik, 1880), *Wiedemannia*, 93
Wachtliella Rübsaamen, 1915, 64
Wagneria Robineau-Desvoidy, 1830, 207
wahlbergi Zetterstedt, 1843, *Dolichopus*, 101
walkeri Curtis, 1831, *Leptomorphus*, 67
waltli, lapsus Gtgh., *Diamesa*, 48
waltlii Meigen, 1838, *Diamesa*, 48
wankowiczii (Dziedzicki, 1885), *Mycomya*, 67
wankowiczi (Schnabl, 1844), *Agathomyia*, 104
waterhousei Theobald, 1905, *Aedes*, 37
Weberia; auctt., 207
wesmaelii (Macquart, 1835), *Clinocera*, 92
westermanni (Zetterstedt, 1844), *Eumea*, 200
westermanni (Meigen, 1826), *Icterica*, 125
Westermannia Lioy, 1864, 125
westwoodi (Géurin-Méneville, 1844), *Penicillidia*, 181
Wiedeman Zetterstedt, 1838, subg., 92
wiedemanni (Meigen, 1826), *Goniglossum*, 124
wiedemanni (Loew, 1845), *Peplomyza*, 137
wiedemanni (Fallén, 1823), *Sciapus*, 97
Wiedemannia Zetterstedt, 1838, 92
wiedermannii: error, *Goniglossum*, 124
Wilhelmia Enderlein, 1921, subg., 40
winnertzi Goetghebuer, 1922, *Atrichopogon*, 41
winnertzi Edwards, 1926, *Culicoides*, 44
winnertzi (Dziedzicki, 1885), *Mycomya*, 67
winnertziana Kieffer, 1925, *Bezzia*, 43
winnertzii Egger, 1863, *Tipula*, 21
wintheimi: error or emend., *Orellia*, 125
winthemi (Macquart, 1834), *Diadocidia*, 65
Winthemi sensu Jacobs, 1905, *Diaphorus*, 98
winthemi Meigen, 1824, *Diaphorus*, 98
winthemi Lehmann, 1822, *Leia*, 67

- winthemi (Meigen, 1826), Orellia, 125
 winthemi (Meigen, 1826), Pegomya, 186
 winthemi (Duda, 1928), Rhemoclema, 60
 winthemi Lackschewitz, 1932, Tipula, 21
Winthemia Robineau-Desvoidy, 1830, 203
Wohlfahrtia Brauer & Bergenstamm, 1889, 196
wolfii Kowarz, 1887, Pipunculus, 109
woodi Collin, 1927, Hilara, 91
woodi (Lundbeck, 1922), Megaselia, 106
woodi (Collin, 1926), Tachydromia, 96
- Xanthandrus** Verrall, 1901, 112
Xanthempis Bezzi, 1909, subg., 91
Xanthocanace Hendel, 1914, 157
xanthocephala Goetghebuer, 1911, Bezzia, 43
xanthocera (Loew, 1869), Dicasiopa, 165
xanthocera (Kowarz, 1887), Dorylomorpha, 109
xanthoceroides Aczél, 1939, Dorylomorpha, 109
 subsp.
Xanthochlorus Loew, 1857, 100
xanthocnema Collin, 1939, Xylota, 115
xanthogastra (Rondani, 1859), Winthemia, 203
Xanthogramma Schiner, 1860, 112
xanthogyne (Edwards, 1929), Bryophaenocladius, 48
xanthopeza (Clastrier, 1963), Monohelea, 44
xanthoptera (Meigen, 1804), Metalimnobia, 29
xanthopus (Thomson, 1869), Dorylomorpha, 109
xanthopyga Winnertz, 1863, Mycetophila, 69
xanthopygus (Strobl, 1909), Dicraeus, 160
Xenochironomus Kieffer, 1921, 53
xenolabis Kieffer, 1916, Xenochironomus, 53
Xenolimosina Roháček, 1983, 177
Xenopelopia Fittkau, 1962, 47
Xenophytomyza Frey, 1946 subg., 152
Xiphandrium Loew, 1857, 99
xiphias sensu Bequaert, 1955, Rhaphium, 99
xiphias Meigen, 1824, Rhaphium, 99
Xiphosia: error, 126
Xiphura Brullé, 1832, 20
Xylocrypta Kieffer, 1899, 45
Xylocyla Venturi, 1968, Tipula, 21
Xylodiplosis Kieffer, 1894, 64
Xylomya Rondani, 1861, 74
XYLOMYIDAE, 74
XYLOPHAGIDAE, 72
Xylophagus Meigen, 1803, 72
Xylopriona Kieffer, 1913, 61
xylostei Hendel, 1932, Paraphytomyza, 153
xylostei Kaltenbach, 1862, Phytomyza, 153
Xylota Meigen, 1822, 115
Xylotina Hippa, 1978, 115
Xylotomima Shannon, 1926, 115
Xyphosia Robineau-Desvoidy, 1830, 126
Xyraeomyia Frick, 1952, 152
- yerburyi* Edwards, 1924, Tipula, 22
Yetodesia Rondani, 1861, 189
Yomormia Ježek, 1984, 34
Ypsychoda Ježek, 1984, 34
- Zabradia** Coquillet, 1901, 76
Zaira Robineau-Desvoidy, 1830, 203
Zavrelia Kieffer, 1913, 54
Zavreliella Kieffer, 1920, 53
Zavreliomyia Fittkau, 1962, 47
zawadskii Schummel, 1834, Dryomyza, 132
Zelima Meigen, 1800, 115
zelleri (Loew, 1850), Syntormon, 100
Zelmira Meigen, 1800, 66
zeneggenensis (Goeldlin, 1974), Pipizella, 113
Zenillia Robineau-Desvoidy, 1830, 203
zermatensis (Becker, 1898), Eudorylas, 110
zernyi (Mayer, 1953), Psacadina, 131
zernyi Mannheims, 1952, Tipula, 22
zetterstedti Beckern, 1902, Lonchaea, 139
zetterstedti (Fallén, 1820), Euphranta, 124
zetterstedti (Tjeder, 1968), Metalimnobia, 29
zetterstedti Collin, 1926, Oedalea, 96
zetterstedti (Parent, 1925), Rhaphium, 99
zetterstedti (Edwards, 1923), Sylvicola, 57
zetterstedtii Rondani, 1866, Azelia, 187
zetterstedtii Rondani, 1856, Hilarella, 195
zetterstedtii Schiner, 1864, Phytomyza, 153
ziegenhageni Hering, 1940, Tephritis, 126 subsp.
ziminae Verbeke et Knutson, 1967, Pherbellia, 130
Zodion Latreille, 1796, 118
zoe Zetterstedt, 1847 (part), Trypeta, 124
zoe Meigen, 1826, Trypeta, 124
zoe artemisicola (Hendel, 1923), Trypeta, 124
zonaria Goetghebuer, 1921, Tipula, 22
zonaria (Poda, 1761), Volucella, 115
zonata (Zetterstedt, 1838), Megaselia, 106
zonata (Zetterstedt, 1855), Orfelia, 66
zonata Zetterstedt, 1848, Phytomyza, 154
zonatus (Zetterstedt, 1843), Sciarus, 97
zonatus (Zetterstedt, 1849), Eudorylas, 110
zonatus (Kowarz, 1887), Eudorylas, 110
zonatus Erichson, 1840, Ogcodes, 82
zonella (Zetterstedt, 1844), Phytomyptera, 205
zonellus Collin, 1956, Eudorylas, 110
Zonosema Loew, 1862, 124
Zoomyia Bigot, 1885, 180
Zophomyia Macquart, 1835, 206
zosterae (Haliday, 1833), Thoracochaeta, 176
zugmayeriae Kowarz, 1887, Pipunculus, 109
Zygiobia Kieffer, 1913, 64
Zygomyia Winnertz, 1863, 69