

Contents

Abstract.....	3
Samenvatting	3
Introduction	5
List of valid species of <i>Lecane</i>	6
Part 1. Verified published records of Lecanidae	9
Part 2. Verified records of <i>Lecane</i> by C.R. Russell	58
Part 3. Some unpublished records of <i>Lecane</i>	60
References	68
List of distribution maps	83
Distribution maps	84

Abstract: World records of Lecanidae (Rotifera, Monogononta)

This work lists all records of Lecanidae, available to the author. Only verified records are taken into account. Such records are either collected or published by the author, either concern literature records that could be verified by examining original material or drawings of the record. Distribution maps of 62 of the 167 Lecane morphospecies included are added.

key words: Rotifera, Lecanidae, records

Samenvatting

In deze bijdrage worden alle beschikbare meldingen van Lecanidae opgesomd. Enkel bevestigde meldingen werden opgenomen. Dergelijke meldingen zijn ofwel verzameld of gepubliceerd door de auteur, of betreffen literatuurvermeldingen waarvan de determinatie kon bevestigd worden door het nazien van het originele materiaal of de originele figuur bij de melding. Verspreidingskaarten van 62 van de 167 Lecane soorten werden bijgevoegd.

sleutelwoorden: Rotifera, Lecanidae, verspreidingsgegevens

INTRODUCTION

Data on the ecology and distribution of many groups of animals have to be interpreted with caution, as misidentifications may blur extant patterns. This is especially the case in Rotifera. Most rotifers were considered 'potential cosmopolites' until recently, when this view became untenable following the advances in taxonomy. In the following, a list is provided of the verified records of *Lecane* morphospecies, based on the taxonomic treatment of the genus as in Segers (1995), supplemented by the additions in Segers (1994b), Segers *et al.* (1994b) and Segers & Dumont (1995). A list of the valid species is as in table 1. These records form the basis of a zoogeographical analysis of the genus (Segers, in press.).

The majority of these records concern published records (Part 1), either identified or verified by myself (Chiambeng *et al.*, 1992; Dumont *et al.*, 1994; Galindo *et al.*, 1994; Maas *et al.*, 1995; Moreno *et al.*, 1992; Sanoamuang *et al.*, 1995; Segers, 1991, 1992, 1993, 1994a, 1994b; Segers & De Meester, 1994; Segers & Dumont, 1993a, 1993b, 1995; Segers & Sanoamunang, 1994; Segers & Sarma, 1994; Segers *et al.*, 1991, 1992, 1993a, 1993b, 1994a, 1994b, 1994c, 1995), or verified by examining the original drawings accompanying the record. Some of the records by Russell (Part 2) could be verified by examining figures in his original notebooks, copies of which were provided by Dr R.J. Shiel. A number of unpublished records are also included in the analysis (Part 3). These are from Algeria, Belgium, Brazil, Burundi, China, Egypt, Ethiopia, Finland, India, Indonesia, Laos, Malawi, Malaysia, Mexico, New Zealand, Nigeria, Peru, the Philippines, Russia, Surinam, Tanzania, Uganda and Vietnam, and concern material collected by researchers of the Institute of Animal Ecology or, mostly, by trainees of the A.B.O.S.-B.G.D.C. International Training Course: 'Zooplankton: a Tool in Lake Management', organised by the laboratory of Animal Ecology, Zoogeography and Nature Conservation, department M.S.E., R.U.G. A number of distribution maps of some representative taxa are added. Note that, at the scale of the maps, one symbol may represent several individual records.

LIST OF VALID SPECIES IN *LECANÉ*

- L. abanica* Segers, 1994
L. acanthinula (Hauer, 1938)
L. aculeata (Jakubski, 1912)
L. aeganea Harring, 1914
L. agilis (Bryce, 1892)
L. amazonica (Murray, 1913)
L. arcuata (Bryce, 1891)
L. arcula Harring, 1914
L. armata Thomasson, 1971
L. aspasia Myers, 1917
L. asymmetrica (Murray, 1913)
L. batillifer (Murray, 1913)
L. bifastigata Hauer, 1938
L. bifurca (Bryce, 1892)
L. blachei Bērziņš, 1973
L. boettgeri Koste, 1986
L. boliviiana Segers, 1994
L. boorali Koste & Shiel, 1983
L. broaensis Segers & Dumont, 1995
L. braumi Koste, 1988
L. braziliensis Segers, 1993
L. bryophila Koniar, 1957
L. bulla (Gosse, 1851)
L. calcaria Harring & Myers, 1926
L. candida Harring & Myers, 1926
L. clara (Bryce, 1892)
L. climacois Harring & Myers, 1926
L. closterocerca (Schmarda, 1859)
L. copeis (Harring & Myers, 1926)
L. cornuta (Müller, 1786)
L. crepida Harring, 1914
L. curvicornis (Murray, 1913)
L. decipiens (Murray, 1913)
L. depressa (Bryce, 1891)
L. deridderae Koste, 1972
L. donneri Chengalath & Mulamoottil, 1974
L. donyanaensis Mazuelos & Segers, 1994
L. doryssa Harring, 1914
L. dumonti Segers, 1993
L. dysoarata Myers, 1942
L. elasma Harring & Myers, 1926
L. elegans Harring, 1914
L. elongata Harring & Myers, 1926
L. elsa Hauer, 1931
L. eswari Dhanapathi, 1976
L. eutarsa Harring & Myers, 1926
- L. eylesi* Russel, 1953
L. fadeevi (Neiswestnowa-Shadina, 1935)
L. flabellata Edmondson, 1936
L. flexilis (Gosse, 1886)
L. formosa Harring & Myers, 1926
L. furcata (Murray, 1913)
L. galeata (Bryce, 1892)
L. gilliardi (Bērziņš, 1960)
L. grandis (Murray, 1913)
L. gwileti (Tarnogradski, 1930)
L. haliclysta Harring & Myers, 1926
L. hamata (Stokes, 1896)
L. hastata (Murray, 1913)
L. herzigi Koste, Shiel & Tan, 1988
L. hornemannii (Ehrenberg, 1834)
L. inconspicua Segers & Dumont, 1993
L. inermis (Bryce, 1892)
L. infula Harring & Myers, 1926
L. inopinata Harring & Myers, 1926
L. inquieta Myers, 1936
L. intrasiniata (Olofsson, 1917)
L. ivli (Wiszniewski, 1935)
L. jaintiaensis Sharma, 1987
L. junki Koste, 1975
L. kluchor Tarnogradski, 1930
L. kutikowa Koste, 1972
L. lamellata (Daday, 1893)
L. lateralis Sharma, 1978
L. latissima Yamamoto, 1955
L. lauterborni Hauer, 1924
L. leontina (Turner, 1892)
L. leura Myers, 1942
L. levistyla (Olofsson, 1917)
L. ligona (Dunlop, 1901)
L. ludwigii (Eckstein, 1883)
L. luna (O.F. Müller, 1776)
L. lunaris (Ehrenberg, 1832)
L. marchantaria Koste & Robertson, 1983
L. margalefi De Manuel, 1994
L. margaretha Segers, 1991
L. melini Thomasson, 1953
L. minuta Segers, 1994
L. mira (Murray, 1913)
L. mitella (Myers, 1936)
L. mitis Harring & Myers, 1926
L. monostyla (Daday, 1897)

- L. mucronata* Herring & Myers, 1926
L. myersi Segers, 1993
L. nana (Murray, 1913)
L. nelsoni Segers, 1994
L. nigeriensis Segers, 1993
L. niothis Herring & Myers, 1926
L. nwadiaroi Segers, 1993
L. obtusa (Murray, 1913)
L. opias (Herring & Myers, 1926)
L. ordwayi Bienert, 1986
L. palinacis Herring & Myers, 1926
L. papuana (Murray, 1913)
L. paradoxa (Steinecke, 1916)
L. pawlowskii Wulfert, 1966
L. paxiana Hauer, 1940
L. pelatis Herring & Myers, 1926
L. perpusilla (Hauer, 1929)
L. pertica Herring & Myers, 1926
L. pideis (Herring & Myers, 1926)
L. proiecta Hauer, 1956
L. psammophila (Wiszniewski, 1932)
L. pumila (Rousselet, 1906)
L. punctata (Murray, 1913)
L. pusilla Herring, 1914
L. pustulosa Myers, 1938
L. pyriformis (Daday, 1905)
L. pyrrha Herring & Myers, 1926
L. quadridentata (Ehrenberg, 1832)
L. remanei Hauer, 1964
L. rhacois Herring & Myers, 1926
L. rhenana Hauer, 1929
L. rhopalura (Herring & Myers, 1926)
L. rhytidia Herring & Myers, 1926
L. robertsonae Segers, 1993
L. rudescrii Hauer, 1965
L. rugosa (Herring, 1914)
L. ruttneri Hauer, 1938
L. sagula Herring & Myers, 1926
- L. satyrus* Herring & Myers, 1926
L. schraederi Wulfert, 1966
L. scutata (Herring & Myers, 1926)
L. serrata (Hauer, 1933)
L. shieli Segers & Sanoamuang, 1994
L. signifera (Jennings, 1896)
L. simonneae Segers, 1993
L. sola Hauer, 1936
L. solfatara (Hauer, 1938)
L. spiniventris Segers, 1994
L. spinulifera Edmondson, 1935
L. stenroosi (Meissner, 1908)
L. stephensae (Hutchinson, 1931)
L. stichaea Herring, 1913
L. stichoclysta Segers, 1993
L. subtilis Herring & Myers, 1926
L. subulata (Herring & Myers, 1926)
L. sylviae Segers, 1993
L. symoensi De Ridder, 1981
L. sympoda Hauer, 1929
L. syngenes (Hauer, 1938)
L. tabida Herring & Myers, 1926
L. tabulifera Edmondson, 1936
L. tenua Myers, 1936
L. tenuiseta Herring, 1914
L. thailandensis Segers & Sanoamuang, 1994
L. thalera (Herring & Myers, 1926)
L. thienemanni (Hauer, 1938)
L. tryphema Herring & Myers, 1926
L. uenoi Yamamoto, 1951
L. undulata Hauer, 1938
L. unguitata (Fadeev, 1925)
L. ungulata (Gosse, 1887)
L. urna Nogrady, 1962
L. venusta Herring & Myers, 1926
L. verecunda Herring & Myers, 1926
L. whitfordi (Ahlstrom, 1938)

PART 1. VERIFIED PUBLISHED RECORDS OF LECANIDAE

Records are listed alphabetically, by political or geographical units (names abbreviated according to the Times Atlas) for continental records, or by the name of the island or archipelago. The appropriate locality or region(s) is(are) indicated in cases of records from large units, or general information on species' distribution in such units cited.

L. abanica Segers, 1994

Madagascar (sub. ?*L. rotundata*. Segers, 1992)
Saudi Arabia: North-East part (Segers, 1994a)

L. acanthinula (Hauer, 1938) (map 1)

India: Delhi region (Segers *et al.*, 1994c)
Indonesia: Java (Hauer, 1937; 1938)
Oman: Dhofar region (Segers & Dumont, 1993b)
Thailand: North-East part (Sanoamuang *et al.*, 1995)

L. aculeata (Jakubski, 1912) (map 2)

Caribbean Islands (De Ridder, 1977)
China: Zhejiang Province (sub. *L. arcula*. Wang, 1961)
India: West Bengal (Sharma, 1978a)
Indonesia: Sumatra, Java (Hauer, 1937; 1938)
Italy: near Venice (sub. *L. stichaea*. Braioni & Gelmini, 1983)
Japan: Kyoto Prefecture (sub. *L. curvicerata*. Yamamoto, 1951; Yamamoto, 1952)
Madagascar (Segers, 1992)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Oman: Jabal Al Akhdar region, Dhofar region (Segers & Dumont, 1993b)
Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)
Senegal (Bērziņš, 1959)
Seychelles (Maas *et al.*, 1995)
Singapore (Karunakaran & Johnson, 1978)
Spain: Albufera de Valencia (Wiszniewski, 1932a)
Taiwan (Sudzuki, 1991a)
Tanzania: Usangu savanna (Jakubski, 1912)
Thailand: North-East part (Sanoamuang *et al.*, 1995)
Zaire: Lubumbashi region (De Ridder, 1981)

L. aeganea Herring, 1914
 (map 3)

Argentina: Rio Paraná, Resistencia region (sub. *L. tenuiseta*. Martinez & José de Paggi, 1988)
Bahamas Islands: New Providence (Segers *et al.*, 1995)
Panama (Herring, 1914)
Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)
Thailand: North-East part (Sanoamuang *et al.*, 1995)
U.S.A.: New Jersey (Herring & Myers, 1926)
Yemen: North (Segers & Dumont, 1993b)

L. agilis (Bryce, 1892)

Austria: Hohen Tauern (Jersabek & Schabetsberger, 1992a)
Brazil: Broa reservoir, São Paulo (Segers & Dumont, 1995)
Germany: Schwarzwald region (Hauer, 1929); Würzburg, Bayern (Hauer, 1958a); Düben, Sachsen-Anhalt (Wulfert, 1960a)
Jamaica (Koste *et al.*, 1993)
the Netherlands: 'Grote Huisven', Oisterwijk (de Graaf, 1956)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Romania (Rudescu, 1960)
Russian Federation: Karatschaevo, Caucasus region (Tarnogradski, 1961a)
U.S.A.: not specified, 'rare' (Herring & Myers, 1926)
U.K.: Eppin Forest (Bryce, 1892)

L. amazonica (Murray, 1913)
 (map 4)

Brazil: River Amazon (Murray, 1913a); Rio Negro, Manaus (sub. *L. murrayi*. Hauer, 1965a; 1965b); Lago Jurucui, Amazonas (sub. *L. murrayi*. Thomasson, 1971); Amazonas (sub. *L. murrayi*. Koste, 1972)
Ecuador: Jatun Cocha (sub. *L. murrayi*. Koste & Böttger, 1992)

L. arcuata (Bryce, 1891)
 (map 5)

Austria: Hohen Tauern (Jersabek & Schabetsberger, 1992a)
Brazil: Rio de Janeiro (Murray, 1913a)
Canada: Little Cornwallis Island, Northwest Territories (sub. *L. piepelsi*. De Smet & Bafort, 1990a)
Comoro Islands (Segers, 1992)
Easter Island (Segers & Dumont, 1993a)
Galápagos Archipelago (De Smet, 1989a)
Hungaria: Belső Tó, Tihany (Varga, 1937)
Iceland (De Ridder, 1969)
Italy (sub. *L. closterocerca*, partly. Braioni & Gelmini, 1983)

Japan: Southwestern Islands around Okinawa (sub. *Monostyla* sp. Sudzuki, 1992b)
Kenya: Mount Kenya (De Smet & Bafort, 1990c)
Madagascar (sub. *L. galeata*. Bērziņš, 1982b)
New Zealand: Canterbury (Russell, 1954)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Norway: Svalbard (sub. *L. piepelsi*. De Smet, 1993)
Romania (Rudescu, 1960)
Spain: Albufera de Valencia (Wiszniewski, 1932a)
Thailand: North-East part (Sanoamuang *et al.*, 1995)
U.S.A.: 'fairly common' (Harring & Myers, 1926)
U.K.: Epping forest (Bryce, 1891)
Yemen: North (Segers & Dumont, 1993b)

L. arcula Harring, 1914
 (map 6)

Argentina (Murray, 1913a)
Antilles: Guadeloupe (sub. *L. aculeata*. Pourriot, 1975)
Belgium: Genk (Schepens, 1960)
Brazil: (Murray, 1913a); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)
Canada: Ontario (Chengalath & Mulamoottil, 1974)
Chile (Murray, 1913a)
China: Xinjiang Province (sub *L. flexilis*. Wang, 1961)
Comoro Islands (Segers, 1992)
Germany: near Karlsruhe (Hauer, 1935a); near Bersenbrück, Niedersachsen (Koste, 1962)
India: Madras (sub. *L. methoria*. Pasha, 1961); Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966); West Bengal (Sharma, 1978a)
Indonesia: Sumatra, Java (Hauer, 1937; 1938)
Latvia (sub. *L. strandi*. Bērziņš, 1943)
Nepal (Daems & Dumont, 1974)
Nicaragua (Moreno *et al.*, 1992)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Oman: Dhofar region (Segers & Dumont, 1993b)
Panama (Harring, 1914)
Poland: Białowieża forest (Pawlowski, 1938)
Russian Federation: Caucasus region (Tarnogradski, 1961b)
Saudi Arabia: North-East part (Segers & Dumont, 1993b)
Sri Lanka (sub. *L. verecunda*. Chengalath & Fernando, 1973)
Thailand: North-East part (Sanoamuang *et al.*, 1995)
U.S.A.: common ... everywhere in the United States (Harring & Myers, 1926)
Yemen: North (Segers & Dumont, 1993b)
Yugoslavia: Danube river (Živković, 1987)
Zambia: Lake Bangweulu (Wulfert, 1965)

L. armata Thomasson, 1971

Brazil: Lago Jurucui, Amazonas (Thomasson, 1971); near Santarém (sub. *L. gillardi armata*. Koste, 1974)

L. aspasia Myers, 1917

Argentina: Rio Paraná, Resistencia region (sub. *L. stichaeoides*. Martinez & José de Paggi, 1988)

?**Canada:** Ontario (sub. *L. verecunda*. Chengalath & Mulamoottil, 1974)

Hungary: Lake Balaton (Varga, 1939)

India: Delhi region (Segers *et al.*, 1994c)

Indonesia: Sumatra (Hauer, 1937; 1938)

Russian Federation: Moskow region (Bogoslovski, 1935)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

U.S.A.: California (Myers, 1917)

L. asymmetrica (Murray, 1913)

Guyana (Murray, 1913a)

Jamaica (sub. *L. janetzkyi*. Koste *et al.*, 1991)

L. batillifer (Murray, 1913)
(map 7)

Australia: Sydney (Murray, 1913b); Northern Territory (Bērziņš, 1982a)

China: Zhejiang Province (Wang, 1961)

Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)

L. bifastigata Hauer, 1938
(map 8)

India: West Bengal (Sharma, 1979)

Indonesia: Java (Hauer, 1937; 1938)

Oman: Jabal Al Akhdar region (Segers & Dumont, 1993b)

Russian Federation: Caucasus region (Tarnogradski, 1961b)

Sri Lanka (Chengalath *et al.*, 1974)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

Turkey : Lake Beşehir (Segers *et al.*, 1992; Segers & Dumont, 1993b)

L. bifurca (Bryce, 1892)

Australia: Victoria (sub. *L. bifurca entome*. Bērziņš, 1982a)

Austria: Hohen Tauern (sub. *L. furcata*. Jersabek & Schabetsberger, 1992a)

Brazil: Broa reservoir, São Paulo (Segers & Dumont, 1995)
Canada: Laurentides National Park, Quebec (sub. *L. fusilis*. Myers, 1936c)
Easter Island (Segers & Dumont, 1993a)
Galàpagos Archipelago (Segers, 1991)
Germany: Bad Wilstein (sub. *L. crypta*. Hauer, 1940)
India: Yamuna river (Sarma, 1988)
Indonesia: Sumatra, Java (sub. *M. crypta*. Hauer, 1937; 1938)
Madagascar (Bérziņš, 1982b)
Nepal: Khatmandu (Turner, 1987)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Oman: Dhofar region (Segers & Dumont, 1993b)
Romania (Rudescu, 1960)
Russian Federation: Northern Caucasus (Tarnogradski, 1930); Caucasus region (Tarnogradski, 1961b)
Spain: Minorca (De Manuel, 1990b; De Manuel, 1994)
Sweden: Aneboda region (Carlin, 1939)
U.S.A.: not rare (Harring & Myers, 1926)
U.K.: Sandown (Bryce, 1892)

L. blachei Bérziņš, 1973
 (map 9)

Cambodia: Mekong delta (Bérziņš, 1973)
India: Calcutta (Sarma, 1988)
Indonesia: Borneo (Koste, 1988a)
Thailand: North-East part (Sanoamuang *et al.*, 1995)

L. boettgeri Koste, 1986

Paraguay: near Concepción (Koste, 1986)

L. boliviana Segers, 1994

Bolivia: Kothia Lake, near La Paz (Segers *et al.*, 1994b)

L. boorali Koste & Shiel, 1983

Australia: southwest Western Australia (Koste *et al.*, 1983)

L. braumi Koste, 1988
 (map 10)

Indonesia: Borneo (Koste, 1988a)
Nigeria: River Niger floodplain (sub. *L. elsa*. Segers *et al.*, 1993a)
Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)

?Sri Lanka (sub. *L. elsa*. Chengalath *et al.*, 1974)

L. braziliensis Segers, 1993

Brazil: Roraima, Pantanal region (Segers *et al.*, 1993b); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)

L. broaensis Segers & Dumont, 1995

Brazil: Broa reservoir, São Paulo (Segers & Dumont, 1995)

L. bryophila Koniar, 1957

Slovakia: Tatra mountains (sub. *L. spec.* Koniar, 1955; Koniar, 1957)

L. bulla (Gosse, 1851)
(map 11)

Argentina: Buenos Aires (Olivier, 1965); Santa Fe province (sub. *L. bulla styrax*. José de Paggi & Koste, 1988)

Austria: Thaya River region (Donner, 1954)

Belgium (De Ridder, 1961a); Gent (Segers *et al.*, 1991)

Brazil: Rio de Janeiro (Murray, 1913a); lower Rio Nhamundá (sub. *L. lunaris lunaris*, *L. bulla styrax*. Brandorff *et al.*, 1982); Suape Laguna, Pernambuco (Neumann-Leitão, 1990); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Cameroon: western part (Chiambeng *et al.*, 1991)

Canada: Ontario (Chengalath & Mulamoottil, 1974)

Caribbean Islands (sub. *L. styrax*. De Ridder, 1977)

China: Jiangsu, Zhejiang Province (Wang, 1961)

Comoro Islands (Segers, 1992)

France: Camargue (De Ridder, 1961b)

Germany: Sachsen-Anhalt (Althaus, 1957); Düben, Sachsen-Anhalt (sub. *L. physalis*. Wulfert, 1960a); near Bersenbrück, Niedersachsen (Koste, 1962); Lake Stechlin (Koch-Althaus, 1963)

India: Lake Sholavaram, Madras (sub. *M. bulla* f. *diabolica*. Hauer, 1936b); Madras (Pasha, 1961); Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966); Andhra Pradesh (sub. *M. styrax*. Dhanapathi, 1976a); West Bengal (Sharma, 1978a); Jammu and Kashmir region (Jyoti & Sehgal, 1980); Gwalior, Madhya Pradesh (Saksena & Kulkarni, 1986)

Italy (Braioni & Gelmini, 1983)

Japan: Hateruma Jima, Taketomi Jima, Okinawa Jima (sub. *M. bulla constricta* and f. *triangulata*., *M. bulla dentata*. Sudzuki, 1992a); Southwestern Islands around Okinawa (incl. *Monostyla* sp. Sudzuki, 1992b)

Kenya: Ahero (Segers *et al.*, 1994a)

Korea, South (Song & Kim, 1989; Chung *et al.*, 1991)

Latvia (sub. *M. ozolini*. Bērziņš, 1943)
Madagascar (Segers, 1992)
Moldavia (incl. *L. bulla kutikovi*, *L. goniata*. Naberezhniyi & Irmashova, 1975)
Myanmar: Kinda reservoir (Koste & Tobias, 1990)
Nepal (Daems & Dumont, 1974); Kathmandu Valley (Sarma & Ghimire, 1990)
Nicaragua (Moreno *et al.*, 1992)
Nigeria: River Sokoto (Green, 1960); River Niger floodplain (Segers *et al.*, 1993a)
Oman: Jabal Al Akhdar region, Dhofar region (Segers & Dumont, 1993b)
Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)
Peru: Ucayali dept., Amazon region (sub. *M. quadridentata*. Samanez, 1988)
Philippines (Mamaril & Fernando, 1978)
Poland: River Grabi basin (Pawłowski, 1958)
Romania (Rudescu, 1960)
Russian Federation: Dagestan (sub. *L. bulla diana*. Abdullaev, 1989); Moskow region (sub. *M. goniata*. Bogoslovski, 1935; Segers, 1994b)
Saudi Arabia: North-East part (Segers & Dumont, 1993b)
Senegal (Bērziņš, 1959)
Seychelles (Maas *et al.*, 1995)
Spain: Minorca (De Manuel, 1990b)
Taiwan (Sudzuki, 1991a)
Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)
Turkey: Akgöl, Selçuk- İzmir (Ustaoğlu & Balık, 1987); Central and East Anatolia (Segers *et al.*, 1992)
U.S.A.: Lake Erie, South Bass Island (Jennings, 1900); 'abundant everywhere' (Harring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)
Venezuela: Lago de Valencia (Infante, 1980)
Yemen: North (Segers & Dumont, 1993b)
Yugoslavia: Danube river (Živković, 1987)
Zaire: Lubumbashi region; Lake Mweru, Kiwa (De Ridder, 1981)
Zambia: Lake Bangweulu, Luapula regions (De Ridder, 1981)

L. calcaria Harring & Myers, 1926

Ecuador: 'Laguna Grande' (Koste & Böttger, 1992)
U.S.A.: New Jersey (Harring & Myers, 1926)

L. candida Harring & Myers, 1926

U.S.A.: Wisconsin (Harring & Myers, 1926)

L. clara (Bryce, 1892)

Brazil: Maracá Island, Roraima (Koste & Robertson, 1990); Broa reservoir, São Paulo (Segers & Dumont, 1995)
Germany: Schwarzwald region (Hauer, 1931); Dieksee, near Plön (Wszniewski, 1934b)
Madagascar (Bērziņš, 1982b; Segers, 1992)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Poland: Lake Wigry, Suwalski region (Wiszniewski, 1934)

Romania: (Rudescu, 1960)

Russian Federation: Caucasus region (Tarnogradski, 1961b)

U.S.A.: New Jersey, Washington D.C. (Harring & Myers, 1926); Michigan (sub. *Proales longidactyla*. Edmondson, 1948)

U.K.: Sandown (Bryce, 1892)

L. climacoides Harring & Myers, 1926

Nigeria: River Niger floodplain (Segers, 1993; Segers *et al.*, 1993a)

U.S.A.: Florida, Maryland, New Jersey (Harring & Myers, 1926)

L. closterocerca (Schmarda, 1859)

(map 12)

Antarctica: South Georgia Island (Dartnall & Hollowday, 1985)

Argentina: Buenos Aires (Murray, 1913a; sub. *L. lunaris*. Olivier, 1965); North East Provinces (José de Paggi, 1989)

Australia: Victoria (Bērziņš, 1982a)

Austria: Donau region (Donner, 1964; Donner, 1978); Hohen Tauern (Jersabek & Schabetsberger, 1992a)

Bahamas Islands: New Providence (Segers *et al.*, 1995)

Belgium: (De Ridder, 1961a); Gent (Segers *et al.*, 1991)

Bolivia: Lake Titicaca (Murray, 1913a); Kothia Lake, near La Paz (Segers *et al.*, 1994b)

Brazil: Rio de Janeiro (Murray, 1913a); Amazonas (sub. *L. wulferti*, incl. *Lecane* sp. Koste, 1972); near Santarém (Koste, 1974); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Cameroon: western part (Chiambeng *et al.*, 1991)

Canada: Ontario (Chengalath & Mulamootttil, 1974)

Chile: Valparaiso, Antofagasta (Murray, 1913a)

China: Manchuria (Hada, 1938); Guangdong, Hubei Provinces (Wang, 1961)

Comoro Islands (Segers, 1992)

Ecuador: Quito (Schmarda, 1859)

Easter Island (Segers & Dumont, 1993a)

Finland: Helsinki region (sub. *M. cornuta*. Levander, 1894); Tvärminne archipelago (Björklund, 1972)

France: Camargue (De Ridder, 1960; 1961b)

Galápagos Archipelago (De Smet, 1989a; Segers, 1991)

Germany: Oldesloe, Holstein (sub. *L. cornuta*. Hauer, 1925); Sachsen-Anhalt (Althaus, 1957); Near Ludwigsburg, Baden-Württemberg (Klement, 1959); Düben, Sachsen-Anhalt (Wulfert, 1960a, b)

Greenland: Disko (sub. *L. quennerstedti*. Bergendal, 1892)

Iceland: (De Ridder, 1972)

India: Rajasthan (Nayar, 1968); West Bengal (Sharma, 1978a)

Italy: (Braioni & Gelmini, 1983)

Japan: Mount Fuji (Suzuki, 1978); Southwestern Islands around Okinawa (Suzuki, 1992b)

Korea, South: (Chung *et al.*, 1991)

Latvia (sub. *M. latvica*. Bērziņš, 1943)

Moldavia (incl. *L. beningi*, *L. punctata*. Naberezhniyi & Irmasheva, 1975)
the Netherlands: Oisterwijkse vennen (de Graaf, 1960)
Nepal (Daems & Dumont, 1974); Kathmandu Valley (Sarma & Ghimire, 1990)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Norway: Bjørnøya (De Smet, 1988)
Oman: Jabal Al Akhdar region, Dhofar region (Segers & Dumont, 1993b)
Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)
Philippines (Mamaril & Fernando, 1978)
Poland: river Grabi basin near Łódź (partly. Pawłowski, 1956; 1958)
Romania (Rudescu, 1960)
Russian Federation: Ural mountains, Perm region (Oparina-Charitonova, 1928); Caucasus region (Tarnogradski, 1961b); Moskow region (Segers, 1994b)
Saudi Arabia: North-East part (Segers & Dumont, 1993b)
Seychelles (Maas *et al.*, 1995)
Sierra Leone: Lake Sonfon (sub. *L. wulferti*. Green, 1979)
Singapore (Suzuki, 1991a)
Spain: Los Marismas (De Ridder, 1962); Minorca (De Manuel, 1990b); Majorca (De Manuel, 1994)
Sweden: Lappland (Pejler, 1962)
Tanzania: Mount Kilimanjaro (De Smet & Bafort, 1990b)
Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)
Turkey: Central and East Anatolia (Segers *et al.*, 1992)
U.K. (sub. *L. cornuta*. Bryce, 1891)
Ukraine (sub. *L. arcuata*. Ovander, 1980a)
U.S.A.: 'abundant everywhere' (Harring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)
Venezuela: Laguna Mucubaji (Hauer, 1956)
Yemen: North (Segers & Dumont, 1993b)
Yugoslavia: Danube river (Živković, 1987)
Zaïre: Lubumbashi region; Lake Mweru, Kilwa (De Ridder, 1981)
Zambia: Luangwa river region (De Ridder, 1981)

L. copeis (Harring & Myers, 1926)
 (map 13)

Brazil: Amazonas (sub. *L. obtusa*, cf. *L. acanthinula*. Koste, 1972); Mato Grosso do Sul (Turner & Da Silva, 1992)
Ecuador: 'Costa', 'Oriente' (sub. *L. eupsammophila*. Koste & Böttger, 1992)
Romania (Rudescu, 1960)
U.S.A.: Colorado, Wisconsin (Harring & Myers, 1926)

L. cornuta (Müller, 1786)
 (map 14)

Antilles: Guadeloupe, Marie Galante (sub. *Lecane* sp. 2. Pourriot, 1975)
Argentina: Rio Paraná, Resistencia region (Martinez & José de Paggi, 1988)

Brazil: Lago Maica, Amazonas (Thomasson, 1971); Lake Jurucui, Belterra, Tapajoz (Gillard, 1967); Suape Laguna, Pernambuco (Neumann-Leitão, 1990); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Canada: Ontario (Chengalath & Mulamootttil, 1974)

Caribbean region: Hispaniola (sub. *M. rotunda*. Edmondson, 1934)

Colombia: Baranquilla (incl. var. *oidipus*. Hauer, 1956)

Germany: near Karlsruhe (Hauer, 1929)

Nicaragua: Lake Nicaragua (Segers, 1995)

Panama (Harring & Myers, 1926)

Peru: Ucayali dept., Amazon region (Samanez, 1988)

Romania (Rudescu, 1960)

Russian Federation: vicinity of Kharkov, Lopan River, Uda River (sub. *M. rotunda*. Fadeev, 1927); Ural mountains, Perm region (sub. *M. rotundata*. Oparina-Charitonova, 1928)

U.S.A.: Lake Erie, South Bass Island (Jennings, 1900); 'abundant ... in the United States (Harring & Myers, 1926); North Carolina (Ahlstrom, 1938); Laurentian Great Lakes (incl. *M. stenroosi*. Stemberger, 1979)

Venezuela: Laguna Taiguaguai, near Barrancas (incl. var. *oidipus*. Hauer, 1956); Lago de Valencia (var. *oidipus*. Infante, 1980); Mantecal (sub. *Lecane* species. Michelangelii *et al.*, 1980); Mantecal, Rio Urama, Yaracuy, Aroa (var. *rotunda*. Zoppi de Roa *et al.*, 1994)

***L. crepida* Harring, 1914**
(map 15)

Argentina: North East Provinces (José de Paggi, 1989)

Bahamas Islands: Grand Bahama (Nogrady, 1983)

Brazil: Lake Maica, Varzea Santarém (sub. *Lecane* sp. Gillard, 1967); Rio Madeira (sub. *L. crepida longidactyla*. Koste, 1972); near Santarém (Koste, 1974); Boa Vista region, Roraima (Segers & Sarma, 1994)

Canada: Ontario (Chengalath & Mulamootttil, 1974)

China: Zhejiang Province (Wang, 1961)

India: Madras (Pasha, 1961); Ajwa reservoir, near Baroda, Gujarat (incl. *L. neali*. Wulfert, 1966); West Bengal (Sharma, 1978a; sub. f. *bengalensis*. Sharma, 1979; sub. *L. vasishthi*. Sharma, 1980)

Indonesia: Sumatra, Java (Hauer, 1937; 1938); Borneo (Koste, 1988a)

Madagascar (Segers, 1992)

Nepal (Daems & Dumont, 1974)

Nicaragua (Moreno *et al.*, 1992)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Oman: Dhofar region (Segers & Dumont, 1993b)

Panama (Harring, 1914)

Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)

Peru: Ucayali dept., Amazon region (Samanez, 1988)

Philippines (Mamaril & Fernando, 1978)

Singapore (Suzuki, 1991a)

Spain: Albufera de Valencia (Wiszniewski, 1932a)

Sri Lanka (Chengalath & Fernando, 1973)

Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)

U.S.A.: South Bass Island (sub. *D. gissensis*. Jennings, 1900); Maine, Wisconsin (Harring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)

***L. curvicornis* (Murray, 1913)**
(map 16)

Argentina: Rio Paraná, Resistencia region (Martinez & José de Paggi, 1988)

Brazil: Rio de Janeiro (incl. *C. nitida*. Murray, 1913a); Lago Maica, Lago Jurucui, Amazonas (incl. *L. curvicornis nitida*. Thomasson, 1971); Paraná de Xiborena, Amazonas (Hauer, 1965b); Maranhão State (incl. f. *lofuana*, *L. curvicornis nitida*. Reid & Turner, 1988); Suape Laguna, Pernambuco (Neumann-Leitão, 1990); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (incl. f. *nitida*. Segers & Dumont, 1995)

Canada: Ontario (Chengalath & Mulamoottil, 1974)

Caribbean region: Hispaniola (sub. *L. bondi*. Edmondson, 1934)

Ethiopia: Lake Zwai (sub. *L. zwaiensis*. Bryce, 1931)

China: Heilongjiang, Jiangsu, Zhejiang Provinces (Wang, 1961)

Czechia: Silesia (sub. *L. ungulata curvicornis*. Dvorakova, 1960a)

Germany: Donaueschingen (Hauer, 1931)

Guatemala: (Harring & Myers, 1926)

India: Nagpur (sub. *L. curvicornis* var. *padespares*, *L. tesselata*, *L. curvilinealis*, *L. longidactyla*. Arora, 1965); Ajwa reservoir, near Baroda, Gujarat (var. *nitida*. Wulfert, 1966); West Bengal (incl. var. *miamiensis*. Sharma, 1978a); Gwalior, Madhya Pradesh (Saksena & Kulkarni, 1986); Megalaya, Northeast region (sub. var. *nitida*. Sharma, 1987)

Indonesia: Sumatra (sub. *L. curvicornis nitida*. Hauer, 1937; 1938)

Italy: near Venice (Braioni & Gelmini, 1983)

Japan: Hyogo Prefecture (sub. *L. triloba*. Yamamoto, 1951)

Korea, South: (Song & Kim, 1989; Chung *et al.*, 1991)

Nicaragua: (Moreno *et al.*, 1992)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Oman: Dhofar region (Segers & Dumont, 1993b)

Panama: (Harring & Myers, 1926)

Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)

Philippines: (incl. var. *miamiensis*. Mamaril & Fernando, 1978)

Russian Federation: Lake Khanka (sub. *L. chankensis*. Bogoslovski, 1958); Ural mountains, Perm region (sub. *L. acronycha*. Oparina-Charitonova, 1928); Caucasus region (Tarnogradski, 1961b)

Senegal: (sub. *L. ungulata curvicornis*. Bērziņš, 1959)

Singapore: (sub. *L. curvicornis lofuana*, *L. curvicornis nitida*, *Lecane* sp. 2. Sudzuki, 1991a)

Sri Lanka: (incl. var. *miamiensis*. Chengalath & Fernando, 1973)

Tanzania: Lake Tanganyika (sub. *L. lofuana*. Murray, 1913c)

Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)

U.S.A.: Arkansas, California, Maine, New Jersey, Texas, Wisconsin, Lake Erie (incl. *L. acronycha*. Harring & Myers, 1926); Florida (sub. var. *miamiensis*. Myers, 1941)

Venezuela: Mantecal (sub. *L. luna* var. *presumpta*. Zoppi de Roa *et al.*, 1994)

Zaïre: Lake Mweru, Kilwa; Lubumbashi region (incl. var. *nitida*. De Ridder, 1981); Bas-Zaïre (De Smet, 1989b)

Zambia: Lake Bangweulu, Luapula regions (incl. var. *nitida*. De Ridder, 1981)

Zimbabwe: Lake Kariba (Thomasson, 1965)

L. decipiens (Murray, 1913)
 (map 17)

Brazil: Rio de Janeiro (Murray, 1913a); Ilha de Marchantaria, Amazonas (Koste & Robertson, 1983); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)
Galàpagos Archipelago (Segers, 1991)
Jamaica (Koste *et al.*, 1991)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Panama (Harring & Myers, 1926)
Peru: Ucayali dept., Amazon region (sub. *M. hamata*. Samanez, 1988)

L. depressa (Bryce, 1891)
 (map 18)

Canada: Ontario (sub *L. tudicola*. Chengalath & Mulamoottil, 1974); Québec (sub. *L. brachydactyla*. Nogrady, 1976)
Germany: Plön (sub. *Distyla truncata*. Leissling, 1914); near Karlsruhe (sub. *L. tudicola*. Hauer, 1935a); Luckenwalde, Brandenburg (sub. *L. tudicola*. Wulfert, 1940); near Bersenbrück, Niedersachsen (sub. *L. tudicola*. Koste, 1962); Bayern: Donau region (sub. *L. tudicola*. Donner, 1972)
Italy: near Venice (sub. *L. tudicola*. Braioni & Gelmini, 1983)
Japan: Honshu (sub. *L. brachydactyla*. Yamamoto, 1952); Ozegahara (sub. *L. truncata*. Yamamoto, 1953a)
Korea, North (sub. *L. brachydactyla*. Yamamoto, 1953b)
Latvia (Kutikova, 1959)
Poland: Gdansk (Danzig: sub. *L. brachydactyla*. Rousselet, 1912; Murray, 1913c); Silesia (sub. *L. brachydactyla*. Sachse, 1915)
Russian Federation: Caucasus region (sub. *L. brachydactyla*, *L. tudicola*. Tarnogradski, 1961b); St-Petersburg region (sub. *L. tudicola*. Kutikova, 1962); Karelian lakes (sub. *L. brachydactyla*. Kutikova, 1965)
Sweden: Dalarö (sub. *L. tudicola*. Carlin-Nilsson, 1934)
Ukraine (sub. *L. brachydactyla*. Ovander, 1980a)
U.S.A.: Maine, New Jersey, Wisconsin, St. Paul, Pribilof Islands, Alaska (sub. *L. brachydactyla*, incl. *L. tudicola*. Harring & Myers, 1926); Laurentian Great Lakes (sub. *L. tudicola*. Stemberger, 1979)
U.K.: River Lea (Bryce, 1891)

L. deridderae Koste, 1972

Brazil: Amazonas (Koste, 1972)

L. donneri Chengalath & Mulamoottil, 1974

Canada: Ontario (Chengalath & Mulamoottil, 1974)
?Indonesia: Borneo (sub. *L. lauterborni*. Koste, 1988a)

Madagascar (sub. *L. lauterborni*. Segers, 1992)
Oman: Dhofar region (Segers & Dumont, 1993b)

L. donyanaensis Mazuelos & Segers, 1994

Spain: Doñana National Park (Galindo *et al.*, 1994)

L. doryssa Herring, 1914
 (map 19)

Brazil: near Santarém (Koste, 1972); lower Rio Nhamundá (Brandorff *et al.*, 1982)

China: Liaoning Province (Wang, 1961)

Guatemala: Puerto Barrios (Herring & Myers, 1926)

India: Megalaya, Northeast region (Sharma, 1987); Calcutta (Sarma, 1988)

Indonesia: Sumatra (Hauer, 1937; 1938); Borneo (Koste, 1988a)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Panama (Herring, 1914)

Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)

Russian Federation: Northern Caucasus (Tarnogradski, 1930); Caucasus region (Tarnogradski, 1961b)

Seychelles (Maas *et al.*, 1995)

Sweden: Aneboda region (Carlin, 1939)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

L. dumonti Segers, 1993

Brazil: Roraima (Segers *et al.*, 1993b; Segers & Sarma, 1994)

Nigeria: River Niger floodplain (Segers, 1993; Segers *et al.*, 1993a)

L. dysoarata Myers, 1942

U.S.A.: Northeastern Pennsylvania (Myers, 1942)

L. elasma Herring & Myers, 1926

Germany: Schwarzwald region (Hauer, 1929); near Bersenbrück, Niedersachsen (Koste, 1962)

the Netherlands: 'Grote Huisven', Oisterwijk (de Graaf, 1956)

Romania (Rudescu, 1960)

U.S.A.: D.C., New Jersey, Wisconsin (Herring & Myers, 1926)

L. elegans Herring, 1914

Argentina: Rio Paraná, Resistencia region (Martinez & José de Paggi, 1988)

Brazil: near Santarém (Koste, 1974)

Indonesia: Borneo (Koste, 1988a)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Panama: (Harring, 1914)

Philippines: (Mamaril & Fernando, 1978)

L. elongata Harring & Myers, 1926

Poland: Tatra mountains (Pawłowski, 1938)

Romania: (Rudescu, 1960)

Russian Federation: Dagestan (sub. *L. lebedevae*. Abdullaev, 1989)

U.S.A.: New Jersey (Harring & Myers, 1926)

L. elsa Hauer, 1931
(map 20)

Argentina: Rio Paraná, Resistencia region (partly. Martinez & José de Paggi, 1988)

Brazil: Paraná de Xiborena, Amazonas (Hauer, 1965b); Amazonas (Koste, 1972)

Czechia: Silesia (Dvorakova, 1960a)

Germany: near Karlsruhe (Hauer, 1931)

Jamaica: (Koste *et al.*, 1993)

Poland: River Grabi basin (Pawłowski, 1958)

Russian Federation: Caucasus region (sub. *L. luna* var. *presumpta*. Tarnogradski, 1961b)

Ukraine: (Ovander, 1980a)

Yugoslavia: Danube river (sub. *L. presumpta*. Živković, 1987)

L. eswari Dhanapathi, 1976

India: Andhra Pradesh (Dhanapathi, 1976b)

L. eutarsa Harring & Myers, 1926
(map 21)

Argentina: Santa Fe province (sub. *L. amazoniana*. José de Paggi & Koste, 1988)

Brazil: Arapuns, near Manaus (sub. *L. rhytida*, *Lecane* sp. 1. Hauer, 1965b); Amazonas (sub. *L. rhytida*. Koste, 1972); Ilha de Marchantaria, Amazonas (sub. *L. amazoniana*. Koste & Robertson, 1983); Boa Vista region, Roraima (Segers & Sarma, 1994)

Ecuador: 'Oriente' (sub. *L. amazonica*. Koste & Böttger, 1992)

Guatemala: Puerto Barrios (Harring & Myers, 1926)

L. eylesi Russell, 1953
(map 22)

New Zealand: Chatham Islands (Russel, 1953a); near Greymouth (sub. *L. tasmaniensis*. Sanoamuang & Stout, 1993)

Tasmania (sub. *L. tasmaniensis*. Shiel & Koste, 1985)

L. fadeevi Neiswestnowa-Schadina, 1935

?**Poland:** River Grabi basin (sub. *L. closterocerca*, partly. Pawłowski, 1956; 1958)

Russian Federation: Moskow region (Neiswestnowa-Schadina, 1935; Segers, 1994b)

L. flabellata Edmondson, 1936

U.S.A.: Maine (Edmondson, 1936)

L. flexilis (Gosse, 1886)
(map 23)

Austria: Hohen Tauern (Jersabek & Schabetsberger, 1992a)

Belgium: Gent (incl. *L. glypta*. Segers et al., 1991)

Bolivia: Kothia Lake, near La Paz (Segers et al., 1994b)

Brazil: Rio de Janeiro (Murray, 1913a); Ilha de Marchantaria, Amazonas (sub. *L. aculeata*. Koste & Robertson, 1983); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Canada: Ontario (Chengalath & Mulamoottil, 1974)

China: Yunnan Province (sub. *L. glypta*. Wang, 1961)

Denmark: Faroér Islands (De Smet et al., 1988)

France: Camargue (De Ridder, 1960; 1961b)

Germany: In cold sulphur and thermal springs (Pax & Wulfert, 1941); Düben, Sachsen-Anhalt (incl. *L. glypta*. Wulfert, 1960a); Lake Stechlin (Koch-Althaus, 1963)

India: West Bengal (Sharma, 1978a)

Italy: (Braioni & Gelmini, 1983)

Korea, South (Chung et al., 1991)

Nepal: Kathmandu Valley (sub. *L. tudicola*. Sarma & Ghimire, 1990)

Nigeria: River Niger floodplain (Segers et al., 1993a)

Norway: Bjørnøya (De Smet, 1988)

Panama (incl. *L. compta*. Harring, 1914)

Romania: (Rudescu, 1960)

Russian Federation: Caucasus region (Tarnogradski, 1961b); Moskow region (Segers, 1994b)

Spain: Minorca (De Manuel, 1994)

Sweden: Aneboda region (Carlin, 1939); Lappland (Pejler, 1962)

Thailand: North-East part (Sanoamuang et al., 1995)

U.K.: England (Harring & Myers, 1926)

U.S.A.: common ... everywhere in the United States (incl. *L. glypta*. Harring & Myers, 1926);

Laurentian Great Lakes (Stemberger, 1979)

Yugoslavia: Danube river (Živković, 1987)

L. formosa Harring & Myers, 1926

U.S.A.: Wisconsin (Harring & Myers, 1926)

***L. furcata* (Murray, 1913)**
 (map 24)

Belorussiya: Pinsk region (Wiszniewski, 1930)

Brazil: Rio de Janeiro (Murray, 1913a); Amazonas (sub. *L. scutata*, sub. *L. rugosa*. Koste, 1972); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Canada: Ontario (Chengalath & Mulamoottil, 1974)

Chile: (Schmid-Araya, 1991)

China: Manchuria (Hada, 1938); Heilongjiang, Zhejiang Provinces (incl. *L. elachis*, *L. tethis*. Wang, 1961)

France: Camargue (sub. *L. vanoyei*. De Ridder, 1960; 1961b)

Germany: near Karlsruhe (Hauer, 1929); Sachsen-Anhalt (Althaus, 1957); near Bersenbrück, Niedersachsen (Koste, 1962)

Guatemala: Puerto Barrios (Harring & Myers, 1926)

India: Ajwa reservoir, near Baroda, Gujarat (sub. *L. elachis*. Wulfert, 1966); Andhra Pradesh (sub. *M. tethis*. Dhanapathi, 1976a); West Bengal (Sharma, 1979); Megalaya, Northeast region (sub. *L. scutata*. Sharma, 1987)

Indonesia: Sumatra, Java (incl. *M. elachis*, *Monostyla* sp (*rugosa*?). Hauer, 1937; 1938); Borneo (sub. *L. rugosa*. Koste, 1988a)

Italy: (Braioni & Gelmini, 1983)

Japan: Southwestern Islands around Okinawa (Sudzuki, 1992b)

Latvia: (sub. *M. rugosa*. Kutikova, 1959)

Moldavia: (incl. *L. rugosa*. Naberezhniy & Irmashova, 1975)

Myanmar: Kinda reservoir (Koste & Tobias, 1990)

Nicaragua: (Moreno *et al.*, 1992)

Nigeria: River Niger floodplain (incl. f. *elachis*. Segers *et al.*, 1993a)

Oman: Jabal Al Akhdar region (Segers & Dumont, 1993b)

Panama: (Harring & Myers, 1926)

Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)

Romania: (Rudescu, 1960)

Russian Federation: Ural mountains, Perm region (sub. *M. tethis*. Oparina-Charitonova, 1928); Northern Caucasus (Tarnogradski, 1930); Moskow region (sub. *M. mologensis*, *M. tethis*. Bogoslovski, 1935); Caucasus region (Tarnogradski, 1961b)

Saudi Arabia: North-East part (Segers & Dumont, 1993b)

Spain: Minorca (De Manuel, 1990b); Majorca (De Manuel, 1994)

Sri Lanka: (incl. *L. scutata*. Chengalath *et al.*, 1974)

Sweden: Aneboda region (Carlin, 1939); Lappland (Pejler, 1962)

Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)

Turkey: Central and East Anatolia (Segers *et al.*, 1992)

Ukraine: (sub. *L. elachis*. Ovander, 1980a)

U.S.A.: common ... in the United States (incl. *M. elachis*, *M. tethis*, Harring & Myers, 1926)

Yemen: North (Segers & Dumont, 1993b)

Yugoslavia: Danube river (incl. *L. elachis*. Živković, 1987)

Zaire: Bas-Zaire (De Smet, 1989b)

L. galeata (Bryce, 1892)
 (map 25)

Austria: Salzburg (Pax & Wulfert, 1942); Hohen Tauern (Jersabek & Schabetsberger, 1992a)
Belgium: Postel (Segers, 1995)
Germany: Schneeberg, Brandenburg (sub. *M. pygmaea*. Wulfert, 1940)
Iceland: (De Ridder, 1969)
Ireland: Clare Island (sub. *M. turbo*. Murray, 1913c)
Moldavia (sub. *L. rylowi*. Naberezhniyi & Irmashova, 1975)
the Netherlands: 'Grote Huisven', Oisterwijk (de Graaf, 1956)
Romania (sub. *L. pygmaea*. Rudescu, 1960)
Russian Federation: Caucasus region (incl. *L. beningi*. Tarnogradski, 1961b)
U.S.A.: D.C., Florida, Maine, New Jersey, Wisconsin (sub *M. pymaea*. Harring & Myers, 1926)
U.K.: Sandown (Bryce, 1892)

L. gillardi (Bērziņš, 1960)

Madagascar (Bērziņš, 1960)

L. grandis (Murray, 1913)
 (map 26)

Argentina: Rio Paraná, Resistencia region (Martinez & José de Paggi, 1988)
Brazil: Rio de Janeiro (Murray, 1913a), Pernambuco (Neumann-Leitão, 1986)
Caribbean Islands (De Ridder, 1977)
Oman: Dhofar region (Segers & Dumont, 1993b)
Romania (Rudescu, 1960)
Russian Federation: Novorossiysk, Black Sea Coast (Fadeev, 1925)
Spain: Minorca (De Manuel, 1994)
Saudi Arabia: North-East part (Segers & Dumont, 1993b)
U.A.E. (Segers & Dumont, 1993b)
U.S.A.: New Jersey (Harring & Myers, 1926)

L. gwileti (Tarnogradski, 1930)

Germany: near Karlsruhe (sub. *L. kieferi*. Hauer, 1931)
Russian Federation: Northern Caucasus (Tarnogradski, 1930); Caucasus region (Tarnogradski, 1961b)

L. haliclysta Harring & Myers, 1926

Brazil: Paraná de Xiborena, Amazonas (Hauer, 1965b); Ilha de Marchantaria, Amazonas (sub. *L. stichaeoides*. Koste & Robertson, 1983); Boa Vista region, Roraima (Segers & Sarma, 1994)
France: Etang de Pommerau, Loire-et-Cher (Tassigny *et al.*, 1970)

Germany: Düben, Sachsen-Anhalt (Wulfert, 1960a)
India: Megalaya, Northeast region (Sharma, 1987)
Indonesia: Sumatra (sub. *L. stichaeoides*. Hauer, 1937; 1938)
Nigeria: River Niger floodplain (sub. *L. stichaeoides*. Segers *et al.*, 1993a)
Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)
Singapore (sub. *Lecane* sp. 1. Sudzuki, 1991a)
Thailand: North-East part (Sanoamuang *et al.*, 1995)
U.S.A.: Maine, New Jersey, Wisconsin, Lake Erie (Harring & Myers, 1926)

L. hamata (Stokes, 1896)
 (map 27)

Antilles (Pourriot, 1975)
Australia: Victoria (sub. *L. hamata victoriensis*. Koste & Shiel, 1980; Bērziņš, 1982a)
Austria: Thaya River region (Donner, 1954); Hohen Tauern (Jersabek & Schabetsberger, 1992a)
Argentina: Nahuel Huapi National Park (Thomasson, 1959); Buenos Aires (Olivier, 1965); Rio Paraná, Resistencia region (Martinez & José de Paggi, 1988)
Bahamas Islands: New Providence (Segers *et al.*, 1995)
Belgium (De Ridder, 1961a)
Brazil: Rio de Janeiro (Murray, 1913a); Amazonas (Koste, 1972); Ilha de Marchantaria, Amazonas (Koste & Robertson, 1983); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)
Cameroon: western part (Chiambeng *et al.*, 1991)
Canada: Ontario (incl. *L. fernandoi*, *L. decipiens*. Chengalath & Mulamoottil, 1974)
Caribbean Islands (sub. *L. arcuata*. De Ridder, 1977)
China: Manchuria (Hada, 1938); Shanghai (Wang, 1961)
Comoro Islands (Segers, 1992)
Easter Island (Segers & Dumont, 1993a)
Germany: Bad Landeck, Bad Schallerbach (Pax & Wulfert, 1941)
Hungary: near Budapest (sub. *L. decipiens*. Nogrady, 1962)
Iceland (De Ridder, 1972)
India: Madras (Pasha, 1961); Ajwa reservoir, near Baroda, Gujarat (incl. *L. arcuata*, *L. sinuata*. Wulfert, 1966); West Bengal (incl. *L. decipiens*. Sharma, 1978a); Jammu and Kashmir region (sub. *L. decipiens*. Jyoti & Sehgal, 1980)
Indonesia: Sumatra (sub. *M. sinuata*. Hauer, 1937; 1938)
Italy (Braioni & Gelmini, 1983)
Jamaica (Koste *et al.*, 1991)
Japan: Southwestern Islands around Okinawa (incl. *M. hamata* ssp. Sudzuki, 1992b)
Korea, South (incl. *L. arcuata*. Chung *et al.*, 1991)
Madagascar (Segers, 1992)
Moldavia (Naberezhniyi & Irmashewa, 1975)
Nepal (Daems & Dumont, 1974); Kathmandu Valley (sub. *L. decipiens*. Sarma & Ghimire, 1990)
Nicaragua (Moreno *et al.*, 1992)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Oman: Jabal Al Akhdar region, Dhofar region (Segers & Dumont, 1993b)
Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)

- Philippines** (sub. *L. decipiens*. Mamaril & Fernando, 1978)
- Romania**: Bucegi Mountains (sub. *L. arcuata*. Godenau, 1970; Rudescu, 1960)
- Russian Federation**: Moskow region (Segers, 1994b)
- Saudi Arabia**: North-East part (Segers & Dumont, 1993b)
- Singapore** (Suzuki, 1991a)
- Spain**: Minorca (De Manuel, 1990b); Ibiza (De Manuel, 1994)
- Sweden**: Lappland (sub. *L. cf. decipiens*. Pejler, 1962)
- Tanzania**: Mount Kilimanjaro (sub. *L. arcuata*. De Smet & Bafort, 1990b)
- Thailand**: Bong Borapet, Central Thailand (sub. *L. arcuata*. Koste & Robertson, 1983); North-East part (Sanoamuang *et al.*, 1995)
- Turkey**: Central and East Anatolia (Segers *et al.*, 1992)
- U.S.A.**: South Bass Island (Jennings, 1900); 'common everywhere' (Harring & Myers, 1926); Oklahoma (sub. *M. lunaris*. Taft, 1932)
- Yemen**: North (Segers & Dumont, 1993b)
- Yugoslavia**: Danube river (Živković, 1987)
- Zaire**: Lubumbashi region (incl. *L. arcuata*. De Ridder, 1981); Bas-Zaire (sub. *Lecane* sp. De Smet, 1989b; 1990)

L. hastata (Murray, 1913)

- Argentina**: Northwestern Buenos Aires Province (Modenutti & Claps, 1988); Santa Fe province (José de Paggi & Koste, 1988)
- Brazil**: Rio de Janeiro (Murray, 1913a); near Bôa Vista (Koste, 1972)
- Caribbean Islands** (sub. *L. plesia*. De Ridder, 1977)
- India**: Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966); West Bengal (Sharma, 1979)
- Japan**: Hegura Island (sub. *L. hegurensis*. Yamamoto, 1951); Southwestern Islands around Okinawa (Suzuki, 1992b)
- Moldavia** (incl. *L. plesia*. Naberezhniyi & Irmashova, 1975)
- Namibia**: Namid Desert (sub. *Proales namibiensis*. Brain & Koste, 1993)
- Oman**: Dhofar region (Segers & Dumont, 1993b)
- Papua New Guinea**: Madang Province (Segers & De Meester, 1994)
- Philippines** (Mamaril & Fernando, 1978)
- Romania** (Godenau, 1961b)
- Russian Federation**: Caucasus region (Tarnogradski, 1961b); Dagestan (sub. *L. jana*. Abdullaev, 1989)
- Saudi Arabia**: North-East part (Segers & Dumont, 1993b)
- Spain**: Majorca (De Manuel, 1990a); Majorca (De Manuel, 1994)
- Sri Lanka** (incl. *L. kahouteki*. Chengalath *et al.*, 1974)
- Thailand**: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)
- U.A.E.** (Segers & Dumont, 1993b)
- U.S.A.**: Louisiana, New Jersey, Virginia, Washington D.C. (Harring & Myers, 1926); New Jersey (sub. *L. plesia*. Myers, 1936b)
- Yemen**: North (Segers & Dumont, 1993b)

L. herzigi Koste, Shiel & Tan, 1988

New Zealand: near Greymouth (Sanoamuang & Stout, 1993)
Tasmania (Koste *et al.*, 1988)

L. hornemannii (Ehrenberg, 1834)
 (map 29)

Australia: Victoria (sub. *L. nodosa*. Bērziņš, 1982a)
Brazil: Rio de Janeiro (Murray, 1913a); Amazonas (sub. *L. nodosa*. Koste, 1972); lower Rio Nhamundá (incl. *L. nodosa*. Brandorff *et al.*, 1982); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)
Bolivia: Lake Titicaca (Murray, 1913a)
Canada: Ontario (Chengalath & Mulamoottil, 1974)
Chad: Lake Chad (Pourriot, 1968)
China: Zhejiang Province (sub. *L. nodosa*. Wang, 1961)
India: Madras (Pasha, 1961); Ajwa reservoir, near Baroda, Gujarat (incl. *L. nodosa*. Wulfert, 1966); Andhra Pradesh (Dhanapathi, 1976a)
Indonesia: Sumatra, Java, Bali (incl. *L. nodosa*. Hauer, 1937; 1938); Borneo (sub. *L. nodosa*. Koste, 1988a)
Italy: Trentino (Braioni & Gelmini, 1983)
Japan: Nagano Prefecture (Yamamoto, 1952); Southwestern Islands around Okinawa (partly. Sudzuki, 1992b)
Madagascar (incl. *L. camptica*, *L. lamiranoensis*. Bērziņš, 1982b; Segers, 1992)
Nicaragua (Moreno *et al.*, 1992)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Oman: Dhofar region (Segers & Dumont, 1993b)
Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)
Philippines (incl. *L. ceylonensis*. Mamaril & Fernando, 1978)
Romania (Rudescu, 1960)
Russian Federation: Caucasus region (Tarnogradski, 1961b)
Singapore (sub. *L. nodosa*, *L. ruttneri*. Sudzuki, 1991a)
Spain: Albufera de Valencia (Wiszniewski, 1932a)
Sri Lanka (incl. *L. ceylonensis*. Chengalath & Fernando, 1973)
Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)
U.S.A.: New Jersey, Maine, Washington D.C., Wisconsin (Harring & Myers, 1926)
U.K.: England (Murray, 1913a)
Zaire: Lubumbashi region (sub. *L. nodosa*. De Ridder, 1981)
Zambia: Luapula region (sub. *L. nodosa*. De Ridder, 1981)

L. inconspicua Segers & Dumont, 1993

Saudi Arabia: North-East part (Segers & Dumont, 1993b)

L. inermis (Bryce, 1892)
 (map 30)

- Austria:** Thaya River region (Donner, 1954)
- Brazil:** Broa reservoir, São Paulo (Segers & Dumont, 1995)
- China:** Jiangsu Province (Wang, 1961)
- Easter Island** (Segers & Dumont, 1993a)
- Germany:** In cold sulphur and thermal springs (Pax & Wulfert, 1941); Near Ludwigsburg, Baden-Württemberg (Klement, 1959); Düben, Sachsen-Anhalt (Wulfert, 1960a); Lake Stechlin (Koch-Althaus, 1963)
- Iceland** (De Ridder, 1972)
- India:** Megalaya, Northeast region (Sharma, 1987); Delhi region (sub. *L. althausi*. Sarma, 1988)
- Italy** (sub. *L. supinoi*. Manfredi, 1929)
- Japan:** Southwestern Islands around Okinawa (sub. *Lecane* sp. Sudzuki, 1992b)
- Nicaragua** (Moreno *et al.*, 1992)
- Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)
- Nepal** (Daems & Dumont, 1974)
- Oman:** Jabal Al Akhdar region (Segers & Dumont, 1993b)
- Panama** (sub. *L. amorpha*. Herring, 1914)
- Papua New Guinea:** East Sepik Province (Segers & De Meester, 1994)
- Romania** (Rudescu, 1960)
- Russian Federation:** Northern Caucasus (sub. *L. tenuiseta*. Tarnogradski, 1930); Moskow region (Segers, 1994b)
- Saudi Arabia:** North-East part (Segers & Dumont, 1993b)
- Seychelles** (Maas *et al.*, 1995)
- Thailand:** North-East part (Sanoamuang *et al.*, 1995)
- Turkey:** Central Anatolia (Segers *et al.*, 1992)
- U.S.A.:** Common everywhere (Herring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)
- U.K.:** Sandown (Bryce, 1892)
- Yugoslavia:** Danube river (Živković, 1987)

L. infula Herring & Myers, 1926

- Japan:** Nagano Prefecture (Yamamoto, 1960)
- Russian Federation:** Olenyi Island (Fadeev, 1927)
- U.S.A.:** Maine (Herring & Myers, 1926)

L. inopinata Herring & Myers, 1926

- Brazil:** Boa Vista region, Roraima (Segers & Sarma, 1994)
- China:** Hubei, Sichuan, Zhejiang Province (sub. *L. sympoda*. Wang, 1961)
- Colombia:** Barranquilla (Hauer, 1956)
- Comoro Islands** (sub. *L. sympoda*. Segers, 1992)
- France:** Lake Pazac, Dept. Nîmes (De Ridder, 1958)

- India:** Ajwa reservoir, near Baroda, Gujarat (sub. *L. sympoda*, partly. Wulfert, 1966); Andhra Pradesh (Dhanapathi, 1976a); West Bengal (incl. *L. sympoda*. Sharma, 1978a)
- Indonesia:** Sumatra, Java (sub. *L. sympoda*. Hauer, 1937; 1938)
- Italy:** near Alto Adige, Lazio (Braioni & Gelmini, 1983)
- Japan:** Southwestern Islands around Okinawa (sub. cf. *inopinata*. Sudzuki, 1992b)
- Madagascar** (Bērziņš, 1982b; sub. *L. sympoda*. Segers, 1992)
- Myanmar:** Kinda reservoir (sub. *L. inopinata* *sympoda*. Koste & Tobias, 1990)
- Nepal** (Daems & Dumont, 1974)
- Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)
- Oman:** Jabal Al Akhdar region, Dhofar region (sub. *L. sympoda*. Segers & Dumont, 1993b)
- Papua New Guinea:** East Sepik Province (Segers & De Meester, 1994)
- Philippines** (Mamaril & Fernando, 1978)
- Russian Federation:** Caucasus region (sub. *L. sympoda*. Tarnogradski, 1961b)
- Senegal** (Bērziņš, 1959)
- Spain:** Albufera de Valencia (sub. *L. sympoda*. Wiszniewski, 1932a); Ibiza (De Manuel, 1994)
- Thailand:** North-East part (Sanoamuang *et al.*, 1995)
- U.S.A.:** Wisconsin (Harring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)
- Zaire:** Lubumbashi region (sub. *L. sympoda*. De Ridder, 1981)
- Zambia:** Lake Bangweulu (sub. *L. sympoda*. Wulfert, 1966)

L. inquieta Myers, 1936

- U.S.A.:** New Jersey (Myers, 1936a)

L. intrasINUATA (Olofsson, 1917)

- Canada:** Ontario (sub. *L. methoria*. Chengalath & Mulamootttil, 1974)
- Norway:** Alexandrovsk, mouth of Kolafjord (Oloffson, 1917)
- Russian Federation:** Caucasus region (Tarnogradski, 1961b)
- U.S.A.:** Maine, New Jersey, Wisconsin (incl. *L. mylacris*. Harring & Myers, 1926)

L. ivli (Wiszniewski, 1935)
(map 31)

- Hungary:** Budapest (sub. *M. vargai*. Török, 1935)
- Italy:** near Venice (Braioni & Gelmini, 1983)
- Macedonia:** Lake Ohrid (Wiszniewski, 1935)
- Yugoslavia:** Danube river (Živković, 1987)

L. jaintiaensis Sharma, 1987

- India:** Megalaya, Northeast region (Sharma, 1987)

L. junki Koste, 1975

Thailand: Bong Borapet, Central Thailand (Koste, 1975)

L. kluchor Tarnogradski, 1930
(map 32)

Austria: Hohen Tauern (Jersabek & Schabetsberger, 1992a)

France: Puy-de Dôme (Francez & Pourriot, 1984)

Germany: Schwarzwald region (sub. *L. diadema*. Hauer, 1931; Hauer, 1935b)

Romania: Rudescu, 1960)

Russian Federation: Northern Caucasus (Tarnogradski, 1930); Caucasus region (Tarnogradski, 1961b)

Spain: Sierra Nevada (Morales-Baquero, 1987)

L. kutikowa Koste, 1972

Brazil: Cururú Mission, Amazonas (Koste, 1972)

L. lamellata (Daday, 1893)
(map 33)

France: Camargue (De Ridder, 1960; 1961b)

Hungary: Halas, Pest-Pilis-Solt-Kiskun (Daday, 1893)

Mexico: San Cristobal (Harring & Myers, 1926)

Nicaragua: Moreno *et al.*, 1992)

Romania: Black See Coast (Rodewald, 1940; Rudescu, 1960)

Saudi Arabia: North-East part (Segers & Dumont, 1993b)

Spain: Majorca (De Manuel, 1994)

Turkey: Central Anatolia (Segers *et al.*, 1992)

Ukraine: near Kharkov (Skorikov, 1898)

U.S.A.: Devils Lake, North Dakota (Bryce, 1924)

L. lateralis Sharma, 1978
(map 34)

India: West Bengal (Sharma, 1978b)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

L. latissima Yamamoto, 1955
 (map 35)

Canada: Ellismere Island, Northwest Territories (Nogrady, 1989); Little Cornwallis Island, Northwest Territories (De Smet & Bafort, 1990a)
Iceland (sub. *L. kostei*. De Ridder, 1972)
Japan: Taka-numa pond, Shimokita Peninsula, Aomori Prefecture (Yamamoto, 1955)
Morocco: Lake Ifni (Coussement & Dumont, 1980)
Norway: Bjørnøya (De Smet, 1988)
Spain: Majorca (De Manuel, 1994)
Sweden: Lappland (sub. *L. rotundata*. Pejler, 1962)

L. lauterborni Hauer, 1924
 (map 36)

Austria: Hohen Tauern (Jersabek & Schabetsberger, 1992a)
Germany: Schwarzwald region (Hauer, 1924)
Romania (Rudescu, 1960)
Russian Federation: Ural mountains, Perm region (Oparina-Charitonova, 1928); Karatschaevo, Caucasus region (sub. *L. muscicola*. Tarnogradski, 1961a)
Slovakia: Tatra mountains (Koniar, 1955)
Sweden: Lappland (Pejler, 1962)
U.S.A.: Maine (Harring & Myers, 1926)

L. leontina (Turner, 1892)
 (map 37)

Brazil: Rio de Janeiro (Murray, 1913a); Lago Maica, Amazonas, (Thomasson, 1971); Suape Laguna, Pernambuco (Neumann-Leitão, 1990); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)
Canada: Ontario (Chengalath & Mulamoottil, 1974)
Chad: Lake Chad (Pourriot, 1968)
China: Hubei, Zhejiang Provinces (Wang, 1961)
Gambia (Bērziņš, 1957)
India: West Bengal (Sharma, 1978a)
Indonesia: Sumatra, Java (Hauer, 1937; 1938)
Japan: Honshu (Yamamoto, 1952)
Kenya: Sangoro (Segers *et al.*, 1994a)
Nicaragua (Moreno *et al.*, 1992)
Nigeria: River Sokoto (Green, 1960); River Niger floodplain (Segers *et al.*, 1993a)
Oman: Dhofar region (Segers & Dumont, 1993b)
Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)
Peru: Ucayali dept., Amazon region (Samanez, 1988)
Philippines (Mamaril & Fernando, 1978)
Sri Lanka (Chengalath & Fernando, 1973)
Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)
U.S.A.: Lake Erie, South Bass Island (Jennings, 1900); common all over the United States (Harring & Myers, 1926); Oklahoma (Taft, 1932); Laurentian Great Lakes (Stemberger, 1979)

Venezuela: Lago de Valencia (Infante, 1980); Mantecal (Zoppi de Roa *et al.*, 1994)
Zaire: Lake Mweru (Evans, 1949); Lake Tanganyika (Gillard, 1957); Lubumbashi region (De Ridder, 1981); Bas-Zaire (De Smet, 1990)
Zambia: Lake Bangweulu (incl. *L. thomassoni*. Wulfert, 1965); Luapula region (De Ridder, 1981)
Zimbabwe (Rousselet, 1906)

L. leura Myers, 1942

U.S.A.: Northeastern Pennsylvania (Myers, 1942)

L. levistyla (Olofsson, 1917)

Canada: Bernard harbour, N.W. Territories (sub. *L. scobis*. Herring & Myers, 1926)
Germany: Lake Stechlin (Koch-Althaus, 1963)
Poland: Lakes in the Suwalski region (Wiszniewski, 1934)
Romania (Rudescu, 1960)

L. ligona (Dunlop, 1901)
 (map 38)

Canada: Yukon Territory, near New Rampart House (sub. *L. jessupi*. Herring, 1921); Ontario (Chengalath & Mulamootttil, 1974); Park Mont Tremblant (sub. *L. jessupi*. Nogrady, 1980)
Germany: Plön region (Voigt, 1904); Schwarzwald region (incl. *L. abnobensis*. Hauer, 1929)
the Netherlands: 'Grote Huisven', Oisterwijk (de Graaf, 1956)
India: West Bengal (Sharma, 1979)
Japan: Hokkaido (Yamamoto, 1959)
Romania (Rudescu, 1960)
Russian Federation: Ural mountains, Perm region (sub. *L. scobis*. Oparina-Charitonova, 1928)
Sweden: Aneboda region (incl. *L. jessupi*. Carlin, 1939)
U.K.: Arran Island, Scotland (Dunlop, 1901); Fort Augustus, Scotland (Murray, 1913c)
U.S.A.: Alaska, Maine, New Jersey, Wisconsin (incl. *L. jessupi*, *L. pycina*. Herring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)
Venezuela: Rio Churun (sub. f. *abnobensis*. Zoppi de Roa *et al.*, 1990)

L. ludwigii (Eckstein, 1883)
 (map 39)

Afghanistan (sub. *L. ichthyoura*. Bērziňš, 1961)
Argentina: Santa Fe province (sub. *L. ludwigi abrupta*. José de Paggi & Koste, 1988)
Belgium: Genk (sub. *L. stokesii*. Schepens, 1960)
Brazil: Rio de Janeiro (Murray, 1913a); Amazonas (Koste, 1972); near Santarém (incl. *L. ludwigi ercodes*. Koste, 1974); Suape Laguna, Pernambuco (Neumann-Leitão, 1990); Boa

- Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)
- Canada:** Ontario (incl. *L. ohioensis*, *L. stokesi*. Chengalath & Mulamoottil, 1974)
- Czechia:** Elbe region (Dvorakova, 1961)
- China:** Soochow, Jiangsu (Harring & Myers, 1926); Guangxi, Heilongjiang, Jiangsu, Zhejiang and Yunnan Provinces (incl. *L. ohioensis*. Wang, 1961)
- Ecuador:** 'Oriente', 'costa' (sub. *L. ludwigi laticaudata*, *L. ludwigi lacinulata*. Koste & Böttger, 1992)
- Finland:** Helsinki region (sub. *C. appendiculata*. Levander, 1894); Tvärminne archipelago (sub. *L. ohioensis*. Björklund, 1972)
- France:** Camargue (sub. *L. appendiculata*. De Ridder, 1960; 1961b)
- Galápagos Archipelago** (sub. *L. ohioensis* f. *ichthyoura*. De Smet, 1989a)
- Germany:** Oldesloe, Holstein (sub. *L. ichthyoura*. Hauer, 1925); near Karlsruhe (sub. *L. stokesii*. Hauer, 1929); Berlin region (Wulfert, 1956); near Bersenbrück, Niedersachsen (Koste, 1962); Lake Stechlin (Koch-Althaus, 1963)
- Hungary:** Belső Tó, Tihany (sub. *L. ichthyoura*. Varga, 1937); Lake Balaton (Varga, 1945); Budapest (sub. *L. ichthyoura*. Kertész, 1955)
- India:** Andhra Pradesh (Dhanapathi, 1976a); West Bengal (incl. several formae, *L. ohioensis*. Sharma, 1978a; sub. *L. stokesi*, *L. ludwigii ercodes*. Sharma, 1979); Jammu and Kashmir region (Jyoti & Sehgal, 1980); Gwalior, Madhya Pradesh (Saksena & Kulkarni, 1986)
- Indonesia:** Sumatra, Java (incl. several formae. Hauer, 1937; 1938); Borneo (incl. *L. ichthyoura*. Koste, 1988a)
- Italy:** Sicilia (sub. *L. ohioensis*. Bērziņš, 1954); near Venice, Trentino, Sardegna, Lazio (incl. *L. ohioensis* f. *ichtyoura*. Braioni & Gelmini, 1983)
- Japan:** Mount Fuji (Sudzuki, 1978); Southwestern Islands around Okinawa (Sudzuki, 1992b)
- Korea, South** (Chung *et al.*, 1991)
- Latvia** (sub. *L. ohioensis*. Kutikova, 1959)
- Madagascar** (Segers, 1992)
- Moldavia** (sub. *L. ohioensis*., incl. var. *jorroi*. Naberezhniyi & Irmashova, 1975)
- Nepal** (sub. *L. ohioensis*. Daems & Dumont, 1974)
- Nigeria:** River Niger floodplain (incl. *L. ohioensis*. Segers *et al.*, 1993a)
- Panama** (sub. *L. ercodes*, *L. marshi*. Harring, 1914)
- Papua New Guinea:** Madang Province (Segers & De Meester, 1994)
- Peru:** Ucayali dept., Amazon region (sub. *L. ercodes*. Samanez, 1988)
- Philippines** (Mamaril & Fernando, 1978)
- Poland:** Parczew region (sub. *L. ohioensis*. Radwan, 1974)
- Romania** (sub. *L. ohioensis* var. *jorroi*. Godenau, 1961b: sub. f. *typica*, incl. f. *lacinulata*, *L. ohioensis*. Rudescu, 1960)
- Russian Federation:** Caucasus region (sub. *L. ohioensis* var. *jorroi*. Tarnogradski, 1961b)
- Saudi Arabia:** North-East part (incl. *L. ohioensis* f. *ichthyoura*. Segers & Dumont, 1993b)
- Singapore** (Sudzuki, 1991a)
- Spain:** Albufera de Valencia (sub. *L. ohioensis* var. *jorroi*. Wiszniewski, 1932a); Minorca (De Manuel, 1990b; sub. *L. ohioensis*. De Manuel, 1994)
- Sri Lanka** (incl. *L. ohioensis*. Chengalath & Fernando, 1973)
- Taiwan** (Sudzuki, 1991a)
- Tasmania** (sub. *L. ohioensis appendiculata*. Koste & Shiel, 1986)
- Thailand:** Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)
- Turkey:** Central and East Anatolia (sub. *L. ohioensis* f. *ichthyoura*. Segers *et al.*, 1992)

U.S.A.: Lake Erie, South Bass Island (incl. *L. ohioensis*, *L. stokesii*. Jennings, 1900); D.C., Florida, Maine, New Jersey, Wisconsin, Virginia; widely distributed in the United States, common everywhere (incl. *L. ohioensis*, *L. stokesii*, *L. ichthyoura*, *L. ercodes*. Harring & Myers, 1926); Oklahoma (sub. *Distyla ohioensis*. Taft, 1932); Laurentian Great Lakes (incl. *L. ohioensis*, *L. stokesii*. Stemberger, 1979)

Venezuela: North East (incl. *L. ludwigi ercodes*, f. *laticaudata*. Lópes, 1993)

Yugoslavia: Danube river (incl. *L. ludwigi brevicaudata*, *L. ludwigi abrupta*, *L. ohioensis*. Živković, 1987)

Zaire: Lake Tanganyika (Gillard, 1957)

***L. luna* (O.F. Müller, 1776)**
(map 40)

'occurs in abundance in weedy ponds all over the world and is without doubt one of the commonest of all rotifers' (Harring & Myers, 1926)

Afghanistan (Bērziņš, 1961)

Austria: Thaya River region (Donner, 1954); Hohen Tauern (Jersabek & Schabetsberger, 1992a)

Argentina: Nahuel Huapi National Park (Thomasson, 1959)

Belgium (De Ridder, 1961a); Gent (Segers *et al.*, 1991)

Brazil: Rio de Janeiro (Murray, 1913a)

Cameroon: western part (Chiambeng *et al.*, 1991)

Canada: Ontario (partly. Chengalath & Mulamoottil, 1974)

China: Qinghai Province (Wang, 1961)

Chile: Punta Arenas (Murray, 1913a)

Comoro Islands (Segers, 1992)

Finland: Helsinki region (Levander, 1894)

France: Camargue (sub. *L. submagna*. De Ridder, 1960; 1961b)

Galápagos Archipelago (De Smet, 1989a)

Germany: Sachsen-Anhalt (Althaus, 1957); Near Ludwigsburg, Baden-Württemberg (Klement, 1959); Düben, Sachsen-Anhalt (Wulfert, 1960a); Lake Stechlin (Koch-Althaus, 1963)

Hungaria: Lake Balaton (sub. *L. luna* f. *balatonica*. Varga, 1945)

Iceland (sub. *L. magna*. De Ridder, 1969)

India: Nagpur (sub. *L. dorsicalis*. Arora, 1965); Rajasthan (Nayar, 1968); West Bengal (incl. f. *dorsicalis*. Sharma, 1978a); Gwalior, Madhya Pradesh (Saksena & Kulkarni, 1986)

Iraq: Shat-el-Arab region (sub. *C. affinis*. Voronkov, 1907)

Italy: 'present in all, and varied biotopes' (Braioni & Gelmini, 1983)

Japan: Southwestern Islands around Okinawa (Sudzuki, 1992b)

Kenya: Ahero (Segers *et al.*, 1994a)

Korea, South (Chung *et al.*, 1991)

Madagascar (sub. *L. luna intermedia*. Bērziņš, 1982b; Segers, 1992)

Moldavia (sub. *L. luna balatonica*. Naberezhniyi & Irmashova, 1975)

Nepal: Kathmandu Valley (Sarma & Ghimire, 1990)

Nicaragua (Moreno *et al.*, 1992)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Oman: Jabal Al Akhdar region, Dhofar region (Segers & Dumont, 1993b)

Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)

Philippines (Mamaril & Fernando, 1978)
Romania (incl. f. *balatonica*. Rudescu, 1960)
Russian Federation: Moskow region (sub. *L. grandis*. Bogoslovski, 1935)
Saudi Arabia: North-East part (Segers & Dumont, 1993b)
Seychelles (Maas *et al.*, 1995)
Singapore (Suzuki, 1991a)
Spain: Minorca (De Manuel, 1990b); Majorca (De Manuel, 1994)
Sri Lanka (Chengalath & Fernando, 1973)
Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)
Turkey: Göreme, Central Anatolia (Dumont & De Ridder, 1987); Akgöl, Selçuk-İzmir (Ustaoğlu & Balık, 1987); Karataş and Beyşehir (Emir, 1991); Central and East Anatolia (Segers *et al.*, 1992)
Ukraine (sub. *L. luna balatonica*. Ovander, 1980a)
U.S.A.: Lake Erie, South Bass Island (Jennings, 1900); Oklahoma (Taft, 1932); Laurentian Great Lakes (Stemberger, 1979)
Venezuela: Lago de Valencia (Infante, 1980)
Yemen: North (Segers & Dumont, 1993b)
Yugoslavia: Danube river (Živković, 1987)
Zaïre: Lake Mweru (Evans, 1949)
Zambia: Lake Bangweulu (Thomasson, 1960); Lake Bangweulu, Luapula regions (De Ridder, 1981)

L. lunaris (Ehrenberg, 1832)

Antarctica: South Shetland Island (José de Paggi, 1982); Signy and South Georgia Islands (Dartnall & Hollowday, 1985)
Austria: Hohen Tauern (incl. *L. acus*. Jersabek & Schabetsberger, 1992a)
Argentina: Buenos Aires (Murray, 1913a); Argentina: Santa Fe province (sub. *L. lunaris perplexa*. José de Paggi & Koste, 1988)
Australia: Sydney (sub. *Monostyla* sp. Murray, 1913b); Victoria (sub. *L. lunaris australis*. Bērziņš, 1982a)
Austria: Donau region (Donner, 1964; partly, incl. *L. perplexa*. Donner, 1978)
Belgium: Linkhout (sub. *L. galeata*. De Maeseneer, 1980); Gent (Segers *et al.*, 1991)
Bolivia: Kothia Lake, near La Paz (Segers *et al.*, 1994b)
Brazil: Rio de Janeiro (Murray, 1913a); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)
Cameroon: western part (Chiambeng *et al.*, 1991)
Canada: Ontario (incl. *L. crenata*. Chengalath & Mulamoottil, 1974)
Caribbean Islands (sub. *L. crenata*. De Ridder, 1977)
China: Hubei, Yunnan, Zhejiang Provinces (incl. *L. crenata*. Wang, 1961)
Finland: Helsinki region (Levander, 1894)
Germany: Schwarzwald region (incl. *M. crenata*. Hauer, 1929); Sachsen-Anhalt (Althaus, 1957); Near Ludwigsburg, Baden-Württemberg (incl. *L. crenata*. Klement, 1959); near Bersenbrück, Niedersachsen (sub. *L. perplexa*. Koste, 1962); Düben, Sachsen-Anhalt (incl. *L. acus*. Wulfert, 1966)
Hungary: Lake Balaton (sub. *M. crenata*. Varga, 1939)
Iceland (sub. *L. cornuta*. De Ridder, 1969)

- India:** Ajwa reservoir, near Baroda, Gujarat (incl. *L. galeata*, *L. perplexa*. Wulfert, 1966); West Bengal (incl. *L. crenata*. Sharma, 1978a)
- Italy:** near Venice (incl. *L. crenata*, *L. psammophila*. Braioni & Gelmini, 1983)
- Japan:** Ozegahara (sub. *L. acus*. Yamamoto, 1953a); Southwestern Islands around Okinawa (sub. *M. cf. perplexa*. Sudzuki, 1992b)
- Korea, North** (incl. *M. crenata*. Yamamoto, 1953b)
- Korea, South** (Chung *et al.*, 1991)
- Madagascar** (sub. *L. lunaris arthrodactylus*. Bērziņš, 1982b; Segers, 1992)
- the Netherlands:** 'Grote Huisven', Oisterwijk (sub. *M. crenata*, *M. constricta*. de Graaf, 1956)
- New Zealand:** Mount Cook (sub. *Monostyla* sp. Murray, 1913b); Canterbury (sub. *M. crenata*. Russell, 1945)
- Nepal** (Daems & Dumont, 1974); Kathmandu Valley (Sarma & Ghimire, 1990)
- Nicaragua** (Moreno *et al.*, 1992)
- Nigeria:** River Niger floodplain (incl. *L. perplexa*. Segers *et al.*, 1993a)
- Oman:** Jabal Al Akhdar region (Segers & Dumont, 1993b)
- Panama** (sub. *M. virga*. Harring, 1914)
- Papua New Guinea:** East Sepik Province (Segers & De Meester, 1994)
- Poland:** Gdansk (Danzig: sub. *M. constricta*. Murray, 1913c)
- Romania** (sub. *L. perplexa*; Godenau, 1961a; incl. *L. acus*, *L. crenata*. Rudescu, 1960)
- Russian Federation:** Caucasus region (sub. *L. crenata*. Tarnogradski, 1961b); Moskow region (incl. f. *crenata*, *perplexa*. Segers, 1994b)
- Spain:** Majorca (De Ridder, 1967b); Ibiza (De Manuel, 1994)
- Sri Lanka** (Chengalath & Fernando, 1973)
- Sweden:** Aneboda region (incl. *M. crenata*, *M. constricta*, *M. perplexa*. Carlin, 1939); Lappland (incl. *L. constricta*, *L. scutata*. Pejler, 1962)
- Tanzania:** Mount Kilimanjaro (incl. f. *perplexa*. De Smet & Bafort, 1990b)
- Thailand:** Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)
- Turkey:** Central and East Anatolia (Segers *et al.*, 1992)
- Ukraine:** Kharkov region (sub. *M. virga*. Fadeev, 1924; incl. *L. constricta*. Ovander, 1980b)
- U.S.A.:** Lake Erie, South Bass Island (Jennings, 1900); 'Abudant ... all over the world'. Arkansas, D.C., Florida, Louisiana, Maine, Mississippi, New Jersey, Texas, Wisconsin (incl. *L. crenata*, Harring & Myers, 1926); North Carolina (sub. *M. perplexa*. Ahlstrom, 1939); Laurentian Great Lakes (sub. *M. crenata*. Stemberger, 1979)
- Yemen:** North (Segers & Dumont, 1993b)
- Yugoslavia:** Danube river (incl. *L. cornuta*. Živković, 1987)
- Zaire:** Lubumbashi region; Lake Mweru, Kilwa (De Ridder, 1981)
- Zambia:** Lake Bangweulu, Luapula regions (De Ridder, 1981)

L. marchantaria Koste & Robertson, 1983

- Brazil:** Ilha de Marchantaria, Amazonas (Koste & Robertson, 1983)
- Peru:** Panguana (Koste, 1988b)

L. margalefi De Manuel, 1994

- Spain:** Majorca (De Manuel, 1994)

L. margarethae Segers, 1991
 (map 41)

Caribbean Islands (sub. *L. punctata*. De Ridder, 1977)
U.S.A.: Florida (sub. *L. punctata*. Ahlstrom, 1934)

L. melini Thomasson, 1953
 (map 42)

Brazil: Rio Negro, Manaus (Thomasson, 1953); Lago Jurucui, Lago Maica, Amazonas (Thomasson, 1971); Paraná de Xiborena, Amazonas (Hauer, 1965b); Lake Rio Preto da Eva (sub. *Lecane* sp. Gillard, 1967)

L. minuta Segers, 1994

Brunei (Segers, 1994a)

L. mitis Herring & Myers, 1926
 (map 43)

Brazil: Broa reservoir, São Paulo (Segers & Dumont, 1995)
U.S.A.: New Jersey; "widely distributed" (incl. *L. depressa*. Herring & Myers, 1926)
Venezuela: Rio Churun (sub. *Lecane levistyla depressa*. Zoppi de Roa et al., 1990)

L. mira (Murray, 1913)
 (map 44)

Austria: Hohen Tauern (Jersabek & Schabetsberger, 1992a)
Germany: Schwarzwald region (Hauer, 1929); Bayern: Donau region (Donner, 1972)
Iceland (sub. *L. islandica*. De Ridder, 1967a)
Italy: Trentino (Braioni & Gelmini, 1983)
the Netherlands: Oisterwijkse vennen (de Graaf, 1960)
Poland: Huculszczyzna region (Pawlowski, 1938)
Sweden: Aneboda region (Carlin, 1939), Lappland (Pejler, 1962)
U.S.A.: Arkansas, D.C., Florida, Louisiana, Maine, New Jersey, Texas, Wisconsin (Herring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)

L. mitella (Myers, 1936)

U.S.A.: New Jersey (Myers, 1936a)

L. monostyla (Daday, 1897)
 (map 45)

Brazil: Amazonas (Koste, 1972); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Korea, South (Chung *et al.*, 1991)

India: Kerala State (Segers *et al.*, 1994c)

Indonesia: Sumatra (Hauer, 1937; 1938)

Jamaica (Koste *et al.*, 1991)

Japan: Mount Fuji (Sudzuki, 1978)

Nicaragua (Moreno *et al.*, 1992)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Papua New Guinea: New Guinea (Daday, 1897); East Sepik Province (Segers & De Meester, 1994)

Seychelles: Praslin (De Ridder, 1987; Maas *et al.*, 1995)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

U.S.A.: D.C., Florida, Maine, New Jersey, Wisconsin (Harring & Myers, 1926)

Zaïre: Katanga, Dembo river region (Gillard, 1959); Lubumbashi region (De Ridder, 1981); Bas-Zaïre (De Smet, 1989b)

Zambia: Lake Bangweulu region (Thomasson, 1960; De Ridder, 1981)

L. mucronata Harring & Myers, 1926
 (map 46)

Canada: Ontario (Chengalath & Mulamootttil, 1974); Park Mont Tremblant (Nogrady, 1980); Cape Breton island (Chengalath & Koste, 1988)

U.S.A.: Maine, New Jersey, Wisconsin (Harring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)

L. myersi Segers, 1993
 (map 47)

Brazil: lower Rio Nhamundá (sub. *L. ornata*. Brandorff *et al.*, 1982)

China: Zhejiang Province (sub. *L. ornata*. Wang, 1961)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

U.S.A.: New Jersey (sub *M. ornata*. Harring & Myers, 1926)

Venezuela: Rio Churun (sub. *Lecane* sp. Zoppi de Roa *et al.*, 1990)

L. nana (Murray, 1913)

Argentina: North East Provinces (José de Paggi, 1989)

Bolivia : Lake Titicaca (Murray, 1913a)

Canada: Ontario (Chengalath & Mulamootttil, 1974)

Comoro Islands (Segers, 1992)

Easter Island (Segers & Dumont, 1993a)

Finland: Tvärminne archipelago (Björklund, 1972)

Hungaria: Belső Tó, Tihany (Varga, 1937)

- Germany:** Oldesloe, Holstein (Hauer, 1925); Sachsen-Anhalt (Althaus, 1957)
- Iceland:** (De Ridder, 1972)
- India:** Ajwa reservoir, near Baroda, Gujarat (sub. *L. sola*. Wulfert, 1966); West Bengal (Sharma, 1978a)
- Italy:** Sardegna (sub. *L. paxiana*. Braioni & Gelmini, 1983)
- Japan:** Southwestern Islands around Okinawa (Suzuki, 1992b)
- Latvia:** (Kutikova, 1959)
- Madagascar:** (Segers, 1992)
- Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)
- Oman:** Jabal Al Akhdar region, Dhofar region (Segers & Dumont, 1993b)
- Panama:** (Harring & Myers, 1926)
- Papua New Guinea:** East Sepik, Madang Provinces (Segers & De Meester, 1994)
- Romania:** (Rudescu, 1960)
- Russian Federation:** Donetz River near Zmiev (Fadeev, 1927); Moskow region (Bogoslovski, 1935); Ural mountains, Perm region (Oparina-Charitonova, 1928); Caucasus region (Tarnogradski, 1961b)
- Saudi Arabia:** North-East part (Segers & Dumont, 1993b)
- Seychelles:** (Maas *et al.*, 1995)
- Spain:** Minorca (De Manuel, 1990b); Formentera (De Manuel, 1994)
- Thailand:** North-East part (Sanoamuang *et al.*, 1995)
- Turkey:** Central Anatolia (Segers *et al.*, 1992)
- U.S.A.:** D.C., Florida, Maine, New Jersey, Wisconsin (Harring & Myers, 1926)
- Yemen:** North (Segers & Dumont, 1993b)
- Yugoslavia:** Danube river (Živković, 1987)
- Zambia:** Lake Bangweulu, Luapula regions (De Ridder, 1981)

L. nelsoni Segers, 1994

- Brazil:** Boa Vista region, Roraima (Segers, 1994a; Segers & Sarma, 1994)
- ?**Nigeria:** River Niger floodplain (sub. *Lecane* sp. Segers *et al.*, 1993a; Segers, 1994a)

L. nigeriensis Segers, 1993

- Nigeria:** River Niger floodplain (Segers, 1993; Segers *et al.*, 1993a)

L. niotthis Harring & Myers, 1926

- China:** Zhejiang Province (Wang, 1961)
- U.S.A.:** Maine (Harring & Myers, 1926)

L. nwadiaroii Segers, 1993

- Nigeria:** River Niger floodplain (Segers, 1993; Segers *et al.*, 1993a)

L. obtusa (Murray, 1913)**Caribbean Islands** (De Ridder, 1977)**Brazil:** Rio de Janeiro (Murray, 1913a); Boa Vista region, Roraima (Segers & Sarma, 1994)**India:** West Bengal (Sharma, 1979)**Indonesia:** Sumatra, Java (Hauer, 1937; 1938)**Jamaica** (Koste *et al.*, 1993)**Madagascar** (Segers, 1992)**Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)**Oman:** Dhofar region (Segers & Dumont, 1993b)**Panama** (Harring & Myers, 1926)**Papua New Guinea:** East Sepik Province (Segers & De Meester, 1994)**Philippines** (sub. *L. perpusilla*. Mamaril & Fernando, 1978)**Russian Federation:** Ural mountains, Perm region (Oparina-Charitonova, 1928)**Spain:** Albufera de Valencia (Wiszniewski, 1932a)**Sri Lanka** (Chengalath & Fernando, 1973)**Thailand:** North-East part (Sanoamuang *et al.*, 1995)**U.S.A.:** Louisiana, Maine, Massachusetts (incl. *M. vastita*. Herring & Myers, 1926)**Yemen:** North (Segers & Dumont, 1993b)**Zambia:** Lake Bangweulu (sub. *M. pygmaea*. Thomasson, 1960; Wulfert, 1965)*L. opias* (Harring & Myers, 1926)**Germany:** Würzburg, Bayern (Hauer, 1958a); near Bersenbrück, Niedersachsen (Koste, 1962)**Iceland** (De Ridder, 1969)**Poland:** Białowieża forest (Pawłowski, 1938)**Romania** (Rudescu, 1960)**Russian Federation:** Kharkov region (Fadeev, 1927)**U.S.A.:** D.C., Wisconsin (Harring & Myers, 1926)*L. ordwayi* Bienert, 1986**U.S.A.:** Ross Lake, Florida (Bienert, 1986)*L. palinacis* Herring & Myers, 1926**Galàpagos Archipelago** (Segers, 1991)**U.S.A.:** Massachusetts, Washington D.C. (Harring & Myers, 1926)*L. papuana* (Murray, 1913)
(map 48)**Brazil:** Amazonas (Koste, 1972); Suape Laguna, Pernambuco (Neumann-Leitão, 1990)**Caribbean Islands** (De Ridder, 1977)**China:** Sichuan Province (Wang, 1961)**Comoro Islands** (Segers, 1992)

- Guatemala:** Puerto Barrios (Harring & Myers, 1926)
- India:** Madras (Pasha, 1961); Yamuna river (sub. *L. yamunensis*. Novotná-Dvořáková, 1963); Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966); Andhra Pradesh (Dhanapathi, 1976a); West Bengal (Sharma, 1978a)
- Japan:** Southwestern Islands around Okinawa (Sudzuki, 1992b)
- Kenya:** Ahero (Segers *et al.*, 1994a)
- Korea, South:** (Chung *et al.*, 1991)
- Madagascar:** (Segers, 1992)
- Mauretania:** Adrar mountains (Coussement & Dumont, 1980)
- Moldavia:** (incl. *L. luna* var. *presumpta*. Naberezhniyi & Irmashewa, 1975)
- Morocco:** Cavagnac reservoir (Coussement & Dumont, 1980)
- Nicaragua:** (Moreno *et al.*, 1992)
- Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)
- Panama:** (Harring & Myers, 1926)
- Papua New Guinea:** East Sepik, Madang Provinces (Segers & De Meester, 1994)
- Philippines:** (Mamaril & Fernando, 1978)
- Romania:** (sub. *L. luna* var. *presumpta*. Godenau, 1961b)
- Russian Federation:** Northern Caucasus (Tarnogradski, 1930); Caucasus region (Tarnogradski, 1961b)
- Spain:** Albufera de Valencia (Wiszniewski, 1932a)
- Sri Lanka:** (Chengalath & Fernando, 1973)
- Taiwan:** (Sudzuki, 1991a)
- Thailand:** Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)
- Turkey:** Central Anatolia (Segers *et al.*, 1992)
- U.S.A.:** Florida (Harring & Myers, 1926), North Carolina (sub. *L. luna* var. *presumpta*. Ahlstrom, 1938)
- Venezuela:** Lago de Valencia (Infante, 1980)
- Yemen:** North (Segers & Dumont, 1993b)
- Zaire:** Lubumbashi region (incl. *L. luna* var. *presumpta*. De Ridder, 1981)
- Zimbabwe:** Lake Kariba (Thomasson, 1965)

***L. paradoxa* (Steinecke, 1916)**
 (map 49)

- France:** Camargue (sub. *L. hoffmanni*. De Ridder, 1960; 1961b)
- Germany:** 'Westpreußen' (sub. *M. lunaris* f. *paradoxa*. Steinecke, 1916)
- Japan:** Ozegahara (sub. *L. ozensis*. Yamamoto, 1953a)
- Romania:** Lake Agigea (Rodewald-Rudescu & Godenau, 1961)
- Saudi Arabia:** North-East part (Segers & Dumont, 1993b)

***L. pawlowskii* Wulfert, 1966**

- India:** Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966); West Bengal (Sharma, 1978a)

L. paxiana Hauer, 1940**Czechia:** Elbe region (Dvorakova, 1960b)**Germany:** Bad Wilstein, thermal spring (Hauer, 1940; Pax & Wulfert, 1941)**Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)*L. pelatis* Harring & Myers, 1926**U.S.A.:** Maine, New Jersey, Wisconsin (Harring & Myers, 1926)*L. perpusilla* (Hauer, 1929)**Austria:** Sengsengebirges (Jersabek & Schabetsberger, 1992b)**Germany:** near Freiberg (Hauer, 1929)**U.S.A.:** Northeastern Pennsylvania (sub. *L. brevita*. Myers, 1942)**Russian Federation:** Northern Caucasus (Tarnogradski, 1930)**Tanzania:** Mount Kilimanjaro (De Smet & Bafort, 1990b)*L. pertica* Harring & Myers, 1926**Brazil:** Lake Jurucui, Tapajoz (sub. *Lecane* sp. Gillard, 1967); Amazonas (Koste, 1972); Boa Vista region, Roraima (Segers & Sarma, 1994)**India:** Megalaya, Northeast region (Sharma, 1987)**Indonesia:** Sumatra (Hauer, 1937; 1938)**Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)**U.S.A.:** Florida, Maine, New Jersey, Wisconsin (Harring & Myers, 1926)**Venezuela:** Rio Churun (Zoppi de Roa *et al.*, 1990)*L. pideis* (Harring & Myers, 1926)**U.S.A.:** Maine (Harring & Myers, 1926)*L. proiecta* Hauer, 1956**Brazil:** Lake Maica, Amazonas (Gillard, 1967; Thomasson, 1971); Itugui, Lago rotundo, Lago Tefé, Amazonas (Hauer, 1965b); Maranhão state (Reid & Turner, 1988)**Venezuela:** Orinocco Laguna Barrancas (Hauer, 1956)*L. psammophila* (Wiszniewski, 1932)**Germany:** Plöner See, Plön (Wiszniewski, 1934)**Poland:** Lake Wigry (Wiszniewski, 1932b); Lakes in the Suwalki region (Wiszniewski, 1934)**Romania** (Rudescu, 1960)

L. pumila (Rousselet, 1906)
 (map 50)

- France:** 'Pyr. Orient.' (Segers, 1995)
Germany: Lake Garren, Holstein (Hauer, 1936a)
Indonesia: Sumatra, Java (Hauer, 1937; 1938)
Romania (Rudescu, 1960)
Tanzania: Mount Kilimanjaro (De Smet & Bafort, 1990b)
Tasmania (Koste & Shiel, 1986)
U.K.: Scotland (Rousselet *in* Murray, 1906)

L. punctata (Murray, 1913)

- Argentina:** North East Provinces (José de Paggi, 1989)
Brazil: Rio de Janeiro (Murray, 1913a; incl. *L. harringi*. Turner, 1990)
Caribbean Islands (sub. *L. harringi*. De Ridder, 1977)
Egypt: Lake Etiku (sub. *L. harringi*. Hauer, 1963)
France: Camargue (sub. *L. aguessei*. De Ridder, 1960; 1961b)
India: Ajwa reservoir, near Baroda, Gujarat (sub. *L. harringi*. Wulfert, 1966)
Iraq: Shat-el-Arab region (sub. *M. ovata*. Voronkov, 1907)
Oman: Dhofar region (Segers & Dumont, 1993b)
Russian Federation: Caucasus region (Tarnogradski, 1961b)
Saudi Arabia: North-East part (Segers & Dumont, 1993b)
Spain: Albufera de Valencia (Wiszniewski, 1932a); Minorca (De Manuel, 1990b); Ibiza (De Manuel, 1994)
Turkey: Central Anatolia (Segers *et al.*, 1992)
U.S.A.: New Jersey (Harring & Myers, 1926); Florida (sub. *L. harringi*. Ahlstrom, 1934; Turner, 1990)
Venezuela: Laguna Taiguaiguai. (sub. *L. harringi*. Hauer, 1956)
Yemen: North (Segers & Dumont, 1993b)
Zaire: Bas-Zaire (De Smet, 1989b)

L. pusilla Harring, 1914

- Brazil:** Broa reservoir, São Paulo (Segers & Dumont, 1995)
Ecuador: 'Costa' (Koste & Böttger, 1992)
India: West Bengal (Sharma, 1978a)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Panama (Harring, 1914)
Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)
Sri Lanka (Chengalath & Fernando, 1973)
Thailand: North-East part (Sanoamuang *et al.*, 1995)
Yugoslavia: Danube river (Živković, 1987)
Zaire: Bas-Zaire (De Smet, 1989b)

L. pustulosa Myers, 1938

U.S.A.: New Jersey (Myers, 1938)

L. pyriformis (Daday, 1905)

Austria: Donau region (Donner, 1978)

Bahamas Islands: New Providence (Segers *et al.*, 1995)

Belgium: Gent (Segers *et al.*, 1991)

Brazil: Rio de Janeiro (sub. *M. truncata*. Murray, 1913a); Rio Cururú (Koste, 1972); near Santarém (Koste, 1974); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Cameroon: western part (Chiambeng *et al.*, 1991)

Canada: Ontario (Chengalath & Mulamoottil, 1974)

China: Sichuan Province (Wang, 1961)

Comoro Islands (Segers, 1992)

Easter Island (Segers & Dumont, 1993a)

Germany: near Karlsruhe (Hauer, 1929); Near Ludwigsburg, Baden-Württemberg (Klement, 1959)

India: West Bengal (Sharma, 1978a)

Jamaica (Koste *et al.*, 1991)

Japan: Mount Fuji (Sudzuki, 1978)

Korea, South (Chung *et al.*, 1991)

Madagascar (Bérziņš, 1982b)

Myanmar: Kinda reservoir (Koste & Tobias, 1990)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Oman: Dhofar region (Segers & Dumont, 1993b)

Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)

Philippines (Mamaril & Fernando, 1978)

Romania (Rudescu, 1960)

Russian Federation: Moskow region (Segers, 1994b)

Saudi Arabia: North-East part (Segers & Dumont, 1993b)

Senegal (Bérziņš, 1959)

Singapore (sub. *M. paraclosterocerca*. Sudzuki, 1991a)

Sri Lanka (Chengalath *et al.*, 1974)

Spain: Minorca (De Manuel, 1990b; De Manuel, 1994)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

Turkey: Central Anatolia (Segers *et al.*, 1992)

U.S.A.: 'not rare' (Harring & Myers, 1926); Maine (sub. *L. pomiformis*. Edmondson, 1938); N-Wisconsin (sub. *L. paraclosterocerca*. Pennak, 1939); Kentucky (sub. *L. paraclosterocerca*. Bérziņš, 1984)

Yemen: North (Segers & Dumont, 1993b)

Yugoslavia: Danube river (Živković, 1987)

Zambia: Luangwa river region (De Ridder, 1981)

L. pyrrha Herring & Myers, 1926
 (map 51)

Canada: Park Mont Tremblant (Nogrady, 1980); Cape Breton island (Chengalath & Koste, 1988)

U.S.A.: Florida (Ahlstrom, 1934); Maine, New Jersey, Wisconsin (Herring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)

L. quadridentata (Ehrenberg, 1832)

Argentina: Buenos Aires (Olivier, 1965)

Australia: Victoria (Bērziņš, 1982a)

Bahamas Islands: Grand Bahamas (Segers *et al.*, 1995)

Brazil: Rio de Janeiro (Murray, 1913a); Suape Laguna, Pernambuco (Neumann-Leitão, 1990); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Canada: Ontario (Chengalath & Mulamoottil, 1974)

China: Manchuria (Hada, 1938); Zhejiang Province (Wang, 1961)

Germany: Sachsen-Anhalt (Althaus, 1957)

Hungaria: Lake Péteri (Kertész, 1960)

India: West Bengal (Sharma, 1978a); Gwalior, Madhya Pradesh (Saksena & Kulkarni, 1986)

Indonesia: Borneo (Koste, 1988a)

Italy: (Braioni & Gelmini, 1983)

Japan: Southwestern Islands around Okinawa (Sudzuki, 1992b)

Korea, South (Song & Kim, 1989; Chung *et al.*, 1991)

the Netherlands: Oisterwijkse vennen (de Graaf, 1960)

Nepal: (Daems & Dumont, 1974)

Nigeria: River Sokoto (Green, 1960); River Niger floodplain (Segers *et al.*, 1993a)

Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)

Peru: Ucayali dept., Amazon region (Samanez, 1988)

Philippines: (Mamaril & Fernando, 1978)

Romania: (Rudescu, 1960)

Russian Federation: Caucasus region (Tarnogradski, 1961b); Moskow region (Segers, 1994b)

Spain: Los Marismas (De Ridder, 1962); Minorca (De Manuel, 1990b); Majorca (De Manuel, 1994)

Sri Lanka: (Chengalath & Fernando, 1973)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

Turkey: Akgöl, Selçuk- İzmir (Ustaoğlu & Balık, 1987); Central Anatolia (Segers *et al.*, 1992)

U.S.A.: Lake Erie, South Bass Island (Jennings, 1900); 'one of the commonest rotifers in ... the United States' (Herring & Myers, 1926); Oklahoma (Taft, 1932); Laurentian Great Lakes (Stemberger, 1979)

Yugoslavia: Danube river (Živković, 1987)

Zaïre: Ruki river near Eala (sub. *M. sexidentata*. Van Oye, 1926); Lake Tanganyika (Gillard, 1957); Lubumbashi region (De Ridder, 1981); Bas-Zaïre (De Smet, 1990)

Zimbabwe: Lake Kariba (Thomasson, 1965)

L. remanei Hauer, 1964

Brazil: near Manaus, Amazonas (Hauer, 1964; 1965b); Lago Jurucui, Amazonas (Thomasson, 1971)

L. rhacois Harring & Myers, 1926

U.S.A.: Washington D.C., Wisconsin (Harring & Myers, 1926)

L. rhenana Hauer, 1929

Brazil: Boa Vista region, Roraima (Segers & Sarma, 1994)

Germany: near Karlsruhe-Daxlanden (Hauer, 1929)

Indonesia: Borneo (Koste, 1988a)

Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994; Sanoamuang *et al.*, 1995)

L. rhopalura (Harring & Myers, 1926)
(map 52)

Bolivia: Kothia Lake, near La Paz (Segers *et al.*, 1994b)

Canada: Cape Breton island (Chengalath & Koste, 1988)

Russian Federation: Lake Baikal (sub. *L. aspersa*. Kutikova & Arov, 1985)

U.S.A.: Maine, Michigan, New Jersey, Wisconsin, Lake Erie (Harring & Myers, 1926);
?Laurentian Great Lakes (sub. *M. lunaris* Stemberger, 1979)

L. rhytida Harring & Myers, 1926

Argentina: Rio Paraná, Resistencia region (Martinez & Jqsé de Paggi, 1988)

Brazil: Ilha de Marchantaria, Amazonas (Koste & Robertson, 1983)

Madagascar (sub. *L. lauterborni*. Bērziņš, 1982b)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)

U.S.A.: Maine, New Jersey (Harring & Myers, 1926)

L. robertsonae Segers, 1993

Brazil: Ilha de Marchantaria, Amazonas (sub. *L. aspasia amazonica*. Koste & Robertson, 1983)

L. rudescri Hauer, 1965

Brazil: Tarumaõ (Hauer, 1965b); Ilha de Marchantaria, Amazonas (Koste *et al.*, 1984)

L. rugosa (Harring, 1914)**Panama** (Harring, 1914)*L. ruttneri* Hauer, 1938
(map 53)**Brazil:** Amazonas (Koste, 1972); Boa Vista region, Roraima (Segers & Sarma, 1994)**India:** Kerala State (Segers *et al.*, 1994c)**Indonesia:** Sumatra (Hauer, 1937; 1938)**Madagascar** (Segers, 1992)**Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)**Oman:** Dhofar region (Segers & Dumont, 1993b)**Thailand:** North-East part (Sanoamuang *et al.*, 1995)*L. sagula* Harring & Myers, 1926**U.S.A.:** Maine, Wisconsin (Harring & Myers, 1926)**Venezuela:** Rio Churun (Zoppi de Roa *et al.*, 1990)*L. satyrus* Harring & Myers, 1926
(map 54)**Canada:** Park Mont Tremblant (Nogrady, 1980); Cape Breton island (Chengalath & Koste, 1988)**Japan:** Nagano Prefecture (Yamamoto, 1960)**U.S.A.:** Florida, Maine, Maryland, New Jersey, Wisconsin (Harring & Myers, 1926)*L. schraederi* Wulfert, 1966**India:** Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966)*L. scutata* (Harring & Myers, 1926)
(map 55)**Austria:** Donau region (sub. *L. furcata*. Donner, 1978)**Germany:** near Freiburg i. B., Schwarzwald region (Hauer, 1931); near Plön (Wiszniewski, 1934)**Hungary:** Budapest (sub. *M. stroeszneri*. Török, 1935); Lake Balaton (Varga, 1957)**India:** West Bengal (Sharma, 1979)**Korea, North** (sub. *M. furcata*. Yamamoto, 1953b)**Poland:** Lakes in Suwalski region (Wiszniewski, 1934); River Grabi basin (Pawłowski, 1958)**Romania** (Rudescu, 1960)**Russian Federation:** Ural mountains, Perm region (sub. *M. copeis*. Oparina-Charitonova, 1928)

Sweden: Lappland (sub. *L. perplexa*. Pejler, 1962)

U.S.A.: Wisconsin (Harring & Myers, 1926); Laurentian Great Lakes (sub. *M. copeis*. Stemberger, 1979)

Yugoslavia: Danube river (Živković, 1987)

L. serrata Hauer, 1933
(map 56)

Indonesia: Java (Thienemann, 1933; Hauer, 1937; 1938); Borneo (Koste, 1988a)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)

L. shielii Segers & Sanoamuang, 1994

Thailand: Sakon Nakhon province (Segers & Sanoamuang, 1994)

L. signifera (Jennings, 1896)

Argentina: Rio Paraná, Resistencia region (Martinez & José de Paggi, 1988)

Brazil: Lago Jurucui, Amazonas (sub. *L. ploenensis*, incl. *L. saginata*, *L. lauterborni*.

Thomasson, 1971); Amazonas (sub. *L. levistyla*. Koste, 1972); near Santarém (sub. *L. signifera ploenensis*. Koste, 1974); lower Rio Nhamundá (Brandorff *et al.*, 1982); Boa Vista region, Roraima (Segers & Sarma, 1994); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Canada: Ontario (incl. *L. ploenensis*. Chengalath & Mulamoottil, 1974)

Chili: Villarrica region (sub. *L. aquila*. Hauer, 1958b)

China: Zhejiang Province (Wang, 1961)

Germany: Plön region (sub. *D. ploenensis*. Voigt, 1904); Luckenwalde, Brandenburg (sub. *L. ploenensis*. Wulfert, 1940)

India: West Bengal (sub. *L. ploenensis*. Sharma, 1978a); Megalaya, Northeast region (Sharma, 1987)

Indonesia: Sumatra, Java (sub. *L. ploenensis*. Hauer, 1937; 1938)

Japan: Okinawa (Suzuki, 1991b)

Madagascar (Segers, 1992)

the Netherlands: Oisterwijkse vennen (de Graaf, 1960)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Oman: Dhofar region (Segers & Dumont, 1993b)

Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)

Philippines (Mamaril & Fernando, 1978)

Singapore (sub. *L. signifera glandulosa*. Suzuki, 1991a)

Sri Lanka (sub. *L. ploenensis*. Chengalath & Fernando, 1973)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

U.S.A.: D.C., Florida, Maine, New Jersey, Wisconsin; Abundant ... everywhere in the United States (incl. *L. aquila*, *L. ploenensis*. Harring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)

U.K.: Scotland (sub. *L. ploenensis*. Murray, 1913c)

Yemen: North (Segers & Dumont, 1993b)

Zaïre: Bas-Zaïre (De Smet, 1990)

Zambia: Lake Bangweulu region (De Ridder, 1981)

Zimbabwe: Lake Kariba (sub. *L. ploenensis*. Thomasson, 1965)

L. simonneae Segers, 1993

India: Kerala State (Segers *et al.*, 1994c)

Nigeria: River Niger floodplain (Segers, 1993; Segers *et al.*, 1993a)

L. sola Hauer, 1936

Brazil: Boa Vista region, Roraima (Segers & Sarma, 1994)

India: ?Ajwa reservoir, near Baroda, Gujarat (sub. *L. nana*. Wulfert, 1966); Lake Almati, Madras (Hauer, 1936b)

Indonesia: Borneo (Koste, 1988a)

Myanmar: Kinda reservoir (Koste & Tobias, 1990)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

L. solfatara (Hauer, 1938)

Indonesia: Sumatra (Hauer, 1937; 1938)

L. spiniventris Segers, 1994

Brunei (Segers, 1994a)

L. spinulifera Edmondson, 1935
(map 57)

Bahamas Islands: Grand Bahama (Nogrady, 1983)

Brazil: Rio de Janeiro (Turner, 1990)

Caribbean region: Hispaniola (sub. *M. spinifera*. Edmondson, 1934)

U.S.A.: Everglades National Park, Florida (Nogrady, 1983)

L. stenroosi (Meissner, 1908)

Austria: Thaya River region (Donner, 1954)

Brazil: Rio de Janeiro (sub. *M. bicornis*. Murray, 1913a)

Canada: Ontario (Chengalath & Mulamoottil, 1974)

China: Soochow, Jiangsu (Harring & Myers, 1926); Hubei, Jiangsu Provinces (Wang, 1961)

Czechia: Elbe region (Dvorakova, 1961)

Germany: near Bersenbrück, Niedersachsen (Koste, 1962)

Hungary: Lake Balaton (Varga, 1939)

India: Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966); Andhra Pradesh (Dhanapathi, 1976a); West Bengal (Sharma, 1978a)

Iraq: Shat-el-Arab region (sub. *M. bicornis*, partly. Voronkov, 1907)

Italy (Braioni & Gelmini, 1983)

Japan: Southwestern Islands around Okinawa (incl. *Monostyla* sp. Sudzuki, 1992b)

Korea, South (Chung *et al.*, 1991; Kim *et al.*, 1991)

Madagascar (Segers, 1992)

Moldavia (Naberezhnyi & Irmashova, 1975)

Myanmar: Kinda reservoir (Koste & Tobias, 1990)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

Oman: Dhofar region (Segers & Dumont, 1993b)

Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)

Philippines (Mamaril & Fernando, 1978)

Poland: Silesia (sub. *M. bicornis*. Sachse, 1915); River Grabi basin (Pawłowski, 1958)

Romania (Rudescu, 1960)

Russian Federation: Moskow region (Bogoslovski, 1935; Segers, 1994b); Caucasus region (Tarnogradski, 1961b)

Saudi Arabia: North-East part (Segers & Dumont, 1993b)

Spain: Albufera de Valencia (Wiszniewski, 1932a)

Sri Lanka (Chengalath & Fernando, 1973)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

Turkey: Akgöl, Selçuk- İzmir (sub. *M. cornuta*. Ustaoğlu & Balık, 1987)

U.S.A.: California (Harring & Myers, 1926); Florida (Ahlstrom, 1934)

Venezuela: North East (Lópes, 1993)

Yugoslavia: Danube river (Živković, 1987)

Zaïre: Bas-Zaïre (De Smet, 1989b)

Zambia: Lake Bangweulu (Wulfert, 1965)

L. stephensae (Hutchinson, 1931)

Mozambique: Lake Matsume (Hutchinson, 1931)

L. stichaea Harring, 1913
(map 58)

Austria: Hohen Tauern (Jersabek & Schabetsberger, 1992a)

Argentina: Rio Paraná, Resistencia region (Martinez & José de Paggi, 1988)

Brazil: Lago Maica, Amazonas (sub. *L. methoria*. Thomasson, 1971); Broa reservoir, São Paulo (Segers & Dumont, 1995)

Canada: Yukon Territory, Old Crow river flats (sub. *L. ephestra*. Harring, 1921)

Denmark: Faroér Islands (De Smet *et al.*, 1988)

France: Etang de Pommerau, Loire-et-Cher (Tassigny *et al.*, 1970)

Germany: Schwarzwald region (incl. *L. intrasinuata*. Hauer, 1935b); Luckenwalde, Schneeberg, Brandenburg (sub. *L. intrasinuata*. Wulfert, 1940); Würzburg, Bayern (Hauer, 1958a)

Hungaria: Hoverla mountain (Varga, 1962)

Japan: Honshu (sub. *L. haliclysta*, *L. intrasinuata*. Yamamoto, 1952)

- Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)
Poland: Pabjanice region (sub. *L. saginata*. Pawłowski, 1938)
Romania (incl. *L. intrasinuata*. Rudescu, 1960)
Russian Federation: Kharkov region (sub. *L. muscicola*, *L. methoria*. Fadeev, 1927);
 Caucasus region (sub. *L. methoria*. Tarnogradski, 1961b); Karelian lakes (sub. *L. intrasinuata*.
 Kutikova, 1965)
Sweden: Aneboda region (Carlin, 1939); Lappland (Pejler, 1962)
U.S.A.: D.C. (Harring, 1913); Florida, Maine, Maryland, New Jersey, Wisconsin, Virginia
 (incl. *L. methoria*, *L. saginata*: Harring & Myers, 1926); Laurentian Great Lakes (incl. *L.*
intrasinuata? Stemberger, 1979)
Venezuela: Rio Churun (sub. *Lecane* sp. Zoppi de Roa *et al.*, 1990)

L. stichoclysta Segers, 1993

- Nigeria:** River Niger floodplain (Segers, 1993; Segers *et al.*, 1993a)

L. subtilis Harring & Myers, 1926

- Brazil:** Broa reservoir, São Paulo (Segers & Dumont, 1995)
Germany: Schwarzwald region (Hauer, 1929)
Italy: near Venice, Trentino, Friuli (Braioni & Gelmini, 1983)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Romania (Rudescu, 1960)
Russian Federation: Ural mountains, Perm region (Oparina-Charitonova, 1928); Northern
 Caucasus (Tarnogradski, 1930); Caucasus region (Tarnogradski, 1961b)
U.S.A.: Wisconsin (Harring & Myers, 1926)
Yugoslavia: Danube river (sub. *L. apatinensis*. Živković, 1987)

L. subulata (Harring & Myers, 1926)

- Chili:** Villarica region (Hauer, 1958b)
Germany: Schwarzwald region (Hauer, 1929); Germany: Würzburg, Bayern (Hauer, 1958a);
 Düben, Sachsen-Anhalt (sub. *L. gwileti*. Wulfert, 1960a)
the Netherlands: 'Grote Huisven', Oisterwijk (de Graaf, 1956)
Russian Federation: Northern Caucasus (Tarnogradski, 1930); Karatschaevo, Caucasus region
 (Tarnogradski, 1961a; 1961b)
U.K.: Eppin Forest (Harring & Myers, 1926)
U.S.A.: 'fairly common' (Harring & Myers, 1926)

L. sylviae Segers, 1993

- Nigeria:** River Niger floodplain, Owena river Basin (Segers, 1993; Segers *et al.*, 1993a)

L. symoensi De Ridder, 1981

Zaïre: Lake north of Lubumbashi (De Ridder, 1981)

L. sympoda Hauer, 1929

Germany: near Karlsruhe (Hauer, 1929)

Nigeria: River Niger floodplain (Segers *et al.*, 1993a)

L. syngenes (Hauer, 1938)
(map 59)

Brazil: Amazonas (Koste, 1972)

India: West Bengal (Sharma, 1979)

Indonesia: Sumatra (Hauer, 1937; 1938)

Jamaica (sub. *L. kluchor syngenes*. Koste *et al.*, 1993)

Nigeria: River Niger floodplain (sub. *L. kluchor f. syngenes*. Segers *et al.*, 1993a)

Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)

Sri Lanka (Chengalath *et al.*, 1974)

L. tabida Herring & Myers, 1926

Sierra Leone: Lake Sonfon (Green, 1979)

U.S.A.: Maine (Herring & Myers, 1926)

L. tabulifera Edmondson, 1936

U.S.A.: Maine (Edmondson, 1936)

L. tenua Myers, 1936

U.S.A.: New Jersey (Myers, 1936a)

L. tenuiseta Herring, 1914

Australia: Victoria (Bērziņš, 1982a)

Austria: Sengsengebirges (Jersabek & Schabetsberger, 1992b)

Belgium: Lake Donk (Coussement, 1977)

Cameroon: western part (Chiambeng *et al.*, 1991)

Caribbean Islands (De Ridder, 1977)

China: Zhejiang Province (Wang, 1961)

Easter Island (Segers & Dumont, 1993a)

Germany: Lake Stechlin (Koch-Althaus, 1963)

Italy: near Venice (Braioni & Gelmini, 1983)

- Japan:** Southwestern Islands around Okinawa (sub. *Lecane* sp. Sudzuki, 1992b)
- Korea, South (Chung et al., 1991)**
- Nigeria:** River Niger floodplain (Segers et al., 1993a)
- Oman:** Jabal Al Akhdar region, Dhofar region (Segers & Dumont, 1993b)
- Panama (Harring, 1914)**
- Romania (Rudescu, 1960)**
- Russian Federation:** Tambov region (sub. *L. aeganea*. Fadeev, 1924); Ural mountains, Perm region (sub. *L. aeganea*. Oparina-Charitonova, 1928); Caucasus region (incl. *L. aeganea*, f. *punctata*. Tarnogradski, 1961b)
- Saudi Arabia:** North-East part (Segers & Dumont, 1993b)
- Spain:** Minorca (De Manuel, 1994)
- Sweden:** Skåne, Närke, Kalarna (sub. *L. punctata*. Carlin-Nilsson, 1934); Aneboda region (Carlin, 1939)
- Thailand:** North-East part (Sanoamuang et al., 1995)
- Ukraine:** Kharkov region (sub. *L. aeganea*. Fadeev, 1924)
- U.S.A.: common ... all over the United States (Harring & Myers, 1926)**
- Yemen:** North (Segers & Dumont, 1993b)
- Yugoslavia:** Danube river (Živković, 1987)
- Zambia:** Luapula region (De Ridder, 1981)
- Zaire:** Lake Tanganyika (sub. *Lecane* sp. Gillard, 1957)

***L. thailandensis* Segers & Sanoamuang, 1994**

- China:** Zhejiang Province (Wang, 1961)
- Thailand:** Sakon Nakhon province (Segers & Sanoamuang, 1994)

***L. thalera* (Harring & Myers, 1926)**
(map 60)

- Argentina:** North East Provinces (José de Paggi, 1989)
- Egypt:** Lake Edku (Hauer, 1963)
- France:** Camargue (De Ridder, 1960; 1961b)
- India:** Lake Sholavaram, Madras (sub. *M. conspicua*. Hauer, 1936b); Rajasthan (sub. *M. paradeciopiens*. Nayar, 1968); West Bengal (Sharma, 1978a); Delhi region (sub. *L. lamellata thalera*. Sarma, 1988)
- Iraq:** Shat-el-Arab region (sub. *M. hamata*. Voronkov, 1907)
- Mexico:** San Cristobal (Harring & Myers, 1926)
- Oman:** Dhofar region (sub. *L. lamellata*. Segers & Dumont, 1993b)
- Philippines (sub. *L. lunaris*. Mamaril & Fernando, 1978)**
- Romania:** Black See Coast (Rodewald, 1940; Rudescu, 1960)
- Spain:** Albufera de Valencia (Wiszniewski, 1932a)
- Thailand:** North-East part (Sanoamuang et al., 1995)
- U.A.E. (sub. *L. lamellata*. Segers & Dumont, 1993b)**
- U.S.A.: California (Harring & Myers, 1926), Florida (Ahlstrom, 1934)**
- Venezuela:** lake Valencia, Laguna Taiguaguai (Hauer, 1956)
- Yemen:** North (sub. *L. lamellata*. Segers & Dumont, 1993b)

L. thienemanni (Hauer, 1938)
 (map 61)

- China:** Zhejiang Province (Wang, 1961)
India: Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966); West Bengal (Sharma, 1979)
Indonesia: Sumatra, Java (Hauer, 1937; 1938); Borneo (Koste, 1988a)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Papua New Guinea: East Sepik Province (Segers & De Meester, 1994)
Philippines: Mamaril & Fernando, 1978
Venezuela: Rio Yaracuy, Urama (sub. *M. hamata* var. *thienemanni*. Zoppi de Roa *et al.*, 1994)

L. tryphema Harring & Myers, 1926

- Austria:** Hohen Tauern (Jersabek & Schabetsberger, 1992a)
Germany: Schwarzwald region (Hauer, 1929)
the Netherlands: 'Grote Huisven', Oisterwijk (de Graaf, 1956)
Romania: (Rudescu, 1960)
U.S.A.: Maine, New Jersey, Wisconsin (Harring & Myers, 1926)

L. uenoi Yamamoto, 1951

- Brazil:** near Santarém (sub. *L. rugosa*. Koste, 1974); São Paulo, Roraima (Segers *et al.*, 1993b); Broa reservoir, São Paulo (Segers & Dumont, 1995)
Japan: Kyoto Prefecture (Yamamoto, 1951)

L. undulata Hauer, 1938

- Canada:** Ontario (sub. *L. sympoda*. Chengalath & Mulamoottil, 1974)
Galápagos Archipelago (sub. *L. inopinata* f. *sympoda*. De Smet, 1989a)
India: Ajwa reservoir, near Baroda, Gujarat (sub. *L. sympoda*, partly. Wulfert, 1966)
Indonesia: Java (Hauer, 1937; 1938)
Madagascar (Segers, 1992)
Myanmar: Kinda reservoir (sub. *L. inopinata undulata*. Koste & Tobias, 1990)
Nigeria: River Niger floodplain (Segers *et al.*, 1993a)
Oman: Dhofar region (Segers & Dumont, 1993b)
Papua New Guinea: East Sepik, Madang Provinces (Segers & De Meester, 1994)
Philippines: Mamaril & Fernando, 1978
Russian Federation: Caucasus region (sub. *L. sympoda*. Tarnogradski, 1961b)
Thailand: North-East part (Sanoamuang *et al.*, 1995)
Yugoslavia: Danube river (sub. *L. sympoda*. Živković, 1987)
Zaire: Lake Tanganyika (Gillard, 1957); Lake Mweru, Kilwa (De Ridder, 1981)

L. unguitata (Fadeev, 1925)
 (map 62)

- Australia:** Cape York, Queensland (Shiel & Koste, 1985)
- China:** Zhejiang Province (Wang, 1961)
- India:** Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966); West Bengal (Sharma, 1978a)
- Indonesia:** Borneo (Koste, 1988a)
- Iraq:** Shat-el-Arab region (sub. *M. bicornis*, partly. Voronkov, 1907)
- Japan:** Southwestern Islands around Okinawa (sub. *M. cornuta*. Sudzuki, 1992b)
- Madagascar:** (Segers, 1992)
- Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)
- Papua New Guinea:** East Sepik, Madang Provinces (Segers & De Meester, 1994)
- Philippines:** (Mamaril & Fernando, 1978)
- Russian Federation:** Krasnodarsk (Fadeev, 1925)
- Sri Lanka:** (Chengalath & Fernando, 1973)
- Thailand:** North-East part (Sanoamuang *et al.*, 1995)
- Zimbabwe:** Lake Kariba (sub. *L. cornuta*. Thomasson, 1965)

L. unguilata (Gosse, 1887)

- Argentina:** Santa Fe province (José de Paggi & Koste, 1988); Rio Paraná, Resistencia region (Martinez & José de Paggi, 1988)
- Australia:** Alexandra, Victoria (sub. *L. unguilata var. australiensis*. Koste, 1979)
- Brazil:** Broa reservoir, São Paulo (Segers & Dumont, 1995)
- Canada:** Ontario (Chengalath & Mulamoottil, 1974); Québec (Nogrady, 1976)
- Caribbean Islands:** (De Ridder, 1977)
- Chad:** Lake Chad (Pourriot, 1968)
- China:** Zhejiang, Hubei Provinces (incl. *L. sibina*. Wang, 1961)
- France:** Camargue (De Ridder, 1960; 1961b)
- Germany:** Luckenwalde, Brandenburg (sub. *L. magna*. Wulfert, 1940); near Bersenbrück, Niedersachsen (Koste, 1962); Lake Stechlin (Koch-Althaus, 1963)
- India:** Ajwa reservoir, near Baroda, Gujarat (Wulfert, 1966); Andhra Pradesh (incl. *L. donnerianus*. Dhanapathi, 1976a); West Bengal (Sharma, 1978a)
- Italy:** near Venice (Braioni & Gelmini, 1983)
- Kenya:** Sango (Segers *et al.*, 1994a)
- Korea, South:** (Song & Kim, 1989)
- Madagascar:** (sub. *L. fracida*. Bērziņš, 1982b; Segers, 1992)
- Moldavia:** (Naberezhniyi & Irmashova, 1975)
- Nigeria:** River Niger floodplain (Segers *et al.*, 1993a)
- Papua New Guinea:** East Sepik Province (Segers & De Meester, 1994)
- Philippines:** (Mamaril & Fernando, 1978)
- Poland:** Silesia (sub. *C. minnesotensis*. Sachse, 1915); River Grabi basin (Pawlowski, 1958)
- Romania:** (Rudescu, 1960)
- Russian Federation:** Caucasus region (Tarnogradski, 1961b); Moskow region (Segers, 1994b)
- Saudi Arabia:** North-East part (Segers & Dumont, 1993b)
- Singapore:** (Sudzuki, 1991a)
- Spain:** Los Marismas (De Ridder, 1962)

Sri Lanka (Chengalath & Fernando, 1973)

Sweden: Lappland (Pejler, 1962)

Thailand: North-East part (Sanoamuang *et al.*, 1995)

U.S.A.: Lake Erie, South Bass Island, Ohio (Jennings, 1900); Florida (sub. *L. sverigis*. Ahlstrom, 1934); very common and widely distributed (Harring & Myers, 1926); Laurentian Great Lakes (Stemberger, 1979)

Yugoslavia: Danube river (sub. *L. magna*. Živković, 1987)

Zaire: Lake Mweru (Evans, 1949); Lake Tanganyika (Gillard, 1957); Lubumbashi region (De Ridder, 1981); Bas-Zaire (De Smet, 1990)

Zambia: Lake Bangweulu, Luapula regions (De Ridder, 1981)

Zimbabwe (Rousselet, 1906)

L. urna Nogrady, 1962

Hungary: near Budapest (Nogrady, 1962)

L. venusta Harring & Myers, 1926

Italy: near Venice (Braioni & Gelmini, 1983)

U.S.A.: Ottman Lake, Wisconsin (Harring & Myers, 1926)

L. verecunda Harring & Myers, 1926

U.S.A.: Maine, Wisconsin (Harring & Myers, 1926)

L. whitfordi (Ahlstrom, 1938)

Argentina: North East Provinces (sub. *L. obtusa*. José de Paggi, 1989)

U.S.A.: North Carolina (Ahlstrom, 1938)

PART 2. VERIFIED RECORDS OF *LECANE* BY C.R. RUSSELL

Records could be verified by comparison of sketches in C.R. Russell's notebooks. Copies of these were provided by Dr R.J. Shiel. The notebook records are, whenever possible, connected to records in Russell's publications. No drawings of Russell (1947, 1950 and 1952) were present.

New Zealand

- * Canterbury (Russell, 1945): *Monostyla crenata* = *L. lunaris*; (Russell, 1954): *Monostyla arcuata* : one figure unrecognisable, one correct, one *L. closterocerca*; *L. hamata* = *L. closterocerca*
- * Westland (Russell, 1951): *L. pomiformis* = incompletely contracted *L. closterocerca*.
- * West Canterbury (Russell, 1953a): *L. hornemannii*: not recognisable
- * Lake Katrine (Russell, 1953a): *Lecane perplexa* = *L. lunaris*
- * Notornis Valley (Russell, 1954): *Monostyla rugosa* = unrecognisable, not *L. rugosa*.
- * Fiordland district (Russell, 1956c): *L. tenuiseta*: unrecognisable; *L. glypta* f. *nuda* = *L. flexilis*; *Monostyla opias*: unrecognisable, not *L. opias*; *Monostyla styrax* = *L. bulla*.
- * Dunedin and Wellington (Russell, 1957b): *Lecane inopinata* = *L. undulata*; *L. verecunda*: unrecognisable, not *L. verecunda*.
- * Campbell Island (Russell, 1958): *Lecane closterocerca*: correct.
- * Buller (Russell, 1959): *Monostyla pyriformis*: correct

Gilbert Islands (Russell, 1957a)

L. acronycha = *L. curvicornis*; *Monostyla punctata*: correct

New Hebrides (Russell, 1957a)

L. crepida = *L. hastata*; *Monostyla punctata*: correct.

Fiji (Russell, 1957a)

L. luna: correct; *L. pusilla*: unrecognisable, not *L. pusilla*.

Chatham Islands

- * Russell, 1953b: *L. bulla*; *L. eylesi*; *L. gissensis*: non-contracted, unrecognisable specimen; *L. hamata*; *L. hornemannii* = *L. latissima*, *L. lauterborni*: unrecognisable, not *L. lauterborni*; *L. lunaris*; *L. palinacis*: unrecognisable, not *L. palinacis*; *L. styrax* = *L. bulla*; *L. tudicola* = *L. herzigi*.
- * Russell, 1956b: *L. rhacois*: unrecognisable; *L. tenuiseta*: unrecognisable, not *L. tenuiseta*; (*Monostyla bulla*: no drawing); *Monostyla crenata* = *L. lunaris*.

Gold Coast (Ghana: Russell, 1956a)

L. calcaria = *L. inermis*; *L. curvicornis*; *L. leontina*; *L. pyrrha* = *L. signifera*; *L. sibina* = *L. curvicornis*; *L. verecunda* = *L. signifera*; *Monostyla hamata*: unrecognisable; *Monostyla truncata* = *L. arcuata*;

In notes only (unpublished): *L. curvicornis*: one figure unrecognisable, on correct; *Monostyla closterocerca*: correct; *Monostyla decipiens* = *L. hamata*; *L. luna*: correct; *L. papuana*: correct; *Monostyla quadridentata*: correct; *Monostyla styrax* = *L. bulla*.

PART 3. SOME UNPUBLISHED RECORDS OF *LECANE*

The following unpublished records are identified or, at the least, verified by me; most of them concern results of the A.B.O.S. International Training Course: 'Zooplankton: a Tool in Lake Management'. The Australian records were kindly provided by Dr R.J. Shiel.

List of localities

Algeria (leg. & det. B. Samraoui)

1. Several localities in the El Kala wetlands, N.E. Algeria, 28 V 1993 - 12 VII 1993
2. Idem, Guerbes-Senhadja wetlands, N.E. Algeria, 24 V 1993 - 5 VII 1993

Australia (leg. R.J. Shiel)

1. Darling River Anabranch floodplain, National Parks and Wildlife Service, NSW. coll. J. Hillman
2. Lake Angove, South West Australia, 18 II 1993, coll. S. Halse
3. Lake Moates, South West Australia, 18 II 1993, coll. S. Halse
4. Long Spring Swamp, West Australia, 18 II 1993, coll. S. Halse
5. Lake Gregory, North West Australia, 19 VIII 1993, coll. W.D. Williams
6. Ryan's #3 billabong, an ephemeral roadside pool, Bonegilla, Victoria, 15 VII 1994
7. Dune Lake, Cape York Peninsula, Queensland, coll. B.V. Timms
8. Ormiston Gorge, Northern Territory, 22 II 1994, coll. M. Lawton
9. Ellery Big Hole, Northern Territory, 21 II 1994

Belgium

1. Oostkamp, Leiemersen, 15 IV 1991, leg. K. De Kleer
2. Gent, tap water, 5 V 1991
3. Neerpelt, Hageven, 1 June 1992
4. Postel, Ronde Put, 2 June 1992

Brazil

1. 10 Stations in the Paraguai River and its tributaries near Corumba, mato Grosso de Sul, 25-30 VI 1983 (Mitamura *et al.*, 1985). Coll. A.L. de Oliveira-Neto
2. Lago do Prato, Rio Negro, Anavilhas, Amazon State, 17 IV 1992. Coll E.N. dos Santos-Silva
3. Rio Jatapu, close to confluence with Rio Uatumá, Amazon State, 27 III 1987. Coll E.N. dos Santos-Silva
4. Lago Jacundá, Rio Tapajós, Alter do Chão, Pará State. 20 XII 1987. Coll E.N. dos Santos-Silva
5. Ilha de Maraca, Roraima State, 24 IX 1987. Coll E.N. dos Santos-Silva & B. Robertson
6. Pond near Lobo Reservoir, SP, 3 I 1990.
7. Prairie pond on road to Broa, ca 5 km from station SP, 3 I 1990.
8. Bonito pond, Brasilia (Federal district), 1991 (leg. & det. F.L. de Rêgo Monteiro Starling).
9. Formosa pond, Goias State, near Planaltina de Goias, 1991 (leg. & det. F.L. de Rêgo Monteiro Starling).

Burundi

1. Freshwaters in Bujumbura province, 1990 (leg. H.J. Dumont, det. D. Baribwegure)

China

1. Li- river, Yuangshuo SSE of Guilin, Zizhiqiu province, 24°48'N - 110°26'E, 19 VII 1989 (leg. H.J. Dumont)
2. Yuangshuo, rice field. 24°48'N - 110°26'E, 19 VII 1989 (leg. H.J. Dumont)
3. Yuangshuo, pond. 24°48'N - 110°26'E, 20 VII 1989 (leg. H.J. Dumont)
4. Yuangshuo, eutrophic pond. 24°48'N - 110°26'E, 20 VII 1989 (leg. H.J. Dumont)
5. Yuangshuo, pond near cave. 24°48'N - 110°26'E, 20 VII 1989 (leg. H.J. Dumont)
6. Er Hoi lake, near Dali, Yunnan province, 25°39'N - 100°11'E, 23 VII 1989 (leg. H.J. Dumont)
7. Pond near Er Hoi lake, 25°39'N - 100°11'E, 23 VII 1989 (leg. H.J. Dumont)
8. between Dali and Lijang, ditch. 25°50'E - 100°11'E, 24 VII 1989 (leg. H.J. Dumont)
9. between Dali and Lijang, pond. 25°50'E - 100°11'E, 26 VII 1989 (leg. H.J. Dumont)
10. Taihu lake, Jiangsu province. 30°55'-31°33'N, 119°53'-120°36'E, IX 1993 (leg. & det. G. Xiaoming)
11. Lake Wudalianchi, Heilongjiang province, 20 V 1992 (leg. & det. Q. Wang)

Ecuador (leg. H.J. Dumont)

1. Lago de Cuicocha, 29 X 1993
2. Lake Yahuarcocha, 30 X 1993

Egypt (leg. & det. G.M. El Shebrawy Mohammed)

1. Wadi El-Raiyan, El Fayoum
2. River Nile near El Fayoum
3. Abbasa fish farm, El Sharkia
4. Irrigation canal, El Fayoum
5. Fish pond in Shakshouk research station, El Fayoum

Ethiopia (leg. & det. S. Bekelie)

1. Lake Awasa (7°03'N-38°36'E), 6 III 1993
2. Lake Chelelaqua (8°46'N-38°59'E), 14 IX 1994

Finland

1. Onkilampi pond, Joensuu region, IX 1993 (leg. & det. M. Rahkola)
2. Lake Saimaa, VI and VIII 1992 (leg. & det. M. Rahkola)
3. Kangaslampi pond, Kuopio, IX 1993 (leg. & det. K. Hyvönen)

India

1. Lake Kollera, 9 III 1974. leg. Y. Ranga Reddy
2. Temporary pond, near Guntur, 8 I 1980. leg. Y. Ranga Reddy
3. Roadside ditch, Nagamalai, near Madurai, Tamil Nadu, 1991 (leg. & det. G. Murugan)

4. Several localities (\pm 50) in Kerala state, 1991-1992 (leg. & det. F.K. Kakkassery)
5. Several localities in the Delhi region (leg. & det. S.S.S. Sarma, leg. & det N. Iyer)

Indonesia

1. Ponds (freshwater and brackish) in Jepara, Central Java, 25 IX 1992 (leg. & det. A. Erlina)
2. Lake Lido, West Java, 11 XI 1990 (leg. & det. Y. Retnaning-Widyastuti)
3. Taman Ayun, temple pond, Bali, 22 I 1995 (leg. Y. Kobayashi)
4. Lake Buyan, Bali, 22 I 1995 (leg. Y. Kobayashi)

Laos

1. ponds near Vientiane, 8-11 IX 1994 (leg. & det. S. Phanousith)

Malawi (leg. & det. V.E. Mushi)

1. Pool at Salima, 26 VII 1991
2. Senga Bay, Hippo pool, 28 VII 1991
3. Nteheu Mzimba, Pa dam, 31 VII 1991
4. Lithipe river, 31 VII 1991

Malaysia

1. Lake Kenyir, 22 XI 1990 (4°40'N, 102°40'E)(leg. & det. C.H. Peng)

Mexico

1. Lake Chapala, between state of Jalisco and Micoacan, Sept. 1990- Sept. 1991 (leg. & det. R. Rico-Martinez)

New Zealand

1. Roadside pools, between Kumara and Greymouth. 19°C, pH 4.5 (leg. & det. L. Sanoamuang)
2. Travis Swamp, Christchurch, 10 VI 1993 (leg. R.J. Shiel & J.D. Green)
3. Rotootuauru, 7 II 1994, lake on North Island (leg. R.J. Shiel & J.D. Green)
4. Humuhumu Lake, 7 II 1994, North Island (leg. R.J. Shiel & J.D. Green)
5. Horsham Downs Pond, 24 VI 1993, North Island (leg. R.J. Shiel & J.D. Green)
6. stock dam, Cleaseby Hill, 6 II 1994, North Island (leg. R.J. Shiel & J.D. Green)
7. dune lagoon, 7 II 1994, North Island (leg. R.J. Shiel & J.D. Green)
8. Phoebe's lagoon, 7 II 1994, North Island (leg. R.J. Shiel & J.D. Green)

Nicaragua

1. Lake Nicaragua, littoral on Northern shore. Granada, 13 VII 1991

Nigeria

1. Abadaba lake, Imo State (leg. & det. S.N. Umeham)

2. Agbada swamp, Rivers State (leg. & det. S.N. Umeham)
3. Akika lake, Imo State (leg. & det. S.N. Umeham)
4. Nnenmiri lake, Imo State (leg. & det. S.N. Umeham)
5. Umu-Oseriche lake, Imo State (leg. & det. S.N. Umeham)
6. Yenagoa river, Rivers State (leg. & det. S.N. Umeham)
7. Asa lake, Ilorin Kwara State ($4^{\circ}30'E$ - $8^{\circ}26'N$, leg. & det. S.I. Ovie)
8. Shiroro lake, Niger State ($6^{\circ}15'E$ - $9^{\circ}55'N$, leg. & det. S.I. Ovie)
9. Fish pond, Kainji lake region, Niger State (leg. & det. S.I. Ovie)
10. Rivers in Ondo State, 1981-1983 (leg. I.F. Adeniyi, det. A.O. Ayayi)

Peru (leg. & det. M.A. Paliza)

1. Fish pond, near Rio Huallaga, Ahuashiyacu, 1991
2. Yarinacocha lagoon, near Rio Ucayali, 1991
3. Hemimarsh near Rio Madre de Dios, 1991

Philippines

1. Artificial pond in Los Banos, Laguna, Luzon, 28 IX 1990 (leg. & det. S.B. Torralba)
2. Rice research Institute reservoir, Los Banos, Laguna, Luzon, 28 IX 1990 (leg. & det. S.B. Torralba)
3. Swamp at Consolacion, Cebu, 4 I 1991 (leg. & det. S.B. Torralba)
4. Laguna de Bay, Luzon (leg. & det. A.C. Rivera)
5. Bataan, Luzon, IX 1994 (leg. & det. M.V. dela Cruz Camacho)
6. Talisay, Batangas, Luzon, 22 VII 1994 (leg. & det. M.V. dela Cruz Camacho)
7. Ilaguen river, Isabela, Luzon, VI 1994 (leg. & det. M.V. dela Cruz Camacho)

Russia

1. Lake Glubokoe, 31 VII - 8 VIII 1992
2. Pond near lake Glubokoe, Terehovo, 2 VIII 1992
3. Pond near lake Glubokoe, Ordino, 4 VIII 1992
4. Pond near lake Glubokoe, Novo-Gorbovo, 8 VIII 1992
5. Pond near lake Glubokoe, along road to village, left. With *Calla palustris* and *Sphagnum* sp., 8 VIII 1992
7. Pond near Andreevskoe, 10 VIII 1992

Surinam

1. Ponds around Paramaribo, Lake Brokopondo, IX 1994 (leg. & det. A. Haripersad)

Tanzania

1. Ponds in the Usangu plain, 1993 (leg. & det. N.L. Mchome)
2. Zanzibar, IX 1994 (leg. & det. S.M. Yussuf)

Thailand

1. Pratumthanee, near Bangkok (leg. & det. J. Wongsanoon)

Uganda

1. Lake Wamala, 1990-1991 ($0^{\circ}15'$ - $0^{\circ}25'N$, $31^{\circ}45'$ - $32^{\circ}0'E$)(leg. L. Mwebaza-Ndawula, det. D.R. Mbaga)

Vietnam

1. Lakes in Hanoi City, 1993 (leg. & det. L.T. Kim Cuc)

Records

Numbers behind the country name refer to the sample(s) number as listed above.

- L. acanthinula* (Hauer): India 5
- L. aculeata* (Jakubski): Brazil 5, China 7; Ecuador 2; India 4, 5; Nigeria 5, 7
- L. aeganea* Herring & Myers: Brazil 1; India 5
- L. amazonica* (Murray): Brazil 3, 5
- L. arcuata* (Bryce): Belgium 1; Nicaragua 1
- L. arcula* Herring: Brazil 1, 5, 6; Egypt 1; India 4, 5; Nicaragua 1
- L. aspasia* Myers: India 5; Russia 1
- L. bifurca* (Bryce): India 4
- L. braumi* Koste: Nigeria 3, 5
- L. bifastigata* Hauer: India 5
- L. bifurca* (Bryce): Ecuador 2; Russia 1, 5
- L. bulla* (Gosse): Algeria 1, 2; Australia 3, 4, 5, 8, 9; Brazil 1, 2, 3, 4, 5, 6 (incl. f. *styrax*), 7 (f. *styrax*), 8, 9; Burundi 1; China 1, 3, 4, 5, 6, 7, 8, 9, 10, 11; Ecuador 1, 2; Egypt 1, 2, 4; Ethiopia 1; India 1, 2, 4, 5; Indonesia 2, 3, 4; Laos 1; Malawi 1, 3, 4; Malaysia 1; New Zealand 3, 4, 6, 8; Nicaragua 1; Nigeria 5, 7, 10; Philippines 3, 5; Russia 1, 2, 5, 6; Surinam 1; Tanzania 1, 2; Thailand 1; Uganda 1; Vietnam 1
- L. clara* (Bryce): Algeria 1; Brazil 3, 5; Belgium 3; Finland 2; Russia 1
- L. closterocerca* (Schmarda): Algeria 1, 2; Belgium 1, 4; Brazil 1, 2, 5; Burundi 1; China 6, 7, 8, 9, 11; Ecuador 2; Egypt 1; India 4, 5; Indonesia 1; Laos 1; Mexico 1; New Zealand 4, Nigeria 3, 5, 9, 10; Philippines 6; Russia 1, 2, 3, 4, 5, 6; Tanzania 2; Uganda 1
- L. copeis* (Herring & Myers): Brazil 1, 4
- L. cornuta* (Müller): Brazil 1 (incl. f. *rotunda*), 3, 5; Mexico 1; Surinam 1
- L. crepida* Herring: Brazil 1; India 4, 5; Indonesia 3; Philippines 7
- L. curvicornis* Murray: Australia 4, 7; Brazil 1, 2, 6, Burundi 1; Ethiopia 2; India 1, 2, 4, 5; Laos 1; Nicaragua 1; Nigeria 1, 5, 9, 10; Philippines 3; Surinam 1; Tanzania 2; Vietnam 1
- L. decipiens* Murray: Algeria 1; Brazil 1, 2, 5; Nicaragua 1; Philippines 5; Surinam 1
- L. depressa* (Bryce): Finland 1; Russia 5
- L. deridderae* Koste: Brazil 4
- L. dumonti* Segers: Brazil 5
- L. doryssa* Herring: Brazil 1, 5, 6; India 4; Peru 3
- L. elegans* Herring: Brazil 1, 2, 5, 7
- L. elsa* Hauer: Brazil 5; Surinam 1
- L. eswari* Dhanapathi: India 5
- L. eutarsa* Herring & Myers: Brazil 1, 2, 3, 4, 5, 6; Surinam 1
- L. eylesi* Russel: New Zealand 1
- L. flexilis* (Gosse): Brazil 1, 2, 5; Belgium 2; China 9; Indonesia 3; New Zealand 4; Russia 1
- L. furcata* (Murray): Algeria 1; Brazil 2, 3, 5; Burundi 1; China 3 (var. *elachis* & *thetis*), 6, 10; Ecuador 2; India 4, 5; New Zealand 7; Nicaragua 1; Nigeria 3, 5; Philippines 1; Russia 1, 2, 5, 6; Surinam 1
- L. grandis* (Murray): Egypt 1, 5; Indonesia 1
- L. gwileti* (Tarnogradski): Belgium 1

- L. hamata* Stokes: Algeria 1, 2; Belgium 2; Brazil 2, 3, 5; Burundi 1; China 4, 6, 8, 9, 10; Ecuador 2; Egypt 1, 4; India 1, 2, 4, 5; Indonesia 2, 4; Mexico 1; New Zealand 7; Nicaragua 1; Nigeria 3, 5, 7, 10; Philippines 3; Russia 1, 2, 3, 4, 5, 6; Surinam 1; Tanzania 1, 2; Uganda 1
- L. haliclysta* Harring & Myers: Brazil 1, 2, 5; Nicaragua 1
- L. hastata* (Murray): Brazil 1; China 3, 5; India 4, 5; Nigeria 10; Philippines 5
- L. hornemannii* (Ehrenberg): Australia 5; Brazil 2, 6, 7; China 5; India 2, 4, 5; Indonesia 2, 3; New Zealand 3, 4, 8; Nigeria 7; Tanzania 2
- L. inermis* (Bryce): Brazil 1, 5; China 6; Nigeria 7; Philippines 5
- L. inopinata* Harring & Myers: Algeria 1; Brazil 1, 6; India 4, 5; Philippines 2, 7
- L. intrasinguata* (Olofsson): Belgium 2
- L. kutikowa* Koste: Brazil 3
- L. lateralis* Sharma: Burundi 1; China 9; India 1, 2, 5; Nigeria 8
- L. latissima* Yamamoto: New Zealand 1
- L. leontina* (Turner): Brazil 1, 2, 3, 4, 5, 6, 8, 9; China 10; India 1, 2, 4, 5; Indonesia 3; Laos 1; Malawi 2; Nicaragua 1; Nigeria 1, 2, 3, 4, 5, 6, 7; Surinam 1
- L. ludwigii*: Algeria 1; Australia 1, 5; Brazil 1 (incl. f. *ercodes*), 2, 5 (incl. f. *ohioensis*); 6 (incl. near f. *ohioensis*), 7; China 3 (f. *lacinulata*), 4, 6 (incl. f. *laticaudata*), 10; India 4, 5; Nigeria 5, 7; Peru 3 (f. *ohioensis*); Russia 1
- L. luna* (O.F. Müller): Algeria 1, 2; Australia 3, 4, 5; Brazil 1; Burundi 1; China 4, 6, 7, 9, 10; Ecuador 2; Egypt 1, 2, 3, 4; Ethiopia 2; India 1, 2, 4, 5; Indonesia 2, 3; Mexico 1; Malawi 1; New Zealand 3, 4, 6, 8; Nicaragua 1; Nigeria 7, 10; Philippines 7; Russia 1, 3; Surinam 1; Tanzania 2; Thailand 1
- L. lunaris* (Ehrenberg): Algeria 1, 2; Australia 3, 4, 5; Belgium 2 (f. *perplexa*), 3 (incl. f. *crenata*), 4 (f. *constricta*, *crenata*); Brazil 1, 2, 3, 4 (incl. f. *crenata*), 5 (incl. f. *crenata*), 6, 7, 8 (incl. f. *crenata*), 9 (f. *crenata*); Burundi 1; China 6, 7, 8, 9, 10; Ecuador 2; Egypt 3; Finland 1, 3; India 4, 5; Indonesia 2; Mexico 1; New Zealand 1 (incl. f. *crenata*), 2, 4, 5, 7; Nigeria 1, 3, 5, 7, 10; Philippines 7; Russia 1 (incl. f. *perplexa*), 2, 3, 4, 5 (incl. f. *crenata*), 6; Thailand 1
- L. marchantaria* Koste & Robertson: Brazil 1
- L. melini* Thomasson: Brazil 1, 2, 3
- L. mira* (Murray): Belgium 4; Russia 5
- L. monostyla* (Daday): Brazil 1, 2, 3, 5; India 4; Nicaragua 1; Peru 3
- L. myersi* Segers: Brazil 6
- L. nana* (Murray): Algeria 1; Burundi 1; Ecuador 2; Egypt 1, 4; India 5; Nicaragua 1; Russia 2; Surinam 1
- L. obtusa* (Murray): Brazil 1, 4, 5; India 4, 5; Nigeria 7; Surinam 1
- L. opias* (Harring & Myers): Belgium 1
- L. papuana* (Murray): Australia 9; Brazil 1; China 2; Egypt 3, 4; India 1, 2, 3, 4, 5; Indonesia 3; Laos 1; Malawi 1; Nicaragua 1; Nigeria 1, 6, 7; Peru 1, 2, 3; Philippines 1, 3, 4, 5; Surinam 1; Tanzania 1, 2
- L. pertica* Harring & Myers: Brazil 1, 2, 3, 5, 6, 8, 9; India 4
- L. proiecta* Hauer: Brazil 1, 4
- L. punctata* (Murray): India 5
- L. pusilla* Harring: India 4, 5; Russia 1
- L. pyriformis* (Daday): Algeria 1; Brazil 1, 4, 5; India 4, 5; Mexico 1; Nicaragua 1; Nigeria 7, 9; Russia 6; Uganda 1
- L. quadridentata*: Algeria 1, 2; Australia 4, 5; Brazil 1, 3, 5; China 1, 3, 10; India 4, 5; Indonesia 2, 3; Nicaragua 1; Nigeria 5, 10; Peru 3; Philippines 3; Russia 3; Surinam 1

- L. remanei* Hauer: Brazil 3
- L. rhenana* Hauer: Burundi 1
- L. rhopalura* (Harring & Myers): Russia 1
- L. rhytidia* Harring & Myers: Brazil 1, 5, 6; New Zealand 7; Nicaragua 1
- L. robertsonae* Segers: Brazil 1, 5, 6;
- L. rudescrii* Hauer: Brazil 3
- L. rugosa* (Harring): Brazil 6
- L. ruttneri* Hauer: Brazil 5, 6, 7; India 4; Philippines 2
- L. scutata* (Harring & Myers): Russia 1
- L. signifera* (Jennings): Brazil 1, 2, 3, 5, 8, 9; India 4, 5; Indonesia 1, 3; New Zealand 7;
Nicaragua 1; Nigeria 1, 5, 7; Philippines 5, 7; Surinam 1
- L. simonneae* Segers: India 4
- L. sola* Hauer: Brazil 1
- Lecane* sp. near *bulla*: Australia 2
- Lecane* sp. near *elsa*: Burundi 1
- Lecane* sp. near *rhenana*: Australia 1
- L. spinulifera* (Edmondson): Jamaica (Koste, *in litt.*)
- L. stenroosi* (Meissner): Burundi 1; China 6, 8; India 1, 2, 5; Indonesia 4; Philippines 7
- L. stephensae* (Hutchinson): Indonesia 3
- L. stictacea* Harring: Brazil 1, 3, 5, 6; Belgium 3, 4; Finland 1; Nigeria 1, 7; Russia 1, 5
- L. subtilis* Harring & Myers: Brazil 3, 6
- L. subulata* (Harring & Myers): Burundi 1
- L. sylviae* Segers: Nigeria 10
- L. syngenes* Hauer: Brazil 6
- L. tenuiseta* Harring: Algeria 1; Brazil 1; India 4; Russia 1, 4
- L. thalera* (Harring & Myers): India 1, 5; Philippines 2
- L. thienemanni* Hauer: Brazil 1; Philippines 5, 7
- L. tryphema* Harring & Myers: Belgium 3
- L. uenoi* Yamamoto: Brazil 5, 6
- L. undulata* Hauer: Burundi 1; Ecuador 2; India 5; Nigeria 2; Thailand 1
- L. unguitata* (Fadeev): India 1, 2, 4, 5; Nigeria 7, 10; Philippines 5
- L. ungulata* (Gosse): Algeria 1; Australia 6; Brazil 1, 5; Burundi 1; China 10; India 1, 2,
4, 5; Indonesia 4; Malawi 2; Nigeria 1, 2, 3, 5, 6, 9, 10; Philippines 4; Russia 1; Tanzania
2

References

- Abdullaev, C.T., 1989. Novie i redkie vidai kolovratok (Rotifera) iz vodoemov dagestanskoi ASSR. *Zoologiskii Jurnal* 48: 127-129 (in russian).
- Ahlstrom, E.H., 1934. Rotatoria of Florida. *Transactions of the American Microscopic society* 53: 251-266.
- Ahlstrom, E.H., 1938. Plankton Rotatoria from North Carolina. *Journal of the Mitchell Scientific society* 54: 88- 110.
- Althaus, B., 1957. Faunistisch-ökologische Studien an Rotatorien salzhaltiger Gewässer Mitteldeutschlands. *Wissenschaftliches Zeitschrift der Universität Halle, Math.-Nat.* 6: 117-158.
- Arora, H.C., 1965. Studies on Indian Rotifera-Part VI : On a collection of Rotifera from Nagpur, India, with four new species and a new variety. *Hydrobiologia*, 26: 444-456.
- Bergendal, D., 1892. Beiträge zur Fauna Grönlands. I. Zur Rotatorienfauna Grönlands. *Acta Universitatis Lundensis* 28: 180 pp.
- Bērziņš, B., 1943. Systematisch-faunistisches Material über Rotatorien Lettlands. *Folia Zoologica et Hydrobiologica* 12 : 218-244.
- Bērziņš, B., 1954. Zur Rotatorienfauna Siziliens. *Hydrobiologia* 6: 309-320.
- Bērziņš, B., 1957. Beitrag zur Rotatorienfauna Gambiens. *Acta Tropica* 14: 230-235.
- Bērziņš, B., 1959. Rotatorien aus Französisch-Westafrika. *Bulletin de l'Institut français d'Afrique Noir* A21: 921-933.
- Bērziņš, B., 1960. Neue Rotatorienarten aus Madagascar. *Mémoires de l'institut des sciences de Madagascar* 14: 1-6.
- Bērziņš, B., 1961. Rotatoria. Contribution à l'étude de la faune d'Afghanistan. *Kungl. Fysiografiska Sällskapets I Lund Förhandlingar* 31: 5-16.
- Bērziņš, B., 1973. Some Rotifers from Cambodia. *Hydrobiologia* 41: 453-459.
- Bērziņš, B., 1982a. Contribution to the knowledge of Rotatoria of Australia. AV- centralen i Lund, April 1982 24pp., 11 plates.
- Bērziņš, B., 1982b. Zur Kenntnis der Rotatorienfauna von Madagascar. AV- centralen i Lund, April 1982, 24pp., 12 plates.
- Bērziņš, B., 1984. Some rotifers from north America; a reminiscence. Institute of Limnology, University of Lund, 15pp.
- Bienert, R.W., 1986. A new species of *Lecane* (Rotifera : Lecanidae) from subtropical Florida. *Hydrobiologia* 141: 175-177.
- Björklund, B.G., 1972. The rotifer fauna of rock-pools in the Tvärminne archipelago, southern Finland. *Acta Zoologica Fennica* 135: 1-30.
- Bogoslovski, A.S., 1935. [Die rotatorien der Beshezker Gewässer nach den Expeditionsmaterialen der Biol. Station Bolschewo]. *Bull. stat. Biol. Bolchewo* 7-8: 101-123 (in Russian).
- Bogoslovski, A.S., 1958. [Two new rotifer species - *Paradicranophorus verae* sp. n. and *Lecane chankensis* sp. n.] *Zoologiskii Jurnal* 37: 622-624 (in Russian).
- Brain, C.K. & W. Koste, 1993. Rotifers of the genus *Proales* from saline springs in the namib desert, with the description of a new species. *Hydrobiologia* 255/256: 449-454.
- Braioni, M.G. & D. Gelmini, 1983. Rotiferi monogenonti (Rotatoria: Monogenonta). Guidi per il riconoscimento delle specie animali delle acque interne Italiane. Consiglio Nazionale delle ricerche AQ/1/200, 23: 1-180.
- Brandorff, G.-O., W. Koste & N.N. Smirnov, 1982. The composition and structure of rotiferan and crustacean communities of the lower Rio Nhamunda, Amazonas, Brazil. *Studies on Neotropical Fauna and Environment* 17: 69-121.

- Bryce, D., 1891. Remarks on *Distyla*, with descriptions of three new rotifers. *Science gossip* 27: 204-207.
- Bryce, D., 1892. On some moss-dwelling Cathypnidae; with descriptions of five new species. *Science gossip* 28: 271-275.
- Bryce, D., 1924. The Rotifera and Gastrotricha of Devil's and Stump Lakes, North Dakota, U.S.A. *Journal Quekett microscopy Club* 15: 81-108.
- Bryce, D., 1931. Report on the Rotifera: Mr. Omer-Cooper's Investigation of the Abyssinian Fresh Waters (Dr. Hugh Scott Expedition). *Proceedings of the Zoological Society of London* 3: 865-878.
- Carlin, B., 1939. Über die Rotatorien einiger Seen bei Aneboda. *Meddelanden Från Lunds Universitets Limnologiska Institution* 2: 68pp.
- Carlin-Nilsson, B., 1934. Über einige für Schweden neue Rotatorien. *Arkiv fär Zoologi* 26: 1-14.
- Chengalath, R. & C.H. Fernando, 1973. Rotifera from Sri Lanka (Ceylon) I. The genus *Lecane* with descriptions of two new species. *Bulletin of the Fisheries Research Station, Sri lanka (Ceylon)* 24: 13-27.
- Chengalath, R., C.H. Fernando & W. Koste, 1974. Rotifera from Sri Lanka (Ceylon) 3. New species and records with a list of Rotifera recorded and their distribution in different habitats from Sri Lanka. *Bulletin of the Fisheries Research Station, Sri lanka (Ceylon)* 25: 83-96.
- Chengalath, R., & G. Mulamoottil, 1974. Littoral Rotifera of Ontario - Genus *Lecane*, with descriptions of two new species. *Canadian Journal of Zoology* 52: 947-957.
- Chengalath, R. & W. Koste, 1988. Composition of littoral rotifer communities of Cape Breton Island, Nova Scotia, Canada. *Verhandlungen der Internationale Vereinigung fur Theoretische und Angewandte Limnologie* 23: 2019-2027.
- Chiambeng, G.Y., H.J. Dumont & H. Segers, 1991. Contribution to the knowledge of the zooplankton fauna of Cameroon: some new records of Rotifera. *Biologisch Jaarboek Dodonaea* 59: 125-132
- Chung, C.E., H.B. Yoo & S.Y. Kim, 1991. Freshwater Rotifera of Korea I. Family Lecanidae (Rotifera: Monogononta). *Korean Journal of Limnology* 24: 207-229.
- Coussement, M., 1977. Nieuwe gegevens omtrent de Rotatoria-fauna van het Donkmeer in Oost-Vlaanderen. *Natuurwetenschappelijk Tijdschrift* 58: 138-146.
- Coussement, M. & H.J. Dumont, 1980. Some peculiar elements in the rotifer fauna of the atlantic Sahara and of the Atlas mountains. *Hydrobiologia* 73: 249-254.
- Daday, E., 1893. Adatok az alföldi székes vizek mikrofaunájának ismeretéhez. *Math. Termész. Értesítő* 12: 10-43.
- Daday, E., 1897. Új-Guineai Rotatoriák. (Rotatoria novae Guineae). *Math. Termész. Értesítő* 15: 131-148.
- Daems, G. & H.J. Dumont, 1974. Rotifers from Nepal, with the description of a new species of *Scaridium* and a discussion of the nepalese representatives of the genus *Hexarthra*. *Biologisch Jaarboek Dodonaea* 42: 61-81.
- Dartnall, H.J.G. & E.D. Hollowday, 1985. Antarctic rotifers. British Antarctic Survey, Scientific reports 100: 1-46.
- de Graaf, F., 1956. Studies on Rotatoria and Rhizopoda from the Netherlands. I. Rotatoria and Rhizopoda from the 'Grote Huisven'. *Biologische Jaarboek Dodonaea* 23: 145-217.
- de Graaf, F., 1960. De Rotatoria van het Voorste Choorven, Witven, Van Esschenven en het Achterste Choorven. Hydrobiologie van de Oisterwijkse vennen. *Publicatie No. 5 van de hydrobiologische vereniging Amsterdam*, 59-73.

- De Maeseneer, J., 1980. Morfologische en ekologische waarnemingen betreffende enkele Rotatorieën in België. *Natuurwetenschappelijk Tijdschrift* 61: 108-131.
- De Manuel, J., 1990a. Some rotifers (Rotifera: Monogononta) from inland waters of Majorca (Balearic Archipelago, Spain). *Boletin de la Sociedad de Historia Natural de Baleares* 33: 189-199.
- De Manuel, J., 1990b. Contribution to the knowledge of the rotifer fauna (Rotifera: Monogononta) from Minorcan inland waters (Balearic Isles: Spain). *Limnetica* 6: 119-130.
- De Manuel, J., 1994. Taxonomical and zoogeographic considerations on Lecanidae (Rotifera: Monogononta) of the Balearic archipelago, with description of a new species, *Lecane margalefi* n. sp. *Hydrobiologia* 288: 97-105.
- De Ridder, M., 1958. Un rotifère nouveau pour le continent Européen. *Biologische Jaarboek Dodonaea* 26: 142-144.
- De Ridder, M., 1960. Ecologisch-Faunistische studie van de raderdertjes van de Camargue (Zuid-Frankrijk) met beschouwingen over de taxonomie van vijf nieuwe soorten. *Verhandelingen van de Koninklijke Vlaamse Academie voor Wetenschappen, Letteren en Schone Kunsten van België, Klasse der Wetenschappen* 22 nr. 65 : 201pp.
- De Ridder, M., 1961a. Les Rotifères de nos eaux saumâtres. *Les Naturalistes Belges* 42: 123-142.
- De Ridder, M., 1961b. Etude faunistique et écologique des Rotifères de la Camargue. *Biologische Jaarboek Dodonaea* 29: 169-231.
- De Ridder, M., 1962. Recherches sur les Rotifères des eaux saumâtres VIII. Quelques Rotifères des Marismas espagnoles. *Hydrobiologia* 20: 92-109.
- De Ridder, M., 1967a. Rotatoriën van Ysland. II. *Natuurwetenschappelijk Tijdschrift* 49 : 216-228.
- De Ridder, M., 1967b. Quelques Rotifères de Majorque. *Les Naturalistes Belges* 48: 409-418.
- De Ridder, M., 1969. Raderdieren uit de omgeving van Budir. *Biologisch Jaarboek Dodonaea* 37 : 140-185.
- De Ridder, M., 1972. Rotatoria. In: Tuxen, S.L. (ed). *The Zoology of Iceland*. E. Munksgaard, Copenhagen & Reykjavik. 1-103.
- De Ridder, M., 1977. Rotatoria of the Caribbean Region. *Studies on the fauna of Curaçau and other Caribbean Islands* 52(171) : 72-134.
- De Ridder, M., 1981. Rotifera. in : Hydrobiological survey of the lake Bangweulu, Luapula river Basin (J.J. Symoens ed.), vol. XI fasc. 4, 191 pp.
- De Ridder, M., 1987. Nieuwe gegevens betreffende de verspreiding der raderdieren in Afrika. *Biologisch Jaarboek Dodonaea* 55/1: 57-68.
- De Smet, W.H., 1988. Rotifers from Bjørnøya (Svalbard), with the description of *Cephalodella evabroedi* n.sp. and *Synchaeta lakowitziana arctica* n.subsp. *Fauna norvegica*, Ser. A 9: 1-18.
- De Smet, W.H., 1989a. Rotifera uit de Galapagoseilanden. *Natuurwetenschappelijk Tijdschrift* 69: 110-113.
- De Smet, W.H., 1989b. Contribution to the rotifer fauna of the Bas Zaïre. 1. The rotifers from some small ponds and a river. *Biologisch Jaarboek Dodonaea* 56: 115-131.
- De Smet, W.H., 1990. Contribution to the rotifer fauna of the Bas Zaïre. 2. Species compositon and seasonal abundance of rotifers in a shallow pond. *Biologisch Jaarboek Dodonaea* 57: 62-77.
- De Smet, W.H., 1993. Report on rotifers from Barentsøya, Svalbard (78°30'N). *Fauna norvegica* Ser. A 14: 1-26.

- De Smet, W.H. & J.M. Bafort, 1990a. Contributions to the rotifers of the Canadian High Arctic. 1. Monogonont rotifers from Little Cornwallis Island, Northwest Territories. *Naturaliste canadienne (Rev. Écol. Syst.)* 117: 253-261.
- De Smet, W.H. & J.M. Bafort, 1990b. Rotifers from the Kilimanjaro. *Biologisch Jaarboek Dodonaea* 58: 120-130.
- De Smet, W.H. & J.M. Bafort, 1990c. Notes on Rotifera and Tardigrada from running waters on Mount Kenya. *Natuurwetenschappelijk Tijdschrift* 72: 103-108.
- De Smet, W.H., E.A. Van Rompu & L. Beyens, 1988. Rotifera, Gastrotricha en Tardigrada uit Shetland, de Faroërs en Spitsbergen. *Natuurwetenschappelijk Tijdschrift* 69: 81-102.
- Dhanapathi, M. V. S. S. S., 1976a. Rotifers from Andra Pradesh, India-III., Family Lecanidae including two new species. *Hydrobiologia* 48 : 9-16.
- Dhanapathi, M. V. S. S. S., 1976b. A new Lecanid Rotifer from India. *Hydrobiologia* 50 : 191-192.
- Donner, J., 1954. Zur Rotatorienfauna Südmährens. *Österreichische Zoologische Zeitschrift* 5: 30-117.
- Donner, J., 1964. Die Rotatorien-Synusien submerser Makrophyten der Donau bei Wien und mehrerer Alpenbäche. *Archiv für Hydrobiologie, Supplement* 17: 227-324.
- Donner, J., 1972. Die Rädertiebestände submerser Moose und weiterer Merotope im Bereich der Stauräume der Donau an der deutsch-österreichischen Landesgrenze. *Archiv für Hydrobiologie, Supplement* 44: 49-114.
- Donner, J., 1978. Material zur saprobiologischen Beurteilung mehrerer Gewässer des Donau-Systems bei Wallsee und in der Lobau, Österreich, mit besonderer Berücksichtigung der litoralen Rotatorien. *Archiv für Hydrobiologie, Supplement* 52: 117-228.
- Dumont, H.J. & M. De Ridder, 1987. Rotifers from Turkey. *Hydrobiologia* 147: 65-73.
- Dunlop, M. F., 1901. On a new rotifer, *Cathypna ligona*. *Journal of the Quekett Microscopy Club, ser. 2, 8:* 29-32.
- Dvorakova, M., 1960a. [Rotatoria des viviers dans les environs de Šumbak et Šenov (district Ostrava)]. *Přírodovědný Časopis Slezský (Opava)* 21: 425-432 (In Czech)
- Dvorakova, M., 1960b. Einige neue und interessante Rädertiere aus der Tschechoslowakei. *Acta Societatis Zoologicae Bohemoslovenicae* 24: 215-221.
- Dvorakova, M., 1961. Einige interessante Rotatorienarten aus den Kolken des Elbegebietes. *Acta Societatis Zoologicae Bohemoslovenicae* 25: 289-296.
- Edmondson, W. T., 1934. Investigations of some Hispanolian lakes. I. The Rotatoria. *Archiv für Hydrobiologie* 26: 465-471.
- Edmondson, W. T., 1936. New Rotatoria from New England and New Brunswick. *Transactions of the American Microscopical Society* 55: 214-222.
- Edmondson, W. T., 1938. Three new species of Rotatoria. *Transactions of the American Microscopical Society* 57: 153-157
- Edmondson, W. T., 1948. Two new species of Rotatoria from sand beaches, with a note on *Collotheca wiszniewskii*. *Transactions of the American Microscopical Society* 67: 149-152.
- Emir, N., 1991. Some rotifer species from Turkey. *Turkish Journal of Zoology* 39-45.
- Evans, F., 1949. Le Plancton de lac Moero et de la région d'Elisabethville. *Revue de Zoologie et de Botanique Africaines* 42: 1-64.
- Fadeev, N., 1924. Materialy k poznání fauny Kolovratok Rossii. Neskolko zametehanyi o Shodstve fauny Kolovratok Rossii i Ameriky. *Russ. gidrobiol. Zhurnal* 3: 3-5 (in Russian).
- Fadeev, N., 1925. Materialy k poznání fauny Kolovratok. Neskolko danniih po fauny Rossii. *Trudy Harkobskogo obskestva ispytateley prirody* 50, 1: 15-25 (in Russian).

- Fadeev, N., 1927. Materialy k poznaniu fauny Kolovratok S.S.S.R. O neskolkých redkyh inoryh kolovratkach naidennyh v predelakh S.S.S.R. *Trudy Charkivskogo Tov. Doslid. Prirody* 50: 141-155 (in Russian).
- Francez, A.J. & R. Pourriot, 1984. Remarques taxinomiques sur quelques rotifères de tourbières avec la description d'une espèce et d'une sous-espèce nouvelles. *Hydrobiologia* 109: 125-130.
- Galindo, M.D., L. Serrano, H. Segers, N. Mazuelos, 1994. *Lecane donyanaensis* n. sp. (Rotifera: Monogononta, Lecanidae), from the Doñana National Park (Spain). *Hydrobiologia* 284: 235-239.
- Gillard, A., 1957. Exploration Hydrobiologique du Lac Tanganika. Rotifères. Résultats Scientifiques vol. 3 fasc. 6: 26pp.
- Gillard, A., 1959. Contribution à l'étude des Rotifères du Congo Belge et du Ruanda. *Revue de Zoologie et Botanique Africaines* 60: 233-239.
- Gillard, A., 1967. Rotifères de l'Amazonie. *Bulletin de l'Institut royal des Sciences naturelles de Belgique* 43: 1-20.
- Godenau, S., 1961a. Contribution à la connaissance des Rotifères de la République Roumaine (I). *Comunicările Acad. Republ. Române* 11: 337-344.
- Godenau, S., 1961b. Contribution à la connaissance des Rotifères de la République Roumaine (II). *Comunicările Acad. Republ. Române* 11: 1203-1212.
- Godenau, S., 1970. Flora și fauna din munții Bucegi. *Ocrotirea Naturii* 14: 41-48.
- Green, J., 1960. Zooplankton of the River Sokoto. The Rotifera. *Proceedings of the Zoological Society of London* 144: 383-402.
- Green, J., 1979. The fauna of Lake Sonfon, Sierra Leone. *Journal of Zoology, London* 187: 113-133.
- Hada, Y., 1938. Rotatorian fauna of Manchoukuo. *Transactions of the Sapporo Natural History Society* 15: 171-186.
- Harring, H.K., 1913. A list of the Rotatoria of Washington and vicinity, with descriptions of a new genus and ten new species. *Proceedings of the U.S. National Museum* 46: 387-405.
- Harring, H.K., 1914. Report on Rotifera from Panama with descriptions of new species. *Proceedings of the U.S. National Museum* 47: 525-564.
- Harring, H.K., 1921. Rotatoria. Reports of the Canadian Arctic Expedition 1913-1918, Ottawa, 8: 1-23.
- Harring, H.K. & F.J. Myers, 1926. The Rotifer Fauna of Wisconsin. III. A revision of the genera *Lecane* and *Monostyla*. *Transactions of the Wisconsin Academy of Sciences, Arts and Letters* 22: 315-423.
- Hauer, J., 1924. *Lecane lauterborni* n. sp. und einige für die deutsche Fauna neue *Lecane*- und *Monostyla*-Arten. *Zoologischer Anzeiger* 61: 145-149.
- Hauer, J., 1925. Rotatorien aus den Salzgewässern von Oldesloe (Holstein). *Mitteilungen der Geographischen Gesellschaft und der Naturhistorischen Museum in Lübeck, II. Reihe*, 30: 152-195.
- Hauer, J., 1929. Zur Kenntnis der Rotatoriengenera *Lecane* und *Monostyla*. *Zoologischer Anzeiger* 83: 143-164.
- Hauer, J., 1931. Zur Rotatorienfauna Deutschlands (II). *Zoologischer Anzeiger* 93: 7-13.
- Hauer, J., 1935a. Zur Rotatorienfauna Deutschlands (IV). *Zoologischer Anzeiger* 110: 260-264.

- Hauer, J., 1935b. Rotatorien aus dem Schluchseemoor und seiner Umgebung. Ein Beitrag zur Kenntnis der Rotatorienfauna der Schwarzwaldhochmoore. *Verhandlungen des Naturwissenschaftlichen Vereins in Karlsruhe* 31: 47-130.
- Hauer, J., 1936a. Zur Rotatorienfauna Deutschlands (V). *Zoologischer Anzeiger* 113: 154-157.
- Hauer, J., 1936b. Neue Rotatorienarten aus Indien. *Zoologischer Anzeiger* 116: 77-80.
- Hauer, J., 1937. Die Rotatorien von Sumatra, Java und Bali nach den Ergebnissen der Deutschen Limnologischen Sunda-Expedition. Teil I. *Archiv für Hydrobiologie, supplement XV* (2), 296-384.
- Hauer, J., 1938. Die Rotatorien von Sumatra, Java und Bali nach den Ergebnissen der Deutschen Limnologischen Sunda-Expedition. Teil II. *Archiv für Hydrobiologie, supplement XV* (3), 507-602.
- Hauer, J., 1940. Beitrag zur Kenntnis der Rotatorien warmer Quellen Deutschlands. *Zoologischer Anzeiger* 130: 156-158.
- Hauer, J., 1956. Rotatorien aus Venezuela und Kolombien. *Ergebnisse der deutschen Limnologische Venezuela-Expedition 1952* 1: 277-314.
- Hauer, J., 1958a. Rädertiere aus dem Sumpfe "Große Seewies" bei Kist. *Nachrichten des Naturw.-Museums der Stadt Aschaffenburg* 60: 1-52.
- Hauer, J., 1958b. Beitrag zur Kenntnis südamerikanischer Rotatorien. *Beiträge zur naturkundlichen Forschung in Südwestdeutschland* 17: 174-178.
- Hauer, J., 1963. Zur Kenntnis der Rädertiere (Rotatoria) von Ägypten. *Archiv für Hydrobiologie* 59: 162-195.
- Hauer, J., 1964. *Lecane remanei* n. sp., eines neues Rädertier aus dem Amazonas-Gebiet. *Zoologischer Anzeiger* 172: 27-30.
- Hauer, J., 1965a. Über einige im Stromgebiet des Amazonas neu entdeckte Rädertiere. *Beiträge zur naturkundlichen Forschung in Südwestdeutschland* 24: 41-46.
- Hauer, J., 1965b. Zur Rotatorienfauna des Amazonasgebietes. *Internationale Revue der gesamte Hydrobiologie* 50: 341-389.
- Hutchinson, G.E., 1931. New and little-known Rotatoria from South Africa. *Ann. Mag. N. Hist.* (10)7: 561-568.
- Infante, A., de, 1980. Los rotiferos del Lago de Valencia. *Acta Cientifica Venezolana* 31: 30-47.
- Jakubski, A.W., 1912. Beiträge zur Kenntnis der Süßwassermikrofauna Ostafrikas. I. Die Rädertiere der Usangusteppe. *Zoologischer Anzeiger* 39: 536-550.
- Jennings, H.S., 1900. Rotatoria of the United States, with especial reference to those of the Great Lakes. *Bulletin of the U.S. Fish Commission, Washington* 19: 67-104.
- Jersabek, C.D. & R. Schabetsberger, 1992a. Taxonomisch-ökologische Erhebung der Rotatorien- und Crustaceenfauna stehender Gewässer des Hohen Tauern. Final Rapport "Forschungsinstitut Gastein-Tauernregion", 165pp.
- Jersabek, C.D. & R. Schabetsberger, 1992b. Taxonomisch-ökologische Erhebung der Rotatorien- und Crustaceenfauna stehender Gewässer des Sengengebirges. Final Rapport "Verein Nationalpark Kalkalpen", 115pp.
- José de Paggi, S.B., 1982. *Notholca walterkosteai* sp. nov. y otros rotiferos dulceacuicolas de la peninsula Potter, Isla 25 de May, (Shetland del sur, Antartida). *Rev. Asoc. Cienc. Nat. Litoral* 13: 81-95.
- José de Paggi, S., 1989. Rofiteros de algunas provincias del Noroeste argentino. *Revue d'Hydrobiologie tropicale* 22 : 223-238.
- José de Paggi, S. & W. Koste, 1988. Rotifera from Saladillo river basin (Santa Fe province, Argentina). *Hydrobiologia* 157: 13-20.

- Jyoti, M.K. & H. Sehgal, 1980. Rotifer fauna of Jammu (J & K), Part I. Loricates. *Limnologica (berlin)* 12: 121-126.
- Karunakaran, L. & A. Johnson, 1978. A contribution to the rotifer fauna of Singapore and Malaysia. *The Malayan Nature Journal*: 173-197
- Kertész, G., 1955. Neuere Beiträge zur Systematik und Verbreitung von *Lecane ichthyoura* (Anderson-Shephard), Rotatoria. *Zoologischer Anzeiger* 154(9/10) : 245-249.
- Kertész, G., 1960. Die Rotatorien des Péteri-Sees. *Annales Universitatis Scientiarum Budapestinensis de Rolando Eötvös Nominatae, Section Biologica* 3: 243-251.
- Kim, W., S.Y. Moon & M.O. Song, 1991. The Systematic Study on the Freshwater Rotifera of Korea. *Korean Journal of Zoology* 34: 548-556.
- Klement, V., 1959. Zur Rotatorienfauna des Monrepos-Teiches bei Ludwigsburg. 2. Beitrag. *Jahresheft des Vereins für Vaterländische Naturkunde in Württemberg* 114: 193-221.
- Koch-Althaus, B., 1963. Systematische und ökologische Studien an Rotatorien des Strehlinsees. *Limnologica (Berlin)* 1: 375-456.
- Koniar, P., 1955. [Beitrag zur Kenntnis der Rädertierfauna (Rotatoria) der Moose in der Hohen Tatra. *Biológia (Bratislava)* 10: 449-464.
- Koniar, P., 1957. Zoocenóza machov vo vodopádoch a potockoch Vysokých Tatier. *Acta Facultatis Rerum Naturalium Universitatis Comenianae, Zoologia* 2: 87-109 (in Czech).
- Koste, W., 1962. Über die Rädertierfauna des Darnsees in Epe bei Bramsche, Kreis Bersenbrück. *Veröffentlichungen des Naturwissenschaftlichen Vereins Osnabrück* 30: 73-137.
- Koste, W., 1972. Rotatorien aus Gewässern Amazoniens. *Amazoniana* 3: 258-505.
- Koste, W., 1974. Zur Kenntnis der Rotatorienfauna der "Schwimmenden Wiese", einer Uferlagune in der Varzea Amazoniens, Brasilien. *Amazoniana* 5: 25-60.
- Koste, W., 1975. Über den Rotatorienbestand einer Mikrobiozönose in einem tropischen aquatischen Saumbiotop, der *Eichornia-crassipes*-Zone im Litoral des Bung-Borapet, eine Stausee in Zentralthailand. *Gewässer Abwasser* 57/58: 43-58.
- Koste, W., 1979. New Rotifera from the River Murray, South-eastern Australia, with a Review of the Australian Species of *Brachionus* and *Keratella*. *Australian Journal of Marine and Freshwater Research* 30: 237-253.
- Koste, W., 1986. Über die Rotatorienfauna in Gewässern südöstlich von Concepción, Paraguay, Südamerika. *Osnabrücker naturwissenschaftliche Mitteilungen* 12: 129-155.
- Koste, W., 1988a. Rotatorien aus Gewässern am Mittleren Sungai Mahakam, einem Überschwemmungsgebiet in E-Kalimantan, Indonesian Borneo. *Osnabrücker naturwissenschaftliche Mitteilungen* 14: 91-136.
- Koste, W., 1988b. Über die Rotatorien einiger Stillgewässer in der Umgebung der Biologischen Station Panguana im tropischen Regenwald in Peru. *Amazoniana* 10: 303-325.
- Koste, W. & K. Böttger, 1992. Rotatorien aus Gewässern Ecuadors II. *Amazoniana* 12: 263-303.
- Koste, W., W. Janetzky & E. Vareschi, 1991. Über die Rotatorienfauna in Bromelien-Phytotelmata in Jamaika (Aschelminthes: Rotatoria). *Osnabrücker naturwissenschaftliche Mitteilungen* 17: 143-170.
- Koste, W., W. Janetzky & E. Vareschi, 1993. Zur Kenntnis der limnischen Rotatorienfauna Jamaikas (Rotatoria: Aschelminthes). Teil I. *Osnabrücker naturwissenschaftliche Mitteilungen* 19: 103-149.
- Koste, W. & B. Robertson, 1983. Taxonomic studies on the Rotifera (Phylum Aschelminthes) from a Central Amazonian varzea lake, Lago Camaleão (Ilha de Marchantaria, Rio Solimões, Amazonas, Brasil). *Amazoniana* 8: 225-254.

- Koste, W. & B. Robertson, 1990. Taxonomic studies of the Rotifera from shallow waters on the Island of Maracá, Roraima, Brazil. *Amazoniana* 11: 185-200.
- Koste, W., B. Robertson & E. Hardy, 1984. Further taxonomical studies of the Rotifera from Lago Camaleão, a Central Amazonian varzea lake (Ilha de Marchantaria, Rio Solimões, Amazonas, Brasil). *Amazoniana* 8: 555-576.
- Koste, W. & R.J. Shiel, 1980. New Rotifera from Australia. *Transactions of the Royal Society of South Australia* 104(5): 133-144.
- Koste, W. & R.J. Shiel, 1986. New Rotifera (Aschelminthes) from Tasmania. *Transactions of the Royal Society of South Australia* 110: 93-109.
- Koste, W., R.J. Shiel & M.A. Brock, 1983. Rotifera from Western Australian wetlands with description of two new species. *Hydrobiologia* 104: 9-17.
- Koste, W., R.J. Shiel & L.W. Tan, 1988. New rotifers (Rotatoria) from Tasmania. *Transactions of the Royal Society of South Australia* 112: 119-131.
- Koste, W. & W. Tobias, 1990. Zur Kenntnis der Räderterfauna des Kinda-Stausee in Zentral-Birma (Aschelminthes: Rotatoria). *Osnabrücker naturwissenschaftliche Mitteilungen* 16: 83-109.
- Kutikova, L.A., 1959. [Beitrag zur Kenntnis der Räderterfauna Lettlands]. *Fauna Latviiskoi SSR* 2: 212-232.
- Kutikova, L.A., 1962. [List of Rotatoria of the Luga district of the Leningrad region]. *Trudi Zoologicheskogo instituta Academia Nauk SSSR* 31: 463-492 (in Russian).
- Kutikova, L.A., 1965. [Rotifera of the Karelian lakes]. in: [Fauna of the Karelian lakes], Akademia Nauk SSSR, Kareliskii Filial Institut limnologii pp. 52-70.
- Kutikova, L.A. & I.V. Arov, 1985. Novie vidii psammofilinh kolovratok (Rotatoria) v ozere Baikal. [New psammophile rotifers from Lake Baikal] in: Kolovratki. Materialy vtorogo Vsesoyuznogo simpoziuma po kolovratkam. Nauka, St. Petersburg, 223 pp. (in Russian).
- Leissling, R., 1914. Ein Beitrag zur Rotatorienfauna der Plöner Gewässer. *Archiv für Hydrobiologie* 9: 253-258.
- Levander, K.M., 1894. Materialen zur Kenntniss der Wasserfauna in der Umgebung von Helsingfors, mit besonderer Berücksichtigung der Meeresfauna. II. Rotatorien. *Acta Soc. Fauna et Flora Fennica, Helsingfors* 12: 70pp.
- López, C., 1993. Nuevos rotíferos para aguas continentales de Venezuela. *Revue d'Hydrobiologie tropicale* 26: 65-70.
- Maas, S., H. Segers & K. De Cleer, 1995. The copepod and rotifer fauna of the Seychelles. *Biologisch Jaarboek Dodonaea* 62 (1994): 169-174.
- Mamaril, A.C. & C.H. Fernando, 1978. Freshwater zooplankton of the Philippines (Rotifera, Cladocera, and Copepoda). *Natural and Applied Sciences bulletin* 30: 169-221.
- Manfredi, P., 1929. Brevi appunti rotiferologici. *Bulletino di Pesca, di Piscicoltura e di Idrobiologia* 5: 3-8.
- Martinez, C.C. & S. José de Paggi, 1988. Especies de *Lecane* Nitzsch (Rotifera, Monogononta) en ambientes acuáticos del Chaco Oriental y del valle aluvial del río Paraná. *Revue d'Hydrobiologie tropicale* 21: 279-295.
- Michelangelli, F., E. Zoppi de Roa & R. Pourriot, 1980. Rotíferos de sabanas inundables en Mantecal, edo. apure, Venezuela. *Cahiers O.R.S.T.O.M., série Hydrobiologie* 13: 47-59.
- Mitamura, O., K. Hino, Y. Saijo, J.G. Tundisi, T. Matsumura-Tundisi, I. Ikusima, T. sunaga, N. Nakamoto, H. Fukuhara, 1985. Physico-Chemical feature of the Pantanal Water System. in: Saijo, Y. & J.G. Tundisi (eds) Limnological Studies in Central Brazil. Water Research Institute, Nagoya University: 189-196.
- Modenutti, B.E. & M.C. Claps, 1988. Monogononta Rotifers from Plankton and Periphyton of Pampasic Lotic Environments (Argentina). *Limnologica (Berlin)* 19: 167-175.

- Morales-Baquero, R., 1987. Rotifer fauna of lakes and ponds over 2500m above sea level in the Sierra Nevada, Spain, with description of a new subspecies. *Hydrobiologia* 147: 97-101.
- Moreno, L., G. Garcia, L. Racheco, H. Segers & A. Infante, 1992. Rotifers (monogononta) of Nicaragua. *Acta Cientifica Venezolana* 43: 243-247.
- Murray, J., 1906. The Rotifera of the Scottish lochs. Including descriptions of new species by C.F. Rousselet and David Bryce. *Transactions of the Royal Society of Edinburgh* 45: 145-191.
- Murray, J., 1913a. South American Rotifera. Part II. *Journal of the royal Microscopical Society*: 341-362
- Murray, J., 1913b. Australasian Rotifera. *Journal of the royal Microscopical Society*: 455-461
- Murray, J., 1913c. Notes on the Family *Cathypnidae*. *Journal of the royal Microscopical Society*: 545-564.
- Myers, F.J., 1917. Rotatoria of Los Angeles, California, and vicinity, with descriptions of a new species. *Proceedings of the U.S. National Museum* 52: 473-478.
- Myers, F.J., 1936a. Psammolittoral rotifers of Lenape and Union Lakes, New Jersey. *American Musuem Novitates* 830: 22pp.
- Myers, F.J., 1936b. Three new brackish water and one new marine species of Rotatoria. *Transactions of the American Microscopical Society* 55: 428-432
- Myers, F.J., 1936c. Rotifers from the Laurentides National Park with descriptions of two new species. *Canadian Field Naturalist* 50: 82-84.
- Myers, F.J., 1938. New species of Rotifera from the collection of the American Museum of Natural History. *American Museum Novitates* 1011: 17pp.
- Myers, F.J., 1941. *Lecane curvicornis* var. *miamensis*, new variety of Rotatoria, with observations on the feeding habits of rotifers. *Notulae naturae of the Academy of Natural Sciences of Philadelphia* 75: 1-8.
- Myers, F.J., 1942. The rotatorian fauna of the Pocono Plateau and environs. *Proceedings of the Academy of Natural Sciences of Philadelphia* 94: 251-285.
- Naberezhniyi, A.I. & C.G. Irmashova, 1975. [Lecanidae (Rotatoria) from Moldavian waters]. *Biol. Res. Vod. Moldav* 13: 57-75 (in Russian).
- Nayar, C.K.G., 1968. Rotifer Fauna of Rajasthan, India. *Hydrobiologia* 31: 168-185.
- Neiswestnova-Shadina, K.S., 1935. Zur Kenntnis des rheophilen Mikrobenthos. *Archiv für Hydrobiologie* 28: 555-582.
- Neumann-Leitão, S., 1986. Rotíferos de Pernambuco. III. Ocorrência de *Lecane grandis* (Rotatoria) em viveiros estuarinos de itamaracá-pe (Brasil). *Trab. oceanogr. Univ. Fed. Pernambuco* 19: 125-130.
- Neumann-Leitão, S., 1990. Estudos taxonômicos dos Rotatoria da área estuarina-lagunar de Suape, Pernambuco (Brasil). *Trab. oceanogr. Univ. Fed. Pernambuco* 21: 103-164.
- Nogrady, T., 1962. On the Rotifera and limnology of a Hungarian bog pond. *Canadian Journal of Zoology* 40: 677-684.
- Nogrady, T., 1976. Canadian rotifers I. Lac écho, Québec. *Le Naturaliste Canadien* 103: 425-436.
- Nogrady, T., 1980. Canadian rotifers II. Parc Mont Tremblant, Quebec. *Hydrobiologia* 71: 35-46.
- Nogrady, T., 1983. Some new and rare warmwater rotifers. *Hydrobiologia* 106: 107-114.
- Nogrady, T., 1989. Rotifers from five arctic ponds (Cape Herschel, Ellesmere Island, N.W.T.). *Hydrobiologia* 173: 231-242.

- Novotná-Dvorakova, M., 1963. Rotatorien des flusses Yamuna (Indien). *Acta Societatis Zoologicae Bohemoslovenicae* 3: 170-177.
- Olivier, S.P., 1965. Rotiferos planctonicos de Argentina, con claves de las principales especies, datos biologicos y distribucion geografica. *Revista del Museo de la Plata (nueva serie)* 8: 177-260.
- Oloffson, O, 1917. Süßwasser-Entomostraken und Rotatorien von der Murmanküste und aus dem nördlichsten Norwegen. *Zoologiska Bidrag från Uppsala* 5: 259-294.
- Oparina-Charitonova, N.J., 1928. [On some rare and new rotifers for the fauna of the USSR]. *Izwestija Biol. N. J. Inst. Perm Univ.* 6: 9-20.
- Ovander, E.N., 1980a. [Rotifers of the genus *Lecane* (Rotatoria, Lecanidae) in the Ukrainian fauna]. *Vest. Zool.* 34-41 (in Russian).
- Ovander, E.N., 1980b. [Use of indexes for the diagnosis of rotifer species from the genus *Lecane* (Rotatoria, Lecanidae)]. *Vest. Zool.* 42-46 (in Russian).
- Pawłowski, L.K., 1938. Materialien zur Kenntnis der moosbewohnenden Rotatorien Polens. *I. Annales Musei Zoologici Polonici* 13: 115-159.
- Pawłowski, L.K., 1956. Première liste des rotifères trouvés dans la rivière Grabia. *Bulletin de la Société des Sciences et des Letters de Łódź* 7: 1-54.
- Pawłowski, L.K., 1958. Wrotki (Rotatoria) rzeki Grabi. Część I - Faunistyczna. *Łódzkie Towarzystwo Naukowe, Wydział III*, 50: 1-439.
- Pax, F. & K. Wulfert, 1941. Die Rotatorien deutscher Schwefelquellen und Thermen. *Archiv für Hydrobiologie* 38: 165-213.
- Pax, F. & K. Wulfert, 1942. Rädertiere aus der Schwefelquelle in Fiederbrunn und den Thermen von Gastein. *Mikrokosmos* 35: 5-63.
- Pasha, S.M.K., 1961. On a collection of Freshwater Rotifers from Madras. *Journal of the Zoological Society of India* 13: 50-55.
- Pejler, B., 1962. On the taxonomy and ecology of benthic and periphytic Rotatoria. *Zoologiska Bidrag från Uppsala* 33: 327-421.
- Pennak, R.W., 1939. A new rotifer of the psammolittoral of some Wisconsin lakes. *Transactions of the Amererican Microscopical Society* 58: 222-223.
- Pourriot, R., 1968. Rotifères du lac Tchad. *Bulletin de l'Institut Fondamental d'Afrique Noire*: 471-496.
- Pourriot, R., 1975. Rotifères des Antilles. *Cahiers O.R.S.T.O.M., série Hydrobiologie* 9: 81-90.
- Radwan, S., 1974. Wrotki (Rotatoria) torfianek okolic Parczewa. *Annales Univ. Mariae Curie-Skłodowska Lublin* 29: 215-230.
- Reid, J.W. & P.N. Turner, 1988. Planktonic Rotifera, Copepoda and Cladocera form Lagos Açú and Viana, State of Maranhão, Brazil. *Rev. Brasil. Biol.* 48: 485-495.
- Rodewald, L., 1940. Rädertierfauna Rumäniens. IV. Neue und bemerkenswerte Rädertiere aus Rumänien, nebst einigen ökologischen Ergebnissen. *Zoologischer Anzeiger* 130: 272-289.
- Rodewald-Rudescu, L. & S. Godenau, 1961. Die Rädertierfauna Rumäniens VII. Neue und bemerkenswerte Rädertiere aus Rumänien. *Zoologischer Anzeiger* 167: 341-359.
- Rousselet, C.F., 1906. The Rotifera of South Africa. *Journal of the royal Microscopical Society* 393-414.
- Rousselet, C.F., 1912. On *Notholca triarthroides* Skorikow, *Cathypna brachydactyla* Stenroos, and on a new *Brachionus* from Devil's lake, North Dakota. *Journal of the Quekett Microscopical Club, Series 2*, 40: 371-374.
- Rudescu, L., 1960. Rotatoria. Fauna Rep. Pop. Rom., Trochelminthes. II. Academia R.P.R., 1192 pp.

- Russell, C.R., 1945. A Reference List of the Rotatoria of New Zealand, with ecological notes. *Transactions of the Royal Society of New Zealand* 75: 102-123.
- Russell, C.R., 1947. Additions to the Rotatoria of New Zealand. Part I. *Transactions of the Royal Society of New Zealand* 76: 403-408.
- Russell, C.R., 1950. Additions to the Rotatoria of New Zealand. Part III. *Transactions of the Royal Society of New Zealand* 78: 161-166.
- Russell, C.R., 1951. The Rotatoria of the Upper Stillwater Swamp. *Records of the Canterbury Museum* 5: 245-251.
- Russell, C.R., 1952. Additions to the Rotatoria of New Zealand. Part 4. *Transactions of the Royal Society of New Zealand* 80: 59-62.
- Russell, C.R., 1953a. Additions to the Rotatoria of New Zealand. Part V. *Transactions of the Royal Society of New Zealand* 81: 73-78.
- Russell, C.R., 1953b. Some Rotatoria from the Chatham Islands. *Records of the Canterbury Museum* 6: 237-244.
- Russell, C.R., 1954. Additions to the Rotatoria of New Zealand. Part VI. *Transactions of the Royal Society of New Zealand* 82: 461-463.
- Russell, C.R., 1956a. Some rotifers from the Gold Coast. *Journal of the West African Science Association* 2: 139-144.
- Russell, C.R., 1956b. Some Additions to the Rotatoria of the Chatham Islands. *Records of the Canterbury Museum* 7: 51-53.
- Russell, C.R., 1956c. Some rotifers from the fiordland District. *Records of the Canterbury Museum* 7: 55-59.
- Russell, C.R., 1957a. Some rotifers from the South Pacific Islands and Northern Australia. *Transactions of the Royal Society of New Zealand* 84: 897-902.
- Russell, C.R., 1957b. Additions to the Rotatoria of New Zealand. Part VII. *Transactions of the Royal Society of New Zealand* 84: 939-940.
- Russell, C.R., 1958. Some rotifers from Campbell Island. *Records of the Dominion Museum* 3: 137-140.
- Russell, C.R., 1959. Additions to the Rotatoria of New Zealand. Part VIII. *Transactions of the Royal Society of New Zealand* 87: 69-73.
- Sachse, R., 1915. Zur Rotatorienfauna Deutschlands. *Archiv für Hydrobiologie* 10: 66-76.
- Saksena, D.N. & N. Kukarni, 1986. On the Rotifer fauna of two Sewage Channels of Gwailor (India). *Limnologica (Berlin)* 17: 139-148.
- Samanez, I., 1988. Rotíferos planctónicos de la Amazonia Peruana. I. Rotíferos del departamento de Ucayali. *Revista Peruana de Biología* 3: 141-167.
- Sanoamuang, L., H. Segers & H.J. Dumont, 1995. Additions to the rotifer fauna of South-East Asia: new and rare species from North-East Thailand. *Hydrobiologia*, in press.
- Sanoamuang, L. & V.M. Stout, 1993. New records of rotifers from the South Island lakes, New Zealand. *Hydrobiologia* 255/256: 481-490.
- Sarma, S.S.S., 1988. New records of freshwater rotifers (Rotifera) from Indian waters. *Hydrobiologia* 160: 263-269.
- Sarma, S.S.S. & G.P.S. Ghimire, 1990. Rotifers (Rotifera) of Kathmandu Valley, Nepal. *Environment & Ecology* 8: 1016-1021.
- Schepens, D., 1960. Bijdrage tot de kennis van de Rotatoria van België. *Biologisch Jaarboek Dodonea* 28: 88-97.
- Schmarda, L. K., 1859. Neue wirbellose Thiere beobachtet und gesammelt auf einer Reise um die Erde 1853 bis 1857. Quarto. Wien. 1e Band, Turbellarien, Rotatorien und Anneliden. 1. Hälfte. XVIII+66 pp.

- Schmid-Araya, J.M., 1991. Distributional Aspects of Rotifera in Central and South Chile. *Archiv für Hydrobiologie* 120: 481-493
- Segers, H., 1991. Contribution to the knowledge of the rotifer fauna of the Galàpagos islands. *Biologisch Jaarboek Dodonaea* 58 (1990): 113-119.
- Segers, H., 1992. Taxonomy and Zoogeography of the rotifer fauna of Madagascar and the Comoros. *Journal of African Zoology* 106: 351-361.
- Segers, H., 1993. Rotifera of some lakes in the floodplain of the River Niger (Imo State, Nigeria). I. New species and other taxonomic considerations. *Hydrobiologia* 250: 39-61.
- Segers, H., 1994a. On four new tropical and subtropical *Lecane* (Lecanidae, Monogononta, Rotifera). *Hydrobiologia* 287: 243-249.
- Segers, H., 1994b. Redescription of *Lecane fadeevi* (Neiswestnowa-Schadina, 1935) (Rotifera, Lecanidae). *Bulletin van het koninklijk Belgisch Instituut voor Natuurwetenschappen, Biologie* 64: 235-238.
- Segers, H., 1995. Rotifera 2: The Lecanidae (Monogononta). Guides to the Identification of the Microinvertebrates of the Continental Waters of the World 6. (H.J. Dumont & T. Nogrady eds) SPB Academic Publishing BV., 226pp.
- Segers, H., 1996. The biogeography of littoral *Lecane* Rotifera. *Hydrobiologia*, in press.
- Segers, H. & L. De Meester, 1994. The Rotifera of Papua New Guinea, with the description of a new *Scaridium* Ehrenberg, 1830. *Archiv für Hydrobiologie* 131: 111-125.
- Segers, H. & H.J. Dumont, 1993a. Zoogeography of Pacific Ocean islands: a comparison of the rotifer faunas of Easter Island and the Galápagos archipelago. *Hydrobiologia* 255/256: 475-480.
- Segers, H. & H.J. Dumont, 1993b. Rotifera from Arabia, with descriptions of two new species. *Fauna of Saudi Arabia* 13: 3-26.
- Segers, H. & H.J. Dumont, 1995. 102+ rotifer species (Rotifera: Monogononta) in Broa reservoir (SP., Brazil) on 26 August 1994, with the description of three new species. *Hydrobiologia*, in press.
- Segers, H. & L. Sanoamuang, 1994. Two more new species of *Lecane* (Rotifera, Monogononta), from Thailand. *Belgian Journal of Zoology* 124: 39-41.
- Segers, H. & S.S.S. Sarma, 1994. Notes on some new or little known Rotifera from Brazil. *Revue d'Hydrobiologie tropicale* 26: 163-254 (1993).
- Segers, H., A.O. Ayayi, G.Y. Chiambeng, H.P. Chuah, M. Del Castillo, M.G. Directo, M. Luzuriaga de Cruz, L. Moreno, A.L. Oliveira-Neto & Y. Retnaning Widystuti, 1991. Fourteen rotifer species new to the Belgian fauna, with nomenclatural and taxonomical remarks on some *Squatinnella*- species. *Belgian Journal of Zoology* 121: 193-201.
- Segers, H., N. Emir & J. Mertens, 1992. Rotifera from north and northeast Anatolia (Turkey). *Hydrobiologia* 245: 179-189.
- Segers, H., S. Maas & H.J. Dumont, 1995. Preliminary note on the freshwater zooplankton from the Bahamas. *Biologisch Jaarboek Dodonaea* 62 (1994): 164-168.
- Segers, H., D.K. Mbogo & H.J. Dumont, 1994a. New Rotifera from Kenya, with a revision of the Ituridae. *Zoological Journal of the Linnean Society, London* 110: 193-206.
- Segers, H., L. Meneses & M. Del Castillo, 1994b. Rotifera (Monogononta) from Lake Kothia, a high-altitude lake in the Bolivian Andes. *Archiv für Hydrobiologie* 132: 227-236.
- Segers, H., C.S. Nwadiaro & H.J. Dumont, 1993a. Rotifera of some lakes in the floodplain of the River Niger (Imo State, Nigeria). II. Faunal composition and diversity. *Hydrobiologia* 250: 63-71.


- Segers, H., E.N. dos Santos Silva & A.L. de Oliveira-Neto, 1993b. New and rare species of *Lecane* and *Lepadella* (Rotifera: Lecanidae; Colurellidae) from Brazil. *Belgian Journal of Zoology* 123: 113-121.
- Segers, H., S.S.S. Sarma, F.K. Kakkassery & C.K.G. Nayar, 1994c. New records of Rotifera from India. *Hydrobiologia* 287: 251-258.
- Sharma, B.K., 1978a. Contributions to the rotifer fauna of West Bengal. Part I. Family Lecanidae. *Hydrobiologia* 57: 143-153.
- Sharma, B.K., 1978b. Two new Lecanid rotifers from India. *Hydrobiologia* 60: 191-192.
- Sharma, B.K., 1979. Further contributions to the Lecanid fauna (Rotifera: Lecanidae) of West Bengal. *Acta Hydrobiologiae Krakoviense* 21: 53-59.
- Sharma, B.K., 1980. A new lecanid rotifer from West Bengal, India. *Bangladesh Journal of Zoology* 8: 131-132.
- Sharma, B.K., 1987. The distribution of the Lecanid rotifers (Rotifera: Monogononta: Lecanidae) in North-Eastern India. *Revue d'Hydrobiologie tropicale* 20: 101-105.
- Shiel, R.J. & W. Koste, 1985. New species and new records of Rotifera (Aschelminthes) from Australian waters. *Transactions of the royal Society of South Australia* 109: 1-15.
- Skorikov, A. S. 1898. Ein neues Räderthier. *Zoologischer Anzeiger* 21: 556.
- Song, M.O. & H.S. Kim, 1989. Monogonont Rotifers (Monogononta: Rotifera) Inhabiting Several Lowland Swamps in Kyōngsangnam-do, Korea. *Korean Journal of Systematic Zoology* 5: 139-157.
- Steinecke, F., 1917. Die Rotatorien und Gastrotrichen des Zehlaubruches. *Schrift Phys.-Ökonom. Gesell. Königsberg* 57 (1916): 84-100.
- Stemberger, R.S., 1979. A guide to rotifers of the Laurentian Great Lakes. Environmental monitoring and support laboratory, office of research and Development, 198pp.
- Sudzuki, M., 1978. Recent Portrait of Wild Biota in Japan. IV. Animalcules in the area of Mt. Fuji including 5 lakes, grasslands and forets at the foot of the mountain. *Obun Ronsō* 9: 235-277.
- Sudzuki, M., 1991a. The Rotifera from Singapore and Taiwan. *Proceedings of the Japanese Society of Systematic Zoology* 43: 1-34.
- Sudzuki, M., 1991b. Microscopic Animals from Gyokusen-dō Cave and its Water Quality. *Journal of the speleological Society of Japan* 16: 38-44
- Sudzuki, M., 1992a. New Rotifera from Southwestern Islands of Japan. *Proceedings of the Japanese Society of Systematic Zoology* 46: 17-28.
- Sudzuki, M., 1992b. Seasonal and Local Occurrences of the Rotifera in Southwestern Islands of Japan. With lists and notes on other microscopic leading animals. *Proceedings of the Japanese Society of Systematic Zoology* 46: 29-70.
- Taft, C.E., 1932. Oklahoma rotifers. *The Ohio Journal of Science* 32: 492-506.
- Tarnogradski, D.A., 1930. [The Rotiferfauna of the Northern Caukasus belonging to the genera *Lecane*, *Monostyla* and *Colurella*]. *Raboty Sev.-Kaukazskoj Gidrobiol. Stancii* 2: 111-144 (in Russian).
- Tarnogradski, D.A., 1961a. [Microflora and microfauna of peats in the Caucasus. 5. Sphagnetums of Maharsky gonge (Karatscheavo - Circassian Republic)]. *Raboty Sev.-Kaukazskoj Gidrobiol. Stancii* 22: 3-32 (in Russian).
- Tarnogradski, D.A., 1961b. [Panzerrotatorien des Kaukasus] *Raboty Sev.-Kaukazskoj Gidrobiol. Stancii* 22: 33-65 (in Russian).
- Tassingy, M., R. Maillard & R. Pourriot, 1970. Étude hydrobiologique d'un étang de Sologne: L'Etang de Pommereau. *Bulletin de l'Association des Naturalistes Orléonais Loire Moyenne* 51: 1-36.

- Thienemann, A., 1933. Die Tierwelt der Nepenthes-Kannen. *Archiv für Hydrobiologie, supplement* 11: 1-53.
- Thomasson, K., 1953. Studien über das südamerikanische Südwasserplankton. 2. Zur Kenntnis des südamerikanischen Zooplanktons. *Arkiv för Zoologi*, Serie 2, 6: 189-194.
- Thomasson, K., 1959. Plankton of some lakes in an argentine National Park, with notes on terrestrial vegetation. *Acta Phytogeografica Suecica* 42: 1-83.
- Thomasson, K., 1960. Notes on the plankton of lake Bangweulu. Part 2. *Nova Acta Regiae Societatis Scientiarum Upsaliensis, Ser. IV*, 17: 1-43.
- Thomasson, K., 1965. Notes on algal vegetation of Lake Kariba. *Nova Acta Regiae Societatis Scientiarum Upsaliensis, Ser. IV*, 19: 1-34.
- Thomasson, K., 1971. Amazonian algae. *Mémoires de l'Institut royal des Sciences Naturelles de Belgique, série 2*, 86: 1-53.
- Török, P., 1935. A budapesti vízvezetéki víz szűredékének faunája. *MTA. Mat. Term. Tud. Ért.* 53: 637-664.
- Turner, P., 1987. Some Rotifers from Khatmandu Nepal. *Microscopy* 35; 549-550.
- Turner, P.N., 1990. Some rotifers from coastal lakes of Brazil, with description of a new rotifer, *Lepadella (Xenolepadella) curvicaudata* n. sp. *Hydrobiologia* 208: 141-152.
- Turner, P.N. & C. Da Silva, 1992. Littoral Rotifers from the State of Mato Grosso, Brazil. *Studies on Neotropical Fauna and Environment* 27: 227-241.
- Ustaoğlu, M.R. & S. Balık, 1987. Akgölün (Selçuk-İzmir) Rotifer Faunasi. *VIII. Ulusal Biyoloji Kongresi Cilt. II*: 614-626.
- Van Oye, P., 1926. Rotateurs nouveaux du Congo Belge. *Bulletin de la Société Zoologique de France* 51: 49-54.
- Varga, L., 1937. [Die Rotatorien des Tihanyer Belső Tó]. *Magyar Biol. Kut. Intez. Munkái* 9: 133-202.
- Varga, L., 1939. Beiträge zur Kenntnis der Rotatorien-Fanua des Balaton-Sees. Die Rotatorien der Bucht von Aszófö. *Magyar Biol. Kut. Int. Munkái* 11: 316-371.
- Varga, L., 1945. [Die Sommer Rotatorien des Kis-Balatons]. *Magyar Biol. Kut. Int. Munkái* 16: 36-103 (in Hungarian).
- Varga, L., 1957. [Neuere Daten über die Mikrofauna de Balaton-Psammons]. *Annales Instituti Biologici (Tihany) Hungaricae Academiae Scientiarum* 24: 271-282.
- Varga, L., 1962. [Rotatorien vom Hoverla-Berg]. *Állattani Közlemények* 44: 141-150.
- Voigt, M., 1902. Die Rotatorien und Gastrotrichen der Umgebung von Plön. (Vorläufige Mitteilung und Diagnosen einiger Nova). *Zoologischer Anzeiger* 25: 673-681.
- Voigt, M., 1904. Die Rotatorien und Gastrotrichen der Umgebung von Plön. *Forschungs-Berichte der Biologisches Station zu Plön* 11: 1-180.
- Voronkov, N.V., 1907. Rotifers, collected by N.V. Bogojavlensky in Karun, Shat-el-Arab and on the Island Hordja. *Trudy Hidrobiol. Stantsii Globojom Ozere* 2: 281-292.
- Wang, J., 1961. [Fauna of freshwater Rotifera of China]. Science press of China, Beijing, 285p. + 27 plates. (in Chinese).
- Wiszniewski, J., 1930. Contribution à l'étude des rotifères de Polésie (Pologne). *Archiwum Hydrobiologii i Rybactwa* 3/4: 265-284.
- Wiszniewski, J., 1932a. Sur quelques rotifères, trouvés en Espagne. *Archiwum Hydrobiologii i Rybactwa* 6: 41-64.
- Wiszniewski, J., 1932b. Les rotifères des rives sablonneuses du lac Wigry. *Archiwum Hydrobiologii i Rybactwa* 6: 86-100.
- Wiszniewski, J., 1934. Les rotifères psammiques. *Annales Musei Zoologici Polonici* 10: 339-399.


- Wiszniewski, J., 1935. Note sur le psammon du lac Ohrid. *Verhandlungen der internationalen Vereinigung für theoretische und angewandte Limnologie* 7: 238-244.
- Wulfert, K., 1940. Rotatorien einiger ostdeutscher Torfmoore. *Archiv für Hydrobiologie* 36: 552-587.
- Wulfert, K., 1956. Die Rädertiere des Teufelssees bei Friedrichshagen. *Archiv für Hydrobiologie* 51: 457-495.
- Wulfert, K., 1960a. Die Rädertiere saurer Gewässer der Dübener Heide. I. Die Rotatorien des Zadlitzmoors und des Wildenhainer Bruchs. *Archiv für Hydrobiologie* 56: 261-298.
- Wulfert, K., 1960b. Die Rädertiere saurer Gewässer der Dübener Heide. II. Die Rotatorien des Krebsscherentümpels bei Winkelmühle. *Archiv für Hydrobiologie* 56: 311-333.
- Wulfert, K., 1965. Rädertiere aus einigen afrikanischen Gewässern. *Limnologica* 3: 347-366.
- Wulfert, K., 1966. Rädertiere aus dem Stausee Ajwa und der Trinkwasser-Aufbereitung der Stadt Baroda (Indien). *Limnologica* 4: 53-95.
- Yamamoto, K., 1951. On six new Rotatoria from Japan. *Annotationes Zoologicae Japonenses* 24: 157-162.
- Yamamoto, K., 1952. Rotifer fauna of Japanese Inland Waters (8). *Japanese Journal of Limnology* 8: 68-74.
- Yamamoto, K., 1953a. Rotatorian Fauna of Ozeghara, with Description of two new species. *Annotationes Zoologicae Japonenses* 26: 14-19.
- Yamamoto, K., 1953b. Preliminary Studies on the Rotatorian Fauna of Korea. *Pacific Science* 7: 151-164.
- Yamamoto, K., 1955. A new rotifer (Order Ploima) from Japan. *Annotationes Zoologicae Japonenses* 28: 33-34.
- Yamamoto, K., 1959. [The Rotatorian fauna in a swamp adjacent to Lake Tôro-ko, Hokkaidô]. *Japanese Journal of Limnology* 20: 111-114 (in Japanese).
- Yamamoto, K., 1960. Plankton Rotatoria in Japanese Inland waters. *Hydrobiologia* 16: 364-411.
- Živković, A., 1987. [Fauna Rotatoria in the Yugoslav part of the Danube river and its flood regions at Apatin with descriptions of three new species]. *Proceedings of the fauna of Sr Serbia* 4: 1-110 (in Serbian).
- Zoppi de Roa, E., W. Vasquez, G. Colomine & M.J. Pardo, 1990. Composición preliminar del zooplankton del Río Churun (Auyantepuy, Venezuela). *Memoria Sociedad ciencias Naturales La Salle* 49/50: 29-44.
- Zoppi de Roa, E., M.J. Pardo & W. Vasquez, 1994. Nuevas adiciones a la fauna de rotíferos de Venezuela. *Revue d'Hydrobiologie tropicale* 26: 163-254 (1993).

LIST OF DISTRIBUTION MAPS


- Map 1.* *L. acanthinula* (Hauer)
Map 2. *L. aculeata* (Jakubski)
Map 3. *L. aeganea* Harring
Map 4. *L. amazonica* (Murray)
Map 5. *L. arcuata* (Bryce)
Map 6. *L. arcula* Harring
Map 7. *L. batillifer* (Murray)
Map 8. *L. bifastigata* Hauer
Map 9. *L. blachei* Bērzins
Map 10. *L. braumi* Koste
Map 11. *L. bulla* (Gosse)
Map 12. *L. closterocerca* (Schmarda)
Map 13. *L. copeis* (Harring & Myers)
Map 14. *L. cornuta* (Müller)
Map 15. *L. crepida* Harring
Map 16. *L. curvicornis* (Murray)
Map 17. *L. decipiens* (Murray)
Map 18. *L. depressa* (Bryce)
Map 19. *L. doryssa* Harring
Map 20. *L. elsa* Hauer
Map 21. *L. eutarsa* Harring & Myers
Map 22. *L. eylesi* Russell
Map 23. *L. flexilis* (Gosse)
Map 24. *L. furcata* (Murray)
Map 25. *L. galeata* (Bryce)
Map 26. *L. grandis* (Murray)
Map 27. *L. hamata* (Stokes)
Map 28. *L. hastata* (Murray)
Map 29. *L. hornemannii* Ehrenberg
Map 30. *L. inermis* (Bryce)
Map 31. *L. ivli* (Wiszniewski)
- Map 32.* *L. kluchor* Tarnogradski
Map 31. *L. lamellata* (Daday)
Map 34. *L. lateralis* Sharma
Map 35. *L. latissima* Yamamoto
Map 36. *Lauterborni* Hauer
Map 37. *L. leontina* (Turner)
Map 38. *L. ligona* (Dunlop)
Map 39. *L. ludwigii* (Eckstein)
Map 40. *L. luna* (O.F. Müller)
Map 41. *L. margarethae* Segers
Map 42. *L. melini* Thomasson
Map 43. *L. mitis* Harring & Myers
Map 44. *L. mira* (Murray)
Map 45. *L. monostyla* (Daday)
Map 46. *L. mucronata* Harring & Myers
Map 47. *L. myersi* Segers
Map 48. *L. papuana* (Murray)
Map 49. *L. paradoxa* Steinecke
Map 50. *L. pumila* Rousselet
Map 51. *L. pyrrha* Harring & Myers
Map 52. *L. rhopalura* (Harring & Myers)
Map 53. *L. ruttneri* Hauer
Map 54. *L. satyrus* Harring & Myers
Map 55. *L. scutata* (Harring & Myers)
Map 56. *L. serrata* (Hauer)
Map 57. *L. spinulifera* Edmondson
Map 58. *L. stichaea* (Harring)
Map 59. *L. syngenes* (Hauer)
Map 60. *L. thalera* (Harring & Myers)
Map 61. *L. thienemanni* (Hauer)
Map 62. *L. unguitata* (Fadeev)



Map 1. *L. acanthinula* (Hauer)



Map 2. *L. aculeata* (Jakubski)




Map 3. *L. aeganea* Harring



Map 4. *L. amazonica* (Murray)




Map 5. *L. arcuata* (Bryce)




Map 6. *L. arcula* Harring



Map 7. *L. batillifer* (Murray)




Map 8. *L. bifastigata* Hauer




Map 9. *L. blachei* Bērzins




Map 10. *L. braumi* Koste




Map 11. *L. bulla* (Gosse)



Map 12. *L. closterocerca* (Schmarda)




Map 13. *L. copeis* (Harring & Myers)




Map 14. *L. cornuta* (Müller)




Map 15. *L. crepida* Harring




Map 16. *L. curvicornis* (Murray)




Map 17. *L. decipiens* (Murray)



Map 18. *L. depressa* (Bryce)




Map 19. *L. doryssa* Harring




Map 20. *L. elsa* Hauer




Map 21. *L. eutarsa* Harring & Myers



Map 22. *L. eylesi* Russell




Map 23. *L. flexilis* (Gosse)




Map 24. *L. furcata* (Murray)




Map 25. *L. galeata* (Bryce)




Map 26. *L. grandis* (Murray)




Map 27. *L. hamata* (Stokes)



Map 28. *L. hastata* (Murray)



Map 29. *L. hornemannii* Ehrenberg




Map 30. *L. inermis* (Bryce)




Map 31. L. ivli (Wiszniewski)



Map 32. L. kluchor Tarnogradski




Map 33. *L. lamellata* (Daday)




Map 34. *L. lateralis* Sharma




Map 35. *L. latissima* Yamamoto




Map 36. *lauterborni* Hauer




Map 37. *L. leontina* (Turner)



Map 38. *L. ligona* (Dunlop)



Map 39. *L. ludwigii* (Eckstein)



Map 40. *L. luna* (O.F. Müller)




Map 41. *L. margarethae* Segers




Map 42. *L. melini* Thomasson



Map 43. *L. mitis* Herring & Myers




Map 44. *L. mira* (Murray)




Map 45. *L. monostyla* (Daday)




Map 46. *L. mucronata* Harring & Myers




Map 47. *L. myersi* Segers



Map 48. *L. papuana* (Murray)




Map 49. *L. paradoxa* Steinecke




Map 50. *L. pumila* Rousselet




Map 51. *L. pyrrha* Harring & Myers



Map 52. *L. rhopalura* (Harring & Myers)




Map 53. *L. ruttneri* Hauer



Map 54. *L. satyrus* Harring & Myers




Map 55. *L. scutata* (Harring & Myers)




Map 56. *L. serrata* (Hauer)




Map 57. *L. spinulifera* Edmondson




Map 58. *L. stichaea* (Harring)




Map 59. *L. syngenes* (Hauer)



Map 60. *L. thalera* (Harring & Myers)



Map 61. *L. thienemanni* (Hauer)



Map 62. *L. unguitata* (Fadeev)